Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **Sum Mixed Array**

897 279 93% of 7,356 42,978 of 116,074 PG1

1 Issue Reported

Python 3.11 VIM

Instructions Output

Time: 496ms Passed: 45 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (5 of 5 Assertions)

Completed in 0.14ms

Random Tests

Testing for sum_mix(['-36', '12', -99, '-67', 7, '-81', 64, -18, '-54', 72, '53',

Solution

```python
def sum_mix(arr):
    return sum(int(num) for num in arr)
```

Great! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
from solution import sum_mix

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(sum_mix([9, 3, '7', '3']), 22)
        test.assert_equals(sum_mix(['5', '0', 9, 3, 2, 1, '9', 6, 7]), 42)
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **Correct the mistakes of the character recognition software**

642 260 93% of 5,673 22,816 of 71,778 denesnori

2 Issues Reported

Python 3.11 VIM

Instructions Output

Character recognition software is widely used to digitise printed texts. Thus the texts can be edited, searched and stored on a computer.

When documents (especially pretty old ones written with a typewriter), are digitised character recognition softwares often make mistakes.

Your task is correct the errors in the digitised text. You only have to handle the following mistakes:

- `S` is misinterpreted as `5`
- `O` is misinterpreted as `0`
- `I` is misinterpreted as `1`

The test cases contain numbers only by mistake.

Updated Privacy Policy

Solution

```python
def correct(s):
    notogri_harflar = {
        "0" : "O",
        "1": "I",
        "5": "S"
    }
    data = ""
    for harf in s:
        if harf in notogri_harflar:
            data += notogri_harflar[harf]
        else:
            data += harf
    return data
```

Sample Tests

```python
from solution import correct
import codewars_test as test

@test.describe("Example tests")
def _():
    @test.it("Example tests")
    def _():
        test.assert_equals(correct("L0ND0N"), "LONDON")
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **Remove exclamation marks**

724 191 91% of 7,795 47,538 of 137,787 wichu

2 Issues Reported

Python 3.11 VIM

Instructions Output

Time: 539ms Passed: 45 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (5 of 5 Assertions)

Completed in 0.08ms

Random tests

Testing for remove_exclamation_marks('!egwHDyO!nnG!ltLqNGB!F! !Nq !FQoPVWuX!MhQy')

Testing for remove_exclamation_marks('QuXysum!')

Testing for remove_exclamation_marks('r! !c!CxHygJyyPMRjHr ! BxhV!h cV!')

Testing for remove_exclamation_marks('sdTg gN!x !')

Testing for remove_exclamation_marks('rubSAIYSWiiKfNGiIfmUyUaXe')

Solution

```python
def remove_exclamation_marks(s):
    return s.replace("!","")
```

Excellent! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
from solution import remove_exclamation_marks

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(remove_exclamation_marks("Hello World!"), "Hell
        test.assert_equals(remove_exclamation_marks("Hello World!!!"), "He
        test.assert_equals(remove_exclamation_marks("Hi! Hello!"), "Hi Hel
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experien

8 kyu **Convert a Boolean to a String**

830 174 88% of 12,941 87,832 of 265,320 btaitelb

Python 3.11 VIM

Instructions Output

Time: 565ms Passed: 102 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (2 of 2 Assertions)

Completed in 0.08ms

Random Tests

testing for boolean_to_string(False)

testing for boolean_to_string(False)

testing for boolean_to_string(False)

testing for boolean_to_string(False)

testing for boolean_to_string(True)

testing for boolean_to_string(False)

Solution

```python
def boolean_to_string(b):
    return str(b)
```

Great! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import boolean_to_string

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(boolean_to_string(True), "True")
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experier

8 kyu **All Star Code Challenge #18**

506 135 93% of 5,846 28,236 of 84,745 shaddyjr

Python 3.11 VIM

Instructions Output

Time: 579ms Passed: 26 Failed: 0

Test Results:

Should return the correct character count

Test (6 of 6 Assertions)

Completed in 0.16ms

Random tests

Test (20 of 20 Assertions)

Completed in 4.15ms

You have passed all of the tests! :)

Solution

```python
def str_count(strng, letter):
    return strng.count(letter)
```

Great! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
@test.describe('Should return the correct character count')
def fixed():
    @test.it("")
    def f():
        test.assert_equals(str_count('hello', 'l'), 2)
        test.assert_equals(str_count('hello', 'e'), 1)
        test.assert_equals(str_count('codewars', 'c'), 1)
        test.assert_equals(str_count('', 'g'), 5)
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **Total amount of points**

1797 453 92% of 8,151 39,190 of 125,827 petrosernivka

1 Issue Reported

Python 3.11 VIM

Instructions Output

Time: 532ms Passed: 55 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (5 of 5 Assertions)

Completed in 0.10ms

Random Tests

Testing for points points(['1:2', '2:1', '2:1', '4:4', '2:2', '0:0', '4:3', '3:3', '3:4', '4:2'])

Testing for points points(['4:0', '1:2', '4:3', '2:3', '1:4', '2:0', '2:1', '1:0', '4:2', '0:2'])

Testing for points points(['0:1', '3:1', '2:3', '1:0', '1:3', '1:4', '0:3', '3:4', '0:3', '1:3'])

Testing for points points(['2:4', '2:0', '3:4', '4:1', '0:4', '0:3', '1:0', '2:3', '1:4',

Solution

```python
def points(games):
    yigindi = 0
    for game in games:
        x,y = game.split(":")
        if x > y:
            yigindi += 3
        elif x < y:
            pass
        elif x == y:
            yigindi += 1
    return yigindi
```

Sample Tests

```python
wars_test as test
on import points

ibe("Fixed Tests")
ests():
t('Basic Test Cases')
ic_test_cases():
t.assert_equals(points(['1:0','2:0','3:0','4:0','2:1','3:1','4:1','3:2','4:
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **Double Char**

839 263 93% of 7,053 40,990 of 113,156 Alpri Else

1 Issue Reported

Python 3.11 VIM

Instructions Output

Time: 613ms Passed: 203 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (3 of 3 Assertions)

Completed in 0.06ms

Random Tests

s = 'AFL8Q'

s = 'EQ54QRCAYKLGHZGLJVTJMVY8LXDM5QB2QTFYUW5U98R3JR3I6LUQ5R4R

s = 'M6W7ZDXK43SZKDR5IZ2T13QT5WVXYN4SK66JV0X33X9ZODKRU7Q2ZBNH

s = '87FXUG13YJO467DZYP7KX74P887BTDFPLM4THDFPYUOO'

Solution

```python
def double_char(s):
    return "".join([harf * 2 for harf in s])
```

Correctamundo! You may take your time to refactor/comment your solution. Submit when

Sample Tests

```python
import codewars_test as test
from solution import double_char

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(double_char("String"),"SSttrriinngg")
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **Convert a string to an array**

912 269 90% of 9,413 55,919 of 168,955 samjam48

3 Issues Reported

Python 3.11 VIM

Instructions Output

Time: 549ms Passed: 45 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (5 of 5 Assertions)

Completed in 0.19ms

Random Tests

Testing for string_to_array('MInu6O1zw')

Testing for string_to_array('DGsCT3Ry5CPn1 izzRWN6JEM5qfcxHQ6cP nYXTCB1gM qvWBwM BqEs9 pyayNp9B C1SS7is5y1Yya9QUmn qAXAXz ATl6GeD Pz4oqEDwwaJj JrIaTRJnBzef3Zb 3d4eclMfs')

Testing for string_to_array('uy9XWp04awTZOb4thF5E 1MNn16MK0CAbgP 77ePiC')

Testing for string_to_array('kBMzO9BN')

Solution

```python
def string_to_array(s):
    return s.split(" ")
```

Correct! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import string_to_array

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(string_to_array("Robin Singh"), ["Robin", "Sing
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experier

8 kyu **If you can't sleep, just count sheep!!**

1267 310 92% of 8,894 43,846 of 143,667 joshra

Instructions Output

Time: 510ms Passed: 104 Failed: 0

Test Results:

Fixed Tests

Basic Test Cases (4 of 4 Assertions)

Completed in 0.07ms

Random test

testing for count_sheep(61)

testing for count_sheep(74)

testing for count_sheep(69)

testing for count_sheep(2)

testing for count_sheep(48)

testing for count_sheep(72)

Python 3.11 VIM

Solution

```python
def count_sheep(n):
    return "".join([f"{son} sheep..." for son in range(1,n+1)])
```

Great! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import count_sheep

@test.describe("Fixed Tests")
def fixed_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(count_sheep(0), "");
        test.assert_equals(count_sheep(1), "1 sheep...");
```

Kata Training

Heads Up! Unlock the full potential of your account – confirm your email to enable the full dojo experience!

8 kyu **DNA to RNA Conversion**

1223 272 91% of 9,768 60,662 of 172,273 torret

3 Issues Reported

Instructions Output

Time: 667ms Passed: 108 Failed: 0

Test Results:

Sample Tests

Basic Test Cases (8 of 8 Assertions)

Completed in 0.15ms

Random Tests

Testing for dna_to_rna(TAGATTGTGCAATACGCTTGTATGTTGTATACTTGAGAGTCTCTTCTT

Testing for dna_to_rna(TCCACTCCTGAATCGGGAGCAGGGTCACCTGATTGGACGCGTTCAC

Testing for dna_to_rna(GTTCAGCAGCGGTTATTCTGAATTGGGCCAGTGAGGGAG)

Testing for

Python 3.11 VIM

Solution

```python
def dna_to_rna(dna):
    return dna.replace("T","U")
```

Correct! You may take your time to refactor/comment your solution. Submit when ready.

Sample Tests

```python
import codewars_test as test
from solution import dna_to_rna

@test.describe("Sample Tests")
def basic_tests():
    @test.it('Basic Test Cases')
    def basic_test_cases():
        test.assert_equals(dna_to_rna("TTTT"), "UUUU")
```