




RESULTADOS MODELO CON CÓDIGO INICIAL

```
> dimnames(stan_array)[[3]]
[1] "alpha" "beta[1]" "beta[2]" "beta[3]" "beta[4]" "beta[5]" "beta[6]" "beta[7]" "beta[8]" "beta[9]"
[11] "beta[10]" "beta[11]" "beta[12]" "lp__"
> colnames(x)
[1] "edad_" "mujer_cabfsí" "def_naturalezaFísica" "def_naturalezaPsicológica"
[5] "def_naturalezaSexual" "areacentro poblado" "areaRural disperso" "sexo_agref"
[9] "sexo_agrem" "conv_agresí" "pac_hossí" "escenariovivienda"
```



```
> table(as.factor(base_datos_SIVIGILA$def_naturaleza), as.factor(base_datos_SIVIGILA$ac_mental))
      0      1
Física 180369 152884
Negligencia y abandono 16088 7061
Psicológica 24638 24853
Sexual 32800 87767
> table(as.factor(base_datos_SIVIGILA$area), as.factor(base_datos_SIVIGILA$ac_mental))
      0      1
Cabecera municipal 205412 216534
Centro poblado 20516 20328
Rural disperso 27967 35703
> table(as.factor(base_datos_SIVIGILA$sexo_agre), as.factor(base_datos_SIVIGILA$ac_mental))
      0      1
F 39013 24663
I 131 277
M 214751 247625
```



```
> colnames(X)
[1] "edad_" "mujer_cabfsi" "def_naturalezaFisica" "def_naturalezaPsicologica"
[5] "def_naturalezaSexual" "areaCentro poblado" "areaRural disperso" "sexo_agref"
[9] "sexo_agrem" "conv_agresi" "pac_hossi" "escenarioVivienda"
```

Inference for Stan model: anon_model.
4 chains, each with iter=2000; warmup=1000; thin=1;
post-warmup draws per chain=1000, total post-warmup draws=4000.

	mean	se_mean	sd	2.5%	25%	50%	75%	97.5%	n_eff	Rhat
alpha	-0.25	0.00	0.11	-0.46	-0.32	-0.25	-0.17	-0.03	1790	1
beta[1]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4238	1
beta[2]	-0.37	0.00	0.01	-0.38	-0.37	-0.37	-0.36	-0.35	4636	1
beta[3]	0.55	0.00	0.02	0.52	0.54	0.55	0.56	0.59	2176	1
beta[4]	0.76	0.00	0.02	0.72	0.75	0.76	0.77	0.79	2257	1
beta[5]	1.52	0.00	0.02	1.49	1.51	1.52	1.54	1.56	2233	1
beta[6]	-0.09	0.00	0.01	-0.11	-0.10	-0.09	-0.08	-0.07	3798	1
beta[7]	0.16	0.00	0.01	0.14	0.15	0.16	0.17	0.18	4781	1
beta[8]	-0.74	0.00	0.11	-0.96	-0.82	-0.74	-0.67	-0.53	1769	1
beta[9]	-0.42	0.00	0.11	-0.63	-0.50	-0.42	-0.35	-0.21	1756	1
beta[10]	-0.17	0.00	0.01	-0.19	-0.18	-0.17	-0.17	-0.16	4145	1
beta[11]	0.75	0.00	0.01	0.73	0.74	0.75	0.76	0.77	4327	1
beta[12]	0.06	0.00	0.01	0.04	0.05	0.06	0.06	0.07	4166	1
lp__	-343803.99	0.06	2.45	-343809.63	-343805.44	-343803.68	-343802.21	-343800.16	1837	1

```
> odds_ratios
[1] 1.0013379 0.6927447 1.7378993 2.1344649 4.5929054 0.9157075 1.1735266 0.4749989 0.6555989 0.8406972 2.1167423
[12] 1.0577379
```




Figura 3. Curva ROC del modelo de atención en salud mental SIGILA.

