AGUA FINITA | The Finite Water City　有限水城



The scheme

A compact first settlement east of the fixed agrivoltaic pilot gives water, shade and human services priority over uninterrupted compute. Dry channels stay open; a public water ledger controls growth. Three nodes connect dry cooling, a seasonal wash and a shaded civic commons.

2,400	**1,200**	**12**	**1,000,000**
residents, phase one	jobs in the city	MW of compute	m³ of water a year
73	**12**	**7**	
% hourly carbon-free	km² master design	human-machine interfaces	

Key nodes: N05 A compute campus and its waste heat · N07 A seasonal river park · N10 Public space in heat and Zonda wind

Declared trade-off: Maximum uninterrupted compute throughput and minimum cooling electricity

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

The city grows only when its water ledger can support another complete neighbourhood.

What it gives up

Maximum uninterrupted compute throughput and minimum cooling electricity. Scarce water is reserved first for people and the existing agricultural system.


Who carries the cost

Compute investors and customers accept interruption contracts; tenants are protected by reserved service funding, while workers need paid reassignment during curtailment.


Three key nodes

N05 A compute campus and its waste heat - Heat without thirst
N07 A seasonal river park - The absent river
N10 Public space in heat and Zonda wind - The right to shade


1 The whole site · structure




2 The master design · drawn by the entrant



3 N05 A compute campus and its waste heat



N07 A seasonal river park



N10 Public space in heat and Zonda wind



Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城


Drawn by the entrant

AGUA FINITA / 有限水城

布局澄清 V2 · 00 / GEOMETRY

先分清：研究范围、真实建设、拟议连接

底图采用同一冻结几何；本轮没有移动建筑。新增步行轴与到达点只保存在独立提案图层中。



01　实线 = 已有方案几何

建筑、用地和人机路径均可追溯。
七处平交点用空心圆标出。

02　虚线 = 本轮新建议

新增东西向生活主轴约1.25 km。
尚未写入正式 movement.geojson。

03　蓝灰纹理 = 洪泛筛选

它是地形派生的敏感范围。
不是绿化面积，也不是安全承诺。

规划审阅稿 / 未公开；非测绘或工程结论。来源：竞赛边界、试点、DEM派生沟道 + 本方案冻结几何。

源几何 e860fd28c372 / 2026-10-25

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Drawn by the entrant

AGUA FINITA / 有限水城

布局澄清 V2 · 01 / CITY

全城：从西南首期起步，后续增长有条件

1,656 km²全场地是统筹范围；二、三期是预留。图上不把远期预留画成已经建好的城区或道路。



01　先建一个完整的小城

靠近现有试点，但不改动试点。
住房、学校、诊所、生产同时成立。

02　再判断能否增设聚落

水有可审计余量，首期入住稳定，
下一阶段服务与接入资金落实。

03　门户是后期条件项目

靠山体东侧预留；先解决接入、
出口需求、水与审批等条件。

注意：图中的连线是标签引线。
未新增跨区道路或获批外部通道。

规划审阅稿 / 未公开；非测绘或工程结论。来源：竞赛边界、试点、DEM派生沟道 + 本方案冻结几何。

源几何 e860fd28c372 / 2026-10-25

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城


Drawn by the entrant

AGUA FINITA / 有限水城

布局澄清 V2 · 02 / FIRST SETTLEMENT

首期：一处到达、两个系统、四组住宅

人从东北侧进入生活网络；机器沿东侧与南侧服务。河道保留地在西，生产在南，光伏在东。



人　到达 → 住宅 → 公共中心

橙实线利用现有步行路径。
橙虚线补充明确的东西生活主轴。

机　外侧服务 → 生产设施

蓝灰线是现有机器 / 服务网络。
货运不穿过公共中心与住宅内部。

地　研究范围 ≠ 生活城区

住宅 + 公共服务用地约1.477 km²。
12.008 km²还包括生产和大块留白。

用地面积：从既有几何重算。
新增主轴、落客与标识待审阅。

规划审阅稿 / 未公开；非测绘或工程结论。来源：竞赛边界、试点、DEM派生沟道 + 本方案冻结几何。

源几何 e860fd28c372 / 2026-10-25

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城


Drawn by the entrant

AGUA FINITA / 有限水城

布局澄清 V2 · 03 / DAILY LIFE

生活区：四个组团围绕一条清楚的日常联系

按现有建筑分组，每组240套 / 600人情景；只是层级读图，不把组团色块当成新的产权边界。



住　住宅不再只是一排排体块

A / B / C / D各24栋、240套。
四组共享学校、诊所与公共中心。

轴　新主轴放在两排建筑之间

连接南北两组住宅与东侧公共中心。
约1.25 km，避开现有封闭建筑。

心　公共中心是日常目的地

市场、厨房、图书馆与遮阴广场
形成一个中心，学校与诊所在南侧。

600人 / 组团按2.5人 / 套情景计算。
不是人口调查，也未验证设施容量。

规划审阅稿 / 未公开；非测绘或工程结论。来源：竞赛边界、试点、DEM派生沟道 + 本方案冻结几何。

源几何 e860fd28c372 / 2026-10-25

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Drawn by the entrant

XCITY / AGUA FINITA

02 / WATER COVENANT

Water is a public limit.

Assumed annual phase-one operating ledger; all values are m3/year.

840,000
FRESH INPUT

200,000
INTERNAL REUSE

1,000,000
GROSS END USE

40,000 distribution loss leaves 800,000 fresh delivered. Reuse supplies the other 200,000. The same reclaimed water is not a new external source.



- Agriculture + panel cleaning: 778,263.2
- Domestic + community: 140,160.0
- Industry: 60,000.0
- Landscape: 20,000.0
- Compute makeup: 1,576.8


A 30% shortfall stops new irrigation and processing first. Essential-needs review governs emergency household conservation. Pilot operations remain protected.

JINGYUAN HUANG + CODEX / 25 OCT 2026 / PREVIEW SCHEME

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Scale 2 · rendered from the geometry



master-aerial · massing view drawn from the geometry by render_views.py



city-evening · rendered with OpenAI built-in image generation; exact model version not exposed from the massing view city-evening · illustrates the geometry, not evidence

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Every mandatory requirement and agent task

Twelve mandatory requirements (M1-M12), phase one at full occupancy

	Mandatory requirement	This scheme	Evidence	Answered in
M1	Hourly carbon-free energy match	73 %	assumed	§3. Energy and compute · 能源与算力
M2	Peak IT load in phase one	12 MW	assumed	§3. Energy and compute · 能源与算力
M3	Annual water demand, by use	1,000,000 m3/yr	assumed	§4. Water · 水
M4	Cooling water intensity (WUE)	0.02 L/kWh	assumed	§3. Energy and compute · 能源与算力
M5	Response to a 30% water shortfall	stated in the text	-	§4. Water · 水
M6	Human-machine at-grade interfaces	7	computed	§5. Human and machine · 人与机器
M7	Machine traffic rule	separated	declared	§5. Human and machine · 人与机器
M8	Public audit mechanism	stated in the text	-	§8. Governance and data · 治理与数据
M9	Control and succession of the […]	stated in the text	-	§8. Governance and data · 治理与数据
M10	Triggers for phases two and three	stated in the text	-	§9. Phasing · 分期
M11	Irreversible decisions	stated in the text	-	§9. Phasing · 分期
M12	Jobs and residents reconcile	1,200 jobs · 2,400 persons · […]	declared	§6. Programme and production · 功能与产业

Eight agent tasks

	Agent task	Answered in
A1	Identity of the place	§1. Position · 定位
A2	Energy and compute	§3. Energy and compute · 能源与算力
A3	Water in a dry place	§4. Water · 水
A4	Human and machine	§5. Human and machine · 人与机器
A5	Programme and production	§6. Programme and production · 功能与产业
A6	Urban form across parcels 9 and 13	§7. Urban form · 城市形态
A7	Data and AI governance	§8. Governance and data · 治理与数据
A8	Phasing in three steps	§9. Phasing · 分期

How to read this page

Values come from metrics.json with their evidence tags (figure 07); sections are the headings of proposal.md. The self-check (gate G6) confirms each answer points at a real heading; it does not judge the answer.


What each answer must state (brief/requirements.json)

M1 generation mix, storage duration, and whether the match is physical (self-supplied) or contractual
M2 the grid connection capacity you assumed (not supplied by the organiser)
M3 Phase one at full occupancy. The breakdown must add up to the total (2% tolerance); say which line panel-cleaning water sits in.
M4 cooling type: air, liquid, hybrid or dry - and the PUE that goes with it
M5 30% short means 30% less water than your phase-one annual demand (M3). Give a priority order of what stops first, and what happens in the city at each step.
M6 Count every place where a people or shared route meets a machine route on the same level: road crossings, the ends of shared streets, kerbs or loading points that people and machines share, stops of driverless shuttles on a […]
M7 where each rule applies and how it is enforced
M8 who publishes power, water, generation and compute data, how often, and who can check it independently
M9 who owns and operates it, and what happens if that operator leaves
M10 observable conditions, not dates
M11 at least three phase-one decisions that cannot be changed later, and why that is acceptable
M12 if residents far exceed jobs, who the others are and what they live on

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Drawn by the entrant



Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Scale 1 · structural



Legend

- Reserve 876 km²
- Agri-production 536 km²
- Energy + compute 233 km²
- Living + public life 9.50 km²
- Trade + port 1.20 km²
- Industry + automation 1 km²
- Site boundary (1,656 km²)
- Pilot area - fixed, not designed
- Master design area
- Seasonal channels (DEM-derived)
- Key nodes


Why the structure sits where it does

A compact first settlement east of the fixed agrivoltaic pilot gives water, shade and human services priority over uninterrupted compute. Dry channels stay open; a public water ledger controls growth. Three nodes connect dry cooling, a seasonal wash and a shaded civic commons.

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Scale 2 · figure-ground and land use



Legend

- Agriculture
- Civic
- Compute
- Energy
- Industry
- Open space
- Residential
- Buildings (figure-ground)
- Master design area
- Key node
- Seasonal channel

Master design area

12 km² · drawn by the entrant


Recomputed

Site coverage 1.30% · FAR 0.03 · GFA 311,343 m²

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Floors from buildings.geojson; metrics recomputed



Legend
- 1 floor
- 2-3 floors
- 4-6 floors
- 7+ floors
- Master design area

Land use in the master area (ha)

open space 706
compute 104
residential 103
energy 96
agriculture 82
industry 66
civic 45


Recomputed from geometry

Coverage 1.30% · FAR 0.03 · open space 59%

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Every human-machine interface numbered



Legend

- People 13 km
- Machines + goods 12 km
- Shared 0 km
- Human-machine interface (7)

Machine traffic rule

separated


Interfaces

7 at-grade points where people and machines meet

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城


Channels are DEM-derived flow lines



Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Observable triggers, not dates



Phase 1 - Complete first settlement

Phase one: no trigger.

Phase 2 - Second settlement

12 months audited water headroom 20%; 80% occupancy; school and clinic funded

Phase 3 - Third settlement and gateway

Flood and access studies accepted; binding export demand; water reserve retained; approvals obtained

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Every declared figure with its evidence tag

Metric	Declared	Unit	Evidence	Basis / check
master_area_km2	12	km2	computed	recomputed 12
site_coverage_pct	1.34	%	computed	recomputed 1.34
gfa_m2	311,343	m2	computed	recomputed 311,343
far	0.03	ratio	computed	recomputed 0.03
open_space_pct	59	%	computed	recomputed 59
human_machine_interfaces	7	count	computed	recomputed 7
shaded_pedestrian_pct	84	%	computed	recomputed 84
structure_km2	per system	km2	computed	recomputed: per system
hourly_cfe_match_pct	73	%	assumed	A-ENERGY
peak_it_load_mw	12	MW	assumed	A-COOL
annual_water_demand_m3	1,000,000	m3/yr	assumed	A-WATER
water_domestic_m3	140,160	m3/yr	assumed	A-RATES
water_compute_m3	1,577	m3/yr	assumed	A-COOL
water_agriculture_m3	778,263	m3/yr	assumed	A-RATES
water_landscape_m3	20,000	m3/yr	assumed	A-RETURN
water_industry_m3	60,000	m3/yr	assumed	A-RETURN
wue_l_per_kwh	0.02	L/kWh	assumed	A-COOL
pue	1.25	ratio	assumed	A-COOL
water_reuse_pct	20	%	assumed	A-RETURN
waste_heat_reuse_pct	5	%	assumed	A-HEAT
jobs_phase1	1,200	jobs	declared	
residents_phase1	2,400	persons	declared	
dwellings_phase1	960	units	declared	
machine_traffic_rule	separated	enum	declared	

Evidence tags

- computed - recomputed from your geometry
- sourced - cited in sources.json
- assumed - declared in assumptions.json
- indicative - organiser's indicative material


Gate G4

Every metric tagged computed is recomputed from geometry/ by the self-check; a declared value more than 2% away fails.

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城


Plan · floors marked on each building · interfaces circled



Heat without thirst

Dry cooling and cooperative herb drying share a metered heat loop


Heat without thirst



N05-aerial · massing view drawn from the geometry by render_views.py



N05-eye-day · rendered with OpenAI built-in image generation; exact model version not exposed from the massing view N05-eye-day · illustrates the geometry, not evidence




N05-eye-evening · massing view drawn from the geometry by render_views.py

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.


AGUA FINITA | The Finite Water City　有限水城

Plan · overall dimensions, street widths, interfaces numbered, section lines




Scale 3 · dimensions and sections from the geometry


Section A-A' · 1,350 m · true scale, looking left of the cut



Section B-B' · 850 m · true scale, looking left of the cut



Machine street · 8 m



Numbers in the node · recomputed from the geometry

Node area 1,147,500 m² (115 ha)
Buildings 8 · footprint 72,950 m² · floor area 72,950 m²
Coverage 6.40% · FAR 0.06 · open space 0%
Floors: 8 x 1F
Floor area by use: compute 40,500 m², industry 32,500 m²
Canopies (roof on posts, no floor area) 6,440 m²
Networks in the node: machine 1,350 m, people 1,610 m
Shaded share of the walking network 100%
Human-machine interfaces 0
Trees 175 (as placed in the 3D scene)

Cut buildings in black (floors x 3.5 m, or height_m); beyond the cut, buildings and trees within 45 m in grey; trees and people as placed in the 3D scene; terrain from the DEM.

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

A day here

	People	Machines
06:00	Morning market and shaded walk	Freight remains in service yard
14:00	Cooled refuge opens; wash closes on flood warning	Flexible compute sheds load
21:00	Kitchen and sheltered paths remain open	Deliveries transfer at gates

Who and what moves here: networks, interfaces, and the people, robots and shuttles of the 3D scene

People and machines through one day




Interfaces in view

1 Gated crossing 3
2 Gated crossing 4
3 Gated crossing 5
4 Gated crossing 7

People
Machines + goods
Shared at walking pace
People (scene)
Delivery robots
Driverless shuttles
Human-machine interface






Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Plan · floors marked on each building · interfaces circled



The absent river

Dry channel stays open and paths retreat to high ground

The absent river



N07-aerial · massing view drawn from the geometry by render_views.py



N07-eye-day · rendered with OpenAI built-in image generation; exact model version not exposed from the massing view N07-eye-day · illustrates the geometry, not evidence




N07-eye-evening · massing view drawn from the geometry by render_views.py

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Plan · overall dimensions, street widths, interfaces numbered, section lines



Scale 3 · dimensions and sections from the geometry

Section A-A' · 1,500 m · true scale, looking left of the cut



Section B-B' · 750 m · true scale, looking left of the cut



Numbers in the node · recomputed from the geometry

Node area 1,125,000 m² (112 ha)
Buildings 1 · footprint 2,400 m² · floor area 2,400 m²
Coverage 0.20% · FAR 0 · open space 92%
Floors: 1 x 1F
Floor area by use: civic 2,400 m²
Canopies (roof on posts, no floor area) 2,000 m²
Networks in the node: people 1,686 m
Shaded share of the walking network 30%
Human-machine interfaces 0
Trees 55 (as placed in the 3D scene)

Cut buildings in black (floors x 3.5 m, or height_m); beyond the cut, buildings and trees within 45 m in grey; trees and people as placed in the 3D scene; terrain from the DEM.

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.


AGUA FINITA | The Finite Water City　有限水城

A day here

	People	Machines
06:00	Morning market and shaded walk	Freight remains in service yard
14:00	Cooled refuge opens; wash closes on flood warning	Flexible compute sheds load
21:00	Kitchen and sheltered paths remain open	Deliveries transfer at gates

Who and what moves here: networks, interfaces, and the people, robots and shuttles of the 3D scene

People and machines through one day



People
Machines + goods
Shared at walking pace
People (scene)
Delivery robots
Driverless shuttles
Human-machine interface






Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城


Plan · floors marked on each building · interfaces circled



The right to shade

Public kitchen and library make a commons without ornamental water


The right to shade



N10-aerial · massing view drawn from the geometry by render_views.py



N10-eye-day · rendered with OpenAI built-in image generation; exact model version not exposed from the massing view N10-eye-day · illustrates the geometry, not evidence




N10-eye-evening · massing view drawn from the geometry by render_views.py

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.


AGUA FINITA | The Finite Water City　有限水城

Plan · overall dimensions, street widths, interfaces numbered, section lines




Scale 3 · dimensions and sections from the geometry

Section A-A' · 370 m · true scale, looking left of the cut



Section B-B' · 350 m · true scale, looking left of the cut



Numbers in the node · recomputed from the geometry

Node area 129,500 m² (13 ha)
Buildings 2 · footprint 6,400 m² · floor area 12,800 m²
Coverage 4.90% · FAR 0.10 · open space 0%
Floors: 2 x 2F
Floor area by use: civic 12,800 m²
Canopies (roof on posts, no floor area) 11,030 m²
Networks in the node: people 370 m
Shaded share of the walking network 100%
Human-machine interfaces 0
Trees 41 (as placed in the 3D scene)

Cut buildings in black (floors x 3.5 m, or height_m); beyond the cut, buildings and trees within 45 m in grey; trees and people as placed in the 3D scene; terrain from the DEM.

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.


AGUA FINITA | The Finite Water City　有限水城

A day here

	People	Machines
06:00	Morning market and shaded walk	Freight remains in service yard
14:00	Cooled refuge opens; wash closes on flood warning	Flexible compute sheds load
21:00	Kitchen and sheltered paths remain open	Deliveries transfer at gates


Who and what moves here: networks, interfaces, and the people, robots and shuttles of the 3D scene

People and machines through one day



People
Machines + goods
Shared at walking pace
People (scene)
Delivery robots
Driverless shuttles
Human-machine interface





Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

The same places, used through a day




N05 A compute campus and its waste heat · day



N07 A seasonal river park · day




N10 Public space in heat and Zonda wind · day



N05 A compute campus and its waste heat · evening



N07 A seasonal river park · evening



N10 Public space in heat and Zonda wind · evening

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.

AGUA FINITA | The Finite Water City　有限水城

Assumptions

A-WATER Water envelope: 1,000,000 m3/year gross use: 840,000 new freshwater plus 200,000 internally reclaimed water; not an awarded abstraction right. 40,000 m3/year upstream distribution loss; 800,000 fresh reaches uses. - No supplied water right or supply design. Reuse is an internal transfer. Construction requires lawful reliable fresh supply.

A-PILOT Existing pilot accounting: 600,000 m3/year of agriculture envelope provisionally reserved for existing pilot; owner metering must replace this before operation. No fixed arrays, plants or grazing arrangements changed. - Existing use is unmetered here. Higher verified demand reduces new discretionary uses first; existing operations remain unchanged.

A-RATES Domestic and new agriculture: 2,400 residents at 160 L/person/day = 140,160 m3/year; new irrigation 170,000 m3/year; panel washing 8,263.2 m3/year. Total agriculture including pilot 778,263.2 m3/year. - Assumed rates, not local measurements. New irrigation is capped at 30 ha plus nursery; reserved farmland is not all irrigated.

A-COOL Cooling basis: Average IT 9 MW (12 MW for 12 hours, 6 MW for 12 hours); annual IT 78,840 MWh. PUE 1.25; site WUE 0.02 L/kWh; annual compute water 1,576.8 m3. - Closed-loop chip cooling with dry heat rejection and air-cooled mechanical trim; WUE includes makeup and facility uses, no evaporative tower. Performance targets require supplier confirmation at 44 C.

A-ENERGY Hourly energy scenario: 40 MW PV; synthetic annual capacity factor 25%; 480 MWh battery, 75 MW converter, 95% efficiency each direction; 216 MWh delivered reserve held for 72 hours at 3 MW critical load. Grid import capacity assumed 30 MW; no export. - Illustrative 8760-hour sinusoidal profile, 22% seasonal variation and three dust days each 60 days. No site weather series, tariff or connection offer supplied. tools/energy.py is reproducible, not validated forecasting.

A-RETURN Reuse mass balance: 200,000 m3/year treated reuse: 100,000 domestic return + 50,000 industrial return + 50,000 captured agricultural drainage; dispatched 180,000 agriculture and 20,000 landscape. Of annual 840,000 fresh input, 40,000 is distribution loss and 800,000 terminal consumption/losses. - Assumed recoverable returns require treatment, disinfection and salinity checks. No rain or condensate yield credited. Concentrates require contained handling and licensed removal.

A-SHORT 30 percent gross-use reduction: From 1,000,000 to 700,000 m3/year: landscape 20,000 cut; new irrigation and washing 178,263.2 cut; industry 40,000 cut; domestic/community nonessential use 61,736.8 cut. Existing pilot 600,000 and compute makeup 1,576.8 protected. - Gross-use shortage specified by brief, distinct from fresh-water shortage. Domestic/community residual is 78,423.2 m3/year (89.52 L/person/day including communal uses), an emergency assumption requiring verified essential-use sufficiency; if insufficient, secure emergency import or defer occupancy rather than deprive essential use.

A-FLOOD Screening buffers: Permanent structures excluded from DEM flood band plus 30 m and from channel centrelines plus 150 m; reserve uses flood band plus 150 m. No design flood discharge claimed. - Screening offsets, not hydraulic standards. Minor washes and external inflows are missing; ground survey and 2D modelling required.

A-SEISMIC Structural concept: One to three storeys; regular reinforced concrete frames and ductile walls, braced light roofs; conceptual separation gaps 100 mm minimum subject to drift calculation; design reference INPRES-CIRSOC 103 Part I 2018 with applicable addenda to be confirmed by local engineer. - No soil class, spectra or geotechnical report supplied. Geometry is urban design, not structural certification.

A-ACCESS Access allowance: 80 km assumed external RN40 road corridor, 8 m carriageway and nominal 20 m reservation; 640,000 m2 pavement allowance outside site plus the drawn internal network. Eastern RP510 option held for later. - Actual route, easements and crossings unresolved. The nearest-site distance is not the settlement access length. Phase one requires funded access.

A-SHADE Heat and light: Shade share counts actual proposed roof coverage; thermal comfort requires testing. 2200 K shielded night lighting; no facade uplighting; 10 lux route design target subject to engineering. - No outdoor comfort simulation or illuminance survey available. Enclosed cooled refuges are required at 44 C; shade is not a guarantee of safe conditions.

A-HOUSING Population and employment: 960 dwellings; 2.5 persons per dwelling = 2,400 residents; 1,200 local jobs. 1,080 resident workers, 120 inbound specialists; 120 resident remote workers, 600 children/students, 300 retired adults, 300 unpaid carers or job-seekers. - Programme targets, not labour-market estimates. Resident categories sum to 2,400; remote-worker income, pensions and household transfers support nonlocal-job households.

A-HEAT Heat receivers: Drying cooperative accepts annual 3,942 MWh usable heat, equal to 5% of IT electricity, via a metered insulated loop and temperature-lift heat pump if required. - Declared contracted-use target; herb drying and process wash-water preheat are named receivers, not assumed continuous demand. Reject all unused heat to air; no winter greenhouse demand invented.

A-GROWTH Growth ceiling: Three settlements and a 7,200-resident long-term ceiling, conditional on independently demonstrated incremental water and complete services; stage 2 cumulative 2,400 jobs, stage 3 cumulative 3,600 jobs. - A deliberately modest ceiling, not a population forecast. Reservations confer no development entitlement.

A-COST Funding order: Infrastructure escrow and 12 months public-service operating reserve precede dwelling occupation; compute concession pays annual fixed community service charge independent of runtime. - No prices or financing terms supplied; these are proposed enforceable contract conditions, not existing agreements.

Sources

SRC-KML Parcel boundaries for parcels 9 and 13 - XCITY (owner-supplied KML) https://github.com/XcityUS/xcity-ai-competition

SRC-PILOT Pilot area fields 01-03 - XCITY https://github.com/XcityUS/xcity-ai-competition

SRC-DEM Copernicus DEM GLO-30 (WorldDEM-30) - European Union / ESA, Copernicus programme https://github.com/XcityUS/xcity-ai-competition

SRC-OSM OpenStreetMap road network - OpenStreetMap contributors https://github.com/XcityUS/xcity-ai-competition

SRC-XCITY-INDICATIVE Indicative positions of the five urban systems - XCITY https://github.com/XcityUS/xcity-ai-competition

S-DOE Cooling Water Efficiency Opportunities for Federal Data Centers - US Department of Energy https://www.energy.gov/cmei/femp/cooling-water-efficiency-opportunities-federal-data-centers

S-INPRES Reglamentos INPRES-CIRSOC - INPRES https://www.inpres.gob.ar/Ing_Sismorres/Reglamentos.html

S-CFE 24/7 Carbon-Free Coalition technical guidance - Climate Group https://www.theclimategroup.org/247-technical-guidance

AI disclosure

Agent Codex, model GPT-6 family (serving version unavailable), runtime Codex desktop / macOS; local Python and offline Three.js. Autonomy: human_directed. Human selected Finite Water City and the three nodes, confirmed jingyuanhuang-design / Jingyuan Huang, requested clearer overall layout, reviewed the V2 diagrams, and then explicitly requested public publication on 2026-10-25. Codex authored geometry, calculations, text and visuals. Public preview publication is authorised; formal competition entry awaits the organiser opening submissions. The new V2 walking spine and arrival point remain explicitly identified proposals.

Images

5 images registered in image_provenance.json. Views in this booklet are, in order of preference: an image made with an image model from a massing view of the geometry (model, prompt and control image registered), the massing view itself (scripts/render_views.py), or a massing drawing by scripts/make_figures.py. All of them explain the geometry; none is evidence.

OpenAI built-in image generation; exact model version not exposed - 5 images, post-processing none. Files in media/: N05-eye-day.png (control N05-eye-day.png), N07-eye-day.png (control N07-eye-day.png), N10-eye-day.png (control N10-eye-day.png), city-aerial.png (control city-aerial.png), city-evening.png (control city-evening.png). Full prompts in image_provenance.json.

Sources: parcels and pilot area - XCITY (owner KML); terrain and channels - produced using Copernicus WorldDEM-30 (c) DLR e.V. 2010-2014 and (c) Airbus Defence and Space GmbH 2014-2018 provided under COPERNICUS by the European Union and ESA; all rights reserved; roads (c) OpenStreetMap contributors. Everything else: this submission's own geometry.