

XB3 Parts List

Part:

Controller:

Sticks	4	https://www.aliexpress.com/item/1005005499536700.html
DSL Buttons and membranes	1	https://www.aliexpress.com/item/1005006390756426.html

Other

Screen	1	https://www.aliexpress.com/item/1005006520627978.html
Screws	1	https://www.aliexpress.com/item/33043885403.html
FFC Cables	3	https://www.aliexpress.com/item/1005004445506480.html
Fan	1	https://www.aliexpress.com/item/1005003891730040.html
Heatsink	1	https://www.aliexpress.com/item/1005005873687771.html
Copper Plate	1	https://www.aliexpress.com/item/1005005993796912.html
Speakers	1	https://www.aliexpress.com/item/1005005931890295.html
Metal Grid (Optional)	1	https://www.aliexpress.com/item/1005004749846495.html
Batteries 18650	2	https://www.akkuteile.de/samsung-inr18650-35e-3-6v-3-7v-3500mah-pluspol-flach_100631_339

PCB:

Main PCB	(XBU-001)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Main%20PCB.zip
Xii-DD PCB	(XBU-002)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Xii-DD.zip
Controller PCB	(XBU-003)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Controller%20PCB.zip
Xii-Flex Ultra	(XBU-004)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Xii-Flex%20Ultra.zip
Trigger PCB	(XBU-005)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Trigger%20PCB.zip
Xii-Strip	(XBU-006)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Xii-Strip.zip
Xii-Boy Shielded FFC	(XBU-007)	1	https://github.com/Xenii1642/Xii-Boy-Ultra/blob/REV-2.0/Gerbers/Shielded%20FFC.zip

IC

PCM IC

Mosfet IC

<https://www.aliexpress.com/item/1005006303166731.html>

<https://www.aliexpress.com/item/1005007432254537.html>

Comments:

2 are needed for the triggers. The two others are used for the controller itself.
OEM buttons / membranes will always feel better. If you don't have a DSI, those are a great option.

With Black Cover

M1.7 4mm and M1.7 6mm, pan head

8p 50mm B | 18p 80mm A | (40p 50mm A) -> Should be replaced with XBU-007

5V Hydraulic Bearing

100x50x1mm -> Should be trimmed to 55x30mm

0.2 or 0.3 works well. I suggest 0.3

You should take your batteries from a reliable source to avoid counterfeit. Fake batteries can be dangerous.

Be careful about the settings! Refer to the Github.