

## A. Domino

time limit per test: 1 second

memory limit per test: 256 megabytes

input: standard input

output: standard output

Valera has got  $n$  domino pieces in a row. Each piece consists of two halves — the upper one and the lower one. Each of the halves contains a number from 1 to 6. Valera loves even integers very much, so he wants the sum of the numbers on the upper halves and the sum of the numbers on the lower halves to be even.

To do that, Valera can rotate the dominoes by 180 degrees. After the rotation the upper and the lower halves swap places. This action takes one second. Help Valera find out the minimum time he must spend rotating dominoes to make his wish come true.

### Input

The first line contains integer  $n$  ( $1 \leq n \leq 100$ ), denoting the number of dominoes Valera has. Next  $n$  lines contain two space-separated integers  $x_i, y_i$  ( $1 \leq x_i, y_i \leq 6$ ). Number  $x_i$  is initially written on the upper half of the  $i$ -th domino,  $y_i$  is initially written on the lower half.

### Output

Print a single number — the minimum required number of seconds. If Valera can't do the task in any time, print -1.

### Examples

<b>input</b>
2 4 2 6 4
<b>output</b>
0
<b>input</b>
1 2 3
<b>output</b>
-1
<b>input</b>
3 1 4 2 3 4 4
<b>output</b>
1

### Note

In the first test case the sum of the numbers on the upper halves equals 10 and the sum of the numbers on the lower halves equals 6. Both numbers are even, so Valera doesn't required to do anything.

In the second sample Valera has only one piece of domino. It is written 3 on the one of its halves, therefore one of the sums will always be odd.

In the third case Valera can rotate the first piece, and after that the sum on the upper halves will be equal to 10, and the sum on the lower halves will be equal to 8.

### → Attention

Package for this problem was not updated by the problem writer or Codeforces administration after we've upgraded the judging servers. To adjust the time limit constraint, solution execution time will be multiplied by 2. For example, if your solution works for 400 ms on judging servers, then value 800 ms will be displayed and used to determine the verdict.

### Codeforces Round #205 (Div. 2)

Finished

### → Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ACM-ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.


Start virtual contest

### → Problem tags

implementation math

No tag edit access

### → Contest materials

- Announcement 
- Tutorial 