

A. Letters Cyclic Shift

time limit per test: 1 second

memory limit per test: 256 megabytes

input: standard input

output: standard output

You are given a non-empty string S consisting of lowercase English letters. You have to pick **exactly one non-empty substring** of S and shift all its letters 'z' 'y' 'x' 'b' 'a' 'z'. In other words, each character is replaced with the previous character of English alphabet and 'a' is replaced with 'z'.

What is the lexicographically minimum string that can be obtained from S by performing this shift exactly once?

Input

The only line of the input contains the string S ($1 \leq |S| \leq 100\,000$) consisting of lowercase English letters.

Output

Print the lexicographically minimum string that can be obtained from S by shifting letters of exactly one non-empty substring.

Examples

input
codeforces
output
bncdenqbdr
input
abacaba
output
aaacaba

Note

String S is lexicographically smaller than some other string t of the same length if there exists some $1 \leq i \leq |S|$, such that $S_1 = t_1, S_2 = t_2, \dots, S_{i-1} = t_{i-1}$, and $S_i < t_i$.

AIM Tech Round 3 (Div. 1)

Finished

→ Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ACM-ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.

Start virtual contest

→ Problem tags

constructive algorithms

implementation

No tag edit access