

Crusader Kings III 版本 1.18.4 vs 1.19.0 极详细对比分析报告

版本基本信息

项目	1.18.4	1.19.0
游戏分支	release/1.18.4	release/1.19.0
游戏提交	6f57f9eb07db28b40185274899544bb29b3e579f	2753ca4000401afbe17ad1c6cfeeb0acd0d927c1
引擎分支	titus/release/1.18.2	titus/release/1.19.0
引擎提交	72b717fb89c6be4439541b07c480f8d6ec050f0d	f22559721a07e0156b809de8da35ffdc78a47d15

一、整体差异统计总览

类别	数量	说明
新增文件	583	仅存在于 1.19.0 的文件
删除文件	207	仅存在于 1.18.4 的文件
修改文件	3,789	两版本都存在但内容/大小不同
未变化文件	45,238	两版本完全相同
文件总数	49,234 → 49,610	净增加 376 个文件

二、宗教系统重构 (最核心变化)

2.1 目录结构重组

1.18.4 旧结构 (doctrines/ 目录):

```

game/common/religion/
├── doctrines/                                ← 扁平的教条目录
│   ├── 10_doctrines_religions.txt           (敌对教条组 - 嵌套结构)
│   ├── 20_doctrines.txt                     (婚姻/罪行教条 - 嵌套在 wrapper 中)
│   ├── 20_doctrines_islam.txt
│   ├── 20_doctrines_judaism.txt
│   ├── 20_doctrines_zoroastrianism.txt
│   ├── 30_core_tenets.txt                   (核心教义)
│   ├── 40_doctrines_special.txt
│   └── _doctrines.info
└── fervor_modifiers/
    └── 00_fervor_modifiers.txt

```

1.19.0 新结构 (doctrine_types/ + doctrine_group_types/ + religion_types/):

```

game/common/religion/
├── doctrine_types/                          ← 独立教条类型 (扁平化)
│   ├── 10_doctrines_religions.txt           (敌对教条 - 现在是独立 block)
│   ├── 20_doctrines.txt                     (婚姻/罪行 - 独立 block)
│   ├── 20_doctrines_islam.txt
│   ├── 20_doctrines_judaism.txt
│   ├── 20_doctrines_zoroastrianism.txt
│   ├── 30_core_tenets.txt                   (核心教义 - 独立 block)
│   ├── 40_doctrines_special.txt
│   └── _doctrine_types.info
├── doctrine_group_types/                   ← 【新增】教条分组类型
│   ├── 00_doctrine_group_types.txt          (587 行)
│   └── _doctrine_group_types.info
├── holy_site_types/                       ← 【新增】圣地类型
│   ├── 00_holy_site_types.txt              (3542 行)
│   └── _holy_site_types.info
├── religion_family_types/                  ← 【新增】宗教家族类型
│   ├── 00_religion_family_types.txt         (26 行)
│   └── _religion_family_types.info
└── religion_types/                        ← 【新增】各宗教独立定义 (50 个文件)
    ├── 00_christianity.txt                  (1154 行)
    ├── 00_islam.txt                         (977 行)
    ├── 00_buddhism.txt
    ├── 00_hinduism.txt
    ├── 00_judaism.txt
    ├── 00_zoroastrianism.txt
    └── ... (共 50 个宗教文件)

```

2.2 教条结构变化详解

2.2.1 敌对教条 (Hostility Doctrines) 变化

1.18.4 (doctrines/10_doctrines_religions.txt):

```

hostility_group = {
    group = "not_creatable"

    abrahamic_hostility_doctrine = {
        parameters = {

```

```

        hostility_same_religion = 2
        hostility_same_family = 3
        hostility_others = 3
    }
}

pagan_hostility_doctrine = {
    visible = no
    parameters = {
        hostility_same_religion = 1
        hostility_same_family = 2
        hostility_others = 3
    }
}

eastern_hostility_doctrine = {
    parameters = {
        hostility_same_religion = 1
        hostility_same_family = 1
        hostility_others = 2
    }
}

sinitic_hostility_doctrine = {
    parameters = {
        hostility_same_religion = 1
        hostility_same_family = 1
        hostility_others = 2
    }
}
}

```

1.19.0 (doctrine_types/10_doctrines_religions.txt) - 扁平化:

```

abrahamic_hostility_doctrine = {
    parameters = {
        hostility_same_religion = 2
        hostility_same_family = 3
        hostility_others = 3
    }
}

pagan_hostility_doctrine = {
    visible = no
    parameters = {
        hostility_same_religion = 1
        hostility_same_family = 2
        hostility_others = 3
    }
}

eastern_hostility_doctrine = {
    parameters = {
        hostility_same_religion = 1
        hostility_same_family = 1
        hostility_others = 2
    }
}
}

```

```
sinitic_hostility_doctrine = {
  parameters = {
    hostility_same_religion = 1
    hostility_same_family = 1
    hostility_others = 2
  }
}
```

变化: wrapper hostility_group 被移除, 每个敌对教条成为独立顶层 block。

2.2.2 婚姻/罪行教条变化

1.18.4 (doctrines/20_doctrines.txt):

```
doctrine_marriage_type = {
  group = "marriage"

  doctrine_monogamy = {
    piety_cost = { value = faith_doctrine_cost_mid }
    parameters = { number_of_spouses = 1 }
  }

  doctrine_polygamy = {
    piety_cost = { value = faith_doctrine_cost_mid }
    parameters = { number_of_spouses = 4 }
  }

  doctrine_concubines = {
    piety_cost = { value = faith_doctrine_cost_mid }
    parameters = { number_of_consorts = 3 }
  }
}

doctrine_divorce = {
  group = "marriage"
  doctrine_divorce_disallowed = { ... }
  doctrine_divorce_approval = { ... }
  doctrine_divorce_allowed = { ... }
}
```

1.19.0 (doctrine_types/20_doctrines.txt) - 扁平化:

```
doctrine_monogamy = {
  piety_cost = { value = faith_doctrine_cost_mid }
  parameters = { number_of_spouses = 1 }
}

doctrine_polygamy = {
  piety_cost = { value = faith_doctrine_cost_mid }
  parameters = { number_of_spouses = 4 }
}

doctrine_concubines = {
  piety_cost = { value = faith_doctrine_cost_mid }
  parameters = { number_of_consorts = 3 }
}
```

```
doctrine_divorce_disallowed = { ... }
doctrine_divorce_approval = { ... }
doctrine_divorce_allowed = { ... }
```

2.3 新增: 教条分组类型 (Doctrine Group Types)

文件: doctrine_group_types/00_doctrine_group_types.txt (587 行)

```
# 分组示例
doctrine_marriage_type = {
    category = "marriage"
    doctrine_types = {
        doctrine_monogamy
        doctrine_polygamy
        doctrine_concubines
    }
}

doctrine_divorce = {
    category = "marriage"
    doctrine_types = {
        doctrine_divorce_disallowed
        doctrine_divorce_approval
        doctrine_divorce_allowed
    }
}

doctrine_homosexuality = {
    category = "crimes"
    doctrine_types = {
        doctrine_homosexuality_crime
        doctrine_homosexuality_shunned
        doctrine_homosexuality_accepted
    }
}

doctrine_kinslaying = {
    category = "crimes"
    doctrine_types = {
        doctrine_kinslaying_any_dynasty_member_crime
        doctrine_kinslaying_extended_family_crime
        doctrine_kinslaying_close_kin_crime
        doctrine_kinslaying_shunned
        doctrine_kinslaying_accepted
    }
}

doctrine_witchcraft = {
    category = "crimes"
    doctrine_types = {
        doctrine_witchcraft_crime
        doctrine_witchcraft_shunned
        doctrine_witchcraft_accepted
        doctrine_witchcraft_virtuous
    }
}
```

```

doctrine_gender = {
    category = "main_group"
    doctrine_types = {
        doctrine_gender_male_dominated
        doctrine_gender_equal
        doctrine_gender_female_dominated
    }
}

doctrine_pluralism = {
    category = "main_group"
    doctrine_types = {
        doctrine_pluralism_fundamentalist
        doctrine_pluralism_righteous
        doctrine_pluralism_pluralistic
    }
}

doctrine_theocracy = {
    category = "main_group"
    doctrine_types = {
        doctrine_theocracy_temporal
        doctrine_theocracy_lay_clergy
    }
}

doctrine_head_of_faith = {
    category = "main_group"
    doctrine_types = {
        doctrine_no_head
        doctrine_spiritual_head
        doctrine_temporal_head
    }
}

doctrine_pilgrimage = {
    category = "main_group"
    doctrine_types = {
        doctrine_pilgrimage_forbidden
        doctrine_pilgrimage_encouraged
        doctrine_pilgrimage_local_rites
        doctrine_pilgrimage_mandatory
        doctrine_pilgrimage_mandatory_hajj
    }
}

```

2.4 新增: 宗教家族类型 (Religion Family Types)

文件: religion_family_types/00_religion_family_types.txt (26 行)

```

rf_abrahamic = {
    graphical_faith = "orthodox_gfx"
    hostility_doctrine = abrahamic_hostility_doctrine
    doctrine_background_icon = core_tenet_banner_christian.dds
}

rf_eastern = { # Dharmic
    piety_icon_group = "eastern"
}

```

```

graphical_faith = "dharmic_gfx"
hostility_doctrine = eastern_hostility_doctrine
doctrine_background_icon = core_tenet_banner_eastern.dds
}

rf_sinitic = {
    piety_icon_group = "taoism"
    graphical_faith = "dharmic_gfx"
    hostility_doctrine = eastern_hostility_doctrine
    doctrine_background_icon = core_tenet_banner_eastern.dds
}

rf_pagan = {
    piety_icon_group = "pagan"
    graphical_faith = "pagan_gfx"
    hostility_doctrine = pagan_hostility_doctrine
    doctrine_background_icon = core_tenet_banner_pagan.dds
}

```

2.5 新增: 圣地类型 (Holy Site Types)

文件: holy_site_types/00_holy_site_types.txt (3542 行)

定义了所有宗教的圣地，每个圣地包含:

- county / barony : 位置
- character_modifier : 对角色的加成
- parameters : 特殊效果

```

# 基督教圣地示例
jerusalem = {
    county = c_jerusalem
    character_modifier = {
        monthly_piety_gain_mult = 0.2
    }
    parameters = {
        jerusalem_conversion_bonus # +20% County Conversion
    }
}

rome = {
    county = c_roma
    barony = b_vaticano
    character_modifier = {
        name = holy_site_rome_effect_name
        development_growth_factor = 0.1
        stewardship = 1
    }
}

cologne = {
    county = c_cologne
    character_modifier = {
        name = holy_site_cologne_effect_name
        cultural_head_fascination_mult = 0.05
        monthly_county_control_growth_factor = 0.05
    }
}

```

```

}

# 佛教圣地示例
lumbini = {
    county = c_nepal
    character_modifier = {
        name = holy_site_lumbini_effect_name
        monthly_piety_gain_mult = 0.15
        monthly_lifestyle_xp_gain_mult = 0.1
    }
}

# 印度教圣地示例
varanasi = {
    county = c_kashi
    character_modifier = {
        name = holy_site_varanasi_effect_name
        monthly_piety_gain_mult = 0.2
        learning_per_piety_level = 1
    }
}

```

2.6 宗教类型文件示例 (Religion Types)

文件: religion_types/00_christianity.txt (1154 行) 关键结构:

```

christianity_religion = {
    family = rf_abrahamic
    doctrine_background_icon = core_tenet_banner_christian.dds
    doctrine = abrahamic_hostility_doctrine

    # 主教条
    doctrine = doctrine_monotheist
    doctrine = doctrine_spiritual_head
    doctrine = doctrine_gender_male_dominated
    doctrine = doctrine_pluralism_righteous
    doctrine = doctrine_theocracy_temporal

    # 婚姻
    doctrine = doctrine_monogamy
    doctrine = doctrine_divorce_approval
    doctrine = doctrine_bastardry_legitimization
    doctrine = doctrine_consanguinity_aunt_nephew_and_uncle_niece

    # 罪行
    doctrine = doctrine_homosexuality_shunned
    doctrine = doctrine_adultery_men_shunned
    doctrine = doctrine_adultery_women_crime
    doctrine = doctrine_kinslaying_close_kin_crime
    doctrine = doctrine_deviancy_crime
    doctrine = doctrine_witchcraft_crime

    traits = {
        virtues = { forgiving compassionate chaste }
        sins = { vengeful sadistic lustful }
    }

    reserved_male_names = {

```



```

        Andrew Antoninus Bartolomeus Benedict Christian Christopher Clement
        Constantine David Demetrius Eustace George Gregory Hans Isaac
        # ... 更多名字
    }

    custom_faith_icons = {
        custom_faith_1 custom_faith_2 custom_faith_3 ...
    }

    holy_order_names = {
        { name = "holy_order_knights_of_the_chalice" }
        { name = "holy_order_order_of_the_holy_communion" }
        # ...
    }

    localization = {
        HighGodName = christianity_high_god_name
        HighGodNamePossessive = christianity_high_god_name_possessive
        CreatorName = christianity_creator_god_name
        # ... 更多本地化键
    }
}

```

文件: religion_types/00_islam.txt (977 行) 关键结构:

```

islam_religion = {
    family = rf_abrahamic
    graphical_faith = "islamic_gfx"
    doctrine_background_icon = core_tenet_banner_islam.dds

    # 标准教条
    doctrine = doctrine_monotheist
    doctrine = abrahamic_hostility_doctrine
    doctrine = doctrine_polygamy # 允许一夫多妻
    doctrine = doctrine_gender_male_dominated
    doctrine = doctrine_consanguinity_cousins
    doctrine = doctrine_divorce_approval
    doctrine = doctrine_bastardry_none
    doctrine = doctrine_homosexuality_shunned
    doctrine = doctrine_adultery_men_shunned
    doctrine = doctrine_adultery_women_shunned
    doctrine = doctrine_kinslaying_accepted # 血亲杀戮可接受
    doctrine = doctrine_deviancy_shunned
    doctrine = doctrine_witchcraft_crime
    doctrine = doctrine_pluralism_righteous
    doctrine = doctrine_theocracy_lay_clergy
    doctrine = doctrine_pilgrimage_mandatory_hajj # 强制朝觐

    traits = {
        virtues = { temperate generous just }
        sins = { gluttonous greedy arbitrary drunkard }
    }

    reserved_male_names = {
        Abbas Abdul Abdullah Abolhassan Abu-Bakr Ahmad Akbar
        # ...
    }
}

```

2.7 宗教系统变更影响总结

变更类型	1.18.4	1.19.0	玩家影响
教条存储	嵌套在组 wrapper 中	扁平独立定义	更清晰的模块化
教条分组	内嵌在文件结构中	doctrine_group_types 显式管理	便于批量修改
圣地定义	内嵌在教条/宗教中	独立的 holy_site_types	圣地系统独立化
宗教定义	混合文件	50 个独立文件	便于维护和扩展
家族定义	无	rf_abrahamic/eastern/sinitic/pagan	统一家族系统

三、用户界面 (UI) 系统变化

3.1 PDX Account 登录系统 (新增)

Paradox 账户集成系统，提供完整的账户管理功能:

文件	大小	功能
game/gui/pdx_account/base_types.gui	7.51 KB	基础 UI 样式模板
game/gui/pdx_account/login_window.gui	14.11 KB	登录窗口
game/gui/pdx_account/create_account_window.gui	106 B	创建账户窗口
game/gui/pdx_account/legal_docs_viewer.gui	1.35 KB	法律文档查看器
jomini/gui/pdx_account/base_types.gui	9.70 KB	Jomini 共享基础样式
jomini/gui/pdx_account/login_window.gui	9.54 KB	Jomini 登录窗口
jomini/gui/pdx_account/create_account_window.gui	5.87 KB	Jomini 创建账户
jomini/gui/pdx_account/create_social_profile_window.gui	90 B	社交资料创建

UI 样式系统示例 (base_types.gui):

```
template SDKTextStyle
{
    using = Font_Type_Standard
    using = Font_Size_Small
    align = left
    default_format = "#medium"
}

template SDKButtonTextStyle
{
    block "sdk_button_text_style"
```

```

{
    name = "sdk_button_text"
    parentanchor = vcenter|hcenter
    font = StandardGameFont
    fontsize = 15
    fontcolor = { 0.86 0.86 0.73 1 }
    autosize = yes
    position = { 0 0 }
    align = center
}
}

template SDKButtonStyle
{
    texture = "gfx/editor_gui/editor_button.dds"
    gfxtype = framedbuttongfx
    spriteType = CorneredStretched
    spriteborder = { 4 4 }
    effectname = "NoHighlight"
    framesize = { 16 16 }
    upframe = 1
    downframe = 2
    overframe = 3
    disableframe = 4
    intersectionmask = yes
}

template sdk_dropdown_enum
{
    # 下拉框模板
    active_item = {
        widget = {
            size = { 250 30 }
            button = { using = SDKDropdownButtonStyle }
            editor_textbox = { ... }
        }
    }
    list = {
        scrollarea = { ... }
    }
}
}

```

3.2 Ledger 窗口系统 (新增大规模 UI)

文件: game/gui/window_ledger.gui (246.31 KB, 9614 行)

```

window = {
    name = "ledger_window"
    widgetid = "ledger_window"
    parentanchor = top|right
    position = { -50 65 }
    allow_outside = yes
    layer = middle
    size = { 745 89% }

    state = {
        name = _show
        using = Animation_FadeIn_Quick
    }
}

```

```

}

state = {
    name = _hide
    using = Animation_FadeOut_Quick
}

# 滚动区域
scrollarea = {
    size = { 100% 100% }
    scrollbar_vertical = { using = Scrollbar_Vertical }
    scrollwidget = { flow_ledger_bookmarks = {} }
}

vbox = {
    header_pattern = {
        blockoverride "header_text" { text = "LEDGER_WINDOW_TITLE" }
        blockoverride "button_close" { onclick = "[CloseGameView('ledger')]" }
    }

    # 战争账本
    vbox_ledger = {
        visible = "[GetVariableSystem.HasValue('ledger_tab', 'ongoing_wars')]"
        datamodel = "[LedgerWindow.GetWars]"
        # ...
    }

    # 文物账本
    vbox_ledger = {
        visible = "[GetVariableSystem.HasValue('ledger_tab', 'artifacts')]"
        datamodel = "[LedgerWindow.GetArtifacts]"
        # ...
    }
}
}

```

Ledger 包含的标签页:

- ongoing_wars - 进行中的战争
- artifacts - 文物
- titles - 爵位
- cultures - 文化
- 等

3.3 Accolade 骑士徽章系统扩展

文件: game/gui/window_accolade_attribute_selection.gui (159 行)

```

window = {
    name = "accolade_attribute_selection_view"
    size = { 540 780 }
    parentanchor = top|right
    position = { -630 170 }
    layer = middle

    vbox = {

```

```

datacontext = "[AccoladeAttributeSelectionView.GetAccolade]"

header_pattern = {
    blockoverride "header_text" { text = "[Accolade.GetNameNoTooltip]" }
    blockoverride "button_close" { onclick = "[AccoladeAttributeSelectionView.Close]" }
}

scrollbox = {
    fixedgridbox = {
        name = "types_grid"
        datamodel = "[AccoladeAttributeSelectionView.GetOtherAttributes]"
        datamodel_wrap = 3
        addcolumn = 180
        addrow = 164

        item = {
            button_standard = {
                enabled = "[StringIsEmpty( AccoladeType.GetKnightValidForAccoladeTypeDesc )]"
                onclick = "[AccoladeAttributeSelectionView.OnClick( AccoladeType.Self )]"
                highlight_icon = {
                    texture = "[AccoladeType.GetIcon]"
                }
            }
        }
    }
}

button_standard = { # 确认按钮
    onclick = "[AccoladeAttributeSelectionView.ConfirmSelection]"
    enabled = "[IsValidCommand( Accolade.MakeAddAccoladeTypeCommand( AccoladeAttributeSelectionView.Get
}
}
}

```

新增图形资源:

- 48+ 骑士徽章图标 (accolade_trait_aggressive*.dds , accolade_trait_champion*.dds 等)
- 徽章框架: accolade_frame.dds , accolades_frames_background.dds
- 38+ 扁平图标 (flat_icons/*.dds)

四、游戏数据 (Game Data) 变化

4.1 长者事件系统 (Elder Events)

文件: game/events/elder_events.txt (769 行)

```

namespace = elder_events

suitable_elder = {
    is_physically_able_adult = yes
    has_trait = withering_mind
    is_close_family_of = root
    NOR = {

```

```

        is_sibling_of = root
        has_relation_rival = root
    }
}

# 事件 1000: Withering Mind - 亲属忘记你的名字
elder_events.1000 = {
    type = character_event
    title = elder_events.1000.t
    desc = elder_events.1000.desc
    theme = mental_health
    override_background = { reference = relaxing_room }

    left_portrait = { character = root animation = sadness }
    right_portrait = { character = scope:elder animation = admiration }

    trigger = {
        is_available = yes
        has_trait_malicious_trigger = no
        any_courtier_or_guest = { suitable_elder = yes }
        NOT = { has_trait = withering_mind }
    }

    cooldown = { years = 25 }

    option = {
        name = elder_events.1000.a
        scope:elder = { add_stress = medium_stress_impact_gain }
        stress_impact = { base = minor_stress_impact_gain honest = minor_stress_impact_loss }
    }

    option = {
        name = elder_events.1000.b
        scope:elder = { add_trait_xp = { trait = withering_mind track = withering_mind value = 10 } }
        stress_impact = { base = minor_stress_impact_gain honest = medium_stress_impact_gain }
    }
}

# 事件 1100: Fragile Bones - 摔倒
elder_events.1100 = {
    type = character_event
    title = elder_events.1100.t
    desc = elder_events.1100.desc
    theme = physical_health
    override_background = corridor_day

    trigger = {
        has_trait = fragile_bones
        prowess < 10
        is_landed_or_landless_administrative = yes
        is_available_adult = yes
        NOT = { has_trait = athletic }
        location = {
            NOR = {
                has_holding_type = nomad_holding
                has_holding_type = herder_holding
                has_holding_type = tribal_holding
            }
        }
    }
}

```

```
cooldown = { years = 25 }

option = {
    name = elder_events.1100.bodyguard
    # 事件逻辑...
}

option = {
    name = elder_events.1100.nobodyguard
    # 事件逻辑...
}
}
```

新增特质相关事件:

- elder_events.1000 - Withering Mind (衰老心智)
- elder_events.1100 - Fragile Bones (脆弱骨骼)
- elder_events.1200 - Clouded Eyes (浑浊双眼)
- elder_events.1300 - Faltering Heart (衰弱心脏)

4.2 其他新增事件

文件	大小	内容
game/events/activities/hunt_activity/hunt_events_anna.txt	11.13 KB	狩猎活动事件
game/events/lifestyles/intrigue_lifestyle/intrigue_events_bjorn.txt	21.67 KB	阴谋生活风格事件
game/events/travel_events/travel_events_bjorn.txt	4.73 KB	旅行事件
game/events/dlc/tgp/tgp_travel_danger_events.txt	6.91 KB	DLC 旅行危险事件
game/events/story_cycles/debug_story_cycle_test_events.txt	6.50 KB	故事循环测试事件

4.3 新增脚本化 GUI (Scripted GUIs)

文件: game/common/scripted_guis/knight_permissions_sguis.txt (17 行)

```
kp_culture_minimum_prowess = {
    is_shown = {
        has_cultural_parameter = minimum_prowess_for_knights
    }
}

kp_culture_high_prowess = {
    is_shown = {
        has_cultural_parameter = high_prowess_ignores_knight_restrictions
    }
}

kp_culture_admin_family_knights = {
    is_shown = {
        has_cultural_parameter = non_admin_close_family_non_martial_gender_knights_in_defensive_wars
    }
}
```

```
}
```

4.4 新增修饰符 (Modifiers)

文件: game/common/modifiers/decision_modifiers.txt (13 行)

```
form_cumbria_decision_house_modifier = {
    icon = social_positive
    cumbrian_opinion = 10
    custom_cumbria_development_growth = 0.15
}

restore_carthage_house_modifier = {
    icon = county_modifier_development_positive
    custom_carthaginian_empire_development_growth = 0.20
}
```

4.5 新增脚本化效果 (Scripted Effects)

文件: game/common/scripted_effects/easteregg_historical_artifact_creation_effects.txt (25 行)

```
create_artifact_easteregg_henry_longsword_effect = {
    save_scope_as = owner
    set_artifact_rarity_illustrious = yes

    create_artifact = {
        name = $ARTIFACT_NAME$
        description = artifact_radzig_kobyla_longsword_description
        template = general_unique_template
        creator = $CREATOR$
        type = sword
        visuals = easteregg_radzig_sword
        wealth = scope:wealth
        quality = scope:quality
        modifier = easteregg_henry_longsword_modifier
        history = { type = created_before_history }
        decaying = no
    }

    scope:newly_created_artifact = {
        set_variable = { name = historical_unique_artifact value = yes }
    }
}
```

4.6 调试故事循环 (Debug Story Cycle)

文件: game/common/story_cycles/debug_test_story_cycle.txt (94 行)

```
debug_test_story = {
    visible = yes
    icon = { reference = "gfx/interface/icons/pets/artifact_cat_black.dds" }
```



```
visualization = {
    character = { variable_name = "debug_test_story_liege" label = "DEBUG_TEST_LIEGE" }
    character = { variable_name = "debug_test_story_enemy" label = "DEBUG_TEST_ENEMY" }
    character_list = { variable_name = "debug_test_story_courtiers" label = "DEBUG_TEST_COURTIERS" }
    title = { variable_name = "debug_test_story_test_title" label = "DEBUG_TEST_TITLE" }
    title_list = { variable_name = "debug_test_story_title_list" label = "DEBUG_TEST_TITLES" }
    artifact = { variable_name = "debug_test_story_test_artifact" label = "DEBUG_TEST_ARTIFACT" }
    basic_counter = { variable_name = "debug_test_story_counter" min = 0 max = 10 }
    tug_of_war_counter = { variable_name = "debug_test_story_counter" min = -10 max = 10 }
    modifiers = { debug_test_story_prayer_modifier debug_test_story_weak_stomach_modifier }
    traits = { lifestyle_poet }
    decisions = { visit_silk_road_market_decision adopt_puppy_decision }
}
```

4.7 新增肖像装饰

新增头饰装饰:

- Byzantine Crown (拜占庭皇冠): f_headgear_sec_sp5_byzantine_roy_01 , m_headgear_sec_sp5_byzantine_roy_01
- Western Crispinette (西方头饰): sp5_western_crispinette_01
- SP5 变体纹理

新增胡须/发型:

- m_beard_sp5_western_01 - 西方胡须变体
- m_hair_sp5_western_01 - 西方发型变体

五、图形资源 (Graphics) 变化

5.1 庭院场景背景

背景名称	大小	文化类型
byzantine.dds	3.96 MB	拜占庭风格
chinese.dds	3.96 MB	中国风格
chinese_alt.dds	3.96 MB	中国替代风格
default.dds	664.09 KB	默认风格
indian.dds	664.09 KB	印度风格
japanese.dds	3.96 MB	日本风格
mediterranean.dds	664.09 KB	地中海风格
mena.dds	2.58 MB	中东/北非风格

背景名称	大小	文化类型
southeast_asia.dds	3.96 MB	东南亚风格
steppe.dds	3.96 MB	草原风格
tribal.dds	664.09 KB	部落风格
western.dds	664.09 KB	西方风格

5.2 中国风格庭院资产 (china_alt)

新增目录: game/gfx/models/court/rooms/china_alt/ 和 game/gfx/models/court/materials/china_alt/

新增文件类型:

- 纹理: _diffuse.dds , _normal.dds , _properties.dds
- 模型: .mesh 文件
- 资产: .asset 文件

资源列表:

ep4_chinese_alt_court_atlas_01_a_diffuse.dds (512.12 KB)
ep4_chinese_alt_court_atlas_01_a_normal.dds (1.33 MB)
ep4_chinese_alt_court_atlas_01_a_properties.dds (1.00 MB)
ep4_chinese_alt_court_beams_01.mesh (502.93 KB)
ep4_chinese_alt_court_beams_dougong_01.mesh (172.22 KB)
ep4_chinese_alt_court_beams_dougong_02.mesh (96.19 KB)
ep4_chinese_alt_court_dividers_01.mesh (206.54 KB)
ep4_chinese_alt_court_drapes_01.mesh (2.44 MB)
ep4_chinese_alt_court_drapes_02.mesh (370.48 KB)
ep4_chinese_alt_court_flooring_01.mesh (241.14 KB)
ep4_chinese_alt_court_lanterns.mesh (527.50 KB)
ep4_chinese_alt_court_pillars_01.mesh (293.18 KB)
ep4_chinese_alt_court_rug_01_a.mesh (17.08 KB)

5.3 新增宠物图标

文件	大小	描述
artifact_cat_black.dds	225.12 KB	黑猫
artifact_cat_calico.dds	225.12 KB	三色猫
artifact_cat_ginger.dds	226.06 KB	橘猫
artifact_cat_gray.dds	225.12 KB	灰猫
artifact_cat_white.dds	226.06 KB	白猫
artifact_dog_black.dds	225.12 KB	黑狗

文件	大小	描述
artifact_dog_blonde.dds	225.12 KB	金毛狗
artifact_dog_brown.dds	224.19 KB	棕狗
artifact_dog_gray.dds	227.00 KB	灰狗
artifact_dog_pointed_ears_*.dds	~225 KB	多种颜色尖耳狗
artifact_dog_white.dds	225.12 KB	白狗

5.4 新增高分辨率图标

类型	数量	大小
扁平图标 (flat_icons)	38+	14.19 KB each
骑士徽章图标	48+	11.39-45.12 KB
DLC 图标	2	56.38 KB each
故事循环图标	4	56.38-64.12 KB

六、本地化 (Localization) 变化

6.1 新增本地化文件统计

语言	新增文件数	主要内容
英语 (english)	12	ledger, court_visuals, debug_story, elder_events, knight_permissions
法语 (french)	12	同上
德语 (german)	12	同上
日语 (japanese)	12	同上
韩语 (korean)	12	同上
波兰语 (polish)	12	同上
俄语 (russian)	12	同上
简体中文 (simp_chinese)	12	同上
西班牙语 (spanish)	12	同上
总计	108	-

6.2 本地化内容示例

Court Visuals (庭院场景文本):

```
l_english:
  COURT_VISUAL_BYZANTINE_1_G1_TITLE: "Chrysotriklinos"
  COURT_VISUAL_BYZANTINE_1_G1_DESC: "A domed imperial audience hall of marble and mosaic, where the emperor rul
  COURT_VISUAL_CHINESE_1_G1_TITLE: "The Hall of Heaven"
  COURT_VISUAL_CHINESE_1_G1_DESC: "A stately hall of vermilion pillars and silken drapery, where the mandate re
  COURT_VISUAL_JAPANESE_1_G1_TITLE: "Garden Shoin"
  COURT_VISUAL_JAPANESE_1_G1_DESC: "A serene tatami chamber where the lord receives guests beside painted scree
```

Elder Events (长者事件):

```
l_english:
  elder_events.1000.t: "Withering Mind"
  elder_events.1000.desc: "My beloved [elder.GetFirstNameNoTooltip] looked at me with confusion today, unable t
  elder_events.1100.t: "Fragile Bones"
  elder_events.1100.desc: "As I was walking down the stairs, my [elder.GetFirstNameNoTooltip] suddenly stumbled
```

七、音频资源 (Audio) 变化

7.1 新增原声带

文件	大小	说明
game/sound/banks/Soundtrack_extra.bank	36.22 MB	额外原声带

八、二进制/库文件 (Binary/Library) 变化

8.1 新增文件

文件	大小	说明
binaries/PDXSDK.dll	2.40 MB	Paradox SDK 库 (替代 pops_api.dll)
binaries/checksum.txt	34 B	校验和: 2a2e8b0448c7ef8afedb7a50a8aee575
launcher/launcher-installer-windows_2026.4.1.exe	167.94 MB	新版启动器 (2026.1.1 → 2026.4.1)

8.2 删除文件

文件	大小	说明
binaries/pops_api.dll	5.04 MB	已移除 (被 PDXSDK.dll 替代)

九、游戏平衡 (Defines) 变化

9.1 定义文件对比

核心定义文件位置:

- game/common/defines/00_defines.txt - 1.18.4 (1796 行) vs 1.19.0 (1827 行)
- game/common/defines/jomini/portraits.txt - 新增

9.2 关键定义差异

NGame (游戏设置):

```
NGame = {
    END_DATE = "1453.1.1" # 保持不变
    GAME_SPEED_TICKS = { 2 1 0.5 0.2 0.0 } # 保持不变
    LAG_DECREASE_SPEED_DAYS = 15 # 保持不变
    LAG_PAUSE_DAYS = 30 # 保持不变
    MULTIPLAYER_EVENT_TIME_OUT = 90 # 保持不变
    COURT_EVENT_TIME_OUT = 180 # 保持不变
    BENCHMARK_VIEWS_TEST_DURATION = 135 # 保持不变
    BENCHMARK_INTERFACE_INTERVAL = 5.0 # 保持不变
    MERIT_GUI_UPDATE_INTERVAL = 60 # 保持不变
}
```

NCharacter (角色属性):

```
NCharacter = {
    # 年龄设置
    MALE_RANDOM_AGE_BASE = 16
    MALE_RANDOM_AGE_SPAN = 20
    FEMALE_RANDOM_AGE_BASE = 16
    FEMALE_RANDOM_AGE_SPAN = 16

    # 技能范围
    RANDOM_CHARACTER_DIPLOMACY_MIN = 0
    RANDOM_CHARACTER_DIPLOMACY_MAX = 10
    # ... 其他技能相同

    # 健康
    RANDOM_CHARACTER_MIN_HEALTH = 4.0
    RANDOM_CHARACTER_MAX_HEALTH = 5.0
    RANDOM_CHARACTER_AGE_MIN_HEALTH = 2.5
}
```

```

# 压力
MAX_STRESS_LEVEL = 3
STRESS_PER_LEVEL = 100

# 恐惧
MAX_DREAD = 100
BASE_DREAD = 0
DREAD_MONTHLY_CHANGE = 0.5

# 暴政
MAX_TYRANNY = 1000
TYRANNY_MONTHLY_CHANGE = -0.25

# 年龄阈值
TODDLER_AGE = 3
CHILDHOOD_AGE = 6
ADOLESCENCE_AGE = 12
MALE_ADULT_AGE = 16
FEMALE_ADULT_AGE = 16
MALE_ELDERLY_AGE = 50
FEMALE_ELDERLY_AGE = 50
}

```

NSkills (技能上限):

```

NSkills = {
    MAX_DIPLOMACY = 100
    MAX_MARTIAL = 100
    MAX_STEWARDSHIP = 100
    MAX_INTRIGUE = 100
    MAX_LEARNING = 100
    MAX_PROWESS = 100 # 新增 - 威望技能
}

```

NPortraits (肖像设置) - 新增文件:

```

NJominiPortraits = {
    DEFAULT_PORTRAIT_GROUP = "human"
    CHILDGENERATOR_NUM_GENERATIONS = 4
    CHILDGENERATOR_GENERATED_PER_GENERATION = 6
    CHILDGENERATOR_PORTRAIT_TYPES = { "male" "female" }
    PORTRAIT_CACHE_EXPIRE_FRAMES = 30

    ACCESSORY_PREFIXES_BLOCK_0 = {
        "female_clothing" "male_clothing" "female_clothes" "male_clothes"
    }
    ACCESSORY_PREFIXES_BLOCK_1 = {
        "female_headgear" "male_headgear" "f_headgear" "m_headgear"
    }
    ACCESSORY_PREFIXES_BLOCK_2 = {
        "female_cloaks" "male_cloaks" "male_capes" "f_cloak" "m_cloak"
    }
    ACCESSORY_PREFIXES_BLOCK_3 = {
        "female_legwear" "male_legwear" "f_legwear" "m_legwear"
    }
}

```

}

十、历史数据 (History) 变化

10.1 新增中国省份历史

文件: game/history/provinces/h_china.txt (5807 行)

新增大量中国地区的省份定义:

- 吐浑 (tuyuhun) 文化
- 汉 (han) 文化
- 多种宗教: zhengyi, daoxtue, dhyana, sukhavati 等

```
# 示例省份
9472 = { # Aksay (Gonghe)
    culture = tuyuhun
    religion = tengri_pagan
    holding = tribal_holding
}

9770 = { # Bazhou (Huacheng)
    culture = han
    religion = zhengyi
    holding = castle_holding
}

9750 = { # Kaizhou (Kaijiang)
    culture = han
    religion = jingxue
    holding = castle_holding
    1000.1.1 = { religion = daoxtue } # 宗教随时间变化
}
```

10.2 新增越南/大理省份

文件: game/history/provinces/k_viet.txt (2360 行) 和 k_dali.txt (5.36 KB)

十一、变更分布统计

11.1 按目录分布

目录/类型	新增	删除	修改
binaries/	2	1	~5

目录/类型	新增	删除	修改
clausewitz/	10	0	~20
game/common/religion/	+100	-50	~500
game/events/	+15	~5	~200
game/gui/	+25	~3	~150
game/gfx/	+200	~30	~800
game/localization/	+120	~10	~600
jomini/	+30	0	~100
launcher/	1	0	~5
总计	583	207	3,789

十二、核心变更总结

12.1 主要新功能

序号	功能	描述
1	宗教系统重构	从扁平 doctrines/ 目录转换为模块化的 doctrine_types/ + doctrine_group_types/ + holy_site_types/ + religion_types/ 结构
2	PDX Account 登录系统	完整的 Paradox 账户登录/注册 UI，支持云存档和多人游戏
3	Ledger 窗口系统	246KB 的复杂统计信息界面，显示战争、文物、爵位等
4	骑士徽章系统扩展	48+ 新图标，支持更多骑士个性化定制
5	长者/老龄化事件系统	"Withering Mind" 等新特质相关事件，增加老龄化深度
6	中国风格庭院资产	完整的中国宫廷场景支持，100+ 新图形资源
7	宠物系统	猫狗宠物 Artifact 图标
8	额外原声带	36.22 MB 新音乐
9	圣地系统独立化	3542 行定义所有宗教的圣地
10	宗教家族系统	4 个家族 (rf_abrahamic, rf_eastern, rf_sinitic, rf_pagan)

12.2 性能/技术变更

项目	1.18.4	1.19.0	变更说明
引擎版本	titus/release/1.18.2	titus/release/1.19.0	主要版本升级
SDK	pops_api.dll	PDXSDK.dll	替换
启动器	2026.1.1	2026.4.1	升级
游戏定义行数	1796	1827	+31 行
宗教文件数	~15	~60	+45 文件

12.3 对玩家影响

- 1. 宗教系统更丰富: 更多宗教类型 (50 个), 更多圣地选择
- 2. UI 更完善: 账户系统, 统计界面 (Ledger)
- 3. 图形提升: 中国宫廷风格, 骑士徽章
- 4. 音效增加: 新增音乐内容
- 5. 宠物陪伴: 猫狗宠物

12.4 对 MOD 作者影响

- 1. 宗教系统重构: 旧版 mod 的 doctrine 路径需要适配新结构
- 2. 新的分组机制: doctrine_group_types 引入了新的分组方式
- 3. holy_site_types: 圣地定义现在独立
- 4. religion_types: 每个宗教独立文件

附录 A: 文件路径速查

宗教系统

类型	1.19.0 路径
教条类型	game/common/religion/doctrine_types/*.txt
教条分组	game/common/religion/doctrine_group_types/00_doctrine_group_types.txt
圣地类型	game/common/religion/holy_site_types/00_holy_site_types.txt
宗教家族	game/common/religion/religion_family_types/00_religion_family_types.txt
宗教定义	game/common/religion/religion_types/00_*.txt

UI 系统

类型	路径
PDX Account	game/gui/pdx_account/*.gui
Ledger	game/gui/window_ledger.gui
Accolade 选择	game/gui/window_accolade_attribute_selection.gui

游戏数据

类型	路径
长者事件	game/events/elder_events.txt
骑士权限 GUI	game/common/scripted_guis/knight_permissions_sguis.txt
决策修饰符	game/common/modifiers/decision_modifiers.txt

附录 B: 生成信息

项目	内容
报告生成时间	2026-05-03
数据来源	compare_versions.py 自动分析 + 源代码深度审查
分析模型	MiniMax-M2.7 (minimax-cn-coding-plan/MiniMax-M2.7)
协作人	XenoAmess