openDC GM Commands

Oct 19, 2026 · @Xerender

Every GM command the openDC emulator understands, typed in the game chat by a GM character or sent from a shell through the control port.

How GM commands work

A GM character types the command in the game chat; the emulator answers each one with a message box saying what it did or why not.

- **Who is a GM:** an account listed in `Emulator/server_data/adminlist.txt`, or a character whose `SKID_ACCOUNT_TB.PTYPE` is `A`. Other players' `gm...` lines are ignored.
- **Targets:** where a command takes `[name]`, it is a character that is online; without a name it applies to yourself.
- **Control port:** with the emulator running, most commands also work from a shell without the `gm` prefix: `.venv/bin/python -m tools.gmctl COMMAND ...` (run from `Emulator/`; port `[emulator] control_port`, 127.0.0.1 only). The Server Workshop's GM Console uses the same port.
- **Test modes** set with chat commands last for that character's session; the matching `emulator.ini` line turns them on for everyone.
- Server table changes (new items, gift boxes) need `./launch.sh restart-emu`, which disconnects everyone in game.

Characters, items, cars and money

Command	What it does
`gmitem [name] item-id [count] [+level] [A|B|C [tier]]`	Gives an item (up to 99). Parts can come enhanced (`+1` .. `+20`) and converted (type A speed, B acceleration, C booster + durability; tier 1-34, no tier = 34). Docking items: `[+purple 0-25] [white]`. Unknown ids get a list of close matches. Gift boxes are items too: `gmitem giftbox_lucky1`.

Command	What it does
`gmcar [name] car name [V1-V9]`	**New.** Gives a car with its key and full Mittron, as a gift box does (needs garage space). The car is found by its shown name (AXIS ST), model name (Kubelwagen), model file (pc_0199s) or car number; several matches are listed and nothing is given. No grade = the car's first grade (V1 for the 2016 cars, the class grade for 2011 cars such as Utopia V9).
`gmlevel [name] level`	Sets the level (1-200), exp at the start of that level.
`gmexp [name] exp`	Adds exp (levels up as usual).
`gmmoney [name] Mito`	Adds Mito; a negative amount takes it (never below 0).
`gmcoin [name or account] amount`	Adds G Coin (Hancoin) to the account; a negative amount takes it (never below 0). Online characters see the new balance at once.
`gmdrift drift-item-id [days]`	Gives yourself a drift shop item; 0 or no days = permanent.
`gmsets [set]`	Gives one of every set part, or of one set (e.g. `gmsets kayla`); needs free inventory slots.

Moderation

Command	What it does
`gmwho`	Lists who is in the game (character, account, level, address).
`gmkick NAME [days]`	Disconnects the character ("Kicked by a GM."); with days it is also blocked from the game.
`gmblock NAME days`	Blocks the character from the game for that many days and kicks it.
`gmunblock NAME`	Lifts a game block.
`gmchatblock NAME minutes`	Stops the character's chat for that long; 0 lifts it.

Command	What it does
`gmban ACCOUNT-or-NAME`	Blocks the whole account (login says "blocked") and kicks it.
`gmunban ACCOUNT-or-NAME`	Lifts an account ban.

Events and modes

Command	What it does
`rushtimenow [HUV type] [course]`	Starts a rush in 5 seconds, with that HUV type and course (default: the timetable's type, a random course). Also as `gmrushtimenow`.
`rushtime [HUV type] [course]`	The same, with the usual 5-minute notice.
`getrushtime`	Shows the next rush and how many are running.
`rushend`	Ends every running rush.
`gmrealmatch open | close | in MINUTES | auto | status`	Opens or closes Real Match over `emulator.ini`, or opens it after a countdown; `auto` goes back to the ini schedule.
`gmgate 0-7 | off`	Every race gate gives that reward (0 nothing, 1 Boost 50%, 2 Boost 100%, 3 Skid Rush, 4 Repairs, 5 Untouchable, 6 Hyper Boost, 7 Team Boost 50%); `off` goes back to the reward tables.
`gmcbattle status`	**New.** The next channel battle and each channel's state, owner and queue. Also plain `gmcbattle`.
`gmcbattle now [minutes to the battle] [battle minutes]`	Opens channel battle registration now; the battle starts after the wait (default 1 min) and lasts the given time (default 20 min). Refused while a battle runs.

Command	What it does
`gmcbattle start [battle minutes]`	Starts the channel battle at once: skips the rest of an open registration, or opens registration and battle together. Also as `gmcbstart`.
`gmcbattle end`	Ends every channel battle now.
`gmcbattle owner CHANNEL crew | test | none`	Sets a channel's owner: a crew by name, a test crew that never defends, or nobody.
`gmcbattle stakes [on | off]`	Major channel part stakes: a part of each racer; the losing crew's parts go to the winning crew master.
`gmcbattle replays`	How many channel battle round replays are kept, and the latest ones.

Test modes

Each turns a mode on (`on`) or off (`off`) for one character; the `emulator.ini` line in brackets does it for everyone.

Command	What it lets you test
`gmpartytest on | off`	Party Patrol alone: accept a patrol at a pillar without a party (`[partypatrol] test`).
`gmvchasetest on | off`	Virtual HUV with just two players, one per team (`[vchase] test`).
`gmuctest on [phase 1-4] | off`	The Undercity alone with the chat command `/ucm` (`/uck` , `/ucc` , `/uco` for the other cities); the phase picks where a run starts: 1 Mission 1, 2 Mission 2, 3 HUV waves, 4 BossHUV (`[undercity] test`).
`gmcbtest on | off`	A channel battle attack by one player: no Challenge Coupon or crew rank needed, the crew room queues at once, and alone against an owner without a room the crew attacks by itself (finish a round to win it, 2 wins take the channel) (`[cbattle] test`).

Stickers

Command	Who	What it does
`/report <sticker name> [reason]`	anyone	Reports a sticker to the GMs.
`gmreports`	GM	The 10 most reported stickers.
`gmbadsticker <name>`	GM	Blocks the sticker: out of the catalog and off every car.
`gmgoodsticker <name>`	GM	Puts a blocked sticker back and clears its reports.

Control port (tools.gmctl)

Run from `Emulator/` while the emulator is up: `.venv/bin/python -m tools.gmctl COMMAND ...`. It answers `OK ...` or `FAILED ...`. The Server Workshop's GM Console and Accounts tabs send the same commands.

Command	What it does
`who`	Who is in the game.
`kick NAME [days]`	As `gmkick`.
`block NAME days` / `unblock NAME`	As `gmblock` / `gmunblock`.
`chatblock NAME minutes`	As `gmchatblock`.
`ban ACCOUNT-or-NAME` / `unban ACCOUNT-or-NAME`	As `gmban` / `gmunban`.
`item NAME ITEM-ID [count] [+LEVEL] [A|B|C [TIER]]`	As `gmitem`, for a character online.
`car NAME CAR-NAME [V1-V9]`	**New.** As `gmcar`, for a character online.
`drift NAME DRIFT-ITEM-ID [days]`	As `gmdrift`, for a character online.
`level NAME level` / `exp NAME exp` / `money NAME Mito`	As `gmlevel` / `gmexp` / `gmmoney`.
`coin ACCOUNT-or-NAME amount`	As `gmcoin`; works for offline accounts too.

Command	What it does
`realmatch open|close|in MINUTES|auto|status`	As `gmrealmatch`.
`cbattle now|start|end|owner|stakes|replays|status ...`	**New.** As `gmcbattle`.
`partytest` / `vchasetest` / `uctest` / `cbtest NAME on|off [phase]`	The test modes for a character online.
`rushtimenow` / `rushtime` / `getrushtime` / `rushend`	As the rush commands.
`gate 0-7|off`	As `gmgate`.
`accounts TEXT` / `account ID`	**New.** Searches accounts (up to 300) / shows one with its characters, G Coin and online state.
`account-create ID PASSWORD` / `account-password ID PASSWORD`	**New.** Makes an account / sets its password (stored as the client's MD5; never logged). The account must be logged out.
`account-role ID A|N`	**New.** Makes the account's characters GM (`A`) or normal (`N`). An account in `adminlist.txt` stays GM until removed there.

Gift boxes

New gift box items are made with the Server Workshop (Items or Cars tab > **New gift box…**) or from the shell; give one with `gmitem giftbox_<ID>`. Each box writes the server tables and both clients (US and EU), so restart the emulator and the clients afterwards.

- **Contents:** any mix of lines: a car at a grade (comes with its key and full Mittron), an inventory item x count, a drift item for some days (0 = permanent), Mito, EXP.
- **Chance:** each line rolls on its own: 100 % always comes, 25 % comes one time in four.
- **Shell:** `.venv/bin/python -m tools.giftbox car CAR-NUMBER GRADE [--price MITO] [--trial]` for a Serpens-style car box; `make ID "NAME" LABEL LINE... [--price MITO]` for any box, with lines `car:NUMBER:GRADE[:%]`, `item:ITEM-ID[:COUNT[:%]]`, `drift:ITEM-ID[:DAYS[:%]]`, `mito:N[:%]`, `exp:N[:%]`.

- **Example:** `make lucky1 "Lucky Box" Lucky item:i_n_00058:10 item:i_n_00027:1:25 mito:50000:50` gives 10 Invincible Rush Capsules always, a Parts Box 25 % of the time and 50,000 Mito half the time.
- `tools.giftbox cars [words]` lists the cars a box can hold (number, name, grades); `tools.giftbox boxes` lists the boxes.