




Automotive Grade Linux Layer Refactoring F2F June 16, 2017

Summary

AGL PROFILES

Prio discussions on Profiles

- Shared doc:
 - https://docs.google.com/document/d/1UFs_f7Cdom5F6GlemRuF_lk_kPIvR-Fk52jeL8ZL0Lw/edit
- Shared drawing:
 - https://www.draw.io/#G0B_w9btsPGBLvZW5mU3JjVklMYkk



Generic requirements for profiles

A profile needs to fulfill / provide / contain :

- a superset of the core
- only bbappends (!)
- profile priority < core priority
- options aka DISTRO_FEATURES:
 - **debug build**, *hypervisor*, **qa**
 - *min. capabilities defined for above*

What profiles should we have ?

Envisioned / proposed profiles

- core
- headless / telematics
- ivi
- demo
- – keep number of profiles as low as possible

AGL "core" profile

A "core" profile needs to contain/provide:

- headless base system
 - AppFW
 - security, smack, (secureboot)
 - connectivity (at least one, e.g. ethernet)
 - sota, update mechanism, package manager
-
- Also part – but supplied as installable wgt files are:
 - ***platform-level binders - like signalling / can*** ← (supplied as wgt)
-
- More specific requirements can be: minimal kernel version or Yocto/AGL features or config fragments
-
- In yocto terms: core-image-minimal + ^a^b^o^v^e^

AGL "telematics" profile

A "telematics" profile needs to contain/provide:

- **V2C** ← (*supplied as wgt*)
 - **Dashboard / Remote control API** ← (*wgt*)
 - **specific high-level APIs ?** ← (*supplied as wgt*)
 - **specific connectivity ?** ← (*supplied as wgt*)
 - **agl 'core' + ^^^^**
-
- → same platform as core (all extra is .wgt)

AGL "ivi" profile

A "ivi" profile needs to contain/provide:

- gfx / wayland + AGL shell protocol (e.g. xdg)
- ***audio / multimedia*** ← *(supplied as wgt)*
- ***identity*** ← *(supplied as wgt)*
- ***webview (browser)*** ← *(supplied as wgt)*
- ***(high-level) application APIs (e.g. geolocation, ...)*** ← *(supplied as wgt)*
- check with SPEC 1.0 for more req
- → Platform with gfx-stack + wayland, extras all in .wgt

AGL "ivi-qt5" profile (or pkggroup)

A superset of "AGL ivi" profile to build SDK with needed headers. Contains:

- spin of IVI profile++
- qt5 headers for SDK

tbd: AGL "ivi-gtk" profile

A superset of "AGL ivi" profile to build SDK with needed headers. Contains:


- spin of IVI profile++
- gtk headers for SDK

AGL "demo" Project

Our "AGL-demo" **Project** contains:

- spin of IVI-qt5 profile++
- *reference apps (→wgt)*
- A project is a specific instance/spin of a profile

Overview Layers / Profiles / Projects



Challenge – NxM SDK

We should only have (at best)

- one SDK per architecture (= 3-4)

We might end-up with

- one SDK per architecture and per profile
(= 3-4 * X)
- For CES → Demo profile SDK (+ core SDK)
- middle term:
 - more flexible+scaling mechanism for SDK
 - Gaps identified: SDK needs to produce RPMs and be able to install additional -dev packages built with a matching SDK

Challenge – NxM SDK

- We might be able to do:
 - simple "core" SDK for headless
 - ivi-qt5 SDK for AGL reference demo
- Options
 - e.g. ivi-gtk SDK
 - e.g. telematics or ADAS SDK

AGL LAYERS

Layers

- We need to follow the Yocto Layer Best Practices more closely:
 - all layers single git
 - BSPs and BSP alignment
 - declare Layer dependencies
 - Rework priorities

AI'S

AI's

- SPEC-675 - Rework packagegroups based on profiles (based on Layer F2F)
- SPEC-676 - Define/document staging process and requirements for inclusion to "AGL core"
- SPEC-677 - POC for signature lock
- SPEC-678 - POC for rpm generation out of locked signatures
- call in ~2 weeks (before SJC F2F)