## Clase 2 Git github Argentina Programa

Se creó un repositorio vacío, se clona localmente, se añade un archivo Readme.txt y se crea un conflicto a resolver.


```
Archivo Edición Formato Ver Ayuda

Archivo Edición Formato Ver Ayuda

Archivo Edición Formato Ver Ayuda

<p
```

se resuelve el mismo modificando el archivo para guardar solo aquello necesario



y una vez eliminado el merge error se procede a hacer git add, git commit con el mensaje para aclarar la eliminación de la inconsistencia y git push

```
xhema@Xhemanuelv-PC MINGW64 /c/repo arg prog/ArgentinaProgramaJavaDev (main)
$ git add .
xhema@Xhemanuelv-PC MINGW64 /c/repo arg prog/ArgentinaProgramaJavaDev (main)
$ git commit -m "Resolviendo merge error 3"
[main dac8b62] Resolviendo merge error 3
 1 file changed, 1 insertion(+), 9 deletions(-)
xhema@Xhemanuelv-PC MINGW64 /c/repo arg prog/ArgentinaProgramaJavaDev (main)
$ git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 323 bytes | 323.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Xhemanuelv/ArgentinaProgramaJavaDev.git
   8d53af8..dac8b62 main -> main
xhema@Xhemanuelv-PC MINGW64 /c/repo arg prog/ArgentinaProgramaJavaDev (main)
```