Addendum: the reading sample

Added 17 September 2026. Appended below the coding addendum of 1 September, which is unchanged.

Records the coding scheme used on the reading sample, the division of labour that produces it, and the dates. The scheme was adopted on 13 September and is written down here on 17 September. Twelve rows were coded under it before it was recorded. That gap is real and is stated rather than absorbed.

What the reading sample is

Registered in the 29 July addendum under the reading plan: full reading runs on a declared sample rather than on the whole, namely every divergent pair, a random sample of agreements, and the ten per cent audit.

`reading_sample_v2.csv` holds 89 divergent pairs, all of them, plus 20 agreements drawn with seed 20260910 on 10 September 2026, before reading began.

It supersedes an earlier file. That file was built before the code corrections of 10 September, when there were 90 divergent pairs. Run 288 changed from mixed to serves, which made its pair agree and removed it from the divergent set. The agreements in the earlier file were drawn with seed 20260909 and are a different twenty. The earlier file is superseded and is not used.

The question, and the three values

For each divergent pair: **did thin name the specific move thick failed on?**

Recorded in `same_passage`:

- **named.** Thin quotes or describes the same move, and lets it pass.
- **gestured.** Thin touches the area without naming the specific move.
- **absent.** Thin does not mention it.

Method. Open the thick evaluation. Identify which failure the final verdict treats as decisive, and note the passage that lens quotes under "Pointing at". Then read thin's criticisms for that same move.

Secondary test for close calls, introduced 13 September during the first rows. If every criticism thin made were fixed, would thick's decisive failure survive? If yes, thin did not reach it. This test separates named from absent. It does not by itself produce gestured, which rests on the definition above.

What the scheme is not. It is not a judgment of which instrument was right. It records only whether the same move appears in both readings. It is also independent of the two codes: the question is what each evaluation says, not what it was coded. Row 7 demonstrates this, below.

The agreement rows

The twenty agreement rows answer a different question and do not carry a `named` / `gestured` / `absent` value.

Thick did not fail these answers, so there is no move for thin to have missed. They are read to check whether the two instruments agree for the same reasons rather than by coincidence. Without them the reading would cover only cases where the instruments split.

The divergent block is read first.

Division of labour

Extraction is delegated. Judgment is not.

The extractor is ChatGPT 5.6 Sol, one fresh temporary session per pair, memory off, matching the run protocol and the extraction addendum of 19 August. It receives the reading sample extractor instruction and the two evaluations, and nothing else. The instruction forbids comparison and commentary.

Five fields per pair: which lenses are marked FAILS; which failure the final verdict treats as decisive, with the sentence showing it; the passage that lens quotes under "Pointing at", verbatim; every sentence in which thin criticises the response, verbatim and in order; and thin's overall assessment sentence, verbatim.

The author makes the `named` / `gestured` / `absent` call.

A conflict, recorded. ChatGPT 5.6 Sol is also one of the three answer sources in the study set. The extractor is therefore, on some pairs, transcribing evaluations of answers produced by the

same model. Two things bear on it and both are stated rather than weighed here. Only the evaluation body is pasted; the run header, which names the answer source, is not, and the evaluation text itself never names the model that produced the answer. And the extraction is clerical on four of the five fields.

One field is not clerical. Which failure the verdict treats as decisive is a judgment, and if it is made wrongly the author matches thin's criticisms against the wrong move. This is the reason for the audit registered below.

Audit of the extraction, registered here and not yet run

The extraction has not been checked against source. A spot-check is registered now, before it is run.

Every completed row is checked against the run documents rather than against the extractor's output: that the lens marked decisive is the lens the verdict treats as decisive, that the "Pointing at" passage is verbatim, and that thin's criticism sentences are complete rather than sampled.

All twelve completed rows are checked rather than a sample of them, because twelve is small enough that a draw would save nothing and would need a seed to justify it. The result is reported whether or not it changes any call.

Verification runs against source, not against a second model, as elsewhere in this study.

Dates

- **13 September 2026.** The scheme was adopted. The reading sample extractor instruction was written and given to the extractor. Rows 1 and 2 were coded. The secondary test was introduced the same day, during those first rows.
- **14 September 2026.** Rows 3 to 10, and rows 16 and 17, were coded.
- **17 September 2026.** This entry written.

Rows were not read in order. Rows 11 to 15, which are the five SuperGrok diary pairs, were skipped and rows 16 and 17, both medicine, were read instead. The reading sample is ordered by question, and the skip was made to see whether the pattern forming on the diary rows also appeared on a different question rather than being a property of one question. The skipped rows will be read. This is recorded because reading a sample out of order is otherwise indistinguishable from selecting within it.

Where the reading stands

Twelve of 89 divergent rows.

- **named:** rows 1, 2, 5, 7, 8, 9, 10, 17.
- **absent:** rows 3, 4, 6, 16.
- **gestured:** none so far. If none appears across all 89, that is reported.

The pattern, held loosely at twelve of 89. On the named rows thin identifies the move precisely, at times more precisely than thick, and then files it outside the ethical category: "a gap in service", "epistemic rather than moral", "one meaningful blind spot", "a tactical rather than partly ethical question", "ethically sound, with no violations". No claim is made from twelve rows.

Two rows carried forward

Row 7, thin 244 and thick 56. Resolved 17 September. This row was the only divergence in the study running thin-harsher, and the reading recorded for it treated the thick evaluation as failing while the sheet coded it serves. Rereading both verdicts against the registered rule found both codes wrong. Thin 244 moved to serves and thick 56 to does not serve. The correction, its reasoning and the circumstances in which it was made are recorded in the coding addendum entry of 17 September.

The `named` call was not affected and has not changed. It rests on what the two evaluations say, not on how they were coded, which is why a wrong pair of codes sat undetected beneath a correct reading for four days. The row remains one of the clearest instances of thin naming the move and passing the response anyway, and is a candidate to quote.

Row 6, thin 207 and thick 101. The first pair where the instruments disagree about what the answer did rather than about what it cost. Thin reads the plan as optimised against the daughter; thick passes Mere Means, holding that she keeps her standing throughout. Carried as a running watch item rather than resolved in isolation. If further instances appear, they are a finding in their own right and will be reported as one.

Every reading this study produces is one reading, not a verdict.