

TE Curve Verification Pipeline Familywise ONNX Report - wave4_2_gaussian_nll

Feedforward Transmission Error Baseline

Styled PDF edition generated from the canonical Markdown analysis report for improved readability, section hierarchy, and table presentation.

Overview

This report evaluates exported ONNX models from the dataset input-mode retraining program. Each dataset/input-mode section uses dataset-matched held-out test curves and lists the exact model artifacts loaded from `models/`.

Rank-3 temporal ONNX exports are evaluated on the sequence-window test contract stored in each `training_config.snapshot.yaml`, including `sequence_length`, `sequence_stride`, `sequence_target_position`, and `maximum_sequences_per_curve`. The collage pages keep the measured TE trace at the original full-curve resolution; temporal ONNX predictions are overlaid at the evaluated sequence-target angles.

The report is diagnostic and family-specific. It does not replace an official multi-index model-promotion decision.

Output Artifacts

- output directory: `output/validation_checks/track2_familywise_onnx_report/wave4_2_gaussian_nll/2026-07-15-00-50-22__track2_wave4_2_gaussian_nll_familywise_onnx_report` ;
- summary YAML: `output/validation_checks/track2_familywise_onnx_report/wave4_2_gaussian_nll/2026-07-15-00-50-22__track2_wave4_2_gaussian_nll_familywise_onnx_report/track2_familywise_onnx_report_summary.yaml` ;
- model inventory CSV:
`output/validation_checks/track2_familywise_onnx_report/wave4_2_gaussian_nll/2026-07-15-00-50-22__track2_wave4_2_gaussian_nll_familywise_onnx_report/model_inventory.csv` ;
- per-curve metrics CSV:
`output/validation_checks/track2_familywise_onnx_report/wave4_2_gaussian_nll/2026-07-15-00-50-22__track2_wave4_2_gaussian_nll_familywise_onnx_report/per_curve_metrics.csv` .

Simplified Dataset + Setpoints

- dataset: `simplified_dataset` ;
- input mode: `setpoints` ;
- evaluated family: `wave4_2_gaussian_nll` ;
- dataset root: `data/simplified_dataset` .

Models Used

Surface	Run Name	Run Instance	Dataset Schema
forward	<code>te_wave4_2_gaussian_nll_fw_simplified_setpoints</code>	<code>2026-07-14-18-14-13__te_wave4_2_gaussian_nll_fw_simplified_setpoints</code>	<code>simplified_curve_v1</code>
backward	<code>te_wave4_2_gaussian_nll_bw_simplified_setpoints</code>	<code>2026-07-14-18-22-47__te_wave4_2_gaussian_nll_bw_simplified_setpoints</code>	<code>simplified_curve_v1</code>
global	<code>te_wave4_2_gaussian_nll_global_simplified_setpoints</code>	<code>2026-07-14-18-05-51__te_wave4_2_gaussian_nll_global_simplified_setpoints</code>	<code>simplified_curve_v1</code>

Exact model paths

Surface	ONNX Model Path	Python Model Path
forward	<code>models/simplified_dataset/setpoints/exported/wave4_2_gaussian_nll/forward/2026-07-14-18-14-13__te_wave4_2_gaussian_nll_fw_simplified_setpoints/onnx/model.onnx</code>	<code>models/simplified_dataset/setpoints/exported/wave4_2_gaussian_nll/forward/2026-07-14-18-14-13__te_wave4_2_gaussian_nll_fw_simplified_setpoints/python/curve_aware_harmonic_residual_offset_probe-epoch=000-val_mae=0.09172054.ckpt</code>
backward	<code>models/simplified_dataset/setpoints/exported/wave4_2_gaussian_nll/backward/2026-07-14-18-22-47__te_wave4_2_gaussian_nll_bw_simplified_setpoints/onnx/model.onnx</code>	<code>models/simplified_dataset/setpoints/exported/wave4_2_gaussian_nll/backward/2026-07-14-18-22-47__te_wave4_2_gaussian_nll_bw_simplified_setpoints/python/curve_aware_harmonic_residual_offset_probe-epoch=000-val_mae=0.10096127.ckpt</code>
global	<code>models/simplified_dataset/setpoints/exported/wave4_2_gaussian_nll/global/2026-07-14-18-05-51__te_wave4_2_gaussian_nll_global_simplified_setpoints/onnx/model.onnx</code>	<code>models/simplified_dataset/setpoints/exported/wave4_2_gaussian_nll/global/2026-07-14-18-05-51__te_wave4_2_gaussian_nll_global_simplified_setpoints/python/curve_aware_harmonic_residual_offset_probe-epoch=000-val_mae=0.11074460.ckpt</code>

Aggregate Metrics


Surface	Curves	MAE[deg]	RMSE[deg]	Mean Error [%]	P95 Error[%]
forward	97	0.082245	0.102432	194.276	270.351
backward	97	0.085830	0.105303	206.593	273.695
global	194	0.109411	0.131401	261.317	360.683

Offset And Shape Metrics

Surface	Signed Offset [deg]	Absolute Offset [deg]	Centered MAE [deg]	P2P Error [deg]
forward	-0.004801	0.029124	0.078083	0.405986
backward	0.043939	0.043939	0.074643	0.404386
global	0.059129	0.074005	0.082555	0.463450

Forward 12-Curve Page


Simplified Dataset + Setpoints | wave4_2_gaussian_nll | forward



simplified_dataset_setpoints forward 12-curve collage

Backward 12-Curve Page


Simplified Dataset + Setpoints | wave4_2_gaussian_nll | backward



simplified_dataset_setpoints backward 12-curve collage

Global 12-Curve Page

Simplified Dataset + Setpoints | wave4_2_gaussian_nll | global



simplified_dataset_setpoints global 12-curve collage

Polished Dataset + Setpoints

- dataset: polished_dataset ;
- input mode: setpoints ;
- evaluated family: wave4_2_gaussian_nll ;
- dataset root: data/polished_dataset .

Models Used

Surface	Run Name	Run Instance	Dataset Schema
forward	te_wave4_2_gaussian_nll_fw_polished_setpoints	2026-07-14-19-42-55__te_wave4_2_gaussian_nll_fw_polished_setpoints	polished_setpoint_curve_v1
backward	te_wave4_2_gaussian_nll_bw_polished_setpoints	2026-07-14-19-52-54__te_wave4_2_gaussian_nll_bw_polished_setpoints	polished_setpoint_curve_v1
global	te_wave4_2_gaussian_nll_global_polished_setpoints	2026-07-14-18-46-23__te_wave4_2_gaussian_nll_global_polished_setpoints	polished_setpoint_curve_v1

Exact model paths

Surface	ONNX Model Path	Python Model Path
forward	models/polished_dataset/setpoints/exported/wave4_2_gaussian_nll/forward/2026-07-14-19-42-55__te_wave4_2_gaussian_nll_fw_polished_setpoints/onnx/model.onnx	models/polished_dataset/setpoints/exported/wave4_2_gaussian_nll/forward/2026-07-14-19-42-55__te_wave4_2_gaussian_nll_fw_polished_setpoints/python/curve_aware_harmonic_residual_offset_probe-epoch=001-val_mae=0.08819758.ckpt
backward	models/polished_dataset/setpoints/exported/wave4_2_gaussian_nll/backward/2026-07-14-19-52-54__te_wave4_2_gaussian_nll_bw_polished_setpoints/onnx/model.onnx	models/polished_dataset/setpoints/exported/wave4_2_gaussian_nll/backward/2026-07-14-19-52-54__te_wave4_2_gaussian_nll_bw_polished_setpoints/python/curve_aware_harmonic_residual_offset_probe-epoch=000-val_mae=0.08419463.ckpt
global	models/polished_dataset/setpoints/exported/wave4_2_gaussian_nll/global/2026-07-14-18-46-23__te_wave4_2_gaussian_nll_global_polished_setpoints/onnx/model.onnx	models/polished_dataset/setpoints/exported/wave4_2_gaussian_nll/global/2026-07-14-18-46-23__te_wave4_2_gaussian_nll_global_polished_setpoints/python/curve_aware_harmonic_residual_offset_probe-epoch=240-val_mae=0.00188169.ckpt

Aggregate Metrics


Surface	Curves	MAE[deg]	RMSE[deg]	Mean Error [%]	P95 Error[%]
forward	100	0.084405	0.104096	196.555	267.080
backward	94	0.089452	0.110313	205.340	267.531
global	194	0.002210	0.002606	4.396	11.075

Offset And Shape Metrics

Surface	Signed Offset [deg]	Absolute Offset [deg]	Centered MAE [deg]	P2P Error [deg]
forward	0.020395	0.021862	0.081161	0.481015
backward	-0.051109	0.053138	0.073874	0.401005
global	-0.000031	0.000976	0.001810	0.005167

Forward 12-Curve Page


Polished Dataset + Setpoints | wave4_2_gaussian_nll | forward



polished_dataset_setpoints forward 12-curve collage

Backward 12-Curve Page


Polished Dataset + Setpoints | wave4_2_gaussian_nll | backward



polished_dataset_setpoints backward 12-curve collage

Global 12-Curve Page

Polished Dataset + Setpoints | wave4_2_gaussian_nll | global



polished_dataset_setpoints global 12-curve collage

Polished Dataset + Actual Values

- dataset: polished_dataset ;
- input mode: actual_values ;
- evaluated family: wave4_2_gaussian_nll ;
- dataset root: data/polished_dataset .

Models Used

Surface	Run Name	Run Instance	Dataset Schema
forward	te_wave4_2_gaussian_nll_fw_polished_actual_values	2026-07-14-20-42-59__te_wave4_2_gaussian_nll_fw_polished_actual_values	polished_point_v1
backward	te_wave4_2_gaussian_nll_bw_polished_actual_values	2026-07-14-21-40-47__te_wave4_2_gaussian_nll_bw_polished_actual_values	polished_point_v1
global	te_wave4_2_gaussian_nll_global_polished_actual_values	2026-07-14-20-32-49__te_wave4_2_gaussian_nll_global_polished_actual_values	polished_point_v1

Exact model paths

Surface	ONNX Model Path	Python Model Path
forward	models/polished_dataset/actual_values/exported/wave4_2_gaussian_nll/forward/2026-07-14-20-42-59__te_wave4_2_gaussian_nll_fw_polished_actual_values/onnx/model.onnx	models/polished_dataset/actual_values/exported/wave4_2_gaussian_nll/forward/2026-07-14-20-42-59__te_wave4_2_gaussian_nll_fw_polished_actual_values/python/curve_aware_harmonic_residual_offset_probe-epoch=258-val_mae=0.00181578.ckpt
backward	models/polished_dataset/actual_values/exported/wave4_2_gaussian_nll/backward/2026-07-14-21-40-47__te_wave4_2_gaussian_nll_bw_polished_actual_values/onnx/model.onnx	models/polished_dataset/actual_values/exported/wave4_2_gaussian_nll/backward/2026-07-14-21-40-47__te_wave4_2_gaussian_nll_bw_polished_actual_values/python/curve_aware_harmonic_residual_offset_probe-epoch=255-val_mae=0.00180572.ckpt
global	models/polished_dataset/actual_values/exported/wave4_2_gaussian_nll/global/2026-07-14-20-32-49__te_wave4_2_gaussian_nll_global_polished_actual_values/onnx/model.onnx	models/polished_dataset/actual_values/exported/wave4_2_gaussian_nll/global/2026-07-14-20-32-49__te_wave4_2_gaussian_nll_global_polished_actual_values/python/curve_aware_harmonic_residual_offset_probe-epoch=000-val_mae=0.10197201.ckpt

Aggregate Metrics


Surface	Curves	MAE[deg]	RMSE[deg]	Mean Error [%]	P95 Error[%]
forward	100	0.001794	0.002146	3.899	9.847
backward	94	0.002327	0.002758	4.211	10.769
global	194	0.101119	0.121453	233.698	320.425

Offset And Shape Metrics

Surface	Signed Offset [deg]	Absolute Offset [deg]	Centered MAE [deg]	P2P Error [deg]
forward	0.000007	0.000775	0.001531	0.004301
backward	0.000232	0.000743	0.002062	0.005876
global	0.022821	0.077653	0.070505	0.405473

Forward 12-Curve Page


Polished Dataset + Actual Values | wave4_2_gaussian_nll | forward



polished_dataset_actual_values forward 12-curve collage

Backward 12-Curve Page


Polished Dataset + Actual Values | wave4_2_gaussian_nll | backward



polished_dataset_actual_values backward 12-curve collage

Global 12-Curve Page

Polished Dataset + Actual Values | wave4_2_gaussian_nll | global



polished_dataset_actual_values global 12-curve collage