

Blank CRF

Protocol title : Test Study

Sponsor : ABC

Version : V2.1

Protocol Number : 123456

Date : 2025/01/201(YYYY/MM/DD)

eCRF Version : V2.1

eCRF Version Date : 025/01/201(YYYY/MM/DD)

Clinical Investigational Site		Principal Investigator	
Subject number	SUBJID	Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.1 Subject information

DM = Demographics

Subject information		
Name abbreviation	[NOT SUBMITTED]	
Screening number	SUPPDM.QVAL where QNAM = SUBSCNUM	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to

Form: 1.2 Informed consent form

DM = Demographics

DS = Disposition

DSCAT = PROTOCOL MILESTONE

Informed consent form

Date of signing informed consent form

RFICDTC

DSSTDTC

DSTERM = INFORMED CONSENT OBTAINED

DSDECOD = INFORMED CONSENT OBTAINED

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1) **VISIT**
Form: 1.3 Visit date

SV = Subject Visits

Visit date			
Visit date		SVSTDTC	SVENDTC

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.4 Demography

DM = Demographics

VS = Vital Signs

Demography			
Birthdate		BRTHDTC	
Age		AGE	Years old AGEU
Gender	☐ Male ☐ Female	SEX	
Ethnic group	☐ Han ☐ Others	ETHNIC	
Other ethnic groups	SUPPDM.QVAL where QNAM = ETHOTH		
VSTEST	Height	VSORRES/VSORRESU where VSTESTCD = HEIGHT	
VSTEST	Weight	VSORRES/VSORRESU where VSTESTCD = WEIGHT	
VSTEST	Body Mass Index (BMI)	VSORRES/VSORRESU where VSTESTCD = BMI	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.5 Vital signs

VS = Vital Signs

Vital signs			
Date of examination	VSDTC		
VSTEST Body temperature (forehead t VSLOC)	VSORRES/VSORRESU where VSTESTCD = TEMP		
Determination of clinical significance of body temperature	☐ Normal ☐ Clinically significant (CS) ☐ Not done (ND) SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Respiration rate	VSORRES/VSORRESU where VSTESTCD = RESP		
Determination of clinical significance of respiration rate	☐ Normal ☐ SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Pulse rate	VSORRES/VSORRESU where VSTESTCD = PULSE		
Determination of clinical significance of pulse rate	☐ Normal ☐ SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Systolic pressure (sitting position) VSPOS	VSORRES/VSORRESU where VSTESTCD = SYSBP		
Determination of clinical significance of systolic pressure	☐ Normal ☐ SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Diastolic pressure (sitting position) VSPOS	VSORRES/VSORRESU where VSTESTCD = DIABP		
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND SUPPVS.QVAL where QNAM = VSCLSIG		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

SU = Substance Use

Form: 1.6 History of consuming tobacco- or nicotine-containing products

SUCAT = TOBACCO

SUTRT = Cigarettes

History of consuming tobacco- or nicotine-containing products	
Whether the subject consumed more than 5 cigarettes per day within 3 months prior to screening	☐ Yes ☐ No SUOCCUR SUPRESP = Y
If “Yes” is chosen, the amount of smoking is	SUDOSTXT cigarette(s)/day
	SUDOSU SUDOSFRQ

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.7 History of consuming alcohols

SU = Substance Use

SUCAT = ALCOHOL

History of consuming alcohols			
No.		SUSPID	
Whether the subject consumed more than 14 units of alcohol per week at any time within the 3 months before screening	☐ Yes ☐ No	SUOCCUR	SUPRESP = Y
If "Yes" is chosen, the type of alcohol is		SUTRT = Alcohol	
Average amount of alcohol consumed	SUDOSTXT	units/week	SUDOSFRQ
Notes: 1 unit of alcohol is equivalent to 360 mL of beer, 45 mL of spirits containing 4 SUDOSU per volume, or 150 mL of wine			

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

MHENTPT

Folder: 1. Screening (D-7 to D-1)

Form: 1.8 History of disease

MH = Medical History

MHCAT = General Medical History

History of disease		
No.	MHSPID	
Whether the subject has a history of disease	☐ No ☐ Yes	[NOT SUBMITTED]
Name of disease	MHTERM	
Start date	MHSTDTC	
Whether the disease still exists	☐ Yes ☐ No	MHENRTPT
End date	MHENDTC	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.9 Medication history

CM = Concomitant and Prior Medications

Medication history		CMCAT = Prior Medications
No.	CMSPID	
Whether the subject has received any medication within 30 days prior to the first dose of study drug	☐ No ☐ Yes	[NOT SUBMITTED]
Medication name (generic name)	CMTRT	
Reason of taking the medication	CMINDC	
Administration method and dosage	CMDOSTXT	
Start date	CMSTDTC	
Whether still on the medication	☐ Yes ☐ No	CMENRTP1 CMENTPT = Screening (D-7 to D-1)
End date	CMENDTC	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

FA = Findings About

Folder: 1. Screening (D-7 to D-1)

Form: 1.10 History of vaccine inoculation

FACAT = Vaccine Inoculation History

History of vaccine inoculation		FAOBJ
No.	FASPID	
Whether received vaccine inoculation within 4 weeks prior to screening	☐ No ☐ Yes	FAORRES where FATESTCD = OCCUR
FATEST = Occurrence		
Name of the vaccine	SUPPFA.QVAL where QNAM = VHTRT	
Date of vaccine inoculation	FADTC	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

FA = Findings About

FACAT = Blood Related History

Form: 1.11 History of blood donation or bleeding / receiving blood transfusion / using any blood product

History of blood donation or bleeding / receiving blood transfusion / using any blood product	
No.	FASPID FAGRPID
Whether the subject has history of blood donation or bleeding / receiving blood transfusion / using any blood product within 3 months prior to screening	☐ No ☐ Yes FATEST = Occurrence FAORRES where FATESTCD = OCCUR
Type	☐ blood donation/bleeding FAOBJ ☐ receiving blood transfusion/using any blood product FAOBJ
Date	FADTC
FATEST Total volume	mL
FAORRES/FAORRESU where FATESTCD = VOL	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)
Form: 1.12 History of surgery

PR = Procedure

History of surgery		
No.	PRSPID	
Whether the subject has history of surgery	☐ No ☐ Yes	[NOT SUBMITTED]
Date of surgery	PRSTDTC	
Name of surgery	PRTRT	
Indication of surgery	PRINDC	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)
Form: 1.13 History of allergy

MH = Medical History

MHCAT = Allergy Medical History

History of allergy			
No.	MHSPID		
Whether the subject has history of allergy	☐ No ☐ Yes	[NOT SUBMITTED]	
Allergen	MHTERM		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.14 Physical examination

PE = Physical Examination

Physical examination			
Date of examination		PEDTC	
Notes		SUPPPE.QVAL where QNAM = PEOTH	
	Examination item	Examination result	Explanation for the abnormality
	PETEST		SUPPPE.QVAL where QNAM = PEDESC
1	Skin	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = SKI ☐ ND	
2	Mucosa	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = MUS ☐ ND	
3	Lymph nodes	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = LYM ☐ ND	
4	Head	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = HEAD ☐ ND	
5	Neck	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = NECK ☐ ND	
6	Chest	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = CHE ☐ ND	
7	Abdomen	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = ABD ☐ ND	
8	Spine/limbs	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = SPI ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.15 Administration site assessment

FA = Findings About

FACAT	Administration site assessment	FAOBJ = Administration Site
Date of assessment	FADTC	
FATEST	Assessment result	FAORRES/FAORRESU where FATESTCD = ASSRES
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)
Form: 1.16 12-lead electrocardiogram

EG = ECG Test Results

EGMETHOD = 12 LEAD UNSPECIFIED

12-lead electrocardiogram			
Date of examination	EGDTC		
Examination result	SUPPEG.QVAL where QNAM = EGRES		
Determination of clinical significance	☐ Normal	EGORRES where EGTESTCD = INTP	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.17 Hematology

LB = Laboratory Test Results

Hematology				LBCAT = Hematology	
Date of examination			LB DTC		
Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRL0	LBORNRLHI
1 White blood cell count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = WBC					
2 Hemoglobin		g/L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = HGB					
3 Red blood cell count		10 ¹² /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = RBC					
4 Platelet count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = PLAT					
5 Neutrophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = NEUT					
6 Neutrophils %		%	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = NEUTLE					
7 Lymphocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = LYM					
8 Lymphocytes %		%	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = LYMLE					
9 Eosinophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = EOS					
10 Eosinophils %		%	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = EOSLE					
11 Basophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = BASO					
12 Basophils %		%	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = BASOLE					
13 Monocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = MONO					

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	
LBTEST		SUPPLB.QVAL where QNAM = LBCLSIG	
		LBORNRL0	
		LBORNRI	
14	Monocytes %	%	☐ Normal ☐ NCS ☐ CS
		LBORRES/LBORRESU where LBTESTCD = MONOLE	
15	Hematocrit	%	☐ Normal ☐ NCS ☐ CS
		LBORRES/LBORRESU where LBTESTCD = HCT	
16	Mean corpuscular volume	fL	☐ Normal ☐ NCS ☐ CS
		LBORRES/LBORRESU where LBTESTCD = MCV	
17	Mean corpuscular hemoglobin	pg	☐ Normal ☐ NCS ☐ CS
		LBORRES/LBORRESU where LBTESTCD = MCH	
18	Mean corpuscular hemoglobin concentration	g/L	☐ Normal ☐ NCS ☐ CS
		LBORRES/LBORRESU where LBTESTCD = MCHC	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)
Form: 1.18 Serum biochemistry

LB = Laboratory Test Results

Serum biochemistry				LBCAT = Serum Biochemistry		
Date of examination			LB DTC			
Examination item	Examination result	Unit	Determination of clinical	Lower limit	Upper limit	
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRL0	LBORNRI	
1 Alkaline phosphatase		U/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = ALP						
2 Alanine aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = ALT						
3 Creatine kinase		U/L	☐ Normal ☐ NCS			
LBORRES/LBORRESU where LBTESTCD = CK						
4 γ-glutamyl transpeptidase		U/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = GGT						
5 Lactate dehydrogenase		U/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = LDH						
6 Aspartate aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = AST						
7 Total bilirubin		μmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = BILI						
8 Chloride		mmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = CL						
9 Conjugated bilirubin		μmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = BILDIR						
10 Sodium		mmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = SODIUM						
11 Potassium		mmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = K						
12 Urea		mmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = UREA						
13 Creatinine		μmol/L	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = CREAT						

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

	LBTEST	SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRL0	LBORNRLH
14	Total protein	g/L ☐ Normal ☐ NCS ☐ CS		
		LBORRES/LBORRESU where LBTESTCD = PROT		
15	Albumin	g/L ☐ Normal ☐ NCS ☐ CS		
		LBORRES/LBORRESU where LBTESTCD = ALB		
16	Globulin	g/L ☐ Normal ☐ NCS ☐ CS		
		LBORRES/LBORRESU where LBTESTCD = GLOBUL		
17	Calcium	mmol/L ☐ Normal ☐ NCS ☐ CS		
		LBORRES/LBORRESU where LBTESTCD = CA		
18	Phosphate	mmol/L ☐ Normal ☐ NCS ☐ CS		
		LBORRES/LBORRESU where LBTESTCD = PHOS		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.19 Urinalysis

LB = Laboratory Test Results

Urinalysis LBCAT = Urinalysis						
Date of examination						
Examination	Examination result	Unit	Determination of clinical	Lower limit	Upper limit	
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	BORNRL0	LBORNRLHI	
1 Leukocytes		/HP	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = WBC						
2 Red blood cells		/HP	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = RBC						
3 Protein		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = PROT						
4 pH		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = PH						
5 Bilirubin		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = BILI						
6 Nitrite		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = NITRITE						
7 Urobilinogen		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = UROBIL						
8 Specific gravity		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = SPGRAV						
9 Ketones		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = KETONES						
10 Glucose		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = GLUC						

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.20 Coagulation

LB = Laboratory Test Results

Coagulation					
Date of examination			LBDTC		
Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRL0	LBORNRI
1 Activated partial thromboplastin time		s	☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = APTT		
2 Prothrombin time		s	☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = PT		
3 Fibrinogen		g/L	☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = FIBRINO		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.21 Serology

IS = Immunogenicity Specimen Assessments

Serology ISCAT = Serology					
Date of examination			ISDTC		
Examination item	Examination result	Unit	Determination of clinical	Lower limit	Upper limit
ISTEST			SUPPIS.QVAL where QNAM = ISCLSIG	ISLLOQ	ISULOQ
1 Hepatitis B surface antigen		—	☐ Normal ☐ NCS ☐ CS		
ISORRES/ISORRESU where ITESTCD = HBSAG					
2 Hepatitis C virus antibody		—	☐ Normal ☐ NCS ☐ CS		
ISORRES/ISORRESU where ITESTCD = HCAB					
3 Human immunodeficiency Virus antigen antibody		COI	☐ Normal ☐ NCS ☐ CS ☐ NCS		
ISORRES/ISORRESU where ITESTCD = HIVAGAB					
4 Treponema pallidum antibody		COI	☐ Normal ☐ NCS ☐ CS		
ISORRES/ISORRESU where ITESTCD = TPLAB					

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)
Form: 1.22 Serum pregnancy test

LB = Laboratory Test Results

LBSPEC = SERUM

Serum pregnancy test		LBCAT = Pregnancy Test	
Whether examined	LBSTAT	s	LBTESTCD = LBALL where LBSTAT = NOT DONE
Reason of ND/NA	LBREASND where LBSTAT = NOT DONE		
Date of examination	LB DTC		
Examination result	LBORRES/LBORRESU where LBTESTCD = HCG		
Determination of clinical significance	SUPPLB.QVAL where QNAM = LBCLSIG		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.23 Inclusion criteria

IE = Inclusion/Exclusion Criteria Not Met

IECAT = INCLUSION

Inclusion criteria	
Inclusion criteria	Yes or No
1 Male or female, between the ages of 18 to 45 years old, both inclusive;	☐ Yes ☐ No ☐ NA
2 Weight: male ≥ 50.0 kg, female ≥ 45.0 kg; with calculated body mass index (BMI) between 19.0 and 26.0 kg/m ² (both inclusive), BMI = weight (kg) / height ² (m ²);	☐ Yes ☐ No ☐ NA
3 All values of vital signs, physical examination, laboratory tests (hematology and serum biochemistry, urinalysis, serology, coagulation), and 12-lead ECG are within allowed normal limits or not clinically significant. Results of pregnancy test (women of childbearing potential) are negative;	☐ Yes ☐ No ☐ NA
4 The subjects fully understand the objectives, procedures and potential adverse drug reactions of the trial, voluntarily consented for participation in the trial, and signed informed consent forms;	☐ Yes ☐ No ☐ NA
5 The subjects can have a good communication with the investigator(s), and are able and willing to comply with all study requirements.	☐ Yes ☐ No ☐ NA

IEORRES where IETESTCD = INCL01

IEORRES where IETESTCD = INCL02

IEORRES where IETESTCD = INCL03

IEORRES where IETESTCD = INCL04

IEORRES where IETESTCD = INCL05

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 1. Screening (D-7 to D-1)

Form: 1.24 Exclusion criteria

IE = Inclusion/Exclusion Criteria Not Met

Exclusion criteria		IECAT = EXCLUSION
#	Exclusion criteria IETEST	Yes or No
1	An employee of the Principal Investigator, study center, or Sponsor with direct involvement in the proposed study or other studies under the direction of that Principal Investigator or study center, as well as a family member of the employee or Investigator;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL01
2	The skin condition of the subject's feet scores > 2 on the dermal response scale;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL02
3	Participation in another investigational drug or device clinical trial within 3 months before dosing;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL03
4	History or evidence of clinically relevant pathology related to cardiovascular (CVS), central nervous system (CNS), respiratory tract, gastrointestinal (GI), endocrinology, immunology, hematology, or any other systemic disorder/major surgeries that would confound study results of the subject in the opinion of the Investigator;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL04
5	History of allergy or sensitivity to YJ001, any component of YJ001 for spray use, any component of placebo, aspirin, salicylic acid or drugs of the same class (eg, 5-aminosalicylic acid, sulfasalazine, and salicylates);	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL05
6	Presence of erythema, edema, inflammation, damage or other condition at the application site that would affect drug absorption;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL06
7	Presence of skin disorders, tattoos, or other skin conditions that may interfere with the objectives of the study (as per investigator evaluation);	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL07
8	Consumed more than 14 units of alcohol per week at any time within the 3 months before screening (1 unit of alcohol is equivalent to 360 mL of beer, 45 mL of spirits containing 40% alcohol per volume, or 150 mL of wine) or reluctant to avoid alcohol intake during the duration of the trial;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL08
9	Any subject who consumes more than 5 cigarettes per day within 3 months prior to screening, or who cannot stop using any tobacco- or nicotine-containing product during the duration of the trial;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL09
10	Positive screening on the alcohol (breathalyzer) test or the urine drugs of abuse test (morphine, methamphetamine, ketamine, ecstasy, and marijuana);	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL10
11	Any subject who is unwilling to use reliable means of birth control within the coming year or any female subject who is pregnant or lactating;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL11
12	Systemic or topical use of prescription drug within 14 days before study drug dosing, including nonsteroidal anti-inflammatory drugs (NSAIDs, such as ibuprofen, aspirin, salicylic acid), sucralfate or herbal preparations. Use of an over-the-counter medication, vitamins, or supplements (including fish liver oils) within 7 days before study drug dosing;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL12
13	Any subject who has received any known hepatic enzyme inhibitor or inducer, or renal clearance (CLr) altering agents (e.g., erythromycin, cimetidine, barbiturates, or phenothiazines) within 30 days prior to the first dose of study drug;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL13
14	Any clinically significant result in the screening evaluations of Hepatitis B surface antigen (HBsAg), Hepatitis C antibody, human immunodeficiency virus (HIV) antibody/antigen, and treponema pallidum antibody;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL14
15	Any subject who is unwilling to stay in the clinical center for the required duration as per the protocol or to consume the standard meal to be provided as per the protocol;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL15
16	History of blood donation/bleeding of no less than 400 mL or receiving blood transfusion/using any blood product within 3 months prior to screening, except for bleeding during the menstruation;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL16

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	
IETEST			
17	Consumption of food or beverages containing glycyrrhizin (e.g., tea, coffee, chocolate or cola) within 24 hours prior to dosing, or consumption of grapefruit or grapefruit juice within 48 hours prior to dosing;	☐ Yes ☐ No ☐ NA	IEORRES where IETESTCD = EXCL17

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

IETEST

18	History or evidence of difficulty in donating blood;	☐ Yes ☐ No ☐ NA	IEORRES where IETESTCD = EXCL18
19	Any subject who has an acute or significant disease within 7 days prior to study drug administration or has a hospitalization within 1 month prior to study drug administration;	☐ Yes ☐ No ☐ NA	IEORRES where IETESTCD = EXCL19
20	Any subject scheduled to undergo any surgical procedure, dental surgery, or hospitalization during the duration of the study;	☐ Yes ☐ No ☐ NA	IEORRES where IETESTCD = EXCL20
21	History of vaccine inoculation within 4 weeks prior to screening;	☐ Yes ☐ No ☐ NA	IEORRES where IETESTCD = EXCL21
22	Any other situation which, in the opinion of the Investigator, would prevent the subject from fully participating in the study.	☐ Yes ☐ No ☐ NA	IEORRES where IETESTCD = EXCL22

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D-2 to D-1)
Form: 2.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D-2 to D-1)
Form: 2.2 Vital signs

For Annotations see page 6

Vital signs		
Date of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D-2 to D-1)

LB = Laboratory Test Results

Form: 2.3 Urine pregnancy test

LBSPEC = URINE

Urine pregnancy test		LBCAT = Pregnancy Test	
Whether examined	LBSTAT	LBTESTCD = LBALL where LBSTAT = NOT DONE	
Reason of ND/NA	LBREASND where LBSTAT = NOT DONE		
Date of examination	LB DTC		
Examination result	☐ Negati	LBORRES where LBTESTCD = HCG	
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS		
		SUPPLB.QVAL where QNAM = LBCLSIG	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D-2 to D-1)
Form: 2.4 Breathalyzer test

LB = Laboratory Test Results

LBCAT = Breathalyzer Test

Breathalyzer test		
Date of examination	LBDTC	
Examination result		mg/100 ml
LBORRES/LBORRESU where LBTESTCD = ETHANOL		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D-2 to D-1)

Form: 2.5 Urine drugs of abuse test

LB = Laboratory Test Results

Urine drugs of abuse test		LBCAT = Urine Drugs of Abuse Test
Date of examination		LB DTC
Examination item	LBTEST	Examination result
1 Morphine		☐ Negative ☐ Positive LBORRES where LBTESTCD = MORPHINE
2 Methamphetamine		☐ Negative ☐ Positive LBORRES where LBTESTCD = METHAMPH
3 Ketamine		☐ Negative ☐ Positive LBORRES where LBTESTCD = KETAMINE
4 Ecstasy		☐ Negative ☐ Positive LBORRES where LBTESTCD = MDMA
5 Marijuana		☐ Negative ☐ Positive LBORRES where LBTESTCD = CANNAB

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D-2 to D-1)

Form: 2.6 Administration site assessment

For Annotations see page 16

Administration site assessment		
Date of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

IE = Inclusion/Exclusion Criteria Not Met

Folder: 2. Admission to the clinic (D-2 to D-1)

Form: 2.7 Exclusion criteria at admission to the clinic

IECAT = EXCLUSION

Exclusion criteria at admission to the clinic	
Exclusion criteria at admission to the clinic IETEST	Yes or No
1 The skin condition of the subject's feet scores > 2 on the dermal response scale;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL02
2 Positive screening on the alcohol (breathalyzer) test (> 0.0 mg/100 mL) or the urine drugs of abuse test (morphine, methamphetamine, ketamine, ecstasy, and marijuana);	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL23
3 The result of urine pregnancy test (women of childbearing potential) at screen was positive;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL24
4 Consumption of food or beverages containing glycetein (e.g., tea, coffee, chocolate or cola) within 24 hours prior to dosing, or consumption of grapefruit or grapefruit juice within 48 hours prior to dosing;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL17
5 Any subject who has an acute disease since last visit to the investigational site;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL25
6 Systemic or topical use of prescription drug since last visit to the investigational site, including nonsteroidal anti-inflammatory drugs (NSAIDs, such as ibuprofen, aspirin, salicylic acid), sucralfate or herbal preparations. Use of an over-the-counter medication, vitamins, or supplements (including fish liver oils) since last visit to the investigational site;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL26
7 Any subject who has received any known hepatic enzyme inhibitor or inducer, or renal clearance (CLr) altering agents (e.g., erythromycin, cimetidine, barbiturates, or phenothiazines) since last visit to the investigational site;	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL27
8 Whether received vaccine inoculation or not since last visit to the investigational site.	☐ Yes ☐ No ☐ NA IEORRES where IETESTCD = EXCL28

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 2. Admission to the clinic (D.2 to D.1)

Form: 2.8 Inclusion

DM = Demographics

DS = Disposition

DSCAT = PROTOCOL MILESTONE

Inclusion conclusion			DSCAT = DISPOSITION EVENT	
RM = ENTERED INTO TRIAL	Whether the subject is included	☐ Yes	☐ No	
COD = ENTERED INTO TRIAL	Reason for exclusion	DSTERM	DSDECOD = SCREEN FAILURE	
	Randomization number	SUPPDM.QVAL where QNAM = RANDNUM		
	Type of study	☐ Preliminary study	☐ Formal study	

SUPPDM.QVAL where QNAM = RANDSTY

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)
Form: 3.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)
Form: 3.2 Administration record

DM = Demographics

EC = Exposure as Collected

Administration record			
[NOT SUBMITTED]	Cohort	☐ Cohort S1 ☐ Cohort S2 ☐ Cohort S3 ☐ Cohort S4	
Date of administration		ECSTDTC	RFSTDTC
Start time of administration			
End time of administration		ECENDTC	RFXENDTC

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

Form: 3.3 Blood sample collection

PC = Pharmacokinetics Concentrations

PCSPEC = PLASMA

Blood sample collection for plasma pharmacokinetics				PCCAT = ANALYTE		
Date of blood sample collection						
	Time point of blood sample collection PCTPT	Start time of blood sample collection PCDTC	End time of blood sample collection PCENDTC	Whether out of SUPPPC.QVAL where QNAM = PCYN	Notes SUPPPC.QVAL where QNAM = PCDESC SUPPPC.QVAL where QNAM = PCDESCO	Details of other reasons
1	Within 1 hour pre-dose			☐ Yes ☐ No	☐ scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: Adverse event (AE) ☐ OE: Other reasons	
2	0.5 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	
3	1.0 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	
4	2.0 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	
5	4.0 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	
6	6.0 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	
7	8.0 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	
8	9.0 hr post dose			☐ Yes ☐ No	☐ OA: Subjects are not present at the scheduled time ☐ OB: Time deviation due to technical reasons ☐ OC: Difficulty in donating blood ☐ OD: AE ☐ OE: Other reasons	

Clinical Investigational Site				Principal Investigator			
Subject number				Subject name abbreviation			
Screening number				Randomization number			
9	10.0 hr post dose			☐ Yes ☐ No	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons		
10	12.0 hr post dose			☐ Yes ☐ No	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

11	14.0hr post dose			☐ Yes ☐ No	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons	
----	------------------	--	--	---	---	--

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

Form: 3.4 Blood sample collection for plasma pharmacokinetics (2)

For Annotations see page 40

Blood sample collection for plasma pharmacokinetics (2)						
Date of blood sample collection						
	Time point of blood sample collection	Start time of blood sample collection for plasma pharmacokinetics	End time of blood sample collection for plasma pharmacokinetics	Whether out of window	Notes	Details of other reasons
1	Within 1 hour pre-dose			☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
2	1.0 hr post dose			☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
3	4.0 hr post dose			☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
4	8.0 hr post dose			☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
5	12.0 hr post dose			☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1) **VSTPT**

Form: 3.5 Vital signs (6 h post dose)

VS = Vital Signs

Vital signs (6.0 h post dose)			
Date of examination		VSDTC	
Start time of examination			
End time of examination			SUPPVS.QVAL where QNAM = VSENDTC
VSTEST Body temperature (forehead to VSLOC)			VSORRES/VSORRESU where VSTESTCD = TEMP
Determination of clinical significance of body temperature	☐ Normal		SUPPVS.QVAL where QNAM = VSCLSIG
VSTEST Respiration rate			VSORRES/VSORRESU where VSTESTCD = RESP
Determination of clinical significance of respiration rate	☐ Normal		SUPPVS.QVAL where QNAM = VSCLSIG
VSTEST Pulse rate			VSORRES/VSORRESU where VSTESTCD = PULSE
Determination of clinical significance of pulse rate	☐ Normal		SUPPVS.QVAL where QNAM = VSCLSIG
VSTEST Systolic pressure (sitting VSPOS)			VSORRES/VSORRESU where VSTESTCD = SYSBP
Determination of clinical significance of systolic pressure	☐ Normal		SUPPVS.QVAL where QNAM = VSCLSIG
VSTEST Diastolic pressure (sitting VSPOS)			VSORRES/VSORRESU where VSTESTCD = DIABP
Determination of clinical significance of diastolic pressure	☐ Normal		SUPPVS.QVAL where QNAM = VSCLSIG

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

VSTPT

Form: 3.6 Vital signs (12 h post dose)

For Annotations see page 44

Vital signs (12 h post dose)		
Date of examination		
Start time of examination		
End time of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

FATPT

Form: 3.7 Administration site assessment (9 h post dose)

For Annotations see page 16

Administration site assessment (9 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

FATPT

Form: 3.8 Administration site assessment (12 h post dose)

For Annotations see page 16

Administration site assessment (12 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)
Form: 3.9 Collection of drug residue samples

To be determined

Collection of drug residue samples								
	Time point of drug residue collection	Date of collection of drug residue	Scheduled time of collection of drug residue	Start time of washing	End time of washing	Start time of collection of drug residue	End time of collection of drug residue	Note for any abnormality
1	8 h post dose							

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1) **LBTPT**
Form: 3.10 Hematology (8 h post dose)

For Annotations see page 18

Hematology (8 h post dose)						
Date of examination						
Time of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	White blood cell count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Hemoglobin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Red blood cell count		10 ¹² /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	Platelet count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Neutrophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Neutrophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Lymphocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Lymphocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Eosinophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Eosinophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Basophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Basophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Monocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 19

14	Monocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Hematocrit		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Mean corpuscular volume		fL	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Mean corpuscular hemoglobin		pg	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Mean corpuscular hemoglobin concentration		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

LBTPT

Form: 3.11 Serum biochemistry (8 h post dose)

For Annotations see page 20

Serum biochemistry (8 h post dose)						
Date of examination						
Time of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Alkaline phosphatase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Alanine aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Creatine kinase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	γ -glutamyl transpeptidase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Lactate dehydrogenase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Aspartate aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Total bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Chloride		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Conjugated bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Sodium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Potassium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Urea		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Creatinine		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization	

For Annotations see page 21

14	Total protein		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Albumin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Globulin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Calcium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Phosphate		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1) **LBTPT**
Form: 3.12 Urinalysis (8 h post dose)

For Annotations see page 22

Urinalysis (8 h post dose)						
Date of examination						
Time of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Leukocytes		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Red blood cells		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Protein		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	pH		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Bilirubin		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Nitrite		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Urobilinogen		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Specific gravity		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Ketones		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Glucose		—	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

Form: 3.13 Nasopharynx and ocular assessments

FA = Findings About

Nasopharynx and ocular asse		FACAT = Nasopharynx and Ocular Assessments	
Date of assessment		FADTC	
Time of assessment			
Whether the administration process was irritant to the nasopharynx		☐ Yes ☐ No ☐ NA	
FAOBJ = Irritant to Nasopharynx and eye	and	FATEST = Occurrence	FAORRES where FATESTCD = OCCUR
Notes		SUPPFA.QVAL where QNAM = NEMK	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 3. In clinic (D1)

Form: 3.14 Dynamic electrocardiogram

EG = ECG Test Results

EGMETHOD = HOLTER CONTINUOUS ECG RECORDING

Dynamic electrocardiogram		
Start date of examination	EGDTC	
Start time of examination		
End date of examination	SUPPEG.QVAL where QNAM = EGENDTC	
End time of examination		
Examination result	SUPPEG.QVAL where QNAM = EGRES	
Determination of clinical significance	☐ Normal	EGORRES where EGTESTCD = INTF
Notes	SUPPEG.QVAL where QNAM = EGMK	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 4. In clinic (D2)
Form: 4.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

Folder: 4. In clinic (D2)

PCTPT

Form: 4.2 Blood sample collection for plasma pharmacokinetics (20 h to 36 h post dose)

Blood sample collection for plasma pharmacokinetics (20 h to 36 h post dose)							
	Time point of blood sample collection	Date of blood sample collection	Start time of blood sample collection	End time of blood sample collection	Whether out of window	Notes	Explanation for the deviation
1	20.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
2	22.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
3	24.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
4	26.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
5	28.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
6	30.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
7	33.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	
8	36.0 hr post dose				☐ Yes ☐ No	OA: Subjects are not present at the scheduled time OB: Time deviation due to technical reasons OC: Difficulty in donating blood OD: AE OE: Other reasons	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

Folder: 4. In clinic (D2)

PCTPT

Form: 4.3 Blood sample collection for plasma pharmacokinetics (24 h, 36 h post dose)

Blood sample collection for plasma pharmacokinetics (24 h, 36 h post dose)						
Date of blood sample collection						
	Time point of blood sample collection	Start time of blood sample collection	End time of blood sample collection	Whether out of window	Notes	Details of other reasons
1	24.0 hr post dose			☐ Yes ☐ No	○A: Subjects are not present at the scheduled time ○B: Time deviation due to technical reasons ○C: Difficulty in donating blood ○D: AE ○E: Other reasons	
2	36.0 hr post dose			☐ Yes ☐ No	○A: Subjects are not present at the scheduled time ○B: Time deviation due to technical reasons ○C: Difficulty in donating blood ○D: AE ○E: Other reasons	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 4. In clinic (D2)

VSTPT

Form: 4.4 Vital signs (24 h post dose)

For Annotations see page 44

Vital signs (24 h post dose)		
Date of examination		
Start time of examination		
End time of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 4. In clinic (D2)

FATPT

Form: 4.5 Administration site assessment (24 h post dose)

For Annotations see page 16

Administration site assessment (24 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 4. In clinic (D2)

Form: 4.6 Dynamic electrocardiogram

Dynamic electrocardiogram		
Start date of examination		
Start time of examination		
End date of examination		
End time of examination		
Examination result		
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS	
Notes		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 5. In clinic (D3)
Form: 5.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

Folder: 5. In clinic (D3)

PCTPT

Form: 5.2 Blood sample collection for plasma pharmacokinetics (46 h post dose)

Blood sample collection for plasma pharmacokinetics (46 h post dose)		
Date of blood sample collection		
Start time of blood sample collection		
End time of blood sample collection		
Whether out of window	☐ Yes ☐ No	
Notes	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons	
Details of other reasons		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

Folder: 5. In clinic (D3)

Form: 5.3 Blood sample collection for plasma pharmacokinetics (48 h post dose)

PCTPT

Blood sample collection for plasma pharmacokinetics (48 h post dose)		
Date of blood sample collection		
Start time of blood sample collection		
End time of blood sample collection		
Whether out of window	☐ Yes ☐ No	
Notes	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons	
Details of other reasons		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 5. In clinic (D3) **VSTPT**
Form: 5.4 Vital signs (48 h post dose)

For Annotations see page 44

Vital signs (48 h post dose)		
Date of examination		
Start time of examination		
End time of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 5. In clinic (D3)

FATPT

For Annotations see page 16

Form: 5.5 Administration site assessment (48 h post dose)

Administration site assessment (48 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4)
Form: 6.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

Folder: 6. In clinic (D4)

PCTPT

Form: 6.2 Blood sample collection for plasma pharmacokinetics (72 h post dose)

Blood sample collection for plasma pharmacokinetics (72 h post dose)		
Date of blood sample collection		
Start time of blood sample collection		
End time of blood sample collection		
Whether out of window	☐ Yes ☐ No	
Notes	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons	
Details of other reasons		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4) **VSTPT**
Form: 6.3 Vital signs (72 h post dose)

For Annotations see page 44

Vital signs (72 h post dose)		
Date of examination		
Start time of examination		
End time of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4)
Form: 6.4 12-lead electrocardiogram

For Annotations see page 17

12-lead electrocardiogram		
Date of examination		
Examination result		
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4)

FATPT

For Annotations see page 16

Form: 6.5 Administration site assessment (72 h post dose)

Administration site assessment (72 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4)

Form: 6.6 Hematology

For Annotations see page 18

Hematology						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	White blood cell count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Hemoglobin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Red blood cell count		10 ¹² /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	Platelet count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Neutrophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Neutrophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Lymphocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Lymphocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Eosinophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Eosinophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Basophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Basophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Monocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 19

14	Monocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Hematocrit		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Mean corpuscular volume		fL	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Mean corpuscular hemoglobin		pg	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Mean corpuscular hemoglobin concentration		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4)

Form: 6.7 Serum biochemistry

For Annotations see page 20

Serum biochemistry						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Alkaline phosphatase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Alanine aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Creatine kinase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	γ -glutamyl transpeptidase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Lactate dehydrogenase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Aspartate aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Total bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Chloride		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Conjugated bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Sodium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Potassium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Urea		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Creatinine		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 21

14	Total protein		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Albumin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Globulin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Calcium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Phosphate		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 6. In clinic (D4)

Form: 6.8 Urinalysis

For Annotations see page 22

Urinalysis						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Leukocytes		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Red blood cells		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Protein		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	pH		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Bilirubin		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Nitrite		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Urobilinogen		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Specific gravity		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Ketones		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Glucose		—	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)
Form: 7.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

For Annotations see page 40

Folder: 7. Discharge / In clinic (D6)

PCTPT

Form: 7.2 Blood sample collection for plasma pharmacokinetics (120 h post dose)

Blood sample collection for plasma pharmacokinetics (120 h post dose)		
Date of blood sample collection		
Start time of blood sample collection		
End time of blood sample collection		
Whether out of window	☐ Yes ☐ No	
Notes	☐ A: Subjects are not present at the scheduled time ☐ B: Time deviation due to technical reasons ☐ C: Difficulty in donating blood ☐ D: AE ☐ E: Other reasons	
Details of other reasons		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.3 Vital signs (120 h post dose) **VSTPT**

For Annotations see page 44

Vital signs (120 h post dose)		
Date of examination		
Start time of examination		
End time of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

FATPT

For Annotations see page 16

Form: 7.4 Administration site assessment (120 h post dose)

Administration site assessment (120 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.5 Physical examination

For Annotations see page 15

Physical examination			
Date of examination			
Notes			
	Examination item	Examination result	Explanation for the abnormality
1	Skin	☐ Normal ☐ NCS ☐ CS ☐ ND	
2	Mucosa	☐ Normal ☐ NCS ☐ CS ☐ ND	
3	Lymph nodes	☐ Normal ☐ NCS ☐ CS ☐ ND	
4	Head	☐ Normal ☐ NCS ☐ CS ☐ ND	
5	Neck	☐ Normal ☐ NCS ☐ CS ☐ ND	
6	Chest	☐ Normal ☐ NCS ☐ CS ☐ ND	
7	Abdomen	☐ Normal ☐ NCS ☐ CS ☐ ND	
8	Spine/limbs	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)
Form: 7.6 12-lead electrocardiogram

For Annotations see page 17

12-lead electrocardiogram		
Date of examination		
Examination result		
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.7 Hematology

For Annotations see page 18

Hematology						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	White blood cell count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Hemoglobin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Red blood cell count		10 ¹² /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	Platelet count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Neutrophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Neutrophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Lymphocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Lymphocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Eosinophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Eosinophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Basophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Basophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Monocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbrev	For Annotations see page 19
Screening number		Randomization numb	

14	Monocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Hematocrit		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Mean corpuscular volume		fL	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Mean corpuscular hemoglobin		pg	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Mean corpuscular hemoglobin concentration		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.8 Serum biochemistry

For Annotations see page 20

Serum biochemistry						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Alkaline phosphatase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Alanine aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Creatine kinase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	γ -glutamyl transpeptidase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Lactate dehydrogenase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Aspartate aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Total bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Chloride		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Conjugated bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Sodium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Potassium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Urea		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Creatinine		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name and initials	
Screening number		Randomization	

For Annotations see page 21

14	Total protein		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Albumin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Globulin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Calcium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Phosphate		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.9 Urinalysis

For Annotations see page 22

Urinalysis						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Leukocytes		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Red blood cells		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Protein		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	pH		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Bilirubin		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Nitrite		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Urobilinogen		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Specific gravity		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Ketones		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Glucose		—	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.10 Coagulation

For Annotations see page 23

Coagulation						
			Date of examination			
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Activated partial thromboplastin time		s	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Prothrombin time		s	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Fibrinogen		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 7. Discharge / In clinic (D6)

Form: 7.11 Serum pregnancy test

For Annotations see page 25

Serum pregnancy test		
Whether examined	☐ Yes ☐ No ☐ NA	
Reason of ND/NA		
Inclusion criteria		
Examination result		mIU/ml
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 8. In clinic / Discharge (D7 to D8)
Form: 8.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 8. In clinic / Discharge (D7 to D8)

Form: 8.2 Vital signs (168 h post dose) **VSTPT**

For Annotations see page 44

Vital signs (168 h post dose)		
Date of examination		
Start time of examination		
End time of examination		
Body temperature (forehead temperature)		°C
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 8. In clinic / Discharge (D7 to D8) **FATPT**
Form: 8.3 Administration site assessment (168 h post dose)

For Annotations see page 16

Administration site assessment (168 h post dose)		
Date of assessment		
Time of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term
Form: 9.1 Visit date

For Annotations see page 4

Visit date		
Visit date		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term

Form: 9.2 Vital signs

For Annotations see page 6

Vital signs		
Date of examination		
Body temperature (forehead temperature)		℃
Determination of clinical significance of body temperature	☐ Normal ☐ NCS ☐ CS ☐ ND	
Respiration rate		times/min
Determination of clinical significance of respiration rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Pulse rate		times/min
Determination of clinical significance of pulse rate	☐ Normal ☐ NCS ☐ CS ☐ ND	
Systolic pressure (sitting position)		mmHg
Determination of clinical significance of systolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	
Diastolic pressure (sitting position)		mmHg
Determination of clinical significance of diastolic pressure	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term
Form: 9.3 Physical examination

For Annotations see page 15

Physical examination			
Date of examination			
Notes			
	Examination item	Examination result	Explanation for the abnormality
1	Skin	☐ Normal ☐ NCS ☐ CS ☐ ND	
2	Mucosa	☐ Normal ☐ NCS ☐ CS ☐ ND	
3	Lymph nodes	☐ Normal ☐ NCS ☐ CS ☐ ND	
4	Head	☐ Normal ☐ NCS ☐ CS ☐ ND	
5	Neck	☐ Normal ☐ NCS ☐ CS ☐ ND	
6	Chest	☐ Normal ☐ NCS ☐ CS ☐ ND	
7	Abdomen	☐ Normal ☐ NCS ☐ CS ☐ ND	
8	Spine/limbs	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term
Form: 9.4 12-lead electrocardiogram

For Annotations see page 17

12-lead electrocardiogram		
Date of examination		
Examination result		
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term
Form: 9.5 Administration site assessment

For Annotations see page 16

Administration site assessment		
Date of assessment		
Assessment result		Point(s)
Dermal response scale for the administration site assessment: Scores 0: No evidence of irritation; Scores 1: Minimal erythema, barely perceptible; Scores 2: Definite erythema, readily visible; minimal edema or minimal papular response; Scores 3: Erythema and papules; Scores 4: Definite edema; Scores 5: Erythema, edema, and papules; Scores 6: Vesicular eruption; Scores 7: Strong reaction spreading beyond test site;		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term
Form: 9.6 Hematology

For Annotations see page 18

Hematology						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	White blood cell count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Hemoglobin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Red blood cell count		10 ¹² /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	Platelet count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Neutrophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Neutrophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Lymphocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Lymphocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Eosinophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Eosinophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Basophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Basophils %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Monocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization	

For Annotations see page 19

14	Monocytes %		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
15	Hematocrit		%	☐ Normal ☐ NCS ☐ CS ☐ ND		
16	Mean corpuscular volume		fL	☐ Normal ☐ NCS ☐ CS ☐ ND		
17	Mean corpuscular hemoglobin		pg	☐ Normal ☐ NCS ☐ CS ☐ ND		
18	Mean corpuscular hemoglobin concentration		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term

Form: 9.7 Serum biochemistry

For Annotations see page 20

Serum biochemistry						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Alkaline phosphatase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Alanine aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Creatine kinase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	γ -glutamyl transpeptidase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Lactate dehydrogenase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Aspartate aminotransferase		U/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Total bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Chloride		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Conjugated bilirubin		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Sodium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
11	Potassium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
12	Urea		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND		
13	Creatinine		$\mu\text{mol/L}$	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

				For Annotations see page 21	
14	Total protein		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND	
15	Albumin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND	
16	Globulin		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND	
17	Calcium		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND	
18	Phosphate		mmol/L	☐ Normal ☐ NCS ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term

Form: 9.8 Urinalysis

For Annotations see page 22

Urinalysis						
Date of examination						
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Leukocytes		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Red blood cells		/HP	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Protein		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
4	pH		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
5	Bilirubin		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
6	Nitrite		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
7	Urobilinogen		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
8	Specific gravity		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
9	Ketones		—	☐ Normal ☐ NCS ☐ CS ☐ ND		
10	Glucose		—	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term

Form: 9.9 Coagulation

For Annotations see page 23

Coagulation						
			Date of examination			
	Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1	Activated partial thromboplastin time		s	☐ Normal ☐ NCS ☐ CS ☐ ND		
2	Prothrombin time		s	☐ Normal ☐ NCS ☐ CS ☐ ND		
3	Fibrinogen		g/L	☐ Normal ☐ NCS ☐ CS ☐ ND		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 9. Early term

Form: 9.10 Serum pregnancy test

For Annotations see page 25

Serum pregnancy test			
Whether examined	☐ Yes ☐ No ☐ NA		
Reason of ND/NA			
Date of examination			
Examination result			mIU/ml
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 10. Urine sample collection for pharmacokinetics

Form: 10.1 Urine sample collection for pharmacokinetics

PC = Pharmacokinetics Concentrations

PCCAT = SPECIMEN PROPERTY

PCTEST = Volume

PCTESTCD = VOLUME

PCSPEC = URINE

PCORRESU

	Periods of urine sample collection	Date of urine sample collection	Start time of urine sample collection	End time of urine sample collection	Quantity collected (mL)	Whether in compliance with the scheduled sampling time	Notes
	PCTPT	PCDTC	PCENDTC	PCORRES	SUPPPC.QVAL where QNAM = UCYN		
1	Within -2 to 0 hr pre-dose					☐ Yes ☐ No	SUPPPC.QVAL where QNAM = PCDESC
2	0 to 4 hr post dose					☐ Yes ☐ No	
3	4 to 8 hr post dose					☐ Yes ☐ No	
4	8 to 12 hr post dose					☐ Yes ☐ No	
5	12 to 24 hr post dose					☐ Yes ☐ No	
6	24 to 36 hr post dose					☐ Yes ☐ No	
7	36 to 48 hr post dose					☐ Yes ☐ No	
8	48 to 72 hr post dose					☐ Yes ☐ No	
9	72 to 96 hr post dose					☐ Yes ☐ No	
10	96 to 120 hr post dose					☐ Yes ☐ No	
11	120 to 144 hr post dose					☐ Yes ☐ No	
12	144 to 168 hr post dose					☐ Yes ☐ No	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 11. Follow-up

Form: 11.1 Follow-up

To be determined

Follow-up		
No.		
Whether to follow up after the end of the study or early term	☐ No ☐ Yes, the subject is available ☐ Yes, the subject is unavailable	
Number of follow-up		Time(s)
Date of follow-up		
Way of follow-up		
Content of follow-up		
The subject's response		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

SV = Subject Visits

Folder: 12. Unplanned visit

Form: 12.1 Unplanned vital signs

VS = Vital Signs

Unplanned vital signs			
No.	VSSPID		
Reason of examination	☐ F SUPPVS.QVAL where QNAM = VSREA		
Other reasons	SUPPVS.QVAL where QNAM = VSREAO		
SVSTDTC SVENDTC Date of examination	VSDTC		
VSTEST Body temperature (forehead VSLOC ure)	VSORRES/VSORRESU where VSTESTCD = TEMP		
Determination of clinical significance of body temperature	☐ Normal SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Respiration rate	VSORRES/VSORRESU where VSTESTCD = RESP		
Determination of clinical significance of respiration rate	☐ Normal SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Pulse rate	VSORRES/VSORRESU where VSTESTCD = PULSE		
Determination of clinical significance of pulse rate	☐ Normal SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Systolic pressure (sit VSPOS on)	VSORRES/VSORRESU where VSTESTCD = SYSBP		
Determination of clinical significance of systolic pressure	☐ Normal SUPPVS.QVAL where QNAM = VSCLSIG		
VSTEST Diastolic pressure (sit VSPOS on)	VSORRES/VSORRESU where VSTESTCD = DIABP		
Determination of clinical significance of diastolic pressure	☐ Normal SUPPVS.QVAL where QNAM = VSCLSIG		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 12. Unplanned visit
Form: 12.2 Unplanned physical examination

PE = Physical Examination

Unplanned physical examination			
No.	PESPID		
Reason of examination	☐ Retest at screening ☐ AE ☐ Other reasons SUPPPE.QVAL where QNAM = PEREA		
Other reasons	SUPPPE.QVAL where QNAM = PEREAO		
Date of examination	PEDTC		
Notes	SUPPPE.QVAL where QNAM = PEOTH		
	Examination item	Examination result	Explanation for the abnormality
	PETEST		SUPPPE.QVAL where QNAM = PEDESC
1	Skin	☐ Normal ☐ PEORRES where PETESTCD = SKI ☐ CS ☐ ND	
2	Mucosa	☐ Normal ☐ PEORRES where PETESTCD = MUS ☐ CS ☐ ND	
3	Lymph nodes	☐ Normal ☐ PEORRES where PETESTCD = LYM ☐ CS ☐ ND	
4	Head	☐ Normal ☐ PEORRES where PETESTCD = HEAD ☐ CS ☐ ND	
5	Neck	☐ Normal ☐ PEORRES where PETESTCD = NECK ☐ CS ☐ ND	
6	Chest	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = CHE ☐ ND	
7	Abdomen	☐ Normal ☐ NCS ☐ CS PEORRES where PETESTCD = ABD ☐ ND	
8	Spine/limbs	☐ Normal ☐ NCS PEORRES where PETESTCD = SPI ☐ CS ☐ ND	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 12. Unplanned visit

Form: 12.3 Unplanned electrocardiogram

EG = ECG Test Results

EGMETHOD = 12 LEAD UNSPECIFIED

Unplanned 12-lead electrocardiogram			
No.		EGSPID	
Reason of examination	☐ Retest	SUPPEG.QVAL where QNAM = EGREA	
Other reasons		SUPPEG.QVAL where QNAM = EGREAO	
Date of examination		EGDTC	
Examination result		SUPPEG.QVAL where QNAM = EGRES	
Determination of clinical significance	☐ Normal	EGORRES where EGTESTCD = INTP	

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 12. Unplanned visit

Form: 12.4 Unplanned hematology

LB = Laboratory Test Results

SV = Subject Visits

LBCAT = Hematology

Unplanned hematology						
No.		LBSPID				
Reason of examination		☐ Retest at SUPPLB.QVAL where QNAM = LBREA				
Other reasons		SUPPLB.QVAL where QNAM = LBREA				
Date of examination		LBDTC SVSTDTC SVENDTC				
Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit	
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG LBORNRL LBORNRI			
1 White blood cell count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = WBC					
2 Hemoglobin		g/L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = HGB					
3 Red blood cell count		10 ¹² /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = RBC					
4 Platelet count		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = PLAT					
5 Neutrophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = NEUT					
6 Neutrophils %		%	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = NEUTLE					
7 Lymphocytes absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = LYM					
8 Lymphocytes %		%	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = LYMLE					
9 Eosinophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = EOS					
10 Eosinophils %		%	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = EOSLE					
11 Basophils absolute		10 ⁹ /L	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = BASO					
12 Basophils %		%	☐ Normal ☐ NCS ☐ CS			
	LBORRES/LBORRESU where LBTESTCD = BASOLE					

Clinical Investigational Site			Principal Investigator	
Subject number			Subject name abbreviation	
Screening number			Randomization number	
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	
			LBORNRO	
			LBORNRI	
13	Monocytes absolute	10 ⁹ /L	☐ Normal ☐ NCS ☐ CS	
LBORRES/LBORRESU where LBTESTCD = MONO				
14	Monocytes %	%	☐ Normal ☐ NCS ☐ CS	
LBORRES/LBORRESU where LBTESTCD = MONOLE				
15	Hematocrit	%	☐ Normal ☐ NCS ☐ CS	
LBORRES/LBORRESU where LBTESTCD = HCT				
16	Mean corpuscular volume	fL	☐ Normal ☐ NCS ☐ CS	
LBORRES/LBORRESU where LBTESTCD = MCV				
17	Mean corpuscular hemoglobin	pg	☐ Normal ☐ NCS ☐ CS	
LBORRES/LBORRESU where LBTESTCD = MCH				
18	Mean corpuscular hemoglobin concentration	g/L	☐ Normal ☐ NCS ☐ CS	
LBORRES/LBORRESU where LBTESTCD = MCHC				

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 12. Unplanned visit
Form: 12.5 Unplanned serum

SV = Subject Visits

LB = Laboratory Test Results

Unplanned serum biochemistry					LBCAT = Serum Biochemistry	
No.		LBSPID				
Reason of examination		○ Re SUPPLB.QVAL where QNAM = LBREA				
Other reasons		SUPPLB.QVAL where QNAM = LBREA○				
Date of examination		LB DTC SVSTDTC SVENDTC				
Examination item	Examination result	Unit	Determination of clinical	Lower limit	Upper limit	
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRO	LBORNRI	
1 Alkaline phosphatase		U/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = ALP						
2 Alanine aminotransferase		U/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = ALT						
3 Creatine kinase		U/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = CK						
4 γ-glutamyl transpeptidase		U/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = GGT						
5 Lactate dehydrogenase		U/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = LDH						
6 Aspartate aminotransferase		U/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = AST						
7 Total bilirubin		μmol/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = BILI						
8 Chloride		mmol/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = CL						
9 Conjugated bilirubin		μmol/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = BILDIR						
10 Sodium		mmol/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = SODIUM						
11 Potassium		mmol/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = K						
12 Urea		mmol/L	○ Normal ○ NCS ○ CS			
LBORRES/LBORRESU where LBTESTCD = UREA						

Clinical Investigational Site		Principal Investigator		
Subject number		Subject name abbreviation		
Screening number		Randomization number		

	LBTEST	SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRL0	LBORNRLH
13 Creatinine		μmol/L ☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = CREAT		
14 Total protein		g/L ☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = PROT		
15 Albumin		g/L ☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = ALB		
16 Globulin		g/L ☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = GLOBUL		
17 Calcium		mmol/L ☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = CA		
18 Phosphate		mmol/L ☐ Normal ☐ NCS ☐ CS LBORRES/LBORRESU where LBTESTCD = PHOS		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 12. Unplanned
Form: 12.6 Unplanned

SV = Subject Visits

LB = Laboratory Test Results

LBCAT = Urinalysis

Unplanned urinalysis						
		No.	LBSPID			
Reason of examination		☐ Re SUPPLB.QVAL where QNAM = LBREA ☐ Other reasons SUPPLB.QVAL where QNAM = LBREA0				
Date of examination		LBDTC	SVSTDTC	SVENDTC		
Examination	Examination result	Unit	Determination of clinical	Lower limit	Upper limit	
LBTEST			SUPPLB.QVAL where QNAM = LBCLSIG	LBORNRO	LBORNRI	
1 Leukocytes		/HP	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = WBC						
2 Red blood cells		/HP	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = RBC						
3 Protein		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = PROT						
4 pH		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = PH						
5 Bilirubin		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = BILI						
6 Nitrite		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = NITRITE						
7 Urobilinogen		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = UROBIL						
8 Specific gravity		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = SPGRAV						
9 Ketones		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = KETONES						
10 Glucose		—	☐ Normal ☐ NCS ☐ CS			
LBORRES/LBORRESU where LBTESTCD = GLUC						

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 12. Unplanned visit

Form: 12.7 Unplanned coagulation

LB = Laboratory Test Results

Unplanned coagulation				LBCAT = Coagulation	
No.		LBSPID			
Reason of examination		☐ Retest SUPPLB.QVAL where QNAM = LBREA			
Other reasons		SUPPLB.QVAL where QNAM = LBREAO			
Date of examination		LBDTC			
Examination item	Examination result	Unit	Determination of clinical significance	Lower limit	Upper limit
1 Activated partial thromboplastin time		s	☐ Normal ☐ NCS ☐ CS		
LBTEST					
SUPPLB.QVAL where QNAM = LBCLSIG					
LBORRES/LBORRESU where LBTESTCD = APTT					
2 Prothrombin time		s	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = PT					
3 Fibrinogen		g/L	☐ Normal ☐ NCS ☐ CS		
LBORRES/LBORRESU where LBTESTCD = FIBRINO					

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	

Screening number

Folder: 12. Unplanned visit

Form: 12.8 Other unplanned

IS = Immunogenicity Specimen Assessments

SV = Subject Visits

LB = Laboratory Test Results

Other unplanned examination	
ISTESTCD = ISALL where ISSTAT = NOT DONE	No. LBSPID ISSPID
ISSTAT Whether other unplanned examination was done	LBSTAT LBTESTCD = LBALL where LBSTAT = NOT DONE
SUPPIS.QVAL where QNAM = ISREA Reason of examination	☐ SUPPLB.QVAL where QNAM = LBREA
SUPPIS.QVAL where QNAM = ISREAO Other reasons	SUPPLB.QVAL where QNAM = LBREAO
Date of examination	LB DTC SVSTDTC SVENDTC ISDTC
Examination item	LBCAT ISCAT
Examination parameter	LBTEST ISTEST
Examination result (Please add the unit, if any)	LBORRES/LBORRESU ISORRES/ISORRESU
Range of normal value (Please add the unit, if any)	LBORNRL0/LBORNRII/LBSTNRC ISLLOQ/ISULOQ
Determination of clinical significance	☐ Normal ☐ NCS ☐ CS
SUPPIS.QVAL where QNAM = ISCLSIG	SUPPLB.QVAL where QNAM = LBCLSIG

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 13. Adverse event

Form: 13.1 Adverse event

AE = Adverse Events

Adverse event	
No.	AESPID
AE or not	☐ No ☐ Yes [NOT SUBMITTED]
Name of AE	AETERM
Onset date	AESTDTC
Onset time	
End date	
End time	AEENDTC
Characteristics of AE	☐ Paroxysmal ☐ Transient ☐ Persistent AEPATT
Number of attacks	SUPPAE.QVAL where QNAM = AEFRQ
Categorization of AE	☐ Grade 1 ☐ Grade 2 ☐ Grade 3 ☐ Grade 4 ☐ Grade 5 AETOXGR
Measures taken with regard to the investigational products	☐ No action ☐ Drug withdrawn AEACN ☐ Dosing has ended ☐ Treated with other medication(s). Please record the treatment in concomitant medication ☐ Others
Others (please provide the details)	AEACNOTH
Relationship between adverse events and Investigational Products	☐ Definitely related ☐ Probably related ☐ Possibly related ☐ Unlikely related ☐ Not related AEREL
Outcome of AE	☐ Disappeared ☐ Relieved ☐ Continued AEOUT ☐ Death ☐ Lost to follow-up ☐ Others
Other details	AEOUT
(Serious adverse event) SAE or not	☐ Yes ☐ No AESER
Whether the subject withdrew from the trial due to the AE	☐ Yes ☐ No SUPPAE.QVAL where QNAM = AEDIS
Further details of AE	SUPPAE.QVAL where QNAM = AEDESC

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 14. Concomitant medication

Form: 14.1 Concomitant medication

CM = Concomitant and Prior Medications

CMCAT = Concomitant Medications

Concomitant medication			
No.	CMSPID		
Whether received concomitant medication	☐ No ☐ Yes	[NOT SUBMITTED]	
Medication name (generic name)	CMTRT		
Indication	CMINDC		
Dosing frequency	CMDOSFRQ		
Administration method and dosage	CMDOSTXT		
Start date	CMSTDTC		
Whether still on the medication at the last visit	CMENRTPT	CMENPT = MEDICATION AT THE LAST VISIT	
End date	CMENDTC		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

Folder: 15. Non-medicine treatment

Form: 15.1 Non-medicine treatment

PR = Procedures

Non-medicine treatment			
No.	PRSPID		
Whether received non-medicine treatment	☐ No ☐ Yes	[NOT SUBMITTED]	
Name of non-medicine treatment	PRTRT		
Indication	PRINDC		
Whether non-drug therapy is used to treat AE	☐ Yes ☐ No	SUPPPR.QVAL where QNAM = NDAE	
Start date	PRSTDTC		
PRENRTPT Whether still on the non-medicine treatment	☐ Yes ☐ No	PRENRTPT = MEDICATION AT THE LAST VISIT	
End date	PRENDTC		

Clinical Investigational Site		Principal Investigator	
Subject number		Subject name abbreviation	
Screening number		Randomization number	

DS = Disposition

Folder: 16. End of study

Form: 16.1 End of study evaluation

DSCAT = DISPOSITION EVENT

End of study evaluation	
Whether the subject has completed the entire study	DSTERM = COMPLETED DSDECOD = COMPLETED
Date of study completion	DSSTDTC
Date of early term	DSSTDTC
Main reason for early term	☐ The Investigator considers it a must to stop the study due to any medical or ethical reason DSTERM DSDECOD ☐ The subject experiences a SAE, and is not suitable to continue with participation in the study ☐ The Investigator considers it the most favorable to the subject if he/she is withdrawn ☐ The subject shows poor compliance ☐ Subjects voluntarily withdraw from the study ☐ Other reasons
Other reasons	SUPPDS.QVAL where QNAM = DSOTHREA