Announcements

- Open https://datahub.ucsd.edu/hub/user-redirect/git-pull?repo=https%3A%2F%2Fgithub.com%2Fgquer%2Fdsc-96 winter19
- Readings: 08_text/readings.md due TOMORROW Wed 2/27 at 6PM\
- Assignment: due on Fri March 1st!
- Look at 08_text/2019_SRTI_Internship

About Scripps Research Translational Institute

Scripps Research Translational Institute promotes cutting-edge translational research in the areas of genomics, digital medicine, bioinformatics, and data science. We aim to replace the status-quo of one-size-fits-all-medicine with individualized health care. The Translational Institute is a member of the National Institutes of Health's Clinical and Translational Science Awards consortium.

Important Dates

Internship dates: June 3 – July 26, 2019 or June 17 – August 9, 2019 (8 weeks)

Application deadline: March 11,2019

Date of notice: April 15, 2019

More information and Online application is available:

www.scripps.edu/science-and-medicine/translational-institute/education-and-training/student-research-internship/ https://www.surveygizmo.com/s3/4477480/Student-Research-Internship-2019-Application

Announcements

- Assignment: due on Fri March 1st!
- Choose one among
 - Images
 - Audio
 - Text
- Specify in which folder it should run (among the three of above)
- Make sure it runs from beginning to end
- Send your .ipynb to gquer@ucsd.edu

Announcements

- Office hours
 - This week:
 - Thu, 4-5pm in room 3234
 - If needed, Thu. 3-4 (per appointment only, write me at gquer@ucsd.edu)
 - Next week
 - Special hour: Tue March 5, 4-5pm in room 3234
- Thursday March 7:
 - There is no lecture
 - Office hours: online, 5.30-7pm:
 - write me an email for appointment: gquer@ucsd.edu

Natural Language Processing

Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation; trigeminy; and AVB (Fig. 1a.b), Individual cardiologist performance and averaged cardiologist performance are plotted on the same figure. Extended Data Fig. 2 presents ROCs for all classes, showing that the model met or exceeded the averaged cardiologist performance for all rhythm classes. Fixing the specificity at the average specificity level achieved by cardiologists, the sensitivity of the DNN exceeded the average cardiologist sensitivity for all rhythm classes (Table 2). We used confusion matrices to illustrate the discordance between the DNN's predictions (Fig. 2a) or averaged cardiologist predictions (Fig. 2b) and the committee consensus. The two confusion matrices exhibit a similar pattern, highlighting those rhythm classes that were generally more problematic to classify (that is, supraventricular tachycardia (SVT) versus atrial fibrillation, junctional versus sinus rhythm, and EAR versus sinus rhythm).

Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation: trigeminy; and AVB

(Fig. 1a,b). Individual o				_ID X
and averaged cardiolo	File Edit Formal	it View Help		
plotted on the same fig	2012-10-11	03:54:28,578 03:54:29,422	INFO -	- Starting Backup Manager 5.0.0 build 18268 - - Generating Self-Signed SSL Certificate (al
2 presents ROCs for a	2012-10-11	03:54:29,781	WARN -	- Saved SSL Certificate (alias = cdp) to Key
the model met or excee				- Operating System: Windows Server 2008 R2 "
cardiologist performan	2012-10-11	03:54:30.047	INFO -	- OS version: 6.1
Cardiologist periorinan	2012-10-11	03:54:30,047	INFO -	- Processors Detected: 1
Fixing the specificity at	2012-10-11	03:54:30,063	INFO -	- Max Configured Heap Memory: 483.4 MB
evel achieved by card	2012-10-11	03:54:30,063	INFO :	- Total Physical Memory: 2.0 GB - Free Physical Memory: 893.1 MB
the DNN exceeded the	2012-10-11 (03:54:30,063	INFO -	- Database Service starting
				- Creating embedded database 10.8.2.2 - (118
sensitivity for all rhythn				- Database Service started - Object-Relational Mapping Service starting
used confusion matrice	2012-10-11	03:54:54,141	INFO -	- Object-Relational Mapping Service Starting - Unsuccessful: create index stateIndex on R
discordance between t	2012-10-11	03:54:56,126	ERROR -	- Index 'STATEINDEX' already exists in Schem
				- Object-Relational Mapping Service started
(Fig. 2a) or averaged c				- Message Event Service Wrapper starting
(Fig. 2b) and the comm	2012-10-11	03:55:04,626	INFO -	- Message Event Service Wrapper started - Event Service Wrapper starting
confusion matrices ext	2012-10-11	03:55:04,861	INFO -	- Event Service Wrapper started
highlighting those rhytl			INFO -	- General Service starting
ilgrillgrilling triose rriyt	2012-10-11	03:55:06,173	TNEO	- !!! missing resource message key-[Invalid
generally more probler	2012-10-11	03:55:06.579	INFO	- License validity(true/false): true
supraventricular tachyo	2012-10-11 (03:55:06.579	TNEO -	- valid until: 10/25/12 3:00 AM
ibrillation, junctional v				- Trial License - YES - General Service started
EAR versus sinus rhyt				
EAR Versus sinus myu	1.1			

Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured


- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation: trigeminy; and AVB

Minutes

plotted on the same fig 2012-10-11 03:54:28,578 INFO 2012-10-11 03:54:29,422 WARN

(Fig. 1a,b). Individual c server.log - Notepad and averaged cardiolo File Edit Format View Help



Starting Backup Manager 5.0.0 build 18268 Generating Self-Signed SSL Certificate (al


Structured


- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation: trigeminy; and AVB





Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation; trigeminy; and AVB







Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs

We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes; atrial fibrillation; trigeminy; and AVB






Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs



We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation: trigeminy; and AVB


Raw PPG

Structured

- In a database
- Sorted and labeled with regular structure
- Proper types

Unstructured

- Just a bunch of stuff on the computer!
- Irregular and had ambiguities
- Difficult to understand using traditional programs



We plotted receiver operating characteristic curves (ROCs) and precision-recall curves for the sequence-level analyses of three example classes: atrial fibrillation: trigeminy; and AVB

Raw PPG

Hutzler 571 Banana Slicer by Hutzler Manufacturing Co.



"What can I say about the 571B Banana Slicer that hasn't already been said about the wheel, penicillin, or the iPhone?"

Mrs Toledo

"Gone are the days of biting off slice-sized chunks of banana and spitting them onto a serving tray.... Next on my wish list: a kitchen tool for dividing frozen water into cube-sized chunks."

N. Krumpe

"As shown in the picture, the slices is curved from left to right. All of my bananas are bent the other way."

J. Anderson

80-90% of data is unstructured, and much of it is text. What can we do with it?

Syntax

Word segmentation

This might be easy - or it "isn't."

Lemmatization and Stemming

- Reducing the inflectional forms of each word into a common base or root

Part-of-speech tagging

Example: noun ("the book on the table") or verb ("to book a flight");

Semantics

Named entity recognition (NER)

- Which items in text map to proper names? What type (e.g. person, location)?

Machine translation

Sentiment Analysis

Natural language understanding, Question answering, Relationship extraction, Topic segmentation and recognition, Word sense disambiguation

NLTK: natural language toolkit

Tokenize and tag some text:

```
>>> import nltk
>>> sentence = """At eight o'clock on Thursday morning
... Arthur didn't feel very good."""
>>> tokens = nltk.word_tokenize(sentence)
>>> tokens
['At', 'eight', "o'clock", 'on', 'Thursday', 'morning',
'Arthur', 'did', "n't", 'feel', 'very', 'good', '.']
>>> tagged = nltk.pos tag(tokens)
>>> tagged[0:6]
[('At', 'IN'), ('eight', 'CD'), ("o'clock", 'JJ'), ('on', 'IN'),
('Thursday', 'NNP'), ('morning', 'NN')]
```

https://pythonprogramming.net/natural-language-toolkit-nltk-part-speech-tagging/


NLTK

Identify named entities:

NLTK

Display a parse tree:

```
>>> from nltk.corpus import treebank
>>> t = treebank.parsed_sents('wsj_0001.mrg')[0]
>>> t.draw()
```



Other NLP Tools

Commercial solutions (Google, Microsoft, Amazon, IBM, etc)

- Translation: don't DIY

SpaCy

- Similar performance to NLTK
- Many fewer options
- ~500x faster