Fig 4c Chronicity classification (GSE41177 LAA, 16 families)



Members per class (with primary ρ and sensitivity-concordance n / 4)

- **Strong-trend (|ρ| ≥ 0.4) n = 2**
  - F 2 Mito Ca2+ trans (ρ=-0.56, 3/4)
  - F 9 HS-GAG metab (ρ=-0.42, 4/4)
- **Weak-trend (0.2 ≤ |ρ| < 0.4) n = 6**
  - F15 NTRK2/TrkB (ρ=-0.39, 4/4)
  - F 3 TG metab (ρ=+0.33, 4/4)
  - F 7 TCA cycle (ρ=-0.30, 4/4)
  - F 8 Complex I (ρ=+0.25, 3/4)
  - F13 Amino-acid metab (ρ=+0.23, 3/4)
  - F10 TGF-beta (ρ=-0.22, 4/4)
- **Stable (|ρ| < 0.2) n = 8**
  - F11 BMP signalling (ρ=-0.20, 3/4)
  - F14 EuTrans init (ρ=+0.15, 3/4)
  - F 1 Ribosome QC (ρ=+0.13, 3/4)
  - F 5 tRNA aa (ρ=+0.12, 1/4)
  - F 6 Mito prot import (ρ=+0.11, 1/4)
  - F16 Keratan (ρ=+0.08, 2/4)
  - F 4 BCAA cat (ρ=-0.03, 3/4)
  - F12 rRNA proc (ρ=+0.03, 2/4)

GSE41177 LAA n = 12. Effect-size partition under power limitation. Strong / Weak / Stable defined by |ρ| threshold (see headers above). No family reaches |ρ| ≥ 0.4 + p < 0.05.
Strong-trend candidates F2 + F9 (and Weak-trend F15 for cross-figure link with Fig 3D) are detailed in Fig 4d / 4e / 4f. See Figure Legend for full statistics.