OBJECT DETECTION





9 MAY 2019

XIAODONG DUAN

PROBLEM STATEMENT

Build a system that is able to segment the area containing an object in a given image automatically.

Framework


- Prepare the data
- Choose the method and tools
- Train the model
- Test the model



9 MAY 2019 XIAODONG DUAN POSTDOC







PREPARE THE DATA

Annotation file: via_region_data.Jason



9 MAY 2019 XIAODONG DUAN POSTDOC



CHOOSE THE METHOD

Object detection API from tensorflow

- https://github.com/tensorflow/models/tree/master/research/object_detection
- · Capable of localizing and identifying multiple objects in a single image
- Pre-trained models
 - Tensorflow detection model zoo
 - https://github.com/tensorflow/models/blob/master/research/object_detection/g3doc/detection_model_zoo.md
 - We choose: faster_rcnn_resnet50_fgvc
 - Fine tune this pre-trained model using our data



E)

THE SELECTED PRE-TRAINED MODEL

Trained on iNaturalist database

- https://www.inaturalist.org
- https://github.com/visipedia/inat_comp
- Over 8,000 species, 450,000 images









9 MAY 2019 | XIAODONG DUAN POSTDOC



TRAINING

- Convert data format
 - https://github.com/rky0930/via
- Edit configuration file for the pre-trained model
- Fine tune the pre-trained model




9 MAY 2019 POSTDOC






EVALUATION METRICS



•
$$IoU = \frac{Predicion \cap Gournd\ Truth}{Predicion \cup Gournd\ Truth}$$



2. True positive (TP): the IoU score of a prediction

is **ABOVE** a pre-defined value.

3. False positive (FP): the IoU score of a prediction

is **BELOW** a pre-defined value.



5. Precision:
$$\frac{TP}{TP+FP}$$
6. Recall: $\frac{TP}{TP+F}$





9 MAY 2019 XIAODONG DUAN POSTDOC

