

This is my first L^AT_EX document with a spaces test and.
A new paragraph.

Table des matières

1	Titre	1
1.1	Text	1
1.2	Sous-titre	1
2	Titre 2	1
2.1	Références	2
2.2	Environment	2
2.3	Figures	2
2.4	Mathématiques	2
2.5	Code	3
2.6	Includes	3

Table des figures

1	Une blague	3
---	----------------------	---

Liste des tableaux

1 Titre

Today is 9 octobre 2025.
Let’s have a new textâ

1.1 Text

test test test test TEST

1.2 Sous-titre

cesure
The small text is written in big and conversely ;

2 Titre 2

italic is written in bold and conversely.

2.1 Références

Titre : 1 1

Titre/Text : 1.1 1

Titre/Sous-titre : 1.2 1

2.2 Environment

Je suis centré!!!

Mon super tableau :

	OXO	
X	O	X
X	X	X
O	X	O

Le tableau plus haut était Table ??

— Premier

— Deuxième

— Premier

— Deuxième

1. Premier

2. Deuxième

(a) Premier

(c) Deuxième

`\ref{titre}`

Voici une référence : `\ref{titre}`

$$\sin^2 x + \cos^2 x = 1$$

2.3 Figures

N'oubliez pas figure 1

2.4 Mathématiques

Soit $f'(x) + 3f(x) = x^2 + 2x + 4$;

Solution de l'équation homogène :

$$\begin{aligned}
 af(t) + bf'(t) + cf''(t) = 0 &\iff ake^{rt} + bkre^{rt} + ckr^2e^{rt} = 0 \\
 &\iff ke^{rt}(a + br + cr^2) = 0 \\
 &\implies \begin{cases} f_{\text{ESSM}} = k_1e^{r_1t} + k_2e^{r_2t} \text{ si } \Delta > 0 \\ f_{\text{ESSM}} = ke^{rt} \text{ si } \Delta = 0 \\ f_{\text{ESSM}} = k_1e^{r_1t} + k_2e^{r_2t} \text{ sinon} \end{cases}
 \end{aligned}$$




FIGURE 1 – Une blague

2.5 Code

```
#include <stdio.h>
#include <stdlib.h>

int main(void){
    printf("Hello_world");

    return EXIT_SUCCESS;
}
```

2.6 Includes

Hey !

Thus, please refer to the beginning.