Verl, October 2025

Dear Business Partner!

Please find our sales documents enclosed for the 2025/2026 collection.

We've made our 2026 all about innovative product designs and a wide range of new design options. To reflect this choice, this year's motto is "Design meets Concepts". Our new features are characterised by natural colours and textures, integrated designs, well-thought-out solution concepts and fascinating movements.

With 13 new fronts, we are expanding our collection to include the latest trend colours and geometries. In soft natural tones such as Sand, Macchiato, Taupe grey, Coffee, Stone blue and Olive, with textured surfaces or as framed fronts – our new fronts set standards in terms of design, feel and quality.
Look provides new impetus in price group 1. The fine texture with a ceramic look lends the design a natural radiance and lively excitement. Look is available in the popular Sand textured colour and the new Coffee textured colour. Coffee presents warm, elegant naturalness.

Since its market launch last year, Softline has been a hit with its design in Lacquer, perfect honed and will also be supplemented by the colours Sand and Coffee for 2026. Thanks to its high-quality feel, robust coating and innovative anti-fingerprint properties, the programme impresses in everyday use – a strong plus point in sales talks. **Real lacquered fronts with a high-gloss finish** also remain in vogue: We are therefore expanding Novalux to include the colour Taupe grey. The warm grey tone with a light brown component creates a high-quality and modern ambience.

Macchiato is a new colour that lies somewhere between Sand and Taupe grey. The modern brown/grey version complements the successful Laser program in price group 1 and Senso in price group 3. As a new design colour, the shade is available as a carcase colour and worktop décor and also extends the frame fronts segment.

With six new frame fronts and coordinated design elements, our cottage style segment is versatile and modern, while at the same time opening up additional potential with a new, attractive entry-level price. The five-part Frame front combines modern cottage style design with an elegant, fine wood texture and offers an attractive entry into price group 4 with four on trend colours. The result is a fresh cottage style look – modern, elegant and surprisingly versatile. The four colours White, Macchiato, Stone blue and Olive create a portfolio that appeals to a wide range of tastes and offers a variety of design options. Maximum suitability for everyday use and easy to clean thanks to the anti-fingerprint coating on the lacquered laminate surface.

In addition, the Nordic and Sylt programs have new colours in genuine lacquer finish. Nordic is supplemented by the Lacquer, perfect honed black design. With Sylt, Lacquer, perfect honed sand brings natural elegance to the cottage style. Both front extensions impress with their exclusive look and their practical suitability for everyday use thanks to our anti-fingerprint coating.
The cottage style segment also gets an upgrade with new design elements such as a breakfast unit, shelf units with wine crosses, glass cabinets with ribbed glass or wall shelves with console supports.

With the Sakura design line, we are picking up on the popular Japandi style – a sought-after combination of Japanese clarity and Scandinavian cosiness. The elegant frame design in Como oak combines minimalist lines with modern cosiness. The delicate 16 mm frame is created thanks to the use of extra-deep upright panels and cover shelves; the Como oak bar handle stylishly rounds off the overall look.

The trend towards a minimalist design opens up exciting possibilities for modern planning. With Line ONE, the handleless design focuses on a clear horizontal line for kitchens with surfaces that are as calm as possible. Line ONE combines the design versatility of Line N with the nBOX drawer system's practical push-to-open technology, enabling a reduction to just one continuous recessed handle line under the worktop. Handleless plans will also be supplemented by LED lighting for the vertical recessed handle for 2026. This detail creates even more atmosphere and provides elegant, indirect lighting accents.

Contemporary design, highly suitable in everyday use and new levels of flexibility: With nine new décors, our worktop range offers even more scope for customised designs. The design variety of Slim Line is also growing: In addition to the popular Como oak décor, three Xtra honed designs are now also available. A new worktop in an elegant 25 mm thickness opens up additional design options in five décors. Slim design for greater possibilities. Whether in the new 25 mm thickness or in our 16 mm Slim Line – the slim look now also offers the full working freedom of our 38 mm standard worktops. Bevelled or rounded edges are therefore available in all three worktop thicknesses.

For 2026, we are also expanding our nBOX to include new, stylish design options: Design covers and profiles are also available in Milano walnut and Metallic anthracite. The glass sides for front and internal pull-outs are now available in Parsol glass, bronze.

The innovative FurnSpin end unit has a unique swivelling movement that allows the base unit to rotate completely on its own axis. Inside becomes outside, and vice versa, without any open doors or flaps in the way. Concealed hinges, soft-close mechanism and push-to-open function combine elegant design with maximum convenience.
Clever planning solutions are required in narrow rooms. Our new diagonal units make narrow rooms appear more open and visually create more space. The diagonal units are also an elegant option for protruding solutions.
Our new Air glass cabinets as wall and tall unit solutions combine modern transparency with technical sophistication. The delicate aluminium frame in black impresses thanks to its integrated handle profile and underlines the elegant, minimalist look. The hinges are completely concealed in the narrow aluminium profile.

Our exclusive BORA downdraft extractor fan GP4U receives a technical upgrade with GPNext. The successor is based on the current Pure platform from BORA and features a unique user interface, a new nozzle design and modern, clear printing. For the 2026 collection, the Electrolux brand also augments the portfolio in the appliance range.

For us, contemporary living means customising rooms and giving them character. With new, flexible design elements, our Living range opens up a wide range of possibilities for a new living experience: The asymmetrical glass cut-outs of the Ambia glass units combine proven functionality with an exciting approach to design. Accent back panels for glass cabinets offer further customisation options for a homely ambience with a modern statement.
Sideboard, bar flap, wall panel, wall or base unit: Our genuine wood veneer range is growing. With its natural warmth and fine grain, genuine wood veneer furniture in Native Oak offers a wide range of planning options for a harmonious room concept.
Invisible in everyday life, impressive in use: Our new **Butterfly extension mechanism** for dining tables impresses with its elegant movement and enables the tabletop to be extended quickly and easily. In the dining table area, we combine the tried-and-tested genuine wood veneer top with the striking Centro base frame for modern naturalness. The MOVE and TURN II upholstered chairs and armchairs complement the portfolio of comfortable seating solutions with new bouclé fabrics in Cashmere and Coffee.
A media tray adds an elegant glass shelf with a floating look to base units as a stylish top unit. The integrated compartment ensures invisible cable management for device connections, combining style with function for uncomplicated technology integration. Slim plinth mounts place base units and sideboards elegantly off the floor, creating a floating effect.

Our new bathroom solutions enable aesthetically sophisticated yet functional bathroom concepts that combine comfort, style and quality. Well-thought-out new products and extensions offer great potential, especially for smaller bathrooms – from space-saving guest bathrooms to modern design highlights.

Line N with central recessed handle creates an aesthetically clear, handleless overall appearance. The larder pull-out unit is based on the innovative nBOX pull-out system – for a consistently stylish and functional bathroom design. Side-lit upright panels create an atmospheric ambience in the bathroom.

Our new features are available for delivery beginning October 1, 2025.

We hope you enjoy our 2026 collection and wish you great success!

Kind regards,

nobilia-Werke
J. Stickling GmbH & Co. KG





Matthias Keudel
- Management -

Sonja Diermann
- Marketing Director -



Sales Manual 2026

Gross list, valid as of October 1, 2025

nobilia®

Sales Manual 2026

The 2026 Sales Manual is valid as of October 1, 2025, at which time all previous lists become invalid.
This Sales Manual contains no prices. The numbers represent euro-based points, which can be added together. At the request of many customers, these numbers have been calculated using a new factor. The factor is equivalent to 1.46. Prices do not include installation costs.

Kitchen block quotations can only be completed with this Sales Manual and no other lists.
All rights to technical alterations, delivery possibilities, errors and printing-related colour deviations are reserved. All furnishing examples are non-binding.

Delivery Information

For information about our delivery times and route scheduling please contact our Shipping Department at the following phone number: +49 52 46 - 508 120.

Direct Service

For the quickest help please contact our direct service on the telephone number +49 52 46 - 508 888.


Extranet Service

Customers can access all important information 24 hours a day using the Extranet: electronic order confirmation, delivery times and appointments, training times, media data, product news and much more – up-to-date and pertinent. You don't have access yet? Then, simply register at www.nobilia.de under Extranet.

IDM-Format

The data contained in this Sales Manual is available in an IDM format for computer-aided kitchen planning and can be requested by all providers of kitchen planning systems.









Ordering correctly

Necessary Order Information

Complete and accurate data is absolutely necessary for the processing and production of your order, since an accurate and clear order allows us to immediately begin processing your order without time-consuming enquiries.

For this reason, your order must contain the following information:

- Range name and front number
- Handle number
- Drill pattern number
- Carcase colour number
- Plinth height and colour (if not specified, the standard plinth height of 150 mm will be supplied)
- Worktop design / décor
- Worktop edge design / edge colour
- Worktop sketch with dimensions and indication of tongue and groove joints
- Design of the worktop outer corner (for APD): square or round
- Upright / top shelf design including the colour number and upright thickness / Upright panel floor seal colour
- Shelf colours
- Glass design and / or colour
- Roll-up front colour
- Cornice profile / light pelmet profile including colour for each
- Order number and / or abbreviation
- Manufacturer information and built-in appliance model identification
- Kitchen block number (for kitchen block orders)
- Layout sketch with dimension information in 1:20 ratio
- Please draw / write any special productions in the centre of the layout sketch

Digital sales manual

Convenient and practical

This sales manual is also available to you as a digital version in a PDF format. The PDF contains practical bookmarks for each chapter.
You can also use the search function (CTRL + F) to quickly and conveniently find item numbers, abbreviations or individual terms.
If you want, you can also add your own bookmarks.

The PDF is available for download on the extranet (https://extranet.nobilia.de).

Our digital sales manual as an app

With our digital sales manual you can be even more flexible and more mobile in sales consultations with your end customers. You can access this essential supplementary tool any time and anywhere on your mobile device. Use the integrated filter and search function to quickly find any information you need. This tool also helps you stay up to date, as updates are added directly to the catalogue online.

You don't have access to the digital sales manual yet? Contact us at Digital_Manual@nobilia.de and experience the advantages of our digital manual!

KM KÜCHENMEILE GERMANY

Authorised member of the registered marketing association "A30 Mile of Kitchens"

Quality and Environment

Quality, energy and environment management is an essential element of our company policy, and is in line with the standards DIN EN ISO 9001, 14001 and 50001.

ISO 9001, ISO 14001, ISO 50001
Zertifiziertes Integriertes Managementsystem für Qualität, Umwelt und Energie
www.tuvsud.com/ms-zert

QM, UM & EM

Our integrated management system is regularly inspected and certified by the notified body TÜV SÜD. The ISO 9001 standard establishes the requirements for a quality management system in order to satisfy customer requirements and ensure high product quality. nobilia has been certified according to DIN EN ISO 9001 since 1994. The ISO 14001 standard for environmental management systems is intended to improve a company's environment-friendliness. nobilia has been certified according to DIN EN ISO 14001 since 2007. The energy management standard ISO 50001, according to which nobilia has been certified since 2013, lets companies continuously improve their energy efficiency. All three of these standards are globally recognised.

www.tuv.com
ID 1111209558

GS

The GS-Möbelprüfinstitut (furniture quality testing institute) of TÜV Rheinland has subjected the ranges of this collection to safety inspections. As a result of this inspection, we were awarded the GS seal certifying that the requirements with regard to operating convenience, load capacity, material consistency and safety have been met in full.

Goldenes M

The DGM Deutsche Gütegemeinschaft Möbel - (German furniture quality seal) have tested nobilia in accordance with RAL-GZ 430. Following this test, nobilia was awarded the RAL quality seal, the "Golden M". This ensure that all kitchen, bathroom and living room furniture that leaves the nobilia plant meets the market's current expectations and quality requirements.

"Furniture made in Germany"

The Made in Germany label gives end consumers a new label on the market, which gives them information about furniture quality: "Furniture Made in Germany" is the geographical origin mark in accordance with RAL-RG 0191, which labels German-made furniture that meets verifiable, strictly defined criteria. All kitchen, bathroom, and living room furniture produced by nobilia meets these requirements.

www.blauer-engel.de/uz38

Blauer Engel

nobilia has always been among the trailblazers when it comes to matters of quality and sustainability. Many nobilia product ranges are therefore labelled with the "Blauer Engel" (blue angel eco label), the official eco label of the German government. This label identifies products in the nobilia product range which meet particularly high standards for environmental and health protection as well as consumer protection.
"Der Blaue Engel" (the blue angel eco-label) was awarded to the following ranges:
Easytouch 945, Flash 648, Focus 312, Inline 526, Inox 808, Laser 615, Natura 157, Nordic 497, Novalux 115, Pura 917, Riva 371, Senso 357, StoneArt 566, Structura 382, Sylt 706 and Touch 317.

"TSCA Title VI compliant / CARB 2"

To manufacture kitchen, bathroom and living room furniture, nobilia exclusively uses timber products which meet the stringent U.S. EPA Formaldehyde Emissions Standard of the Toxic Substances Control Act (TSCA Title VI). With this step, our company fulfils the American requirements - in effect since June 1, 2018 - for the further reduction of formaldehyde emissions from derived timber products. The maximum permissible values from TSCA Tile VI correspond to the CARB2 (California Air Resources Board) standard from California. The furniture is labelled with the information "TSCA Title VI compliant."

DGM climate agreement

nobilia was the first kitchen manufacturer to join the "climate agreement for the furniture industry" when the DGM – Deutsche Gütegemeinschaft Möbel (German furniture quality control association) established it. This action underscores yet again nobilia's sense of responsibility for the environment and the climate objectives of the German government as well as those of the United Nations. The DGM climate agreement is based on the calculation of a company's CO2 footprint. This footprint is continually analysed in cooperation with an environmental protection consultant.

PEFC/04-31-1281

PEFC

The company is certified in accordance with the PEFC.
This certification guarantees that the wood used for furniture manufacture originates from sustainably managed forests and controlled sources.
PEFC = Programme for the Endorsement of Forest Certification Schemes.


Emission Class DGM:

The furniture in this collection was awarded the emissions label of the Deutschen Gütegemeinschaft Möbel e.V. (The German Association of Quality Furniture) with the highest emissions class of A in accordance with the award requirements.

Comparison of offers

Price Index

The price index has been based on a standard corner kitchen without any electrical appliances. The price comparison contains neither accessory components, sinks, cornice panels nor light pelmets. Using Price Group 4 with a price index of 100, the relationship between the various price groups will be apparent. The multiples are subject to change and without obligation for a genuine price comparison. They are merely intended as supporting values to enable a quick price comparison for quotation purposes.



10 YEAR GOODWILL

Goodwill provision

Beyond the provisions laid down in the general terms of delivery and payment, nobilia grants its trade partners the following replacement delivery provisions for all furniture parts produced by nobilia as a gesture of goodwill:

1. The goodwill provision period is 10 years from transfer of the nobilia furniture to the trade partner.

2. The goodwill provision covers any defects that are demonstrably due to material or production defects and have occurred despite correct installation, treatment and adherence to the nobilia care and installation instructions and that occur within the period specified in section 1 and have been reported to nobilia and which are no longer covered by the statutory defect warranty.

3. If the goodwill provision applies, nobilia will (at its own discretion) provide replacement delivery of the faulty furniture components to the trade partner free of charge or will repair the components at the end consumer's residence. nobilia shall not bear any installation or disassembly costs of the trade partner or any assembly and transport costs of the trade partner. No entitlement to replacement delivery or repair of parts no longer available at nobilia or parts no longer produced by nobilia exists.

4. This goodwill provision applies to all furniture components manufactured by nobilia itself. Any trade goods delivered by nobilia, e.g. electric appliances, accessories, sinks or hand basins are exempt from this provision.

5. The assignment of rights based on the aforementioned declaration is excluded. This declaration does not constitute a manufacturer's warranty granted to the end consumers.

6. If nobilia is obligated to provide the trade partner with services based on the statutory defect warranty, this shall remain unaffected by the aforementioned declaration.

Block Pricing Method 2026

- The nobilia kitchen block pricing rule is divided into 3 pricing groups:
  1.1. Furniture, incl. range of handle-less LINE N kitchen units as well as bathroom and living room units, tables and chairs, worktops and adaptation thereof.
  1.2. Electrical appliances, sinks and mixing taps
  1.3. Accessories, hand basins and hand basins taps

- All items within a merchandise group can be offset in value against one another.

- Offsetting between different merchandise groups is not permitted.

- The block price may not be undervalued e.g., minimum prices resulting from exchange within a merchandise group will not be reimbursed.

- If several ranges are combined in one commission, the block price of the range with most units contained in the order is used for invoicing.

- Special accessories for electrical appliances and sinks cannot be offset. For your information the respective units are identified throughout the Sales Manual.

- Only one kitchen block can be used per commission.


- Exception: To ensure a precision fit with elaborate glass niche cladding designs Xtra Ceramic or quartz designs, the tried and proven approach is to place the order after the kitchen installation has been completed. In this exceptional case it is permitted – with provision of the first OC - to invoice an additional kitchen block.

- Only one accessories set per commission and per kitchen block can be ordered as a supplement.

- Only one commission or kitchen design per work order.

- It is not possible to invoice several commissions as a kitchen block.

nBOX. The exclusive drawer system.
More Design. More Comfort. More Choices.



nobilia's innovative nBOX drawer system sets new standards in the unit interior, offering premium design and technology while maintaining attractive prices for the serial standard. The nBOX system features an attractive straight-lined, minimalist design in the trend colour Slate grey and looks equally beautiful in kitchens, bathrooms and living rooms. The hidden drawer guide and the optional push-to-open function offer a whole new level of innovation where convenience is concerned. Moreover, nBOX comes with a plethora of new customisation and design options.


nBOX design features

Simple yet elegant geometry

Its clean architectural design makes the nBOX perfect for kitchens, bathrooms and living rooms and for visually linking the rooms with each other.

Delicate frame and modern design

Subtle, minimalist features. This narrow, timeless and cubic frame of just 10.7 mm creates a delicate, modern appearance.



Subtlety and beauty in slate grey

Dark slate grey exudes elegance and is the foundation for an adaptation of the entire interior range throughout all furniture segments.
In addition, the slate grey carcase 194 can be ordered with a slate grey carcase interior for the surcharge MP-KID (7947).

Hidden technology and optional push-to-open function

The technological components are concealed beneath the narrow frame. The innovative hidden drawer guide becomes "invisible" through installation with maximum precision in minimum space.
For even greater convenience and function, nBOX drawers and pull-outs are available with a push-to-open function.

nobilia's exclusive drawer system.
Premium design and technology as serial standard.



More Design. More Comfort. More Choices.

The nBOX system features a straight-lined, minimalist design in the trend colour Slate grey. The narrow drawer frame of only 10.7 millimetres melds seamlessly into the overall space. The innovative underframe rail is installed with maximum precision and becomes completely invisible for the viewer.
The pull-outs come standard with a rectangular railing. Dark slate grey exudes elegance and is the foundation for an adaptation of the entire interior range. The premium design is a standard feature for this series.

As an option, equipment variants with a glass side or a closed pull-out box are also available. Additional customisation options such as design profiles and covers can be fastened to the side frames. The nBOX system permits both aesthetic and functional upgrades to adapt it to the customer´s requirements.

nBOX accessory options can be planned and ordered for either individual items or the entire commission. If you wish to order them for the entire commission, the surcharges can be added to the order header data when placing the order.
This permits quick and convenient order processing.

The nBOX system

The serial standard



- Drawer
- Pull-out with railing

Optional accessory options



Pull-out with railing and glass side
MP-GLAS (7915)

- Glass insert optionally using G001 grey glass or using G058 Parsol glass, bronze (8 mm TSG)
- A surcharge is invoiced per (internal) pull-out.
- The surcharge can also be entered as header information for the entire commission in the order header data.



Pull-out with pull-out box
MP-BOX (7905)

- A surcharge is invoiced per (internal) pull-out.
- The surcharge can also be entered as header information for the entire commission in the order header data.

More Design. More Choices.
More unique options for internal drawers and pull-outs.



Wooden panel

More unique options for internal drawers and pull-outs

The innovative nBOX drawer system gives you more options to customise and design your plans in unique ways. The new nBOX lets you adapt internal drawers and pull-outs to create your dream design.

In addition to different versions of the pull-out side equipped with a railing, railing and glass side, or a high pull-out box, internal drawers and pull-outs also permit adaptation of the front panel for improved appearance and function.
The internal drawers and pull-outs come standard with a wooden panel. A design glass panel and a closed design panel made of plastic are available as alternative options.



Design glass panel



Design panel

Panel options for internal drawers and pull-outs



Standard:
Wooden panel



Optional for surcharge:
Design glass panel
Surcharge: MP-DGBLEN (7925)



Optional for surcharge:
Design panel
Surcharge: MP-DBLEN (7935)

Combination options for internal drawers and pull-outs



Internal drawer

Available with:
- Wooden panel (standard)
- Design panel
  Surcharge: MP-DBLEN (7935)



Internal pull-out with railing

Available with:
- Wooden panel (standard)
- Design glass panel
  Surcharge: MP-DGBLEN (7925)



Internal pull-out with railing and glass side
Surcharge: MP-GLAS (7915)

Available with:
- Wooden panel (standard)
- Design glass panel
  Surcharge: MP-DGBLEN (7925)




Internal pull-out with box

Surcharge: MP-BOX (7905)

Available with:
- Wooden panel (standard)
- Design panel
  Surcharge: MP-DBLEN (7935)
- Design glass panel
  Surcharge: MP-DGBLEN (7925)

More Comfort.
nBOX. Next level of innovation.



Convenient adjustment

- Simple adjustment for a perfect gap pattern, incl. convenient tilt angle adjustment.
- The push-to-open opening mechanism is available for even more convenient handle-less designs: handle-less opening, cushioned closing.

Concealed technology

- Concealed drawer guide in ultra-narrow frame.
- High-tech with maximum precision in minimum space.
- Ideal use of the available space thanks to a narrow frame and underframe guide underneath drawer.





nBOX with push-to open for nBOX drawers and pull-outs
MP-PTOSA (7962)

For handle-less designs, nBOX is optionally available with a push-to-open opening mechanism: handle-less opening, cushioned closing.

- Mechanical opening support mechanism for drawers, pull-outs, larder units Junior and side pull-outs
- A surcharge is invoiced per drawer / pull-out. Within one unit, either all or no drawers and pull-outs can be equipped with push-to-open.
- Other opening mechanisms must be ordered separately.
- The data can be entered once in the order header and then used for the entire commission.
- All doors on the same type come standard with a handle and without PTO. If required, please order without handle and handle holes and with the desired opening support mechanism.
- PTOSA cannot be retrofitted.

Line ONE planning

Line ONE combines LINE N's design versatility with nBOX's push-to-open technology

- Available for base units in the heights 720 and 792 mm, as well as for all tall unit heights
- The PTOSA is already included in the scope of delivery for the unit types labelled with the Line ONE pictogram in the Line N chapter.

Loading capacity

- Exceptional smoothness and great side stability – even with high loads.
- Depending on the unit dimensions, the nBOX system has a total load-bearing capacity of 40 to 70 kg, resulting in the following max. permitted added loads:

Drawer / Pull-out	Pull-out depth	Width in cm			
		≤ 60	> 60 to ≤ 90	> 90 to ≤100	> 100
Drawer	30 cm	30 kg	30 kg	30 kg	30 kg
Drawer	40 cm	30 kg	30 kg	30 kg	30 kg
Drawer	50 cm	30 kg	30 kg	30 kg	30 kg
Pull-out	30 cm	30 kg	30 kg	30 kg	30 kg
Pull-out	40 cm	30 kg	40 kg	40 kg	40 kg
Pull-out	50 cm	30 kg	45 kg	55 kg	55 kg

More Choices. Select your Style. Customisable design options.

The nobilia nBOX system offers customisable design options featuring design profiles and covers in five trend colours: A minimalist design in Slate grey, a tranquil natural look in Sierra oak, Milano walnut or an exclusive extravagant style in Bronze or Anthracite metallic.
Attaching and replacing covers and profiles is simple and requires no tools. With these options, nBOX has a matching interior design for any lifestyle and any space.



Subtle highlights through design profiles

Design profiles are used as a decorative strip at the top and create a colourful contrast to the slate grey nBOX design. These delicate plastic profiles are simply clipped onto the frame and can be included directly in the order or ordered as accessories at a later point and exchanged.

MP-DPRO (7918)

- Can be used in all (internal) drawers and (internal) pull-outs.
- A surcharge is invoiced per (internal) drawer and (internal) pull-out.
- Not possible for (internal) pull-outs with glass side (MP-GLAS) and low frame (MP-NIEZA).
- The design profiles are available in 5 colours and 3 depths (300, 400 and 500 mm).



P194 Slate grey



P199 Anthracite metallic colour



P198 Sierra oak reproduction



P211 Bronze metallic colour



P399 Milano walnut reproduction



New look through design covers

Design covers give the entire drawer or pull-out side a completely new look and integrate perfectly in the furniture design.
These high-quality aluminium covers are clipped onto the frame and can be included directly in the order or ordered as accessories at a later point and exchanged.

MP-DCOV (7923)

- Can be used in all (internal) drawers and (internal) pull-outs.
- A surcharge is invoiced per (internal) drawer and (internal) pull-out.
- Not possible for (internal) pull-outs with glass side (MP-GLAS) and low frame (MP-NIEZA).
- The design covers are available in 2 different heights and 4 colour variants.



Series standard Slate grey



C199 Anthracite metallic colour



C198 Sierra oak reproduction



C211 Bronze metallic colour



C399 Milano walnut reproduction

Perfect match.
For a well-coordinated interior.

The nBOX design is the heart of nobilia's new interior style. To create a coordinated look in the interior of nobilia's furniture segments, the entire interior already features a new serial standard in consistent styles and colours.





Carcase interior décor in slate grey
MP-KID (7947)

- For a consistent look in slate grey, the carcase interior décor is optionally available in slate grey for a surcharge.
- The interior décor can only be selected with carcase décor 194 Slate grey (outside).
- A surcharge MP-KID (7947) is charged per unit.

- The variant with the white interior décor will remain the attractively priced standard design for all carcase décors.
- All units that already come with the same décor on the inside and outside by default are exempt from the surcharge, for instance shelf units, roll-up front units, glass units, sliding door units, etc.

- MP-KID (7947) can be planned and ordered for either individual items or the entire commission. If you wish to order it for the entire commission, the surcharges can be added to the order header data when placing the order.













Consistent design for all functional fittings in the furniture

- The colour and geometry of the nBOX system is also used consistently for all functional fittings and accessories in the interior.
- Drawer and pull-out organisers are adapted to the line management.
- Hanging baskets from larder or cargo units as well as integrated accessories for half corner units were also based on the nBOX design.
- Metal boxes are supplied with non-slip mats.



Coordinated design for all interior organiser systems and accessory elements

- The minimalist style is consistent throughout the entire interior.
- The interior organiser systems in oak and ash slate grey perfectly match the overall look of the furniture interior.

One for all.
A perfect system for all rooms.

Our drawer system does not just look great in kitchens, but is a perfect visual solution for kitchens, bathrooms and living rooms.
That is why nBOX is now the serial standard for all nobilia product ranges. A tranquil natural look in Sierra oak, Milano walnut reproduction or an exclusive extravagant style in Anthracite or Bronze metallic – no matter which design you choose, nBOX has the right interior design for any lifestyle and any space. That makes nBOX a functional link between rooms, underlining nobilia's more than kitchen approach.



Added value at a glance

more design

- Premium design as serial standard.
- Narrow frame, distinctive angular design, elegant dark interior colour.
- Slate grey adds a touch of elegance to the entire interior.
- One for all: A perfect solution for kitchens, bathrooms and living rooms.
- Functional link between rooms – underlines the "more than kitchen" approach of our product range.

more comfort

- Elegant opening and closing with perfect cushioning properties.
- Installation of underframe rails for optimal use of the available space.
- Exceptional smoothness and great side stability – even with high loads.
- High loading capacity up to 55 kg.
- Simple adjustment for a perfect gap pattern, incl. convenient tilt angle adjustment.
- The push-to-open opening mechanism is available for even more convenient handle-less designs: handle-less opening, cushioned closing.

more choices

Extensive range of designs and options.

- Pull-out available in three variations (railing, railing with glass side and pull-out box as surcharge variant).
- Different internal panel variants for internal drawers and pull-outs.
- Customisation options using design profiles and design covers – including after installation, without additional installation work.

Overview of handle-less planning options

Handle-less kitchen and furniture designs remain a popular trend. Our product range provides a variety of options for these designs.
In addition to our handle-less LINE N range, we now offer additional design options with nBOX:

nBOX with push-to-open for nBOX drawers and pull-outs
MP-PTOSA (7962)

For handle-less designs, nBOX is optionally available with a push-to-open opening mechanism: handle-less opening, cushioned closing.
- Mechanical opening support mechanism for drawers, pull-outs, larder units Junior and side pull-outs
- A surcharge is invoiced per drawer / pull-out. Within one unit, either all or no drawers and pull-outs can be equipped with push-to-open.
- Other opening mechanisms must be ordered separately.
- The data can be entered once in the order header and then used for the entire commission.
- All doors on the same type come standard with a handle and without PTO. If required, please order without handle and handle holes and with the desired opening support mechanism.
- PTOSA cannot be retrofitted.

Hinged doors

PTO5 (3857) / PTO5-BS (6339):
- The spring-loaded closure makes it possible to open the door by pressing it lightly.
- Not possible for flaps, lifting doors and 2-door wall corner units.
- Installation on site

MP-WOG (7936):
- The wall unit base is equipped with a stainless steel appearance profile strip that makes it possible to reach behind the front.
- Factory-installed







PTØ SA For construction reasons there are some units that are not available with PTOSA. In the sales manual, these are marked with the symbol shown here.

Not permitted for:
- Base units with pull-out table UT*
- Units with waste collectors in the pull-out frame (Frame, Euro-Cargo)
- 150 mm wide base units
- Units with internal drawers and internal pull-outs
- Cooker housing units with plastic drawer
- Tall units with flap or lifting door
- Special widths
- In combination with tablar pull-outs
- Plinth drawers
- Handle-less LINE types
  alternatively, PTOSA is integrated as standard in Line ONE models, (see Line N chapter)

When using PTOSA, a syphon cut-out is only possible for unit widths of 500 mm and more.

On high pull-out fronts, the opening support mechanism is only triggered from the centre of the front and can therefore be opened with a knee.

Swivel flap / folding-lifting door
MP-SD (5284):
- Servodrive permits electrical opening of wall units with swivel flap doors and folding-lifting doors.
- Factory-installed

Tall units Cargo HC* and larder units HA*
ETOUCH-EU (5997) or ETOUCH-UK (5998) for UK:
- Electrical opening support mechanism eTouch
- Installation on site

Tall units with integrated fridges/freezers
MP-EASYS (7991):
- Construction shelf incl. drive unit with plastic profile at the front
- Permitted items are marked accordingly.
- Surcharge per appliance door
- Installation on site

Sensys – The hinge with perfect cushioning and consummate design.

Our kitchens are standard equipped with Sensys hinges. Sensys represents the newest generation of hinge technology: The cushioning is invisibly integrated in the hinge. An innovation, which meets the highest standards in comfort and functionality. The doors close with just a light movement of your hand – smoothly and noiselessly. The uniquely large self-closing device available upwards of approx. 35°, Sensys provides an exclusive closing experience.



Award-Winning Hinge and Mounting Plate Design

- Discreet lines
- Edges and radii perfectly coordinated
- Concealed release tab
- High quality, no visible plastic components in hinge cup

Closing Comfort with Ease


- Doors close in a smooth motion at the flick of the wrist.
- Unique, automatic self-closing device ensures secure closure upwards of an angle of 35°
- Sensys always closes reliably and maintains the unique large self-closing angle while providing cushioning for doors of varying sizes and weights





Reliable Quality

- Outstanding noise damping effect and long service life, tested over 80,000 cycles
- Total functional capability within a temperature range between 5°C and 40°C
- Tested for moisture and corrosion resistance
- Thanks to condensation water testing, the Sensys hinge is suitable for counties with high humidity
- Thanks to temperature testing also ideal for use in both warmer and cooler climates









Design Perfection, Also in the Look of the Front

- Minimal gaps even on thick doors with small radii
- Perfect gap pattern due to:
  - Direct depth adjustment
  - Optimised height and depth adjustments

Easy Assembly

- Quick mounting due to snap-on technology
- Removal without tools using slight pressure from your finger
- Ergonomic movement of release tab and hinge

reddot award 2014
winner

product design award
2014

n144. A grid for made-to-measure design.



Our grid system represents design-oriented kitchen configuration, customised storage space planning, ergonomically adapted active work heights and perfect line designs with absolute planning reliability. All of this lets our grid create the perfect connection between the central dimensions of everyday kitchen work.
Our continuous design grid makes nobilia kitchen design more unique, continuous and simpler.
The clean lines can even continue to other rooms such as the adjacent living and dining areas, or even the bathroom, utility room or pantry.





Advantages without limits


- Logical and continuous product module kit
- Uniform, harmonious lines
- Simple planning, even if changes are made at a later point
- Individual design without limits, even without special production
- Optimised use of storage space
- Flexible kitchen design
- Multifunctional use of unit types thanks to symmetrical heights
- Perfect fit for electric appliances
- Uniform lines on modern fronts and in cottage style kitchens
- A simple abbreviation code permits quick changes from one height to another.



The measure of all things is 144!

To optimise kitchen storage, you need space and structure. That is why we have decided to make our perfectly proportioned drawer the measure of all things:
A height of 144 mm guarantees plenty of storage space and elegant lines.

Flexible height system



Every individual is unique and therefore requires a worktop height adapted to their needs. Our system is designed to permit ergonomic adaptation of working heights and individual storage space designs in a grid of 144 mm. Combined with different worktop thicknesses and plinth heights this system makes it possible to flexibly adapt each design to the customer's needs.



Individual design with a plan

- 3 base unit heights in standard, XL and maxi height:
  - Standard height: 720 mm
  - XL height: 792 mm
  - Maxi height: 864 mm
- Base units in Mini height and special units offer additional freedom
- 5 wall unit heights
- Matching wall unit heights for each base unit height make perfectly symmetrical designs possible
- 2 highboard heights
- 6 tall unit heights
- 5 variable plinth heights

One for all


Thanks to our selection of base unit heights, we offer various options for individual adaptation of a kitchen to ergonomic and storage space considerations. To make this work, the three heights Standard / XL / Maxi are available in a comparable range of products.

To simplify planning, only the final character of the abbreviations differs:

Base units	U* / U*-X / U*-M
Cooker housing units	HU* / HU*-X / HU*-M
Hot plate units	K* / K*-X / K*-M

Front divisions and system heights

Versatile design options thanks to perfectly coordinated unit heights.
For continuous planning with harmonious lines. For detailed overviews of all front division, refer to chapter 10.



Our front divisions are designed for continuity and practical use.
They offer the best conditions for planning a kitchen based on a variety of requirements. The most important criteria is an ideal activity height.


STANDARD – carcase height 72 cm

- Possible working height 80.6 - 95.8 cm
- Recommended body height from approx. 150 cm

Classic – 5 stage division




LINEN




XL – carcase height 79.2 cm

- Possible working height 87.8 - 103 cm
- Recommended body height from approx. 170 cm



LINEN




MAXI – carcase height 86.4 cm


- Possible working height 95 - 110.2 cm
- Recommended body height from approx. 180 cm

Classic – 6 stage division



Front materials






Melamine direct coated

- Optimal for kitchen furniture
- Resistance extreme
- Surfaces could contain fine textures which only enhance the beautiful wood reproduction appearance.
- Easy-care
- Affordable






Lacquered laminated fronts


- Lacquered PET film
- High gloss or softmatt version
- Smooth front vertically seamless
- In the framed version rounded on all sides and without seams
- Attractive alternative for genuine lacquer fronts
- Outstanding value for money






Lacquered laminated fronts with anti-fingerprint coating


- Ultra-matt with PP edging on all sides
- Resistance extreme
- Very easy to clean thanks to innovative anti-fingerprint coating
- Wear-resistant and highly cross-linked functional layer






Lacquered fronts with anti-fingerprint coating


- Premium honed lacquer with PP edging on all sides
- Brilliant colours thanks to special matt finish technology
- Outstanding care properties
- Extremely high abrasion and scratch resistance






Lacquered fronts

- Pure material appeal
- Hard-wearing, easy to clean
- Seamless front faces in honed lacquer and high gloss lacquer
- Fronts in ultra high gloss with PP edging on all sides
- Honed lacquer with slight texture, for better scratch-resistance






Perfect honed lacquered fronts with anti-fingerprint coating

- Pure material appeal
- Lacquer, perfect honed with lacquered edges on all sides
- Brilliant colours thanks to special matt finish technology
- Outstanding care properties
- Extremely high abrasion and scratch resistance

Front materials






Laminate fronts

- Extremely resilient
- The surface is multi-layered and therefore thicker than the melamine front.
- Sturdier than the melamine fronts
- Easy-care





Lacquered laminated fronts with frame and anti-fingerprint coating

- Frame and panel coated with PET foil
- End faces with PP edging
- Outstanding value for money

Carcase material

- Melamine-coated on both faces
- Extra strong corners and soft rounding due to PP edging
- 16 mm thick side panels
- White interior, exterior in carcase colour, units with framed glass doors or shelves have carcase colour on both faces
- The carcase interior décor Slate grey is optionally available for a surcharge MP-KID (7947). The interior décor can only be selected with carcase décor 194 Slate grey (outside).
- 19 mm thick top and bottom panels on highboards, tall and base units (base units have traverses on top)
- Top and bottom shelves are 16 mm thick, exterior in carcase colour for wall units


Carcase Edges

- Front edges coated with PP edging (poly-propylene) in carcase colour
- High impact resistance and soft rounding
- Rear edge moisture sealed

Shelves

- Melamine-coated on both faces, front edge with PP edging
- Edges sealed all round
- All metal shelf supports with locking pin, high load-bearing capacity in accordance with DIN standard
- The locking pin prevents the shelf from shifting
- Maximum storage load for wooden and glass shelves: 50 kg/sq.m
- The drill holes can optionally be closed up with cover plugs (order no. 9264)







Plinth

Plinth Panels and Plinth Feet

- Plinth panels (13 mm, MDF) with floor sealing lips are delivered in fixed lengths
- Outer corners with 90° and 135° and inner corners with 135° are formed by respective corner profiles
- Lateral plinth returns with floor sealing profile are supplied 28 mm higher than the plinth height and adapted on site
- Standard plinth heights: 20 mm, 70 mm, 100 mm, 150 mm and 200 mm
- Other plinth heights in intermediate sizes possible with plinth adaptor

Floor sealing profile

- The plinth panel is equipped with an integrated sealing profile. This forms an elegant closure with the floor and prevents the ingress of moisture and dirt.
- The profile compensates for uneven floors with deviations of up to 2 mm.
- For larger deviations, floor profile SB-PROFIL (4863) must also be ordered to compensate for uneven floors.







Safety Information:

Stand-alone base units must always also be equipped with safety bracket KIPPS (order no. 9943). Tall units as well as individual suspended wall units must be affixed to the wall with safety bracket 2639. The safety hinges are automatically confirmed with the respective order.
The KIPPS20 tilt protection (3507) is supplied as standard with a plinth height of 20 mm. This secures the type to the wall.

Alternative Plinth designs, s. chap. 3 Plinth solutions

Water resistant plinth,
available at surcharge in:
- 114 Stainless steel appearance
- 049 Mirror décor
- 058 Black
- 061 Brushed steel reproduction

Aluminium slatted plinth,
available in:
- 114 Stainless steel appearance
- 058 Black
- 193 Alpine white



The new 20 mm plinth height

- For the 2026 collection, nobilia has added the 20 mm plinth height that can be used in the living room with an installation height from 20 mm and up to 28 mm in the kitchen.
- The new 20 mm plinth height can be selected in addition to the previous heights for types with a plinth version and the surcharge for sideboard version MP-SB. A plinth panel and returns are not supplied with these plans.
- The base unit floor is drilled at the factory for the 20 mm plinth height, the adapters are installed on site.
- If base units are planned stacked on top of each other at a special height, the 20 mm plinth height must also be ordered.





Free-standing island plans with 20 mm plinth height without wall cover

- Single-row island plans with a 20 mm plinth height are not permitted.
- Even with islands planned in two rows, the plinth height must be at least 70 mm on one side in order to be able to fit the KIPPS tilt protection.

- For ergonomic reasons, the 20 mm plinth height must not be used in the active areas of the kitchen (cooking, washing, refrigeration). In addition, the 20 mm plinth height is not permitted for planning access doors. The types are marked with this symbol in the sales manual.

Worktops and upright panel systems

Worktops

- Superior quality triple layer chipboard surfaced with durable plastic laminate panels, 38 mm and 25 mm high
- Heat resistant up to 180°C with dry heat and up to 100°C with moist heat (DIN 68930)
- Worktop surfaces demonstrate a high degree of resistance to scratching and abrasion in accordance with DIN standard 68930
- Lateral cut edges are provided with décor edging
- The bottom face of the worktop is surfaced with a water repellent, resin impregnated paper and has a moisture protection seal along the rear edge
- All worktops are also supplied with a 9 metre long sealing strip for worktop cut-outs and for insulation of the worktop above dishwashers
- Please follow the care instructions and always use coasters and chopping boards. Hot pans should not be placed directly on the worktop. Do not cut directly on the surface.

Please note: If items are used for the kitchen work area that are not referred to as worktops in this sales manual, these only meet the requirements of DIN 68930 for “other surfaces”.

Edge Design N-Edge

The laminated panel is postformed around the front edge.
The side edges can be finished with decor edges or inserted N-edges (for a surcharge). The N edge is postformed over the transition to the bottom face.



Edge Design Decor Edge (D-Edge)

1.5 mm thick PP plastic lippings in worktop décor. All 90° outer corners have a square design. A rounded design with an outer radius of 20 mm is also optionally available at no surcharge. Inner corners are always finished with a radius of 30 mm.
The PP edging is attached with waterproof PUR adhesive.













Slim Line worktops

- High density fibreboard (HDF), coated with laminate on both faces
- Material thickness: 16 mm, with 1.2 mm thick décor edge all around
- Maximum worktop width: 3400 mm

Slim Line worktops to match the Sakura design line APSLNS61

- The protruding upright panels in the Sakura design line result in different worktop and top shelf depths,
  see planning information for the Sakura design line, chapter 5 Upright panels.

Uprights

- In 10 mm, 16 mm, 25 mm and 50 mm widths.
- Available range of units dependant upon material thickness: uprights, wall shelves, cover panels and cornice shelves
- The precise upright height supplied is calculated thus: carcase height plus plinth height (minus 8 mm for upright shoe)
- Upright panel floor seal available in 010 Black and 014 Stainless steel appearance

10 Design groups:

- Matt (matches all carcase colours and a select group of worktop décors and front colours)
- High gloss (in 16 mm, 25 mm and 50 mm thickness)
- Lacquered laminate, premium honed (only in 10 mm and 16 mm thickness)
- Lacquered laminate, wood texture (only with 16 mm thickness)
- Lacquer, premium honed (only with 10 mm and 16 mm thickness)
- Lacquer, ultra high gloss (only with 16 mm thickness)
- Lacquer, honed (only with 10 mm and 16 mm thickness)
- Lacquer, perfect honed (only with 16 mm thickness)
- Lacquer high gloss (only in 10 mm and 16 mm thickness)
- Xtra (in 16 mm, 25 mm and 50 mm thickness)

Xtra – the worktop for extra wear and tear

Xtra worktops captivate with their very distinctive 3D surface texture, which creates an authentic looking natural stone and wood appearance. Matching upright panels and niche cladding supplement the possibilities for surround designs in this look.

Thanks to their innovative multiple layered structure, not only do Xtra worktops look stylish, they also provide practical advantages and enable flush mounting of sinks and hot plates.

Xtra worktops are available up to a maximum length of 4000 mm. The standard edge version is décor edge (D-edge).



Xtra – Three-dimensional


- Xtra worktops are characterised by a special 3D surface.
- The 3D surface is achieved with an extremely thick laminate (1.2 mm instead of 0.8 mm).
- Xtra worktops thus achieve an authentic natural stone and wood appearance while providing all the advantages of a conventional HPL panel.
- Xtra worktops can be adapted on site, are significantly lighter in weight and are easier on the wallet than genuine natural stone.

A perfect match

Perfectly seamless: Harmonising perfectly with the Xtra worktop in 373 Grey slate reproduction, the Xtra Hob hot plate extractor fan merges seamlessly with the worktop. The Xtra Hob hot plate extractor fan in a black matt design sets new standards for function with its unique Onyka ceramic glass by EuroKera. It is exceptionally scratch-proof, has anti-fingerprint properties and is extremely easy to clean. The Xtra Hob hot plate extractor fan with a bronze-coloured print pattern is designed for those who want to add a classy touch and follows current trends. The black ceramic glass is the perfect background to make the bronze colour shine. All Xtra Hob versions can be flush-mounted or top-mounted.









Excellent design!

- The innovative Xtra worktop has already received numerous prestigious awards.

Xtra – Swelling resistant and Xtra impact resistant

- The Xtra worktop is distinguished by its multi-layered structure.
- Beneath the extra thick laminate lies a 9.4 mm thick innovative functional layer, which significantly increases the water resistance of the worktop.
- This functional layer prevents water from seeping into the panel from above and thus, prevents swelling.
- Xtra impact resistant. The innovative wear layer ensures the exceptionally high level of durability of the panel.
- All 38 mm thick Xtra worktops come standard coated with the antibacterial microPLUS® surface.

Flush mounted installation

- The Xtra worktop is more water-resistant than conventional panels. This even enables the flush mounted installation of select hot plates and sinks, since the milled-out portion is in the functional layer.
- The appropriate cut-outs for flush mounting will be made at the factory for a surcharge. These can be found in chapter 4.
- Flush cut-outs can only be made for technically approved hot plates and sinks. You will find select hot plates and sinks approved for this in the respective chapters of the appliances and sinks list. They are identified with the following symbol.

Quartz worktops and niche cladding designs

Quartz worktops impress with their high quality, natural-looking appearance and exceptional usability.
Their advantages: Even without special waterproofing, quartz is already waterproof.
The surfaces are particularly easy to clean and hygienic. This makes them perfect for kitchen and bathroom designs. Quartz worktops are available in the thickness 12 and 38 mm.
The corresponding niche cladding is 12 mm thick. As with the Xtra worktop, flush-mounted installation of technically approved hot plates and sinks is possible.


Everything from one source!
This basic principle also applies to quartz worktops:
Worktops and niches are supplied along with the entire consignment within the standard delivery time.
One order. One delivery!



APL-DECOR 806
Epic White
12 / 38 mm




APL-DECOR 802
Epic Raw
12 / 38 mm



APL-DECOR 804
Epic Black
12 / 38 mm



APL-DECOR 807
Epic Easy Clay
12 / 38 mm



APL-DECOR 809
Epic Ash Grain
12 / 38 mm



APQS*
Worktop APQS
- Quartz, 12 mm thick
- Front edge polished with double chamfer



APQ*
Worktop APQ
- Quartz, 38 mm thick
- Front edge mitred with chamfer



NVQ*
Niche cladding
- Quartz, 12 mm thick
- Heights: 300, 520, 540 and 700 mm
- Surface polished, edges polished and chamfered on 3 sides.



WAQ
Upstand
- Quartz, 12 mm thick
- Height: 50 mm
- Surface polished, edges polished and chamfered on 3 sides.

Binding sketches with specific dimensions are required for order clearance.
A written confirmation of the manufacturer's sketch is required from the customer for production clearance.


The side edges are also available with a polished double chamfer at a surcharge.

Real ceramic material. Award-winning design.

Xtra Ceramic worktops are defined by their high-quality look and their pleasantly cool surface. The worktops are equally popular for kitchens and bathrooms thanks to their special aesthetic appearance and pleasant feel. The surface is hygienic and without pores, which makes it exceptionally easy to maintain.

The Xtra Ceramic worktop has an innovative sandwich structure. The worktop with a total thickness of 16 mm consists of 6 mm of solid ceramic material on a 10 mm lightweight backing layer of recycled PET. This gives Xtra Ceramic a comparatively low weight, making it easy to install.

Xtra Ceramic will fascinate you with its authentic look and feel and its impact-resistant design edge. Hot plates and sinks can be flush-mounted. On top of that, this innovative product is waterproof and hygienic. This allows it to meet the most stringent demands in kitchens and even in bathrooms. Xtra Ceramic is available as a worktop and niche.



INNOVATIVE SANDWICH STRUCTURE

6 mm solid ceramic

10 mm backing layer of recycled PET

Meets even the toughest demands!

The Xtra Ceramic worktop with its genuine ceramic surface is waterproof and permits flush-mounted installation. And with an impact-resistant design edge, this innovative product leaves nothing to be desired.

- Real ceramic material
- Flush-mounted installation
- Absolutely waterproof
- Impact-resistant

Winner of multiple awards!

The Xtra Ceramic worktop has already won five major awards in 2022. It was given the ICONIC AWARD for outstanding design, the Kitchen Innovation Award and the German Innovation Award. The international jury of the Red Dot Awards was likewise convinced by the merits of nobilia's innovative product. This coveted seal of quality is only given to products with a truly exceptional design.
Moreover, the design received a particularly important honour, the Green Product Award, to recognise its sustainability. Xtra Ceramic impressed the jury, particularly through its use of recycled glass. In addition, its light-weight design simplifies logistics and reduces CO2 emissions during transport.

reddot

ICONIC AWARDS 2022 INNOVATIVE INTERIOR winner

Kitchen Innovation Award 2022 – BEST OF THE BEST – Kategorie: Küchenmöbel – VOM VERBRAUCHER GEWÄHLT – ✓ Funktionalität ✓ Innovation ✓ Produktnutzen ✓ Design ✓ Materialbeschaffenheit – kitcheninnovationaward.de

Kitchen Innovation Award 2022 – AUSGEZEICHNETES PRODUKT – VOM VERBRAUCHER GEWÄHLT – ✓ Funktionalität ✓ Innovation ✓ Produktnutzen ✓ Design ✓ Materialbeschaffenheit – kitcheninnovationaward.de

Green Product Award Winner 2022



Everything from one source!

This basic principle also applies to the Xtra Ceramic-worktop: Worktops and niches are supplied in a single process along with the entire consignment within the standard delivery time. This simplifies the process significantly for retailers.
One order. One delivery!

AVENTOS - increased freedom of movement, greater variety

The AVENTOS flap system brings increased freedom of movement to the wall unit. Even large and heavy flaps move easily. AVENTOS is especially practical because the freedom of movement and headroom of the kitchen user is maintained at all times.
Independent of the momentum, all AVENTOS flaps always close gently and quietly.

With SERVO-DRIVE, the electric motion support system, swivel flap doors and folding/lifting doors can be opened with the slightest touch, and closed again by pressing once on the easy-to-reach switch inside the carcase.
The Servo-Drive equipment is optionally available for a surcharge.



Flap

- Ideal for medium to small flaps on wall, dresser, and tall units.
- Due to the movement of the flap door, there is a minimal space requirement at the top
- Available in carcase heights of 360 mm
- Opening angle: 107°

Folding/lifting door

- Ideal for high wall units
- Easy-to-reach handle, even with the flap open
- Thanks to the split front, it requires little space even with larger carcase heights
- The intermediate hinge prevents fingers from getting pinched
- Available in carcase heights of 576 mm, 720 mm and 792 mm
- Available optionally equipped with Servo-Drive (MP-SD) for a surcharge









Swivel flap door

- Ideal for large, one-piece fronts
- Small space requirement due to swivel motion
- Available in 720 mm carcase height
- Available optionally equipped with Servo-drive (MP-SD) for a surcharge

Lifting door in tall unit

- Ideal for planning microwaves behind lifting doors. The aperture behind the lifting door can accommodate a microwave of max. 370 mm height and 510 mm width.
- Ideal for tall units beneath other fronts
- Easy access to stored goods
- Available product range in all highboard and tall unit heights.

Quality and function

The high quality design of the carcase elements in addition to the well-thought out fittings technology is the result of many years of experience and continual process improvements in the production flow.
All the materials and functioning fittings we use are tested in our in-house QM laboratory to ensure a minimum operating life of 15 years.




Construction shelves, trusses, Safety glass

- Extremely robust construction shelf and crossbars for base and tall units
- Top crossbars for base units: natural grey colour for uniform appearance
- Safety glass is used for glass doors, glass shelves and glass niche cladding as well as accessory elements made of glass.
- All base units upwards of 800 mm are supplied with a specially reinforced metal crossbar.
- As an option, a metal crossbar reinforcement can be ordered for installation on site for base units and sink units of 800 mm width and more, see base unit accessories (TRAVM*)

Wall unit mounting


- Mounting rails are included with delivery of all wall units
- Secure mounting in honeycomb brick, sand-lime brick and concrete
- Freely suspended wall units must be secured by an anti-tip system (chapter 10, order No. 2639) to prevent lateral displacement
- Spacer for accommodating wall projections such as tiles are included with the unit
- Hidden wall unit mounting with convenient adjustment options
- The maximum load for wall units is 75 kg; whereby each shelf has a maximum load capacity of 16 kg













Back Panels

- Protruded back panels ensure good air circulation between the wall and kitchen furniture
- No interior gap formation visible
- Long-lasting, permanently sturdy
- Variable for the fitter on site
- Back panels are also screwed / bolted to the carcase in 7 mm deep grooved sides
- Back panel treated with protective lacquer coating on both faces
- Galvanised metal connection screws with pressed washers for connecting individual units
- Unit sides are not pre-drilled for connection screws

1200 mm wide wall units

- The extra wide wall unit comes standard equipped with a handle profile in the bottom shelf. This prevents sagging of the bottom shelf.
- The back panel has a centre hanger and a third wall unit mounting suspension.
- An additional shelf support in the centre mounting suspension also prevents sagging of the shelves.
- Together these factors ensure better stability and safety. The wall unit load capacity is 75 kg.
- Available in 360 mm height with flaps or in 576 mm, 720 mm and 792 mm height with folding / lifting doors.

Corner solutions for base units

nobilia corner solutions give you absolute freedom in planning through alternative dimensions, customised convenience and ideal access to storage space.

- Planning dimensions for corners without storage space: 650 x 650 mm (angle filler for “dead corner”)
- Planning dimensions for corner units: 800 x 800 mm, 900 x 900 mm
- Planning dimensions for diagonal corner units: 800 x 800 mm, 900 x 900 mm
- Planning dimensions for half corner base units:
  650 (630) - 750 mm x 1050 (1030) - 1150 mm
  650 (630) - 750 mm x 1100 (1080) - 1200 mm
  650 (630) - 750 mm x 1150 (1130) - 1250 mm
  650 (630) - 750 mm x 1250 (1230) - 1350 mm
  Planning dimension changes from minus 20 mm to plus 100 mm are possible at the factory.



Angle filler UPE*
“unused corners”

- Affordable
- The corner solution with an angle filler offers no storage space.



Corner base unit U(D)TE*
with shelves

- Price-oriented storage solution
- Easy access due to 165° hinge
- Can be disassembled on site
- Load capacity per shelf up to 50 kg/m²



Carousel units
UE(D)K*/UE(D)T*, 360°

- Mid-priced segment
- Intermediate level operating comfort
- Clear overview thanks to height-adjustable rotary shelves
- Can be disassembled on site
- 3D Front adjustment
- Adjustable closing force
- Load capacity per shelf: 25 kg



Diagonal
corner unit UE(D)*

- Diagonal corner solution with shelves
- Price-oriented storage solution
- Can be disassembled on site
- Load capacity per shelf up to 50 kg/m²



Half corner unit UE(D)*
with shelves

- Price-oriented storage solution
- Load capacity per shelf up to 50 kg/m²



Half corner unit UEBD*
with wooden rotary shelves

- Mid-priced segment
- Half corner unit with wooden shelves and metal railing offers a clear overview of contents.
- Storage space solution with intermediate level operating comfort
- Load capacity per shelf: 15 kg



Half corner unit UE(D)SA*
with swivel pull-out

- High-end segment
- Swivel shelves open out into the kitchen, which make access to the back of the shelf so much easier.
- Excellent use of unit interior thanks to height-adjustable shelves
- Storage space solution with excellent operating comfort.
- Load capacity per shelf: 25 kg

Pull-outs systems for base units

Successful kitchen sales depend strongly on a clear and understandable system for the kitchen product range. Especially in the pull-out organiser segment, we can offer customers tailored functional solutions for their personal requirements.



Full pull-out 150 mm
towel rail, incl. non-slip mat

Just 150 mm wide, but exceptionally convenient: Base unit pull-out with towel rail



Full pull-out 150 mm
2 metal baskets,
incl. non-slip mats

In a narrow space of just 150 mm, next to the cooker or hot plate, for instance, everything you need is at hand. Perfect for storing oil and vinegar or spices.
Load capacity per shelf: 6 kg



Full pull-out 150 mm
Baking tray holder,
incl. non-slip mats

A clever solution for storing excess baking trays and grids.



Full pull-out 300 mm
internal pull-out

This solution is perfect for avoiding excessive splitting of the front grid. It looks like a door but provides perfect, ergonomic organising options. Load capacity per pull-out: 30 kg Latch for simultaneous opening optionally available.



Larder pull-out Junior
300 mm

With its width of 300 mm, the larder pull-out Junior requires little space and offers a high degree of convenience with access to stored items from both sides. Shown here is the variant with the organiser system UBOXX with an adjustable division for knives and cutting board holder.



Pull-out unit

This unit is highly versatile. The pull-out function makes it easy to see and reach all contents of the unit.



Diagonal unit


This practical eye-catcher offers perfect storage solutions for end-of-run or protruded configurations.

Integrated waste separation systems

Sink base unit
with waste separation system
Separato-K




Installation dimensions for
waste separation system
Separato-K




Container division for
waste separation system
Separato-K


SPU(D)A-AK 45
with pull-out system lid
1 x 18 and 2 x 8 litres
1 organic waste lid



SPU(D)A-AK 50
with pull-out system lid
1 x 18 and 2 x 8 litres
1 side organiser
1 organic waste lid




SPU(D)A-AK 60
with pull-out system lid
1 x 18 and 2 x 8 litres
2 side organisers
1 organic waste lid



Sink base unit with
waste separation system Frame




Installation dimensions for
waste separation system Frame




Container division for
waste separation system Frame


SPU(D)A-A 45
with system lid made of metal
2 x 13 litres
container height: 310 mm



SPU(D)A-A 50
with system lid made of metal
2 x 16 litres
container height: 330 mm




SPU(D)A-A 60
with system lid made of metal
1 x 17 and 2 x 8 litres
container height: 310 mm



Pull-out unit with
waste separation system
Euro-Cargo




Installation dimensions for
waste separation system
Euro-Cargo




Container division for
waste separation system
Euro-Cargo

U(D)ASL-EC 45 / 50
NUASL-EC 45 / 50
with cushioned automatic closing,
metal system lid,
2 x 35 litres,
container height: 526 mm



U(D)ASL-EC 60
NUASL-EC 60
with cushioned automatic closing,
metal system lid,
2 x 35 litres, 2 x 10 litres,
container height: 526 / 351 mm




Integrated waste separation systems

Sink base unit with
waste separation system Flex 21




Installation dimensions for
waste separation system Flex 21




500 mm deep

Container division for
waste separation system Flex 21


SPU(D)2A-AF 60
SPU(D)2A-AF 80
SPU(D)2A-AF 90
SPU(D)2A-AF 100
SPU(D)2A-AF 120
1 x 17 and 2 x 8 litres
container height: 210 mm
3 container lids






Organiser module Flex 21
(OMFLEX-56)


In units with a width of 800 mm or more the waste bins and the organiser module Flex 21 (OMFLEX-56) can be moved as desired.



400 mm deep

SPU(D)2AK-AF 60
SPU(D)2AK-AF 80
SPU(D)2AK-AF 90
SPU(D)2AK-AF 100
SPU(D)2AK-AF 120
2 x 13 litres
container height: 210 mm
2 container lids






Organiser module Flex 21
(OMFLEX-46)


In units with a width of 800 mm or more the waste bins and the organiser module Flex 21 (OMFLEX-46) can be moved as desired.



Organiser module Flex 21



OMFLEX-56
Cleaning agent and utensil storage for pull-out depth 500 mm,
Side depth: 561 mm



OMFLEX-46
Cleaning agent and utensil storage for pull-out depth 400 mm,
Side depth: 461 mm

The organiser module can be used in units of 800 mm width or more.
Remaining space in unit with
Flex 21 and organiser module Flex 21:


SPU(D)2A(K)-ASF 80:	50 mm
SPU(D)2A(K)-ASF 90:	150 mm
SPU(D)2A(K)-ASF 100:	250 mm
SPU(D)2A(K)-ASF 120:	350 mm

Integrated waste separation systems

Sink base unit
with waste separation system Flex 33




Installation dimensions for
waste separation system Flex 33




Container division for
waste separation system Flex 33


SPU(D)A-AF 45
with system lid made of metal
2 x 20 litres
container height: 330 mm



SPU(D)A-AF 50
with system lid made of metal
2 x 20 litres
container height: 330 mm




SPU(D)A-AF 60
with system lid made of metal
2 x 26 litres
container height: 330 mm



Pull-out unit
with waste separation



Installation dimensions for
the waste separation system




Container division for the
waste separation system


UASA 30
1 x 18 and 1 x 8 litres,
1 bio lid,
container height: 295 mm




UASA 45
1 x 18 and 2 x 8 litres,
1 bio lid,
container height: 295 mm



UDAASA 60
1 x 17 litres and 2 x 8 litres,
3 container lids,
container height: 210 mm




UAASA 60
2 x 26 litres,
2 container lids,
container height: 330 mm



Pull-out unit
with recycling bin



Installation dimensions for
the recycling bin



UDAWS 30 / UAWS 30
1 recycling bin made of plastic
with system lid made of metal,
44 litres,
container height: 550 mm



Perfectly organised storage space for tall units



Tall unit with
internal pull-ous

- Easy, comfortable access
- Widths: 400, 500 and 600 mm



Larder unit

The larder unit equipped with SoftStopp-Pro cushioned opening and closing glides quietly in and out of the carcase until the movement is gently damped. The unit comes standard equipped with 5 metal box incl. non-slip mats.
From tall unit height 01, all larder units contain 6 metal box incl. non-slip mats.



Pantry unit
Cargo

In the Cargo pantry unit the interior is linked to the door. When the door is opened, the shelves are automatically pulled forwards towards you, thus allowing easy access.



Broom and
appliance unit

Everything you want, everything you need: System grids, cleaning materials baskets, system shelf units, peg board and hose holder for vacuum cleaner are preassembled.



Tall unit for drink crates

Finally space for bulky crates! This design makes it possible to store crates on the backward-sloping holders, making the bottles easy to see and remove.

- 600 mm wide
- 3 holders for different crates
- Load-bearing capacity per holder: up to 35 kg
- The holder is also available separately as an accessory.

Perfectly organised storage space for tall units

The trend toward open concept kitchens that transition into living spaces continues unabated. Modular arrangements, open shelving systems and minimalistic focus on the essentials are what distinguish modern, design-oriented kitchens.
This raises the question: Where to store all the items one uses everyday?
Anyone with their own utility room is very lucky. Since this room must often incorporate many different functions in a small footprint, a practical and ergonomic design with clever individualised solutions is absolutely essential.
Our organising systems for utility room designs help achieve this.



Tall unit with organisation system Laundry Area

- Maximised storage due to practical broom / mop holder and 2 removable utensil containers for pegs and odds and ends
- With recycling collector, consisting of support frame with flap incl. sturdy cotton sack for collecting PET bottles or also for use as hanging device for bin liners



Appliance housing for washing machine / dryer

This appliance housing offers many advantages. Not only are cables and hoses neatly stowed out of sight, but there is also extra storage space.
The raised built-in height enables back-friendly loading and unloading of the washing machine or dryer – relief that is noticeable on a daily basis.
The built-under base is equipped with special TÜV certified metal struts as reinforcement.
Thus, the washing machine remains securely in place even during the spin cycle.



Tall unit with laundry basket tablar Laundry Area

Laundry baskets fit perfectly in the tall unit and can be pulled out on the tablars for easy access: The tall unit with Laundry Area laundry basket tablar provides clearly arranged storage space for laundry and utility room supplies. The laundry baskets can be individually removed as needed or neatly and securely fastened on the tablars. For items used less frequently, additional shelves can be added in the upper part, depending upon the unit height.

You can also find these items for individual ordering in our accessories list, see Tall unit accessories chapter.









A place for everything! Innovative storage solutions.

Intelligent and convenient. We now offer wardrobes and shoe cabinets in tall units. These are great not just for utility room designs, but also for wardrobe and dressing room plans.

Wardrobes and shoe cabinets



H(D)WG(F)*
Wardrobe unit
- Widths: 400, 600 mm
- all tall unit heights
  Variants:
- H(D)WG(F)*: 1 wardrobe rail
- H(D)WGIA(F)*:1 wardrobe rail,
  in the standard tall unit heights
  2 internal drawers and 1 internal pull-out,
  in the XL tall unit heights
  1 internal drawer and 2 internal pull-outs
- In LINE N with vertical recessed handle
  NHSWG(F)*: 1 wardrobe rail
  NHSWGIA(F)*: 1 wardrobe rail,
  in the standard tall unit heights
  2 internal drawers and 1 internal pull-out,
  in the XL tall unit heights
  1 internal drawer and 2 internal pull-outs



H(D)WS(F)*
Shoe cabinet
- Shelves in 2 depths
  (305 / 474 mm)
- all tall unit heights
- Widths: 400, 600 mm
- In LINE N with vertical recessed handle
  NHSWS*

Access doors

Open for more! Access doors are used as a connecting element between the kitchen and a utility room or pantry. Their discreet placement between tall units opens up whole new options for room design. The access doors cannot only be fitted with handles or bar handles, but are also available as a LINE N variant for seamless integration into handleless kitchen designs.



Tall unit access door H(D)WDT*
Line N tall unit access doors NHSWDT*
- 600 / 762 mm width: 1 lug connected door
- 800 / 1000 / 1200 mm: 2 lug connected doors
- Line N only in width: 600 and 762 mm
- 2 upright panels, 16 mm thick
- 1 top shelf, 16 mm thick
- 1 or 2 Plinth Panel(s) with connecting bracket

Tall unit access door HWDTF*
Line N tall unit access doors NHSWDTF*
- 600 mm width: 1 continuous door
- 800 / 1000 / 1200 mm: 2 continuous doors
- Line N only in width: 600 mm
- 2 upright panels, 16 mm thick
- 1 top shelf, 16 mm thick
- 1 or 2 Plinth Panel(s) with connecting bracket

Access doors cannot be planned with a base height of 20 mm (28 mm).



Elegance meets function!
Tall units with a full-length door

Whether in kitchens, living rooms, wardrobes or utility rooms: our tall units with a full-length door are highly versatile and will adapt to your specific needs. They help you keep your space clean and tidy without compromising on design.





Tall units with a full-length door

- The full-length, gap-free door offers practical storage space and adds aesthetic appeal thanks to its large uninterrupted surface.
- Easy access to the entire storage space without opening multiple doors is a highly practical feature.

Order information:
An F for full-length front is added to all abbreviations:
H60 → HF60 / HI60 → HIF60 / HA30 → HAF30 etc.

Information:
Not available with bar handle in drill pattern 17 and 19.

Tension fitting for tall units with full length door

- All full length tall unit doors of heights 1 to 3 incl. XL are serially fitted with a tension fitting, with the exception of the larder unit.
- This applies to widths 300, 400, 500 and 600 mm.
- For highboard heights, the tension fitting (MP-SPANN, article no. 7808) is available as an option.
- The tension fitting is positioned at the centre on the inside.

FurnSpin - a quick-change artist with added value

With the innovative pivot-swivel hinge, the FurnSpin end unit sets new standards in terms of functionality and design.
The inside of the unit can be elegantly turned completely outwards, transforming it into an open shelf unit in no time at all.
Inside becomes outside, and vice versa. This fascinating change in design gives the room a completely new look depending on the side – without any open doors or flaps in the way. Concealed hinges, soft-close mechanism and push-to-open function combine elegant design with maximum convenience.

- 600 mm wide base unit, heights: 720 and 792 mm
- can only be planned with 100 and 150 mm plinth heights
- Pivot-swivel hinge with 1 fixed shelf in handleless design, with PTO and latching mechanism
- Can be planned at the end of an island or row
- FurnSpin cannot be planned freely and needs to be screwed to the neighbouring units.
- Designs next to base units are not permitted
- For island plans, a joinable unit with a minimum carcase depth of 350 mm must be planned at the rear.
- The FurnSpin is available in a clearly defined range of fronts. The selected front colour automatically determines the matching carcase colour.









Available colours:

Laser 615	Riva 371
427 Alpine white	842 Concrete Sand reproduction
416 White	
415 Sand	
461 Taupe grey	
412 Macchiato	
Senso 357	**Easytouch 945**
490 Lacquer, premium honed alpine white	969 Lacquered laminate, sand ultra matt
488 Lacquer, premium honed white	970 Lacquered laminate, taupe grey ultra matt
491 Lacquer, premium honed slate grey	
483 Lacquer, premium honed macchiato	
496 Lacquer, premium honed black	

Pure individuality – designing with glass and back panel concepts

The glass wall and Air tall units combine modern transparency with technical sophistication. The delicate aluminium frame in black impresses thanks to its integrated handle profile and creates a minimalist, elegant look.
A special highlight: the hinges are completely concealed in the narrow aluminium profile – Air does not only look light and modern, but also has a high-quality finish. The units can optionally be fitted with an accent back panel. This creates specific highlights and shows off your favourite pieces at their best – especially in combination with interior lighting Hide (LSIDH*).

- Glass wall and Air tall units with aluminium framed door with integrated handle profile in 035 grey glass and glass shelves
- Side depth: 350 mm, total depth: 379 mm
- Wall units WGAIR in the widths of 300, 450, 500 and 600 mm, heights: 720, 792, 864 and 1296 mm
- Tall units HGAIR in the widths 300 and 600 mm, all tall unit heights in carcase depth 350 mm
- Air glass cabinets are supplied in the carcase exterior decor on the inside. Additional interior design options are available with the MP-ARW accent back panel at a surcharge.

You will find the Air unit types in chapter 7, Wall units and in chapter 6 in the respective tall unit heights.



Wall and tall units with Ambia framed glass door

Our Ambia glass units combine proven functionality with an exciting approach to design. Key features are asymmetrical glass cut-outs, which break up the classic unit image and set stylish accents.
Additional design options such as an accent rear panel in the unit or wall panels which can be freely attached to the wall behind the furniture create a cosy atmosphere with contemporary style.

- Wall and tall units with Ambia glass doors in various cut-out sizes and positions are available in the widths 450, 500 and 600 mm.
- You can find the matching LED unit interior light Hide LSIDHW-43 in the accessories, chapter Lighting.
- Optionally with accent rear panel MP-ARW at a surcharge, see chapter Surcharge and optional features.
- Can be optionally combined with wall panel for customised planning WPANW* / WPANS*

You can find additional notes and information on the Ambia glass units in chapter 9 More than kitchen.



MP-ARW accent back panel

Available as an optional extra at a surcharge, the accent back panel covers the back panel area of glass cabinet units behind the glass cut-out and therefore offers even more design freedom for impressive contrasts or harmonious colour transitions.

- Available for the type range with Air or Ambia doors and for single-door wall units with (bar) flap with framed glass door
- Structure direction vertical



Wall panel for individual room planning WPANW / WPANS

The WPANW / WPANS wall panel's variable dimensions offer maximum freedom of design and allow it to be integrated perfectly into modern room concepts.

- Available with horizontal grain WPANW or vertical grain WPANS, matches the accent back wall MP-ARW
- Optionally available with notch NVAUSK at the bottom left or bottom right at a surcharge.
- Optionally also with LED light design MP-WPANL (6495)

You can find further notes and information in chapter 9 More than kitchen.

Inviting design elements in detail

Dining tables

- 4 table models with frames in powdered steel in the colour 010 Black, incl. glide adapters.
- The table tops are 24 mm thick and 950 mm deep.
- Available in 5 table top décors.
- Each table model is available in 2 designs.
  3 fixed dimensions of 1600, 1800 and 2000 mm length or as pull-out variant with 500 mm wide attachable or insertable boards.
- LONDON and PORTO dining tables are available with butterfly hinged insert and ETB-POR frontslide pull-out
- Depending on the table model, the maximum pull-out length ranges from 2100 mm to 3000 mm.



Chairs and bar stools

- 5 chair series, available as chair or armchair with frames in the colour 010 Black, with seat height: 480 mm, incl. slide adapter.
- The series “Cross” also includes a bar stool with a seat height of 650 mm and a tall stool with a seat height of 790 mm.
- The chair series feature different frame designs: free-swinging, cross sled frame and central foot with 360° turning function.
- The seat covers are available in 4 colours.
  For available colours and specifications per model, see chapter 9 More than kitchen.



Wall unit system with sliding doors

- Wall unit system with sliding doors in the heights 360 and 720 mm
- Custom-designed from wall unit carcase, sliding door in original front or framed glass version and a runner profile set.
- The runner profile set is available in the fixed lengths of 2500 and 4000 mm.
- The runner profile is adapted on site. Units planned adjacent to one another can be connected by a continuous profile.
- A minimum of 1/3 of the entire unit width must remain free for the sliding of the doors.
- The doors are slid in front of the carcase. For this reason, wall units with sliding doors protrude 8 mm compared to adjacent wall units.
- It can also be planned as a sideboard.



Wall unit with bar flap

- Wall unit with bar flap, 360 mm high
- Available widths: 450, 500, 600, 800, 900 mm
- The flap is equipped with a mechanical opening support mechanism.
- The handle comes standard pre-drilled and positioned at the top of the front.



Designer glass uprights

- Designer glass uprights for end of run or room designs with base units in special height 360 mm and 432 mm.
- Can only be planned in conjunction with 16 mm top shelf ADB16-WG*.
- Available glass colours: Clear glass 01, Grey glass 035
- Available profile colours: 010 Black, 014 Stainless steel appearance

Genuine wood veneer stand-alone furniture in Native Oak

Our genuine wood veneer furniture in Native Oak brushed offers plenty of design options for a fully coordinated living space. These pieces of furniture are a great addition to any room - be it as a sideboard, glass cabinet, wall unit, tall unit or midi unit. Matching tables made of the same veneer add to the overall image and give the space a classy atmosphere. Genuine wood veneer furniture is a great eye-catcher, not just as a complete arrangement, but also as stand-alone furniture that truly gets to shine when combined with the uni-coloured unit elements of our latest collection.
You can find the range of types in our More than kitchen chapter, chapter 9.




Living room furniture

- Base unit, wall-mounted and sideboard, floor-standing, carcase height: 864 mm, width: 450 mm, depth: 461 mm
- Base unit with bar flap, wall-mounted and floor-standing, carcase height: 360 mm, widths: 600, 900 and 1200 mm, depth: 461 mm
- Pull-out units, wall-mounted and floor-standing in the carcase heights 360 mm, 576 mm and 864 mm, in the widths: 600, 900 and 1200 mm, depth: 461 mm
- Midi unit, wall-mounted, with a door or as a glass cabinet with segmented glass door in grey glass, carcase height: 1296 mm, width: 450 mm, depth: 350 mm
- Highboard and tall unit, floor-standing, with a door or as a glass cabinet with segmented glass door in grey glass, carcase height: 1296 mm, width: 450 mm, depth: 350 mm
- Wall unit with a flap and centre partition, carcase height: 360 mm, width: 1200 mm, depth: 350 mm
- Glass cabinet, wall-mounted with bar flap and centre partition, glass cut-out optionally on left or right in grey glass, optionally also with mirrored back panel, carcase height: 360 mm, width: 1200 mm, depth: 350 mm
- Wall panel with a wall shelf, can be used on the right or left, width: 1200 mm, height: 720 mm and wall panel with 3 wall shelves, rear wall panel 500 mm wide, 1230 mm high, wall shelves 800 mm wide, all-round with 2 mm veneered edge, optionally with LED light design

General information

- All types are equipped with a mechanical opening support mechanism
- Height, width and depth reductions are not permitted for any variant
- We recommend planning a top shelf for base units, pull-out units, sideboards and highboards with side heights up to 1296 mm and for wall units and glass cabinets with a carcase height of 360 mm.





Genuine wood veneer

- Natural, classy look thanks to genuine wood
- Durable natural hard wax surface
- Great feel
- Honed surface



Dining tables

- Dining tables with genuine wood veneered table top with Swiss edge, 24 mm thick
- 3 frame designs available in 010 Black
- 2 attachable boards of 500 mm length each
- Available sizes:
  Table height 760 mm, table width 950 mm
  available fixed table lengths: 1600, 1800, 2000 mm
  with Frontslide or Syncro-Frontslide pull-out: 2600, 2800, 3000 mm
  with Frontslide pull-out and butterfly hinged insert (only for Oslo model): 2400 mm, 2800 mm, 3000 mm

Coffee tables

The coffee tables Dublin CT-DUB* and Dakar CT-DAK* can be used as stand-alone elements or combined with a matching dining table in an open-plan living space. Table frame in powder-coated steel incl. gliders

- Available in 2 sizes: 800 x 800 mm and 1200 x 800 mm
- Frame colour: 010 Black

For a stylish start to the day

Breakfast unit BKFST*

The elegant breakfast unit combines functionality with a cosy design. Available in 2 widths, it creates the impressive look shown with plenty of storage when placed in a duo.
There is generous storage behind the lower fronts. Behind the upper doors, the interior is in Sierra oak and acts as a perfect extension of the cottage style.

- Widths: 500 and 600 mm
- Insertable shelves and accent back panel behind the upper door in Sierra oak
- Delivery includes 1 door shelf set in solid oak wood.

Available in all tall unit heights and all front ranges.

The oak door shelf set TRSET50/60E for tall units is also available separately as an accessory, see accessories list, Tall unit accessories chapter.





Unique design options with Case

Our range of Case products opens up options for personalised design for the kitchen, bathroom and living segment. Case lets you create matching interior designs even across rooms and is perfect as a colourful accent, beautiful storage space expansion or simply to create more space for your favourite items. Our special design advice: You can also combine Case with our dining table product range. Table tops to match our Case inserts are available for all ET* / ETA* dining tables.

Case shelf inserts



Case CE* shelf inserts

- Available widths: 300 to 1200 mm,
  in height 573 mm only up to 600 mm width
- Designs for side depth 461 / 561 mm:
- Heights: 285 mm, 357 mm
- Usable depth: 401 mm, usable width: unit width - 88 mm,
  usable height: shelf insert height - 82 mm
  available for unit width: 300 - 1200 mm
- Designs for side depth 350 mm:
- Heights: 285 mm, 357 mm, 573 mm
- Usable depth: 290 mm, usable width: unit width - 88 mm,
  usable height: shelf insert height - 82 mm
  available for unit width: 300 - 1200 mm,
  shelf unit height 573 mm is only available for unit width 300 - 600 mm
- CE* in 573 mm height are equipped with a glass shelf.
- Case shelf inserts can also be equipped with the LED design NovaPlus using surcharge MP-LNP-O

The product range

- For Case designs, a Case unit element in the original front design is always combined with a Case CE* shelf insert in the matching height.
- This allows the shelf insert to create a colour highlight within a conventional furniture design.
- To make it easier to combine elements, unit elements of each category (base units, wall units, midi units, etc.) and shelf inserts of the matching height are listed directly under each other in the relevant chapters.
- Available in 4 décors:
  097 Havana oak reproduction, 198 Sierra oak reproduction
  354 Concrete Slate Grey reproduction, 399 Milano walnut reproduction

Planning information

- By default, the open compartments of the unit elements are white on the inside.
- Therefore, the Case CE* shelf insert is required and must be included in the order.
- Height, width and depth reductions are not permitted!

Table of contents

Item	Page
General information	M 0.2 - 0.4
Extranet	M 0.2
Digital sales manual	M 0.2
Seal of quality	M 0.3
Block pricing method 2025	M 0.4
Goodwill provision	M 0.4
Quality features / Technical information	M 0.5 - 0.38
nBOX. The new exclusive drawer system	M 0.5 - 0.11
1 Fronts	M 1.1 - 1.87
Overview of ranges	M 1.1
New features	M 1.2
Fronts	M 1.3 - 1.85
Overview of discontinued models	M 1.86 - 1.87
2 Design Overviews / Equipment Options	M 2.1 - 2.52
Swatch	M 2.1 - 2.2
Carcase colours / Shelf unit colours	M 2.2
Bevelled shelf units and wall shelves	M 2.3
Case with Case shelf inserts	M 2.4
Design with sliding doors	M 2.5
Glass door design	M 2.6 - 2.8
Cottage style design elements	M 2.9
Worktop décors / Xtra worktop décors	M 2.10 - 2.18
Quartz worktop décors, Xtra Ceramic	M 2.19 - 2.20
Handle ordering information	M 2.21
Overview of handles	M 2.22 - 2.23
Handles selection subject to surcharge	M 2.24 - 2.29
Screw-on bar handle for the Sakura design line (subject to surcharge)	M 2.24
Equipment options / Surcharges / Special productions	M 2.31 - 2.52
Carcase interior décor and nBOX equipment options	M 2.31 - 2.33
Special equipment for base units	M 2.34 - 2.35
Equipment options for shelf units	M 2.36
Equipment options for tall units	M 2.37
Equipment options for selected glass doors	M 2.38
Equipment options and surcharges for wall units and dresser units	M 2.39 - 2.40
Light designs for wall units	M 2.41 - 2.45
Equipment options and surcharges for LINE N/LINE ONE base units, highboards and tall units	M 2.46 - 2.48
Equipment options for bathroom base units	M 2.49 - 2.50
Special productions	M 2.51 - 2.52
3 Base units	M 3.1 - 3.85
Special equipment for base units	Chapter index, reverse
Base units, carcase height 720 mm	M 3.1 - 3.28
End unit FurnSpin	M 3.7
Base units for shelf insert Case	M 3.8 - 3.9
Corner base units	M 3.9 - 3.12
Open shelf base units	M 3.12 - 3.13
Angle fillers / Fillers / Panelling	M 3.13 - 3.16
Plinth solutions	M 3.17 - 3.18
Cooker housings / Hot plate units	M 3.19 - 3.20
Hot plate unit for downdraft extractor fan	M 3.21 - 3.22
Sink units	M 3.22 - 3.27
Sink unit, accessible	M 3.27
Doors / Fronts for integrated appliances	M 3.27 - 3.28
XL Base units, carcase height 792 mm	M 3.29 - 3.54
XL End unit FurnSpin	M 3.35
XL Base units for shelf insert Case	M 3.35 - 3.36
XL Corner base units	M 3.37 - 3.39
XL Open shelf base units	M 3.40 - 3.41
XL Angle fillers / XL Fillers / XL Panelling	M 3.41 - 3.44
XL Cooker housings / XL Hot plate units	M 3.45 - 3.46
XL Hot plate units for downdraft extractor fan	M 3.47 - 3.48
XL Sink base units	M 3.48 - 3.53
XL Doors / Fronts for integrated appliances	M 3.53 - 3.54
Maxi base units, carcase height 864 mm	M 3.55 - 3.71
Mini base units, carcase height 576 mm	M 3.72 - 3.74
Base units in special heights	M 3.77 - 3.85
Open shelf units Smartcube	M 3.79 - 3.80 / 3.84 - 3.85
Designer glass upright panels	M 3.80 - 3.81 / 3.85
4 Worktops / Niche cladding	M 4.1 - 4.44
Order information for worktops	Chapter index, reverse
Worktops 38 mm thick / Console panels 100 mm thick	M 4.1 - 4.2
Worktop processing	M 4.3 - 4.4
Cut-outs for flush mounting	M 4.5
Table top in boat and kidney shape	M 4.6 - 4.7
Worktop tables and breakfast bars	M 4.8
Worktops, 25 mm thick	M 4.9 - 4.12
Slim Line worktop, 16 mm thick	M 4.13 - 4.17
Slim Line wortop for the Sakura design line	M 4.14
Niche cladding and recessed shelves	M 4.18 - 4.21
Niche cladding with motifs / Motif overview	M 4.22 - 4.27
Glass niche claddings	M 4.28 - 4.31
Accessories for niche cladding / Carcase material	M 4.32
Quartz worktops	M 4.33 - 4.39
Xtra Ceramic, Ceramic worktops	M 4.40 - 4.44
5 Upright panels / Top shelves / Wall shelves / Pilasters	M 5.1 - 5.49
Special equipment / Dimensional drawings for upright panels	Chapter index, reverse M 5.1 - 5.23
Top shelves	M 5.24 - 5.28
Wall shelf units	M 5.29 - 5.38
Sakura design line	M 5.39 - 5.44
Pilasters	M 5.45 - 5.49
6 Highboards / Tall units	M 6.1 - 6.153
Special equipment for highboards and tall units	Chapter index, reverse
Highboards, carcase height 1512 mm	M 6.1 - 6.13
Highboards, diagonal	M 6.2
Highboard height appliance housings	M 6.6 - 6.10
Highboard open shelf units	M 6.11
Highboard open Fillers / Panelling	M 6.12 - 6.13
XL Highboards, carcase height 1584 mm	M 6.15 - 6.27
XL Highboards, diagonal	M 6.16 - 6.17
XL Highboard height appliance housings	M 6.20 - 6.24
XL Highboard open shelf units	M 6.25
XL Highboard fillers / Panelling	M 6.26 - 6.27
Housings for dishwashers in special height	M 6.29 - 6.33
Tall units height 1, carcase height 2016 mm	M 6.35 - 6.53
Tall units height 1, diagonal	M 6.36 - 6.37
Glass tall unit Air height 1	M 6.37
Tall unit height 1 appliance housings	M 6.40 - 6.49
Open shelf tall units	M 6.50
Tall unit access doors	M 6.51 - 6.52
Tall unit fillers / Panelling	M 6.52 - 6.53
Tall units height 1 XL, carcase height 2088 mm	M 6.55 - 6.73
Tall units height 1 XL, diagonal	M 6.56 - 6.57
Glass tall unit Air height 1 XL	M 6.57
Tall unit height 1 XL appliance housings	M 6.60 - 6.69
Open shelf tall units	M 6.70
Tall unit access doors	M 6.71 - 6.72
Tall unit fillers / Panelling	M 6.72 - 6.73
Tall units height 2, carcase height 2088 mm	M 6.75 - 6.93
Tall units height 2, diagonal	M 6.76 - 6.77
Glass tall unit Air height 2	M 6.77
Tall unit height 2 appliance housings	M 6.80 - 6.89
Open shelf tall units	M 6.90
Tall unit access doors	M 6.91 - 6.92
Tall unit fillers / Panelling	M 6.92 - 6.93
Tall units height 2 XL, carcase height 2160 mm	M 6.95 - 6.113
Tall units height 2 XL, diagonal	M 6.96 - 6.97

An index will be available for download on the extranet from 20 October 2025.

Table of contents

Item	Page
Glass tall unit Air height 2 XL	M 6.97
Tall unit height 2 XL appliance housings	M 6.100 - 6.109
Open shelf tall units	M 6.110
Tall unit access doors	M 6.111 - 6.112
Tall unit fillers / Panelling	M 6.112 - 6.113
Tall units height 3, carcase height 2160 mm	M 6.115 - 6.133
Tall units height 3, diagonal	M 6.116 - 6.117
Glass tall unit Air height 3	M 6.113
Tall unit height 3 appliance housings	M 6.120 - 6.130
Open shelf tall units	M 6.130
Tall unit access doors	M 6.131 - 6.132
Tall unit fillers / Panelling	M 6.132 - 6.133
Tall units height 3 XL, carcase height 2232 mm	M 6.135 - 6.153
Tall units height 3 XL, diagonal	M 6.136 - 6.137
Glass tall unit Air height 3 XL	M 6.137
Tall unit height 3 XL appliance housings	M 6.140 - 6.120
Open shelf tall units	M 6.150
Tall unit access doors	M 6.151 - 6.152
Tall unit fillers / Panelling	M 6.152 - 6.153
7 Wall units	**M 7.1 - 7.71**
Light designs for wall units	Chapter index, reverse
Wall units, carcase height 360 mm	M 7.1 - 7.5
Wall units, carcase height 576 mm	M 7.6 - 7.10
Wall units height 1, carcase height 720 mm	M 7.11 - 7.22
Glass wall unit Air height 1	M 7.14
Corner units in wall unit height 1	M 7.17
Wall units for shelf insert Case height 1	M 7.18
Open shelf wall units / Fillers / Panelling	M 7.19 - 7.22
Wall units height 2, carcase height 792 mm	M 7.23 - 7.32
Glass wall unit Air height 2	M 7.26
Corner units in wall unit height 2	M 7.28
Wall units for shelf insert Case height 2	M 7.28 - 7.29
Open shelf wall units / Fillers / Panelling	M 7.29 - 7.32
Wall units height 3, carcase height 864 mm	M 7.33 - 7.40
Glass wall unit Air height 3	M 7.36
Corner units in wall unit height 3	M 7.36
Wall units for shelf insert Case height 3	M 7.37
Open shelf wall units / Fillers / Panelling	M 7.38 - 7.40
Wall units, 1296 mm	M 7.41 - 7.43
Dresser units on worktops	M 7.45 - 7.54
Dresser units, carcase height 754 mm	M 7.45
Dresser units, carcase height 1258 mm	M 7.46 - 7.48
Dresser units, carcase height 1330 mm	M 7.49 - 7.51
Dresser units, carcase height 1402 mm	M 7.52 - 7.54
Dresser unit for free-standing fridges	M 7.55 - 7.57
Wall units for Cooker hoods / Canopy hoods	M 7.59 - 7.63
Cornices and light pelmets, Cornice shelves	M 7.65 - 7.68
Top shelf, bridging shelf	M 7.69 - 7.71
8 LINE N - The handle-less kitchen	**M 8.1 - 8.178**
Product Features & Planning Information	M 8.1 - 8.12
Design Overview LINE ONE	M 8.3
Dimension Overviews	M 8.13 - 8.16
LINE N Base units	M 8.17 - 8.31
End of run base unit Curve	M 8.17
Corner base units	M 8.20 - 8.21
Cooker housing units / Hot plate units	M 8.22 - 8.25
Sink units	M 8.26 - 8.31
Fillers / Panelling / Front uprights	M 8.32 - 8.35
Base units in special heights	M 8.36 - 8.37
LINE N XL Base units	M 8.39 / 8.41
XL end of run base unit Curve	M 8.39 - 8.40
XL Corner base units	M 8.42 - 8.43
XL Cooker housing units / XL Hot plate units	M 8.44 - 8.47
XL Sink units	M 8.48 - 8.51
XL Fillers / XL Panelling / XL Front uprights	M 8.53 - 8.56
Base units in special heights	M 8.56 - 8.57
LINE N Highboards with horizontal recessed handle	M 8.59 - 8.102
Highboards, carcase height 1512 mm	M 8.59 - 8.61
XL Highboards, carcase height 1584 mm	M 8.66 - 8.72
Tall units Height 1, carcase height 2016 mm	M 8.73 - 8.77
Tall units Height 1 XL, carcase height 2088 mm	M 8.78 - 8.82
Tall units Height 2, carcase height 2088 mm	M 8.83 - 8.87
Tall units Height 2 XL, carcase height 2160 mm	M 8.88 - 8.92
Tall units Height 3, carcase height 2160 mm	M 8.93 - 8.97
Tall units Height 3 XL, carcase height 2232 mm	M 8.98 - 8.102
LINE N Highboards with vertical recessed handle	M 8.103 - 8.168
Highboards, carcase height 1512 mm	M 8.103 - 8.107
XL Highboards, carcase height 1584 mm	M 8.108 - 8.112
Tall units Height 1, carcase height 2016 mm	M 8.113 - 8.121
Tall unit access doors height 1 XL	M 8.121
Tall units Height 1 XL, carcase height 2088 mm	M 8.122 - 8.130
Tall unit access doors height 1 XL	M 8.130
Tall units Height 2, carcase height 2088 mm	M 8.131 - 8.139
Tall unit access doors height 2	M 8.139
Tall units Height 2 XL, carcase height 2160 mm	M 8.140 - 8.148
Tall unit access doors height 2 XL	M 8.148
Tall units Height 3, carcase height 2160 mm	M 8.149 - 8.157
Tall unit access doors height 3	M 8.157
Tall units Height 3 XL, carcase height 2232 mm	M 8.158 - 166
Tall unit access doors height 3 XL	M 8.166
Profiles	M 8.167 - 8.168
LINE N Wall units	M 8.169 - 8.178
Light designs for LINE N wall units	Chapter index, reverse
Wall units, carcase height 360 & 576 mm	M 8.169 - 8.170
Wall units Height 1, carcase height 720 mm	M 8.171 - 8.173
Wall units Height 2, carcase height 792 mm	M 8.174 - 8.175
Wall units Height 3, carcase height 864 mm	M 8.176 - 8.177
Wall units for cooker hoods	M 8.178
9 More than kitchen	**M 9.1 - 9.162**
Information and design suggestions for bathroom designs	M 9.1 - 9.17
Information and design suggestions for living spaces	M 9.19 - 9.28
Base units / Occasional furniture - Mirrored cabinets for bathroom and living room designs	M 9.29 - 9.47
LINE N Base units / Occasional furniture - Mirrored cabinets for bathroom and living room designs	M 9.49 - 9.58
Console shelves for bathroom and living room designs	M 9.59
Upright panels / Top shelves for bathroom and living space designs	M 9.60 - 9.76
Upright panels for bathroom base units for the Sakura design line	M 9.60 - 9.61
Bevelled upright panels	M 9.71 - 9.76
Framed glass door Ambia/ Glass cabinets / Highboards and tall units / Shelf insert Case	M 9.77 - 9.85
Wall and tall units with framed glass door Ambia	M 9.77 - 9. 79
Genuine wood veneer stand-alone furniture	M 9.86 - 9.93
Media furniture / Wall panels / (Bevelled) Coffee tables	M 9.94 - 9.105
Dining tables / Chairs and bar stools	M 9.106 - 9.117
Pole-mounted shelving system	M 9.119 - 9.127
Sign Emotion shelving and railing system / Free wall shelf	M 9.128 - 9.136
Sliding door system	M 9.137 - 9.151
Shoe cabinet and wardrobe elements	M 9.152 - 9.162
10 Front panels / Individual components / Planning information	**M 10.1 - 10.55**
Dimensional Sketches - Front views	M 10.1 - 10.8
Dimensional Sketches - Front views LINE N	M 10.9 - 10.16
Overview front dimensions standard and maxi doors	M 10.16
Front panels	M 10.17
Front panels LINE N	M 10.18 - 10.24
Glass doors	M 10.25 - 10.27
Individual components	M 10.28 - 10.30
Dimensional drawings / Planning Instructions / Installation information	M 10.31 - 10.37

An index will be available for download on the extranet from 20 October 2025.

Table of contents

Item	Page
1 Base unit accessories / Sink unit accessories / Waste collector	Z 1.1 - 1.19
Cutlery trays and pull-out organisers	Z 1.1 - 1.7
Anti-slip mat for base units	Z 1.8
Base unit accessories	Z 1.9 - 1.12
Plinth foot frames for base units and sideboards	Z 1.13
Accessories for sink units	Z 1.14 - 1.15
Waste collecting systems	Z 1.16 - 1.18
Accessories for waste systems	Z 1.19
2 Worktop accessories	Z 2.1 - 2.17
Upstands	Z 2.1 - 2.3
Support consoles	Z 2.3 - 2.4
Support legs and table frames	Z 2.4 - 2.8
Sockets	Z 2.8 - 2.13
Accessories for worktops	Z 2.14 - 2.15
Railing systems	Z 2.15 - 2.17
3 Tall unit accessories / Wall unit accessories / General accessories	Z 3.1 - 3.14
Tall unit accessories	Z 3.1 - 3.3
Accessories for wardrobe units	Z 3.4
Design shelves Taro	Z 3.4 - 3.6
Accessories for wall units	Z 3.7 - 3.8
Cooker hoods accessories	Z 3.8
Mounting sets	Z 3.9
Internal drawers and pull-outs nBOX	Z 3.10 - 3.11
nBOX equipment options	Z 3.11
nBOX design options	Z 3.11 - 3.12
General accessories	Z 3.12 - 3.14
4 Lighting	Z 4.1 - 4.16
Light fixtures	Z 4.1
Top shelf lights / Recess lights	Z 4.1 - 4.3
Fluorescent tubes / Ceiling lights	Z 4.4
Ambience illumination	Z 4.4 - 4.7
Accessories for lights	Z 4.7 - 4.8
Philips Hue LED niche light	Z 4.9
Converter for built-in light Philips Hue	Z 4.10
Accessories for Philips Hue	Z 4.11
Wattage for LED lighted designs	Z 4.12 - 4.13
Assignment Accessories	Z 4.14 - 4.16
5 Accessories for bathroom and living room designs	Z 5.1 - 5.13
Mirror	Z 5.1 - 5.3
Accessories for mirrored bathroom cabinets WBSP	Z 5.4 - 5.5
LED frame for mirrored cabinets	Z 5.5
Towel rails	Z 5.6 - 5.7
Accessories and interior organisation	Z 5.8 - 5.9
Bathroom lighting	Z 5.9 - 5.11
LED lighting profile for 10 mm upright panels	Z 5.9
Wattage for LED lighted designs	Z 5.12 - 5.13
6 Hand basins and basin tops	Z 6.1 - 6.40
Surface-mounted hand basin	Z 6.1 - 6.8
Semi-inset surface-mounted hand basin	Z 6.8 - 6.9
Furniture hand basin	Z 6.10 - 6.28
Brand-name hand basin	Z 6.29
Hand basin accessories	Z 6.30 - 6.33
Hand basin taps	Z 6.34 - 6.40

Item	Page