2

Design Overviews
Equipment options and surcharges
Special productions

2 Design Overviews

Swatch



Matt décors: carcase / upright panel

070	Satin grey
071	Taupe grey
078	Sanremo oak reproduction
089	Stone grey
097	Havana oak reproduction
106	White
120	Ivory matt
122	Sand
127	Black 1.)
133	Macchiato
193	Alpine white
194	Slate grey
198	Sierra oak reproduction

Special colours

014	Stainless steel appearance
022	White gloss
047	Coffee textured 2.)
049	Mirror décor, waterproof
058	Black, waterproof
060	Alpine white gloss
067	Coffee 4.)
114	Stainless steel appearance, waterproof
116	Ivory gloss
197	Nero oak reproduction 3.)
211	Bronze metallic colour
296	Yellow gold coloured

Matt décors: worktop / upright panel

123	Virginia oak reproduction
126	Oak Montreal reproduction
149	Concrete Terra grey reproduction
192	Oak Provence reproduction
201	Concrete Sand reproduction
205	Vikings Oak reproduction
214	Black marble reproduction
218	Pangaea grey marble reproduction
220	Arizona pine reproduction
231	Oak Bergamo reproduction
235	Venato Bianco marble reproduction
236	Mystic grey marble reproduction

1.) Recommended as plinth panel for the Structura 403 front and Senso 496, 2.) Matches Look 605 fronts, 3.) Matches Structura 403 fronts, 4.) Matches Look 604 fronts

Swatch



Matt décors: worktop / upright panel

237	Jura greige marble reproduction
238	Amber quartzite reproduction
243	Honey oak reproduction
245	Sand textured 4.)
266	Caledonia
272	Timber oak reproduction
320	Venato Nero marble reproduction
322	White Terrazzo reproduction
324	Carrara bronze marble reproduction
330	Concrete grey reproduction
344	Black granite décor
347	Taxus reproduction
349	Sand grey travertine reproduction
350	Flamed finish bronze granite reproduction
351	Green quartzite reproduction
353	White Concrete reproduction
354	Concrete Slate Grey reproduction
356	Endgrain oak reproduction
361	Caspian grey marble reproduction
362	Como oak reproduction
366	Black textured
376	Limestone reproduction
378	Black Concrete reproduction
392	Nevada oak reproduction
398	Natural walnut reproduction
399	Milano walnut reproduction

Xtra worktop décors / upright panels

367	Artisan oak reproduction
369	Stone grey slate reproduction
373	Grey slate reproduction
381	Honed alpine white Xtra
389	Honed macchiato Xtra

Lacquer, ultra high gloss décors

Upright panels and top shelves are only available in 16 mm thickness!

467	Lacquer, sand ultra high gloss 5.)
470	Lacquer, alpine white ultra high gloss 5.)

5.) Matches Focus 312 fronts

Swatch



Lacquer high gloss décors

Upright panels and top shelves are only available in 10 mm and 16 mm thickness!

512	Lacquer, white high gloss
513	Lacquer, taupe grey high gloss
516	Lacquer, alpine white high gloss
519	Lacquer, satin grey high gloss

High gloss décors

Not available for 10 mm thick upright panels and top shelves!

023	White high gloss
306	Alpine white high gloss
311	Slate grey high gloss
455	Satin grey high gloss
642	Black high gloss
702	Ivory high gloss
727	Sand high gloss

Lacquered laminate, supermatt

Upright panels and top shelves are only available in 10 mm and 16 mm thickness!

216	Lacquered laminate, brushed steel reproduction 6.)
061	Brushed steel reproduction, waterproof
332	Lacquered laminate, alpine white supermatt 7.)
334	Lacquered laminate, slate grey supermatt 7.)
336	Lacquered laminate, ivory supermatt 7.)
337	Lacquered laminate, aqua supermatt 7.)
254	Aqua 7.)
338	Lacquered laminate, satin grey supermatt 7.)
340	Lacquered laminate, black supermatt 7.)
341	Lacquered laminate, stone grey supermatt 7.) 8.)

Lacquered laminate, ultramatt

Upright panels and top shelves are only available in 10 mm and 16 mm thickness!

744	Lacquered laminate, Oak Montreal reproduction 9.)
961	Lacquered laminate, graphite black ultra matt 10.)
096	Graphite black
963	Lacquered laminate, rust red ultra matt 10.)
021	Rust red
964	Lacquered laminate, Mineral green ultra matt 10.)
208	Mineral green
966	Lacquered laminate, Fjord blue ultra matt 10.)
212	Fjord blue
967	Lacquered laminate, alpine white ultra matt 10.)
968	Lacquered laminate, white ultra matt 10.)
969	Lacquered laminate, sand ultra matt 10.)
970	Lacquered laminate, taupe grey ultra matt 10.)

Matches the range: 6.) Inox 808, 7.) Touch 317, 8.) Cascada 684, 9.) Natura 157, 10.) Easytouch 945

Swatch

		Carcase colour	Plinth panel	Worktop décor, 38 mm	Worktop décor, 25 mm	Slim Line Worktop décor, 16 mm	Console panel, 100 mm	Shelf unit	Bevelled shelf unit / wall shelf / upright	Roll-up front colour	Upright	Top shelf	Cornice shelf	Top shelf as cornice	Recessed shelf	Niche cladding	Plug in wall shelf	Wall shelf	Pilaster	Light pelmet LB	Cornice KLF / LBF	Cornice KLA / LBA	Cornice KLC	Cornice KLL / LBL	Cornice KLH / LBH	Cornice KLHC
Lacquer, premium honed	Upright panels and top shelves are only available in 10 mm and 16 mm thickness!																									
483	Lacquer, premium honed macchiato 11.)																									
485	Lacquer, premium honed sky 11.)																									
032	Sky																									
488	Lacquer, premium honed white 11.)																									
490	Lacquer, premium honed alpine white 11.)																									
491	Lacquer, premium honed slate grey 11.)																									
492	Lacquer, premium honed coral 11.)																									
217	Coral																									
494	Lacquer, premium honed jade 11.)																									
111	Jade																									
495	Lacquer, premium honed olive 11.)																									
033	Olive																									
496	Lacquer, premium honed black 11.)																									
Lacquer, perfect honed	Upright panels and top shelves are only available in 16 mm thickness!																									
505	Lacquer, perfect honed coffee 12.)																									
067	Coffee																									
507	Lacquer, perfect honed alpine white 12.)																									
508	Lacquer, perfect honed satin grey 12.)																									
509	Lacquer, perfect honed white 12.)																									
510	Lacquer, perfect honed ivory 12.)																									
788	Lacquer, perfect honed sand 12.), 13.), 14.)																									
791	Lacquer, perfect honed black 13.)																									
Lacquer honed décors	Upright panels and top shelves are only available in 10 mm and 16 mm thickness!																									
168	Lacquer, honed alpine white																									
173	Lacquer, honed white																									
175	Lacquer, honed ivory																									
786	Lacquer, honed Slate grey 13.)																									
Lacquered laminate décors, high gloss	Upright panels and top shelves are only available in 10 mm and 16 mm thickness!																									
450	Lacquered laminate, white high gloss 15.)																									
452	Lacquered laminate, ivory high gloss 15.)																									
453	Lacquered laminate, slate grey high gloss 15.)																									
458	Lacquered laminate, satin grey high gloss 15.)																									
503	Lacquered laminate, alpine white high gloss 15.)																									
Lacquered laminate décors, wood texture	Upright panels and top shelves are only available in 16 mm thickness!																									
613	Lacquered laminate, white wood texture 16.)																									
614	Lacquered laminate, stone blue wood texture 16.)																									
040	Stone blue																									
617	Lacquered laminate, olive wood texture 16.)																									
033	Olive																									
619	Lacquered laminate, macchiato wood texture 16.)																									

Matches the range: 11.) Senso 357, 12.) Softline 187, 13.) Nordic 497, 14.) Sylt 706, 15.) Flash 648, 16.) Frame 419, *) Pilaster colour only for the Nordic 497 range

Swatch

		Carcase colour	Plinth panel	Worktop décor, 38 mm	Worktop décor, 25 mm	Slim Line Worktop décor, 16 mm	Console panel, 100 mm	Shelf unit	Bevelled shelf unit / wall shelf / upright	Roll-up front colour	Upright	Top shelf	Cornice shelf	Top shelf as cornice	Recessed shelf	Niche cladding	Plug in wall shelf	Wall shelf	Pilaster	Light pelmet LB	Cornice KLF / LBF	Cornice KLA / LBA	Cornice KLC	Cornice KLL / LBL	Cornice KLH / LBH	Cornice KLHC
Cottage style	Upright panels and top shelves are only available in 10 mm and 16 mm thickness!																									
772	Lacquered laminate, stone grey 17.)																									
774	Lacquered laminate, white 17.)																									
776	Lacquered laminate, reed green 17.)																									
038	Reed green																									
778	Lacquered laminate, Fjord blue 17.)																									
212	Fjord blue																									
782	Lacquer, honed white 18.)																									
847	Lacquer, honed alpine white 19.)																									
848	Lacquer, perfect honed sand 19.)																									
849	Lacquer, honed ivory 19.)																									

17.) Pilaster design only available for the Cascada 684 range, 18.) Pilaster design only available for the Nordic 497 range, 19.) Pilaster design only available for the Sylt 706 range

Carcase Colours

193 Alpine white

106 White

120 Ivory matt

122 Sand

070 Satin grey

089 Stone grey

133 Macchiato NEW

071 Taupe grey

078 Sanremo oak reproduction

198 Sierra oak reproduction

097 Havana oak reproduction

194 Slate grey*

127 Black

*for surcharge optionally available with carcase interior décor in 194 Slate grey. Not available for other carcase colours.

MP-KID 7947: 96 Points
A surcharge per unit will be invoiced.

For additional ordering information, please refer to Chapter 2 Equipment options and surcharges.

The carcase interior décor for all carcase colours is White by default.

Shelf unit colours



033 Olive NEW

038 Reed green

040 Stone blue NEW

070 Satin grey

071 Taupe grey

078 Sanremo oak reproduction

089 Stone grey

097 Havana oak reproduction

106 White

120 Ivory matt

122 Sand

123 Virginia oak reproduction

126 Oak Montreal reproduction

127 Black

133 Macchiato NEW

149 Concrete Terra grey reproduction

193 Alpine white

194 Slate grey

198 Sierra oak reproduction

201 Concrete Sand reproduction

212 Fjord blue

231 Oak Bergamo reproduction

235 Venato Bianco marble reproduction

272 Timber oak reproduction

320 Venato Nero marble reproduction

330 Concrete grey reproduction

353 White Concrete reproduction

354 Concrete Slate Grey reproduction

362 Como oak reproduction

399 Milano walnut reproduction

Bevelled shelf units and wall shelves, 16 mm thick

Price group 1, carcase colours

070 Satin grey

071 Taupe grey

078 Sanremo oak reproduction

089 Stone grey

097 Havana oak reproduction

106 White

120 Ivory matt

122 Sand

127 Black

133 Macchiato NEW

193 Alpine white

194 Slate grey

198 Sierra oak reproduction

Price group 4, matching Easytouch front colours

961 Lacquered laminate, graphite black ultra matt

963 Lacquered laminate, rust red ultra matt

964 Lacquered laminate, Mineral green ultra matt

966 Lacquered laminate, Fjord blue ultra matt

967 Lacquered laminate, alpine white ultra matt

968 Lacquered laminate, white ultra matt

969 Lacquered laminate, sand ultra matt

970 Lacquered laminate, taupe grey ultra matt



Available range of units

- WFR*/BMFR* bevelled shelf units
  Side depth: 371 mm, 482 mm
  (therefore only suitable as a wall unit or occasional furniture for bathroom projects)
  with glass shelves depending on shelf unit height
- Bevelled wall shelves with VBF16* shelf holder
  16 mm thick, 255 mm deep,
  with all-round polymer edge, bevelled edge at the front
- Bevelled plug-in wall shelf with metal plug-in fitting WBF16*
  16 mm thick, 150 mm deep,
  with all-round polymer edge, bevelled edge at the front





Décors for shelf insert Case CE*



097 Havana oak reproduction



198 Sierra oak reproduction



354 Concrete Slate Grey reproduction



399 Milano walnut reproduction

Shelf insert Case CE* in 3 heights, suitable for kitchen, bathroom and living

- Shelf insert Case for side depth 461 / 561 mm
  in shelf unit heights 285 mm and 357 mm,
  usable depth: 401 mm, usable width: unit width - 88 mm, usable height: shelf insert height - 82 mm
  available for unit width: 300 - 1200 mm

- Shelf insert Case for side depth 350 mm
  in shelf unit heights 285 mm, 357 mm and 573 mm (with glass shelf),
  usable depth: 290 mm, usable width: unit width - 88 mm, usable height: shelf insert height - 82 mm
  available for unit width: 300 - 1200 mm,
  shelf unit height 573 mm is only available for unit width 300 - 600 mm

- Height, width and depth reductions are not permitted!

- By default, the open compartments of the unit elements are white on the inside.
  Therefore, the Case CE* shelf insert is required and must be included in the order.

For Case designs, a Case unit element in the original front design is always combined with a Case shelf insert in the matching height.
This allows the shelf insert to create a colour highlight within a conventional furniture design.
You can also combine Case shelf inserts with our new dining table range.
Table tops to match our Case inserts are available for all ET* / ETA* dining tables.

Surcharge for lighted designs

- The Case shelf inserts can be equipped with the LED design
  NovaPlus in the top shelf using surcharge MP-LNP-O.





For the available Case shelf insert range, refer to the chapter Base units, wall units and chapter 9 More than kitchen.



Front décors for sliding doors



892 Concrete grey
reproduction*
Price group 2



889 Concrete Slate Grey
reproduction*
Price group 2



405 Sierra oak
reproduction*
Price group 3



402 Havana oak
reproduction*
Price group 3

336 Lacquered laminate,
ivory supermatt
Price group 3

338 Lacquered laminate,
satin grey supermatt
Price group 3



341 Lacquered laminate,
stone grey supermatt
Price group 3

488 Lacquer,
premium honed white
Price group 3



491 Lacquer,
premium honed slate grey
Price group 3

967 Lacquered laminate,
alpine white ultra matt
Price group 4

969 Lacquered laminate,
sand ultra matt
Price group 4



970 Lacquered laminate,
taupe grey ultra matt
Price group 4



961 Lacquered laminate,
graphite black ultra matt
Price group 4

101 Mirror (with safety film,
white rear face)
Price group 4



103 Mirror, bronze colour
(with safety film, white rear face)
Price group 7



104 Grey glass
(toughened safety glass, TSG)
Price group 7

* Only available as a continuous door up to a height of max. 2000 mm.
Visually divided fronts with panel-dividing rails are available up to a height of max. 2600 mm.

For the type range and planning information, refer to chapter 9, More than kitchen.

Optional glass variants, modern



Standard glass
no. 01 Clear glass

Available for Nordic 497 range

no. 27 inlay with clear glass
no. 54 horizontal inlay with clear glass



Glass variant surcharges MP-GW (7900)
no. 02 Matt glass


Available for Nordic 497 range
for surcharge MP-GWSP (7908)
no. 28 inlay with matt glass
no. 55 horizontal inlay with matt glass



Glass variant surcharges MP-GW (7900)
no. 39 Black glass

Available for Nordic 497 range
for surcharge MP-GWSP (7908)
no. 29 inlay with black glass
no. 56 horizontal inlay with black glass

Range-dependent glass variants



Glass variant surcharges MP-GW (7900)
no. 23 Ribbed glass


Available for:
Frame 419

NEW



Satin mat and bevelled edges

Available for:
Cascada 684




Satin mat

Available for:
Sylt 706



Glass wall and tall unit Air, WGAIR* / HGAIR*





Door design: Aluminium framed door
with integrated handle profile in Black.
The hinge in Titanium remains almost invisible thanks to the recessed insert.



233 Aluminium framed door in Black with black glass 39

Wall unit with glass doors Square, WSQ*



Door design: Aluminium framed door
Handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance.

Please indicate the glass number in your order.

Designs with light pelmet are not possible.



321 Aluminium framed door in stainless steel appearance with matt glass 02



308 Aluminium framed door in stainless steel appearance with grey glass 035



329 Aluminium framed door in Black with black glass 39

Wall unit with glass doors Flat, WF*



Door design: Aluminium framed door
Handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance.

Please indicate the glass number in your order.

Designs with light pelmet are not possible.



431 Aluminium framed door in
Alpine white with matt glass 02



434 Aluminium framed door in
Slate grey with grey glass 035



438 Aluminium framed door in
Black with black glass 39



440 Aluminium framed door in
Black with black glass matt 48



Cottage style design elements



Recommended Cornice /
Light pelmet:
KLHC / LB



Recommended Cornice /
Light pelmet:
KLC / KLH / LBH



Recommended Cornice /
Light pelmet:
KLHC / LB



Pilaster colour no.:
772 Lacquered laminate, stone grey
774 Lacquered laminate, white
776 Lacquered laminate, reed green
778 Lacquered laminate, fjord blue
Pilaster side colour no.:
089 Stone grey
106 White
038 Reed green
212 Fjord blue

Only available for program Cascada 684.



Pilaster colour no.:
847 Lacquer, honed alpine white
848 Lacquer, perfect honed sand
849 Lacquer, honed ivory
Pilaster side colour no.:
193 Alpine white
120 Ivory matt
122 Sand

Only available for program Sylt 706.



Pilaster colour no.:
782 Lacquer, honed white
786 Lacquer, Slate grey matt
788 Lacquer, perfect honed sand
791 Lacquer, perfect honed black
Pilaster side colour no.:
106 White
194 Slate grey
122 Sand
127 Black

Only available for program Nordic 497.



Material description of worktops

Notes on the decor process

Wood and stone décor reproductions are modelled after these natural materials. The décor directions can - particularly with large wood or stone textures - deviate from one worktop to another. Variations in colour and texture in the décor direction, also in the area of tongue and groove connections - are in no way grounds for complaint.
Several décors exhibit prominant textures, the patterns of which only repeat in sizeable intervals and are thus, not visible on every worktop pattern or these illustrations.
For this reason, you will find a depiction of the décor in its entire length at www.nobilia.de.

Xtra material information

Our Xtra worktop décors impress with their particularly distinctive 3D surface texture, which creates an authentic looking natural stone or wood appearance appearance. Matching upright panels and niche cladding supplement the possibilities for surround designs in this look.
Xtra worktops 38 mm thick are also characterised by an innovative multi-layered structure. The 1.2 mm thick laminate surface creates – on the one hand – the distinctive three-dimensional texture of the décor.
Beneath the laminate lies a 9.4 mm thick innovative functional layer, which significantly increases the water resistance and impact resistance of the worktop.
Glossy spots may develop on deep-matt décors from daily use due to sliding objects back and forth. This effect also occurs with décor 373 Grey slate reproduction and is comparable to the natural ageing that is typical of genuine slate. After some time, the décor takes on its own unique patina. This visual effect in no way limits usability and thus does not constitute a defect.

The functional layer of the 38 mm thick Xtra worktop – which is impervious to swelling – enables flush-mounted installation of selected hobs and sinks in addition to conventional surface-mounted installation.

Quartz material information

Quartz material worktops are distinguished by their high quality appearance and exceptional usability. Quartz material is a composite material that is made from natural quartz of varying grain size along with colour pigments and binding agents.
Due to this process, quartz material retains a very natural appearance. This can naturally result in colour- and / or textural deviations within a single commission.

Surface indentations, pigment accumulations and/or structural variations can occur with all composite materials. These are typical properties of this type of product and do not constitute grounds for complaint.
Even without extra impregnation, quartz is waterproof. The surface is hygienic and without pores, which makes it exceptionally easy to maintain. In addition to conventional surface mounting, quartz worktops allow flush-mounted installation of selected hobs and sinks.

Xtra Ceramic material information

Xtra Ceramic worktops are characterised by their high-quality appearance and a scratch-resistant, pleasantly cool surface. The worktops are equally popular for kitchens and bathrooms thanks to their special aesthetic appearance and pleasant feel.

The patented Xtra Ceramic worktops are moisture-resistant even without waterproofing. Their surfaces are hygienic and non-porous, making them particularly easy to clean.
The worktop and niche thickness of 16 mm is achieved by attaching a substrate board made of recycled plastic (PET). This board is particularly light-weight and pressure-resistant.
The worktops and niches are equipped with an impact-resistant design edge.

In addition to conventional surface mounting, the Xtra Ceramic worktop allows flush-mounted installation of selected hobs and sinks.

General information on flush mounting hobs and sinks

38 mm thick Xtra worktops and our quartz and ceramic worktops allow flush-mounted installation of selected hobs and sinks. The cut-outs required for flush mounting are factory-made for a surcharge (see chapter 4). Installation material and the associated installation manual are included in the scope of delivery.



Flush cut-outs can only be made for hobs and sinks with technical approval for this purpose. These select hobs and sinks can be found in the respective chapters of our appliances and sinks list. They are marked with the symbol shown here.



https://www.nobilia.de/freigabelisten-en

Moreover, additional technically approved hobs and sinks outside of the nobilia range are suitable for flush mounting. Our technically approved list for flush mounting can be found in the nobilia Extranet. It is updated regularly in the Extranet and in the kitchen planning systems used by retailers.
You can also access the list via the QR code.

Further information and notes can be found in the chapters 0 Quality features and 4 Worktops.

Worktop décors 38 mm thick, décor group 1



078 Sanremo oak reproduction
WAP no. 078



097 Havana oak reproduction
WAP no. 097



123 Virginia oak reproduction
WAP no. 123




126 Oak Montreal reproduction
WAP no. 126



149 Concrete Terra grey reproduction
WAP no. 149



192 Oak Provence reproduction
WAP no. 192



193 Alpine white
WAP no. 193



198 Sierra oak reproduction
WAP no. 198




201 Concrete Sand reproduction
WAP no. 201



205 Vikings Oak reproduction
WAP no. 205

Worktop décors 38 mm thick, décor group 1



214 Black marble reproduction
WAP no. 214




218 Pangaea grey marble reproduction
WAP no. 218



220 Arizona pine reproduction
WAP no. 220




231 Oak Bergamo reproduction
WAP no. 231




235 Venato Bianco marble reproduction
WAP no. 235



236 Mystic grey marble reproduction
WAP no. 236



237 Jura greige marble reproduction
WAP no. 237



238 Amber quartzite reproduction
WAP no. 238



243 Honey oak reproduction
WAP no. 243



266 Caledonia
WAP no. 266

Worktop décors 38 mm thick, décor group 1



272 Timber oak reproduction
WAP no. 272



320 Venato Nero marble reproduction
WAP no. 320



322 White Terrazzo reproduction
WAP no. 322



324 Carrara bronze marble reproduction
WAP no. 324



330 Concrete grey reproduction
WAP no. 330



344 Black granite décor
WAP no. 344



347 Taxus reproduction
WAP no. 347



349 Sand grey travertine reproduction
WAP no. 349



350 Flamed finish bronze granite reproduction
WAP no. 350




351 Green quartzite reproduction
WAP no. 351

Worktop décors 38 mm thick, décor group 1



353 White Concrete reproduction
WAP no. 353



354 Concrete Slate Grey reproduction
WAP no. 354



356 Endgrain oak reproduction
WAP no. 356



361 Caspian grey marble reproduction
WAP no. 361



362 Como oak reproduction
WAP no. 362



366 Black textured
WAP no. 366




376 Limestone reproduction
WAP no. 376



378 Black Concrete reproduction
WAP no. 378



392 392 Nevada oak reproduction
WAP no. 392




398 Natural walnut reproduction
WAP no. 398

Worktop décors 38 mm thick, décor group 1



399 Milano walnut reproduction
WAP no. 399


Xtra worktop décors 38 mm thick, décor group 2



369 Stone grey slate reproduction (Xtra)
WAP no. 369



367 Artisan oak reproduction (Xtra)
WAP no. 367



373 Grey slate reproduction (Xtra)
WAP no. 373


Slim Line worktop décors 16 mm thick, décor group 1



198 Sierra oak reproduction
WAP no. 198



201 Concrete Sand reproduction
WAP no. 201



235 Venato Bianco marble reproduction
WAP no. 235



245 Sand textured
NEW
WAP no. 245



320 Venato Nero marble reproduction
WAP no. 320



322 White Terrazzo reproduction
WAP no. 322



324 Carrara bronze marble reproduction
WAP no. 324



330 Concrete grey reproduction
WAP no. 330



344 Black granite décor
WAP no. 344




349 Sand grey travertine reproduction
WAP no. 349

Slim Line worktop décors 16 mm thick, décor group 1



353 White Concrete reproduction
WAP no. 353



354 Concrete Slate Grey reproduction
WAP no. 354



362 Como oak reproduction
WAP no. 362




366 Black textured
WAP no. 366

Xtra worktop décors Slim Line 16 mm thick, décor group 2



367 Artisan oak reproduction (Xtra)
WAP no. 367



373 Grey slate reproduction (Xtra)
WAP no. 373



381 Honed alpine white Xtra NEW




389 Honed macchiato Xtra NEW

Worktop décors 25 mm thick, décor group 1




198 Sierra oak reproduction
WAP no. 198



214 Black marble reproduction
WAP no. 214

NEW




237 Jura greige marble reproduction
WAP no. 237

NEW




243 Honey oak reproduction
WAP no. 243

NEW




354 Concrete Slate Grey reproduction
WAP no. 354

Worktop décors quartz, 12 / 38 mm thick



806 Epic White



802 Epic Raw



804 Epic Black




807 Epic Easy Clay




809 Epic Ash Grain

Worktop décors Xtra Ceramic, 16 mm thick




781 Venato Bianco reproduction



783 Venato Nero reproduction



784 Fossil grey



785 Metal oxide



787 Stone Oak reproduction



790 Plain Black



792 Belgian Blue Stone reproduction



794 Concrete Satin grey reproduction



796 Concrete White reproduction



798 Concrete Sand reproduction

Handle Ordering Information


Required information in your order


Please state the handle number and the drill pattern in your order. This information is crucial. Not all handles and drill patterns are suitable for all fronts. Therefore, when selecting the handle and the drilling pattern, please also bear in mind the individual order information per handle as well as the respective information given on the front pages.

Handles subject to surcharge

The handles shown on the page M 2.22 can be ordered against a surcharge. The price will be invoiced per handle, independent of its length. The required handle lengths are automatically taken into account in the factory and adapted to the individual door sizes.

Available drill pattern






Information for wall units with framed glass doors WG* in drill pattern 01

The standard handle position on wall units with framed glass doors and 150 mm wide pull-outs is drill pattern 02. Consequently, the handle position is always vertical – even for plans with drill pattern 01.

For plans including adjacent wall units with other door shapes we recommend continuous planning – at least for the wall units – in drill pattern 02.



Also for 200 mm wide pull-outs, 200 mm and 250 mm wide doors as well as 800 mm wide carousel corner units, the original handle is supplied in handle position 02 for drill spacing upwards of 160 mm.
For diagonal units, handles can be supplied in handle position 02 depending on the plan.

Information when planning with drill pattern 18

For plans requiring a centred handle position according to drill pattern 18, please take the following special information into account:

- Not possible with the following handles: railing handle 900 and bar handles 300, 350, 550, 600, 690, 730, 760, 810 and 870.
- For pull-outs of 150 and 200 mm width, doors of 200 mm width and carousel corner unit of 800 mm width, the original handle is supplied in handle position 02 for a drill spacing of 160 mm or more.
- When planning a hinged unit, adjacent to a unit of greater depth (e.g. wall unit next to a tall unit), hinge the front away from the adjacent deeper unit, to avoid a handle clash.
- Always plan units, connection and door hinge on the wall side with a filler (minimum dimension = 50 mm). If a filler cannot be planned, change over the door hinged side.
- The corner dimensions on corner base unit solutions in combination with the railing handles 370, 400, 620, 650 and 890 must be at least 650 x 650 mm.
- The corner dimensions on corner wall unit solutions in combination with the railing handles 370, 400, 620, 650 and 890 must be at least 430 x 430 mm.
- Not possible with diagonal units with handles 370, 400, 620, 650 and 890.
- Not possible with diagonal corner wall units with handles 370, 400, 620, 650 and 890.
- Not possible with 244 mm and 544 mm wide fronts with handles 370, 400, 620, 650 and 890.

Only available for the following ranges:

Cascada 684, Easytouch 945, Flash 648, Focus 312, Frame 419, Inox 808, Laser 615, Look 099, Natura 157, Nordic 497, Novalux 115, Riva 371, Senso 357, Softline 187, StoneArt 566, Structura 382, Sylt 706, Touch 317

Overview of handles

handle no.
description
drilling no.
height
drill. distance in mm

• Stainless steel



no. 042
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 34 mm
⌖ ⌖ 160 mm




no. 067
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 28 mm
⌖ ⌖ 160 mm



no. 069
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 27 mm
⌖ ⌖ 160 mm



no. 098
Metal handle
Matt nickel
drilling: 01, 02, 18
H = 29 mm
⌖ ⌖ 160 mm



no. 183
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 35 mm
⌖ ⌖ 128 mm



no. 186
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 28 mm
⌖ ⌖ 128 mm




no. 221
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 32 mm
⌖ ⌖ 160 mm



no. 263
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 35 mm
⌖ ⌖ 160 mm



no. 331
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 32 mm
⌖ ⌖ 160 mm



no. 408
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 36 mm
⌖ ⌖ 160 mm



no. 602
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 38 mm
⌖ ⌖ 160 mm

handle no.
description
drilling no.
height
drill. distance in mm



no. 708
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 27 mm
⌖ ⌖ 160 mm



no. 801
Metal handle
Stainless steel finish
drilling: 01, 02, 18
H = 30 mm
⌖ ⌖ 160 mm



no. 958
Metal handle
Stainless steel finish
drilling: 01, 18
H = 21 mm
⌖ ⌖ 160 mm

• Anthracite / Black



no. 230
Metal handle
Black
drilling: 01, 02, 18
H = 28 mm
⌖ ⌖ 160 mm



no. 251
Metal handle
Black
drilling: 01, 02, 18
H = 33 mm
⌖ ⌖ 160 mm



no. 333
Metal handle
Brushed black
drilling: 01, 02, 18
H = 32 mm
⌖ ⌖ 160 mm



no. 469
Metal handle
Brushed anthracite
drilling: 01, 02, 18
H = 32 mm
⌖ ⌖ 160 mm



no. 502
Metal handle
Black
drilling: 01, 02, 18
H = 32 mm
⌖ ⌖ 160 mm



no. 726
Metal handle
Black
drilling: 01, 02, 18
H = 35 mm
⌖ ⌖ 160 mm



no. 732
Cast iron handle
Black
drilling: 01, 02, 18
H = 38 mm
⌖ ⌖ 160 mm



no. 957
Metal handle
Black
drilling: 01, 18
H = 21 mm
⌖ ⌖ 160 mm

handle no.
description
drilling no.
height
drill. distance in mm

• Metal handles, black, 32 / 16 mm



no. 219
Metal handle
Black
drilling: 01, 18
⌖ ⌖ 32 mm



no. 227
Metal handle
Black
drilling: 01, 18
⌖ ⌖ 32 mm



no. 838 NEW
Metal handle
Black
drilling: 01, 02, 18
H = 27 mm
⌖ ⌖ 16 mm

• Titanium-coloured



no. 262 NEW
Metal handle
Titanium-coloured
drilling: 01, 02, 18
H = 35 mm
⌖ ⌖ 160 mm



no. 358
Metal handle
Titanium-coloured
drilling: 01, 02, 18
H = 30 mm
⌖ ⌖ 160 mm



no. 511
Metal handle
Titanium-coloured
drilling: 01, 02, 18
H = 30 mm
⌖ ⌖ 160 mm

• Brilliant chrome



no. 498
Metal handle
Brilliant chrome
drilling: 01, 02, 18
H = 30 mm
⌖ ⌖ 160 mm

• Alpine white

no. 956
Metal handle
Alpine white
drilling: 01, 18
H = 21 mm
⌖ ⌖ 160 mm

Overview of handles

handle no.
description
drilling no.
height
drill. distance in mm

• Screw-on handles recess



no. 055
Screw-on handle recess
Stainless steel finish
drilling: 01, 18
H = 29 mm
⌖ ⌖ 96 mm



no. 057
Screw-on handle recess
Black
drilling: 01, 18
H = 29 mm
⌖ ⌖ 96 mm

• Gold- / Bronze-coloured



no. 222
Metal handle
Gold coloured
drilling: 01, 02, 18
H = 27 mm
⌖ ⌖ 160 mm



no. 228
Metal handle
Bronze-coloured
drilling: 01, 02, 18
H = 33 mm
⌖ ⌖ 160 mm



no. 233
Metal handle
Yellow gold coloured
drilling: 01, 18
H = 20 mm
⌖ ⌖ 160 mm



no. 257 NEW
Metal handle
Yellow gold coloured
drilling: 01, 02, 18
H = 35 mm
⌖ ⌖ 160 mm

handle no.
description
drilling no.
height
drill. distance in mm

• Knobs



no. 241
Metal knob
Stainless steel finish
drilling: 25
H = 37 mm



no. 242
Metal knob
Black
drilling: 25
H = 37 mm



no. 244
Metal knob
Black
drilling: 25
H = 25 mm
⌖ ⌖ 16 mm



no. 246
Metal knob
Bronze metallic colour
drilling: 25
H = 25 mm
⌖ ⌖ 16 mm



no. 677
Metal knob
Stainless steel finish
drilling: 25
H = 38 mm



no. 679
Metal knob
Black
drilling: 25
H = 38 mm



no. 813 NEW
Metal knob
Yellow gold coloured
drilling: 25
H = 25 mm
⌖ ⌖ 16 mm



no. 831 NEW
Metal knob
Bronze metallic colour
drilling: 25
H = 37 mm

handle no.
description
drilling no.
height
drill. distance in mm

• Antique silver colour / Antique iron colour



no. 202
Metal- / Porcelain handle
Ivory / Antique iron colour
drilling: 01, 02, 18
H = 35 mm
⌖ ⌖ 128 mm



no. 280
Metal handle
Antique iron colour
drilling: 01, 02, 18
H = 30 mm
⌖ ⌖ 128 mm

Unit price, handles

Please quote the handle number in your order!

Order no.: 9997
Points: 27,6

For handles subject to surcharges, the surcharge per handle will be invoiced in addition (see P. M 2.24).

Handles selection subject to surcharge

Bow handles ⊕⊕ 320 mm / 160 mm



no. 223
Bow handle
Gold coloured
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
⊕⊕ 320 / 160 mm | H: 27 mm



no. 250
Bow handle
Black
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
⊕⊕ 320 / 160 mm | H: 33 mm



no. 499
Bow handle
Brilliant chrome
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
⊕⊕ 320 / 160 mm | H: 30 mm



no. 709
Bow handle
Stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
⊕⊕ 320 / 160 mm | H: 27 mm



no. 738
Bow handle
Stainless steel finish /
Glazed black
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
⊕⊕ 320 / 160 mm | H: 39 mm

BA	Assignment
160	300 mm - 450 mm drawer, pull-out, door, flap
320	500 mm - 1200 mm drawer, pull-out, door, flap, folding-lifting

Please note:
For pull-outs and doors of 150 to 250 mm width, bow handles are supplied in handle position 02 (vertical).



no. 315
Como oak wooden
screw-on bar handle
Surcharge code: 7941
Points: 62,5
Drill pattern: 01
⊕⊕ 320 / 160 mm | H: 21 mm

NEW

Note: The wooden handle 315 is a natural product, so variations in colour cannot be ruled out.

Recommended for the Sakura design line
The pull-out for high GSP is supplied with a handle, but not pre-drilled.
For planning information and matching upright panels, see chapter 5 Upright panels.

Not allowed for the following ranges:
Cascada 684, Frame 419, Inline 526, Nordic 497, Pura 917, Sylt 706





Handles selection subject to surcharge

Metal / wooden handles



no. 019
Metal handle
Stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⌖⌖ 192 mm | H: 35 mm



no. 210
Metal handle
Black / Anthracite brushed
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 02, 18
⌖⌖ 160 mm | H: 43 mm



no. 229
Wooden handle
Walnut color
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 02, 18
⌖⌖ 160 mm | H: 35 mm

Note: As this product is a natural product, colour variations may occur.



no. 736
Metal handle
Stainless steel finish / Glazed black
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 02, 18
⌖⌖ 160 mm | H: 39 mm



no. 225 NEW
Metal handle
Bronze metallic colour
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⌖⌖ 192 mm | H: 34 mm



no. 226 NEW
Metal handle
Black
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⌖⌖ 192 mm | H: 34 mm



no. 265 NEW
Metal handle
Bronze metallic colour
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⌖⌖ 192 mm | H: 36 mm



no. 745
Wooden handle
Oak
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 18
⌖⌖ 160 mm | H: 36 mm

Note: As this product is a natural product, colour variations may occur.



no. 811
Metal handle
Black
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 18
⌖⌖ 96 mm | H: 22 mm

Wooden handles



no. 128
Wooden handle
Oak
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 02, 18
⌖⌖ 64 mm | H: 28 mm



no. 129
Wooden handle
Oak black
Surcharge code: 7945
Points: 33,0
Drill pattern: 01, 02, 18
⌖⌖ 64 mm | H: 28 mm

Please note:
The wooden handles 128 and 129 are natural products, variations in colour cannot be ruled out.
These wooden handles are particularly suitable for designs in living spaces combined with doors and represent a unique design element in this context.

Not allowed for the following ranges:
Cascada 684, Frame 419, Inline 526, Nordic 497, Pura 917, Sylt 706

Handles selection subject to surcharge

Screw-on bar handles



no. 820
Screw-on bar handle
Black
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
H: 22 mm

BA	Assignment	2 holes
32	150 mm pull-out	
64	200 mm door, pull-out	
96	250 mm door	
128	300 mm drawer, pull-out, door	
192	350 mm door	
218	400 mm drawer, pull-out, door	

BA	Assignment	4 holes
160/96/160	600 mm drawer, pull-out, door, flap, folding-lifting door	
192/196/192	30“ (762 mm) drawer, pull-out, flap, door	
224/160/224	800 mm drawer, pull-out, flap, folding-lifting door	
256/206/256	900 mm drawer, pull-out, flap, folding-lifting door	

BA	Assignment	3 holes
134	450 mm drawer, pull-out, door, flap	
160	500 mm drawer, pull-out, door, flap, folding-lifting door	
184	550 mm door	

BA	Assignment	5 holes
192/217/217/192	1000 mm drawer, pull-out, flap, folding-lifting door	
256/253/253/256	1200 mm drawer, pull-out, flap, folding-lifting door	



no. 960
Screw-on bar handle
Stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern:18
H: 17 mm



no. 990
Screw-on bar handle
Black
Surcharge code: 7945
Points: 33,0
Drill pattern: 18
H: 17 mm

BA	Assignment	2 holes
48	150 mm pull-out	
78	200 mm door, pull-out	
128	250 mm door	
128	300 mm drawer, pull-out, door	
192	350 mm door	
218	400 mm drawer, pull-out, door	

BA	Assignment	4 holes
160/96/160	600 mm drawer, pull-out, door, flap, folding-lifting door	
192/196/192	30“ (762 mm) drawer, pull-out, flap, door	
224/160/224	800 mm drawer, pull-out, flap, folding-lifting door	
256/206/256	900 mm drawer, pull-out, flap, folding-lifting door	

BA	Assignment	3 holes
134	450 mm drawer, pull-out, door, flap	
160	500 mm drawer, pull-out, door, flap, folding-lifting door	
184	550 mm door	

BA	Assignment	5 holes
192/217/217/192	1000 mm drawer, pull-out, flap, folding-lifting door	
256/253/253/256	1200 mm drawer, pull-out, flap, folding-lifting door	

Information
Not possible with diagonal end units and glass wall units Air, Square and Flat.
The pull-out on raised dishwashers is supplied with a handle, but not drill holes.

Not available for the following ranges:
Cascada 684, Frame 419, Inline 526, Nordic 497, Pura 917, Sylt 706

Handles selection subject to surcharge

Railing handles



no. 370
Railing handle stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⊕⊕ 184 - 784 mm | H: 30 mm



no. 400
Railing handle black
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⊕⊕ 184 - 784 mm | H: 36 mm




no. 620
Railing handle black
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⊕⊕ 184 - 784 mm | H: 35 mm




no. 650
Railing handle stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⊕⊕ 184 - 784 mm | H: 35 mm




no. 890
Railing handle stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern: 02, 18
⊕⊕ 184 - 784 mm | H: 36 mm



no. 900
Railing handle stainless steel finish
Surcharge code: 7945
Points: 33,0
Drill pattern: 02
⊕⊕ 184 - 784 mm | H: 35 mm

BA	Assignment 
184	300 mm drawer, pull-out
234	350 mm door
247	357 mm door
284	400 mm drawer, pull-out, door, 404 mm door
319	429 mm door
334	450 mm drawer, pull-out, door, flap, 448 mm door
384	500 mm drawer, pull-out, door, flap, folding-lifting door
391	501 mm door
463	573 mm door
484	600 mm drawer, pull-out, door, flap, folding-lifting door
535	645 mm door
607	717 mm door, 30“ (756 mm) drawer, pull-out, door, flap
679	789 mm door
684	800 mm drawer, pull-out, flap, folding-lifting door
751	861 mm door
784	900 mm drawer, pull-out, flap, folding-lifting door

BA	Assignment 
411,5	933 mm door
442	1000 mm drawer, pull-out, flap, folding-lifting door
447,5	1005 mm door
483,5	1077 mm door, 1095 mm door
519,5	1149 mm door
542	1200 mm drawer, pull-out, flap, folding-lifting door
555,5	1221 mm door
591,5	1293 mm door
627,5	1365 mm door
663,5	1437 mm door
699,5	1509 mm door
735,5*)	1581 mm door, 2013 mm door, 2085 mm door, 2157 mm door, 2229 mm door

*) The railing handle is always positioned at the bottom of the door. Differing drilling positions are only possible on site.

Bar handles


Information for planning with bar handles

Designs with bar handles are particularly suitable for use in modern kitchen planning. The discreet shape of this handle design highlights the horizontal lines of the kitchen.


Please take care during planning that the bar handle creates the appearance of a continuous band in the kitchen. This ensures a harmonious overall visual impression.



no. 300
Bar handle
Stainless steel finish
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 21 mm



no. 350
Bar handle
Stainless steel finish
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 16 mm




no. 550
Bar handle
Stainless steel finish
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 20 mm



no. 600
Bar handle
Black
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 20 mm




no. 690
Bar handle
Alpine white
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 16 mm



no. 730
Bar handle
Slate grey
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 16 mm



no. 760
Bar handle
Stainless steel finish
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 16 mm



no. 810
Bar handle
Bronze metallic colour
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 16 mm



no. 870
Bar handle
Black
Surcharge code: 7946
Points: 102,6
Drill pattern: 17
⊕ ⊕ in door width
H: 16 mm

Information

Not possible with diagonal end units and tall units with full-length door, as well as glass wall units Air, Square and Flat.

For certain appliance housings, an attached screw-type handle in handle position 18 is supplied instead (see information, chap. 6). When planning a hinged unit, adjacent to a unit of greater depth (e.g. wall unit next to a tall unit), hinge the front away from the adjacent deeper unit, to avoid a handle clash.

Always plan elements with connection and door hinge on the wall side with a filler (minimum dimension = 20 mm). If a filler cannot be planned, change the side of the door hinge.

It is not possible to position the bar handle on cooker housing units HUB-SL(-X) , or on all sink units with fixed panel.

Only available for the following ranges:

Easytouch 945, Flash 648, Focus 312, Inox 808, Laser 615, Look 099, Natura 157, Novalux 115, Riva 371, Senso 357, Softline 187, StoneArt 566, Structura 382, Touch 317

Handles selection subject to surcharge

Bar handle 240 / 430



no. 240
Bar handle
Black
Surcharge code: 7946
Points: 102,6
Drill pattern: 19
⊕ ⊕ in door width



no. 430
Bar handle
Stainless steel finish
Surcharge code: 7946
Points: 102,6
Drill pattern: 19
⊕ ⊕ in door width

Information

Not possible with diagonal end units, HUB-SL(-X) cooker housing unit, base units with 5 drawers, mini base units with 4 drawers, drawers under the worktop, built-under appliances and tall units with full-length door.

Planning multiple wall units above one another are not possible!

A worktop of 585 mm is recommended!


Only available for the following ranges:

Easytouch 945, Flash 648, Focus 312, Inox 808, Laser 615, Look 099, Natura 157, Novalux 115, Riva 371, Senso 357, Softline 187, StoneArt 566, Structura 382, Touch 317

Appearance of the bar handle with drill pattern 19


Drill pattern 19 creates a continuous line directly below the bottom edge of the worktop and is ideal for designs with front design 720 mm, XL height 792 mm and Maxi-height 864 mm. The main position of the bar handle is below the worktop.

Appearance of base and tall units in Standard- and Maxi-height



*) For ergonomic reasons, the 20 mm plinth height must not be used in the active areas of the kitchen (cooking, washing, refrigeration).

Appearance of base and tall units in XL height



2

Equipment options and surcharges
Special productions

Equipment options
Special productions

Carcase interior décor and nBOX equipment options

Equipment options for the nBOX drawer system and the carcase interior décor can be planned and ordered for either individual items or for the entire commission.
If you wish to order them for the entire commission, the surcharges can be added to the order header data when placing the order.

		Abbreviation	Length in cm	Order No.	Points
Carcase interior décor					
	 Surcharge for carcase interior décor in Slate grey for units with interior and exterior décor in no. 194 Slate grey Available carcase colours: 194 Slate grey The interior décor can only be selected with the carcase décor 194 Slate grey (exterior). A surcharge is invoiced per unit. *All units that already come with the same décor on the inside and outside by default are exempt from the surcharge, for instance shelf units, roll-up front units, sliding door units, etc.*	MP-KID		7947	96
Equipment options for nBOX front pull-outs					
NEW	 Surcharge for glass side Glass insert (8 mm TSG), usable on all (internal) pull-outs with rectangular railing. Available in: G001 Grey glass G058 Parsol glass, bronze A surcharge is invoiced per (internal) pull-out.	MP-GLAS		7915	127
	 Surcharge for pull-out box Closed side frame, 10.7 mm thick, usable as (internal) pull-out. A surcharge is invoiced per (internal) pull-out.	MP-BOX		7905	98
	 Surcharge for mechanical opening support mechanism on nBOX drawers and pull-outs without handle drilling and handle, factory-installed A surcharge is invoiced per drawer or pull-out. *Not possible on furniture marked accordingly.* *Not possible for Line N.* *Cannot be retrofitted or supplied separately!* *Comes standard in Line ONE.*	MP-PTOSA		7962	158

Carcase interior décor and nBOX equipment options

Equipment options for the nBOX drawer system and the carcase interior décor can be planned and ordered for either individual items or for the entire commission.
If you wish to order them for the entire commission, the surcharges can be added to the order header data when placing the order.

		Abbreviation	Length in cm	Order No.	Points
	nBOX design options				nBOX
NEW	  **Surcharge for design profile** Individually selectable frame end, plastic profile for clipping on, usable on all (internal) drawers and (internal) pull-outs. A surcharge is invoiced per (internal) drawer and (internal) pull-out. Available in: P194 Slate grey P198 Sierra oak reproduction P199 Anthracite metallic colour P211 Bronze metallic colour P399 Milano walnut reproduction *Not possible for (internal) pull-outs with glass side (MP-GLAS) and low frame (MP-NIEZA).*	MP-DPRO		7918	23
NEW	  **Surcharge for design cover** Individually selectable design for frame side, aluminium profile for clipping on, usable on all (internal) drawers and (internal) pull-outs. A surcharge is invoiced per (internal) drawer and (internal) pull-out. Available in: C198 Sierra oak reproduction C199 Anthracite metallic colour C211 Bronze metallic colour C399 Milano walnut reproduction *Not possible for (internal) pull-outs with glass side (MP-GLAS) and low frame (MP-NIEZA).*	MP-DCOV		7923	55

Carcase interior décor and nBOX equipment options

Equipment options for the nBOX drawer system and the carcase interior décor can be planned and ordered for either individual items or for the entire commission.
If you wish to order them for the entire commission, the surcharges can be added to the order header data when placing the order.

	Abbreviation	Length in cm	Order No.	Points

Equipment options for nBOX internal drawers and internal pull-outs



Surcharge for design glass panel on internal pull-out
Plastic panel with glass insert using grey glass (8 mm TSG),
usable on all internal pull-outs.

A surcharge is invoiced per internal pull-out.

Internal drawers are equipped with a design panel made of plastic MP-DBLEN.

MP-DGBLEN | 7925 | 101



Surcharge for design panel
Plastic panel,
usable on all internal drawers and internal pull-outs with pull-out box (MP-BOX).


A surcharge is invoiced per internal drawer / internal pull-out.

MP-DBLEN | 7935 | 72

Special equipment for base units

	Abbreviation	Length in cm	Order No.	Points
Construction shelf for heat insulation, 16 mm thick for base units to be used as a hotplate, also in conjunction with a drawer, installation beneath the traverse, incl. connection screws Available colours: 036 Interior white 194 Slate grey *For instructions on planning independent hot plates refer to chapter on planning instructions.* *For planning hot plates across several base units, adjacent units with a width of 150 and 200 mm can be planned without a heat protection panel, as long as the central hot plate unit has a minimum width of 500 mm and is equipped with the respective heat protection panel.*	KKB	30	10311	58
	KKB	40	10312	60
	KKB	45	10313	61
	KKB	50	10314	64
	KKB	60	10315	66
	KKB	80	10316	72
	KKB	90	10317	73
	KKB	100	10318	74
	KKB	120	10319	82
Spacer shelf for induction hot plates required for base units to be used as hot plate when planning a drawer directly beneath the appliance, incl. connection screws *For instructions on planning independent hot plates refer to chapter on planning instructions.* *For planning hot plates across several base units, adjacent units with a width of 150 and 200 mm can be planned without a heat protection panel, as long as the central hot plate unit has a minimum width of 500 mm and is equipped with the respective heat protection panel.*	DBKI	30	29310	174
	DBKI	40	29312	180
	DBKI	45	29314	188
	DBKI	50	29315	197
	DBKI	60	29236	200
	DBKI	80	29238	210
	DBKI	90	29239	229
	DBKI	100	29270	242
	DBKI	120	29322	266
Surcharge for lowered frame on hot plate units required for hot plate unit designs with drawers KS*(-X/-M), K2SA*, KS2A*(-X/-M), K2S2A*-M, SKU* beneath hot plates in conjunction with Slim Line worktops, Available area for the hot plate between top edge of unit and drawer: low frame: 61 mm standard frame: 35 mm *For worktops with a height lower than 38 mm, the lowered frame is automatically confirmed and supplied with the order - and invoiced.* *Matching cutlery tray: Module insert Depot 10026 MED.* *Not possible together with design profile MP-DPRO and design cover MP-DCOV.*	MP-NIEZA		7996	136
Safety bracket for freestanding base units consisting of: 2 safety brackets (metal), 1 polymer adhesive, fastening material and assembly manual *Up to 1800 mm width requires 2 safety brackets. 2 extra safety brackets are required for every additional started running metre.* *Not usable for plinth height of 20 mm.*	KIPPS		9943	86
Bag of fittings for solutions protruding by 50 mm consisting of: 2 x spacer brackets as spacers and safety bracket, 4 x wall dowels 8 x 60 mm, 4 x screw 5.5 x 60 mm, 8 x screw 3.5 x 15 mm, 1 x assembly manual *For protruding baseand tall unit plans with wall spacing of 50 mm.* *1 bag of fittings per unit is required.* *When planned at end of run or as a free-standing solution, end uprights in 633 mm depth are required!*	DISTH50		99016	10,1

Equipment options and surcharges for base units

		Abbreviation	Length in cm	Order No.	Points
	 **Surcharge for full-height back panel** for sink base units with 561 mm side depth	MP-SPUR		9292	19
	 **Internal tablar shelves with locking slides for retrofitting in tall and base units** Slate grey plastic, with leak protection recess for liquids, tablar shelf dimensions: W x H x D = 532 x 39 x 504 mm, dimensions for leak protection recess: W x H x D = 513 x 3 x 465 mm, self-locking when fully extended, self-unlocking when pressed in, incl. full pull-out rails, spacer strips with locking drawer slides and screws For mounting in: • 600 mm wide tall and base units with side depth of 561 mm, behind hinged doors • 600 mm wide shelf units with side depth of 575 mm *No installation in vertical LINE N tall units possible!* *Maximum added load of the tablar shelf: 25 kg* *The internal tablar cannot be mounted behind glass roll-up fronts.*	ITAB-UH	60	39496	644
	 **Surcharge for Waterproof shelf** Waterproof shelf in grey metallic for sink base units and vanity units *There is no centre post for two-door sink base units.* *Exception: Sink base unit SPUS90/100/120.* *Divided panels are replaced with a continuous panel.*	MP-WPB		4745	131

		Abbreviation	Length in cm	Order No.	Points
Equipment options for shelf units					
	 Surcharge for shelf units with adjustable shelves or design shelves Taro 3 drill holes in grid spacing of 32 mm *Not available for open shelf end units, bottle rack units and open shelf corner units.* *Not possible in conjunction with surcharge for shelves with LED lighting MP-RLA (7984).* *Surcharge per unit.*	MP-REB		7907	200
USA CAN	 Surcharge for shelf with LED light design consisting of: fixed shelf with attached profile strip in stainless steel appearance with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: G with Emotion technology An additional charge per shelf will be invoiced! Watt information per shelf: shelf width 150 mm: 0.78 W shelf width 200 mm: 1.17 W shelf width 300 mm: 1.95 W shelf width 400 mm: 2.73 W shelf width 450 mm: 3.12 W shelf width 500 mm: 3.51 W shelf width 600 mm: 4.29 W *The light design MP-RLA is possible on all open shelf base units, tall units and wall units (UR*/HR*/WR*). MP-RLA is not possible on open shelf end units and bottle rack units.* *Lighting cannot be selected per fixed shelf, but rather only for the entire open shelf unit.* *LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting.* *Depth reductions on shelf units with MP-RLA are permitted to a min. side depth of 150 mm. Width reductions are not permitted.*	MP-RLA		7984	231

		Abbreviation	Length in cm	Order No.	Points
Equipment options for tall units					
	 Internal tablar shelves with locking slides for retrofitting in tall and base units Slate grey plastic, with leak protection recess for liquids, tablar shelf dimensions: W x H x D = 532 x 39 x 504 mm, dimensions for leak protection recess: W x H x D = 513 x 3 x 465 mm, self-locking when fully extended, self-unlocking when pressed in, incl. full pull-out rails, spacer strips with locking drawer slides and screws For mounting in: • 600 mm wide tall and base units with side depth of 561 mm, behind hinged doors • 600 mm wide shelf units with side depth of 575 mm *No installation in vertical LINE N tall units possible!* *Maximum added load of the tablar shelf: 25 kg* *The internal tablar cannot be mounted behind glass roll-up fronts.*	ITAB-UH	60	39496	644
	 Surcharge for electromechanical opening system Easys for opening integrated fridge/freezers An additional charge will be invoiced per appliance door. *With housings for 2-door appliances, please specify the use for the top appliance door / bottom appliance door.* *It is only possible to install Easys in respectively identified appliance housings.*	MP-EASYS		7991	1.831

Equipment options and surcharges for glass tall units, wall units and sideboards

		Abbreviation		Order-no.	Points		
			Width in cm		Décor group 1	Décor group 2	Décor group 3
Equipment option for selected glass element range							
NEW	 	Surcharge for eye-catcher back panel Vertical texture direction for glass wall units, sideboards and tall units Ambia, Air and single-door wall units (bar) flap with framed glass door Available in décor group 1: all carcase and worktop décors Available in décor group 2: Décor 598 Wood-Art Como oak Available in décor group 3: 050 Mirror, bronze colour and 051 Mirror, slate grey *Not available in Xtra décors or 366 Black textured.* *A surcharge per unit will be invoiced.* *The eye-catcher back panel covers the rear wall area of the glass cut-out.*	MP-ARW		7916	174	445	470

	Abbreviation	Order No.	Points
	Length in cm		

Equipment options for wall units



Surcharge for plinth
for wall units for planning as floor-standing sideboard,
including plinth panel in the heights 70, 100, 150, 200 mm

The handles will automatically be positioned at sideboard height.

No plinth panel is included with a plinth height of 20 mm.

Please specify the plinth height in your order.

MP-SB | Order No. 7940 | Points 53




Surcharge for servo motor
electric motor drive for wall units with swivel flap doors or folding / lifting doors, comprised of:
1 drive unit,
2 wireless switches,
battery-operated,
integrated in the carcase sides,
1100 mm connection cable with
power supply unit for each
individual country

Surcharge per unit.

Not possible for wall unit with iMove WFLIM.*

*This item is approved for EU/EEA countries.
An overview of additional approved countries can be found in the nobilia Extranet. This list is regularly updated.*

MP-SD | Order No. 5284 | Points 2.113

		Abbreviation	Length in cm	Order No.	Points
Equipment options for dresser units					
	 Internal tablar shelves with locking slides for retrofitting in dresser units with plastic roll-up front and in LINE N tall units with vertical recessedhandle, 600 mm wide, with side depth of 561 mm Slate grey plastic, with leak protection recess for liquids, tablar shelf dimensions: W x H x D = 532 x 39 x 485 mm, dimensions for leak protection recess: W x H x D = 513 x 3 x 465 mm, self-locking when fully extended, self-unlocking when pressed in, incl. full pull-out rails, spacer strips with locking drawer slides and screws	ITAB-AJ	60	39495	644
S	 Surcharge for deviating height on (glass) roll-up front units height -75: 754 mm to 792 mm height -1: 793 mm to 1296 mm height -2: 1278 mm to 1368 mm height -3: 1369 mm to 1440 mm *Surcharge per unit.*	MP-AJAH		7987	505

Light designs for wall units

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white


LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery, refer to accessories list, chapter on lighting.

		Abbreviation	Length in cm	Order No.	Points
Light designs for wall units					
USA CAN	 Surcharge for wall units with LED glass light panel consisting of: Glass lit panel as wall unit bottom shelf with integrated LED lighting and 1700 mm connection cable to the starter set Energy efficiency rating: F *Available for wall units with a width of 300 to 1200 mm.* *Not available for wall units with 2 doors, bottom Case shelf insert, drip grid or chutes, sliding doors, roll-up front, corner or diagonal wall units or Boulevard glass cabinets and climbers.* *Light pelmets are not permitted.*	MP-LA		7961	715
	as above, but for LINE N wall units *Available for LINE N wall units from 300 to 1200 mm width.* *Not available for wall units with 2 doors, corner wall units and Climbers.* *Light pelmets are not permitted.*	MP-LAN		7924	632
	 Surcharge for wall units with LED light design consisting of: Wall unit bottom shelf with integrated LED light strip and 1700 mm connection cable to the starter set Energy efficiency rating: F *Available for wall units and shelf units from 300 to 1200 mm width, with a side depth of min. 190 mm.* *Width reductions are not permitted!* *Not available for bevelled shelf units, wall units with drip grids, corner or diagonal wall units and climbers.*	MP-LED		7938	458
	 Surcharge for handleless wall units consisting of: wall unit bottom shelf with attached profile strip in stainless steel appearance for opening original fronts Can be combined with the following lit designs: MP-LED, MP-LNP-U, MP-LMP-U *Available for wall units from 200 to 1200 mm width, with a side depth of minimum 120 mm.* *1200 mm wide wall units with flaps or folding/lifting doors as well as wall units with glass doors, Square, Flat and Gap, come standard equipped with attached profile strip, at no surcharge.* *Not available for wall units with drip grids, bottom Case shelf insert, hinged in parallel or sliding doors, diagonal wall units or climbers and dresser units.* *Light pelmets are not permitted.*	MP-WOG		7936	85

Light designs for wall units

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery, refer to accessories list, chapter on lighting.

		Abbreviation	Length in cm	Order No.	Points
	Surcharge for handleless wall units as above, however with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: F *Available for wall units from 300 to 1200 mm width, with a side depth of minimum 120 mm.* *Not available for wall units with drip grids, bottom Case shelf insert, hinged in parallel or sliding doors, diagonal wall units or climbers and dresser units.* *Light pelmets are not permitted.*	MP-WOGL		7937	612
	as above, but for LINE N wall units *Available for LINE N wall units from 300 to 1200 mm width.* *Not available for corner wall units.* *Light pelmets are not permitted.*	MP-LLIN		7969	526
	Surcharge for wall units with LED light design NOVA PLUS in unit bottom shelf consisting of: Wall unit bottom shelf with integrated LED built-in light NOVA PLUS and 1700 mm connection cable for the starter set Energy efficiency rating: G *Available for wall units and shelf units up to 1200 mm wide, with a side depth of min. 210 mm.* *Width reductions are not permitted!* *Units with widths upwards of 800 mm are equipped with two lights for optimum illumination.* *Not available for wall units with drip grid.*	MP-LNP-U		7967	254
	Surcharge for wall units with LED light design NOVA PLUS in unit top shelf consisting of: Unit top shelf with integrated LED built-in light NOVA PLUS and 1700 mm connection cable to the starter set Energy efficiency rating: G *Available for wall units with glass doors, units with sliding glass doors, glass roll-up front units, climbers, bevelled shelves, open shelf base and open shelf wall units in height of 360 mm.* *Width and depth reductions are not permitted!* *Units with widths upwards of 800 mm are equipped with two lights for optimum illumination.*	MP-LNP-O		7981	254
	Surcharge for wall units with LED light design MANILA PLUS in unit bottom shelf consisting of: Wall unit bottom shelf with integrated LED built-in light MANILA PLUS and 1700 mm connection cable for the starter set Energy efficiency rating: F *Available for wall units and shelf units from 300 to 1200 mm wide, with a side depth of minimum 190 mm.* *Width reductions are not permitted!* *For optimum illumination lights of varying widths are used.* *Not available for wall units with drip grid or Climbers.*	MP-LMP-U		7968	299

Light designs for wall units

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery, refer to accessories list, chapter on lighting.

		Abbreviation	Length in cm	Order No.	Points
		MP-LMP-O		7982	299

Surcharge for wall units with glass doors with LED light design MANILA PLUS in unit top shelf
consisting of:
Unit top shelf with integrated LED built-in light MANILA PLUS and 1700 mm connection cable to the starter set
Energy efficiency rating: F

Available for wall units with glass doors, units with sliding glass doors, glass roll-up front units, climbers, bevelled shelves, open shelf base and open shelf wall units in height of 360 mm.

Width and depth reductions are not permitted!

Lights of varying widths are used for optimum illumination.

---

as above, however with LED plant grow light
LED power supply set ESS6-LED and switch NK/SEN220/FUNK or starter set LSET-SMART36/60(-FB) are not included in the scope of delivery.
Energy efficiency rating: G

The plant lights must be grouped in a separate lighting group.
After activation, the lamp automatically switches off after 8 hours.

Available for wall units and shelf units from 300 to 1200 mm wide, with a side depth of minimum 180 mm.

Width reductions are not permitted!

For optimum illumination lights of varying widths are used.

Not available for wall units with drip grid or Climbers.

Not available in USA / Canada.

MP-LP | | 7957 | 305

NEW



Surcharge for wall units with LED light design LUCIA in unit bottom shelf
consisting of:
Wall unit bottom shelf with integrated LED built-in light LUCIA and 1700 mm connection cable for the starter set
Energy efficiency rating: E

Available for wall units and shelf units from 300 to 1200 mm wide, with a side depth of minimum 190 mm.

Width reductions are not permitted!

For optimum illumination lights of varying widths are used.

Not available for wall units with drip grid or Climbers.

MP-LML-U | | 7927 | 299

NEW



Surcharge for wall units with glass doors with LED light design LUCIA in unit top shelf
consisting of:
Unit top shelf with integrated LED built-in light LUCIA and 1700 mm connection cable to the starter set
Energy efficiency rating: E

Available for wall units with glass doors, units with sliding glass doors, glass roll-up front units, climbers, bevelled shelves, open shelf base and open shelf wall units in height of 360 mm.

Width and depth reductions are not permitted!


Lights of varying widths are used for optimum illumination.




MP-LML-O | | 7914 | 299

Light designs for wall units




With White & Color Ambiance:
infinitely controllable colour temperature from 2200 - 6500 K + RGB

LED starter sets LSET-HA60 / LFSET-HA60 are not included in the scope of delivery,
see accessories list, chapter Lighting.

		Abbreviation	Length in cm	Order No.	Points
Light design Philips Hue for wall units, 24 V					
	 Surcharge for wall units with LED light design Hue Spot White & Color Ambiance in unit bottom shelf consisting of: Wall unit bottom shelf with integrated LED built-in light Hue Spot Ambiance and 2000 mm connection cable to the starter set Energy efficiency rating: G *Available for wall units and shelf units up to 1200 mm wide, with a side depth of min. 210 mm.* *Width reductions are not permitted!* *Units with widths upwards of 800 mm are equipped with two lights for optimum illumination.* *Not available for wall units with drip grid.*	MP-LHA-U		7903	533
	 Surcharge for wall units with glass doors with LED light design Hue Spot White & Color Ambiance in unit top shelf consisting of: Unit top shelf with integrated LED built-in light Hue Spot Ambiance and 2000 mm connection cable to the starter set Energy efficiency rating: G *Available for wall units with glass doors, units with sliding glass doors, glass roll-up front units, climbers, bevelled shelf units, Case shelf insert, open shelf base and open shelf wall units in height of 360 mm.* *Width and depth reductions are not permitted!* *Units with widths upwards of 800 mm are equipped with two lights for optimum illumination.*	MP-LHA-O		7901	533

		Abbreviation	Length in cm	Order No.	Points
Equipment options LINE N / LINE ONE					
 	Surcharge for LED light design for recessed handle (L profile) for base units and highboards with horizontal recessed handle LED - 6.5 W / 1000 mm, 12 V DC, 2700 - 6500 K 2000 mm connection cable to starter set Energy efficiency class: G / protection class IP 44 With Emotion technology: infinitely adjustable colour temperature from warm white to cold white Price per started 100 mm. LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting. *Not possible for hot plates that require a forced ventilation system beneath the worktop.*	MP-NGML		7983	31
	as above, but for lighting the centre / bottom recessed handle (C profile) *Please specify at which height to insert the light profile.* *Within the L profile of highboards and tall units at height 690 / 762 mm and/or at pull-out height 330 / 402 mm.* *Retrofitting the C-profile lighting (NGMC) is not possible.* *Planning note see page M 8.7.*	MP-NGMC		59709	32,9
	Construction shelf for heat insulation, 16 mm thick for handle-less LINE N base units to be used as a hot plate, also in conjunction with a drawer, incl. shelf supports and installation instructions Available colours: 036 Interior white 194 Slate grey *For instructions on planning independent hot plates refer to chapter on planning instructions.* *For planning hot plates across several base units, adjacent units with a width of 150 and 200 mm can be planned without a heat protection panel, as long as the central hot plate unit has a minimum width of 500 mm and is equipped with the respective heat protection panel.*	NDBKI NDBKI NDBKI NDBKI NDBKI NDBKI NDBKI NDBKI NDBKI	30 40 45 50 60 80 90 100 120	10351 10352 10353 10354 10355 10356 10357 10358 10359	58 60 61 64 66 72 73 74 82
	Surcharge for recessed handle milling for induction hot plates beneath the worktop for ventilation *Please also sketch in graphically any existing or third-party appliances.* *Not required for hot plates from BSH and Miele.* *Not required for hot plates from Leonard, Progress, AEG, BORA and ELICA.*	MP-NAUSI		59855	32
	Cover profile for depth compensation on base units Plastic profile, stainless steel colour, 15 mm deep, for mounting on the rear carcase edge. For protruded designs without end or front upright panels.	NADP-72 NADP-79		59018 59028	8,6 9,3
	as above, but for highboards and tall units	NADP-151 NADP-158 NADP-202 NADP-209 NADP-216 NADP-223 NADP-300		59009 59029 24121 34121 47021 54121 63121	17,4 17,7 23,7 24,4 24,8 25,1 35,9

Equipment options and surcharges for LINE N / LINE ONE base units, highboards and tall units

		Abbreviation	Length in cm	Order No.	Points
Equipment options for LINE N base units					
	 Construction shelf for heat insulation, 16 mm thick for handle-less LINE N base units to be used as a hot plate, also in conjunction with a drawer, incl. shelf supports and installation instructions Available colours: 036 Interior white 194 Slate grey *For instructions on planning independent hot plates refer to chapter on planning instructions.* *For planning hot plates across several base units, adjacent units with a width of 150 and 200 mm can be planned without a heat protection panel, as long as the central hot plate unit has a minimum width of 500 mm and is equipped with the respective heat protection panel.*	NDBKI	30	10351	58
		NDBKI	40	10352	60
		NDBKI	45	10353	61
		NDBKI	50	10354	64
		NDBKI	60	10355	66
		NDBKI	80	10356	72
		NDBKI	90	10357	73
		NDBKI	100	10358	74
		NDBKI	120	10359	82
E	 Surcharge for recessed handle milling for induction hot plates beneath the worktop for ventilation *Please also sketch in graphically any existing or third-party appliances.* *Not required for hot plates from BSH and Miele.* *Not required for hot plates from Leonard, Progress, AEG, BORA and ELICA.*	MP-NAUSI		59855	32
	 Cover profile for depth compensation on base units Plastic profile, stainless steel colour, 15 mm deep, for mounting on the rear carcase edge. For protruded designs without end or front upright panels.	NADP-72		59018	8,6
		NADP-79		59028	9,3
	as above, but for highboards and tall units	NADP-151		59009	17,4
		NADP-158		59029	17,7
		NADP-202		24121	23,7
		NADP-209		34121	24,4
		NADP-216		47021	24,8
		NADP-223		54121	25,1
		NADP-300		63121	35,9
	 Surcharge for Waterproof shelf Waterproof shelf in grey metallic for sink base units and vanity units *There is no centre post for two-door sink base units. Exception: Sink base unit SPUS90/100/120.* *Divided panels are replaced with a continuous panel.*	MP-WPB		4745	131

Equipment options LINE N with vertical recessed handle

		Abbreviation	Length in cm		Order No.	Points
NEW		MP-NGMS			59724	602

Surcharge for LED light design for vertical recessed handle for illuminating the end-of-run recessed handle NGMA* and the recessed handle between units NGMZ*
LED - 8 W / 1000 mm, 12 V DC, 2700 - 6500 K
2000 mm connection cable to starter set
Energy efficiency class: G / protection class IP 44


With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

A surcharge per recessed handle will be invoiced.

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery,
see accessories list, chapter Lighting.

Note the following special features when planning housing units for ovens, microwaves, steam ovens and compact appliances:
The lighting can only be installed opposite the fastening strip.
Not possible with end-of-run recessed handle NGMA.*
Not possible between two housings.


Retrofitting the lighting (MP-NGMS) is not possible.



Recessed handle between units
for planning between adjacent highboards and tall units
Planning dimensions: 25 mm

Abbreviation	Length in cm		Order No.	Points
NGMZ			59005	161
NGMZ		-X	59035	165
NGMZ		-1	24145	177
NGMZ		-1X	30125	180
NGMZ		-2	34125	180
NGMZ		-2X	44125	184
NGMZ		-3	47025	184
NGMZ		-3X	54125	185
NGMZ-300			22125	270

as above, but for room height.
Plans up to 300 cm planning height.









Recessed handle at end
for individually planned highboards or further expansion with base units
Planning dimensions: 25 mm



An end upright is necessary when planning a recessed handle at the end of run.
The planning dimensions increase by the thickness of the upright panel.

Abbreviation	Length in cm		Order No.	Points
NGMA			59004	147
NGMA		-X	59034	149
NGMA		-1	24144	156
NGMA		-1X	30124	161
NGMA		-2	34124	161
NGMA		-2X	44124	164
NGMA		-3	47024	164
NGMA		-3X	54124	165
NGMA-300			22124	237

as above, but for room height.
Plans up to 300 cm planning height.

		Abbreviation / Length in cm	Order No.	Points
Equipment options for bathroom base units				
35	 Depth reductions on wall-mounted base units to side depth 350 mm For wall-mounted open shelf base units to side depth 371 mm TK35 is available without a surcharge for types marked accordingly. *Odour trap recess SIA*WT is not possible.* *Please use space-saving model 17713.*	TK35	7913	0
56	 Surcharge for 561 mm side depth incl. support console on wall-mounted base units for wall-mounted open shelf base units, side depth 582 mm incl. support console, up to 599 mm: 1 support console, upwards of 600 mm: 2 support consoles MP-BUST56 is available for units marked accordingly. *A surcharge is invoiced for each unit.* *A freely suspended solution without a support console is not permitted.*	MP-BUST56	7912	304
	 Surcharge for Waterproof shelf Waterproof shelf in grey metallic for sink base units and vanity units *There is no centre post for two-door sink base units.* *Exception: Sink base unit SPUS90/100/120.* *Divided panels are replaced with a continuous panel.*	MP-WPB	4745	131
	 Surcharge for odour trap recess on vanity units BW* / NBW* with cut-out for 1 basin, suitable for drawers or pull-outs with a wooden back panel from 450 mm width Cut-out dimensions: 250 mm deep, 210 mm wide *A surcharge per drawer / pull-out will be invoiced.* *For vanity units BW* and NBW* with a height of 432 mm, 554 mm, 576 mm, 603 mm and 630 mm the bottom drawer / pull-out is delivered without a cut-out.* *Depth reductions are not permitted!*	SIA1WT	9381	79
	 as above, however with cut-out for 2 basin, in vanity units of 1200 mm width, suitable for drawers and pull-outs with a wooden back panel with a width of 1200 mm Cut-out dimensions: 250 mm deep, 210 mm wide each *A surcharge per drawer / pull-out will be invoiced.* *For vanity units BW* and NBW* with a height of 432 mm, 554 mm, 576 mm, 603 mm and 630 mm the bottom drawer / pull-out is delivered without a cut-out.* *Depth reductions are not permitted!*	SIA2WT	9383	175

		Abbreviation	Order No.	Points
		Width in cm		
	Height / Width / Depth reduction			
46	 Depth reductions on base units for side depth 461 mm TK 46 is available without a surcharge for respectively identified units.	TK46	7904	0
S	   Depth reductions on units and shelf units When ordering depth reductions, please observe the following information: • Elements without drawers or technical equipment: Carcase depth 561 mm: Depth reductions up to 152 mm (except 545 to 522 mm) carcase depth 350 mm: Depth reductions up to 152 mm (except 349 to 326 mm) If the side depth is between 125 and 151 mm, the unit is delivered without insertable shelves. With a side depth of 196 mm or more, the unit is supplied with plinth feet. • Elements with drawers or front pull-outs: possible from 561 to 328 mm (except 545 to 522 mm) The following frame depths are available for elements without internal drawers or pull-outs: • carcase depth 328 - 427 mm: frame depth 300 mm • carcase depth 428 - 521 mm: frame depth 400 mm • carcase depth 546 - 561 mm: frame depth 500 mm The following frame depths are available for elements with internal drawers or pull-outs: • carcase depth 348 - 445 mm: frame depth 300 mm • carcase depth 446 - 521 mm: frame depth 400 mm • carcase depth 546 - 561 mm: frame depth 500 mm Invoiced per reduction: • A surcharge will be invoiced if the side depth of the entire unit is reduced. • If individual drawers or pull-outs in a single unit are reduced, it will be invoiced per depth reduced element. *No reductions are possible on units with technical features!* *For depth reductions on wall units with glass shelves, the glass shelves are replaced by shelves made of carcase material.*	TK	9310	149
35	 Depth reductions on wall-mounted base units to side depth 350 mm For wall-mounted open shelf base units to side depth 371 mm TK35 is available without a surcharge for types marked accordingly. *Odour trap recess SIA*WT is not possible.* *Please use space-saving model 17713.*	TK35	7913	0
56	 Surcharge for 561 mm side depth incl. support console on wall-mounted base units for wall-mounted open shelf base units, side depth 582 mm incl. support console, up to 599 mm: 1 support console, upwards of 600 mm: 2 support consoles MP-BUST56 is available for units marked accordingly. *A surcharge is invoiced for each unit.* *A freely suspended solution without a support console is not permitted.*	MP-BUST56	7912	304

		Abbreviation	Width in cm	Order No.	Points
S	 Width and height reductions on units and shelf units Width and height reductions are range dependent, therefore please clarify in advance with the responsible person. For smooth fronts with edging all around, width and depth reductions are possible in a 1 mm grid: Easytouch 945, Focus 312, Laser 615, Look 099, Natura 157, Riva 371, Senso 357, StoneArt 566, Structura 382 Height reductions on postformed ranges are possible in a 1 mm grid: Touch 317, Flash 648, Inox 808 Changes are not possible with framed, lacquered and real wood fronts! When ordered, the cut edge may be in the centre, depending upon technical possibilities! *No reductions are possible on units with technical features or glass shelves!* *Generally, width reductions are not possible with bar handles or handle profiles used on the bottom shelf.*	HBK		9311	248
S	 Surcharge for deviating height on (glass) roll-up front units height -75: 754 mm to 792 mm height -1: 793 mm to 1296 mm height -2: 1278 mm to 1368 mm height -3: 1369 mm to 1440 mm *Surcharge per unit.*	MP-AJAH		7987	505
	Special productions				
	No image Surcharge for continuous front for oven modifications with compensation panel *For doors with a continuous edge or postforming fronts, a continuous front is supplied as standard, so that the compensation panel is not required. For lacquered fronts, the door can be produced with a cut side and PP edge, depending on the height.* *Not available for framed or Genuine wood fronts.*	MP-DFBO		7994	0
	No image Modification of base units, tall units and appliance housings without fitting of additional front components such as, e.g. exchanging the front positions, changing the aperture height, pinning the fronts, exchanging flap door fittings for hinged doors, exchanging drawers for front pull-outs Calculation of the catalogue unit without surcharge	MP-SON		7906	0
S	**No image** Surcharge for other special productions on base units, tall units and appliance housings with fitting of additional front components or fittings also on wall units and dresser units Please clarify more extensive special productions in advance with the responsible person. A factory inspection is required. *The surcharge is 30 % of the catalogue unit being altered.*	MP-SONDER		9312	30 %

Printed on PEFC paper!

Vorspann - EN

92182

nobilia