Wall units
360 mm high
576 mm high

Key

- Item available in special sizes, s. chapter 2.
- Planning information, s. chapter 10.
- Please specify appliance.
- For available colours s. swatch, Design Overview page M 2.1.
- Available as a sideboard for a surcharge MP-SB (7940).
- Not available in: USA and Canada.

Quick reference for light designs and Equipment options for wall units

For an overview of the wattage specifications of the light designs, please refer to LED starter sets in the accessories list, lighting chapter.

Here you can find a quick reference for the most important equipment options and surcharges for this chapter.
For detailed descriptions and planning notes as well as additional options and special productions please refer to chapter 2.2 “Equipment options, special productions”.

Surcharges light designs for wall units	Abbreviation	Order no.	Points
Surcharge for wall units with LED glass light panel	MP-LA	7961	715
Surcharge for wall units with LED light design	MP-LED	7938	458
Surcharge for handleless wall units	MP-WOG	7936	85
Surcharge for handleless wall units as above, however with integrated LED light strip	MP-WOGL	7937	612
Surcharge for wall units with LED light design NOVA PLUS in unit bottom shelf	MP-LNP-U	7967	254
Surcharge for wall units with glass doors with LED light design NOVA PLUS in unit top shelf	MP-LNP-O	7981	254
Surcharge for wall units with LED light design MANILA PLUS in unit bottom shelf	MP-LMP-U	7968	299
Surcharge for wall units with glass doors with LED light design MANILA PLUS in unit top shelf	MP-LMP-O	7982	299
Surcharge for wall units with LED plant grow light Not possible with the Emotion technology of starter sets LSET-SMART36/60(-FB). LED power supply set ESS6-LED and switch NK/SEN220/FUNK are not included in the scope of delivery.	MP-LP	7957	305
Surcharge for wall units with LED light design LUCIA in unit bottom shelf	MP-LML-U	7927	299
Surcharge for wall units with glass doors with LED light design LUCIA in unit top shelf	MP-LML-O	7914	299

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery,
refer to accessories list, chapter on lighting.

Surcharges light designs Philips Hue for wall units, 24 V	Abbreviation	Order no.	Points
Surcharge for wall units with LED light design Hue Spot White & Color Ambiance in unit bottom shelf	MP-LHA-U	7903	533
Surcharge for wall units with glass doors with LED light design Hue Spot White & Color Ambiance in unit top shelf	MP-LHA-O	7901	533

With White & Color Ambiance:
infinitely variable colour temperature from 2200 - 6500 K + RGB




LED starter sets LSET-HA60 / LFSET-HA60 are not included in the scope of delivery,
refer to accessories list, chapter on lighting.

Quick reference of equipment options for wall units	Abbreviation	Order no.	Points
Surcharge for carcase interior décor in Slate grey	MP-KID	7947	96

Surcharge eye-catcher back panel for glass wall units, sideboards and Ambia and Air tall units **as well as single-door wall units (bar) flap with framed glass door**	MP-ARW	7916	
Décor group 1: all carcase and worktop décors	DG 1		174
Décor group 2: Décor 598 Wood-Art Como oak	DG 2		445
Décor group 3: 050 Mirror, bronze colour and 051 Mirror, slate grey	DG 3		470
Surcharge for plinth for wall units	MP-SB	7940	53
Surcharge for servo motor **electric motor drive for wall units with swivel flap doors or folding / lifting doors**	MP-SD	5284	2.113





Wall units 360 mm high

Side depth: 350 mm
Carcase height: 360 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
	Wall units, 360 mm high														
	 **Surcharge for plinth** for wall units for planning as floor-standing sideboard, including plinth panel in the heights 70, 100, 150, 200 mm	MP-SB			7940	53	53	53	53	53	53	53	53	53	53
						The handles will automatically be positioned at sideboard height.									
						No plinth panel is included with a plinth height of 20 mm.									
						Please specify the plinth height in your order.									
	357  **Wall unit** 1 door	W	45	-36	36364	231	253	261	289	296	310	323	—	339	—
		W	50	-36	36365	238	258	273	301	312	323	333	—	364	—
		W	60	-36	36366	254	276	291	329	334	353	368	—	403	—
	357  **Wall unit with flap door** 1 flap, opening angle 107°	WK	45	-36	35804	368	391	407	434	437	448	460	—	477	—
		WK	50	-36	35805	375	402	416	444	453	463	470	—	510	—
		WK	60	-36	35806	397	426	437	464	477	498	518	—	542	—
		WK	80	-36	35808	512	555	590	632	634	660	686	—	726	—
		WK	90	-36	35809	526	572	612	670	673	694	715	—	767	—
		WK	100	-36	35810	536	591	631	696	698	730	758	—	799	—
		WK	120	-36	35812	661	712	759	847	860	888	914	—	955	—
						120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Light pelmets are not permitted.										
	357  **Wall unit with framed glass flap door** 1 framed glass flap door, clear glass no. 01, opening angle 107°, glass variants against surcharge: no. 02 / 39 Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WKG	50	-36	36325	594	622	634	660	664	682	696	—	708	—
		WKG	60	-36	36326	622	645	664	698	705	724	742	—	758	—
		WKG	80	-36	36328	791	818	844	891	892	914	937	—	955	—
		WKG	90	-36	36329	799	844	886	927	929	959	988	—	999	—
		WKG	100	-36	36330	832	885	911	978	983	1.007	1.031	—	1.053	—
		WKG	120	-36	36332	987	1.031	1.069	1.162	1.169	1.194	1.219	—	1.234	—
						120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible.										
						The ranges Nordic 497 and Sylt 706 are only available without inlays.									
NEW	**No image** **Surcharge for different glass choice for glass variants:** for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
						Surcharge per unit.									
	357  **Wall unit with glass doors Square** 1 aluminium framed flap, opening angle 107°, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WKSQ	50	-36	37515	802	802	802	802	802	802	802	802	802	802
		WKSQ	60	-36	37516	860	860	860	860	860	860	860	860	860	860
		WKSQ	80	-36	37518	1.063	1.063	1.063	1.063	1.063	1.063	1.063	1.063	1.063	1.063
		WKSQ	90	-36	37519	1.107	1.107	1.107	1.107	1.107	1.107	1.107	1.107	1.107	1.107
		WKSQ	100	-36	37520	1.167	1.167	1.167	1.167	1.167	1.167	1.167	1.167	1.167	1.167
		WKSQ	120	-36	37522	1.388	1.388	1.388	1.388	1.388	1.388	1.388	1.388	1.388	1.388
						Glass cannot be changed!									
						Light pelmets are not permitted.									





Wall units 360 mm high

Side depth: 350 mm
Carcase height: 360 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
NEW	 357 **Wall unit with bar flap** 1 flap with opening support mechanism	WKB	45	-36	34334	536	564	583	604	609	622	632	—	645	—
		WKB	50	-36	34335	555	583	594	623	632	644	656	—	688	—
		WKB	60	-36	34336	580	599	615	641	656	677	695	—	717	—
		WKB	80	-36	34338	599	641	683	717	718	746	771	—	819	—
		WKB	90	-36	34339	612	660	696	758	759	784	809	—	850	—
		WKB	100	-36	34340	637	679	717	784	784	821	850	—	883	—
		WKB	120	-36	34341	688	718	764	850	863	892	934	—	959	—
	Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937). *The handle comes standard pre-drilled and positioned at the top of the front.* *Also available as sideboard.* *Height reductions are not permitted!*														
NEW	 357 **Wall unit with framed glass bar flap** 1 framed glass flap door with mechanical opening support mechanism, program-based glass design, glass variants for surcharge: MP-GW (7900) Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WKBG	50	-36	34328	774	804	813	840	844	864	882	—	886	—
		WKBG	60	-36	34329	806	818	841	876	882	904	920	—	931	—
		WKBG	80	-36	34330	877	904	937	975	977	1.000	1.022	—	1.048	—
		WKBG	90	-36	34331	885	931	972	1.015	1.015	1.048	1.082	—	1.083	—
		WKBG	100	-36	34332	933	972	996	1.066	1.069	1.098	1.124	—	1.137	—
		WKBG	120	-36	34333	1.015	1.037	1.073	1.167	1.172	1.199	1.240	—	1.237	—
	Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937). *The handle comes standard pre-drilled and positioned at the top of the front.* *The ranges Nordic 497 and Sylt 706 are only available without inlays.* *Also available as sideboard.*														
	 **Open shelf wall unit** side depth: 371 mm	WR	30	-36	36263	562	562	562	562	562	562	562	562	562	562
		WR	40	-36	36264	587	587	587	587	587	587	587	587	587	587
		WR	45	-36	36267	599	599	599	599	599	599	599	599	599	599
		WR	50	-36	36265	656	656	656	656	656	656	656	656	656	656
		WR	60	-36	36266	685	685	685	685	685	685	685	685	685	685
		WR	80	-36	36268	740	740	740	740	740	740	740	740	740	740
		WR	90	-36	36269	781	781	781	781	781	781	781	781	781	781
		WR	100	-36	36271	802	802	802	802	802	802	802	802	802	802
		WR	120	-36	36272	869	869	869	869	869	869	869	869	869	869
	 **Open shelf wall unit** 1-3 centre panels (width-dependent), side depth: 371 mm WRS60-36: 1 centre panel, WRS90-36: 2 centre panels, WRS120-36: 3 centre panels	WRS	60	-36	36776	708	708	708	708	708	708	708	708	708	708
		WRS	90	-36	36779	799	799	799	799	799	799	799	799	799	799
		WRS	120	-36	36782	882	882	882	882	882	882	882	882	882	882
	 **Organising module for open shelf units** in 360 mm carcase height, sheet steel, graphite black, vertically and horizontally positionable, H x W x D = 162.5 x 325 x 288 mm	WROM			36809	308	308	308	308	308	308	308	308	308	308
	 **Bevelled shelf unit** side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).	WFR	30	-36	36853	749	—	—	844	—	—	—	—	—	—
		WFR	40	-36	36854	762	—	—	883	—	—	—	—	—	—
		WFR	45	-36	36857	784	—	—	914	—	—	—	—	—	—
		WFR	50	-36	36855	796	—	—	937	—	—	—	—	—	—
		WFR	60	-36	36856	816	—	—	980	—	—	—	—	—	—
	Height, width and depth reductions are not permitted!														
	 **Bevelled shelf unit** 1 centre panel, side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).	WFR	80	-36	36858	889	—	—	1.133	—	—	—	—	—	—
		WFR	90	-36	36859	905	—	—	1.172	—	—	—	—	—	—
		WFR	100	-36	36860	937	—	—	1.225	—	—	—	—	—	—
		WFR	120	-36	36861	969	—	—	1.307	—	—	—	—	—	—
	Height, width and depth reductions are not permitted!														

Wall units 360 mm high

Side depth: 350 mm
Carcase height: 360 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
Open-shelf wall unit for shelf insert Case, 360 mm high															
	 357	**Shelf insert Case** for 350 mm side depth, usable depth: 290 mm Available colours: no. 097 Havana oak reproduction no. 198 Sierra oak reproduction no. 354 Concrete Slate Grey reproduction no. 399 Milano walnut reproduction	CE	30	-36	65809	480	480	480	480	480	480	480	480	480	480
			CE	40	-36	65810	510	510	510	510	510	510	510	510	510	510
			CE	45	-36	65811	521	521	521	521	521	521	521	521	521	521
			CE	50	-36	65812	536	536	536	536	536	536	536	536	536	536
			CE	60	-36	65813	578	578	578	578	578	578	578	578	578	578
			CE	80	-36	65814	656	656	656	656	656	656	656	656	656	656
			CE	90	-36	65815	688	688	688	688	688	688	688	688	688	688
			CE	100	-36	65816	715	715	715	715	715	715	715	715	715	715
			CE	120	-36	65817	769	769	769	769	769	769	769	769	769	769
							Height, width and depth reductions are not permitted!									
		**Open-shelf wall unit for shelf insert Case** Shelf insert height: 357 mm	WRC	30	-36	35379	153	153	153	153	153	153	153	153	153	153
			WRC	40	-36	35380	159	159	159	159	159	159	159	159	159	159
			WRC	45	-36	35381	164	164	164	164	164	164	164	164	164	164
			WRC	50	-36	35382	169	169	169	169	169	169	169	169	169	169
			WRC	60	-36	35383	180	180	180	180	180	180	180	180	180	180
			WRC	80	-36	35387	209	209	209	209	209	209	209	209	209	209
			WRC	90	-36	35391	219	219	219	219	219	219	219	219	219	219
			WRC	100	-36	35392	231	231	231	231	231	231	231	231	231	231
			WRC	120	-36	35393	254	254	254	254	254	254	254	254	254	254
							Shelf insert Case CE-36 is required and must be included in the order.* *Height, width and depth reductions are not permitted!*									
Wall unit system with sliding doors, 360 mm high															
		**Wall unit for sliding doors** side depth: 350 mm	WSTK	50	-36	38815	169	169	169	169	169	169	169	169	169	169
			WSTK	60	-36	38816	180	180	180	180	180	180	180	180	180	180
			WSTK	80	-36	38818	209	209	209	209	209	209	209	209	209	209
			WSTK	90	-36	38819	219	219	219	219	219	219	219	219	219	219
							Sliding doors and runner profiles must be ordered separately. *A minimum of 1/3 of the entire unit width must remain free for sliding the doors.* *Wall units with sliding doors protrude 8 mm beyond adjacent units.* *For matching upright panels 380 mm deep and top shelves 382 mm deep see chapter 5.*									
	 357	**Sliding door** as supplement for wall unit for sliding doors WSTK*, without handle drill holes	WSTT	50	-36	38811	453	457	460	479	502[1]	526	540	—	—	—
			WSTT	60	-36	38812	457	460	464	491	514[1]	536	559	—	—	—
			WSTT	80	-36	38813	466	470	489	521	546[1]	571	594	—	—	—
			WSTT	90	-36	38814	469	477	502	531	561[1]	588	618	—	—	—
							1) Except Inline 526 *Wall units with sliding doors protrude 8 mm beyond adjacent units.*									
	 357	**Framed glass sliding door** as supplement for wall unit for sliding doors WSTK*, without handle drill holes, clear glass No. 01 glass variants against surcharge: no. 02 / 39	WSTGR	50	-36	38821	609	610	612	632	645[1]	660	675	—	—	—
			WSTGR	60	-36	38822	621	623	625	654	669[1]	682	695	—	—	—
			WSTGR	80	-36	38823	637	641	660	692	710[1]	726	742	—	—	—
			WSTGR	90	-36	38824	642	654	673	707	726[1]	745	765	—	—	—
							1) Except Inline 526 *Wall units with sliding doors protrude 8 mm beyond adjacent units.* *The ranges Nordic 497 and Sylt 706 are only available without inlays.*									
NEW	**No image**	**Surcharge for different glass choice for glass variants:** for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
							Surcharge per unit.									

Wall units 360 mm high





Side depth: 350 mm
Carcase height: 360 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 **Runner profile set for sliding doors** comprised of 2 runner profiles top and bottom and 4 end caps, 16 mm high, 8 mm deep, lengths: 2500 mm and 4000 mm	WSTP	250		2812	450	450	450	450	450	450	450	450	450	450
		WSTP	400		2814	685	685	685	685	685	685	685	685	685	685
						Runner profile will be adapted on site. Adjacent planned units can be outfitted with a continuous profile.									

Open shelf wall units Smartcube, 360 mm high

	360  **Open shelf wall unit Smartcube** aluminium frame, with top and bottom shelf in carcase material, 16 mm thick, concealed suspension, incl. mounting materials, shelf depth: 250 mm Available in all shelf colours and worktop décors of décor group 1. **Available frame colours:** no. 010 Black no. 073 Stainless steel finish	WRSC	60	-36	35656	901	901	901	901	901	901	901	901	901	901
		WRSC	90	-36	35659	975	975	975	975	975	975	975	975	975	975
		WRSC	120	-36	35662	1.016	1.016	1.016	1.016	1.016	1.016	1.016	1.016	1.016	1.016
						Not available in Xtra décors or 366 Black textured.									
	321.5  **Back panel cladding Smartcube** carcase material, 16 mm thick, 321.5 mm high Available in all carcase colours and worktop décors of décor group 1.	RKSC	60	-36	36646	136	136	136	136	136	136	136	136	136	136
		RKSC	90	-36	36649	149	149	149	149	149	149	149	149	149	149
		RKSC	120	-36	36652	164	164	164	164	164	164	164	164	164	164
						Not available in Xtra décors or 366 Black textured.									








Fillers

	357  **Angle filler** front material: 100 x 100 mm wide, 2 shelves top and bottom, 2 wall unit side panels: 350 mm deep, space requirement: 450 x 450 mm	WPE	45	-36	36367	366	383	385	387	402	409	416	—	450	—
	as above, however **variable** front material: 40 - 150 mm wide, space requirement: 390 - 500 mm	WPEV	50	-36	36380	407	426	428	432	437	448	458	—	505	—
						With a space requirement of 390 to 449 mm, only handleless designs with opening support mechanism (PTO5 / PTO5-BS) and surcharge WOG / WOGL or drilling 17 and 19 are possible!										
	 **Filler** carcase material, 360 mm high, U-shaped seal for connection to wall, width: 100 mm	WPK	10	-36	36301	66	66	66	66	66	66	66	66	66	66
						The wood grain always runs vertical in wood décors.									
	width: 200 mm	WPK	20	-36	36302	73	73	73	73	73	73	73	73	73	73
						The wood grain always runs vertical in wood décors.									
	357  **Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	WPD	20	-36	36312	146	149	164	185	197	216	237	—	247	—
						Possible to adapt on site to minimum size of 30 mm. *Please indicate RH or LH hinge!*									
	 **Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
						Pura and Inline are profiled all around, cut edge is centred!									

Wall units 576 mm high





Side depth: 350 mm
Carcase height: 576 mm

Wall units, 576 mm high

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 **Surcharge for plinth** for wall units for planning as floor-standing sideboard, including plinth panel in the heights 70, 100, 150, 200 mm	MP-SB			7940	53	53	53	53	53	53	53	53	53	53
						The handles will automatically be positioned at sideboard height.									
						No plinth panel is included with a plinth height of 20 mm.									
						Please specify the plinth height in your order.									
S	 573 **Wall unit** 1 door, 1 shelf	W	20	-58	26002	238	239	251	269	272	276	279	—	295	—
		W	30	-58	26003	254	269	295	315	320	327	334	—	381	—
		W	35	-58	27035	269	288	305	331	334	352	365	—	403	—
		W	40	-58	26004	277	301	320	352	358	372	385	—	422	—
		W	45	-58	27045	296	304	323	384	387	399	409	—	448	—
		W	50	-58	26005	299	321	342	385	391	420	447	—	477	—
		W	60	-58	26006	334	343	396	445	450	476	499	—	529	—
	 573 **Wall unit** 1 door, 1 fixed shelf, 6 plastic canisters	WS	30	-58	26013	340	365	403	404	406	418	428	—	461	—
		WS	40	-58	26014	365	393	404	456	457	467	479	—	508	—
		WS	45	-58	26043	371	406	406	461	466	488	510	—	537	—
		WS	50	-58	26015	396	418	434	467	469	501	530	—	572	—
		WS	60	-58	26016	397	429	464	515	527	556	584	—	622	—
	 573 **Wall unit, drip grid** 1 door, drip grid for dishes, with water collector tray	WAG	60	-58	26036	755	781	804	864	875	896	917	—	965	—
	 573 **Wall unit** 2 doors, 1 shelf	W2T	60	-58	26062	404	410	476	511	518	542	564	—	606	—
		W	80	-58	26008	444	470	531	581	593	628	657	—	730	—
		W	90	-58	26009	457	491	542	628	641	679	712	—	790	—
		W	100	-58	26010	489	526	578	661	673	723	774	—	847	—
		W	120	-58	26012	534	564	625	743	749	818	864	—	940	—
	 573 **Wall unit** 2 doors hinged in parallel, 1 shelf	W2TP	80	-58	26048	444	470	531	581	593	628	657	—	730	—
		W2TP	90	-58	26049	457	491	542	628	641	679	712	—	790	—
		W2TP	100	-58	26050	489	526	578	661	673	723	774	—	847	—
						Please indicate hinged side!									
	 573 **Wall unit** 1 folding door with slide mechanism, 1 shelf	WFT	60	-58	26046	477	510	530	584	587	619	647	—	682	—
						Please indicate hinged side!									
USA CAN	 **Wall unit Climber** 1 electric glass slatted front, 1 glass shelf, 8 mm thick, side depth: 371 mm, **utilisable depth: 330 mm**	WGC	50	-58	53785	4.790	4.790	4.790	4.790	4.790	4.790	4.790	4.790	4.790	4.790
		WGC	60	-58	53786	4.868	4.868	4.868	4.868	4.868	4.868	4.868	4.868	4.868	4.868
		WGC	80	-58	53788	4.929	4.929	4.929	4.929	4.929	4.929	4.929	4.929	4.929	4.929
		WGC	90	-58	53789	5.021	5.021	5.021	5.021	5.021	5.021	5.021	5.021	5.021	5.021
		WGC	100	-58	54791	5.098	5.098	5.098	5.098	5.098	5.098	5.098	5.098	5.098	5.098
	Available in: no. 01 Clear glass no. 02 Matt glass no. 39 Black glass					*Light pelmets are not permitted.*									
						For designs including climbers around corners, plan a minimum space requirement of 525 mm for the corner.									
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2.									
	as above, however 1 mechanical glass slatted front	WGCM	50	-58	57705	4.152	4.152	4.152	4.152	4.152	4.152	4.152	4.152	4.152	4.152
		WGCM	60	-58	57706	4.216	4.216	4.216	4.216	4.216	4.216	4.216	4.216	4.216	4.216
		WGCM	80	-58	57708	4.314	4.314	4.314	4.314	4.314	4.314	4.314	4.314	4.314	4.314
		WGCM	90	-58	57709	4.380	4.380	4.380	4.380	4.380	4.380	4.380	4.380	4.380	4.380
		WGCM	100	-58	57710	4.438	4.438	4.438	4.438	4.438	4.438	4.438	4.438	4.438	4.438
						Light pelmets are not permitted.									
						For designs including climbers around corners, plan a minimum space requirement of 525 mm for the corner.									
						The mechanical design is permitted for USA/CAN.									






Wall units 576 mm high

Side depth: 350 mm
Carcase height: 576 mm

			Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	285 285		**Wall unit, folding/lifting door** 1 folding/lifting door, 2 original fronts, 1 shelf	WFL	50 -58	26345	800	828	847	888	910[1]	929	952	—	—	—
				WFL	60 -58	26346	832	848	891	937	955[1]	975	1.002	—	—	—
				WFL	80 -58	26348	899	934	990	1.066	1.092[1]	1.120	1.136	—	—	—
				WFL	90 -58	26349	914	964	1.009	1.117	1.142[1]	1.169	1.187	—	—	—
				WFL	100 -58	26350	987	1.032	1.101	1.213	1.240[1]	1.264	1.294	—	—	—
				WFL	120 -58	26352	1.158	1.207	1.295	1.438	1.460[1]	1.485	1.517	—	—	—
											1) Except Inline 526					
			120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible. *When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.* **0 mm with OBK-HF 83° / 90 mm with OBK-HF 104°*											
E	VAR		**Wall unit for microwave** 1 aperture depending on appliance height, 1 flap	WM	50 -58	27567	343	358	362	375	380	383	385	—	404	—
				WM	60 -58	27568	355	362	394	402	407	410	415	—	429	—
			Cut to size front possible. Front is adjusted to fit appliance height! *As of an aperture height of 380 mm, the flap is removed and the unit is given a fixed panel.*													
	573		**Corner wall unit, diagonal** 1 door: 394 mm wide, opening angle 90°, 1 shelf, planning dimensions: 650 x 650 mm	WED	65 -58	26063	806	831	863	885	895	910	924	—	961	—
			Do not plan next to protruding cooker hood!													
	573		**Corner wall unit** 1 door, 1 angle filler, 1 shelf Carcase widths: 600, 782, 882 mm Planning dimensions (variable): 450 (390 - 500) x ... WE60-20: ...650 (630 - 700) mm WE80-35: ...800 (790 - 850) mm WE90-45: ...900 (890 - 950) mm	WE	60-20 -58	26677	511	521	542	590	600	609	618	—	679	—
				WE	80-35 -58	26687	562	578	606	639	677	698	718	—	762	—
				WE	90-45 -58	26697	600	615	625	679	698	734	768	—	818	—
			The space requirement must be specified with the order. Adjustments on site are not possible. *Space requirement of 390 to 449 mm, only handleless planning with opening support (PTO5 / PTO5-BS) andsurcharge WOG or drilling pattern 17 and 19 are possible!*													
NEW	573		**Wall unit, diagonal** 1 full-length door, 1 shelf side depth: 339 / 171 mm, planning dimensions: 350 / 171 mm	WDIA	25 -58	26058	439	454	480	501	505[1]	512	521	—	—	—
											1) Except Inline 526					
			To be planned at end of run! *In the Cascada 684 and Nordic 497 program, cottage style open shelf end units or pilasters may not be planned as the adjacent unit.* *An opening angle limiter OWBDIA85* is included for plans with a cottage style open shelf end unit or a pilaster in the program Sylt 706 as well as an upright at end of run.* *Handleless versions are not possible.* *Width reductions are not permitted!* *Not possible with bar handle 240 / 430.*													



Wall units 576 mm high

Side depth: 350 mm
Carcase height: 576 mm







Abbreviation	Width in cm		Order-no.	Points									
				Price groups									
				1	2	3	4	5	6	7	8	9	10
Wall unit for shelf insert Case, 576 mm high													
 285 Shelf insert Case for 350 mm side depth, usable depth: 290 mm Available colours: no. 097 Havana oak reproduction no. 198 Sierra oak reproduction no. 354 Concrete Slate Grey reproduction no. 399 Milano walnut reproduction	CE	30	-29	65801	464	464	464	464	464	464	464	464	464	464
	CE	40	-29	65802	486	486	486	486	486	486	486	486	486	486
	CE	45	-29	65803	501	501	501	501	501	501	501	501	501	501
	CE	50	-29	65804	514	514	514	514	514	514	514	514	514	514
	CE	60	-29	65805	537	537	537	537	537	537	537	537	537	537
	CE	80	-29	65806	628	628	628	628	628	628	628	628	628	628
	CE	90	-29	65807	651	651	651	651	651	651	651	651	651	651
	CE	100	-29	65808	682	682	682	682	682	682	682	682	682	682
	CE	120	-29	65841	730	730	730	730	730	730	730	730	730	730
					Height, width and depth reductions are not permitted!									
 285 Wall unit with flap for shelf insert Case Shelf insert height: 285 mm, 1 flap	WKC	30	-58	65857	333	355	374	406	409	419	428	—	445	—
	WKC	40	-58	65858	359	380	397	428	434	445	457	—	480	—
	WKC	45	-58	65859	372	396	413	438	442	453	464	—	482	—
	WKC	50	-58	65860	381	407	422	450	460	469	477	—	515	—
	WKC	60	-58	65861	406	434	445	472	485	505	526	—	550	—
					Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937). *Shelf insert Case CE*-29 is required and must be included in the order.* *Width and depth reductions are not permitted!*									
Open shelf units													
 Open shelf wall unit 1 fixed shelf, side depth: 371 mm	WR	15	-58	26071	517	517	517	517	517	517	517	517	517	517
	WR	20	-58	26072	526	526	526	526	526	526	526	526	526	526
	WR	30	-58	26073	565	565	565	565	565	565	565	565	565	565
	WR	40	-58	26074	610	610	610	610	610	610	610	610	610	610
	WR	45	-58	26077	625	625	625	625	625	625	625	625	625	625
	WR	50	-58	26075	672	672	672	672	672	672	672	672	672	672
	WR	60	-58	26076	691	691	691	691	691	691	691	691	691	691
 Surcharge for shelf units with adjustable shelves or design shelves Taro 3 drill holes in grid spacing of 32 mm	MP-REB			7907	200	200	200	200	200	200	200	200	200	200
					Not available for open shelf end units, bottle rack units and open shelf corner units. *Not possible in conjunction with surcharge for shelves with LED lighting MP-RLA (7984).* *Surcharge per unit.*									
 Surcharge for shelf with LED light design consisting of: fixed shelf with attached profile strip in stainless steel appearance with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: G with Emotion technology An additional charge per shelf will be invoiced! Watt information per shelf: shelf width 150 mm: 0.78 W shelf width 200 mm: 1.17 W shelf width 300 mm: 1.95 W shelf width 400 mm: 2.73 W shelf width 450 mm: 3.12 W shelf width 500 mm: 3.51 W shelf width 600 mm: 4.29 W	MP-RLA			7984	231	231	231	231	231	231	231	231	231	231
					The light design MP-RLA is possible on all open shelf base units, tall units and wall units (UR/HR*/WR*).* *MP-RLA is not possible on open shelf end units and bottle rack units.* *Lighting cannot be selected per fixed shelf, but rather only for the entire open shelf unit.* *LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting.* *Depth reductions on shelf units with MP-RLA are permitted to a min. side depth of 150 mm.* *Width reductions are not permitted.*									
 Wall unit as bottle rack 3 fixed shelves, side depth: 371 mm	WRF	15	-58	25235	580	580	580	580	580	580	580	580	580	580

Wall units 576 mm high

Side depth: 350 mm
Carcase height: 576 mm


		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	 **Bevelled shelf unit** 1 glass shelf, side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).	WFR	20	-58	60862	819	—	—	959	—	—	—	—	—	—
		WFR	30	-58	60863	847	—	—	1.022	—	—	—	—	—	—
		WFR	40	-58	60864	882	—	—	1.089	—	—	—	—	—	—
		WFR	45	-58	60867	911	—	—	1.136	—	—	—	—	—	—
		WFR	50	-58	60865	929	—	—	1.171	—	—	—	—	—	—
		WFR	60	-58	60866	968	—	—	1.244	—	—	—	—	—	—
						Height, width and depth reductions are not permitted!									
	 **Open shelf end wall unit, chamfered** 1 fixed shelf, side depth: 371 mm, width: 182 mm	WRA	18	-58	21707	578	578	578	578	578	578	578	578	578	578
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									
	width: 322 mm	WRA	32	-58	21722	609	609	609	609	609	609	609	609	609	609
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									

Fillers



	 573 **Angle filler** front material: 100 x 100 mm wide, 2 shelves top and bottom, 2 wall unit side panels: 350 mm deep, space requirement: 450 x 450 mm	WPE	45	-58	26477	371	385	394	402	418	422	426	—	476	—
	as above, however **variable** front material: 40 to 150 mm wide, space requirement: 390 - 500 mm	WPEV	50	-58	26480	416	437	439	450	464	476	486	—	523	—
						With a space requirement of 390 to 449 mm, only handleless designs with opening support mechanism (PTO5 / PTO5-BS) and surcharge WOG / WOGL or drilling 17 and 19 are possible!										
	 573 **Filler** carcase material, U-shaped seal for connection to wall, width: 100 mm	WPK	10	-58	26301	66	66	66	66	66	66	66	66	66	66
						The wood grain always runs vertical in wood décors.									
	width: 200 mm	WPK	20	-58	27302	73	73	73	73	73	73	73	73	73	73
						The wood grain always runs vertical in wood décors.									
S	 573 **Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	WPD	20	-58	26312	149	153	169	196	201	218	237	—	253	—
						Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*									
	 **Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
						Pura and Inline are profiled all around, cut edge is centred!									
	 576 **Wall unit side panel** carcase material: 350 mm deep, suitable for LH or RH side	WS		-58	26508	117	117	117	117	117	117	117	117	117	117
						Required, if a cooker hood is planned at end of run!									
S	 573 **Wall unit frame** without rear panel, 1 door, carcase depth: 110 mm	WRT	30	-58	26443	225	244	250	282	291	302	311	—	318	—
		WRT	40	-58	26444	228	248	272	304	312	329	345	—	366	—
		WRT	45	-58	26447	229	251	273	314	320	346	374	—	380	—
		WRT	50	-58	25445	235	253	288	321	329	355	375	—	419	—
		WRT	60	-58	25446	238	272	304	356	374	396	419	—	444	—
						Base unit frames cannot stand alone and must be bolted to adjacent units.									

Wall units 576 mm high

Side depth: 350 mm
Carcase height: 576 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	**Ceiling panel** Front material height: 194 mm, width: 2229 mm, minimum installation height: 45 mm	DBF			462	238[1]	261[2]	305[3]	422[4]	423	457	488	—	548	—
						1) Except Laser, front 463 2) Only front 842, 839 3) Except Structura 382 4) Except Easytouch 945, Inox 808, Natura 157										
						Only use ceiling panel in conjunction with swivel flap door wall units recessed 110 mm from the carcase front edge, otherwise the swivel flap wall unit cannot be opened. Please observe exhaust ducts. *Plan ceiling panels from wall (upright panel) to wall (upright panel). For ideal ventilation of installed electric appliances, a shadow gap to the ceiling is required.* *Fixed dimension, adjustment only possible on site!*										

Back panels for sideboard designs 576 mm high

576 	**Back panel for sideboard designs** 16 mm thick, 576 mm high, width: 250 - 2000 mm, vario clip mounting, in case of reproduction finishes use vertical wood grain available in all carcase and worktop décors from décor group 1.	RKW		-58	23742	19,6	19,6	19,6	19,6	19,6	19,6	19,6	19,6	19,6	19,6
						Not available in Xtra décors.									
	Back panel **however**, continuous, including floor profile: Vario clip fastening, in case of reproduction finishes use vertical wood grain **Available floor profile colours:** 010 Black 014 Stainless steel appearance 70 mm plinth height: 666 mm 100 mm plinth height: 696 mm 150 mm plinth height: 746 mm 200 mm plinth height: 796 mm	RKWS		-58	25756	30,8	30,8	30,8	30,8	30,8	30,8	30,8	30,8	30,8	30,8
						Height adaptation on site! *Price per 100 mm, every 100 mm started will be invoiced.* *Not available in Xtra décors.* *Décor 366 is only available up to a width of 1200 mm!* *If no bracket colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.*										
573 	**Back panel for sideboard designs** in door finish, without drill holes, 573 mm high, Vario clip fastening, price including plinth	RFW	20	-58	24720	142	152	166	197	200	206	212	—	228	—
		RFW	30	-58	24743	158	161	177	215	219	238	254	—	273	—
		RFW	35	-58	24735	161	164	188	225	231	254	273	—	299	—
		RFW	40	-58	24744	162	165	199	232	245	269	296	—	318	—
		RFW	45	-58	24745	164	172	203	247	253	280	312	—	342	—
		RFW	50	-58	24746	171	174	209	256	263	299	330	—	375	—
		RFW	60	-58	24747	174	177	215	276	291	327	366	—	409	—

Wall units, height 1
720 mm high

Key

Item available in special sizes, s. chapter 2.

Planning information, s. chapter 10.

Please specify appliance.

For available colours s. swatch, Design Overview page M 2.1.

Available as a sideboard for a surcharge MP-SB (7940).

Not available in: USA and Canada.

Quick reference for light designs and Equipment options for wall units

For an overview of the wattage specifications of the light designs, please refer to LED starter sets in the accessories list, lighting chapter.

Here you can find a quick reference for the most important equipment options and surcharges for this chapter.
For detailed descriptions and planning notes as well as additional options and special productions please refer to chapter 2.2 “Equipment options, special productions”.

Surcharges light designs for wall units

	Abbreviation	Order no.	Points
Surcharge for wall units with LED glass light panel	MP-LA	7961	715
Surcharge for wall units with LED light design	MP-LED	7938	458
Surcharge for handleless wall units	MP-WOG	7936	85
Surcharge for handleless wall units as above, however with integrated LED light strip	MP-WOGL	7937	612
Surcharge for wall units with LED light design NOVA PLUS in unit bottom shelf	MP-LNP-U	7967	254
Surcharge for wall units with glass doors with LED light design NOVA PLUS in unit top shelf	MP-LNP-O	7981	254
Surcharge for wall units with LED light design MANILA PLUS in unit bottom shelf	MP-LMP-U	7968	299
Surcharge for wall units with glass doors with LED light design MANILA PLUS in unit top shelf	MP-LMP-O	7982	299
Surcharge for wall units with LED plant grow light Not possible with the Emotion technology of starter sets LSET-SMART36/60(-FB). LED power supply set ESS6-LED and switch NK/SEN220/FUNK are not included in the scope of delivery.	MP-LP	7957	305
Surcharge for wall units with LED light design LUCIA in unit bottom shelf	MP-LML-U	7927	299
Surcharge for wall units with glass doors with LED light design LUCIA in unit top shelf	MP-LML-O	7914	299

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery,
refer to accessories list, chapter on lighting.

Surcharges light designs Philips Hue for wall units, 24 V

	Abbreviation	Order no.	Points
Surcharge for wall units with LED light design Hue Spot White & Color Ambiance in unit bottom shelf	MP-LHA-U	7903	533
Surcharge for wall units with glass doors with LED light design Hue Spot White & Color Ambiance in unit top shelf	MP-LHA-O	7901	533

With White & Color Ambiance:
infinitely variable colour temperature from 2200 - 6500 K + RGB

LED starter sets LSET-HA60 / LFSET-HA60 are not included in the scope of delivery,
refer to accessories list, chapter on lighting.








Quick reference of equipment options for wall units

	Abbreviation	Order no.	Points
Surcharge for carcase interior décor in Slate grey	MP-KID	7947	96

Surcharge eye-catcher back panel for glass wall units, sideboards and Ambia and Air tall units **as well as single-door wall units (bar) flap with framed glass door**	MP-ARW	7916	
Décor group 1: all carcase and worktop décors	DG 1		174
Décor group 2: Décor 598 Wood-Art Como oak	DG 2		445
Décor group 3: 050 Mirror, bronze colour and 051 Mirror, slate grey	DG 3		470
Surcharge for plinth for wall units	MP-SB	7940	53
Surcharge for servo motor **electric motor drive for wall units with swivel flap doors or folding / lifting doors**	MP-SD	5284	2.113






Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
						Price groups									
	Wall units, 720 mm high														
	 **Surcharge for plinth** for wall units for planning as floor-standing sideboard, including plinth panel in the heights 70, 100, 150, 200 mm	MP-SB			7940	53	53	53	53	53	53	53	53	53	53
						The handles will automatically be positioned at sideboard height.									
						No plinth panel is included with a plinth height of 20 mm.									
						Please specify the plinth height in your order.									
S	 717 **Wall unit** 1 door, 2 shelves	W	20	-1	32002	248	261	280	310	311	321	331	—	352	—
		W	25	-1	32625	261	279	304	330	331	350	364	—	380	—
		W	30	-1	32003	279	299	323	356	362	377	391	—	426	—
		W	35	-1	32035	296	312	340	377	383	404	425	—	460	—
		W	40	-1	32004	308	329	361	402	406	431	456	—	491	—
		W	45	-1	32045	323	339	368	428	434	458	482	—	530	—
		W	50	-1	32005	333	356	387	448	453	488	521	—	564	—
		W	55	-1	32055	356	368	407	466	467	508	548	—	615	—
		W	60	-1	32006	372	387	432	502	510	550	588	—	642	—
	 717 **Wall unit** 1 door, 1 fixed shelf, 6 plastic canisters	WS	30	-1	32013	375	402	429	457	460	480	501	—	526	—
		WS	40	-1	32014	403	429	457	505	510	530	553	—	591	—
		WS	45	-1	32043	415	438	466	526	529	559	588	—	628	—
		WS	50	-1	32015	432	453	488	542	548	583	621	—	669	—
		WS	60	-1	32016	457	482	526	591	606	644	685	—	742	—
USA CAN	 717 **Wall unit** 1 door, 1 fixed shelf, 6 plastic canisters, 1 spice rack: up to 450 mm with 12 spice jars, from 500 mm with 24 spice jars	WSG	30	-1	32023	572	604	623	656	663	680	694	—	717	—
		WSG	40	-1	32024	604	625	656	696	707	733	758	—	787	—
		WSG	45	-1	32041	618	635	673	717	726	755	783	—	828	—
		WSG	50	-1	32025	768	791	829	885	892	927	962	—	1.004	—
		WSG	60	-1	32026	799	828	864	931	943	983	1.021	—	1.080	—
	 717 **Wall unit, drip grid** 1 door, drip grid for dishes, with water collector tray	WAG	60	-1	32036	809	835	870	943	953	993	1.028	—	1.088	—
	 717 **Wall unit iMove** 1 door, 1 drop down double shelves iMove, tablar shelf dimensions: 495 mm wide, 224 mm deep	WIM	60	-1	32133	1.629	1.645	1.691	1.758	1.765	1.803	1.843	—	1.902	—
						Plans with light pelmet LBA/LBH are not possible.									
	 717 **Wall unit** 2 doors, 2 shelves	W2T	60	-1	32062	435	464	520	583	593	628	660	—	712	—
		W	80	-1	32008	508	542	612	689	702	752	800	—	876	—
		W	90	-1	32009	531	572	635	739	756	813	869	—	953	—
		W	100	-1	32010	565	610	679	785	800	869	936	—	1.028	—
	 717 **Wall unit, drip grid** 2 doors, drip grid for dishes with water collector tray	WAG	90	-1	32039	987	1.031	1.094	1.203	1.212	1.267	1.324	—	1.410	—
	 717 **Wall unit** 2 doors hinged in parallel, 2 shelves	W2TP	80	-1	32048	508	542	612	689	702	752	800	—	876	—
		W2TP	90	-1	32049	531	572	635	739	756	813	869	—	953	—
		W2TP	100	-1	32050	565	610	679	785	800	869	936	—	1.028	—
						Please indicate hinged side!									
	 717 **Wall unit** 1 folding door with slide mechanism, 2 shelves	WFT	60	-1	32046	529	552	591	663	675	711	749	—	796	—
						Please indicate hinged side!									




Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points	1	2	3	4	5	6	7	8	9	10
						Price groups										
	 717	**Wall unit, framed glass door** 1 door, range-dependent glass design, 2 insertable glass shelves, Glass variants for a surcharge: MP-GW (7900) / MP-GWSP (7908) Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WG	45	-1	30104	625	642	689	745	767	810	850	—	892	—
			WG	50	-1	30105	657	676	715	777	802	848	895	—	927	—
			WG	60	-1	30106	714	737	785	851	886	937	987	—	1.025	—
	 717	**Wall unit, framed glass door** 2 doors, range-dependent glass design, 2 insertable glass shelves, Glass variants for a surcharge: MP-GW (7900) / MP-GWSP (7908)	WG	90	-1	32109	1.121	1.150	1.242	1.346	1.394	1.486	1.577	—	1.656	—
			WG	100	-1	32110	1.172	1.212	1.310	1.432	1.475	1.570	1.664	—	1.753	—
NEW	 346,5 312 58,5	**Ambia wall cabinet with glass framed door** 1 door with asymmetrical glass cut-out, clear glass no. 01, 1 fixed shelf, carcase height: 720 mm centre back panel MP-ARW available for a surcharge, see chapter equipment options and extra charges.	WGAMB	45	-1	35451	571	588	635	691[1]	—	—	—	—	—	—
			WGAMB	50	-1	35452	597	616	656	717[1]	—	—	—	—	—	—
			WGAMB	60	-1	35454	645	670	718	784[1]	—	—	—	—	—	—
										1) Except Frame 419						
							Integrated interior lighting is only built-into fixed shelves. *When used as a sideboard, the glass cut-out is at the top.* *Matching LED interior cabinet light Hide LSIDHW-43.* *Glass cannot be changed!*									
NEW	 65 227 425	**Wall unit, framed glass door partially glazed** 1 door, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 23	WGGT	45	-1	30103	—	—	—	785[1]	—	—	—	—	—	—
			WGGT	50	-1	30107	—	—	—	822[1]	—	—	—	—	—	—
			WGGT	60	-1	30108	—	—	—	894[1]	—	—	—	—	—	—
											1) Only Frame 419					
							When used as a sideboard, the glass cut-out remains at the top.									
NEW	 65 227 425	**Wall unit, framed glass door partially glazed** 2 doors, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 23	WGGT	90	-1	30113	—	—	—	1.426[1]	—	—	—	—	—	—
			WGGT	100	-1	30115	—	—	—	1.521[1]	—	—	—	—	—	—
											1) Only Frame 419					
							When used as a sideboard, the glass cut-out remains at the top.									
	 357 141	**Wall unit, segmented glass door** 1 door, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WGLS	45	-1	31434	391	425	438	467	485[1]	502	—	—	—	—
			WGLS	50	-1	31435	415	437	456	486	508[1]	529	—	—	—	—
			WGLS	60	-1	31436	457	469	486	540	566[1]	590	—	—	—	—
											1) Except Inline					
							Handle position 02 is not possible! *When planned as a sideboard, the 141 mm high panel will be at the top.*									
	 357 141	**Wall unit, segmented glass door** 2 doors, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WGLS	90	-1	34440	679	717	756	822	858[1]	892	—	—	—	—
			WGLS	100	-1	34441	717	756	791	866	910[1]	950	—	—	—	—
											1) Except Inline					
							Handle position 02 is not possible! *When planned as a sideboard, the 141 mm high panel will be at the top.*									
	 357 141	**Wall unit, glass doors Boulevard** 1 door, clear glass no. 01, 2 fixed shelves, glass variants against surcharge: no. 02 / 39	WGB	45	-1	35437	402	434	448	479	496[1]	514	—	—	—	—
			WGB	50	-1	35438	426	445	461	501	521[1]	542	—	—	—	—
			WGB	60	-1	35439	464	480	501	552	577[1]	603	—	—	—	—
											1) Except Inline					
							Handle position 02 is not possible! *Not possible with lighting design MP-LA or MP-WOGL.* *Integrated interior lighting is only built-into fixed top shelves.* *For use as a sideboard, the panel is at a height of 141 mm and there is no fixed construction shelf at this height.*									




Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

			Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
NEW	No image	**Surcharge for different glass choice for glass variants:** for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
		Surcharge per unit.														
	No image	**Surcharge for choice of different glass inlay** Glass variants for the Nordic range: no. 27 inlay with Clear glass no. 28 inlay with Matt glass no. 29 inlay with Black glass Horizontal inlays: no. 54 inlay with Clear glass no. 55 inlay with Matt glass no. 56 inlay with Black glass	MP-GWSP			7908	—	—	—	—	—	—	85[1]	—	—	—
											1) Only Nordic 497					
		no. 27 / 54 Inlay with clear glass is the standard design for Nordic 497 so no surcharge is invoiced.														
	717 	**Wall unit with glass doors Square** 1 aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WSQ	45	-1	37524	929	929	929	929	929	929	929	929	929	929
			WSQ	50	-1	37525	972	972	972	972	972	972	972	972	972	972
			WSQ	60	-1	37526	1.056	1.056	1.056	1.056	1.056	1.056	1.056	1.056	1.056	1.056
		Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5(-BS) for handleless doors.*														
	717 	**Wall unit with glass doors Square** 2 aluminium framed doors, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WSQ	90	-1	37529	1.777	1.777	1.777	1.777	1.777	1.777	1.777	1.777	1.777	1.777
			WSQ	100	-1	37531	1.843	1.843	1.843	1.843	1.843	1.843	1.843	1.843	1.843	1.843
		Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached profile strip is omitted. Please also order the mechanical opening support mechanism PTO5 or PTO5-BS for handleless doors.*														
	717 	**Wall unit with glass doors Flat** 1 aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: 431 Aluminium framed front in Alpine white with 02 Matt glass 434 Aluminium framed front in Slate grey with 035 Grey glass 438 Aluminium framed front in Black with 39 Black glass 440 Aluminium framed front in Black with 48 Black glass matt	WF	30	-1	32483	822	822	822	822	822	822	822	822	822	822
			WF	45	-1	32484	946	946	946	946	946	946	946	946	946	946
			WF	50	-1	32485	991	991	991	991	991	991	991	991	991	991
			WF	60	-1	32486	1.072	1.072	1.072	1.072	1.072	1.072	1.072	1.072	1.072	1.072
		Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.*														





Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
	 717 **Wall unit with glass doors Flat** 2 aluminium framed doors, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: 431 Aluminium framed front in Alpine white with 02 Matt glass 434 Aluminium framed front in Slate grey with 035 Grey glass 438 Aluminium framed front in Black with 39 Black glass 440 Aluminium framed front in Black with 48 Black glass matt	WF	90	-1	32489	1.733	1.733	1.733	1.733	1.733	1.733	1.733	1.733	1.733	1.733
		WF	100	-1	32490	1.853	1.853	1.853	1.853	1.853	1.853	1.853	1.853	1.853	1.853
		Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.*													
NEW	 717 **Glass wall unit Air** 1 aluminium framed door with integrated handle profile, 035 grey glass, 2 glass shelves total depth: 379 mm, side depth: 350 mm Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WGAIR	30	-1	30130	1.391	1.391	1.391	1.391	1.391	1.391	1.391	1.391	1.391	1.391
		WGAIR	45	-1	30131	1.637	1.637	1.637	1.637	1.637	1.637	1.637	1.637	1.637	1.637
		WGAIR	50	-1	30132	1.692	1.692	1.692	1.692	1.692	1.692	1.692	1.692	1.692	1.692
		WGAIR	60	-1	30133	1.883	1.883	1.883	1.883	1.883	1.883	1.883	1.883	1.883	1.883
		Glass cannot be changed!													
	 357 **Wall unit with flap** 1 flap, 1 open compartment, handleless version with offset construction shelf	WKOF	50	-1	32615	404	435	450	479	486	498	510	—	540	—
		WKOF	60	-1	32616	434	456	466	505	512	531	552	—	580	—
		WKOF	80	-1	32618	568	612	642	689	692	715	740	—	783	—
		WKOF	90	-1	32619	588	635	679	737	739	761	783	—	832	—
		Wall unit is supplied with handle, but without drill holes. *Height, width and depth reductions are not permitted!*													
	 357 357 **Wall unit, folding/lifting door** 1 folding/lifting door, 2 original fronts, 2 shelves	WFL	50	-1	32345	835	863	892	948	975[1]	1.002	1.028	—	—	—
		WFL	60	-1	32346	870	894	929	997	1.028[1]	1.059	1.094	—	—	—
		WFL	80	-1	32348	964	1.006	1.069	1.172	1.210[1]	1.248	1.279	—	—	—
		WFL	90	-1	32349	991	1.038	1.104	1.229	1.270[1]	1.310	1.339	—	—	—
		WFL	100	-1	32350	1.059	1.113	1.196	1.337	1.377[1]	1.416	1.450	—	—	—
		WFL	120	-1	32352	1.250	1.302	1.409	1.587	1.626[1]	1.667	1.705	—	—	—
		1) Except Inline 526													
		120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible. *When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.* **0 mm with OBK-HF 83° / 110 mm with OBK-HF 104°*													
	 357 357 **Wall unit iMove with folding/lifting door** 1 folding/lifting door, 2 original fronts, 1 drop down double shelves iMove, tablar shelf dimensions: 495 mm wide, 224 mm deep	WFLIM	60	-1	33137	2.133	2.149	2.191	2.256	2.286[1]	2.317	2.351	—	—	—
		1) Except Inline 526													
		It is not possible to equip with servo motor. *Plans with light pelmet LBA/LBH are not possible.* *When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.* **0 mm with OBK-HF 83° / 110 mm with OBK-HF 104°*													








Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
						Price groups									
	 **Wall unit, folding/lifting door** 1 folding/lifting door, 1 top original front, 1 bottom framed glass front, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WFLG	50	-1	32355	1.094	1.123	1.152	1.215	1.234[1]	1.250	1.294	—	—	—
		WFLG	60	-1	32356	1.152	1.171	1.207	1.280	1.302[1]	1.326	1.381	—	—	—
		WFLG	80	-1	32358	1.286	1.333	1.396	1.504	1.524[1]	1.546	1.602	—	—	—
		WFLG	90	-1	32359	1.337	1.383	1.451	1.583	1.605[1]	1.626	1.685	—	—	—
		WFLG	100	-1	32360	1.432	1.482	1.551	1.713	1.734[1]	1.758	1.812	—	—	—
		WFLG	120	-1	32362	1.669	1.724	1.799	2.005	2.028[1]	2.054	2.110	—	—	—
						1) Except Inline 526									
						120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible.									
						When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.									
						**0 mm with OBK-HF 83° / 110 mm with OBK-HF 104°*									
						The ranges Nordic 497 and Sylt 706 are only available without inlays.									
	 **Wall unit, folding/lifting door** 1 folding/lifting door, 2 framed glass fronts, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WFLGG	50	-1	32371	1.286	1.310	1.339	1.399	1.419[1]	1.441	1.475	—	—	—
		WFLGG	60	-1	32372	1.349	1.371	1.402	1.469	1.495[1]	1.520	1.578	—	—	—
		WFLGG	80	-1	32373	1.499	1.543	1.606	1.713	1.737[1]	1.759	1.815	—	—	—
		WFLGG	90	-1	32374	1.565	1.610	1.686	1.812	1.834[1]	1.859	1.914	—	—	—
		WFLGG	100	-1	32375	1.682	1.734	1.815	1.956	1.981[1]	2.009	2.069	—	—	—
		WFLGG	120	-1	32376	1.962	2.015	2.104	2.292	2.321[1]	2.348	2.412	—	—	—
						1) Except Inline 526									
						120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible.									
						When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.									
						**0 mm with OBK-HF 83° / 110 mm with OBK-HF 104°*									
						The ranges Nordic 497 and Sylt 706 are only available without inlays.									
NEW	**No image** **Surcharge for different glass choice for glass variants:** for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
						Surcharge per unit.									
	 **Wall unit with glass doors Square with folding/lifting door** 1 folding/lifting door, 1 top original front, 1 aluminium framed front, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance **Available in:** no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Blackwith 39 Black glass	WFLSQ	50	-1	31575	1.434	1.454	1.464	1.499	1.511[1]	1.524	1.546	—	—	—
		WFLSQ	60	-1	31576	1.515	1.537	1.549	1.587	1.603[1]	1.618	1.645	—	—	—
		WFLSQ	80	-1	31578	1.644	1.694	1.721	1.781	1.799[1]	1.813	1.831	—	—	—
		WFLSQ	90	-1	31579	1.721	1.770	1.806	1.866	1.882[1]	1.901	1.929	—	—	—
		WFLSQ	100	-1	31580	1.866	1.917	1.961	2.022	2.040[1]	2.059	2.089	—	—	—
		WFLSQ	120	-1	31582	2.218	2.272	2.317	2.390	2.410[1]	2.431	2.481	—	—	—
						1) Except Inline 526									
						Glass cannot be changed!									
						Light pelmets are not permitted.									
						When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.									
						**0 mm with OBK-HF 83° / 110 mm with OBK-HF 104°*									
	 **Surcharge for servo motor** electric motor drive for wall units with swivel flap doors or folding / lifting doors, comprised of: 1 drive unit, 2 wireless switches, battery-operated, integrated in the carcase sides, 1100 mm connection cable with power supply unit for each individual country	MP-SD			5284	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113
						Surcharge per unit.									
						Not possible for wall unit with iMove WFLIM.*									
						This item is approved for EU/EEA countries. An overview of additional approved countries can be found in the nobilia Extranet. This list is regularly updated.									





Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	**Wall unit, swivel flap door** 1 swivel flap in original front, 2 shelves	WKSF	50	-1	32541	880	895	936	988	996	1.028	1.063	—	1.107	—
		WKSF	60	-1	32542	914	931	967	1.038	1.050	1.089	1.130	—	1.188	—
		WKSF	80	-1	32543	991	1.012	1.080	1.172	1.175	1.226	1.278	—	1.375	—
		WKSF	90	-1	32544	1.018	1.041	1.123	1.229	1.232	1.285	1.337	—	1.445	—
	**Wall unit, swivel flap door with drip grid** 1 swivel flap in original front, 1 drip grid for dishes, with water collector tray	WKSFAG	60	-1	31556	1.348	1.365	1.400	1.472	1.478	1.517	1.558	—	1.612	—
		WKSFAG	90	-1	31559	1.486	1.510	1.590	1.702	1.704	1.758	1.810	—	1.918	—
						Light pelmets are not permitted.									
	**Wall unit, swivel flap door** 1 swivel flap, framed glass front, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WKSG	50	-1	33585	1.197	1.212	1.244	1.302	1.308	1.340	1.374	—	1.390	—
		WKSG	60	-1	33586	1.248	1.272	1.311	1.380	1.393	1.431	1.463	—	1.486	—
		WKSG	80	-1	33588	1.400	1.424	1.488	1.583	1.588	1.637	1.685	—	1.697	—
		WKSG	90	-1	33589	1.457	1.485	1.562	1.675	1.678	1.729	1.778	—	1.797	—
						The ranges Nordic 497 and Sylt 706 are only available without inlays.									
	**Wall unit, swivel flap door with drip grid** 1 swivel flap, framed glass front, clear glass no. 01, 1 drip grid for dishes, with water collector tray, glass variants against surcharge: no. 02 / 39	WKSGAG	60	-1	32566	1.654	1.669	1.705	1.772	1.783	1.824	1.863	—	1.882	—
		WKSGAG	90	-1	32573	1.867	1.888	1.965	2.079	2.085	2.136	2.184	—	2.200	—
						Light pelmets are not permitted. *The ranges Nordic 497 and Sylt 706 are only available without inlays.*									
	**Wall unit, swivel flap door** 1 swivel flap, segmented glass front, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WKSGLS	50	-1	32405	972	994	1.018	1.045	1.064[1]	1.083	—	—	—	—
		WKSGLS	60	-1	32406	1.021	1.041	1.067	1.094	1.117[1]	1.140	—	—	—	—
		WKSGLS	80	-1	32408	1.150	1.169	1.222	1.244	1.272[1]	1.298	—	—	—	—
		WKSGLS	90	-1	32409	1.197	1.219	1.272	1.301	1.332[1]	1.361	—	—	—	—
						1) Except Inline 526									
NEW **No image**	**Surcharge for different glass choice for glass variants:** for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
						Surcharge per unit.									
	**Wall unit with glass doors Square with swivel flap door** 1 swivel flap door, aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WKSSQ	50	-1	31595	1.513	1.513	1.513	1.513	1.513	1.513	1.513	1.513	1.513	1.513
		WKSSQ	60	-1	31596	1.599	1.599	1.599	1.599	1.599	1.599	1.599	1.599	1.599	1.599
		WKSSQ	80	-1	31598	1.806	1.806	1.806	1.806	1.806	1.806	1.806	1.806	1.806	1.806
		WKSSQ	90	-1	31599	1.892	1.892	1.892	1.892	1.892	1.892	1.892	1.892	1.892	1.892
						Glass cannot be changed! *Light pelmets are not permitted.*									
	**Surcharge for servo motor** electric motor drive for wall units with swivel flap doors or folding / lifting doors, comprised of: 1 drive unit, 2 wireless switches, battery-operated, integrated in the carcase sides, 1100 mm connection cable with power supply unit for each individual country	MP-SD			5284	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113
						Surcharge per unit. *Not possible for wall unit with iMove WFLIM*.* *This item is approved for EU/EEA countries. An overview of additional approved countries can be found in the nobilia Extranet. This list is regularly updated.*									

Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
USA CAN	 **Wall unit Climber** 1 electric glass slatted front, 2 glass shelves, 8 mm thick, side depth: 371 mm, **utilisable depth: 330 mm** Available in: no. 01 Clear glass no. 02 Matt glass no. 39 Black glass	WGC	50	-1	33785	4.871	4.871	4.871	4.871	4.871	4.871	4.871	4.871	4.871	4.871
		WGC	60	-1	33786	4.961	4.961	4.961	4.961	4.961	4.961	4.961	4.961	4.961	4.961
		WGC	80	-1	33788	5.049	5.049	5.049	5.049	5.049	5.049	5.049	5.049	5.049	5.049
		WGC	90	-1	33789	5.154	5.154	5.154	5.154	5.154	5.154	5.154	5.154	5.154	5.154
		WGC	100	-1	33791	5.244	5.244	5.244	5.244	5.244	5.244	5.244	5.244	5.244	5.244
						Light pelmets are not permitted. *For designs including climbers around corners, plan a minimum space requirement of 525 mm for the corner.* *Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2.*										
	as above, however 1 mechanical glass slatted front	WGCM	50	-1	37705	4.351	4.351	4.351	4.351	4.351	4.351	4.351	4.351	4.351	4.351
		WGCM	60	-1	37706	4.434	4.434	4.434	4.434	4.434	4.434	4.434	4.434	4.434	4.434
		WGCM	80	-1	37708	4.539	4.539	4.539	4.539	4.539	4.539	4.539	4.539	4.539	4.539
		WGCM	90	-1	37709	4.633	4.633	4.633	4.633	4.633	4.633	4.633	4.633	4.633	4.633
		WGCM	100	-1	37710	4.722	4.722	4.722	4.722	4.722	4.722	4.722	4.722	4.722	4.722
						Light pelmets are not permitted. *For designs including climbers around corners, plan a minimum space requirement of 525 mm for the corner.* *The mechanical design is permitted for USA/CAN.*										
E	VAR  **Wall unit for microwave** 1 aperture depending on appliance height, 1 flap	WM	50	-1	31567	377	391	402	435	438	450	461	—	482	—
		WM	60	-1	31568	391	406	428	457	467	480	491	—	518	—
						Cut to size front possible, door is adjusted to fit appliance height!									
	717  **Corner wall unit, diagonal** 1 door: 394 mm wide, opening angle 90°, 2 shelves, Planning dimensions: 650 x 650 mm	WED	65	-1	31150	872	896	929	969	984	1.002	1.019	—	1.056	—
						Do not plan next to protruding cooker hood!									
	717  **Corner wall unit** 2 doors with 165°-hinges, 2 shelves, hinged side = first door to be opened	WE	60	-1	32160	1.004	1.028	1.082	1.139	1.149	1.178	1.205	—	1.229	—
		WE	65	-1	32165	1.064	1.088	1.139	1.207	1.219	1.257	1.294	—	1.339	—
		WE	80	-1	32168	1.308	1.337	1.402	1.507	1.517	1.583	1.644	—	1.724	—
		WE	90	-1	32169	1.415	1.450	1.523	1.654	1.661	1.745	1.824	—	1.942	—
						Do not plan adjacent protruding cooker hoods and tall units!									
	717  **Corner wall unit** 1 door, 1 angle filler, 2 shelves Carcase widths: 600, 782, 882 mm Planning dimensions (variable): 450 (390 - 500) x ... WE60-20: ...650 (630 - 700) mm WE80-35: ...800 (790 - 850) mm WE90-45: ...900 (890 - 950) mm	WE60-20		-1	32677	565	568	606	654	669	694	718	—	762	—
		WE80-35		-1	32687	637	647	694	742	768	809	847	—	894	—
		WE90-45		-1	32697	683	686	726	787	810	861	911	—	967	—
						The space requirement must be specified with the order. Adjustments on site are not possible. *Space requirement of 390 to 449 mm, only handleless planning with opening support (PTO5 / PTO5-BS) andsurcharge WOG or drilling pattern 17 and 19 are possible!*										
NEW	717  **Wall unit, diagonal** 1 full-length door, 2 shelves side depth: 339 / 171 mm, planning dimensions: 350 / 171 mm	WDIA	25	-1	32058	483	502	527	559	566[1]	581	594	—	—	—
						1) Except Inline 526									
						To be planned at end of run! *In the Cascada 684 and Nordic 497 program, cottage style open shelf end units or pilasters may not be planned as the adjacent unit.* *An opening angle limiter OWBDIA85* is included for plans with a cottage style open shelf end unit or a pilaster in the program Sylt 706 as well as an upright at end of run.* *Handleless versions are not possible.* *Width reductions are not permitted!* *Not possible with bar handle 240 / 430.*										


Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10

Price groups

Wall units for shelf insert Case, 720 mm high



285

Shelf insert Case
for 350 mm side depth,
usable depth: 290 mm

Available colours:
no. 097 Havana oak reproduction
no. 198 Sierra oak reproduction
no. 354 Concrete Slate Grey reproduction
no. 399 Milano walnut reproduction

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
CE	30	-29	65801	464	464	464	464	464	464	464	464	464	464
CE	40	-29	65802	486	486	486	486	486	486	486	486	486	486
CE	45	-29	65803	501	501	501	501	501	501	501	501	501	501
CE	50	-29	65804	514	514	514	514	514	514	514	514	514	514
CE	60	-29	65805	537	537	537	537	537	537	537	537	537	537
CE	80	-29	65806	628	628	628	628	628	628	628	628	628	628
CE	90	-29	65807	651	651	651	651	651	651	651	651	651	651
CE	100	-29	65808	682	682	682	682	682	682	682	682	682	682
CE	120	-29	65841	730	730	730	730	730	730	730	730	730	730

Height, width and depth reductions are not permitted!


429


Wall unit for shelf insert Case
Shelf insert height: 285 mm,
1 door

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WCU	30	-1	32822	254	298	342	346	359	372	385	—	416	—
WCU	40	-1	32823	279	317	352	369	380	396	412	—	447	—
WCU	45	-1	32824	296	327	356	380	393	409	425	—	464	—
WCU	50	-1	32825	310	339	361	393	404	422	438	—	480	—
WCU	60	-1	32826	334	361	368	416	426	445	464	—	512	—

Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937).

Shelf insert Case CE-29 is required and must be included in the order.*

Width and depth reductions are not permitted!



429

Wall unit for shelf insert Case
Shelf insert height: 285 mm,
1 door

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WCO	30	-1	32827	254	298	342	346	359	372	385	—	416	—
WCO	40	-1	32828	279	317	352	369	380	396	412	—	447	—
WCO	45	-1	32829	296	327	356	380	393	409	425	—	464	—
WCO	50	-1	32830	310	339	361	393	404	422	438	—	480	—
WCO	60	-1	32831	334	361	368	416	426	445	464	—	512	—

Shelf insert Case CE-29 is required and must be included in the order.*

Width and depth reductions are not permitted!


429

Wall unit with flap for shelf insert Case
Shelf insert height: 285 mm,
1 flap

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WKC	30	-1	32832	353	394	439	445	457	470	485	—	514	—
WKC	40	-1	32834	378	416	448	467	479	495	511	—	546	—
WKC	45	-1	32835	393	426	453	479	489	508	524	—	562	—
WKC	50	-1	32836	407	437	458	491	502	520	536	—	578	—
WKC	60	-1	32837	434	458	466	514	524	543	564	—	610	—

Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937).

Shelf insert Case CE-29 is required and must be included in the order.*


Width and depth reductions are not permitted!

Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

Abbreviation	Width in cm	Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10

Wall unit system with sliding doors, 720 mm high



Wall unit for sliding doors
2 glass shelves,
side depth: 350 mm


Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WSTK	50	-1	32815	299	299	299	299	299	299	299	299	299	299
WSTK	60	-1	32816	321	321	321	321	321	321	321	321	321	321
WSTK	80	-1	32818	377	377	377	377	377	377	377	377	377	377
WSTK	90	-1	32819	402	402	402	402	402	402	402	402	402	402

Sliding doors and runner profiles must be ordered separately.

A minimum of 1/3 of the entire unit width must remain free for sliding the doors.

Wall units with sliding doors protrude 8 mm beyond adjacent units.

For matching upright panels 380 mm deep and top shelves 382 mm deep see chapter 5.




Sliding door
as supplement for wall unit for sliding doors WSTK*,
without handle drill holes

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WSTT	50	-1	33815	469	482	491	548	578[1]	610	645	—	—	—
WSTT	60	-1	33816	479	491	511	572	604[1]	635	685	—	—	—
WSTT	80	-1	33818	502	517	558	628	672[1]	715	759	—	—	—
WSTT	90	-1	33819	510	526	578	654	698[1]	743	788	—	—	—

1) Except Inline 526

Wall units with sliding doors protrude 8 mm beyond adjacent units.



Framed glass sliding door
as supplement for wall unit for sliding doors WSTK*,
without handle drill holes,
clear glass no. 01
glass variants against surcharge:
no. 02 / 39

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WSTGR	50	-1	43815	647	661	670	724	740[1]	758	791	—	—	—
WSTGR	60	-1	43816	670	685	694	761	781[1]	800	844	—	—	—
WSTGR	80	-1	43818	694	708	748	821	856[1]	888	921	—	—	—
WSTGR	90	-1	43819	712	734	775	853	891[1]	927	965	—	—	—

1) Except Inline 526

Wall units with sliding doors protrude 8 mm beyond adjacent units.

The ranges Nordic 497 and Sylt 706 are only available without inlays.


NEW

No image

Surcharge for different glass choice for glass variants:
for glass variants:
no. 02 Matt glass
no. 39 Black glass
no. 23 Ribbed glass (for WGGT* only, program Frame 419)

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
MP-GW			7900	85	85	85	85	85	85	85	85	85	85

Surcharge per unit.



Runner profile set for sliding doors
comprised of 2 runner profiles top and bottom and
4 end caps,
16 mm high, 8 mm deep,
lengths: 2500 mm and 4000 mm

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WSTP	250		2812	450	450	450	450	450	450	450	450	450	450
WSTP	400		2814	685	685	685	685	685	685	685	685	685	685


Runner profile will be adapted on site. Adjacent planned units can be outfitted with a continuous profile.

Open shelf units



Open shelf wall unit
2 fixed shelves,
side depth: 371 mm

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WR	15	-1	32071	543	543	543	543	543	543	543	543	543	543
WR	20	-1	32072	558	558	558	558	558	558	558	558	558	558
WR	30	-1	32073	568	568	568	568	568	568	568	568	568	568
WR	40	-1	32074	632	632	632	632	632	632	632	632	632	632
WR	45	-1	32077	647	647	647	647	647	647	647	647	647	647
WR	50	-1	32075	685	685	685	685	685	685	685	685	685	685
WR	60	-1	32076	696	696	696	696	696	696	696	696	696	696



Surcharge for shelf units with adjustable shelves or design shelves Taro
3 drill holes in grid spacing of 32 mm

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
MP-REB			7907	200	200	200	200	200	200	200	200	200	200







Not available for open shelf end units, bottle rack units and open shelf corner units.

Not possible in conjunction with surcharge for shelves with LED lighting MP-RLA (7984).

Surcharge per unit.








Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
USA CAN	 Surcharge for shelf with LED light design consisting of: fixed shelf with attached profile strip in stainless steel appearance with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: G with Emotion technology An additional charge per shelf will be invoiced! Watt information per shelf: shelf width 150 mm: 0.78 W shelf width 200 mm: 1.17 W shelf width 300 mm: 1.95 W shelf width 400 mm: 2.73 W shelf width 450 mm: 3.12 W shelf width 500 mm: 3.51 W shelf width 600 mm: 4.29 W	MP-RLA			7984	231	231	231	231	231	231	231	231	231	231
						The light design MP-RLA is possible on all open shelf base units, tall units and wall units (UR/HR*/WR*).* *MP-RLA is not possible on open shelf end units and bottle rack units.* *Lighting cannot be selected per fixed shelf, but rather only for the entire open shelf unit.* *LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting.* *Depth reductions on shelf units with MP-RLA are permitted to a min. side depth of 150 mm.* *Width reductions are not permitted.*									
	 Wall unit as bottle rack 4 fixed shelves, side depth: 371 mm	WRF	15	-1	31235	632	632	632	632	632	632	632	632	632	632
	 Drawer insert laminated wood in stainless steel appearance for bottle rack H x W x D = 120 x 115 x 341 mm	ERF			4704	180	180	180	180	180	180	180	180	180	180
	as above, however with matt glass insert no. 02	ERFG			4709	210	210	210	210	210	210	210	210	210	210
	 Bevelled shelf unit 2 glass shelves, side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).	WFR	20	-1	21862	838	—	—	994	—	—	—	—	—	—
		WFR	30	-1	21863	876	—	—	1.086	—	—	—	—	—	—
		WFR	40	-1	21864	917	—	—	1.164	—	—	—	—	—	—
		WFR	45	-1	21867	959	—	—	1.226	—	—	—	—	—	—
		WFR	50	-1	21865	971	—	—	1.259	—	—	—	—	—	—
		WFR	60	-1	21866	1.013	—	—	1.336	—	—	—	—	—	—
						Height, width and depth reductions are not permitted!									
NEW	 Wall shelf unit with plate rack 1 fixed shelf, 1 plate rack in solid oak, side depth: 371 mm	WRTHR	50	-1	32066	913	913	913	913	913	913	913	913	913	913
		WRTHR	60	-1	32067	949	949	949	949	949	949	949	949	949	949
						Width and depth reductions are not permitted!									
	 Open shelf corner wall unit 2 fixed shelves, side depth: 371 mm	WRE	60	-1	32097	1.169	1.169	1.169	1.169	1.169	1.169	1.169	1.169	1.169	1.169
		WRE	65	-1	32098	1.181	1.181	1.181	1.181	1.181	1.181	1.181	1.181	1.181	1.181
	 Open shelf corner wall unit 135° corner solution 2 fixed shelves, side depth: 371 mm, space requirement: 259 x 259 mm	WRED		-1	31574	870	870	870	870	870	870	870	870	870	870
	 Open shelf end wall unit, chamfered 2 fixed shelves, side depth: 371 mm, width: 182 mm	WRA	18	-1	31707	587	587	587	587	587	587	587	587	587	587
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									
	width: 322 mm	WRA	32	-1	31722	634	634	634	634	634	634	634	634	634	634
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									


Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
	**Open shelf end wall unit, cottage style** 2 fixed shelves, 3 attached pilasters, width: 323.5 mm, depth: 372.5 mm, except for Cascada 684 and Nordic 497, width: 326 mm, depth: 375 mm	WRA-PI		-1	30733	—	—	—	—	—	—	1.164	—	—	—
		Pilaster colours and design depend on range, see front pages, chapter 1. *Please indicate LH or RH hinge!* *Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.*													
Fillers															
 717	**Angle filler** front material: 100 x 100 mm wide, 2 shelves top and bottom, 2 wall unit side panels: 350 mm deep, space requirement: 450 x 450 mm	WPE	45	-1	31477	387	407	415	419	428	442	456	—	482	—
	as above, however **variable** front material: 40 to 150 mm wide, space requirement: 390 - 500 mm	WPEV	50	-1	31480	432	450	456	458	477	496	515	—	542	—
		With a space requirement of 390 to 449 mm, only handleless designs with opening support mechanism (PTO5 / PTO5-BS) and surcharge WOG / WOGL or drilling 17 and 19 are possible!													
	**Filler** carcase material, 720 mm high, U-shaped seal for connection to wall, width: 100 mm	WPK	10	-1	31301	69	69	69	69	69	69	69	69	69	69
		The wood grain always runs vertical in wood décors.													
	width: 200 mm	WPK	20	-1	31302	74	74	74	74	74	74	74	74	74	74
		The wood grain always runs vertical in wood décors.													
 717	**Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	WPD	20	-1	3312	152	158	177	204	206	222	238	—	258	—
		Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*													
	**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
		Pura and Inline are profiled all around, cut edge is centred!													
	**Wall unit side panel** carcase material: 350 mm deep, suitable for LH or RH side	WS		-1	3508	121	121	121	121	121	121	121	121	121	121
		Required, if a cooker hood is planned at end of run!													
 717	**Wall unit frame** without rear panel, 1 door, carcase depth: 110 mm	WRT	30	-1	31443	251	270	288	323	329	346	365	—	383	—
		WRT	40	-1	31444	257	279	311	353	361	385	412	—	444	—
		WRT	45	-1	31447	260	288	318	365	368	404	439	—	466	—
		WRT	50	-1	31445	266	291	329	380	385	420	453	—	505	—
		WRT	60	-1	31446	279	311	346	412	428	467	505	—	555	—
		Base unit frames cannot stand alone and must be bolted to adjacent units.													

Wall units 720 mm high

Side depth: 350 mm
Carcase height: 720 mm
Wall unit height 1

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	**Ceiling panel** Front material height: 194 mm, width: 2229 mm, minimum installation height: 45 mm	DBF			462	238[1]	261[2]	305[3]	422[4]	423	457	488	—	548	—


1) Except Laser, front 463 2) Only front 842, 839 3) Except Structura 382
4) Except Easytouch 945, Inox 808, Natura 157

Only use ceiling panel in conjunction with swivel flap door wall units recessed 110 mm from the carcase front edge, otherwise the swivel flap wall unit cannot be opened. Please observe exhaust ducts.

Plan ceiling panels from wall (upright panel) to wall (upright panel). For ideal ventilation of installed electric appliances, a shadow gap to the ceiling is required.

Fixed dimension, adjustment only possible on site!

Back panels for sideboard designs 720 mm high

720 	**Back panel for sideboard designs** 16 mm thick, 720 mm high, width: 250 - 2000 mm, vario clip mounting, in case of reproduction finishes use vertical wood grain Available in all carcase and worktop décors from décor group 1.	RKW		-72	31742	20,1	20,1	20,1	20,1	20,1	20,1	20,1	20,1	20,1	20,1

Not available in Xtra décors.

Décor 366 is only available up to a width of 1200 mm!


	Back panel **however**, continuous, including floor profile: Vario clip fastening, in case of reproduction finishes use vertical wood grain **Available floor profile colours:** 010 Black 014 Stainless steel appearance 70 mm plinth height: 810 mm 100 mm plinth height: 840 mm 150 mm plinth height: 890 mm 200 mm plinth height: 940 mm	RKWS		-72	31756	31,8	31,8	31,8	31,8	31,8	31,8	31,8	31,8	31,8	31,8

Height adaptation on site!
Price per 100 mm, every 100 mm started will be invoiced.

Not available in Xtra décors.

Décor 366 is only available up to a width of 1200 mm!

If no bracket colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.

717 	**Back panel for sideboard designs** in door finish, without drill holes, 717 mm high, Vario clip fastening, price including plinth	RFW	20	-72	1720	161	172	190	222	226	235	242	—	260	—
		RFW	25	-72	1725	172	177	197	237	238	253	266	—	288	—
		RFW	30	-72	1743	178	180	201	247	251	269	289	—	312	—
		RFW	35	-72	1735	180	185	213	257	263	289	312	—	339	—
		RFW	40	-72	1744	184	188	225	266	276	307	333	—	364	—
		RFW	45	-72	1745	185	197	229	277	288	321	356	—	387	—
		RFW	50	-72	1746	196	199	238	291	301	336	375	—	426	—
		RFW	55	-72	1758	197	200	242	299	321	358	391	—	448	—
		RFW	60	-72	1747	199	201	247	315	329	372	416	—	464	—
		RFW	80	-72	1748	250	269	339	429	432	483	533	—	632	—
		RFW	90	-72	1749	260	282	365	476	477	529	581	—	688	—

Wall units, height 2
792 mm high

Key

Item available in special sizes, s. chapter 2.

Planning information, s. chapter 10.

Please specify appliance.

For available colours s. swatch, Design Overview page M 2.1.

Available as a sideboard for a surcharge MP-SB (7940).

Not available in: USA and Canada.

Quick reference for light designs and Equipment options for wall units

For an overview of the wattage specifications of the light designs, please refer to LED starter sets in the accessories list, lighting chapter.

Here you can find a quick reference for the most important equipment options and surcharges for this chapter.
For detailed descriptions and planning notes as well as additional options and special productions please refer to chapter 2.2 “Equipment options, special productions”.

Surcharges light designs for wall units

	Abbreviation	Order no.	Points
Surcharge for wall units with LED glass light panel	MP-LA	7961	715
Surcharge for wall units with LED light design	MP-LED	7938	458
Surcharge for handleless wall units	MP-WOG	7936	85
Surcharge for handleless wall units as above, however with integrated LED light strip	MP-WOGL	7937	612
Surcharge for wall units with LED light design NOVA PLUS in unit bottom shelf	MP-LNP-U	7967	254
Surcharge for wall units with glass doors with LED light design NOVA PLUS in unit top shelf	MP-LNP-O	7981	254
Surcharge for wall units with LED light design MANILA PLUS in unit bottom shelf	MP-LMP-U	7968	299
Surcharge for wall units with glass doors with LED light design MANILA PLUS in unit top shelf	MP-LMP-O	7982	299
Surcharge for wall units with LED plant grow light Not possible with the Emotion technology of starter sets LSET-SMART36/60(-FB). LED power supply set ESS6-LED and switch NK/SEN220/FUNK are not included in the scope of delivery.	MP-LP	7957	305
Surcharge for wall units with LED light design LUCIA in unit bottom shelf	MP-LML-U	7927	299
Surcharge for wall units with glass doors with LED light design LUCIA in unit top shelf	MP-LML-O	7914	299

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery,
refer to accessories list, chapter on lighting.

Surcharges light designs Philips Hue for wall units, 24 V

	Abbreviation	Order no.	Points
Surcharge for wall units with LED light design Hue Spot White & Color Ambiance in unit bottom shelf	MP-LHA-U	7903	533
Surcharge for wall units with glass doors with LED light design Hue Spot White & Color Ambiance in unit top shelf	MP-LHA-O	7901	533

With White & Color Ambiance:
infinitely variable colour temperature from 2200 - 6500 K + RGB

LED starter sets LSET-HA60 / LFSET-HA60 are not included in the scope of delivery,
refer to accessories list, chapter on lighting.







Quick reference of equipment options for wall units

	Abbreviation	Order no.	Points
Surcharge for carcase interior décor in Slate grey	MP-KID	7947	96

Surcharge eye-catcher back panel for glass wall units, sideboards and Ambia and Air tall units **as well as single-door wall units (bar) flap with framed glass door**	MP-ARW	7916	
Décor group 1: all carcase and worktop décors	DG 1		174
Décor group 2: Décor 598 Wood-Art Como oak	DG 2		445
Décor group 3: 050 Mirror, bronze colour and 051 Mirror, slate grey	DG 3		470
Surcharge for plinth for wall units	MP-SB	7940	53
Surcharge for servo motor **electric motor drive for wall units with swivel flap doors or folding / lifting doors**	MP-SD	5284	2.113







Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
	Wall units, 792 mm high														
	 **Surcharge for plinth** for wall units for planning as floor-standing sideboard, including plinth panel in the heights 70, 100, 150, 200 mm	MP-SB			7940	53	53	53	53	53	53	53	53	53	53
						The handles will automatically be positioned at sideboard height.									
						No plinth panel is included with a plinth height of 20 mm.									
						Please specify the plinth height in your order.									
S	 789 **Wall unit** 1 door, 2 shelves	W	20	-2	42602	251	272	301	324	329	340	353	—	377	—
		W	25	-2	42625	272	292	318	352	355	369	384	—	409	—
		W	30	-2	42003	295	311	339	374	381	402	419	—	448	—
		W	35	-2	42035	310	324	361	397	406	431	456	—	489	—
		W	40	-2	42004	321	342	377	425	429	460	488	—	527	—
		W	45	-2	42045	334	356	391	450	457	488	518	—	572	—
		W	50	-2	42005	355	372	415	477	485	523	559	—	612	—
		W	55	-2	42055	368	387	432	501	505	549	590	—	660	—
		W	60	-2	42006	387	412	450	530	537	585	634	—	698	—
	 789 **Wall unit** 1 door, 1 fixed shelf, 6 plastic canisters	WS	30	-2	42013	387	415	438	479	482	502	521	—	553	—
		WS	40	-2	42014	416	438	477	523	529	556	583	—	631	—
		WS	45	-2	42043	428	453	489	552	555	588	623	—	669	—
		WS	50	-2	42015	444	470	510	574	580	619	656	—	712	—
		WS	60	-2	42016	477	501	549	625	635	682	726	—	796	—
USA CAN	 789 **Wall unit** 1 door, 1 fixed shelf, 6 plastic canisters, 1 spice rack: up to 450 mm with 12 spice jars, from 500 mm with 24 spice jars	WSG	30	-2	42023	588	612	639	676	685	702	718	—	746	—
		WSG	40	-2	42024	615	641	675	721	730	758	785	—	822	—
		WSG	45	-2	42041	631	654	688	745	755	787	819	—	869	—
		WSG	50	-2	42025	785	812	850	913	923	961	997	—	1.051	—
		WSG	60	-2	42026	818	844	889	964	974	1.021	1.067	—	1.134	—
	 789 **Wall unit, drip grid** 1 door, drip grid for dishes, with water collector tray	WAG	60	-2	42036	828	853	894	974	987	1.031	1.076	—	1.142	—
	 789 **Wall unit iMove** 1 door, 1 drop down double shelves iMove, tablar shelf dimensions: 495 mm wide, 224 mm deep	WIM	60	-2	42133	1.650	1.667	1.710	1.790	1.797	1.844	1.888	—	1.958	—
	 789 **Wall unit** 2 doors, 2 shelves	W2T	60	-2	42062	456	491	542	621	634	673	708	—	767	—
		W	80	-2	42008	537	578	653	745	756	815	872	—	952	—
		W	90	-2	42009	571	606	679	796	812	876	942	—	1.038	—
		W	100	-2	42010	600	644	721	844	864	939	1.012	—	1.123	—
	 789 **Wall unit, drip grid** 2 doors, drip grid for dishes with water collector tray	WAG	90	-2	42039	1.022	1.070	1.140	1.259	1.270	1.336	1.400	—	1.499	—
	 789 **Wall unit** 2 doors hinged in parallel, 2 shelves	W2TP	80	-2	42048	542	580	653	746	759	816	873	—	959	—
		W2TP	90	-2	42049	572	610	682	799	812	877	943	—	1.041	—
		W2TP	100	-2	42050	604	645	726	847	866	940	1.015	—	1.126	—
						Please indicate hinged side!									
	 789 **Wall unit** 1 folding door with slide mechanism, 2 shelves	WFT	60	-2	42046	555	572	623	704	715	759	800	—	850	—
						Please indicate hinged side!									



Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
	 789 **Wall unit, framed glass door** 1 door, range-dependent glass design, 2 insertable glass shelves, Glass variants for a surcharge: MP-GW (7900) / MP-GWSP (7908) Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WG	45	-2	41104	644	664	715	777	799	841	883	—	917	—
		WG	50	-2	41105	682	696	746	813	840	888	934	—	965	—
		WG	60	-2	41106	737	761	815	894	929	978	1.029	—	1.076	—
	 789 **Wall unit, framed glass door** 2 doors, range-dependent glass design, 2 insertable glass shelves, Glass variants for a surcharge: MP-GW (7900) / MP-GWSP (7908)	WG	90	-2	42109	1.167	1.202	1.296	1.416	1.464	1.555	1.643	—	1.720	—
		WG	100	-2	42110	1.223	1.264	1.371	1.504	1.551	1.648	1.746	—	1.828	—
NEW	 418,5 312 58,5 **Ambia wall cabinet with glass framed door** 1 door with asymmetrical glass cut-out, clear glass no. 01, 1 fixed shelf, carcase height: 792 mm centre back panel MP-ARW available for a surcharge, see chapter equipment options and extra charges.	WGAMB	45	-2	45451	588	609	660	721[1]	—	—	—	—	—	—
		WGAMB	50	-2	45452	621	635	685	750[1]	—	—	—	—	—	—
		WGAMB	60	-2	45454	672	695	749	828[1]	—	—	—	—	—	—
									1) Except Frame 419						
						Integrated interior lighting is only built-into fixed shelves.									
						When used as a sideboard, the glass cut-out is at the top.									
						Matching LED interior cabinet light Hide LSIDHW-43.									
						Glass cannot be changed!									
NEW	 65 227 497 **Wall unit, framed glass door partially glazed** 1 door, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 23	WGGT	45	-2	41103	—	—	—	810[1]	—	—	—	—	—	—
		WGGT	50	-2	41107	—	—	—	847[1]	—	—	—	—	—	—
		WGGT	60	-2	41108	—	—	—	921[1]	—	—	—	—	—	—
										1) Only Frame 419					
						When used as a sideboard, the glass cut-out remains at the top.									
NEW	 65 227 497 **Wall unit, framed glass door partially glazed** 2 doors, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 23	WGGT	90	-2	41113	—	—	—	1.483[1]	—	—	—	—	—	—
		WGGT	100	-2	41115	—	—	—	1.572[1]	—	—	—	—	—	—
										1) Only Frame 419					
						When used as a sideboard, the glass cut-out remains at the top.									
	 429 141 **Wall unit, segmented glass door** 1 door, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WGLS	45	-2	41434	407	435	448	477	496[1]	514	—	—	—	—
		WGLS	50	-2	41435	428	448	466	505	526[1]	548	—	—	—	—
		WGLS	60	-2	41436	469	488	510	555	581[1]	607	—	—	—	—
										1) Except Inline					
						Handle position 02 is not possible!									
						When planned as a sideboard, the 141 mm high panel will be at the top.									
	 429 141 **Wall unit, segmented glass door** 2 doors, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WGLS	90	-2	41440	708	746	781	847	882[1]	917	—	—	—	—
		WGLS	100	-2	41441	748	788	831	895	937[1]	978	—	—	—	—
										1) Except Inline					
						Handle position 02 is not possible!									
						When planned as a sideboard, the 141 mm high panel will be at the top.									
	 429 141 **Wall unit, glass doors Boulevard** 1 door, clear glass no. 01, 2 fixed shelves, glass variants against surcharge: no. 02 / 39	WGB	45	-2	45437	418	444	457	489	508[1]	524	—	—	—	—
		WGB	50	-2	45438	438	457	473	517	537[1]	558	—	—	—	—
		WGB	60	-2	45439	482	496	520	568	593[1]	619	—	—	—	—
										1) Except Inline					
						Handle position 02 is not possible!									
						Not possible with lighting design MP-LA or MP-WOGL. Integrated interior lighting is only built-into fixed top shelves.									
						For use as a sideboard, the panel is at a height of 141 mm and there is no fixed construction shelf at this height.									

Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

			Abbreviation	Width in cm		Order-no.	Points									
							Price groups									
							1	2	3	4	5	6	7	8	9	10
NEW	No image	Surcharge for different glass choice for glass variants: for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
							Surcharge per unit.									
	No image	Surcharge for choice of different glass inlay Glass variants for the Nordic range: no. 27 inlay with Clear glass no. 28 inlay with Matt glass no. 29 inlay with Black glass Horizontal inlays: no. 54 inlay with Clear glass no. 55 inlay with Matt glass no. 56 inlay with Black glass	MP-GWSP			7908	—	—	—	—	—	—	85[1]	—	—	—
							1) Only Nordic 497									
							no. 27 / 54 Inlay with clear glass is the standard design for Nordic 497 so no surcharge is invoiced.									
	 789	Wall unit with glass doors Square 1 aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WSQ	45	-2	41524	975	975	975	975	975	975	975	975	975	975
			WSQ	50	-2	41525	1.019	1.019	1.019	1.019	1.019	1.019	1.019	1.019	1.019	1.019
			WSQ	60	-2	41526	1.107	1.107	1.107	1.107	1.107	1.107	1.107	1.107	1.107	1.107
							Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached profile strip is omitted. Please also order the mechanical opening support mechanism PTO5 or PTO5-BS for handleless doors.*									
	 789	Wall unit with glass doors Square 2 aluminium framed doors, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WSQ	90	-2	41529	1.856	1.856	1.856	1.856	1.856	1.856	1.856	1.856	1.856	1.856
			WSQ	100	-2	41531	1.948	1.948	1.948	1.948	1.948	1.948	1.948	1.948	1.948	1.948
							Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached profile strip is omitted. Please also order the mechanical opening support mechanism PTO5 or PTO5-BS for handleless doors.*									
	 789	Wall unit with glass doors Flat 1 aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 431 Aluminium framed front in Alpine white with 02 Matt glass no. 434 Aluminium framed front in Slate grey with 035 Grey glass no. 438 Aluminium framed front in Black with 39 Black glass no. 440 Aluminium framed front in Black with 48 Black glass matt	WF	30	-2	43483	848	848	848	848	848	848	848	848	848	848
			WF	45	-2	43484	987	987	987	987	987	987	987	987	987	987
			WF	50	-2	43485	1.031	1.031	1.031	1.031	1.031	1.031	1.031	1.031	1.031	1.031
			WF	60	-2	43486	1.121	1.121	1.121	1.121	1.121	1.121	1.121	1.121	1.121	1.121
							Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.*									

Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
				Price groups									
WF	90	-2	43489	1.825	1.825	1.825	1.825	1.825	1.825	1.825	1.825	1.825	1.825
WF	100	-2	43490	1.948	1.948	1.948	1.948	1.948	1.948	1.948	1.948	1.948	1.948



Wall unit with glass doors Flat
2 aluminium framed doors,
2 glass shelves,
handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance

Available in:
no. 431 Aluminium framed front in Alpine white with 02 Matt glass
no. 434 Aluminium framed front in Slate grey with 035 Grey glass
no. 438 Aluminium framed front in Black with 39 Black glass
no. 440 Aluminium framed front in Black with 48 Black glass matt

Glass cannot be changed!

Light pelmets are not permitted.

When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.

WGAIR	30	-2	41180	1.413	1.413	1.413	1.413	1.413	1.413	1.413	1.413	1.413	1.413
WGAIR	45	-2	41181	1.682	1.682	1.682	1.682	1.682	1.682	1.682	1.682	1.682	1.682
WGAIR	50	-2	41182	1.734	1.734	1.734	1.734	1.734	1.734	1.734	1.734	1.734	1.734
WGAIR	60	-2	41183	1.937	1.937	1.937	1.937	1.937	1.937	1.937	1.937	1.937	1.937




Glass wall unit Air
1 aluminium framed door with integrated handle profile,
035 grey glass,
2 glass shelves
total depth: 379 mm,
side depth: 350 mm

Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.

Glass cannot be changed!

WKOF	50	-2	40615	423	453	473	508	520	533	548	—	588	—
WKOF	60	-2	40616	453	477	485	531	542	566	588	—	635	—
WKOF	80	-2	40618	599	645	685	745	746	780	812	—	864	—
WKOF	90	-2	40619	626	675	724	791	796	828	860	—	917	—




Wall unit with flap
1 flap,
1 open compartment,
handleless version with offset construction shelf

Wall unit is supplied with handle, but without drill holes.

Height, width and depth reductions are not permitted!

WFL	50	-2	40345	851	880	914	977	1.006[1]	1.037	1.067	—	—	—
WFL	60	-2	40346	889	915	948	1.026	1.063[1]	1.099	1.139	—	—	—
WFL	80	-2	40348	996	1.042	1.107	1.226	1.270[1]	1.314	1.349	—	—	—
WFL	90	-2	40349	1.028	1.077	1.152	1.286	1.333[1]	1.380	1.415	—	—	—
WFL	100	-2	40350	1.095	1.152	1.244	1.399	1.447[1]	1.494	1.527	—	—	—
WFL	120	-2	40352	1.295	1.349	1.467	1.660	1.711[1]	1.761	1.799	—	—	—

1) Except Inline 526



Wall unit, folding/lifting door
1 folding/lifting door,
2 original fronts,
2 shelves


120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible.

When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.

**0 mm with OBK-HF 83° / 135 mm with OBK-HF 104°*

WFLIM	60	-2	42137	2.149	2.172	2.210	2.285	2.321[1]	2.358	2.397	—	—	—

1) Except Inline 526



Wall unit iMove with folding/lifting door
1 folding/lifting door,
2 original fronts,
1 drop down double shelves iMove,
tablar shelf dimensions:
495 mm wide, 224 mm deep





It is not possible to equip with servo motor.

When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.

**0 mm with OBK-HF 83° / 135 mm with OBK-HF 104°*





Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2



	Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
 **Wall unit, folding/lifting door** 1 folding/lifting door, 1 top original front, 1 bottom framed glass front, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WFLG	50	-2	45355	1.113	1.139	1.177	1.244	1.266[1]	1.288	1.332	—	—	—
	WFLG	60	-2	45356	1.171	1.193	1.226	1.311	1.339[1]	1.367	1.424	—	—	—
	WFLG	80	-2	45358	1.320	1.371	1.437	1.558	1.586[1]	1.610	1.670	—	—	—
	WFLG	90	-2	45359	1.375	1.421	1.497	1.640	1.667[1]	1.697	1.758	—	—	—
	WFLG	100	-2	45360	1.467	1.520	1.599	1.774	1.805[1]	1.832	1.889	—	—	—
	WFLG	120	-2	45362	1.714	1.772	1.857	2.078	2.111[1]	2.143	2.203	—	—	—
					1) Except Inline 526									
					120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible.									
					When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.									
					**0 mm with OBK-HF 83° / 135 mm with OBK-HF 104°*									
					The ranges Nordic 497 and Sylt 706 are only available without inlays.									
 **Wall unit, folding/lifting door** 1 folding/lifting door, 2 framed glass fronts, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WFLGG	50	-2	43411	1.307	1.327	1.364	1.426	1.450[1]	1.475	1.513	—	—	—
	WFLGG	60	-2	43412	1.369	1.393	1.421	1.498	1.530[1]	1.559	1.622	—	—	—
	WFLGG	80	-2	43413	1.532	1.581	1.645	1.767	1.796[1]	1.824	1.883	—	—	—
	WFLGG	90	-2	43414	1.602	1.651	1.729	1.867	1.898[1]	1.927	1.989	—	—	—
	WFLGG	100	-2	43415	1.717	1.774	1.860	2.016	2.050[1]	2.082	2.146	—	—	—
	WFLGG	120	-2	43416	2.008	2.060	2.162	2.365	2.402[1]	2.438	2.507	—	—	—
					1) Except Inline 526									
					120 cm wide wall units with flaps or folding/lifting doors are equipped with a profile strip in the bottom shelf. Plans with light pelmet are not possible.									
					When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.									
					**0 mm with OBK-HF 83° / 135 mm with OBK-HF 104°*									
					The ranges Nordic 497 and Sylt 706 are only available without inlays.									
NEW	**No image**	**Surcharge for different glass choice for glass variants:** for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW		7900	85	85	85	85	85	85	85	85	85	85
					Surcharge per unit.									
 **Wall unit with glass doors Square with folding/lifting door** 1 folding/lifting door, 1 top original front, 1 aluminium framed front, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Blackwith 39 Black glass	WFLSQ	50	-2	45575	1.451	1.472	1.491	1.527	1.545[1]	1.561	1.583	—	—	—
	WFLSQ	60	-2	45576	1.536	1.559	1.567	1.616	1.638[1]	1.657	1.692	—	—	—
	WFLSQ	80	-2	45578	1.675	1.729	1.764	1.835	1.857[1]	1.876	1.902	—	—	—
	WFLSQ	90	-2	45579	1.759	1.810	1.851	1.921	1.945[1]	1.968	2.006	—	—	—
	WFLSQ	100	-2	45580	1.904	1.956	2.008	2.083	2.110[1]	2.135	2.170	—	—	—
	WFLSQ	120	-2	45582	2.263	2.317	2.371	2.463	2.492[1]	2.521	2.575	—	—	—
					1) Except Inline 526									
					Glass cannot be changed!									
					Light pelmets are not permitted.									
					When planning cornice shelves ADB/KBW, an opening angle limiter OBK-HF (6336) is required.									
					**0 mm with OBK-HF 83° / 135 mm with OBK-HF 104°*									
 **Surcharge for servo motor** electric motor drive for wall units with swivel flap doors or folding / lifting doors, comprised of: 1 drive unit, 2 wireless switches, battery-operated, integrated in the carcase sides, 1100 mm connection cable with power supply unit for each individual country	MP-SD			5284	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113
					Surcharge per unit.									
					Not possible for wall unit with iMove WFLIM.*									
					This item is approved for EU/EEA countries. An overview of additional approved countries can be found in the nobilia Extranet. This list is regularly updated.									

Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2



		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
E	 VAR	**Wall unit for microwave** 1 aperture depending on appliance height, 1 flap	WM	50	-2	40567	394	407	423	466	473	486	499	—	530	—
			WM	60	-2	40568	409	428	445	485	498	515	530	—	575	—
		Cut to size front possible, door is adjusted to fit appliance height!														
	 789	**Corner wall unit, diagonal** 1 door: 394 mm wide, opening angle 90°, 2 shelves, Planning dimensions: 650 x 650 mm	WED	65	-2	41150	902	931	965	1.015	1.026	1.048	1.069	—	1.104	—
		Do not plan next to protruding cooker hood!														
	 789	**Corner wall unit** 2 doors with 165°-hinges, 2 shelves, hinged side = first door to be opened	WE	60	-2	42160	1.038	1.073	1.124	1.183	1.196	1.229	1.263	—	1.294	—
			WE	65	-2	42165	1.107	1.133	1.186	1.266	1.280	1.323	1.364	—	1.416	—
			WE	80	-2	42168	1.422	1.451	1.524	1.641	1.654	1.726	1.799	—	1.888	—
			WE	90	-2	42169	1.537	1.570	1.653	1.805	1.812	1.902	1.990	—	2.117	—
		Do not plan adjacent protruding cooker hoods and tall units!														
	 789	**Corner wall unit** 1 door, 1 angle filler, 2 shelves Carcase widths: 600, 782, 882 mm Planning dimensions (variable): 450 (390 - 500) x ... WE60-20: ...650 (630 - 700) mm WE80-35: ...800 (790 - 850) mm WE90-45: ...900 (890 - 950) mm	WE60-20		-2	42677	588	591	637	686	702	737	771	—	807	—
			WE80-35		-2	42687	676	685	737	796	813	863	911	—	959	—
			WE90-45		-2	42697	718	726	777	841	864	924	983	—	1.041	—
		The space requirement must be specified with the order. Adjustments on site are not possible. *With a space requirement of 390 to 449 mm, only handleless designs with opening support mechanism (PTO5 / PTO5-BS) and surcharge WOG or drill pattern 17 and 19 are possible!*														
NEW	 789	**Wall unit, diagonal** 1 full-length door, 2 shelves side depth: 339 / 171 mm, planning dimensions: 350 / 171 mm	WDIA	25	-2	41058	498	515	542	578	585[1]	604	623	—	—	—
											1) Except Inline 526					
		To be planned at end of run! *In the Cascada 684 and Nordic 497 program, cottage style open shelf end units or pilasters may not be planned as the adjacent unit.* *An opening angle limiter OWBDIA85* is included for plans with a cottage style open shelf end unit or a pilaster in the program Sylt 706 as well as an upright at end of run.* *Handleless versions are not possible.* *Width reductions are not permitted!* *Not possible with bar handle 240 / 430.*														

Wall units for shelf insert Case, 792 mm high




	 357	**Shelf insert Case** for 350 mm side depth, usable depth: 290 mm **Available colours:** no. 097 Havana oak reproduction no. 198 Sierra oak reproduction no. 354 Concrete Slate Grey reproduction no. 399 Milano walnut reproduction	CE	30	-36	65809	480	480	480	480	480	480	480	480	480	480
			CE	40	-36	65810	510	510	510	510	510	510	510	510	510	510
			CE	45	-36	65811	521	521	521	521	521	521	521	521	521	521
			CE	50	-36	65812	536	536	536	536	536	536	536	536	536	536
			CE	60	-36	65813	578	578	578	578	578	578	578	578	578	578
			CE	80	-36	65814	656	656	656	656	656	656	656	656	656	656
			CE	90	-36	65815	688	688	688	688	688	688	688	688	688	688
			CE	100	-36	65816	715	715	715	715	715	715	715	715	715	715
			CE	120	-36	65817	769	769	769	769	769	769	769	769	769	769
		Height, width and depth reductions are not permitted!														
	 429	**Wall unit for shelf insert Case** Shelf insert height: 357 mm, 1 door	WCU	30	-2	42027	260	304	349	355	365	378	393	—	422	—
			WCU	40	-2	42028	289	324	359	377	387	404	420	—	456	—
			WCU	45	-2	42029	304	334	364	390	402	418	432	—	472	—
			WCU	50	-2	42030	317	346	368	402	412	429	447	—	488	—
			WCU	60	-2	42031	345	369	377	425	435	456	473	—	521	—
		Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937). *Shelf insert Case CE*-36 is required and must be included in the order.* *Width and depth reductions are not permitted!*														

Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2






	Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
 429 **Wall unit for shelf insert Case** Shelf insert height: 357 mm, 1 door	WCO	30	-2	42051	260	304	349	355	365	378	393	—	422	—
	WCO	40	-2	42052	289	324	359	377	387	404	420	—	456	—
	WCO	45	-2	42053	304	334	364	390	402	418	432	—	472	—
	WCO	50	-2	42054	317	346	368	402	412	429	447	—	488	—
	WCO	60	-2	42056	345	369	377	425	435	456	473	—	521	—
	Shelf insert Case CE-36 is required and must be included in the order.*													
	Width and depth reductions are not permitted!													
 429 **Wall unit with flap for shelf insert Case** Shelf insert height: 357 mm, 1 flap	WKC	30	-2	42057	359	402	447	451	463	477	491	—	520	—
	WKC	40	-2	42058	385	423	457	476	486	502	518	—	553	—
	WKC	45	-2	42061	402	434	461	486	498	515	531	—	569	—
	WKC	50	-2	42063	416	445	466	499	511	527	546	—	585	—
	WKC	60	-2	42064	444	467	476	523	533	553	572	—	621	—
	Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937).													
	Shelf insert Case CE-36 is required and must be included in the order.*													
	Width and depth reductions are not permitted!													

Open shelf units

 **Open shelf wall unit** 2 fixed shelves, side depth: 371 mm	WR	15	-2	43071	559	559	559	559	559	559	559	559	559	559
	WR	20	-2	43072	572	572	572	572	572	572	572	572	572	572
	WR	30	-2	43073	584	584	584	584	584	584	584	584	584	584
	WR	40	-2	43074	654	654	654	654	654	654	654	654	654	654
	WR	45	-2	43077	675	675	675	675	675	675	675	675	675	675
	WR	50	-2	43075	698	698	698	698	698	698	698	698	698	698
	WR	60	-2	43076	717	717	717	717	717	717	717	717	717	717
 **Surcharge for shelf units with adjustable shelves or design shelves Taro** 3 drill holes in grid spacing of 32 mm	MP-REB			7907	200	200	200	200	200	200	200	200	200	200
	Not available for open shelf end units, bottle rack units and open shelf corner units.													
	Not possible in conjunction with surcharge for shelves with LED lighting MP-RLA (7984).													
	Surcharge per unit.													
 **Surcharge for shelf with LED light design** consisting of: fixed shelf with attached profile strip in stainless steel appearance with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: G with Emotion technology An additional charge per shelf will be invoiced! Watt information per shelf: shelf width 150 mm: 0.78 W shelf width 200 mm: 1.17 W shelf width 300 mm: 1.95 W shelf width 400 mm: 2.73 W shelf width 450 mm: 3.12 W shelf width 500 mm: 3.51 W shelf width 600 mm: 4.29 W	MP-RLA			7984	231	231	231	231	231	231	231	231	231	231
	The light design MP-RLA is possible on all open shelf base units, tall units and wall units (UR/HR*/WR*).* *MP-RLA is not possible on open shelf end units and bottle rack units.*													
	Lighting cannot be selected per fixed shelf, but rather only for the entire open shelf unit.													
	LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting.													
	Depth reductions on shelf units with MP-RLA are permitted to a min. side depth of 150 mm. *Width reductions are not permitted.*													
 **Wall unit as bottle rack** 4 fixed shelves, side depth: 371 mm	WRF	15	-2	41235	654	654	654	654	654	654	654	654	654	654







Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	 Drawer insert laminated wood in stainless steel appearance for bottle rack H x W x D = 120 x 115 x 341 mm	ERF			4704	180	180	180	180	180	180	180	180	180	180
	as above, however with matt glass insert no. 02	ERFG			4709	210	210	210	210	210	210	210	210	210	210
	 Bevelled shelf unit 2 glass shelves, side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).	WFR	20	-2	35862	844	—	—	1.021	—	—	—	—	—	—
		WFR	30	-2	35863	889	—	—	1.115	—	—	—	—	—	—
		WFR	40	-2	35864	929	—	—	1.193	—	—	—	—	—	—
		WFR	45	-2	35867	972	—	—	1.256	—	—	—	—	—	—
		WFR	50	-2	35865	987	—	—	1.286	—	—	—	—	—	—
		WFR	60	-2	35866	1.026	—	—	1.365	—	—	—	—	—	—
						Height, width and depth reductions are not permitted!									
NEW	 Wall shelf unit with plate rack 1 fixed shelf, 1 plate rack in solid oak, side depth: 371 mm	WRTHR	50	-2	41236	926	926	926	926	926	926	926	926	926	926
		WRTHR	60	-2	41237	969	969	969	969	969	969	969	969	969	969
						Width and depth reductions are not permitted!									
	 Open shelf corner wall unit 2 fixed shelves, side depth: 371 mm	WRE	60	-2	42097	1.203	1.203	1.203	1.203	1.203	1.203	1.203	1.203	1.203	1.203
		WRE	65	-2	42098	1.215	1.215	1.215	1.215	1.215	1.215	1.215	1.215	1.215	1.215
	 Open shelf corner wall unit 135° corner solution 2 fixed shelves, side depth: 371 mm, space requirement: 259 x 259 mm	WRED		-2	41574	883	883	883	883	883	883	883	883	883	883
	 Open shelf end wall unit, chamfered 2 fixed shelves, side depth: 371 mm, width: 182 mm	WRA	18	-2	41707	591	591	591	591	591	591	591	591	591	591
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									
	width: 322 mm	WRA	32	-2	41722	645	645	645	645	645	645	645	645	645	645
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									
	 Open shelf end wall unit, cottage style 2 fixed shelves, 3 attached pilasters, width: 323.5 mm, depth: 372.5 mm, except for Cascada 684 and Nordic 497, width: 326 mm, depth: 375 mm	WRA-PI		-2	40733	—	—	—	—	—	—	1.181	—	—	—
						Pilaster colours and design depend on range, see front pages, chapter 1. *Please indicate LH or RH hinge!* *Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.*									

Wall units 792 mm high



Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Fillers															
	 789	**Angle filler** front material: 100 x 100 mm wide, 2 shelves top and bottom, 2 wall unit side panels: 350 mm deep, space requirement: 450 x 450 mm	WPE	45	-2	41477	397	418	423	428	434	451	467	—	501	—
		as above, however **variable** front material: 40 to 150 mm wide, space requirement: 390 - 500 mm	WPEV	50	-2	41480	438	457	464	476	489	511	529	—	562	—
							With a space requirement of 390 to 449 mm, only handleless designs with opening support mechanism (PTO5 / PTO5-BS) and surcharge WOG / WOGL or drilling 17 and 19 are possible!									
	 792	**Filler** carcase material, 792 mm high, U-shaped seal for connection to wall, width: 100 mm	WPK	10	-2	40301	69	69	69	69	69	69	69	69	69	69
							The wood grain always runs vertical in wood décors.									
		width: 200 mm	WPK	20	-2	40302	79	79	79	79	79	79	79	79	79	79
							The wood grain always runs vertical in wood décors.									
S	 789	**Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	WPD	20	-2	41312	153	165	180	209	210	228	247	—	263	—
							Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*									
		**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
							Pura and Inline are profiled all around, cut edge is centred!									
	 792	**Wall unit side panel** carcase material: 350 mm deep, suitable for LH or RH side	WS		-2	42508	123	123	123	123	123	123	123	123	123	123
							Required, if a cooker hood is planned at end of run!									
S	 789	**Wall unit frame** without rear panel, 1 door, carcase depth: 110 mm	WRT	30	-2	42443	263	282	305	342	352	372	393	—	416	—
			WRT	40	-2	42444	269	296	329	375	381	415	444	—	482	—
			WRT	45	-2	42447	273	304	340	391	402	438	476	—	510	—
			WRT	50	-2	42445	282	310	352	407	418	453	489	—	549	—
			WRT	60	-2	42446	302	329	371	438	456	502	549	—	612	—
							Base unit frames cannot stand alone and must be bolted to adjacent units.									
		**Ceiling panel** Front material height: 194 mm, width: 2229 mm, minimum installation height: 45 mm	DBF			462	238[1]	261[2]	305[3]	422[4]	423	457	488	—	548	—
							1) Except Laser, front 463 2) Only front 842, 839 3) Except Structura 382 4) Except Easytouch 945, Inox 808, Natura 157									
							Only use ceiling panel in conjunction with swivel flap door wall units recessed 110 mm from the carcase front edge, otherwise the swivel flap wall unit cannot be opened. Please observe exhaust ducts. *Plan ceiling panels from wall (upright panel) to wall (upright panel). For ideal ventilation of installed electric appliances, a shadow gap to the ceiling is required.* *Fixed dimension, adjustment only possible on site!*									

Wall units 792 mm high

Side depth: 350 mm
Carcase height: 792 mm
Wall unit height 2

Back panels for sideboard designs 792 mm high

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
792 	**Back panel for sideboard designs** 16 mm thick, 792 mm high, width: 250 - 2000 mm, vario clip mounting, in case of reproduction finishes use vertical wood grain Available in all carcase and worktop décors from décor group 1.	RKW		-79	40742	20,4	20,4	20,4	20,4	20,4	20,4	20,4	20,4	20,4	20,4
						Not available in Xtra décors.									
	Back panel as above, however, continuous, including floor profile: Vario clip fastening, in case of reproduction finishes use vertical wood grain **Available floor profile colours:** 010 Black 014 Stainless steel appearance 70 mm plinth height: 882 mm 100 mm plinth height: 912 mm 150 mm plinth height: 962 mm 200 mm plinth height: 1012 mm	RKWS		-79	41756	32,1	32,1	32,1	32,1	32,1	32,1	32,1	32,1	32,1	32,1
						Height adaptation on site! *Price per 100 mm, every 100 mm started will be invoiced.* *Not available in Xtra décors.* *Décor 366 is only available up to a width of 1200 mm!* *If no bracket colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.*					
789 	**Back panel for sideboard designs** in door finish, without drill holes, 789 mm high, Vario clip fastening, price including plinth	RFW	20	-79	41720	166	180	200	228	231	248	261	—	279	—
		RFW	25	-79	41725	175	184	201	242	248	267	288	—	310	—
		RFW	30	-79	42743	184	188	213	254	263	288	311	—	339	—
		RFW	35	-79	42735	188	191	225	269	277	308	333	—	366	—
		RFW	40	-79	42744	191	196	237	280	296	327	361	—	394	—
		RFW	45	-79	42745	196	200	239	301	310	346	383	—	423	—
		RFW	50	-79	42746	200	204	250	312	321	365	406	—	458	—
		RFW	55	-79	42758	201	206	251	315	334	380	423	—	482	—
		RFW	60	-79	42747	204	213	254	339	352	399	448	—	510	—

Wall units, height 3
864 mm high

Key

Item available in special sizes, s. chapter 2.

Planning information, s. chapter 10.

Please specify appliance.

For available colours s. swatch, Design Overview page M 2.1.

Available as a sideboard for a surcharge MP-SB (7940).

Not available in: USA and Canada.

Quick reference for light designs and Equipment options for wall units

For an overview of the wattage specifications of the light designs, please refer to LED starter sets in the accessories list, lighting chapter.

Here you can find a quick reference for the most important equipment options and surcharges for this chapter.
For detailed descriptions and planning notes as well as additional options and special productions please refer to chapter 2.2 “Equipment options, special productions”.

Surcharges light designs for wall units

	Abbreviation	Order no.	Points
Surcharge for wall units with LED glass light panel	MP-LA	7961	715
Surcharge for wall units with LED light design	MP-LED	7938	458
Surcharge for handleless wall units	MP-WOG	7936	85
Surcharge for handleless wall units as above, however with integrated LED light strip	MP-WOGL	7937	612
Surcharge for wall units with LED light design NOVA PLUS in unit bottom shelf	MP-LNP-U	7967	254
Surcharge for wall units with glass doors with LED light design NOVA PLUS in unit top shelf	MP-LNP-O	7981	254
Surcharge for wall units with LED light design MANILA PLUS in unit bottom shelf	MP-LMP-U	7968	299
Surcharge for wall units with glass doors with LED light design MANILA PLUS in unit top shelf	MP-LMP-O	7982	299
Surcharge for wall units with LED plant grow light Not possible with the Emotion technology of starter sets LSET-SMART36/60(-FB). LED power supply set ESS6-LED and switch NK/SEN220/FUNK are not included in the scope of delivery.	MP-LP	7957	305
Surcharge for wall units with LED light design LUCIA in unit bottom shelf	MP-LML-U	7927	299
Surcharge for wall units with glass doors with LED light design LUCIA in unit top shelf	MP-LML-O	7914	299

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery,
refer to accessories list, chapter on lighting.

Surcharges light designs Philips Hue for wall units, 24 V

	Abbreviation	Order no.	Points
Surcharge for wall units with LED light design Hue Spot White & Color Ambiance in unit bottom shelf	MP-LHA-U	7903	533
Surcharge for wall units with glass doors with LED light design Hue Spot White & Color Ambiance in unit top shelf	MP-LHA-O	7901	533

With White & Color Ambiance:
infinitely variable colour temperature from 2200 - 6500 K + RGB

LED starter sets LSET-HA60 / LFSET-HA60 are not included in the scope of delivery,
refer to accessories list, chapter on lighting.

Quick reference of equipment options for wall units









	Abbreviation	Order no.	Points
Surcharge for carcase interior décor in Slate grey	MP-KID	7947	96

Surcharge eye-catcher back panel for glass wall units, sideboards and Ambia and Air tall units **as well as single-door wall units (bar) flap with framed glass door**	MP-ARW	7916	
Décor group 1: all carcase and worktop décors	DG 1		174
Décor group 2: Décor 598 Wood-Art Como oak	DG 2		445
Décor group 3: 050 Mirror, bronze colour and 051 Mirror, slate grey	DG 3		470
Surcharge for plinth for wall units	MP-SB	7940	53
Surcharge for servo motor **electric motor drive for wall units with swivel flap doors or folding / lifting doors**	MP-SD	5284	2.113

Wall units 864 mm high








Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3

Wall units, 864 mm high

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 **Surcharge for plinth** for wall units for planning as floor-standing sideboard, including plinth panel in the heights 70, 100, 150, 200 mm	MP-SB			7940	53	53	53	53	53	53	53	53	53	53
						The handles will automatically be positioned at sideboard height. *No plinth panel is included with a plinth height of 20 mm.* *Please specify the plinth height in your order.*									
S	 861 **Wall unit** 1 door, 2 shelves	W	20	-3	52002	257	282	314	340	346	361	372	—	406	—
		W	25	-3	52625	280	305	331	366	374	391	407	—	438	—
		W	30	-3	52003	308	324	355	391	403	425	445	—	470	—
		W	35	-3	52035	321	339	375	419	429	458	485	—	518	—
		W	40	-3	52004	333	356	397	450	456	488	521	—	564	—
		W	45	-3	52045	353	374	415	470	479	517	555	—	615	—
		W	50	-3	52005	372	387	435	508	518	558	594	—	660	—
		W	55	-3	52055	381	407	457	536	540	587	634	—	707	—
		W	60	-3	52006	407	434	467	562	568	623	679	—	758	—
	 861 **Wall unit** 1 door, 1 fixed shelf, 1 shelf, 6 plastic canisters	WS	30	-3	50013	412	435	458	510	515	533	552	—	588	—
		WS	40	-3	50014	438	460	510	555	562	593	628	—	679	—
		WS	45	-3	50043	457	479	526	588	591	631	670	—	717	—
		WS	50	-3	50015	467	505	542	618	623	664	707	—	768	—
		WS	60	-3	50016	515	533	587	673	685	734	783	—	864	—
USA CAN	 861 **Wall unit** 1 door, 1 fixed shelf, 1 shelf, 6 plastic canisters, 1 spice rack: up to 450 mm with 12 spice jars, from 500 mm with 24 spice jars	WSG	30	-3	52023	612	631	663	702	712	736	756	—	783	—
		WSG	40	-3	52024	635	669	702	759	762	796	828	—	872	—
		WSG	45	-3	52041	656	685	717	783	791	829	866	—	921	—
		WSG	50	-3	52025	813	841	885	953	964	1.004	1.045	—	1.107	—
		WSG	60	-3	52026	850	876	927	1.012	1.021	1.075	1.129	—	1.205	—
	 861 **Wall unit, drip grid** 1 door, 1 shelf, drip grid for dishes with water collector tray	WAG	60	-3	52036	863	891	936	1.021	1.031	1.085	1.139	—	1.212	—
	 861 **Wall unit iMove** 1 door, 1 drop down double shelves iMove, tablar shelf dimensions: 495 mm wide, 224 mm deep	WIM	60	-3	52133	1.667	1.692	1.730	1.819	1.829	1.883	1.936	—	2.013	—
	 861 **Wall unit** 2 doors, 2 shelves	W2T	60	-3	52062	470	518	565	656	673	714	758	—	821	—
		W	80	-3	52008	571	615	692	799	810	876	943	—	1.031	—
		W	90	-3	52009	609	642	724	850	869	943	1.018	—	1.129	—
		W	100	-3	52010	637	685	768	904	927	1.009	1.089	—	1.219	—
	 861 **Wall unit, drip grid** 2 doors, 1 shelf, drip grid for dishes with water collector tray	WAG	90	-3	52039	1.079	1.129	1.207	1.336	1.348	1.424	1.499	—	1.606	—
	 861 **Wall unit** 2 doors hinged in parallel, 2 shelves	W2TP	80	-3	50048	580	618	694	800	818	883	946	—	1.038	—
		W2TP	90	-3	50049	612	645	726	861	870	945	1.019	—	1.130	—
		W2TP	100	-3	50050	642	686	771	911	931	1.013	1.094	—	1.222	—
						Please indicate hinged side!									
	 861 **Wall unit** 1 folding door with slide mechanism, 2 shelves	WFT	60	-3	52046	581	593	654	742	759	806	850	—	908	—
						Please indicate hinged side!									




Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 861	**Wall unit, framed glass door** 1 door, range-dependent glass design, 2 insertable glass shelves, Glass variants for a surcharge: MP-GW (7900) / MP-GWSP (7908) Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WG	45	-3	51104	663	686	740	809	832	873	913	—	945	—
			WG	50	-3	51105	702	718	775	848	876	924	969	—	1.000	—
			WG	60	-3	51106	761	785	844	936	974	1.026	1.077	—	1.124	—
	 861	**Wall unit, framed glass door** 2 doors, range-dependent glass design, 2 insertable glass shelves, Glass variants for a surcharge: MP-GW (7900) / MP-GWSP (7908)	WG	90	-3	51109	1.212	1.250	1.355	1.488	1.537	1.624	1.710	—	1.784	—
			WG	100	-3	51110	1.276	1.317	1.432	1.577	1.629	1.724	1.821	—	1.905	—
NEW	 490,5 312 58,5	**Ambia wall cabinet with glass framed door** 1 door with asymmetrical glass cut-out, clear glass no. 01, 1 fixed shelf, carcase height: 864 mm centre back panel MP-ARW available for a surcharge, see chapter equipment options and extra charges.	WGAMB	45	-3	52451	607	631	685	752[1]	—	—	—	—	—	—
			WGAMB	50	-3	52452	641	657	714	787[1]	—	—	—	—	—	—
			WGAMB	60	-3	52454	698	723	781	873[1]	—	—	—	—	—	—
											1) Except Frame 419					
							Integrated interior lighting is only built-into fixed shelves. *When used as a sideboard, the glass cut-out is at the top.* *Matching LED interior cabinet light Hide LSIDHW-43.* *Glass cannot be changed!*									
NEW	 65 227 569	**Wall unit, framed glass door partially glazed** 1 door, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 23	WGGT	45	-3	51103	—	—	—	848[1]	—	—	—	—	—	—
			WGGT	50	-3	51107	—	—	—	889[1]	—	—	—	—	—	—
			WGGT	60	-3	51108	—	—	—	974[1]	—	—	—	—	—	—
											1) Only Frame 419					
							When used as a sideboard, the glass cut-out remains at the top.									
NEW	 65 227 569	**Wall unit, framed glass door partially glazed** 2 doors, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 23	WGGT	90	-3	51113	—	—	—	1.567[1]	—	—	—	—	—	—
			WGGT	100	-3	51115	—	—	—	1.659[1]	—	—	—	—	—	—
											1) Only Frame 419					
							When used as a sideboard, the glass cut-out remains at the top.									
	 429 141	**Wall unit, segmented glass door** 1 door, clear glass no. 01, 2 glass shelves, Glasvarianter mod merpris: no. 02 / 39	WGLS	45	-3	51431	426	445	458	486	505[1]	524	—	—	—	—
			WGLS	50	-3	51432	444	460	477	521	542[1]	564	—	—	—	—
			WGLS	60	-3	51433	485	505	531	571	597[1]	622	—	—	—	—
											1) Except Inline					
							Handle position 02 is not possible! *When planned as a sideboard, the 141 mm high panel will be at the top.*									
	 429 141	**Wall unit, segmented glass door** 2 doors, clear glass no. 01, 2 glass shelves, glass variants against surcharge: no. 02 / 39	WGLS	90	-3	51440	739	771	809	872	908[1]	943	—	—	—	—
			WGLS	100	-3	51441	777	823	869	926	968[1]	1.007	—	—	—	—
											1) Except Inline					
							Handle position 02 is not possible! *When planned as a sideboard, the 141 mm high panel will be at the top.*									
	 429 141	**Wall unit with glass doors Boulevard** 1 door, clear glass no. 01, 2 fixed shelves, glass variants against surcharge: no. 02 / 39	WGB	45	-3	52437	435	456	466	501	518[1]	534	—	—	—	—
			WGB	50	-3	52438	453	467	485	530	552[1]	572	—	—	—	—
			WGB	60	-3	52439	501	512	540	581	607[1]	632	—	—	—	—
											1) Except Inline					
							Handle position 02 is not possible! *Not possible with lighted design MP-LA or MP-WOGL.* *Integrated interior lighting is only built-into fixed top shelves.* *For use as a sideboard, the panel is at a height of 141 mm and there is no fixed construction shelf at this height.*									





Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3

			Abbreviation	Width in cm		Order-no.	Points Price groups 1	2	3	4	5	6	7	8	9	10
NEW	No image	Surcharge for different glass choice for glass variants: for glass variants: no. 02 Matt glass no. 39 Black glass no. 23 Ribbed glass (for WGGT* only, program Frame 419)	MP-GW			7900	85	85	85	85	85	85	85	85	85	85
							Surcharge per unit.									
	No image	Surcharge for choice of different glass inlay Glass variants for the Nordic range: no. 27 inlay with Clear glass no. 28 inlay with Matt glass no. 29 inlay with Black glass Horizontal inlays: no. 54 inlay with Clear glass no. 55 inlay with Matt glass no. 56 inlay with Black glass	MP-GWSP			7908	—	—	—	—	—	—	85[1]	—	—	—
							1) Only Nordic 497									
							no. 27 / 54 Inlay with clear glass is the standard design for Nordic 497 so no surcharge is invoiced.									
	 861	Wall unit with glass doors Square 1 aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Blackwith 39 Black glass	WSQ	45	-3	51524	1.021	1.021	1.021	1.021	1.021	1.021	1.021	1.021	1.021	1.021
			WSQ	50	-3	51525	1.067	1.067	1.067	1.067	1.067	1.067	1.067	1.067	1.067	1.067
			WSQ	60	-3	51526	1.156	1.156	1.156	1.156	1.156	1.156	1.156	1.156	1.156	1.156
							Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5(-BS) for handleless doors.*									
	 861	Wall unit with glass doors Square 2 aluminium framed doors, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: no. 321 Aluminium framed front in stainless steel appearance with 02 Matt glass no. 308 Aluminium framed front in stainless steel appearance with 035 Grey glass no. 329 Aluminium framed front in Black with 39 Black glass	WSQ	90	-3	51529	1.932	1.932	1.932	1.932	1.932	1.932	1.932	1.932	1.932	1.932
			WSQ	100	-3	51531	2.048	2.048	2.048	2.048	2.048	2.048	2.048	2.048	2.048	2.048
							Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5(-BS) for handleless doors.*									
	 861	Wall unit with glass doors Flat 1 aluminium framed door, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: 431 Aluminium framed front in Alpine white with 02 Matt glass 434 Aluminium framed front in Slate grey with 035 Grey glass 438 Aluminium framed front in Black with 39 Black glass 440 Aluminium framed front in Black with 48 Black glass matt	WF	30	-3	50483	875	875	875	875	875	875	875	875	875	875
			WF	45	-3	50484	1.022	1.022	1.022	1.022	1.022	1.022	1.022	1.022	1.022	1.022
			WF	50	-3	50485	1.073	1.073	1.073	1.073	1.073	1.073	1.073	1.073	1.073	1.073
			WF	60	-3	50486	1.171	1.171	1.171	1.171	1.171	1.171	1.171	1.171	1.171	1.171
							Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.*									

Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	 861	**Wall unit with glass doors Flat** 2 aluminium framed doors, 2 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: 431 Aluminium framed front in Alpine white with 02 Matt glass 434 Aluminium framed front in Slate grey with 035 Grey glass 438 Aluminium framed front in Black with 39 Black glass 440 Aluminium framed front in Black with 48 Black glass matt	WF	90	-3	50489	1.917	1.917	1.917	1.917	1.917	1.917	1.917	1.917	1.917	1.917
			WF	100	-3	50490	2.041	2.041	2.041	2.041	2.041	2.041	2.041	2.041	2.041	2.041
		Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.*													
NEW	 861	**Glass wall unit Air** 1 aluminium framed door with integrated handle profile, 035 grey glass, 2 glass shelves total depth: 379 mm, side depth: 350 mm Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.	WGAIR	30	-3	51180	1.459	1.459	1.459	1.459	1.459	1.459	1.459	1.459	1.459	1.459
			WGAIR	45	-3	51181	1.740	1.740	1.740	1.740	1.740	1.740	1.740	1.740	1.740	1.740
			WGAIR	50	-3	51182	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800	1.800
			WGAIR	60	-3	51183	2.009	2.009	2.009	2.009	2.009	2.009	2.009	2.009	2.009	2.009
		Glass cannot be changed!													
E	 VAR	**Wall unit for microwave** 1 aperture depending on appliance height, 1 door, 1 shelf	WM	50	-3	51567	374	387	426	458	466	495	521	—	531	—
			WM	60	-3	51568	402	428	450	510	520	552	581	—	594	—
		Cut to size front possible, door is adjusted to fit appliance height!													
	 861	**Corner wall unit, diagonal** 1 door: 394 mm wide, opening angle 90°, 2 shelves, Planning dimensions: 650 x 650 mm	WED	65	-3	52150	937	965	999	1.057	1.072	1.094	1.117	—	1.153	—
		Do not plan next to protruding cooker hood!													
	 861	**Corner wall unit** 2 doors with 165°-hinges, 2 shelves, hinged side = first door to be opened	WE	60	-3	52160	1.073	1.120	1.164	1.226	1.247	1.285	1.323	—	1.356	—
			WE	65	-3	52165	1.152	1.181	1.232	1.324	1.342	1.388	1.435	—	1.497	—
			WE	80	-3	52168	1.537	1.562	1.644	1.772	1.790	1.872	1.953	—	2.050	—
			WE	90	-3	52169	1.659	1.694	1.784	1.956	1.964	2.063	2.161	—	2.292	—
		Do not plan adjacent protruding cooker hoods and tall units!													
	 861	**Corner wall unit** 1 door, 1 angle filler, 2 shelves Carcase widths: 600, 782, 882 mm Planning dimensions (variable): 450 (390 - 500) x ... WE60-20: ...650 (630 - 700) mm WE80-35: ...800 (790 - 850) mm WE90-45: ...900 (890 - 950) mm	WE60-20		-3	51677	612	621	670	717	736	780	822	—	847	—
			WE80-35		-3	51687	714	718	781	844	861	917	974	—	1.025	—
			WE90-45		-3	51697	758	767	828	895	921	988	1.053	—	1.117	—
		The space requirement must be specified with the order. Adjustments on site are not possible. *Space requirement of 390 to 449 mm, only handleless planning with opening support (PTO5 / PTO5-BS) andsurcharge WOG or drilling pattern 17 and 19 are possible!*													
NEW	 861	**Wall unit, diagonal** 1 full-length door, 2 shelves side depth: 339 / 171 mm, planning dimensions: 350 / 171 mm	WDIA	25	-3	52058	511	529	558	594	606[1]	629	648	—	—	—
		1) Except Inline 526													
		To be planned at end of run! *In the Cascada 684 and Nordic 497 program, cottage style open shelf end units or pilasters may not be planned as the adjacent unit.* *An opening angle limiter OWBDIA85* is included for plans with a cottage style open shelf end unit or a pilaster in the program Sylt 706 as well as an upright at end of run.* *Handleless versions are not possible.* *Width reductions are not permitted!* *Not possible with bar handle 240 / 430.*													


Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3

Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10

Wall units for shelf insert Case, 864 mm high

285




Shelf insert Case
for 350 mm side depth,
usable depth: 290 mm

Available colours:
no. 097 Havana oak reproduction
no. 198 Sierra oak reproduction
no. 354 Concrete Slate Grey reproduction
no. 399 Milano walnut reproduction

Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
CE	30	-29	65801	464	464	464	464	464	464	464	464	464	464
CE	40	-29	65802	486	486	486	486	486	486	486	486	486	486
CE	45	-29	65803	501	501	501	501	501	501	501	501	501	501
CE	50	-29	65804	514	514	514	514	514	514	514	514	514	514
CE	60	-29	65805	537	537	537	537	537	537	537	537	537	537
CE	80	-29	65806	628	628	628	628	628	628	628	628	628	628
CE	90	-29	65807	651	651	651	651	651	651	651	651	651	651
CE	100	-29	65808	682	682	682	682	682	682	682	682	682	682
CE	120	-29	65841	730	730	730	730	730	730	730	730	730	730

Height, width and depth reductions are not permitted!

573



Wall unit for shelf insert Case
Shelf insert height: 285 mm,
1 door,
1 shelf


Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WCU	30	-3	51017	304	318	355	365	369	383	396	—	431	—
WCU	40	-3	51018	318	339	359	390	396	412	426	—	461	—
WCU	45	-3	51019	336	345	365	426	429	439	451	—	489	—
WCU	50	-3	51020	343	366	387	431	435	464	491	—	523	—
WCU	60	-3	51021	385	396	447	496	501	526	550	—	580	—

Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937).

Shelf insert Case CE-29 is required and must be included in the order.*

Width and depth reductions are not permitted!

573



Wall unit for shelf insert Case
Shelf insert height: 285 mm,
1 door,
1 shelf





Abbreviation	Width in cm		Order-no.	1	2	3	4	5	6	7	8	9	10
WCO	30	-3	51033	304	318	355	365	369	383	396	—	431	—
WCO	40	-3	51034	318	339	359	390	396	412	426	—	461	—
WCO	45	-3	51035	336	345	365	426	429	439	451	—	489	—
WCO	50	-3	51036	343	366	387	431	435	464	491	—	523	—
WCO	60	-3	51037	385	396	447	496	501	526	550	—	580	—

Shelf insert Case CE-29 is required and must be included in the order.*

Width and depth reductions are not permitted!





Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3




	Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Open shelf units														
 Open shelf wall unit 2 fixed shelves, side depth: 371 mm	WR	15	-3	50071	572	572	572	572	572	572	572	572	572	572
	WR	20	-3	50072	588	588	588	588	588	588	588	588	588	588
	WR	30	-3	50073	604	604	604	604	604	604	604	604	604	604
	WR	40	-3	50074	679	679	679	679	679	679	679	679	679	679
	WR	45	-3	50077	696	696	696	696	696	696	696	696	696	696
	WR	50	-3	50075	714	714	714	714	714	714	714	714	714	714
	WR	60	-3	50076	737	737	737	737	737	737	737	737	737	737
 Surcharge for shelf units with adjustable shelves or design shelves Taro 3 drill holes in grid spacing of 32 mm	MP-REB			7907	200	200	200	200	200	200	200	200	200	200
	Not available for open shelf end units, bottle rack units and open shelf corner units. *Not possible in conjunction with surcharge for shelves with LED lighting MP-RLA (7984).* *Surcharge per unit.*													
 Surcharge for shelf with LED light design consisting of: fixed shelf with attached profile strip in stainless steel appearance with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: G with Emotion technology An additional charge per shelf will be invoiced! Watt information per shelf: shelf width 150 mm: 0.78 W shelf width 200 mm: 1.17 W shelf width 300 mm: 1.95 W shelf width 400 mm: 2.73 W shelf width 450 mm: 3.12 W shelf width 500 mm: 3.51 W shelf width 600 mm: 4.29 W	MP-RLA			7984	231	231	231	231	231	231	231	231	231	231
	The light design MP-RLA is possible on all open shelf base units, tall units and wall units (UR/HR*/WR*).* *MP-RLA is not possible on open shelf end units and bottle rack units.* *Lighting cannot be selected per fixed shelf, but rather only for the entire open shelf unit.* *LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting.* *Depth reductions on shelf units with MP-RLA are permitted to a min. side depth of 150 mm.* *Width reductions are not permitted.*													
 Wall unit as bottle rack 5 fixed shelves, side depth: 371 mm, width: 150 mm	WRF	15	-3	55235	685	685	685	685	685	685	685	685	685	685
 Drawer insert laminated wood in stainless steel appearance for bottle rack H x W x D = 120 x 115 x 341 mm	ERF			4704	180	180	180	180	180	180	180	180	180	180
as above, however with matt glass insert no. 02	ERFG			4709	210	210	210	210	210	210	210	210	210	210
 Bevelled shelf unit 2 glass shelves, side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).	WFR	20	-3	45862	857	—	—	1.059	—	—	—	—	—	—
	WFR	30	-3	45863	917	—	—	1.156	—	—	—	—	—	—
	WFR	40	-3	45864	959	—	—	1.237	—	—	—	—	—	—
	WFR	45	-3	45867	996	—	—	1.291	—	—	—	—	—	—
	WFR	50	-3	45865	1.018	—	—	1.332	—	—	—	—	—	—
	WFR	60	-3	45866	1.079	—	—	1.432	—	—	—	—	—	—
	Height, width and depth reductions are not permitted!													
 Wall shelf unit with plate rack 1 fixed shelf, 1 plate rack in solid oak, side depth: 371 mm	WRTHR	50	-3	52056	940	940	940	940	940	940	940	940	940	940
	WRTHR	60	-3	52057	990	990	990	990	990	990	990	990	990	990
	Width and depth reductions are not permitted!													

Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3




		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	**Open shelf corner wall unit** 2 fixed shelves, side depth: 371 mm	WRE	60	-3	52097	1.237	1.237	1.237	1.237	1.237	1.237	1.237	1.237	1.237	1.237
		WRE	65	-3	52098	1.250	1.250	1.250	1.250	1.250	1.250	1.250	1.250	1.250	1.250
	**Open shelf corner wall unit, 135° corner solution** 2 fixed shelves, side depth: 371 mm, space requirement: 259 x 259 mm	WRED		-3	51574	895	895	895	895	895	895	895	895	895	895
	**Open shelf end wall unit, chamfered** 2 fixed shelves, side depth: 371 mm, width: 182 mm	WRA	18	-3	51707	594	594	594	594	594	594	594	594	594	594
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									
	width: 322 mm	WRA	32	-3	51722	660	660	660	660	660	660	660	660	660	660
						Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.									
	**Open shelf end wall unit, cottage style** 2 fixed shelves, 3 attached pilasters, width: 323.5 mm, depth: 372.5 mm, except for Cascada 684 and Nordic 497, width: 326 mm, depth: 375 mm	WRA-PI		-3	51733	—	—	—	—	—	—	1.196	—	—	—
						Pilaster colours and design depend on range, see front pages, chapter 1. *Please indicate LH or RH hinge!* *Open shelf end wall unit cannot stand alone, but must be bolted to adjacent units.*									

Fillers



	**Angle filler** front material: 100 x 100 mm wide, 2 shelves top and bottom, 2 wall unit side panels: 350 mm deep, space requirement: 450 x 450 mm	WPE	45	-3	51477	407	428	432	437	438	461	482	—	518	—
	as above, however **variable** front material: 40 to 150 mm wide, space requirement: 390 - 500 mm	WPEV	50	-3	51480	448	464	470	491	505	524	542	—	580	—
						Space requirement of 390 to 449 mm, only handleless planning with opening support (PTO5 / PTO5-BS) and surcharge WOG / WOGL or drilling pattern 17 and 19 are possible!										
	**Filler** carcase material, 864 mm high, U-shaped seal for connection to wall, width: 100 mm	WPK	10	-3	51301	70	70	70	70	70	70	70	70	70	70
						The wood grain always runs vertical in wood décors.									
	width: 200 mm	WPK	20	-3	51302	79	79	79	79	79	79	79	79	79	79
						The wood grain always runs vertical in wood décors.									
	**Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	WPD	20	-3	51312	155	168	185	215	218	235	251	—	270	—
						Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*									
	**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
						Pura and Inline are profiled all around, cut edge is centred!									

Wall units 864 mm high

Side depth: 350 mm
Carcase height: 864 mm
Wall unit height 3

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 **Wall unit side panel** carcase material: 350 mm deep, suitable for LH or RH side	WS		-3	51508	124	124	124	124	124	124	124	124	124	124
Ⓢ	 861 **Wall unit frame** without rear panel, 1 door, carcase depth: 110 mm	WRT	30	-3	52443	276	301	323	364	368	393	419	—	448	—
		WRT	40	-3	52444	280	311	346	402	406	442	477	—	520	—
		WRT	45	-3	52447	291	321	362	416	429	469	510	—	552	—
		WRT	50	-3	52445	304	327	372	437	445	488	529	—	590	—
		WRT	60	-3	52446	323	346	393	467	482	536	590	—	669	—
						Base unit frames cannot stand alone and must be bolted to adjacent units.									
	 **Ceiling panel** Front material height: 194 mm, width: 2229 mm, minimum installation height: 45 mm	DBF			462	238[1]	261[2]	305[3]	422[4]	423	457	488	—	548	—
						1) Except Laser, front 463 2) Only front 842, 839 3) Except Structura 382 4) Except Easytouch 945, Inox 808, Natura 157									
						Only use ceiling panel in conjunction with swivel flap door wall units recessed 110 mm from the carcase front edge, otherwise the swivel flap wall unit cannot be opened. Please observe exhaust ducts. *Plan ceiling panels from wall (upright panel) to wall (upright panel). For ideal ventilation of installed electric appliances, a shadow gap to the ceiling is required.* *Fixed dimension, adjustment only possible on site!*						

Back panels for sideboard designs 864 mm high

	 864 **Back panel for sideboard designs** 16 mm thick, 864 mm high, width: 250 - 2000 mm, vario clip mounting, in case of reproduction finishes use vertical wood grain, price incl. plinth Available in all carcase and worktop décors from décor group 1.	RKW		-86	51742	20,6	20,6	20,6	20,6	20,6	20,6	20,6	20,6	20,6	20,6
						Not available in Xtra décors. *Décor 366 is only available up to a width of 1200 mm!*									
	as above, however, continuous, including floor profile: **Available floor profile colours:** 010 Black 014 Stainless steel appearance 70 mm plinth height: 954 mm 100 mm plinth height: 984 mm 150 mm plinth height: 1034 mm 200 mm plinth height: 1084 mm	RKWS		-86	51756	32,3	32,3	32,3	32,3	32,3	32,3	32,3	32,3	32,3	32,3
						Height adaptation on site! *Price per 100 mm, every 100 mm started will be invoiced.* *Not available in Xtra décors.* *Décor 366 is only available up to a width of 1200 mm!* *If no bracket colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.*						
	 861 **Back panel for sideboard designs** in door finish, without drill holes, 861 mm high, Vario clip fastening, price including plinth	RFW	20	-86	53720	172	184	215	247	250	264	279	—	302	—
		RFW	25	-86	53725	178	190	219	257	261	283	308	—	331	—
		RFW	30	-86	53743	188	196	225	266	276	305	330	—	364	—
		RFW	35	-86	53735	196	199	237	280	296	326	358	—	394	—
		RFW	40	-86	53744	199	201	250	301	312	346	381	—	428	—
		RFW	45	-86	53745	201	206	251	321	329	371	412	—	457	—
		RFW	50	-86	53746	206	209	258	331	342	390	437	—	491	—
		RFW	55	-86	53758	207	210	260	334	355	404	453	—	518	—
		RFW	60	-86	53747	209	225	266	362	368	425	482	—	553	—

Wall units
1296 mm high

Key

Item available in special sizes, s. chapter 2.

Planning information, s. chapter 10.

Please specify appliance.

For available colours s. swatch, Design Overview page M 2.1.

Available as a sideboard for a surcharge MP-SB (7940).

Not available in: USA and Canada.

Quick reference for light designs and Equipment options for wall units

For an overview of the wattage specifications of the light designs, please refer to LED starter sets in the accessories list, lighting chapter.

Here you can find a quick reference for the most important equipment options and surcharges for this chapter.
For detailed descriptions and planning notes as well as additional options and special productions please refer to chapter 2.2 “Equipment options, special productions”.

Surcharges light designs for wall units

	Abbreviation	Order no.	Points
Surcharge for wall units with LED glass light panel	MP-LA	7961	715
Surcharge for wall units with LED light design	MP-LED	7938	458
Surcharge for handleless wall units	MP-WOG	7936	85
Surcharge for handleless wall units as above, however with integrated LED light strip	MP-WOGL	7937	612
Surcharge for wall units with LED light design NOVA PLUS in unit bottom shelf	MP-LNP-U	7967	254
Surcharge for wall units with glass doors with LED light design NOVA PLUS in unit top shelf	MP-LNP-O	7981	254
Surcharge for wall units with LED light design MANILA PLUS in unit bottom shelf	MP-LMP-U	7968	299
Surcharge for wall units with glass doors with LED light design MANILA PLUS in unit top shelf	MP-LMP-O	7982	299
Surcharge for wall units with LED plant grow light Not possible with the Emotion technology of starter sets LSET-SMART36/60(-FB). LED power supply set ESS6-LED and switch NK/SEN220/FUNK are not included in the scope of delivery.	MP-LP	7957	305
Surcharge for wall units with LED light design LUCIA in unit bottom shelf	MP-LML-U	7927	299
Surcharge for wall units with glass doors with LED light design LUCIA in unit top shelf	MP-LML-O	7914	299

With Emotion technology:
infinitely adjustable colour temperature from warm white to cold white

LED starter sets LSET-SMART36/60(-FB) are not included in the scope of the delivery,
refer to accessories list, chapter on lighting.

Surcharges light designs Philips Hue for wall units, 24 V

	Abbreviation	Order no.	Points
Surcharge for wall units with LED light design Hue Spot White & Color Ambiance in unit bottom shelf	MP-LHA-U	7903	533
Surcharge for wall units with glass doors with LED light design Hue Spot White & Color Ambiance in unit top shelf	MP-LHA-O	7901	533

With White & Color Ambiance:
infinitely variable colour temperature from 2200 - 6500 K + RGB

LED starter sets LSET-HA60 / LFSET-HA60 are not included in the scope of delivery,
refer to accessories list, chapter on lighting.







Quick reference of equipment options for wall units

	Abbreviation	Order no.	Points
Surcharge for carcase interior décor in Slate grey	MP-KID	7947	96

Surcharge eye-catcher back panel for glass wall units, sideboards and Ambia and Air tall units **as well as single-door wall units (bar) flap with framed glass door**	MP-ARW	7916	
Décor group 1: all carcase and worktop décors	DG 1		174
Décor group 2: Décor 598 Wood-Art Como oak	DG 2		445
Décor group 3: 050 Mirror, bronze colour and 051 Mirror, slate grey	DG 3		470
Surcharge for plinth for wall units	MP-SB	7940	53
Surcharge for servo motor **electric motor drive for wall units with swivel flap doors or folding / lifting doors**	MP-SD	5284	2.113

Wall units 1296 mm high

Side depth: 350 mm
Carcase height: 1296 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Wall units, 1296 mm high														
	 **Surcharge for plinth** for wall units for planning as floor-standing sideboard, including plinth panel in the heights 70, 100, 150, 200 mm	MP-SB			7940	53	53	53	53	53	53	53	53	53	53
						The handles will automatically be positioned at sideboard height.									
						No plinth panel is included with a plinth height of 20 mm.									
						Please specify the plinth height in your order.									
S	 1293 **Wall unit** 1 door, 4 shelves	W	30	-130	25213	460	485	518	572	600	626	653	—	688	—
		W	40	-130	25214	502	536	562	651	673	712	755	—	812	—
		W	50	-130	25215	548	588	606	731	743	799	857	—	936	—
		W	60	-130	25216	588	642	647	810	815	886	956	—	1.059	—
NEW	 922,5 312 58,5 **Ambia wall cabinet with glass framed door** 1 door with asymmetrical glass cut-out, clear glass no. 01, 1 fixed shelf, 2 glass shelves, carcase height: 1296 mm centre back panel MP-ARW available for a surcharge, see chapter equipment options and extra charges.	WGAMB	45	-130	25774	834	863	945	1.035[1]	—	—	—	—	—	—
		WGAMB	50	-130	25775	880	899	984	1.085[1]	—	—	—	—	—	—
		WGAMB	60	-130	25776	959	997	1.063	1.207[1]	—	—	—	—	—	—
						1) Except Frame 419									
						Integrated interior lighting is only built-into fixed shelves.									
						When used as a sideboard, the glass cut-out is at the top.									
						Matching LED interior cabinet light Hide LSIDHW-43.									
						Glass cannot be changed!									
NEW	 634,5 600 58,5 **Ambia wall cabinet with glass framed door** 1 door with asymmetrical glass cut-out, clear glass no. 01, 1 fixed shelf, 2 glass shelves, carcase height: 1296 mm centre back panel MP-ARW available for a surcharge, see chapter equipment options and extra charges.	WGAMBG	45	-130	25778	853	882	964	1.054[1]	—	—	—	—	—	—
		WGAMBG	50	-130	25779	901	920	1.004	1.105[1]	—	—	—	—	—	—
		WGAMBG	60	-130	25780	981	1.021	1.085	1.229[1]	—	—	—	—	—	—
						1) Except Frame 419									
						Integrated interior lighting is only built-into fixed shelves.									
						When used as a sideboard, the glass cut-out is at the top.									
						Matching LED interior cabinet light Hide LSIDHW-1.									
						Glass cannot be changed!									
	 861 141 **Wall unit, segmented glass door** 1 segmented glass door, clear glass no. 01, 4 glass shelves glass variants against surcharge: no. 02 / 39	WGLS	45	-130	25551	653	676	714	771	800[1]	829	—	—	—	—
		WGLS	50	-130	25552	682	698	745	816	847[1]	877	—	—	—	—
		WGLS	60	-130	25553	752	777	812	904	945[1]	984	—	—	—	—
										1) Except Inline					
						Handle position 02 is not possible!									
						When planned as a sideboard, the 141 mm high panel will be at the top.									
	 861 141 **Wall unit, glass doors Boulevard** 1 segmented glass door, clear glass no. 01, 2 glass shelves, 2 fixed shelves glass variants against surcharge: no. 02 / 39	WGB	45	-130	25794	663	686	726	783	812[1]	840	—	—	—	—
		WGB	50	-130	25795	692	710	756	828	858[1]	889	—	—	—	—
		WGB	60	-130	25796	762	787	822	915	955[1]	996	—	—	—	—
										1) Except Inline					
						Handle position 02 is not possible!									
						Not possible with lighting design MP-LA or MP-WOGL. Integrated interior lighting is only built-into fixed top shelves.									
						For use as a sideboard, the panel is at a height of 141 mm and there is no fixed construction shelf at this height.									

Wall units 1296 mm high

Side depth: 350 mm
Carcase height: 1296 mm







Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Wall unit with glass doors Flat 1 aluminium framed door, 4 glass shelves, handleless version with wall unit bottom shelf with attached profile strip in stainless steel appearance Available in: 431 Aluminium framed front in Alpine white with 02 Matt glass 434 Aluminium framed front in Slate grey with 035 Grey glass 438 Aluminium framed front in Black with 39 Black glass 440 Aluminium framed front in Black with 48 Black glass matt													
WF	30	-130	26493	1.186	1.186	1.186	1.186	1.186	1.186	1.186	1.186	1.186	1.186
WF	45	-130	26494	1.356	1.356	1.356	1.356	1.356	1.356	1.356	1.356	1.356	1.356
WF	50	-130	26495	1.419	1.419	1.419	1.419	1.419	1.419	1.419	1.419	1.419	1.419
WF	60	-130	26496	1.556	1.556	1.556	1.556	1.556	1.556	1.556	1.556	1.556	1.556
Glass cannot be changed! *Light pelmets are not permitted.* *When planned as a sideboard, the attached pilaster strip is omitted. Please also order the mechanical opening support mechanism PTO5-BS for handleless doors.*													
Glass wall unit Air 1 aluminium framed door with integrated handle profile, 035 grey glass, 4 glass shelves total depth: 379 mm, side depth: 350 mm Eye-catcher back panel MP-ARW available for surcharge, see chapter Equipment options and surcharges.													
WGAIR	30	-130	26180	1.692	1.692	1.692	1.692	1.692	1.692	1.692	1.692	1.692	1.692
WGAIR	45	-130	26181	1.983	1.983	1.983	1.983	1.983	1.983	1.983	1.983	1.983	1.983
WGAIR	50	-130	26182	2.059	2.059	2.059	2.059	2.059	2.059	2.059	2.059	2.059	2.059
WGAIR	60	-130	26183	2.316	2.316	2.316	2.316	2.316	2.316	2.316	2.316	2.316	2.316
Glass cannot be changed!													
Open shelf wall unit 3 fixed shelves, side depth: 371 mm													
WR	15	-130	34315	623	623	623	623	623	623	623	623	623	623
WR	20	-130	34302	645	645	645	645	645	645	645	645	645	645
WR	30	-130	34303	702	702	702	702	702	702	702	702	702	702
WR	40	-130	34304	813	813	813	813	813	813	813	813	813	813
WR	45	-130	34307	832	832	832	832	832	832	832	832	832	832
WR	50	-130	34305	848	848	848	848	848	848	848	848	848	848
WR	60	-130	34306	889	889	889	889	889	889	889	889	889	889
Surcharge for shelf units with adjustable shelves or design shelves Taro 3 drill holes in grid spacing of 32 mm													
MP-REB			7907	200	200	200	200	200	200	200	200	200	200
Not available for open shelf end units, bottle rack units and open shelf corner units. *Not possible in conjunction with surcharge for shelves with LED lighting MP-RLA (7984).* *Surcharge per unit.*													
Surcharge for shelf with LED light design consisting of: fixed shelf with attached profile strip in stainless steel appearance with integrated LED light strip and 1700 mm connection cable for the starter set Energy efficiency rating: G with Emotion technology An additional charge per shelf will be invoiced! Watt information per shelf: shelf width 150 mm: 0.78 W shelf width 200 mm: 1.17 W shelf width 300 mm: 1.95 W shelf width 400 mm: 2.73 W shelf width 450 mm: 3.12 W shelf width 500 mm: 3.51 W shelf width 600 mm: 4.29 W													
MP-RLA			7984	231	231	231	231	231	231	231	231	231	231
The light design MP-RLA is possible on all open shelf base units, tall units and wall units (UR/HR*/WR*).* *MP-RLA is not possible on open shelf end units and bottle rack units.* *Lighting cannot be selected per fixed shelf, but rather only for the entire open shelf unit.* *LED starter sets LSET-SMART36/60(-FB) are not included in the scope of delivery, see accessories list, chapter Lighting.* *Depth reductions on shelf units with MP-RLA are permitted to a min. side depth of 150 mm.* *Width reductions are not permitted.*													
Bevelled shelf unit 3 glass shelves, side depth: 371 mm Available in all carcase colours (PG 1) and all front colours from the Easytouch 945 range (PG 4).													
WFR	20	-130	37872	1.102	—	—	1.393	—	—	—	—	—	—
WFR	30	-130	37873	1.162	—	—	1.502	—	—	—	—	—	—
WFR	40	-130	37874	1.232	—	—	1.619	—	—	—	—	—	—
WFR	45	-130	37877	1.285	—	—	1.697	—	—	—	—	—	—
WFR	50	-130	37875	1.289	—	—	1.724	—	—	—	—	—	—
WFR	60	-130	37876	1.361	—	—	1.844	—	—	—	—	—	—
Height, width and depth reductions are not permitted!													

Wall units 1296 mm high

Side depth: 350 mm
Carcase height: 1296 mm

Price groups

Wall units for shelf insert Case, 1296 mm high

	Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
 285 **Shelf insert Case** for 350 mm side depth, usable depth: 290 mm Available colours: no. 097 Havana oak reproduction no. 198 Sierra oak reproduction no. 354 Concrete Slate Grey reproduction no. 399 Milano walnut reproduction	CE	30	-29	65801	464	464	464	464	464	464	464	464	464	464
	CE	40	-29	65802	486	486	486	486	486	486	486	486	486	486
	CE	45	-29	65803	501	501	501	501	501	501	501	501	501	501
	CE	50	-29	65804	514	514	514	514	514	514	514	514	514	514
	CE	60	-29	65805	537	537	537	537	537	537	537	537	537	537
	CE	80	-29	65806	628	628	628	628	628	628	628	628	628	628
	CE	90	-29	65807	651	651	651	651	651	651	651	651	651	651
	CE	100	-29	65808	682	682	682	682	682	682	682	682	682	682
	CE	120	-29	65841	730	730	730	730	730	730	730	730	730	730
					Height, width and depth reductions are not permitted!									
 1005 **Wall unit for shelf insert Case** Shelf insert height: 285 mm, 1 door, 3 shelves	WCU	45	-130	25211	485	521	536	638	654	698	745	—	807	—
	WCU	60	-130	25212	536	587	610	740	743	810	876	—	971	—
					Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937).									
					Shelf insert Case CE-29 is required and must be included in the order.*									
					Width and depth reductions are not permitted!									
 573 429 **Wall unit for shelf insert Case** Shelf insert height: 285 mm, 2 doors, 1 shelf	W2C	30	-130	25227	515	536	569	619	645	670	694	—	726	—
	W2C	40	-130	25228	549	580	602	686	705	743	783	—	834	—
	W2C	45	-130	25229	566	602	619	721	736	781	825	—	888	—
	W2C	50	-130	25230	583	623	634	753	765	816	869	—	943	—
	W2C	60	-130	25231	619	669	669	821	823	891	956	—	1.051	—
					Shelf insert Case CE-29 is required and must be included in the order.*									
					Width and depth reductions are not permitted!									
 573 **Shelf insert Case** 1 glass shelf, for 350 mm side depth, utilisable depth: 290 mm Available colours: no. 097 Havana oak reproduction no. 198 Sierra oak reproduction no. 354 Concrete Slate Grey reproduction no. 399 Milano walnut reproduction	CDE	30	-58	65836	593	593	593	593	593	593	593	593	593	593
	CDE	40	-58	65837	632	632	632	632	632	632	632	632	632	632
	CDE	45	-58	65838	653	653	653	653	653	653	653	653	653	653
	CDE	50	-58	65839	673	673	673	673	673	673	673	673	673	673
	CDE	60	-58	65840	710	710	710	710	710	710	710	710	710	710
					Height, width and depth reductions are not permitted!									
 717 **Wall unit for shelf insert Case** Shelf insert height: 573 mm, 1 door 2 shelves	WDCU	30	-130	25217	399	416	442	473	479	496	511	—	543	—
	WDCU	40	-130	25218	422	445	475	517	521	546	571	—	606	—
	WDCU	45	-130	25219	434	450	479	539	546	569	591	—	641	—
	WDCU	50	-130	25220	445	467	499	559	565	600	632	—	675	—
	WDCU	60	-130	25221	470	485	530	600	606	645	686	—	740	—
					Not available with lighting designs MP-LA (7961), MP-WOG (7936) and MP-WOGL (7937).									
					Shelf insert Case CDE-58 is required and must be included in the order.*									
					Width and depth reductions are not permitted!									
 717 **Wall unit for shelf insert Case** Shelf insert height: 573 mm, 1 door, 2 shelves	WDCO	30	-130	25222	399	416	442	473	479	496	511	—	543	—
	WDCO	40	-130	25223	422	445	475	517	521	546	571	—	606	—
	WDCO	45	-130	25224	434	450	479	539	546	569	591	—	641	—
	WDCO	50	-130	25225	445	467	499	559	565	600	632	—	675	—
	WDCO	60	-130	25226	470	485	530	600	606	645	686	—	740	—
					Shelf insert Case CDE-58 is required and must be included in the order.*									
					Width and depth reductions are not permitted!									

Dresser units on worktops
Dresser units for freestanding fridges

Key

Item available in special sizes, s. chapter 2.

Planning information, s. chapter 10.

Please specify appliance.

For available colours s. swatch, Design Overview page M 2.1.

Available as a sideboard for a surcharge MP-SB (7940).

Not available in: USA and Canada.

Quick reference forequipment options for dresser units

Here you can find a quick reference for the most important equipment options and surcharges for this chapter.
For detailed descriptions and planning notes as well as additional options and special productions please refer to chapter 2.2 “Equipment options, special productions”.

	Abbreviation	Order no.	Points
Surcharge for carcase interior décor in Slate grey	MP-KID	7947	96


Surcharges nBOX

Surcharge for glass sides on (internal) pull-outs with rectangular railing	MP-GLAS	7915	127
Surcharge for pull-out box on (internal) pull-outs	MP-BOX	7905	98
Surcharge for mechanical opening support mechanism on drawers and pull-outs	MP-PTOSA	7962	158
Surcharge for design profile for (internal) drawers and (internal) pull-outs	MP-DPRO	7918	23
Surcharge for design covers for (internal) drawers and (internal) pull-outs	MP-DCOV	7923	55
Surcharge for design glass panel for internal pull-outs	MP-DGBLEN	7925	101
Surcharge for design panel for internal drawers and internal pull-outs with pull-out box (MP-BOX)	MP-DBLEN	7935	72

Internal tablar shelves with locking slides for retrofitting in dresser units with plastic roll-up front and in LINE N tall units with vertical recessed handle	ITAB-AJ 60	39495	644
Surcharge for deviating height on (glass) roll-up front units	MP-AJAH	7987	505

Dresser units 754 mm high

Side depth: 350 mm
Carcase height: 754 mm

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	Price groups														
	Dresser units for planning connections between highboard height, 754 mm high														
	Tambour dresser unit 1 plastic roll-up front, 1 glass shelf, 3 safety sockets, stainless steel finish with connection cable, 2000 mm long, height: 754 mm, variable height for a surcharge MP-AJAH: 754 - 792 mm, **side depth: 371 mm,** **utilisable depth: 284 mm**	AJ	60	-75	3206	2.009	2.009	2.009	2.009	2.009	2.009	2.009	2.009	2.009	2.009
						Width and depth reductions are not permitted!									
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
	as above, however, **side depth: 430 mm,** **utilisable depth: 343 mm**	AJT	60	-75	43307	2.032	2.032	2.032	2.032	2.032	2.032	2.032	2.032	2.032	2.032
						Width and depth reductions are not permitted!									
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
	as above, however, **side depth: 582 mm,** **utilisable depth: 495 mm** Available roll-up front colours: no. 014 Stainless steel appearance no. 127 Black no. 193 Alpine white no. 194 Slate grey	AJTT	60	-75	53307	2.174	2.174	2.174	2.174	2.174	2.174	2.174	2.174	2.174	2.174
						Width and depth reductions are not permitted!									
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
	Glass tambour dresser unit 1 glass roll-up front, 1 glass shelf, 3 safety sockets with connection cable, 2000 mm long, height: 754 mm, variable height for a surcharge MP-AJAH: 754 - 792 mm, **side depth: 371 mm,** **utilisable depth: 268 mm**	AJG	60	-75	3237	3.507	3.507	3.507	3.507	3.507	3.507	3.507	3.507	3.507	3.507
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.										
						Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.									
	as above, however, **side depth: 430 mm,** **utilisable depth: 330 mm**	AJGT	60	-75	44314	3.565	3.565	3.565	3.565	3.565	3.565	3.565	3.565	3.565	3.565
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
						Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.									
	as above, however, **side depth: 582 mm,** **utilisable depth: 450 mm** Available in: no. 01 Clear glass (blind frame, bar handle and socket in stainless steel appearance) no. 02 Matt glass (blind frame, bar handle and socket in stainless steel appearance) no. 39 Black glass (blind frame, bar handle and socket in black)	AJGTT	60	-75	54314	3.628	3.628	3.628	3.628	3.628	3.628	3.628	3.628	3.628	3.628
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.										
						Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.									
	Filler carcase material, 754 mm high, U-shaped seal for connection to wall, width: 100 mm	APK	10	-75	37310	72	72	72	72	72	72	72	72	72	72
						The wood grain always runs vertical in wood décors.									
	width: 200 mm	APK	20	-75	37320	82	82	82	82	82	82	82	82	82	82


Dresser units 1258 mm high

Side depth: 350 mm
Carcase height: 1258 mm
Dresser unit height 1

			Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Dresser units, 1258 mm high																
	 1077 171	Dresser unit 1 door, 1 drawer, 3 shelves	AS	60	-1	30866	1.156	1.232	1.298	1.407	1.442	1.499	1.558	—	1.648	—
		Tambour dresser unit 1 plastic roll-up front, 3 glass shelves 3 safety sockets, stainless steel finish with connection cable, 2000 mm long, height: 1258 mm, variable height for a surcharge MP-AJAH: 793 - 1296 mm, side depth: 371 mm, utilisable depth: 284 mm	AJ	50	-1	36145	2.292	2.292	2.292	2.292	2.292	2.292	2.292	2.292	2.292	2.292
			AJ	60	-1	36146	2.408	2.408	2.408	2.408	2.408	2.408	2.408	2.408	2.408	2.408
			AJ	90	-1	36149	2.832	2.832	2.832	2.832	2.832	2.832	2.832	2.832	2.832	2.832
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
		as above, however, side depth: 430 mm, utilisable depth: 343 mm	AJT	50	-1	35265	2.375	2.375	2.375	2.375	2.375	2.375	2.375	2.375	2.375	2.375
			AJT	60	-1	35266	2.521	2.521	2.521	2.521	2.521	2.521	2.521	2.521	2.521	2.521
			AJT	90	-1	35269	2.983	2.983	2.983	2.983	2.983	2.983	2.983	2.983	2.983	2.983
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
		as above, however, side depth: 582 mm, utilisable depth: 495 mm Available roll-up front colours: no. 014 Stainless steel appearance no. 127 Black no. 193 Alpine white no. 194 Slate grey	AJTT	50	-1	35295	2.584	2.584	2.584	2.584	2.584	2.584	2.584	2.584	2.584	2.584
			AJTT	60	-1	35296	2.751	2.751	2.751	2.751	2.751	2.751	2.751	2.751	2.751	2.751
			AJTT	90	-1	35299	3.251	3.251	3.251	3.251	3.251	3.251	3.251	3.251	3.251	3.251
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
S	**No image**	Surcharge for deviating height on (glass) roll-up front units	MP-AJAH			7987	505	505	505	505	505	505	505	505	505	505
							Surcharge per unit.									

Dresser units 1258 mm high




Side depth: 350 mm
Carcase height: 1258 mm
Dresser unit height 1

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 **Glass tambour dresser unit** 1 glass roll-up front, 3 glass shelves, 3 safety sockets with connection cable, 2000 mm long, height: 1258 mm, variable height for a surcharge MP-AJAH: 793 - 1296 mm, **side depth: 371 mm,** **utilisable depth: 268 mm**	AJG	50	-1	32250	4.453	4.453	4.453	4.453	4.453	4.453	4.453	4.453	4.453	4.453
		AJG	60	-1	32256	4.516	4.516	4.516	4.516	4.516	4.516	4.516	4.516	4.516	4.516
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
	as above, however, **side depth: 430 mm,** **utilisable depth: 330 mm**	AJGT	50	-1	33258	4.510	4.510	4.510	4.510	4.510	4.510	4.510	4.510	4.510	4.510
		AJGT	60	-1	33260	4.573	4.573	4.573	4.573	4.573	4.573	4.573	4.573	4.573	4.573
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
	as above, however, **side depth: 582 mm,** **utilisable depth: 450 mm** Available in: no. 01 Clear glass (blind frame, bar handle and socket in stainless steel appearance) no. 02 Matt glass (blind frame, bar handle and socket in stainless steel appearance) no. 39 Black glass (blind frame, bar handle and socket in black)	AJGTT	50	-1	34282	4.862	4.862	4.862	4.862	4.862	4.862	4.862	4.862	4.862	4.862
		AJGTT	60	-1	34283	4.941	4.941	4.941	4.941	4.941	4.941	4.941	4.941	4.941	4.941
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
E	 **Dresser unit for microwave** 1 door, 2 shelves, 1 aperture for appliance, 1 fixed compensation panel	AM	50	-1	30170	635	644	683	737	742	775	809	—	850	—
		AM	60	-1	30171	692	712	765	832	840	875	911	—	967	—
	 **Open shelf end dresser unit chamfered** 3 fixed shelves, side depth: 371 mm, width: 182 mm	ARA	18	-1	30187	762	762	762	762	762	762	762	762	762	762
	width: 322 mm	ARA	32	-1	30180	835	835	835	835	835	835	835	835	835	835
	 **Open shelf end dresser unit, cottage style** 3 fixed shelves, 3 attached pilasters, width: 323.5 mm, depth: 372.5 mm, except for Cascada 684 and Nordic 497, width: 326 mm, depth: 375 mm	ARA-PI		-1	32738	—	—	—	—	—	—	1.514	—	—	—
						Pilaster colours and design depend on range, see front pages, chapter 1. *Please indicate LH or RH hinge!*									

You will find an explanation of the symbols at the front of the chapter index


Dresser units 1258 mm high

Side depth: 350 mm
Carcase height: 1258 mm
Dresser unit height 1

			Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Fillers																
		**Filler** carcase material, 1258 mm high, U-shaped seal for connection to wall, width: 100 mm	APK	10	-1	32161	83	83	83	83	83	83	83	83	83	83
		The wood grain always runs vertical in wood décors.														
		width: 200 mm	APK	20	-1	32162	102	102	102	102	102	102	102	102	102	102
S	 1251	**Front filler** Continuous front material, 2 shelves top and bottom, 1 dresser unit side: 350 mm deep, width: 200 mm	APD	20	-1	32173	263	282	299	308	324	369	416	—	426	—
		Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*														
		**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
		Pura and Inline are profiled all around, cut edge is centred!														

Dresser units 1330 mm high



Side depth: 350 mm
Carcase height: 1330 mm
Dresser unit height 2

			Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Dresser units, 1330 mm high																
	 1149 171	Dresser unit 1 door, 1 drawer, 3 shelves	AS	60	-2	41860	1.175	1.256	1.318	1.437	1.472	1.537	1.602	—	1.704	—
		Tambour dresser unit 1 plastic roll-up front, 3 glass shelves 3 safety sockets, stainless steel finish with connection cable, 2000 mm long, height: 1330 mm, variable height for a surcharge MP-AJAH: 1278 - 1368 mm, **side depth: 371 mm,** **utilisable depth: 284 mm**	AJ	50	-2	40145	2.335	2.335	2.335	2.335	2.335	2.335	2.335	2.335	2.335	2.335
			AJ	60	-2	40146	2.457	2.457	2.457	2.457	2.457	2.457	2.457	2.457	2.457	2.457
			AJ	90	-2	40149	2.895	2.895	2.895	2.895	2.895	2.895	2.895	2.895	2.895	2.895
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
		as above, however, **side depth: 430 mm,** **utilisable depth: 343 mm**	AJT	50	-2	47265	2.418	2.418	2.418	2.418	2.418	2.418	2.418	2.418	2.418	2.418
			AJT	60	-2	47266	2.574	2.574	2.574	2.574	2.574	2.574	2.574	2.574	2.574	2.574
			AJT	90	-2	47269	3.051	3.051	3.051	3.051	3.051	3.051	3.051	3.051	3.051	3.051
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
		as above, however, **side depth: 582 mm,** **utilisable depth: 495 mm** Available roll-up front colours: no. 014 Stainless steel appearance no. 127 Black no. 193 Alpine white no. 194 Slate grey	AJTT	50	-2	45295	2.641	2.641	2.641	2.641	2.641	2.641	2.641	2.641	2.641	2.641
			AJTT	60	-2	45296	2.816	2.816	2.816	2.816	2.816	2.816	2.816	2.816	2.816	2.816
			AJTT	90	-2	45299	3.345	3.345	3.345	3.345	3.345	3.345	3.345	3.345	3.345	3.345
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
S	**No image**	Surcharge for deviating height on (glass) roll-up front units	MP-AJAH			7987	505	505	505	505	505	505	505	505	505	505
							Surcharge per unit.									

You will find an explanation of the symbols at the front of the chapter index




Dresser units 1330 mm high

Side depth: 350 mm
Carcase height: 1330 mm
Dresser unit height 2

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	**Glass tambour dresser unit** 1 glass roll-up front, 3 glass shelves, 3 safety sockets with connection cable, 2000 mm long, height: 1330 mm, variable height for a surcharge MP-AJAH: 1278 - 1368 mm, **side depth: 371 mm,** **utilisable depth: 268 mm**	AJG	50	-2	41250	4.527	4.527	4.527	4.527	4.527	4.527	4.527	4.527	4.527	4.527
		AJG	60	-2	41270	4.587	4.587	4.587	4.587	4.587	4.587	4.587	4.587	4.587	4.587
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
	as above, however, **side depth: 430 mm,** **utilisable depth: 330 mm**	AJGT	50	-2	43258	4.581	4.581	4.581	4.581	4.581	4.581	4.581	4.581	4.581	4.581
		AJGT	60	-2	43260	4.652	4.652	4.652	4.652	4.652	4.652	4.652	4.652	4.652	4.652
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
	as above, however, **side depth: 582 mm,** **utilisable depth: 450 mm** Available in: no. 01 Clear glass (blind frame, bar handle and socket in stainless steel appearance) no. 02 Matt glass (blind frame, bar handle and socket in stainless steel appearance) no. 39 Black glass (blind frame, bar handle and socket in black)	AJGTT	50	-2	45282	4.996	4.996	4.996	4.996	4.996	4.996	4.996	4.996	4.996	4.996
		AJGTT	60	-2	45283	5.079	5.079	5.079	5.079	5.079	5.079	5.079	5.079	5.079	5.079
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
E	 **Dresser unit for microwave** 1 door, 2 shelves, 1 aperture for appliance, 1 fixed compensation panel	AM	50	-2	41170	654	661	707	765	775	810	844	—	899	—
		AM	60	-2	41171	708	736	783	861	870	913	955	—	1.022	—
	 **Open shelf end dresser unit chamfered** 3 fixed shelves, side depth: 371 mm, width: 182 mm	ARA	18	-2	41187	785	785	785	785	785	785	785	785	785	785
	width: 322 mm	ARA	32	-2	43180	863	863	863	863	863	863	863	863	863	863
	 **Open shelf end dresser unit, cottage style** 3 fixed shelves, 3 attached pilasters, width: 323.5 mm, depth: 372.5 mm, except for Cascada 684 and Nordic 497, width: 326 mm, depth: 375 mm	ARA-PI		-2	41738	—	—	—	—	—	—	1.561	—	—	—
						Pilaster colours and design depend on range, see front pages, chapter 1. *Please indicate LH or RH hinge!*									


Dresser units 1330 mm high

Side depth: 350 mm
Carcase height: 1330 mm
Dresser unit height 2

			Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Fillers																
	 1330	**Filler** carcase material, 1330 mm high, U-shaped seal for connection to wall, width: 100 mm	APK	10	-2	42161	83	83	83	83	83	83	83	83	83	83
		The wood grain always runs vertical in wood décors.														
		width: 200 mm	APK	20	-2	42162	104	104	104	104	104	104	104	104	104	104
S	 1323	**Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	APD	20	-2	42173	266	291	302	312	330	377	423	—	432	—
		Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*														
		**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
		Pura and Inline are profiled all around, cut edge is centred!														



Dresser units 1402 mm high

Side depth: 350 mm
Carcase height: 1402 mm
Dresser unit height 3

			Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Dresser units, 1402 mm high																
		Dresser unit 1 door, 1 drawer, 4 shelves	AS	60	-3	51860	1.193	1.272	1.342	1.463	1.505	1.534	1.641	—	1.753	—
		Tambour dresser unit 1 plastic roll-up front, 4 glass shelves 3 safety sockets, stainless steel finish with connection cable, 2000 mm long, height: 1402 mm, variable height for a surcharge MP-AJAH: 1369 - 1440 mm, **side depth: 371 mm,** **utilisable depth: 284 mm**	AJ	50	-3	52145	2.375	2.375	2.375	2.375	2.375	2.375	2.375	2.375	2.375	2.375
			AJ	60	-3	52146	2.504	2.504	2.504	2.504	2.504	2.504	2.504	2.504	2.504	2.504
			AJ	90	-3	52149	2.959	2.959	2.959	2.959	2.959	2.959	2.959	2.959	2.959	2.959
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
		as above, however, **side depth: 430 mm,** **utilisable depth: 343 mm**	AJT	50	-3	53265	2.459	2.459	2.459	2.459	2.459	2.459	2.459	2.459	2.459	2.459
			AJT	60	-3	53266	2.627	2.627	2.627	2.627	2.627	2.627	2.627	2.627	2.627	2.627
			AJT	90	-3	53269	3.120	3.120	3.120	3.120	3.120	3.120	3.120	3.120	3.120	3.120
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
		as above, however, **side depth: 582 mm,** **utilisable depth: 495 mm** Available roll-up front colours: no. 014 Stainless steel appearance no. 127 Black no. 193 Alpine white no. 194 Slate grey	AJTT	50	-3	56295	2.698	2.698	2.698	2.698	2.698	2.698	2.698	2.698	2.698	2.698
			AJTT	60	-3	56296	2.888	2.888	2.888	2.888	2.888	2.888	2.888	2.888	2.888	2.888
			AJTT	90	-3	56299	3.435	3.435	3.435	3.435	3.435	3.435	3.435	3.435	3.435	3.435
							Width and depth reductions are not permitted!									
							Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes.									
S	**No image**	Surcharge for deviating height on (glass) roll-up front units	MP-AJAH			7987	505	505	505	505	505	505	505	505	505	505
							Surcharge per unit.									

Dresser units 1402 mm high




Side depth: 350 mm
Carcase height: 1402 mm
Dresser unit height 3



		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	 **Glass tambour dresser unit** 1 glass roll-up front, 4 glass shelves, 3 safety sockets with connection cable, 2000 mm long, height: 1402 mm, variable height for a surcharge MP-AJAH: 1369 - 1440 mm, side depth: 371 mm, utilisable depth: 268 mm	AJG	50	-3	53250	4.605	4.605	4.605	4.605	4.605	4.605	4.605	4.605	4.605	4.605
		AJG	60	-3	53270	4.660	4.660	4.660	4.660	4.660	4.660	4.660	4.660	4.660	4.660
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
	as above, however, side depth: 430 mm, utilisable depth: 330 mm	AJGT	50	-3	54258	4.654	4.654	4.654	4.654	4.654	4.654	4.654	4.654	4.654	4.654
		AJGT	60	-3	54260	4.730	4.730	4.730	4.730	4.730	4.730	4.730	4.730	4.730	4.730
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
	as above, however, side depth: 582 mm, utilisable depth: 450 mm Available in: no. 01 Clear glass (blind frame, bar handle and socket in stainless steel appearance) no. 02 Matt glass (blind frame, bar handle and socket in stainless steel appearance) no. 39 Black glass (blind frame, bar handle and socket in black)	AJGTT	50	-3	56282	5.130	5.130	5.130	5.130	5.130	5.130	5.130	5.130	5.130	5.130
		AJGTT	60	-3	56283	5.221	5.221	5.221	5.221	5.221	5.221	5.221	5.221	5.221	5.221
						Model with country-specific plug. For an overview of available plugs, please refer to the accessories list, chapter 2. Export countries without plug approval receive the dresser unit without sockets and socket drill holes. *Internal tablar shelf (ITAB-AJ, 39495) cannot be installed in glass roll-up front units.*									
E	 **Dresser unit for microwave** 1 door, 2 shelves, 1 aperture for appliance, 1 fixed compensation panel	AM	50	-3	52170	673	685	724	796	802	863	891	—	952	—
		AM	60	-3	52171	726	758	800	891	896	969	1.000	—	1.079	—
	 **Open shelf end dresser unit chamfered** 4 fixed shelves, side depth: 371 mm, width: 182 mm	ARA	18	-3	52187	810	810	810	810	810	810	810	810	810	810
	width: 322 mm	ARA	32	-3	52180	889	889	889	889	889	889	889	889	889	889
	 **Open shelf end dresser unit, cottage style** 4 fixed shelves, 3 attached pilasters, width: 323.5 mm, depth: 372.5 mm, except for Cascada 684 and Nordic 497, width: 326 mm, depth: 375 mm	ARA-PI		-3	51738	—	—	—	—	—	—	1.607	—	—	—
						Pilaster colours and design depend on range, see front pages, chapter 1. *Please indicate LH or RH hinge!*									

You will find an explanation of the symbols at the front of the chapter index




Dresser units 1402 mm high

Side depth: 350 mm
Carcase height: 1402 mm
Dresser unit height 3







			Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
Fillers																
		**Filler** carcase material, 1402 mm high, U-shaped seal for connection to wall, width: 100 mm	APK	10	-3	52161	83	83	83	83	83	83	83	83	83	83
		The wood grain always runs vertical in wood décors.														
		width: 200 mm	APK	20	-3	52162	104	104	104	104	104	104	104	104	104	104
S	 1395	**Front filler** continuous front material, 2 shelves top and bottom, 1 wall unit side panel: 350 mm deep, width: 200 mm	APD	20	-3	52173	273	301	311	321	334	355	429	—	437	—
		Possible to adapt on site to minimum size of 30 mm. *Please indicate LH or RH hinge!*														
		**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
		Pura and Inline are profiled all around, cut edge is centred!														

			Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
Dresser unit for free-standing fridges																
	No image	Fittings bag UFK consisting of: 4 pieces, 30" safety bracket, 3 pieces, cornice shelf bracket (order no. 2700), 2 pieces, installation instructions	WINS			99139	139	139	139	139	139	139	139	139	139	139
			For protruded UFK plans with a wall gap of 21 to 150 mm and protruded wall unit plans with a wall gap of 21 to 400 mm, the fitting kit UFK is automatically also confirmed, invoiced and supplied.*													
			For further information regarding protruded designs with UFK elements, see planning information chapter.*													
	No image	Spacer plates for heavy-duty suspension bracket 2 spacer plates, 8 screws 5.5 x 75 mm	DCSA			99190	74	74	74	74	74	74	74	74	74	74
			For protruded UFK plans with a wall gap of 15 to 20 mm, spacer plates for heavy-duty suspension brackets are automatically also confirmed, invoiced and supplied.*													
			For further information regarding protruded designs with UFK elements, see planning information chapter.*													
NEW		Dresser unit for free-standing fridges 1 flap: 285 mm high, depth: 561 mm, height: 288 mm	UFKK	60	-29	28693	501	505	521	533	537	558	568	—	606	—
			UFKK	76	-29	28672	542	583	610	635	—	676	686[1]	—	—	—
			UFKK	90	-29	28694	564	606	628	670	683	702	718	—	778	—
			UFKK	100	-29	28695	583	628	656	705	712	736	759	—	812	—
											1) Except Sylt 706					
		1 flap: 357 mm high, depth: 561 mm, height: 360 mm	UFKK	60	-36	37693	515	518	540	558	562	580	609	—	634	—
			UFKK	76	-36	37675	555	599	634	676	—	715	731[1]	—	—	—
			UFKK	90	-36	37694	578	625	663	718	721	745	768	—	819	—
			UFKK	100	-36	37695	593	647	688	758	759	787	815	—	860	—
											1) Except Sylt 706					
		1 flap: 429 mm high, depth: 561 mm, height: 432 mm	UFKK	76	-43	43657	566	613	658	717	—	755	777[1]	—	—	—
											1) Except Sylt 706					
			Carcase bottom shelf white.													
			Minimum planning height: 1100 mm													
			The following installation sets are obligatory for protruded plans and are automatically also confirmed and invoiced: protrusion dimension of 15 to 20 mm: Spacer plates for heavy-duty suspension bracket (DCSA, 99190) protrusion dimension of 21 to 150 mm: Fitting kit UFK (WINS, 99139)													
			For further information regarding protruded designs with UFK elements, see planning information chapter.*													
		Dresser unit for free-standing fridges 2 doors: 357 mm high, depth: 561 mm, height: 360 mm	UFK	120	-36	36664	639	654	695	724	739	775	848	—	866	—
			Carcase bottom shelf white.													
			Minimum planning height: 1100 mm													
			The following installation sets are obligatory for protruded plans and are automatically also confirmed and invoiced: protrusion dimension of 15 to 20 mm: Spacer plates for heavy-duty suspension bracket (DCSA, 99190) protrusion dimension of 21 to 150 mm: Fitting kit UFK (WINS, 99139)													
			For further information regarding protruded designs with UFK elements, see planning information chapter.*													

Dresser unit for free-standing fridges

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
NEW	 Dresser unit for free-standing fridges 1 door: 357 mm high, depth: 561 mm, height: 360 mm	UFK	60	-36	36660	372	375	397	415	418	435	464	—	489	—
	Dresser unit for free-standing fridges 1 door: 429 mm high, depth: 561 mm, height: 432 mm	UFK	60	-43	43658	479	488	515	530	536	553	599	—	612	—
	1 door: 501 mm high, 1 shelf, height: 504 mm	UFK UFK	60 76	-51 -51	45658 46676	511 540	518 553	542 599	565 615	572 —	591 682	634 745[1]	— —	656 —	— —
										1) Except Sylt 706					
	1 door: 573 mm high, 1 shelf, height: 576 mm	UFK UFK	60 76	-58 -58	57660 58676	536 603	543 616	581 670	609 702	615 —	621 767	689 838[1]	— —	710 —	— —
										1) Except Sylt 706					
	1 door: 645 mm high, 1 shelf, height: 648 mm	UFK UFK	60 76	-65 -65	33661 33676	555 664	564 679	606 742	632 788	637 —	657 850	739 931[1]	— —	758 —	— —
										1) Except Sylt 706					
	1 door: 717 mm high, 2 shelves, height: 720 mm	UFK UFK	60 76	-72 -72	40661 40676	593 734	606 742	639 818	685 876	688 —	702 937	796 1.028[1]	— —	818 —	— —
										1) Except Sylt 706					
						Carcase bottom shelf white. *Minimum planning height: 1100 mm* *The following installation sets are obligatory for protruded plans and are automatically also confirmed and invoiced:* *protrusion dimension of 15 to 20 mm: Spacer plates for heavy-duty suspension bracket (DCSA, 99190)* *protrusion dimension of 21 to 150 mm: Fitting kit UFK (WINS, 99139)* *For further information regarding protruded designs with UFK* elements, see planning information chapter.*									
	 645/717 Dresser unit for free-standing fridges 2 doors, 1 shelf, depth: 561 mm, height: 648 mm	UFK UFK UFK	90 100 120	-65 -65 -65	32662 32663 32664	737 768 835	749 785 850	809 848 929	860 902 996	880 923 1.006	895 943 1.041	1.018 1.082 1.207	— —	1.028 1.098 1.229	— —
	1 shelf, height: 720 mm	UFK UFK UFK	90 100 120	-72 -72 -72	40662 40663 40664	791 834 913	813 848 929	870 915 1.012	924 975 1.080	946 997 1.091	967 1.019 1.132	1.099 1.172 1.317	— —	1.130 1.207 1.361	— —
						Carcase bottom shelf white. *Minimum planning height: 1100 mm* *The following installation sets are obligatory for protruded plans and are automatically also confirmed and invoiced:* *protrusion dimension of 15 to 20 mm: Spacer plates for heavy-duty suspension bracket (DCSA, 99190)* *protrusion dimension of 21 to 150 mm: Fitting kit UFK (WINS, 99139)* *For further information regarding protruded designs with UFK* elements, see planning information chapter.*									
	 Dresser unit for free-standing fridges 1 door: 429 mm high, depth: 440 mm, height: 432 mm	UFKWK	60	-43	41657	458	464	491	517	520	533	583	—	593	—
						Carcase bottom shelf white. *Minimum planning height: 1100 mm* *The following installation sets are obligatory for protruded plans and are automatically also confirmed and invoiced:* *protrusion dimension of 15 to 20 mm: Spacer plates for heavy-duty suspension bracket (DCSA, 99190)* *protrusion dimension of 21 to 150 mm: Fitting kit UFK (WINS, 99139)* *For further information regarding protruded designs with UFK* elements, see planning information chapter.*									

Dresser unit for free-standing fridges

		Abbreviation	Width in cm		Order-no.	Points / Price groups 1	2	3	4	5	6	7	8	9	10
	**Filler for dresser units** carcase material, 360 mm high, U-shaped seal for connection to wall, width: 100 mm	UFKPK	10	-36	36311	66	66	66	66	66	66	66	66	66	66
						The wood grain always runs vertical in wood décors.									
	width: 200 mm	UFKPK	20	-36	36320	73	73	73	73	73	73	73	73	73	73
						The wood grain always runs vertical in wood décors.									
	**Filler for dresser units** carcase material, 720 mm high, U-shaped seal for connection to wall, width: 100 mm	UFKPK	10	-72	40311	69	69	69	69	69	69	69	69	69	69
						The wood grain always runs vertical in wood décors.									
	width: 200 mm	UFKPK	20	-72	40320	74	74	74	74	74	74	74	74	74	74
						The wood grain always runs vertical in wood décors.									
	**Front filler for dresser units** continuous front material, 2 shelves top and bottom, white, 1 carcase side: 561 mm deep, width: 200 mm	UFKPD	20	-36	36322	165	169	184	206	215	237	257	—	263	—
						Possible to adapt on site to minimum size of 30 mm.									
						Please indicate RH or LH hinge!									
	**Front filler for dresser units** Continuous front material, 2 shelves top and bottom, white, 1 carcase side: 561 mm deep, width: 200 mm	UFKPD	20	-72	40322	172	178	199	225	226	244	258	—	277	—
						Possible to adapt on site to minimum size of 30 mm.									
						Please indicate LH or RH hinge!									
	**Surcharge for use as centre filler** 3 edges profiled on front fillers, 1 cut edge, minimum width: 65 mm	MP-MP			4743	44	44	44	44	44	44	44	44	44	44
	**Ceiling panel** Front material height: 194 mm, width: 2229 mm, minimum installation height: 45 mm	DBF			462	238[1]	261[2]	305[3]	422[4]	423	457	488	—	548	—
						1) Except Laser, front 463 2) Only front 842, 839 3) Except Structura 382 4) Except Easytouch 945, Inox 808, Natura 157									
						Only use ceiling panel in conjunction with swivel flap door wall units recessed 110 mm from the carcase front edge, otherwise the swivel flap wall unit cannot be opened. Please observe exhaust ducts.									
						Plan ceiling panels from wall (upright panel) to wall (upright panel). For ideal ventilation of installed electric appliances, a shadow gap to the ceiling is required.									
						Fixed dimension, adjustment only possible on site!									






Wall units for cooker hoods
Chimney hoods

Key



- Item available in special sizes, s. chapter 2.
- Planning information, s. chapter 10.
- Please specify appliance.
- For available colours s. swatch, Design Overview page M 2.1.
- Not available in: USA and Canada.

Wall units for
cooker hoods,
Chimney hoods

Wall units for cooker hoods

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
E	 357	WTDAII	60		3366	105	111	131	172	177	180	229	—	250	—
	Door for cooker hood „Integrata“ make Airforce, 357 mm high	WTDAII	90		3369	126	139	172	242	248	273	301	—	331	—
						An upright panel or wall unit side panel is necessary if planned at end of run.									
E	 573	WTDAI			9577	146	169	197	253	258	296	324	—	366	—
	Door for integrated cooker hoods 573 mm high, 600 mm wide														
E		WDAF	60	-58	57829	339	365	391	453	460	495	527	—	564	—
	Wall unit for slimline cooker hoods internal panel, metal grids, 80 mm deep, the number of metal grids depends on the built-in dimensions of the cooker hood, height: 576 mm														
	height: 720 mm	WDAF	60	-1	31829	416	445	477	552	558	597	637	—	696	—
	height: 792 mm	WDAF	60	-2	42829	450	485	520	603	609	656	702	—	769	—
	height: 864 mm	WDAF	60	-3	51829	486	521	564	654	660	714	767	—	842	—
E		W2DAF	60	-58	57830	387	434	464	518	531	553	572	—	622	—
	Wall unit for slimline cooker hoods 2 doors, internal panel, metal grids, 80 mm deep, the number of metal grids depends on the built-in dimensions of the cooker hood, height: 576 mm	W2DAF	90	-58	57831	502	537	583	664	683	726	767	—	835	—
	height: 720 mm	W2DAF	60	-1	31830	470	515	558	628	635	669	698	—	756	—
		W2DAF	90	-1	31831	657	689	752	851	869	924	977	—	1.067	—
	height: 792 mm	W2DAF	60	-2	42830	510	552	603	682	694	731	765	—	828	—
		W2DAF	90	-2	42831	685	721	791	908	923	988	1.051	—	1.149	—
	height: 864 mm	W2DAF	60	-3	51830	543	587	645	734	749	790	832	—	896	—
		W2DAF	90	-3	51831	712	752	834	965	974	1.050	1.124	—	1.229	—
E		WDAF	90	-58	57833	1.107	1.145	1.188	1.276	1.288	1.332	1.375	—	1.442	—
	Wall unit for slimline cooker hoods 2 doors, internal panel, metal grids, 80 mm deep, the number of metal grids depends on the built-in dimensions of the cooker hood, height: 576 mm / 2 shelves														
	height: 720 mm / 4 shelves	WDAF	90	-1	30833	1.270	1.295	1.358	1.461	1.475	1.533	1.590	—	1.670	—
	height: 792 mm / 4 shelves	WDAF	90	-2	40833	1.298	1.332	1.403	1.520	1.534	1.600	1.664	—	1.758	—
						Elica Slimline cooker hood ELITE 14 90-D (88103) cannot be built-in.									
	height: 864 mm / 4 shelves	WDAF	90	-3	51833	1.332	1.369	1.450	1.578	1.590	1.664	1.742	—	1.844	—
						Elica Slimline cooker hood ELITE 14 90-D (88103) cannot be built-in.									

Wall units for cooker hoods

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
	 **Wall unit folding/lifting door for slimline cooker hoods** 1 folding/lifting door, 2 original fronts, internal panel, metal grids, 80 mm deep, the number of metal grids depends on the built-in dimensions of the cooker hood, height: 576 mm / 2 shelves	WDAFFL	90	-58	57842	1.667	1.717	1.772	1.872	1.901[1]	1.929	1.965	—	—	—
										1) Except Inline 526					
						The Elica Slim Line cooker hood ELITE 14 90-D (88103) and Airforce Inside-In 90 (88434) cannot be installed.									
						**0 mm with OBK-HF 83° / 90 mm with OBK-HF 104°*									
	height: 720 mm / 4 shelves	WDAFFL	90	-1	30842	1.746	1.794	1.867	1.984	2.028[1]	2.070	2.117	—	—	—
										1) Except Inline					
						The Elica Slim Line cooker hood ELITE 14 90-D (88103) and Airforce Inside-In 90 (88434) cannot be installed.									
						**0 mm with OBK-HF 83° / 110 mm with OBK-HF 104°*									
	height: 792 mm / 4 shelves	WDAFFL	90	-2	40842	1.781	1.831	1.913	2.041	2.091[1]	2.139	2.191	—	—	—
										1) Except Inline 526					
						The Elica Slim Line cooker hood ELITE 14 90-D (88103) and Airforce Inside-In 90 (88434) cannot be installed.									
						**0 mm with OBK-HF 83° / 135 mm with OBK-HF 104°*									
E	 **Wall unit with swivel flap for slimline cooker hoods** 1 swivel flap in original front, metal grid, 80 mm deep, The number of metal grids depends on the built-in dimensions of the cooker hood. height: 720 mm / 4 shelves	WDAFKS	90	-1	30801	1.767	1.794	1.867	1.984	1.989	2.070	2.117	—	2.193	—
						The Elica Slim Line cooker hood ELITE 14 90-D (88103) and Airforce Inside-In 90 (88434) cannot be installed.									
						Not possible if CleanAir modules are used.									
	 **Surcharge for servo motor** electric motor drive for wall units with swivel flap doors or folding / lifting doors, comprised of: 1 drive unit, 2 wireless switches, battery-operated, integrated in the carcase sides, 1100 mm connection cable with power supply unit for each individual country	MP-SD			5284	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113	2.113
						Surcharge per unit.									
						Not possible for wall unit with iMove WFLIM.*									
						This item is approved for EU/EEA countries. An overview of additional approved countries can be found in the nobilia Extranet. This list is regularly updated.									




Boiler Housings

		Abbreviation	Width in cm		Order-no.	Points 1	2	3	4	5	6	7	8	9	10
717	Boiler Housing 1 door, height: 720 mm, side depth: 350 mm	WWB	60	-1	30457	425	437	486	558	569	606	639	—	692	—
	side depth: 450 mm	WWBT	60	-1	34457	467	482	530	603	615	650	685	—	737	—
789	Boiler Housing 1 door, height: 792 mm, side depth: 350 mm	WWB	60	-2	40457	438	458	502	583	594	639	683	—	746	—
	side depth: 450 mm	WWBT	60	-2	42457	486	505	549	631	642	686	730	—	791	—
861	Boiler Housing 1 door, height: 864 mm, side depth: 350 mm	WWB	60	-3	50458	457	479	518	612	623	675	724	—	800	—
	side depth: 450 mm	WWBT	60	-3	54458	505	527	568	660	673	723	771	—	848	—
1077 171	Dresser unit for boiler 1 door, 1 fixed panel height: 1258 mm, side depth: 350 mm	AWB	60	-1	32467	489	512	594	695	717	785	853	—	953	—
	side depth: 450 mm	AWBT	60	-1	36467	543	568	653	749	771	841	911	—	1.009	—
1149 171	Dresser unit for boiler 1 door, 1 fixed panel height: 1330 mm, side depth: 350 mm	AWB	60	-2	41467	508	531	615	724	746	821	896	—	1.004	—
	side depth: 450 mm	AWBT	60	-2	45467	564	588	670	780	802	877	953	—	1.060	—
1221 171	Dresser unit for boiler 1 door, 1 fixed panel height: 1402 mm, side depth: 350 mm	AWB	60	-3	51468	521	553	631	749	771	885	942	—	1.053	—
	side depth: 450 mm	AWBT	60	-3	55468	581	612	688	810	832	943	999	—	1.113	—

Canopy hoods

Cut-out for ventilation module to be made on site.
Please state the tiling height!
Please state type of cornice and colour no.!

Cottage style canopy hoods for cornice profiles KLH, KLC, KLHC


	Abbreviation	Width in cm	Order No.	Points
 Cottage style canopy hood, straight, with double cornice for cornice profile 908 (KLH), 929 (KLC) and 947 (KLHC) 500 mm deep, top part to be plastered. Without ventilation module. Available colours for cornice profile KLH: 120 Ivory matt, 122 Sand, 193 Alpine white Available colours for cornice profile KLC: 120 Ivory matt, 122 Sand, 193 Alpine white Available colours for cornice profile KLHC: 038 Reed green, 089 Stone grey, 106 White, 122 Sand, 127 Black, 194 Slate grey, 212 Fjord blue, 613 White wood texture, 614 Stone blue wood texture, 617 Olive wood texture, 619 Macchiato wood texture *KLH / KLC, recommended for: Sylt 706* *KLHC, recommended for: Cascada 684, Frame 419, Nordic 497*	K-LHL K-LHL	80 100	624 625	1.917 1.924
 Cottage style corner canopy hood, straight, with double cornice for cornice profile 908 (KLH), 929 (KLC) and 947 (KLHC) 500 mm deep, top part to be plastered. Without ventilation module. Available colours for cornice profile KLH: 120 Ivory matt, 122 Sand, 193 Alpine white Available colours for cornice profile KLC: 120 Ivory matt, 122 Sand, 193 Alpine white Available colours for cornice profile KLHC: 038 Reed green, 089 Stone grey, 106 White, 122 Sand, 127 Black, 194 Slate grey, 212 Fjord blue, 613 White wood texture, 614 Stone blue wood texture, 617 Olive wood texture, 619 Macchiato wood texture *KLH / KLC, recommended for: Sylt 706* *KLHC, recommended for: Cascada 684, Frame 419, Nordic 497*	KE-LHL	105	626	1.991
Surcharge for bottom section of canopy hood in carcase material for panelling the opening created by the 135° corner, if no niche cladding is planned in the rear.	MP-KE		6673	235
 Cottage style canopy hood with double cornice for cornice profile 908 (KLH), 929 (KLC) and 947 (KLHC) suspended 640 mm deep, max. 1150 mm high, top part to be plastered. Without ventilation module. Fitted to the ceiling using dowels and threaded rods, 940 mm high, height adjustable, top cladding can be adapted on site. Available colours for cornice profile KLH: 120 Ivory matt, 122 Sand, 193 Alpine white Available colours for cornice profile KLC: 120 Ivory matt, 122 Sand, 193 Alpine white Available colours for cornice profile KLHC: 038 Reed green, 089 Stone grey, 106 White, 122 Sand, 127 Black, 194 Slate grey, 212 Fjord blue, 613 White wood texture, 614 Stone blue wood texture, 617 Olive wood texture, 619 Macchiato wood texture *KLH / KLC, recommended for: Sylt 706* *KLHC, recommended for: Cascada 684, Frame 419, Nordic 497* *Please check load bearing capacity of ceiling.*	KES-LHL KES-LHL	80 100	627 628	3.037 3.054

Canopy hoods

Cut-out for ventilation module to be made on site.
Please state the tiling height!
Please state type of cornice and colour no.!


	Abbreviation	Width in cm	Order No.	Points

Canopy hoods for cornice profile KL



Canopy hood with double cornice for cornice profile 957 (KL)
500 mm deep, bottom part for tiling, top part to be plastered.
Without ventilation module.

Abbreviation	Width in cm	Order No.	Points
K	80	671	2.043
K	100	672	2.048



Canopy hood with double cornice for cornice profile 957 (KL)
500 mm deep, bottom part for tiling, top part to be plastered,
without ventilation module.

Abbreviation	Width in cm	Order No.	Points
KE	105	673	2.118

Surcharge for bottom section of canopy hood in carcase material
for panelling the opening created by the 135° corner, if no niche cladding is planned in the rear.

Abbreviation	Width in cm	Order No.	Points
MP-KE		6673	235

7

Cornice panels / light pelmets
Cornice shelves

Key


Item available in special sizes, s. chapter 2.

Planning information, s. chapter 10.

For available colours s. swatch, Design Overview page M 2.1.

Not available in: USA and Canada.

Cornice strip and light pelmet calculations



* = 200 mm additional charge for mitre joints on cornice strips and light pelmets (except light pelmets LB and LBL)


For calculating the cornice strip and light pelmet an overall length is determined and calculated.
The linear measurement may be some millimeters short, on the order confirmation. Invoiced per 100 mm.

Cornice strips and light pelmets are cut-to-size at the factory, outer corners are glued, except for light pelmets LB, LBL, LBF and LBH.
All corners are calculated with a 200 mm length per mitre joint over the entire length, except for light pelmet LB and LBL.

Allowances for diagonal units for length extensions


For diagonal units or end-of-run open-shelf units calculate the allowances according to the sketches, the allowances contain lengths and mitre joints.

All dimensions are measured on the carcase, width and depth measurements are added together, and possible mitres or allowances according to the sketch are added to this. For wall connections the factory adds an additional 30 mm.



Light pelmets for slimline cooker hoods have their own order no. and are invoiced separately.






Cornice shelves are glued to the ordered cornice strip at the factory. The carcase bottom is calculated separately along the entire cornice strip length. For support on units a minimum of 200 mm carcase bottom must be added to the width. The surcharges for the end of run sides or chamfered cuts are added to this. The accompanying cornice strips are treated and invoiced as cornice strips (see above).



Allowances for diagonal units and end-of-run open-shelf units for tall units



Cornices and light pelmets

Please indicate colour number!
Price per 100 mm, every 100 mm started will be invoiced.
Please indicate additional lengths in case of end of run units.
A sketch is required, due to order-related manufacturing.



	Abbreviation	Width in cm	Order No.	Points
Cornices and light pelmets, modern style, 30 mm high (KLA / LBA)				
 Cornice PVC-wrapped 30 mm high, overhang to carcase side: 6 mm (-16 mm). Exterior corners are factory-glued. Max. length: 3600 mm Available colours: no. 023 White high gloss — no. 127 Black no. 071 Taupe grey — no. 133 Macchiato no. 078 Sanremo oak reproduction — no. 193 Alpine white no. 089 Stone grey — no. 194 Slate grey no. 097 Havana oak — no. 198 Sierra oak reproduction no. 106 White — no. 306 Alpine white high gloss no. 120 Ivory matt — no. 702 Ivory high gloss no. 122 Sand	KLA		910	7,9
Cornice as above, price per length	KLA	360	90910	207
 Straight cornice return for cornice KLA Colour no. as above *For configurations which do not allow a lateral overhang!*	KLAR		922	108
 Light pelmet PVC-wrapped, 30 mm high, overhang to carcase side: 6 mm (-16 mm). Exterior corners are factory-glued. Colour no. as above *Light pelmet LBA cannot be used for Slim Line cooker hoods or for wall unit iMove!*	LBA		9590	7,9
Light pelmet, as above, price per length Colour no. as above *Light pelmet LBA cannot be used for slimline cooker hoods!*	LBA	360	99590	207
Cornices and light pelmets, modern style, 50 mm high, overhanging (KL / LB)				
 Cornice PVC-wrapped, 50 mm high, overhang to carcase side: 34 mm (-16 mm). Exterior corners are factory-glued. Max. length: 3600 mm Available colours: no. 023 White high gloss — no. 193 Alpine white no. 120 Ivory matt — no. 306 Alpine white high gloss no. 122 Sand	KL		957	9,6
Cornice as above, price per length	KL	360	90957	273
 Straight cornice return for cornice KL Colour no. as above *For configurations which do not allow a lateral overhang!*	KLR		935	196

Cornices and light pelmets

Please indicate colour number!
Price per 100 mm, every 100 mm started will be invoiced.
Please indicate additional lengths in case of end of run units.
A sketch is required, due to order-related manufacturing.

	Abbreviation	Width in cm	Order No.	Points
 **Light pelmet** PVC-wrapped, 50 mm high, bottom edge rounded. Light pelmets are factory-cut, not glued. Max. length: 3600 mm Available colours: no. 023 White high gloss no. 038 Reed green no. 070 Satin grey no. 071 Taupe grey no. 078 Sanremo oak reproduction no. 089 Stone grey no. 097 Havana oak no. 106 White no. 120 Ivory matt no. 122 Sand no. 127 Black no. 133 Macchiato no. 193 Alpine white no. 194 Slate grey no. 198 Sierra oak reproduction no. 212 Fjord blue no. 306 Alpine white high gloss no. 613 White wood texture no. 614 Stone blue wood texture no. 617 Olive wood texture no. 619 Macchiato wood texture no. 702 Ivory high gloss	LB		9621	6
Light pelmet as above, price per length	LB	360	99621	174
 **Light pelmet LB for slimline cooker hoods** all faces and edges coated, adjacent right and left hand light pelmets coated. Colour no. as above	LBDA LBDA	60 90	9623 9630	102 111

Cornice and light pelmet as cottage style profile (KLHC)



 **Cornice, cottage style** PVC-wrapped, 65 mm high, overhang to carcase side: 47 mm (-16 mm). Exterior corners are factory-glued. Max. length: 3600 mm. Available colours: No. 038 Reed green no. 089 Stone grey no. 106 White no. 122 Sand no. 127 Black no. 194 Slate grey no. 212 Fjord blue no. 613 Lacquered laminate, white wood texture no. 614 Lacquered laminate, stone blue wood texture no. 617 Lacquered laminate, olive wood texture no. 619 Lacquered laminate, macchiato wood texture *Recommended for: Cascada 684, Frame 419, Nordic 497.*	KLHC		947	20,1
Cornice as above, price per length unit	KLHC	360	90947	439
 **Straight cornice return** for cornice KLHC Colour no. as above *Recommended for: Cascada 684, Frame 419, Nordic 497.* *For configurations which do not allow a lateral overhang!*	KLHCR		948	210

Cornices and light pelmets

Please indicate colour number!
Price per 100 mm, every 100 mm started will be invoiced.
Please indicate additional lengths in case of end of run units.
A sketch is required, due to order-related manufacturing.

	Abbreviation	Width in cm	Order No.	Points





Cornice, cottage style, modern (KLC)

 Cornice, cottage style profile, modern PVC-wrapped, 75 mm high, overhang to carcase side: 55 mm (-16 mm). Exterior corners are factory-glued. Max. length: 3600 mm. Available colours: no. 120 Ivory matt no. 122 Sand no. 193 Alpine white *Recommended for: Sylt 706.* *Not for use in conjunction with swivel flap doors.*	KLC		929	19,7
Cornice as above, price per length	KLC	360	90929	425
 Straight cornice return for cornice strip KLC Colour no. as above *For configurations which do not allow a lateral overhang!*	KLCR		930	210

Cornices and light pelmets







Please indicate colour number!
Price per 100 mm, every 100 mm started will be invoiced.
Please indicate additional lengths in case of end of run units.
A sketch is required, due to order-related manufacturing.

Cornice and light pelmet, cottage style, straight (KLH / LBH)

	Abbreviation	Width in cm	Order No.	Points
 Cornice, cottage style profile, straight PVC-wrapped, 90 mm high, overhang to carcase side: 36 mm (-16 mm). Exterior corners are factory-glued. Max. length: 3600 mm. Available colours: no. 120 Ivory matt no. 122 Sand no. 193 Alpine white *Recommended for: Sylt 706.* *Not for use in conjunction with swivel flap doors.*	KLH		908	19,7
Cornice as above, price per length	KLH	360	90908	425
 Straight cornice return for cornice KLH Colour no. as above *For configurations which do not allow a lateral overhang!*	KLHR		938	210
 Light pelmet, cottage style profile, straight PVC-wrapped, 43 mm high, overhang to carcase side: 12.5 mm (-16 mm) Light pelmets are factory-cut. Max. length: 3600 mm. Colour no. as above *Light pelmet LBH cannot be used for wall unit iMove.*	LBH		9608	9,2
Light pelmet as above, price per length	LBH	360	99608	305
 Light pelmet LBH for slimline cooker hoods all faces and edges coated, adjacent right and left pelmets coated. Colour no. as above	LBHDA LBHDA	60 90	9611 9612	146 161

Cornice shelves






Please indicate type of cornice and colour number!
Price per 100 mm, every 100 mm started will be invoiced.
Please indicate additional lengths in case of end of run units!
A sketch is required, due to order-related manufacturing.

		Abbreviation	Width in cm		Order No.	Points
Cornice shelf for attached cornice						
	Cornice shelf, carcase material, for attached cornices Spacer profile 5 mm, transparent Available with cornice profile: 957 (KL), 910 (KLA), 903 (KLL), 908 (KLH), 929 (KLC), 914 (KLF), 947 (KLHC) Price per running 100 mm, every 100 mm started will be invoiced, plus cornice. *Available in all carcase colours.* *Selection of different shelf and cornice colour is possible.*	KB	35		837	16,1
	Depth: 350 mm Max. length: 3400 mm					
	Depth: 560 mm Max. length: 3400 mm	KB	56		861	19,9
	Depth: 570-900 mm max. length: 2580 mm	KB	90		862	22,6
	as above, however, for in front and rear attached cornice, max. depth: 900 mm. Price per running 100 mm. Every 100 mm started will be invoiced, plus cornice.	KBB	35		838	16,1
	Depth: 350 mm Max. length: 3400 mm					
	Depth: 560 mm Max. length: 3400 mm	KBB	56		864	19,9
	Depth: 570-900 mm max. length: 2580 mm	KBB	90		865	22,6
	Surcharge for chamfering on cornices Price plus cornice.	KBA			866	96
	Depth up to 900 mm					
	Surcharge for other than 90° mitre joints For cornice shelves with integrated cornice strip	KBG			867	206
	Corner cornice shelf for attached cornice, tongue-and-groove joint at right and left, suitable for 560 mm side depth Price plus cornice.	KBE	90		868	288
	open at rear corner 900 x 900 mm					
	full depth 900 x 900 mm	KBE	90	T	869	352
	open at rear corner 1050 x 1050 mm	KBE	105		873	312
	full depth 1050 x 1050 mm	KBE	105	T	874	404
	Cornice shelf for attached cornice, protruded to 740 mm depth (560 + 180 mm). Tongue-and-groove joint at right and left. Width: 1095 mm Price plus cornice.	KBV	56		875	288
	Connection shelf 560 mm deep					
	Connection shelf 900 mm deep	KBV	90		876	330

Top shelf as cornice shelf






Refer to colour chart in chapter 2







Top shelf as cornice shelf, 16 mm thick

		Abbreviation	Width in mm	Order No.	Points: Mat	High gloss	Lacquered laminate / Lacquer, premium honed	Lacquer ultra high gloss	Lacquer mat	Lacquer, perfect honed	Lacquer high gloss	Xtra décors
												
	Top shelf, 16 mm thick coated on both faces, polymer edged on front and side Depths: KBW16-38: 374 mm, variable from 250 - 382 mm KBW16-59: 585 mm, variable from 383 - 585 mm Max. length: 2580 mm *Price per running 100 mm,* *every 100 mm started will be invoiced.* *Please indicate additional lengths in case of end of run units!* *A sketch is required!*	KBW16	38	16602	18,4	34,6	37,5	63,5	—	—	—	37,7
		KBW16	59	16601	22,5	43,2	45,8	84,8	—	—	—	46,6
												
	Top shelf, 16 mm thick As above, however, coated with polymer edging all-round KBWB16-38: 374 mm deep, variable from 250 - 382 mm KBWB16-59: 585 mm deep, variable from 383 - 585 mm Max. length: 2580 mm *Price per running 100 mm,* *every 100 mm started will be invoiced.* *Please indicate additional lengths in case of end of run units!* *A sketch is required!*	KBWB16	38	16605	19,9	36,2	38,3	64,2	—	—	—	38,5
		KBWB16	59	16604	22,8	43,8	46,6	86,1	—	—	—	47,9
												
	Surcharge for chamfering / rounding on top shelves, 10 mm / 16 mm / 25 mm thick front edge with polymer edging *Matching the end of run open shelf unit!* *The standard 90° outer corners are supplied in square design. The standard 90° inner corners and deviating angles are finished with an inner radius of 30 mm. Deviating designs are possible.*	ADB-AS		7845	225	225	225	—	—	—	—	225
												
	Surcharge for z-shaped chamfering or notching on 10 mm / 16 mm / 25 mm thick top shelves front edge with polymer edging *Please note lateral overhang of 1,5 mm!* *Standard for 90° outer corners is a square design.* *90° inner corners and deviating angles are finished with an inner radius of 30 mm, unless specified otherwise.*	ADB-ZS		7849	292	292	292	—	—	—	—	292
												
	Surcharge for corner connections <u>other than right-angled</u> for top shelves	KBWG		1610	107	107	—	—	—	—	—	107

Top shelf as cornice shelf

Refer to colour chart in chapter 2

		Abbreviation	Width in mm	Order No.	Points: Mat	High gloss	Lacquered laminate/Lacquer, premium honed	Lacquer ultra high gloss	Lacquer mat	Lacquer, perfect honed	Lacquer high gloss	Xtra décors
Top shelf as cornice shelf, 25 mm thick												
		KBW25	38	25602	21,5	37,4	—	—	—	—	—	39,3
	Top shelf, 25 mm thick coated on both faces, polymer edged on front and side Depths: KBW25-38: 374 mm, variable from 250 - 382 mm KBW25-59: 585 mm, variable from 383 - 585 mm Max. length: 2580 mm *Price per running 100 mm,* *every 100 mm started will be invoiced.* *Please indicate additional lengths in case of end* *of run units! A sketch is required!*	KBW25	59	25601	25,4	46,6	—	—	—	—	—	50,2
		KBWB25	38	25605	22,6	38,3	—	—	—	—	—	40,4
	Top shelf, 25 mm thick As above, however, coated with polymer edging all-round KBWB25-38: 374 mm deep, variable from 250 - 382 mm KBWB25-59: 585 mm deep, variable from 383 - 585 mm Max. length: 2580 mm *Price per running 100 mm,* *every 100 mm started will be invoiced.* *Please indicate additional lengths in case of end of run units!* *A sketch is required!*	KBWB25	59	25604	25,8	47,7	—	—	—	—	—	51,2
		ADB-AS		7845	225	225	225	—	—	—	—	225
	Surcharge for chamfering / rounding on top shelves, 10 mm / 16 mm / 25 mm thick front edge with polymer edging *Standard for 90° outer corners is a square design.* *90° inner corners and deviating angles are finished with an inner radius of 30 mm, unless specified otherwise.*											
		ADB-ZS		7849	292	292	292	—	—	—	—	292
	Surcharge for z-shaped chamfering or notching on 10 mm / 16 mm / 25 mm thick top shelves front edge with polymer edging *Please note lateral overhang of 1,5 mm!* *Standard for 90° outer corners is a square design.* *90° inner corners and deviating angles are finished with an inner radius of 30 mm, unless specified otherwise.*											
		KBWG		1610	107	107	—	—	—	—	—	107
	Surcharge for corner connections <u>other than right-angled</u> for top shelves											

			Abbreviation	Width in cm		Order No.	Points
Bridging shelves, ceiling panels							
	**Bridging shelf in carcase material** laminated on both faces in the same colour, 16 mm thick, 350 mm deep, edging material on 3 sides, to fit between wall units or as a window bridging **Price per running 100 mm**, price per started 100 mm.	Width: 250 - 2580 mm	WZB	260		16026	24,8
	Bridging shelf of carcase material, as above, **however, 600 mm wide**		WZB	60		16006	146
	**Corner bridging shelf,** for installation between wall units, side dimension: 350 mm	full depth 600 x 600 mm	WZBE	60		16060	257
		full depth 900 x 900 mm	WZBE	90		16090	288
	**Corner bridging shelf, as above,** however, for installation between wall units, side dimension 350 mm, open at rear corner	350 mm depth Corner dimension: 1050 x 1050 mm	WZBE	105		16105	331
	as above, however, **full depth**	Corner dimension: 1050 x 1050 mm	WZBE	105	T	16111	380
	**Ceiling panel** Carcase material, 16 mm thick, **crosswise wood grain.** Specify carcase colour. Height: 200 - 400 mm. **Price per running 100 mm,** invoiced per started 100 mm. *Only use ceiling panel in conjunction with swivel flap door wall units recessed 110 mm from the carcase front edge, otherwise the swivel flap wall unit cannot be opened. Please observe exhaust ducts.*		DBK			460	13,9
	**Ceiling panel** in carcase material, chamfered, height: 50 - 400 mm for **open shelf wall units at end of run.**		DB-WRA			463	196
	as above, however, for **open shelf tall units**		DB-HRA			555	196
Accessories for cornice and bridging shelves							
	**Fastening angle** 50 mm wide, white, for freely suspended bridgings or cornice shelves, incl. fastening screws and dowels		WZBW			2700	48