

Qwen3-1.7B — Target-norm aligned ($\alpha=1$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.


	D1	D3	D4	D5
D1	S 1.13 N 1.31 F/D 96/87%	S 0.70 N 2.11 F/D 100/100%	S 0.53 N 1.01 F/D 100/100%	S 0.59 N 0.98 F/D 100/100%
D3	S 0.98 N 1.33 F/D 66/83%	S 1.14 N 1.14 F/D 100/91%	S 0.35 N 0.92 F/D 64/88%	S 0.54 N 0.67 F/D 78/56%
D4	S 1.53 N 1.63 F/D 95/88%	S 0.52 N 2.18 F/D 85/100%	S 0.97 N 0.90 F/D 100/100%	S 0.79 N 0.64 F/D 65/100%
D5	S 1.45 N 1.96 F/D 100/88%	S 0.96 N 2.62 F/D 100/100%	S 0.85 N 1.28 F/D 100/100%	S 0.94 N 0.78 F/D 100/100%

Mean of clipped S and N (color only; values are printed)



Qwen3-1.7B — Raw source vector ($\alpha=1.5$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.



Qwen3-14B — Target-norm aligned ($\alpha=1$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.

	D1	D3	D4	D5
D1	S 0.62 N 0.26 F/D 86/5%	S 0.79 N 0.81 F/D 95/83%	S 0.68 N 0.02 F/D 42/0%	S 0.62 N 0.06 F/D 32/0%
D3	S 0.35 N 0.21 F/D 63/2%	S 0.69 N 0.24 F/D 69/21%	S 0.48 N 0.06 F/D 13/0%	S 0.51 N 0.09 F/D 4/0%
D4	S 0.45 N 0.16 F/D 65/2%	S 0.64 N 0.81 F/D 93/83%	S 0.57 N 0.02 F/D 29/2%	S 0.51 N 0.00 F/D 5/0%
D5	S 0.66 N 0.27 F/D 91/6%	S 0.81 N 1.01 F/D 99/87%	S 0.69 N 0.06 F/D 45/10%	S 0.71 N 0.03 F/D 68/0%

Mean of clipped S and N (color only; values are printed)

1.0

0.8

0.6


0.4

0.2

0.0

Qwen3-14B — Raw source vector ($\alpha=1.5$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.



Qwen3-4B — Target-norm aligned ($\alpha=1$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.

	D1	D3	D4	D5
D1	S 0.95 N 0.62 F/D 80/97%	S 0.74 N 0.71 F/D 76/100%	S 0.79 N 0.81 F/D 58/100%	S 0.84 N 1.06 F/D 100/100%
D3	S 0.83 N 0.59 F/D 65/88%	S 0.99 N 0.77 F/D 100/85%	S 0.77 N 0.78 F/D 38/100%	S 0.80 N 0.91 F/D 100/100%
D4	S 1.00 N 0.75 F/D 99/100%	S 0.77 N 0.82 F/D 100/100%	S 0.97 N 0.76 F/D 100/100%	S 0.97 N 0.98 F/D 98/100%
D5	S 0.97 N 0.55 F/D 76/99%	S 0.86 N 0.60 F/D 100/100%	S 0.87 N 0.57 F/D 64/100%	S 0.94 N 0.66 F/D 100/100%

Mean of clipped S and N (color only; values are printed)

1.0

0.8

0.6


0.4

0.2

0.0


Qwen3-4B — Raw source vector ($\alpha=1.5$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.



Qwen3-8B — Target-norm aligned ($\alpha=1$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.



Qwen3-8B — Raw source vector ($\alpha=1.5$)

Rows = source-domain vector; columns = held-out target domain. S = normalized sufficiency; N = normalized necessity; F/D = strict flip/drop.

