

# Index

- \* syntax, *see also* tuple packing and unpacking
- A New Kind of Science*, 130
- EcoRI*, 269
- Moby Dick*, 120
- Sequoia sempervirens*, 68
- The Wire*, 129
- `np.random.random`, 263
- `np.random.ranf`, 263
- `np.random.sample`, 263
- AssertionError exception, 108
- Circle patch (Matplotlib), 312
- Ellipse patch (Matplotlib), 312
- FileNotFoundError exception, 105, 135
- IndexError exception, 105
- KeyError exception, 105, 112
- LinAlgError exception, 249, 251, 258
- NameError exception, 104
- None, 21, 112, 132
- Patch (Matplotlib), 311
- Polygon patch, 314
- `Polynomial.basis`, 239
- `Polynomial.cast`, 239
- `Polynomial.coef`, 233
- `Polynomial.convert`, 239
- `Polynomial.deriv`, 237
- `Polynomial.domain`, 241
- `Polynomial.fit`, 240, 242, 243
- `Polynomial.fromroots`, 235
- `Polynomial.integ`, 237
- `Polynomial.linspace`, 242
- `Polynomial.mapparms`, 241
- `Polynomial.roots`, 235
- `Polynomial.window`, 241
- `Polynomial`, 233
- RankWarning exception, 243
- Rectangle patch (Matplotlib), 313
- `SList.fields`, 171
- `SList.grep`, 172
- `SList.sort`, 172
- `SList` IPython object, 171
- SystemExit exception, 105, 170
- TypeError exception, 104
- ValueError exception, 104, 106
- ZeroDivisionError exception, 104, 107
- `%timeit` IPython cell magic, 168, 174
- `%alias_magic` IPython magic, 167
- `%automagic` IPython magic, 166
- `%bookmark` IPython magic, 168
- `%history` IPython magic, 164
- `%load` IPython magic, 170, 173
- `%lsmagic` IPython magic, 166
- `%macro` IPython magic, 169
- `%recall` IPython magic, 169
- `%rerun` IPython magic, 169
- `%run` IPython magic, 170, 173
- `%save` IPython magic, 170
- `%sx` IPython magic, 171
- `%timeit` IPython magic, 168, 174
- `abs` built-in, 13
- `add` (set method), 116
- `all` built-in, 48
- `any` built-in, 48
- `append` (list method), 44
- `append` (list method), 46
- `assert`, 108
- `ax.add_artist`, 312
- `ax.annotate`, 304
- `ax.axhline`, 309
- `ax.axhspan`, 310
- `ax.axvline`, 309
- `ax.axvspan`, 310
- `ax.barh`, 295
- `ax.bar`, 295
- `ax.clabel`, 318
- `ax.contourf`, 318
- `ax.fill_between`, 307
- `ax.grid`, 285
- `ax.hlines`, 308
- `ax.imshow`, 320
- `ax.invert_xaxis`, 282
- `ax.invert_yaxis`, 282
- `ax.legend`, 286, 298
- `ax.minorticks_on`, 291
- `ax.pcolormesh`, 323
- `ax.pcolor`, 323
- `ax.pie`, 299

- ax.plot\_surface, 327
- ax.plot\_wireframe, 327
- ax.plot, 281, 308, 329
- ax.scatter, 329
- ax.set\_xlabel, 286
- ax.set\_xlim, 281
- ax.set\_xscale, 286, 315
- ax.set\_xticklabels, 289
- ax.set\_xticks, 289
- ax.set\_ylabel, 286
- ax.set\_ylim, 281
- ax.set\_yscale, 286, 315
- ax.set\_yticklabels, 289
- ax.set\_yticks, 289
- ax.text, 304
- ax.tick\_params, 291
- ax.title, 286
- ax.view\_init, 328
- ax.vlines, 308
- ax.xaxis.grid, 285
- ax.xaxis.set\_ticks\_position, 291
- ax.yaxis.grid, 285
- ax.yaxis.set\_ticks\_position, 291
- clear (set method), 116
- close (file method), 66
- datetime.datetime, 146
- datetime.date, 145
- datetime.time, 145
- datetime module, 144
- discard (set method), 116
- dtype, 209
- else (for and while loops), 60
- else (exception handling), 107
- enumerate built-in, 52
- extend (list method), 45
- fig.add\_subplot, 300
- fig.colorbar, 323
- fig.subplots\_adjust, 302
- fig.suptitle, 286
- fig.tight\_layout, 301
- filter (built-in method), 128
- finally (exception handling), 107
- float, 9
- global, 74
- if ... elif ... else, 56
- insert (list method), 45
- int, 9
- in operator, 42
- is operator, 22
- items (dict method), 112
- keys (dict method), 112
- lambda, 124, 187, 356
- len built-in, 32
- linspace, 87
- list, 41
- map (built-in method), 128
- math.fsum, 406
- math module, 13
- matplotlib.cm, 317
- nbconvert, 182
- ndarray, 184
- nonlocal, 74
- np.allclose, 212, 404
- np.all, 212
- np.amax, 225
- np.amin, 225
- np.any, 212
- np.arange, 186
- np.arctan2, 313
- np.argmax, 225
- np.argmin, 225
- np.argsort, 208
- np.array, 185
- np.asarray, 417
- np.corrcoef, 228
- np.cov, 227
- np.dot, 192, 247
- np.dsplit, 197
- np.dstack, 196
- np.dtype, 185, 188, 208
- np.empty\_like, 186
- np.empty, 185
- np.eye, 248
- np.fft.fft2, 276
- np.fft.fftn, 276
- np.fft.fftshift, 273
- np.fft.fft, 273
- np.fft.ifft2, 276
- np.fft.ifftn, 276
- np.fft.ifftshift, 273
- np.fft.ifft, 276
- np.fft.irfft, 276
- np.fft.rfftfreq, 276
- np.fft.rfft, 276
- np.fmax, 225
- np.fmin, 225
- np.fromfunction, 187
- np.genfromtxt, 220
- np.histogram, 229
- np.hsplit, 197
- np.hstack, 196
- np.inf, 192, 356
- np.inner, 248
- np.isclose, 212, 404
- np.iscomplex, 212
- np.isfinite, 193
- np.isinf, 193
- np.isnan, 193
- np.isreal, 212
- np.linalg.det, 249
- np.linalg.eigh, 250
- np.linalg.eigvalsh, 250
- np.linalg.eigvals, 250
- np.linalg.eig, 249

- np.linalg.inv, 249
- np.linalg.lstsq, 251
- np.linalg.matrix\_power, 248
- np.linalg.matrix\_rank, 249
- np.linalg.norm, 248
- np.linalg.solve, 251
- np.linalg.svd, 255
- np.linspace, 186
- np.loadtxt, 216
- np.load, 216
- np.matrix, 256
- np.maximum, 225
- np.mean, 226
- np.meshgrid, 202
- np.minimum, 225
- np.nanargmax, 225
- np.nanargmin, 225
- np.nanmax, 225
- np.nanmin, 225
- np.nanstd, 227
- np.nanvar, 227
- np.nan, 192
- np.ndarray.argmax, 205
- np.ndarray.argmin, 205
- np.ndarray.astype, 191
- np.ndarray.diagonal, 258
- np.ndarray.flatten, 194, 256
- np.ndarray.max, 205
- np.ndarray.min, 205
- np.ndarray.ndim, 188
- np.ndarray.ravel, 194, 211, 256
- np.ndarray.reshape, 195
- np.ndarray.resize, 195
- np.ndarray.shape, 188
- np.ndarray.size, 188
- np.ndarray.sort, 206
- np.ndarray.transpose, 196, 258
- np.newaxis, 204
- np.ones\_like, 186
- np.ones, 186
- np.outer, 248
- np.percentile, 225
- np.random.binomial, 267
- np.random.choice, 269
- np.random.normal, 265
- np.random.permutation, 270
- np.random.poisson, 269
- np.random.randint, 264
- np.random.randn, 266
- np.random.random\_integers, 264
- np.random.random\_sample, 263
- np.random.rand, 263
- np.random.seed, 262
- np.random.shuffle, 270
- np.random, 262
- np.save, 216
- np.searchsorted, 208
- np.std, 226
- np.tile, 292
- np.trace, 249
- np.transpose, 247
- np.var, 227
- np.vsplit, 197
- np.vstack, 196
- np.zeros\_like, 186
- np.zeros, 186
- open (file method), 66
- os.getenv, 133
- os.listdir, 134
- os.mkdir, 134
- os.path.basename, 135
- os.path.dirname, 135
- os.path.exists, 135
- os.path.getmtime, 135
- os.path.getsize, 135
- os.path.join, 135
- os.path.splitext, 135
- os.path.split, 135
- os.path module, 134
- os.remove, 134
- os.rename, 134
- os.rmdir, 134
- os.system, 134
- os.uname, 133
- os (module), 133
- pass, 59
- plt.Line2D, 281, 311
- plt.contour, 317
- plt.errorbars, 293
- plt.figure, 280
- plt.subplots, 301
- pop (set method), 116
- pop (list method), 46
- print (built-in method), 34, 67
- pylab.hist, 98, 231
- pylab.legend, 89
- pylab.plot, 84
- pylab.polar, 97
- pylab.savefig, 85
- pylab.scatter, 84
- pylab.title, 90
- pylab.twinx, 98
- pyplot.scatter, 284
- pyplot, 280
- random.choice, 141
- random.normalvariate, 141
- random.randint, 141
- random.random, 140
- random.sample, 141
- random.seed, 140
- random.shuffle, 141
- random.uniform, 141
- random module, 140
- range built-in, 51

- readlines (file method), 67
- readline (file method), 67
- read (file method), 67
- remove (list method), 45
- remove (set method), 116
- reverse, 45
- round built-in, 13
- scipy.constants.
  - physical\_constants, 334
- scipy.integrate.dblquad, 358
- scipy.integrate.nquad, 359
- scipy.integrate.odeint, 361
- scipy.integrate.ode, 366
- scipy.integrate.quad, 356
- scipy.integrate.tplquad, 359, 360
- scipy.integrate, 355
- scipy.interpolate.
  - RectBivariateSpline, 377
- scipy.interpolate.griddata, 378
- scipy.interpolate.interp1d, 374
- scipy.interpolate.interp2d, 376
- scipy.interpolate, 374
- scipy.optimize.bisect, 397
- scipy.optimize.brenth, 396
- scipy.optimize.brentq, 396
- scipy.optimize.curve\_fit, 394
- scipy.optimize.leastsq, 390
- scipy.optimize.minimize\_scalar, 387
- scipy.optimize.minimize, 381
- scipy.optimize.newton, 397
- scipy.optimize.ridder, 397
- scipy.optimize, 380
- scipy.special.ai\_zeros, 336
- scipy.special.airy, 336
- scipy.special.betaincinv, 344
- scipy.special.betainc, 344
- scipy.special.betaln, 344
- scipy.special.beta, 344
- scipy.special.binom, 349, 353
- scipy.special.dawsn, 347
- scipy.special.ellipeinc, 345
- scipy.special.ellipe, 345
- scipy.special.ellipkinc, 345
- scipy.special.ellipk, 345
- scipy.special.erfcinv, 347
- scipy.special.erfcx, 347
- scipy.special.erfc, 346
- scipy.special.erfinv, 347
- scipy.special.erf, 346
- scipy.special.expl, 350
- scipy.special.expi, 350
- scipy.special.expn, 350
- scipy.special.fresnel\_zeros, 349
- scipy.special.fresnel, 349
- scipy.special.gammaln, 343
- scipy.special.gamma, 343
- scipy.special.sph\_harm, 352
- scipy.special.wofz, 347
- scipy.special, 333
- sorted built-in, 45, 125
- sort, 45
- split (str method), 46
- str, 27
- sys.argv, 132
- sys.exit, 132
- sys (module), 131
- unittest, 420
- urllib package, 143
- values (dict method), 112
- with, 126
- write (file method), 66
- 3D plot, 327, 352
- abstract class, 149
- advection equation, 331
- affine transformation, 321
- airship, 388
- Airy functions, 336
- Airy pattern, 353
- algorithm stability, 410
- alias (IPython), 167
- alkane, 63
- Anaconda, 5
- annotation, plot, 304
- anonymous function, 124, 356
- apodization, 278
- argument, 14, 72
- arithmetic-geometric mean, 63
- assertion, 108, 421
- attribute, 12, 147
- augmented assignment, 23, 121
- average (mean), 226
- banker's rounding, 13
- Barnsley Fern, 321
- Benford's Law, 55
- Bernoulli trial, 267
- Bessel function, 339, 354
- beta function, 344
- BFGS (optimization algorithm), 383
- biased random walk, 272
- Big Mac Index, 315
- binary operator, 10
- binomial coefficient, 349
- binomial probability distribution, 267
- bisection (root-finding), 397
- body mass index (BMI), 316, 331
- bool, 18
- boolean, 18
- boolean indexing (NumPy array), 200, 214
- break, 59
- break point, 356
- broadcasting, 203, 250, 334

- Brown Corpus, 131
- Brusselator, 371
- buckminsterfullerene, 267
- Buffon's needle, 271
- built-in, 13, 16
- C, 2, 4
- CamelCase, 17, 149
- cardinality, 116
- catastrophic cancellation, 405
- cellular automata, 130
- Chapman cycle, 372
- chemotaxis, 272
- class, 147
- class inheritance, 148, 152
- class variable, 151
- clothoid, 349
- code cell (IPython), 176, 177
- code point, 30, 191
- codon, 55, 172
- Collatz conjecture, 65
- colormap, 317, 320
- colors, plot, 91
- command line, 6
- comment, 12, 415
- comparison operator, 18
- complementary error function, 346
- complex, 10
- complex number, 9
- conditional assignment, 122
- console, 6
- constrained optimization, 385
- constructor, 10
- context manager, 126
- continue, 59
- Continuum Anaconda, 160
- contour plot, 317
- copying a list, 48
- correlation coefficient, 228
- covariance, 227
- curve-fitting, 394
- Dawson's integral, 347
- de Polignac's formula, 64
- Debye theory, 369
- decimal expansion, 402
- default argument, 72
- denormalization (of floating point number), 406
- dictionary, 110
- diffusion equation, 301, 324
- discrete Fourier Transform, 272
- division, 10
- docstring, 29, 71, 149, 162, 416
- domain (of Polynomial), 240
- double factorial, 55
- double integral, 358
- duck-typing, 16
- EAFP, 106
- Earth Similarity Index, 69
- electromagnetic spectrum, 310
- electron configuration, 65
- ellipse, 345, 372, 392
- ellipsoid, 354
- elliptic integral, 345
- empty string, 27
- endianness, 189, 208
- Enthought Canopy, 5, 160
- environment variable, 133
- error function, 346
- escape sequence, 28
- Euclid's algorithm, 58
- Euclidean norm, 249
- Euler's totient function, 65
- Euler-Lotka equation, 398
- exception, 102, 103
- exponent (floating point number), 403
- exponent, floating point, 9
- exponential decay, 289
- factorial, 55, 79, 343
- Faddeeva function, 347, 348
- Fast Fourier Transform, 272
- Fibonacci sequence, 51, 261
- file input/output, 66
- fit quality, 242
- fit to straight line, 158, 243, 252
- fit, weighted least squares, 294
- fledging bird weight, 293
- floating point number, 9, 212, 403
- floating point numbers, comparing, 404
- font properties, plot, 288
- for loop, 49
- format specifiers, C-style, 37
- Fortran, 4
- forward Euler method, 410
- Fresnel integral, 349
- Frobenius norm, 249
- frozenset, 118
- function, 12, 70
- functional programming, 124
- gamma function, 343
- Gauss's constant, 63
- Gaussian function, 89, 216, 265, 347
- Gaussian integer, 96
- Gaussian prime, 96
- Gaussian prime spiral, 97
- gcd, 58
- generator, 126, 174
- generator comprehension, 127

- GET, 144
- Git (version control software), 419
- greenhouse gases, 299
- Gregorian calendar, 58, 145
- gridlines, plot, 285
- Gudermannian function, 370
- hailstone sequence, 64, 136
- Hamming distance, 55
- harmonic oscillator, 365
- Harshad number, 82
- hash table, 110
- Haversine formula, 136, 224
- heading cell (IPython), 176
- heatmap, 319
- heatsink, 355
- Hero's method, 64
- Heron's formula, 17, 409
- Hessian, 380, 384
- hidden bit (floating point number), 403
- highly composite number, 174
- Himmelblau's function, 381
- histogram, 98, 229, 266
- HTML, 179, 182
- HTTP, 143
- Hyperion, 372
- IBAN, 130
- ideal gas, 353
- identity (of objects), 22
- identity matrix, 248
- if statement, 56
- image processing, 276
- immutability, 21
- indenting code, 49
- indexing a sequence, 30, 41
- installing Python, 5
- instance, 151
- instance variable, 151
- integer, 9
- integrated development environment (IDE), 6, 419
- integration, 356
- interpolation, 374
- introspection, 162, 188, 191
- IPython help, 161
- IPython kernel, 175
- IPython Notebook, 174
- IPython shell, 160
- irrational number, 402
- isotopes of carbon, 267
- iterable object, 48
- iterative weak acid approximation, 63
- Jacobian, 380, 384, 391
- Julia set, 332
- keyword argument, 72, 115
- Kirchoff's Voltage Law, 260
- lambda function *see* anonymous function, 124
- L<sup>A</sup>T<sub>E</sub>X, 90, 181, 183
- Lazy Caterer's Sequence, 78
- least squares fitting, 251, 390
- LEGB, 74
- legend, location of, 89
- legend, plot, 89, 286
- Legendre polynomial, 238
- Lennard-Jones potential, 101
- limits, plot, 94
- line style, plot, 93, 282
- line width, plot, 93, 283
- linear equation solving, 251
- list, 42
- list comprehension, 123
- logarithmic scale, plot, 286
- logic operators, 19
- Lorentzian function, 347, 394
- loss of precision, 18, 405, 422
- lottery, 232, 271
- Luhn algorithm, 63, 157
- machine epsilon, 404
- macro (IPython), 169
- Madelung rule, 66
- Madhava series, 54
- magic (IPython), 166, 177, 183
- magic square, 193
- mantissa *see* significand (floating point number), 403
- map, 241
- markdown cell (IPython), 176, 178
- markers, plot, 91, 283
- MathJax, 181
- MATLAB, 256, 280
- matrix eigenvalues, 249
- matrix eigenvectors, 249
- matrix inverse, 249
- matrix product, 247
- matrix rank, 249
- matrix visualization, 320
- maximization, 380
- meander, 272
- median, 226
- Mercurial (version control software), 420
- Mersenne prime, 118
- Mersenne Twister, 140, 262
- mesh, 202
- mesh analysis (electrical circuit), 259
- method, 12, 147
- Michaelis-Menten equation, 89
- minimization, 380
- module, 138

- modulus, 11
- Monte Carlo method, 65
- Monty Hall problem, 142
- Moore's Law, 94
- Morse code, 121
- mutability, 42
  
- namespace, 15
- NaN (not a number), 88
- Nelder-Mead (optimization algorithm), 384
- Newton-Raphson algorithm, 397
- nonlinear least squares fitting, 390
- normal probability distribution, 141, 265
- nuclear explosion, 245
- NumPy, 184
- NumPy array indexing, 198, 213
- Nyquist frequency, 273
  
- object, 12
- object-oriented programming, 147
- Ohm's Law, 260
- operand, 10
- operating system command, 165
- operator precedence, 11
- optimization bounds, 385
- ordinary differential equation, 361
- orthogonal polynomial, 238, 351
- outer product, 204
- over-determined, 251
- over-fitting, 243
- overflow (of floating point number), 407
- ozone, 372
  
- palindrome, 39, 83
- pangram, 119
- Pascal's triangle, 55, 63
- Pauli matrix, 250, 254
- pendulum, 344, 372
- PEP8, 17, 417
- percentile, 225
- Perl, 3
- physical constants, 334
- pie chart, 299
- Planck function, 316, 400
- Planck units, 254
- Poisson probability distribution, 268
- polar plot, 97
- polygon, 215
- polymer, 154
- polymorphism, 13
- polynomial, 232
- positional argument, 72
- POST, 144
- power set, 131
- principal moments of inertia, 255
- procedural programming, 147
  
- pseudorandom number generator, 140, 262
- Pylab, 84, 177
- Python(x,y), 6
- Python2, 5
  
- quantum harmonic oscillator, 347
- quicksort, 207
  
- radioactive decay, 373
- random walks, 272
- rational number, 402
- raw cell (IPython), 176
- reaction rate, 361, 364
- real number, 9, 402
- record array, 208
- recursive function, 79
- reserved keywords, 17
- residual, 390
- resistor, 120
- Reverse Polish Notation, 121
- revision control *see* version control, 419
- Ridder's method (root-finding), 397
- root finding, 396
- ROT13, 129
- rotation matrix, 257
- rounding error, 404, 422
- Ruby, 3
  
- Saturn V rocket, 247
- scatterplot, 84, 284
- scientific notation, 37
- scope, 73
- scope, global, 73, 74
- scope, local, 73
- set, 115
- shark species, 121
- shell, 7, 8, 165
- Shewchuk algorithm, 406
- shoelace algorithm, 215
- short-circuit, 20
- sign bit (floating point number), 403
- significand (floating point number), 9, 403
- sinc function, 88
- singleton, 47
- singular value decomposition, 255
- singularity, 356
- slicing a sequence, 31, 44, 198
- Sophomore's dream, 369
- sort, 125
- sort (NumPy array), 206, 210
- spherical harmonic, 351
- square wave, 278
- stack, 46, 121
- stack traceback, 104, 105
- stacked bar chart, 297
- standard deviation, 226

- steady-state approximation, 372
- stiff ordinary differential equation, 361
- Stokes drag, 366
- Stokes' law, 367
- stride, 32, 50, 198
- string, 27
- string formatting, 35
- string literal, 27
- string methods, 33
- string, raw, 29
- string, triple-quoted, 29
- Stroop effect, 222
- structured array, 208, 217
- Subversion, SVN (version control software), 420
- sunflower, 101
- surface of revolution, 370
- surface plot, 327
- SVG (scalable vector graphics), 137, 158, 341
- swallow (African, unladen), 110
- swapping the values of two variables, 48, 122
- syntactic sugar, 121
- syntax error, 102
  
- tab completion, 163
- terminal, 6
- tetrahedron, 360
- tetration, 83
- Theis equation, 355
- tick labels, removing, 291
- tick marks, plot, 289
- ticker timer, 254
- timing code, 168
- title, plot, 90, 286
- torus, 328, 357, 370
- Tower of Hanoi, 79
- triangular number, 127
- triple integral, 359
- tunneling, 347
  
- tuple, 46, 70
- tuple packing and unpacking, 47, 49, 122
- turtle, 61
- two or more, 271
  
- unary minus, 24
- underflow (of floating point number), 406
- Unicode, 29, 191
- uniform random distribution, 263
- unit sphere, 359
- unit testing, 420
- universal function, 192, 334
- UTF-8 encoding, 30, 191, 418
  
- van der Waals equation, 246
- variable naming, 16
- variance, 227
- variational principle, 401
- vector, 210
- vectorization, 87, 192, 203, 334
- version control, 419
- video, 182
- Voigt line profile, 347
  
- weather, 229
- West Nile virus, 315
- WGS-84, 26
- Wien displacement law, 400
- Wilkinson's polynomial, 414
- window (of `Polynomial`), 240
- WinPython, 6
  
- X-ray diffraction, 341
  
- Yale Bright Star Catalog, 157
  
- Zipf's Law, 120