CSCI-1102: Introduction to Computing

Navigation Bar

Xin Yang

January 27, 2019

Navigation Bar

- Having easy-to-use navigation is important for any web site.
- With CSS you can transform boring HTML menus into good-looking navigation bars.

Navigation Bar = List of Links

- A navigation bar needs standard HTML as a base.
- In our examples we will build the navigation bar from a standard HTML list.
- A navigation bar is basically a list of links, so using the <ul> and <li> elements makes perfect sense:

```html
<ul>
  <li><a href="Lab1.html">Home</a></li>
  <li><a href="Lab2.html">Cat Books</a></li>
</ul>
```

Navigation Bar = List of Links

- [Home](#)
- [Cat Books](#)

Dolphin

Dolphin is a common name of aquatic mamm
Platanistidae, Iniidae, and Pontoporiidae, and

Whale

Dolphin is a common name of aquatic mamm
Platanistidae, Iniidae, and Pontoporiidae, and

Horizontal Navigation Bar

▶ One way to create a horizontal navigation bar is to float the
    elements, and specify a layout for the navigation links.

The overflow is
clipped, and the
rest of the
content will be
invisible.

Displaying the
links as block
elements makes the
whole link area
clickable (not just
the text), and it
allows us to
specify padding.

Removes the bullets.
A navigation bar
does not need list
markers.

Use float to get
block elements to
slide next to each
other.

Remove the underline
of the link list.

```css
navBar.css
ul {
  list-style-type: none;
  overflow: hidden;
  background-color: black;
  padding: 0px;
  margin: 0px;
}
li {
  float: left;
}
li a {
  display: block;
  padding: 14px 16px;
  color: white;
  text-decoration: none;
}
li a:hover {
  background-color: #808287;
}
```

Horizontal Navigation Bar

Home   Cat Books

Dolphin

Dolphin is a common name of aquatic mammals
Platanistidae, Iniidae, and Pontoporiidae, and the

Whale

Dolphin is a common name of aquatic mammals
Platanistidae, Iniidae, and Pontoporiidae, and the

Reference

https://www.w3schools.com/