

# EDA

Xin

2024-05-14

```
library(electBook)
```

```
## Registered S3 method overwritten by 'quantmod':  
##   method      from  
##   as.zoo.data.frame zoo
```

```
load("Irish.RData")
```

```
head(Irish$indCons[,1:10])
```

```
##      I1002 I1003 I1004 I1005 I1013 I1015 I1018 I1020 I1022 I1024  
## 8114 0.022 0.593 2.002 0.755 0.035 0.398 0.547 0.376 0.229 1.030  
## 8115 0.133 0.707 1.602 0.898 0.112 0.689 0.603 0.275 0.198 0.807  
## 8116 0.094 0.684 1.525 0.736 0.046 0.407 0.511 0.259 0.201 0.859  
## 8117 0.023 0.563 1.393 0.738 0.036 0.223 0.593 0.249 0.212 0.210  
## 8118 0.133 0.489 1.221 0.849 0.065 0.132 0.570 0.241 0.121 0.056  
## 8119 0.090 0.521 1.032 0.695 0.093 0.117 0.481 0.122 0.127 0.169
```

```
df0 <- Irish$indCons  
df0$sum_dem <- rowSums(Irish$indCons)
```

```
sum(apply(Irish$indCons, 2, function(x) sum(x == 0)))
```

```
## [1] 170228
```


```
#There are many zeros in the demand data frame  
print(16799*2674)
```

```
## [1] 44920526
```

```
# Count zeros in each column  
col_zero_counts <- colSums(Irish$indCons == 0)
```


```
# Histogram of columns with more than 100 zeros  
hist(col_zero_counts[col_zero_counts > 100], main="Histogram of Households with More Than 100 Zeros in Demand",  
abline(v = 0.5 * nrow(df), col = "red", lwd = 2))
```

## Histogram of Households with More Than 100 Zeros in Record



```
# Count zeros in each row  
row_zero_counts <- rowSums(Irish$indCons == 0)  
  
hist(row_zero_counts)
```

## Histogram of row\_zero\_counts



```
head(Irish$extra)
```

```
##   time      toy dow  holy tod temp      dateTime
## 1    1 0.9863014 Wed FALSE  0    4 2009-12-29 23:00:00
## 2    2 0.9863014 Wed FALSE  1    4 2009-12-29 23:30:00
## 3    3 0.9863014 Wed FALSE  2    4 2009-12-30 00:00:00
## 4    4 0.9863014 Wed FALSE  3    4 2009-12-30 00:30:00
## 5    5 0.9863014 Wed FALSE  4    4 2009-12-30 01:00:00
## 6    6 0.9863014 Wed FALSE  5    4 2009-12-30 01:30:00
```

```
df <- cbind(df0[, "sum_dem"], Irish$extra)
colnames(df) <- c("sum_demand", colnames(Irish$extra))
```

```
head(df)
```

```
##   sum_demand time      toy dow  holy tod temp      dateTime
## 1   1674.398    1 0.9863014 Wed FALSE  0    4 2009-12-29 23:00:00
## 2   1404.605    2 0.9863014 Wed FALSE  1    4 2009-12-29 23:30:00
## 3   1180.766    3 0.9863014 Wed FALSE  2    4 2009-12-30 00:00:00
## 4   1022.626    4 0.9863014 Wed FALSE  3    4 2009-12-30 00:30:00
## 5    877.018    5 0.9863014 Wed FALSE  4    4 2009-12-30 01:00:00
## 6    775.936    6 0.9863014 Wed FALSE  5    4 2009-12-30 01:30:00
```

## Visualizing main characteristics

```
# Load necessary libraries
```

```
library(ggplot2)
```

```
library(dplyr)
```

```
##
```

```
## Attaching package: 'dplyr'
```

```
## The following objects are masked from 'package:stats':
```

```
##
```

```
## filter, lag
```

```
## The following objects are masked from 'package:base':
```

```
##
```

```
## intersect, setdiff, setequal, union
```

```
# Basic summary of each column
```

```
summary(df)
```


```
##      sum_demand      time      toy      dow      holy
## Min.   : 454.1   Min.    :    1   Min.   :0.0000   Sun:2208   Mode :logical
## 1st Qu.: 802.8   1st Qu.: 4200   1st Qu.:0.2411   Thu:2496   FALSE:16799
## Median :1297.0   Median : 8400   Median :0.5041   Mon:2400
## Mean    :1334.3   Mean     : 8400   Mean    :0.4975   Tue:2400
## 3rd Qu.:1688.8   3rd Qu.:12600   3rd Qu.:0.7452   Wed:2544
## Max.    :3456.5   Max.     :16799   Max.    :0.9918   Sat:2352
##                                     Fri:2399
##      tod      temp      dateTime
## Min.   : 0.0   Min.    :-10.000   Min.    :2009-12-29 23:00:00.00
## 1st Qu.:12.0   1st Qu.:  4.000   1st Qu.:2010-03-31 10:45:00.00
## Median :24.0   Median :  9.000   Median :2010-07-05 22:30:00.00
## Mean    :23.5   Mean     : 8.616   Mean    :2010-07-03 00:08:03.46
## 3rd Qu.:35.5   3rd Qu.: 14.000   3rd Qu.:2010-10-01 10:15:00.00
## Max.    :47.0   Max.     : 24.000   Max.    :2010-12-31 22:30:00.00
##
```

```
#`holy` is all FALSE
```

```
# Visualizing distribution of sum_demand
```


```
ggplot(df, aes(x=sum_demand)) + geom_histogram(bins=30) + ggtitle("Distribution of Sum Demand")
```

Distribution of Sum Demand




```
# Time series plot of sum_demand  
ggplot(df, aes(x=dateTime, y=sum_demand)) + geom_line() + ggtitle("Time Series of Sum Demand")
```

Time Series of Sum Demand



```
# Boxplots to check variation of sum_demand across days of the week  
ggplot(df, aes(x=dow, y=sum_demand)) + geom_boxplot() + ggtitle("Demand Variation by Day of Week")
```


Demand Variation by Day of Week



```
# Scatter plot of sum_demand vs. temperature
ggplot(df, aes(x=temp, y=sum_demand)) +
  geom_point(alpha=0.5) +
  geom_smooth(method="lm", se=FALSE, color="blue") +
  labs(x="Temperature", y="Sum Demand", title="Relationship Between Temperature and Sum Demand")
```

```
## `geom_smooth()` using formula = 'y ~ x'
```

Relationship Between Temperature and Sum Demand



```
# Line plot for sum_demand across different times of day
ggplot(df, aes(x=tod, y=sum_demand, group=1)) +
  geom_point(alpha=0.5) +
  geom_smooth(color="blue") +
  labs(x="Time of Day", y="Sum Demand", title="Sum Demand Across Different Times of Day")
```

```
## `geom_smooth()` using method = 'gam' and formula = 'y ~ s(x, bs = "cs")'
```



Sum Demand Across Different Times of Day

