

gbavocab v1.6.0-pre.3 — full controls

Learn vocabulary using flashcards and five learning boxes. Create and edit your own word lists on your Game Boy Advance.

Put UTF-8 TXT vocabulary files in /gbavocab at the SD-card root, for example /gbavocab/Spanish.txt. Each entry uses a word, a TAB character, and its translation. Optional additional columns are preserved. Files elsewhere on the card are not the list library.

V1.6 matches writer v1.2.0 letter groups and keeps existing fonts, learning and TXT storage. The separate sample file.txt has 20 English-Spanish entries, four in each box. Copy it into /gbavocab; it is not built into the app.

Author: Halim Jarrar

1. Getting started and managing lists

Use a compatible SuperFW / Supercard SD-style setup. Copy the runnable gbavocab.gba release ROM to your card and launch it with your firmware. Source builds produce the same gbavocab.gba filename. Back up your vocabulary TXT files before using any application that edits them.

The home screen reads gbavocab v1.6.0-pre.3 and files: /gbavocab. There is no built-in vocabulary, demo list or automatic fallback. Missing storage is reported; Controls and Credits remain available even without a list.

- Up / Down: choose LOAD LIST, NEW LIST or LOCAL DICTIONARY. LOAD LIST is first and selected by default.
- A: open the selected action.
- B on home: resume the active list, if one is open.
- Select on home, LOAD LIST or NEW LIST: open Controls.
- Start on those screens: open Credits.
- Left / Right in Controls or Credits: previous / next page; B: return.

LOAD LIST

- Up / Down: select a TXT file; the visible list scrolls with selection.
- Left / Right: jump backward / forward by five files, stopping at the ends.
- A: load the selected file. B: return home, not directly to learning.

NEW LIST

The app checks real storage for an unused name from LIST001.TXT through LIST999.TXT, including names reserved by interrupted recovery. It displays the chosen filename before creation. A creates that exact empty TXT in /gbavocab; B returns without creating it. Existing files are never overwritten. If no name or storage is available, creation is unavailable. Rename the TXT on your PC if you want a descriptive name; there is no filename-typing screen.

Switching with unsaved changes

Loading or creating another list while the active list is dirty asks: A = Save, B = Discard, Select = Cancel. Save writes pending entries and learning boxes before switching. Discard switches without saving the old changes. Cancel leaves the active list alone. A failed save or load keeps the active data; do not power off after a failure. Simply opening home or help does not discard a list.

2. Learning with flashcards

Each entry has a front (word) and back (translation), and belongs to one of five boxes. New entries go first in Box 1. Each list remembers its manually saved direction mode; missing/legacy mode defaults to Alternate, starting with the front. Navigation remains session state.

- Hold R: reveal the answer. Release R to hide it during normal learning.
- A: mark correct, advance one box (Box 5 stays Box 5), then show the next card in the current box.
- B: mark wrong and return the entry to Box 1. An entry already in Box 1 moves to its end so another card can come next.
- Hold the A or B used for a judgment: keep both word and answer visible with the same green / red background. After release, feedback stays for 24 frames (about 0.4 seconds), matching GBAWriter's initial solo-A space-repeat delay. Holding consumes none of that delay and does not repeatedly grade cards. Grading still happens on press; the next card and alternating prompt side wait until feedback ends.
- Left / Right: previous / next box, wrapping between boxes 1 and 5. Empty boxes remain selectable. These buttons never page or scroll a flashcard.
- Up: undo the most recent eligible A/B decision while still in the same box, returning to that card. This is single-step learning undo, not entry-edit undo. A in Box 5 does not arm a box-change undo. Changing boxes, requesting shuffle or committing an entry clears the relevant undo history.
- Down: ask to shuffle only the current box. In that prompt, A confirms and B cancels.
- L: immediately cycle front-to-back, back-to-front, alternating, then repeat. In alternating mode the prompt side changes after a judgment.

Both the full prompt and revealed answer fit on one screen. Long cards wrap and use smaller body text when necessary; short cards keep their normal size. This changes only display, never TXT content. There is no flashcard paging or scrolling.

Learning shortcuts: press and release matter

- Start alone, then release: manually save the active TXT, including all confirmed pending entry changes and current learning boxes. Use this in normal learning, after judgment feedback finishes.
- Select alone, then release: open home / list management.
- Start + Select held together: open Entry editor for the captured card. Either press order works. This chord consumes both release tails: releasing it does not also save or open home.

Release the opening buttons before using the next screen. Learning shortcuts are not active inside the text drafts: the same buttons have the typing meanings on pages 3-5.

Saving learning progress

Grading, shuffling and confirmed entry edits affect the active list in memory. There is no autosave toggle. Use learning Start to save all changes before powering off. Wait for saving to finish. A failure is not a successful save: retain the session and recovery files and resolve the storage problem.

3. Entry editor: drafts and confirmation

From a loaded list, press Start + Select. The menu captures the currently displayed entry for Edit and Delete. An empty box has no editable selected entry, but Add remains available.

- Up / Down: choose Add entry, Edit entry, Delete entry, or Add from dictionary in that order.
- A: open the selected operation.
- B: return to learning.

Add and Edit: two separate field drafts

Step 1/2 is Word / front. Step 2/2 is Translation / back. Add starts with empty drafts; Edit prefills the captured entry's two fields, with the caret initially at the end. Additional columns are kept outside the drafts.

- Hold Start and press A in step 1: advance to step 2. The first field must contain text.
- Hold Start and press A in step 2: confirm both fields together. This applies the entry in RAM only; manually save from learning to persist it.
- Hold Start and press B in step 2: return to step 1, keeping both drafts.
- Hold Start and press B in step 1: cancel back to the entry menu without changing the active entry or TXT. Starting Add/Edit again begins fresh drafts.

A confirmed Add goes at the top of Box 1. Edit keeps the captured entry's identity, box, relative position within the box and learning progress; it does not replace a newly selected or reordered card by accident. Committing returns to learning and clears transient judgment / undo state. A canceled draft makes no mutation.

Delete

The confirmation shows the captured word and translation and asks "Are you sure?". No is selected initially. Left / Right switches No / Yes; Up / Down does not choose an answer. A on Yes confirms deletion; A on No or B cancels to the entry menu. Deleting the final entry leaves an empty, usable TXT that can receive new entries.

Add from dictionary and manual save

Add from dictionary opens the matching local dictionary, or a chooser when several match. If this list has no language metadata, choose a dictionary and confirm FRONT/BACK languages first; Left/Right swaps them. The pair remains in RAM until the next manual save. A canceled lookup leaves the captured entry unchanged. See page 8 for search controls.

Selecting a result prefills a NEW two-step Add draft, never Edit. You may change either field and confirm or cancel normally. Confirmed additions, edits and deletions affect the active in-memory list with zero TXT rewrites. Learning Start manually writes pending entries, language metadata and learning boxes. The Save choice when switching lists can also flush them.

4. Typing letters, case, spaces and caret

The drafts use GBAWriter's button-driven input engine, not an on-screen keyboard. Hold one D-pad direction, then tap B, A or R to choose letter 1, 2 or 3. Release the letter button between taps. Multiple D-pad directions are not a letter group.

Letter groups: B / A / R in that order

- Up: a / b / c
- Right: h / i / j
- Down: n / o / p
- Left: t / u / w
- L + Up: d / e / f
- L + Right: k / l / m
- L + Down: q / r / s
- L + Left: x / y / z

For g: keep Right held and tap R twice. The first tap inserts j; the second replaces it with g. For v: keep Left held and tap R twice; w becomes v. This is a continuous-held-group gesture, not a fast double-tap deadline. Releasing the direction or L resets the sequence; A, B, Start or Select also interrupts it. The replacement keeps the case of the first letter.

Spaces, deletion and repeat

A alone inserts a space at the caret. B alone deletes the preceding complete UTF-8 character, not an individual byte. Hold either button alone to repeat: the first action occurs on press, repeat starts after 24 frames and continues every 5 frames. Repeat must begin with a fresh solo press and stops when another button joins; releasing a letter chord into A/B does not start repeat. Letter and Select-symbol presses themselves do not auto-repeat.

Shift and Caps

From normal, a short isolated R release arms Shift. Hold R alone for 48 frames (twice the initial A-repeat delay; about 0.8 seconds) to enable Caps while held, once per hold. Any companion before the threshold cancels eligibility until R is released and freshly pressed alone; releasing the companion cannot restart it. From active Shift/Caps, another isolated R—short or long—clears on release and cannot rearm in that hold. Shift uppercases the next accepted letter; Caps stays active. Spaces, digits and punctuation do not consume Shift. Select-first accented letters consume one-shot Shift when the Select session is released. Letter-first conversion retains the original letter's case even after that letter consumed Shift. The ß alternate remains ß even with Shift / Caps. Rejected insertion does not consume Shift. The status line shows the active letter group and Shift or Caps.

Caret and visual rows

Hold Start and press Left / Right to move one UTF-8 character backward / forward. Start + Up / Down moves to the previous / next visual row, retaining the desired horizontal position where possible. Start + L / R moves by a previous / next page of draft rows (five with status or an error message visible, otherwise six). Hold Start with one navigation key to repeat on the same 24-frame / 5-frame schedule. Movement stops at text boundaries.

Draft text wraps visually without inserting line breaks; overlong words split visually. The blinking caret and viewport follow the text. Start alone attempts Writer's newline on release, but vocabulary fields reject it with feedback: no tabs, carriage returns or physical newlines may be typed. There is no separate bound Home/End, selection, clipboard or forward-delete shortcut.

5. Punctuation, digits, signs and accents

Press Select outside a still-held producing letter chord to insert one provisional period at the caret. Keep Select held while choosing a replacement below; release Select to keep it in the draft. Each cycle replaces that same character. Release Select and begin again for a second symbol.

Symbol cycles while Select is held

- Up moves forward and Down backward through: 1 2 3 4 5 6 7 8 9 0
- Right moves forward and Left backward through: . () / ; @ # % & _ + = -
- R alone moves forward and L alone backward through: , ' " : ! ?

Cycles wrap around. Starting from the provisional period, Up selects 1 and Down selects 0; Right selects an opening parenthesis and Left selects a hyphen; R selects a comma and L selects a question mark. For the L/R punctuation cycle, release any D-pad direction first. Directions choose symbol cycles on fresh presses, not merely by remaining held.

Accent cycles while Select is held

Use the normal letter chord for a supported base letter to replace the provisional character with its first alternate. Repeat that letter button while keeping its direction (and L layer, where needed) held to cycle the remaining alternates. Changing or releasing the group resets that letter's cycle. A letter with no listed alternate does not insert its plain form in this mode.

- a: á â ã ä å æ c: ç ċ
- e: é è ë ê ì í î ï
- n: ñ ó: ó ô õ ö ø œ
- s: ß š ś u: ü ú û û
- y: ý ÿ z: ž ź ž

Shift / Caps selects the corresponding uppercase accented form, except ß which stays unchanged. For example, hold Select and Up, then tap B once for á or twice for ä. Release Select to keep it. To start from a clean accent session without first cycling a symbol, hold the direction before pressing Select, then tap the letter button.

Both press orders work. Hold Select, then enter the letter combination. Or keep the just-typed letter's exact direction, producing B/A/R button and L layer (if used) continuously held, then press Select. The same letter becomes its first alternate, retaining its original case with no duplicate letter or period. No time deadline applies; releasing or changing the chord ends eligibility. An unsupported base stays unchanged in letter-first order. Example: Up+B held, then press Select: a becomes á. Keep Select and the group held; release and repress its producing B/A/R button to cycle, then release Select to keep the result.

Status toggle and modifier priority

Start + Select inside a draft toggles the status bar, not the learning Entry editor. Either press order works. It removes a newly inserted Select provisional character, but retains an existing letter converted to an accent. Both buttons' release tails are consumed. Release them before continuing.

While Select is held, typing belongs to the symbol / accent session; do not try to advance a field using Start+A within it. Release Select first, then hold Start and press A. Start+B likewise means previous field / cancel only outside the Select session. A plain B in normal typing is backspace, not cancel.

Typing chords provide Latin letters and accents, not an Arabic keyboard. For imported Arabic display and caret behavior, see page 7.

6. Limits, TXT persistence and recovery

Entry and RAM limits

Both editable fields must contain nonblank text. Each draft buffer holds at most 189 UTF-8 bytes, but the confirmed entire row has a shared limit of 191 content bytes including the TAB and all additional columns. Accented and other non-ASCII characters can use multiple bytes. Two individually valid drafts may exceed the combined row limit; shorten them before confirming. The list limit is 10,000 entries.

RAM holds up to 128 concurrently added or edited rows. Editing an already-pending row reuses its slot. Deleting consumes no slot and frees a slot if that row had one. This is not a limit of 128 button presses or total lifetime changes. At capacity, a new pending row is rejected with “RAM FULL - save list first”; the draft is retained and the active list is not changed.

Manual save is available in learning, not inside a draft. If RAM is full, note the rejected draft text before using Start+B to return / cancel, leave the editor with B, then press and release Start in learning. After a successful save, reopen the editor and re-enter that unconfirmed draft. Canceling and reopening does not preserve draft text.

Invalid, overlong or excess imported rows make the source read-only with a warning rather than allowing a save to silently drop unseen data. Additional columns remain byte-for-byte unchanged during Edit; only the first two fields are displayed as the card's word and translation. An unavailable or uneditable target is reported rather than replaced.

How the TXT stores progress

Manual learning saves and saves containing pending learning / entry changes use the existing grouped CRLF format. Rows are grouped into Boxes 1-5; exactly one empty physical line separates each pair of boxes, including empty first or middle boxes (four separators total). Language metadata is stored separately in matching-basename .sav. A valid legacy footer migrates only after durable SAV readback; migration-only saving preserves every other TXT byte. Reopening restores box memberships and the saved language pair.

V1.6 entry confirmations are RAM-only. Manual saving uses the established grouped-save normalization of newlines and boxes. The underlying transaction retains its checked write, sync, rename, validation and recovery architecture.

Matching-basename .sav stores each list's language pair, learning mode and preferred dictionary filename on manual save; vocabulary and progress stay in TXT. Temporary name.txt.gbv1.tmp / .bak / .txn files use slots 1-9. Keep recovery files after errors; back up before manual recovery. Keep TXT backups; never remove power/card during saving or externally edit/swap the loaded source. Filenames over 54 bytes need PC renaming before saving. Saves check writes and scan the installed TXT, without independent full-original rereads or pre-install row comparison. Same-size external edits can escape detection; recovery/atomicity is not guaranteed. Four injected-error cases left orphan space despite content/retry passes; see docs/file-io-simple-save.md.

Compatibility and credits

Retained display coverage includes Latin Extended, Greek/Cyrillic, Japanese kana, CJK and composed Hangul from the existing font packs. Coverage is finite, not every Unicode glyph. Ghoulam adds bounded Arabic display (page 7); bundled demo vocabulary remains absent. dict.cc-style vocabulary interchange is supported, but the website may collapse empty groups and lose empty-box gaps on a round trip.

Author: Halim Jarrar. GBAWriter input engine; SuperFW writing fonts by David Guillen Fandos (GPL v3 or later); Butano engine and UI fonts (zlib); dict.cc vocabulary format. UNSCII/Unifont glyph sources and full licenses remain in the repository.

7. Imported Arabic and Ghoulam credits

Arabic may appear in either field, mixed with Latin transliteration, punctuation and numbers. Ghoulam supplies contextual Arabic letter forms and lam-alef ligatures. Logical text wraps first; each resulting line arranges Arabic runs right to left, with Latin and number runs left to right. Paired parentheses, brackets and braces keep enclosed transliteration together within a line. Slash-separated alternatives remain separated.

Harakat are transparent to joining and hidden only in display. The original UTF-8 letters, marks and punctuation remain in the TXT and editor drafts. Ghoulam's empty Arabic-comma glyph displays using the ordinary SuperFW comma instead. Arabic-Indic digits display using SuperFW digits. Other unsupported meaningful characters display a visible question mark. This is bounded Arabic support, not a complete Unicode bidirectional or Arabic-script engine; Persian/Urdu extensions, presentation-form text and explicit bidi embedding controls are not comprehensive coverage.

Editing imported text

The existing two-field editor and Delete preview use shaped Arabic too. No Arabic keyboard layout has been added. Start + Left / Right still means previous / next logical UTF-8 character, not necessarily left / right on screen. Start + Up / Down chooses a character boundary near the same visual horizontal position in the adjacent wrapped row. A lam-alef ligature has an interior caret position; deleting removes one logical character at a time. Hidden marks keep their logical positions and can require a navigation or deletion step without a visible movement. At a mixed-direction boundary the caret uses the next logical character's leading edge.

The prompt and revealed answer still share a single screen. Short Latin cards retain their previous appearance; long cards may use reduced text. Arabic artwork is rasterized at the font's native 11-pixel scale before any whole-line reduction, retaining its baseline, bearings and connected advances. Reduced text is necessarily small on the GBA screen.

Font attribution and extraction notice

Retained SuperFW glyphs include UNSCII (viznut.fi/unsicii) and Unifont (unifoundry.com/unifont), including the composed Hangul components. Their GPL source notices remain included.

Made by Halim Jarrar. (C) 2026. Website: halim-jarrar.de. Contact: monday@halim-jarrar.de. The first in-app Credits page contains only the four personal lines above. Left / Right traverses five pages; font, framework and license attributions follow on later pages.

Ghoulam Regular, copyright 2025 Imad AlFil / mloukhiyye, licensed CC BY 4.0. Source: <https://mloukhiyye.itch.io/ghoulam-arabic-pixel-art-font-version-1>

License: <https://creativecommons.org/licenses/by/4.0/>

For this app the supplied TTF's actual unencoded GSUB initial, medial, final and lam-alef glyphs were extracted as monochrome ROM bitmap tables at 11 pixels. This conversion, display-only mark filtering and punctuation/digit fallbacks are app changes, not a modified font endorsed by the author. SuperFW remains the font for Latin, numbers and ordinary punctuation. The source font hash and reproducible extractor are included in the local source and evidence.

Test backed-up copies of the supplied lists on your actual SD card and firmware. Emulator/RAM-fixture checks do not verify real Supercard storage or physical-device readability.

8. LOCAL DICTIONARY and list language pairs

Dictionaries are custom indexed .dict files directly in SD-root /gbavocab, not embedded in the ROM. One normal gbavocab.gba opens up to 24 discovered filenames. The chooser displays internal name and language pair. An SD card is required; there are no built-in dictionaries. LOAD LIST only shows TXT files. Main lookup opens directly with one dictionary and asks only when several exist. Entry lookup auto-opens its valid saved matching filename; a sole match is remembered, multiple matches ask once, and a missing/invalid saved choice prompts again. Up/Down chooses, A opens and B cancels. Each list has its own choice; Start + R remains an explicit chooser.

Type with the same entry controls. Results update on prefix/direction changes, using PC-built bidirectional base indexes and a bounded addition scan, not a full base scan or per-frame SD scan. Added matches precede base matches. ASCII case is ignored; other Unicode, accents, spacing and punctuation match exactly.

- Hold Start + Up / Down: browse results; release Start to type.
- Start + A: select. Home lookup next chooses a destination TXT with the existing dirty-list guard; Add from dictionary prefills the active list's new draft.
- Start + B: return / cancel.
- Start + L: change search direction, never list column orientation.
- Start + R: chooser; one available dictionary stays current. B returns to the same query; switching dictionaries retains the query.
- Start + Select: New dictionary entry.
- Start + Left: Edit selected dictionary entry.
- Start + Right: Delete selected dictionary entry with Left/Right No/Yes confirmation.
- Normal typing is unchanged outside lookup; lookup Left/Right chords no longer move the caret.

List metadata

Spanish.txt uses Spanish.sav; Travel.txt uses Travel.sav. All are directly in /gbavocab, with no subdirectories. SAV stores front/back language codes, remembered learning mode and preferred matching dictionary filename; words and learning progress remain in TXT. Missing/legacy mode defaults to Alternate. L changes mode in RAM; manual save persists it without rewriting TXT when only settings changed. Without SAV, choose and confirm the pair; Left/Right swaps it. It stays in RAM until manual save, even when the following entry draft is canceled. Copy/rename both files together. These are application-managed metadata, not cartridge SRAM or emulator saves.

A valid legacy footer such as # gbavocab: front=en; back=de migrates only after matching .sav is durably written and verified. Invalid/conflicting metadata blocks saves; back up both files and repair on a PC before reloading. To reset a pair, back up and remove its .sav while the app is closed, and remove any legacy footer from a backed-up TXT. NEW LIST never reuses orphan .sav/.sav.tmp names. Pair columns always remain canonical regardless of dictionary orientation or current search direction.

9. PC standalone dictionary builder

Extract the native Windows or Linux package and launch gbavocab-builder.exe or gbavocab-builder. No compiler, ROM template or network is needed. Builder 1.6.0-pre.3 Import TXT / TSV / ZIP accepts legally obtained UTF-8 TAB-separated exports. Detection uses comment headers, not filenames: dict.cc DE-ES suggests German-Spanish, de/es and German/Spanish labels. All identity fields remain editable. Choose Save .dict as, then copy the result directly into /gbavocab. Keep the same normal gbavocab.gba: v1.6.0-pre.3 uses editable v2 dictionaries, with unchanged fonts and pair limits.

Open .dict resolves base entries, additions, replacements and deletions in v2, and also reads legacy v1. Save As builds a fresh fully indexed file and frees addition slots. It requires a different output path to preserve the original. Back up the original before installing a compacted copy on the SD card. No copyrighted dictionary is bundled; tests use synthetic data.

The first two TAB-separated fields are preserved, including multiword text, spaces, braces, brackets, parentheses, accents, gender/usage labels and punctuation. Additional dict.cc columns stay in review metadata, not vocabulary output. BOM, LF/CRLF, comments, blank and decorative separator lines are tolerated. Source/attribution comments are visible above the table. This is not annotation stripping and does not add cleaned search keys. Names use 1..31 UTF-8 bytes; labels 1..23; distinct codes use 1..11 lowercase ASCII letters/digits/hyphens starting with a letter. Each editable pair is at most 191 UTF-8 bytes including TAB, not 191 characters.

Review All or Flagged in pages of 100 rows. Columns show original source line, both fields, byte length, issue reasons and inclusion state; double-click for full text and extra metadata. Missing/blank fields, invalid controls and oversized pairs are collected together. Exact duplicate pairs are warnings, not invalid; distinct translations of the same headword remain separate.

Remove flagged oversized entries excludes only those rows after confirming the count. Remove selected and Remove exact duplicates have separate confirmations; duplicate removal keeps the first currently included copy. No rows are automatically removed or truncated. Undo reverses the last exclusion/reset; Reset exclusions restores every original row. Excluded rows remain visible and the original file bytes are untouched. Total, included, excluded, unresolved invalid and duplicate counts reconcile the review. Save is disabled while included invalid rows remain or output is empty; saving revalidates strictly and checks both indexes by reading the produced file. The suggested filename follows the language labels (for example German-Spanish.dict).

Import and build run in background workers. Cancel import keeps the previous session (the bounded worker may finish in the background); saves cannot be cancelled once started. Failed imports/builds retain your review work. Replacing/closing unsaved work asks for confirmation. Output uses staged atomic replacement and never the source path; choose a new filename and back up existing output when needed.

ZIP members are read directly, never extracted onto disk. Choose one TXT/TSV member from the scrollable selector if several are present. Encrypted members, duplicate candidate names, unsupported compression, corrupt ZIPs and invalid UTF-8 are rejected. Bounds are 64 MiB compressed archive, 64 MiB selected uncompressed text, 256 archive members and 250,000 vocabulary rows. Only stored/deflated compression is supported. No automatic network downloads. Respect source licensing: dict.cc private-use exports and derived dictionaries must not be published or given away.

The indexed base limit is 32 MiB per file, independent of the ROM and 10,000-entry learning limit. 40,000+ base entries are supported. Each entry uses 28 record/index bytes plus two strings and NUL terminators; the header is 160 bytes. PC imports use desktop RAM. GBA reads use bounded buffering and binary search; no whole base allocation is needed. The custom format is not StarDict or standard .dict; see docs/dictionary-format.md for exact version and CRC rules.

10. New, Edit and Delete in the same .dict file

These actions work through both dictionary routes: main menu > LOCAL DICTIONARY and Entry editor > Add from dictionary. Start + Select opens a new Dictionary entry 1/2; Start + Left edits the selected stable entry. Start + Right opens the existing list-style Delete confirmation: Left/Right selects No/Yes, A confirms and B cancels; No is the default. Distinct duplicate senses remain separate. The unfinished outer Entry editor state (both drafts, caret, input mode and captured extra columns) is restored after nested success, cancellation or failure. Enter the displayed first language; Start + A advances to 2/2, where you enter the displayed second language. The canonical dictionary language order does not follow the search direction.

Start + A on step 2 saves immediately to the same .dict file. Start + B returns to step 1 with drafts intact, or cancels from step 1. Confirmation follows body write/sync, commit write/sync, close and installed readback. B dismisses confirmation. Failure retains the draft for retry or cancellation. Learning TXT, pending list changes, base dictionary and earlier additions are not rewritten.

Append recovery and limits

Each file supports 512 physical checksummed mutation slots shared by New/Edit/Delete, each with the normal 191-byte row limit. Incomplete/uncommitted slots are ignored and never overwritten: retry pads only the remaining tail then appends a new slot. Exact existing additions make retries idempotent. A corrupt committed record blocks addition searching/saving rather than silently treating it as an empty slot. Both lookup routes search valid additions before indexed base matches. Use PC Open .dict / Save As to compact when slots fill; v1 Edit/Delete requires PC Save As to create v2 before editing on GBA. Legacy v1 reading and adding still work; prior header/base bytes are never patched in place. Do not open v2 with an older ROM. Save As resolves live entries and frees consumed slots.

Back up .dict files. Do not externally edit/swap a file while it is open. Never remove power/card during saving. Ordinary returned I/O failures and every partial slot boundary are tested through a host-backed production FatFS API, not physical hardware certification. A persistent I/O warning needs PC backup/checking and reload. Older unpublished per-dictionary .sav files are unsupported and are never silently deleted. They are not read as list metadata or automatically imported into .dict; preserve them for manual recovery.