

MS1 ablation: per-file size change vs A0

A0 Full	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	
A1 no cross-scan	+3	+3	+3	+9	+45	+46	+45	+44	+44	+44	+44	+44	+44	+51	+46	+50	+44	+46	+46	+46	+46	+46	+48	+46	+47	+51	+43	+48	+53	+57
A2 no equal-fid	+0	+0	-0	+0	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+1	+0	+1	+1	+1	
A3 lossless	-3	-3	-3	+13	+4	+3	+3	+3	+2	+1	-0	+2	+2	+11	+6	+12	+5	-1	-1	+1	-1	-0	+2	-2	-0	+8	+1	+5	+17	+11
A4 no sidecar	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	+0	
A5 zlib	+3	+3	+3	+4	+8	+9	+7	+8	+8	+7	+7	+7	+8	+15	+9	+10	+8	+3	+3	+3	+3	+3	+3	+3	+3	+5	+4	+6	+14	+7
A6 zstd-3	+3	+3	+3	+2	+7	+7	+6	+6	+6	+6	+6	+6	+6	+11	+7	+10	+6	+5	+5	+5	+5	+5	+5	+5	+5	+7	+5	+6	+9	+9
A7 no intensity-delta	+7	+7	+7	+9	+14	+14	+13	+14	+14	+13	+13	+14	+14	+18	+15	+15	+15	+12	+13	+13	+12	+12	+13	+12	+12	+15	+13	+14	+18	+14
	F1	F2	F3	F4	F8	F9	F10	F12	F13	F14	F15	F16	F17	F18	F19	F20	F21	F23	F24	F25	F26	F27	F28	F29	F30	F31	F32	F33	F34	F35
	smaller than A0	A0 / no change	larger than A0																											

Cell values are % MS1 size change vs A0; positive is worse. A7 row is visually emphasized.