Xinyi Zhao

★ Home Page | ★ Google Scholar | ♠ GitHub | ▼ zhaoxiny18@mails.tsinghua.edu.cn

EDUCATION BACKGROUND

Tsinghua University Shenzhen, China

M.S. in Electrical Engineering, Tsinghua-Berkeley Shenzhen Institute (TBSI)

Sept. 2018-Now

GPA: 3.98/4.00 (Rank 1/128); Co-advised by: Prof. Hongbin Sun and Dr. Xinwei Shen; To be conferred Jun. 2021

Wuhan University Wuhan, China

B.Eng. in Electrical Engineering, Department of Electrical Engineering and Automation GPA: 3.87/4.00 (Rank 4/340);

Sept. 2014-Jun. 2018

PUBLICATIONS

♦ Journals:

- Xinyi Zhao, Xinwei Shen, Qinglai Guo, Hongbin Sun and Shmuel S. Oren. *A Stochastic Distribution System Planning Method Considering Regulation Services and Energy Storage Degradation*. **Applied Energy**, 2020, 277:115520. [PDF]
- Zhiyong Yuan, Yiqi Zhao, Zuogang Guo, Xiyuan Ma, Jinyong Lei, Xinyi Zhao, et al. Research Summary of Integrated Energy Systems Planning for Energy Internet. Southern Power System Technology, 2019, 7:1-9.

♦ Conferences:

- Xinyi Zhao, Xinwei Shen, Hongkun Chen, et al. A Two-Stage Multi-Objective Planning Strategy for Electric Vehicle Charging Stations Considering Power-loss Sensitivity in Distribution System. 2nd IEEE Conference on Energy Internet and Energy System Integration, 2018. [PDF]
- Xinyi Zhao, Xinwei Shen, Tian Xia, et al. Optimal Distribution System Planning Considering Regulation Services and Degradation of ESSs. 11th International Conference on Applied Energy, 2019. [PDF]
- Yuquan Liu, **Xinyi Zhao**, Xinwei Shen, et al. A Distribution System Expansion Planning Method Considering Integrated Energy Service Providers' Revenue on Energy Storage Investment. **25th International Conference on Electricity Distribution**, 2019. [PDF]

♦ Patent:

• Xinyi Zhao, Linxin Yin, Shinan Song, Huiyi Hu, Zhi Zhang and Yu Zheng. *Human Body Knee Jerk Intelligent Diagnosis and Treatment Percussion Hammer based on Six-axis Acceleration Transducer.* (No: 201710279460.6, Invention Granted), 2017. [Abstract]

RESEARCH EXPERIENCE

Smart Grid and Renewable Energy Laboratory

Shenzhen, China

Distribution System Planning Considering Regulation Services and ESS Degradation

Sept. 2018-Now

♦ Considered degradation model of storage units in distribution system planning

- Added a linear degradation penalty term in the objective to avoid excessive charge/discharge of ESSs;
- Compared degradation curves of ESSs in different cases, and identified that the storage lifetime was prolonged for one year when considering degradation penalty.

♦ Developed Gaussian mixture model to generate stochastic scenarios

 Adopted GMM to model distributions of load demand, LMP, regulation signals and prices accurately to generate diverse stochastic scenarios.

♦ Modified progressive hedging algorithm

- Proved that a rational average solution is superior to the traditional mathematical expectation $(\sum_{s \in S} \theta_s \cdot X_s)$ on stable convergence when implementing *non-anticipativity* constraints;
- Found that with parallel computing and gap-dependent penalty factors, the modified progressive hedging outperformed Gurobi and the L-shaped method.

Smart Grid and Renewable Energy Laboratory

Distribution System Expansion Planning Considering IESPs' Revenue on ESSs

Shenzhen, China

Jan. 2019-Jul. 2019

♦ Analyzed cost contribution arrangement between the utility and integrated energy service providers

• Helped Guangzhou Power Grid Corp. determine an investment proportion of ESSs to attract IESPs, which was published in CIRED 2019. [Poster]

♦ Adopted benders decomposition in the planning problem

• Solved the planning problem within acceptable time, and improved the computation efficiency by 2–6 times compared with the Branch & Bound method.

Power System Research Center in WHU

Wuhan, China

Multi-objective Planning for Large-scale EVs Considering Power-loss Sensitivity

Feb. 2018-Jun. 2019

♦ Calculated power-loss sensitivity index to identify candidate sites of electric vehicle charging stations

- Based on power flow equations in polar coordinates, a sensitivity index which is the derivative of the total power loss with respect to node voltage is established;
- Located charging stations at nodes with largest sensitivity indices, to reduce the energy losses of the whole system as much as possible.

♦ Designed multi-objective sizing problem

- Maximized the utility income as well as minimized the overall cost for charging stations;
- Employed NSGA-II to obtain the Pareto solution set, and adopted fuzzy clustering to select the optimal solution from the Pareto set.

AWARDS

Graduate Career: • Tsinghua Comprehensive Scholarship (3/84) Undergraduate Career:	Sept. 2019
 First Prize in the 10th National University Students Electrical Math Modeling Competition First Power Exploration Scholarship of Wuhan University (3/340) China National Scholarship (Top 0.2% of all undergraduate students in China) First-class Student Scholarship & Merit Student Scholarship of Wuhan University Merit Freshmen Scholarship of Wuhan University (Top 5% of students enrolled in WHU) 	Aug. 2017 Sept. 2016 Nov. 2015 Nov. 2015 Dec. 2014

TEACHING

• TA, Reinforcement Learning for Energy Systems (16 hrs), Prof. Scott Moura	Summer, 2020
• TA, Introduction of Smart Grid (32 hrs), Prof. Ye Guo and Prof. Yinliang Xu	Spring, 2020
• TA, Energy-Environment and Data-Information 100 level (16 hrs), Prof. Xuan Zhang	Fall, 2019

INVITED PRESENTATION

• Conference oral presentation: *Optimal Distribution System Planning Considering Regulation Services and Degradation of Energy Storage Systems.* **ICAE 2019**, Västerås, Sweden, selected for further considerations in **Applied Energy** (Top 5%). [PPT]

SKILLS & CERTIFICATE

- Skills: Matlab (Proficient with YALMIP toolbox), Visio (Proficient), Multisim, LaTex, Microsoft Office Suite;
- Certificate: China National Computer Rank Examination Level 2 (C Language Programming: 90+ /100),
 Chinese Calligraphy and Painting Tests Level 9.