

# SRRV Service Platform Admin & Super Admin Guide

*A staff-facing walkthrough of the admin and super-admin portals — dashboards, queues, decisions, roles and permissions.*

COMPANION DOCUMENT

This guide extracts and expands the administrator sections of the **SRRV-User-Manual.html** (Parts B and C) into a standalone reference for staff who only need the admin/super-admin side of the platform.

|              |                                                                                                            |
|--------------|------------------------------------------------------------------------------------------------------------|
| DOCUMENT     | Admin & Super Admin Guide                                                                                  |
| SYSTEM       | Special Resident Retiree's Visa (SRRV) Service Platform                                                    |
| AUDIENCE     | Administrators, Super Administrators                                                                       |
| PREPARED FOR | Client turnover / handover                                                                                 |
| BASIS        | Application behaviour as implemented on branch <code>develop</code> ; extracted from SRRV-User-Manual.html |
| REVISION     | 1.0                                                                                                        |

# Table of Contents

---

## 1. Roles & Permissions

- The three roles
  - How a role is determined
  - Route-level access
- 

## 2. The Administrator's Journey

- Signing in and the admin dashboard
  - Consultations queue
  - Applications queue
  - Document review
  - Payments monitoring
  - Client profiles
  - Services and packages (content management)
  - Admin notifications
- 

## 3. The Super Administrator

- Dashboard
  - Managing admin accounts
  - Viewing client accounts
- 

## 4. Reference — Statuses and Approval Conditions

---

# 1. Roles & Permissions

---

## 1.1 The three roles

| Role        | Can do                                                                                                                                                                                                              |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applicant   | Manage their own consultation, application, documents, payments and profile. No access to admin/super-admin areas.                                                                                                  |
| Admin       | Everything in Part B below — review consultations, applications, documents; monitor payments; manage client profiles and service/package listings. Must be <i>active</i> to sign in or receive staff notifications. |
| Super Admin | Everything an Admin can do, plus creating, disabling and deleting admin accounts, and a read-only register of every client. There is only ever a small, deliberately-assigned set of super admins.                  |

## 1.2 How a role is determined

A user's role is **not** simply read off their login session — it's resolved on every request by checking the database: first `super_admin_profiles` (if present, the user is a super admin, full stop), then `admin_profiles.is_active` (if present and active, the user is an admin), otherwise the user is an applicant. This means disabling an admin (see §3.2) takes effect immediately, even if their login session is still technically valid.

## 1.3 Route-level access

Each portal's pages are gated at three layers: request middleware (redirects a signed-in user away from a route prefix their role doesn't match), page/layout guards, and — for every action staff perform (accepting a consultation, approving an application, disabling an admin) — a server-side authorization check that runs before anything is written to the database. There is no client-side-only enforcement anywhere in the admin/super-admin portals.

## 2. The Administrator's Journey

---

*The queues, the decisions available at each stage, and the conditions the system enforces before it will let a decision be recorded.*

### 2.1 Signing in and the admin dashboard

Admins sign in at the same `/login` page as applicants and are routed to `/admin/dashboard`. The sidebar offers **Dashboard, Client Profiles, Consultations, Applications, Payments, Documents and Services**.

The dashboard summarises the whole operation: applications by status, revenue collected and revenue by month, payments succeeded, pending and refunded, documents awaiting review, consultations by status, total registered users, and lists of the most recent applications, consultations and pending documents.

### 2.2 Consultations queue — accepting or rejecting

- 1 Open **Consultations**. The header shows counts of total, pending, processing, accepted and rejected requests.
- 2 Filter by status or search by the applicant's name; results are paginated ten to a page, newest first. A badge marks consultations that already have an application attached.
- 3 Open a request to see the applicant's name and e-mail, preferred date, mode of communication, purpose, the consultation payment, and the linked application if one exists.
- 4 Set the status to **Processing, Accepted** or **Rejected**.

**Rule — payment first.** A consultation cannot be set to *processing* or *accepted* until its ₱50 fee has been paid. The attempt is refused with "Cannot accept: the consultation fee has not been paid yet." Rejecting is always available.

**Note.** Accepting stamps the record with your identity and the time of acceptance, and the detail page then shows "Accepted by ...". If the consultation is later moved out of *accepted*, that stamp is cleared.

**Caution.** Accepting a consultation is what unlocks the SRRV application form for that applicant. Do not accept until the consultation has genuinely taken place or been agreed.

### 2.3 Applications queue — reviewing and approving

- 1 Open **Applications**. Counts of total, paused, pending, approved and rejected are shown at the top.
- 2 Filter by status, or search by applicant name or application code.
- 3 Open an application to see the complete file: personal details, passport, entry visa, education, employment, dependants, family background, contact and emergency contact, the linked consultation, the application payment, and every uploaded document.
- 4 Review each document (section 2.4) before deciding on the application as a whole.
- 5 Set the application status. Every change notifies the applicant in the portal and by e-mail.

**Rule — five conditions must hold before an application can be approved.** The system checks each in turn and names the first one that fails:

1. Contact details are complete — mobile number and home-country address are both present.
2. A successful *application* payment exists (the consultation fee does not count).
3. Every uploaded document carries the status *accepted*; otherwise it reports how many are outstanding.
4. The applicant profile section of the application is present.
5. Passport information is present.

**Rule — setting an application to *processing*** requires the mobile number and home-country address to be present.

**Note.** Approving stamps the file with the approver and the timestamp; both are cleared if the application later leaves the approved state. Setting a status to the value it already holds is ignored, so the applicant is never sent a duplicate notification.

## 2.4 Document review

Documents can be reviewed either inside an application, or in bulk from the **Documents** queue, which lists every uploaded file across all applications with counts by status.

- 1 Open the document to view it. Viewing generates a temporary secure link that expires after one hour.
- 2 Set its status: **pending**, **processing**, **accepted**, **rejected** or **action need**.
- 3 When rejecting or asking for action, write a review note. The applicant reads this note and it is the only guidance they receive.
- 4 Where several documents share the same outcome, select them and apply the status in one operation.

**Note.** When an applicant re-uploads, the replacement file overwrites the old one and the status returns to *pending*, so it reappears in your queue.

## 2.5 Payments monitoring

The **Payments** page lists every transaction with the client's name, amount, status, method, transaction code, fee type and date, newest first. Filters cover status, method and fee type, and you can search by transaction code, client name or method. Summary figures show total revenue, revenue split between application and consultation fees, counts of successful and pending payments, and the number and value of refunded (cancelled) payments.

**Note.** Payment records are written by the payment provider's callback, not by hand. Statuses on this page are a reflection of the gateway, which is why there is no control to edit them. Refunds must be issued directly in the Xendit console — there is no in-portal refund action.

## 2.6 Client profiles

**Client Profiles** is the client register: name, sex, birthday, nationality, age, civil status, and the state of that client's application. Opening a client shows their full record including the approved-application detail where it exists. Admins may correct profile details (the no-digits rules apply here too), return an application to *pending* so it can be reviewed again, and set the application status directly from the client's record.

## 2.7 Services and packages (content management)

The **Services** page maintains the service plans shown to the public on the Services and Packages pages — this is the main content-management surface admins have. Admins can create a plan, edit it, delete it, mark one plan as featured (highlighted), and switch a plan's availability on or off. Changes appear on the public site immediately.

**Note.** Consultation and application *fee amounts* are not part of this screen — they're hardcoded in the application source and require a code change to alter (see the Known Issues document).

## 2.8 Admin notifications

The bell icon collects staff notifications. Two events raise them, and they are sent to every *active* admin:

- A new or updated consultation request — linking to the consultations queue.
- A new or re-submitted application — linking to that applicant's application.

Notifications can be marked read individually or all at once, and cleared. The same two events also generate e-mails to the administrative mailbox, as does a paid consultation fee.

## 3. The Super Administrator

---

*The Super Admin account owns the system. It can do everything an admin can do, and is the only role that can create or remove admin accounts.*

### 3.1 Dashboard

Signing in as Super Admin lands on `/super-admin/dashboard`, with menu entries for **Dashboard**, **Admins** and **Clients**.

### 3.2 Managing admin accounts

On **Admins** (`/super-admin/manage-admins`) every admin is listed with name, e-mail address, whether the account is active, whether the e-mail has been confirmed, and the date it was created.

#### CREATING AN ADMIN

- 1 Choose **New Admin** and enter the name, e-mail address and an initial password.
- 2 Submit. All three fields are required and the password must be at least eight characters.
- 3 The account is created as active, and a confirmation e-mail is sent. The message "Admin created. They need to check their email to confirm their account." confirms this.
- 4 The new admin clicks the link in that e-mail, then signs in at `/login`.

**Rule.** If the e-mail address already belongs to a confirmed user, creation is refused with "A user with this email already exists." If it belongs to an unconfirmed user, that account is updated with the new password and name and the confirmation e-mail is sent again.

#### DISABLING AND DELETING ADMINS

- **Disable** — switch the account to inactive. The person can no longer log in, stops receiving staff notifications, and no longer appears to applicants as a concierge contact. The account and its history are retained, and it can be switched back on at any time.
- **Delete** — removes the admin profile and the underlying login permanently.

**Caution.** Deletion cannot be undone. Where a member of staff has simply left or is temporarily away, disable the account rather than deleting it.

### 3.3 Viewing client accounts

**Clients** (`/super-admin/manage-clients`) is a read-only register of every applicant: name, e-mail, nationality, sex, age, civil status, the status and code of their application, and the date they registered.

## 4. Reference — Statuses and Approval Conditions

### 4.1 Consultation statuses

| Status                  | Set by                | Effect                                                                                                   |
|-------------------------|-----------------------|----------------------------------------------------------------------------------------------------------|
| <span>pending</span>    | Applicant (on submit) | Awaiting staff. The applicant may still edit and re-submit.                                              |
| <span>processing</span> | Admin                 | Locks the consultation form. Requires the fee to be paid.                                                |
| <span>accepted</span>   | Admin                 | Locks the form and unlocks the SRRV application. Requires the fee to be paid. Records approver and time. |
| <span>rejected</span>   | Admin                 | The applicant may edit and re-submit the request.                                                        |

### 4.2 Application statuses

| Status                      | Editable by applicant | Notes                                                                      |
|-----------------------------|-----------------------|----------------------------------------------------------------------------|
| <span>pending</span>        | Yes                   | The state on first submission and on re-submission.                        |
| <span>processing</span>     | No                    | Requires mobile number and home-country address to be present.             |
| <span>paused</span>         | No                    | Review suspended.                                                          |
| <span>payment_failed</span> | No                    | The application fee did not complete.                                      |
| <span>rejected</span>       | Yes                   | The applicant can correct and re-submit.                                   |
| <span>approved</span>       | No                    | All five pre-conditions in 4.5 were satisfied. Approver and time recorded. |

### 4.3 Document statuses

| Status                   | Applicant must act? | Notes                                                 |
|--------------------------|---------------------|-------------------------------------------------------|
| <span>pending</span>     | No                  | Awaiting review; also the status after any re-upload. |
| <span>processing</span>  | No                  | Being checked.                                        |
| <span>accepted</span>    | No                  | Counts towards the approval pre-condition.            |
| <span>rejected</span>    | Yes — re-upload     | A review note should explain why.                     |
| <span>action need</span> | Yes — re-upload     | Something is missing or must be corrected.            |

### 4.4 Payment statuses

| Status                 | Meaning                                                                     |
|------------------------|-----------------------------------------------------------------------------|
| <span>pending</span>   | An invoice exists but has not been paid. Retrying is allowed.               |
| <span>success</span>   | Paid and confirmed by the gateway. Blocks any further invoice for that fee. |
| <span>failed</span>    | Expired, declined, or superseded by a retry.                                |
| <span>cancelled</span> | Voided; counted as refunded in the admin statistics.                        |

| Status            | Meaning                                         |
|-------------------|-------------------------------------------------|
| <b>processing</b> | Transitional state supported by the data model. |

## 4.5 Approval pre-conditions, in one place

| Action                                                            | Conditions that must all hold                                                                                                   |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Applicant submits an application                                  | Their consultation exists and is <i>accepted</i> ; every required field passes validation; every required document is attached. |
| Applicant edits an application                                    | Its status is <i>pending</i> or <i>rejected</i> .                                                                               |
| Applicant edits a consultation                                    | Its status is <i>pending</i> or <i>rejected</i> .                                                                               |
| Admin sets a consultation to <i>processing</i> or <i>accepted</i> | The consultation fee is paid.                                                                                                   |
| Admin sets an application to <i>processing</i>                    | Mobile number and home-country address present.                                                                                 |
| Admin approves an application                                     | Contact details present; application fee paid; all documents accepted; applicant profile present; passport present.             |
| Applicant retries a fee                                           | No successful payment exists yet for that fee.                                                                                  |

This guide extracts and expands Parts B and C of `SRRV-User-Manual.html`, prepared from the behaviour of the delivered application on branch `develop`. Where the software changes, this document should be revised alongside it.