Visit the Isotope Explorer home page!

43 reference(s) found :

Keynumber: 1997VE03
Reference: Appl.Radiat.Isot. 48, 493 (1997)
Authors: L.Venturini, B.R.S.Pecequilo
Title: Thermal Neutron Capture Cross-Section of ^{48}Ti, ^{51}V, ^{50}, ^{52}, ^{53}Cr and ^{58}, ^{60}, ^{62}, ^{64}Ni
Keyword abstract: NUCLEAR REACTIONS ^{48}Ti, ^{51}V, ^{50}, ^{52}, ^{53}Cr, ^{58}, ^{60}, ^{62}, ^{64}Ni(n,γ),E=thermal; measured Eγ,Iγ; deduced capture σ.

Keynumber: 1993SE13
Reference: Nucl.Instrum.Methods Phys.Res. A336, 171 (1993)
Authors: R.Semmler, L.P.Geraldo
Title: A New Experimental Apparatus for Production and Utilization of Capture Gamma Rays
Keyword abstract: NUCLEAR REACTIONS ^{60}, ^{58}, ^{62}Ni, ^{14}N(n,γ),E=reactor; measured capture γ-ray flux density; deduced device low energy fission usage suitability.

Keynumber: 1993HAZV
Reference: Proc.6th Intern.Conf.on Nuclei Far from Stability + 9th Intern.Conf.on Atomic Masses and Fundamental Constants, Bernkastel-Kues, Germany, 19-24 July, 1992, R.Neugart, A.Wohr, Eds., p.69 (1993)
Authors: A.Harder, S.Michaelsen, A.Jungclaus, K.P.Lieb, A.P.Williams, H.G.Borner
Title: Precision Neutron Binding Energies of ^{59}, ^{61}, ^{63}, ^{64}Ni and ^{90}Y Obtained from Thermal Neutron Capture Reactions
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}, ^{62}Ni, ^{89}Y(n,γ),E=thermal; measured capture γ spectra. ^{59}, ^{61}, ^{63}, ^{64}Ni, ^{90}Y deduced neutron binding energy,transition Iγ. Double neutron capture on ^{62}Ni.

Keynumber: 1993HA05
Reference: Z.Phys. A345, 143 (1993)
Authors: A.Harder, S.Michaelsen, K.P.Lieb, A.P.Williams
Title: Thermal Neutron Capture γ-Ray Spectroscopy of ^{59}Ni and ^{61}Ni
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}Ni(n,γ),E=thermal; measured Eγ,Iγ. ^{59}, ^{61}Ni deduced levels,J,π,γ-transitions,neutron binding energies.
Keyword abstract: NUCLEAR STRUCTURE A=30-80; compiled level density parameters; deduced shell structure effects.

Keynumber: 1992KU17
Reference: Nucl.Phys. A549, 59 (1992)
Authors: A.Kuronen, J.Keinonen, H.G.Borner, J.Jolie, S.Ulbig
Title: Molecular Dynamics Simulations Applied to the Determination of Nuclear Lifetimes from Dopler-Broadened γ-Ray Line Shapes Produced in Thermal Neutron Capture Reactions
Keyword abstract: NUCLEAR REACTIONS ^{35}Cl, ^{48}Ti, ^{53}Cr, ^{56}Fe, ^{60}, ^{58}Ni(n,γ),E=thermal; analyzed Doppler broadened γ-ray line shapes. ^{36}Cl levels deduced $T_{1/2}$,M1,E2 transition matrix elements,branching ratio. ^{49}Ti, ^{54}Cr, ^{57}Fe, ^{61}, ^{59}Ni levels deduced $T_{1/2}$. Molecular dynamics simulations.

Keynumber: 1991UL01
Reference: Z.Phys. A338, 397 (1991)
Authors: S.Ulbig, K.P.Lieb, H.G.Borner, B.Krusche, S.J.Robinson, J.G.L.Booten
Title: GRID Lifetime Measurements in ^{59}, ^{61}, ^{63}Ni following Thermal Neutron Capture
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}, ^{62}Ni(n,γ),E=thermal; measured γ-spectra Doppler shifts,line shapes. ^{59}Ni levels deduced $T_{1/2}$,B(λ). ^{61}, ^{63}Ni levels deduced $T_{1/2}$. GRID technique.

Keynumber: 1987HW02
Reference: Nucl.Sci.Eng. 96, 192 (1987)
Authors: R.N.Hwang
Title: A Rigorous Pole Representation of Multilevel Cross Sections and Its Practical Applications
Keyword abstract: NUCLEAR REACTIONS ^{60}Ni(n,n), (n,γ),E=174-190 KeV; calculated capture,scattering σ. ^{239}Pu(n,n), (n,F),E=1-600 eV; calculated scattering,capture,fission σ; deduced model parameters. Pole representation.

Keynumber: 1986MAYZ
Reference: Proc.Intern.Nuclear Physics Conference, Harrogate, U.K., p.341 (1986)
Authors: J.P.Mason
Title: Gamma-Ray Spectra following Resonance Neutron Capture in ^{58}Ni and ^{60}Ni
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}Ni(n,γ),E ≈ resonance; measured capture γ-spectra. ^{59}, ^{60}Ni levels deduced relative transition strengths. Valence model.

Keynumber: 1985KI09
Reference: J.Nucl.Sci.Technol.(Tokyo) 22, 337 (1985)
Authors: Y.Kikuchi, N.Sekine
Title: Evaluation of Neutron Nuclear Data of Natural Nickel and Its Isotopes
Keyword abstract: NUCLEAR REACTIONS Ni, ^{58}, ^{60}, ^{61}, ^{62}, ^{64}Ni(n,n), (n,n'), (n,γ), (n,2n), (n,3n), (n,p), (n,α), (n,n'p), (n,n'α),E <20 MeV; calculated σ(E); deduced average capture σ(E). Spherical optical,statistical models.

Keynumber: 1984REZT
Reference: Proc.Conf.Neutron Physics, Kiev, Vol.1, p.157 (1984)
Authors: G.Reffo, F.Fabbri
Title: Role of E1 and M1 Transitions in the γ-Decay following the Neutron Capture in ^{58,60}Ni and ^{56}Fe
Keyword abstract: NUCLEAR STRUCTURE ^{57}Fe, ^{59}, ^{61}Ni; calculated resonances,Γγ,Γn,average E1,M1 Γγ. Axel-Brink model.
Keyword abstract: NUCLEAR REACTIONS ^{56}Fe, ^{58}, ^{60}Ni(n,γ),E ≈ 15 keV; calculated total γ-spectra; deduced E1,M1 transitions contributions.

Keynumber: 1983WIZL
Reference: NEANDC(E)-242U, Vol.V, p.3 (1983)
Authors: K.Wisshak, F.Kappeler, G.Reffo, F.Fabbri
Title: Neutron Capture in s-Wave Resonances of ^{56}Fe, ^{58}Ni, ^{60}Ni
Keyword abstract: NUCLEAR REACTIONS ^{56}Fe, ^{58}, ^{60}Ni(n,γ),E=resonance; measured capture γ-spectra. ^{57}Fe, ^{59}, ^{61}Ni deduced s-wave resonance capture Γγ.

Keynumber: 1983SA30
Reference: Aust.J.Phys. 36, 583 (1983)
Authors: D.G.Sargood
Title: Effect of Excited States on Thermonuclear Reaction Rates
Keyword abstract: NUCLEAR REACTIONS,ICPND ^{20}, ^{21}, ^{22}Ne, ^{23}Na, ^{24}, ^{25}, ^{26}Mg, ^{27}Al, ^{28}, ^{29}, ^{30}Si, ^{31}P, ^{32}, ^{33}, ^{34}, ^{36}S, ^{35}, ^{37}Cl, ^{36}, ^{38}, ^{40}Ar, ^{39}, ^{40}, ^{41}K, ^{40}, ^{42}, ^{43}, ^{44}, ^{46}, ^{48}Ca, ^{45}Sc, ^{46}, ^{47}, ^{48}, ^{49}, ^{50}Ti, ^{50}, ^{51}V, ^{50}, ^{52}, ^{53}, ^{54}Cr, ^{55}Mn, ^{54}, ^{56}, ^{57}, ^{58}Fe, ^{59}Co, ^{58}, ^{60}, ^{61}, ^{62}, ^{64}Ni, ^{63}, ^{65}Cu, ^{64}, ^{66}, ^{67}Zn(n,γ), (n,p), (n,α), (p,γ), (p,n), (p,α), (α,γ), (α,n), (α,p), ^{70}Zn(p,γ), (p,n), (p,α), (α,γ), (α,n), (α,p),E=low; compiled target thermal distribution energy state to ground state thermonuclear reaction rate of reaction σ vs temperature. Statistical model.

Keynumber: 1980PIZN
Coden: CONF Kiev(Neutron Physics) Proc,Part3,P270,Pisanko
Keyword abstract: NUCLEAR REACTIONS ^{22}, ^{23}Na,Mg, ^{24}, ^{25}, ^{26}Mg, ^{27}Al,Si, ^{28}, ^{29}, ^{30}Si, ^{31}P,S, ^{32}, ^{33}, ^{34}S,Cl, ^{35}, ^{36}, ^{37}Cl,Ar, ^{36}, ^{38}, ^{40}Ar,K, ^{39}, ^{40}, ^{41}K,Ca, ^{40}, ^{42}, ^{43}, ^{44}, ^{46}, ^{48}Ca, ^{45}, ^{46}Sc,Ti, ^{46}, ^{47}, ^{48}, ^{49}, ^{50}Ti,V, ^{50}, ^{51}V,Cr, ^{50}, ^{52}, ^{53}, ^{54}Cr,Fe, ^{54}, ^{56}, ^{57}, ^{58}Fe, ^{59}Co,Ni, ^{58}, ^{59}, ^{60}, ^{61}, ^{62}, ^{64}Ni,Cu, ^{63}, ^{65}Cu,Zn, ^{64}, ^{66}, ^{67}, ^{68}, ^{70}Zn,Ga, ^{69}, ^{71}Ga(n,γ), (n,n), (n,α),E=thermal; evaluated σ,radiative capture resonance integrals.

Keynumber: 1978BE04
Reference: Z.Phys. A284, 173 (1978)
Authors: H.Beer, R.R.Spencer, F.Kappeler
Title: Measurement of Partial Radiation Widths of High Energy Transitions from keV Capture Resonances in ^{56}Fe and ^{58}, ^{60}Ni
Keyword abstract: NUCLEAR REACTIONS ^{56}Fe, ^{58}, ^{60}Ni(n,γ),E=7-70 keV; measured σ(Eγ). ^{57}Fe, ^{59}, ^{61}Ni deduced resonances,partial radiation Γ,M1 strength.

Keynumber: 1977IS01
Reference: Z.Phys. A281, 365 (1977)
Authors: A.F.M.Ishaq, A.Robertson, W.V.Prestwich, T.J.Kennett
Title: Thermal Neutron Capture in Isotopes of Nickel
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}, ^{62}, ^{64}Ni(n,γ),E=th; measured Eγ,Iγ. ^{59}, ^{61}, ^{63}, ^{65}Ni deduced levels.

Keynumber: 1975WI06
Reference: Phys.Rev. C11, 1477 (1975)
Authors: W.M.Wilson, G.E.Thomas, H.E.Jackson
Title: Thermal Neutron Capture Gamma Rays from Neutron Capture in ^{59}Ni and ^{63}Ni
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{59}, ^{60}, ^{61}, ^{63}Ni(n,γ),E=thermal; measured Eγ,Iγ. ^{59}, ^{60}, ^{61}, ^{62}, ^{64}Ni deduced levels,binding energies.

Keynumber: 1975FRZV
Coden: JOUR BAPSA 20 174 IB21
Keyword abstract: NUCLEAR REACTIONS ^{56}Fe, ^{58}, ^{60}, ^{61}Ni(n,γ); calculated σ.

Keynumber: 1975BEYM
Coden: CONF Petten(Neutron Capture γ-ray Spect),Proc P285

Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}Ni(n,γ),E=7-70 keV; measured σ(E,Eγ). ^{59}, ^{61}Ni deduced resonances.

Keynumber: 1974LU04
Reference: Nucl.Phys. A230, 83 (1974)
Authors: M.Lubert, N.C.Francis, R.C.Block
Title: Correlations between Reduced Neutron and Radiative Widths in Neutron Resonances
Keyword abstract: NUCLEAR REACTIONS ^{61}Ni, ^{57}Fe, ^{53}Cr(γ,n), ^{60}Ni, ^{56}Fe, ^{52}Cr(n,γ),E=thermal; calculated σ. ^{61}Ni, ^{57}Fe, ^{53}Cr resonances deduced γ-width.

Keynumber: 1974BRYX
Coden: THESIS DABBB 34B 6150
Keyword abstract: NUCLEAR REACTIONS ^{60}Ni,Fe(n,γ),E=thermal to low keV; measured σ(E,Eγ).

Keynumber: 1974BR39
Reference: Nucl.Phys. A236, 45 (1974)
Authors: P.H.Brown, R.C.Block, J.R.Tatarczuk
Title: An Experimental Study of Neutron Radiative Capture in ^{60}Ni and Fe in the Thermal to Low keV Range
Keyword abstract: NUCLEAR REACTIONS Fe, ^{60}Ni(n,γ),E=thermal-17 keV; measured σ(E,Eγ). ^{61}Ni, ^{57}Fe deduced transitions. ^{61}Ni resonance deduced J. Enriched ^{60}Ni,natural Fe target.

Keynumber: 1974BEYD
Coden: CONF Petten(Neutron Capture Gamma Ray Spectroscopy),P53
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}Ni(n,γ),E=7-70 keV; measured σ(E,Eγ). ^{59}, ^{61}Ni resonances deduced J,π,γ-width.

Keynumber: 1973LUZI
Coden: REPT COO-3058-39 P34 mf
Keyword abstract: NUCLEAR REACTIONS ^{52}Cr, ^{60}Ni(n,γ),E=thermal; calculated σ. ^{53}Cr, ^{61}Ni resonances deduced γ-width.

Keynumber: 1973BRZL
Coden: REPT COO-3058-34 P4 (CRL)
Keyword abstract: NUCLEAR REACTIONS ^{60}Ni(n,γ),E=70 MeV; measured Eγ,Iγ. ^{61}Ni deduced levels.

Keynumber: 1973BRWS
Coden: REPT USNDC-7 P203
Keyword abstract: NUCLEAR REACTIONS ^{60}Ni(n,γ); measured σ(Eγ). ^{61}Ni levels deduced transitions.

Keynumber: 1973BRWK
Coden: REPT COO-3058-39 P20 mf
Keyword abstract: NUCLEAR REACTIONS ^{60}Ni,Fe(n,γ); measured σ(En,Eγ).

Keynumber: 1972ST06
Reference: Nucl.Phys. A181, 250 (1972)

Authors: F.Stecher-Rasmussen, J.Kopecky, K.Abrahams, W.Ratynski
Title: Circular Polarization of Neutron Capture γ-Rays from Mn, Ni, Ga and W
Keyword abstract: NUCLEAR REACTIONS ^{55}Mn, ^{58}, ^{60}, ^{62}Ni, ^{69}, ^{71}Ga, ^{182}, ^{183}, ^{186}W(polarized n,γ),E=thermal; measured γ-CP. ^{56}Mn, ^{59}, ^{61}, ^{63}Ni, ^{70}, ^{72}Ga, ^{183}, ^{184}, ^{187}W levels deduced J,π. Natural targets.

Keynumber: 1972KOZJ
Coden: CONF Budapest,Contributions,P234,J Kopecky,10/13/72
Keyword abstract: NUCLEAR REACTIONS ^{50}, ^{52}Cr, ^{54}Fe, ^{60}, ^{62}Ni(n,γ); measured γ-CP. ^{51}, ^{53}Cr, ^{55}Fe, ^{61}, ^{63}Ni levels deduced L(n),J.

Keynumber: 1972KO15
Reference: Nucl.Phys. A188, 535 (1972)
Authors: J.Kopecky, K.Abrahams, F.Stecher-Rasmussen
Title: Study of the (n,γ) Reaction in the Mass Region A = 50 - 63
Keyword abstract: NUCLEAR REACTIONS ^{50}Cr, ^{52}Cr, ^{54}Fe, ^{60}Ni, ^{62}Ni(polarized n,γ);E= thermal; measured Eγ,Iγ,γ-CP; deduced Q. ^{51}Cr, ^{53}Cr, ^{55}Fe, ^{61}Ni, ^{63}Ni levels deduced J. Enriched targets.

Keynumber: 1971STZR
Coden: REPT RPI-328-218,P33,9/10/71
Keyword abstract: NUCLEAR REACTIONS ^{50}, ^{52}, ^{53}, ^{54}Cr, ^{60}Ni,V(n,γ),E <200 keV; measured σ (Eγ). ^{51}, ^{53}, ^{54}, ^{55}Cr, ^{61}Ni, ^{52}V deduced resonance parameters.

Keynumber: 1971ST07
Reference: Nucl.Phys. A163, 592 (1971)
Authors: R.G.Stieglitz, R.W.Hockenbury, R.C.Block
Title: keV Neutron Capture and Transmission Measurements on ^{50}Cr, ^{52}Cr, ^{53}Cr, ^{54}Cr, ^{60}Ni and V
Keyword abstract: NUCLEAR REACTIONS V, ^{50}Cr, ^{52}Cr, ^{53}Cr, ^{54}Cr, ^{60}Ni(n,γ),En=0.1 to 200 keV,, (n,t),En=0.1 to 350 keV; measured capture yield, transmission versus En; deduced σ(nγ), σ(nT),n-width,level spacing, R'. ^{51}, ^{53}, ^{54}, ^{55}Cr, ^{61}Ni deduced resonances J,L,n-width,γ-width,Aγ. Enriched targets.

Keynumber: 1971KOZI
Coden: JOUR NTNAA 37 396,J Kopecky
Keyword abstract: NUCLEAR REACTIONS ^{50}, ^{52}Cr, ^{54}, ^{57}Fe, ^{60}, ^{62}Ni(n,γ),E=thermal; measured γ-CP,Q,Eγ,Iγ. ^{51}, ^{53}Cr, ^{55}, ^{58}Fe, ^{61}, ^{63}Ni deduced levels,J,π.

Keynumber: 1971GIZL
Reference: ZfK-215 (1971)
Authors: P.Gippner, H.-U.Jager, W.Rudolph
Title: Verleich von (d,p)- und (n,γ)-Reaktionen an den Nukliden ^{58}Ni, ^{60}Ni, ^{62}Ni und ^{64}Ni
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}, ^{62}, ^{64}Ni(n,γ),E=thermal; measured Eγ,Iγ. ^{59}, ^{61}, ^{63}, ^{65}Ni deduced levels.

Keynumber: 1971BLZS
Coden: CONF CONF-710301(Knoxville),Vol2,P889,11/2/71
Keyword abstract: NUCLEAR REACTIONS ^{50}, ^{52}, ^{53}, ^{54}Cr,V, ^{60}Ni(n,γ),E=resonance; analyzed

available data. ^{51}, ^{53}, ^{54}, ^{55}Cr, ^{52}V, ^{61}Ni deduced resonance parameters.

Keynumber: 1971BIZV
Coden: REPT ORNL-TM-3379, J R Bird,9/14/71
Keyword abstract: NUCLEAR REACTIONS F,Na,Mg,Al,S, ^{35}Cl,K,Ca, ^{40}, ^{42}, ^{44}Ca,Ti,V,Fe, ^{54}, ^{56}Fe,Ni, ^{58}, ^{60}Ni, ^{63}Cu,Zn(n,γ),E=10-100 keV; measured Eγ,Iγ. 9 inx 12 in NaI detector.

Keynumber: 1970STZY
Coden: THESIS R G Stieglitz, RPI, DABBB 31B 6822
Keyword abstract: NUCLEAR REACTIONS V, ^{60}Ni, ^{50}, ^{52}, ^{53}, ^{54}Cr(n,X), (n,γ),E <300 keV; measured transmission,σ(E;Eγ). ^{61}Ni, ^{51}, ^{53}, ^{54}, ^{55}Cr deduced resonance parameters.

Keynumber: 1970GAZQ
Reference: Thesis, Univ.Paris (1970); FRNC-TH-37 (1970)
Authors: J.-J.Gardien
Title: Spectroscopie de Paires et Anti-Compton sur les Isotopes ^{60}Ni(n,γ)^{61}Ni et ^{62}Ni(n,γ)^{63}Ni
Keyword abstract: NUCLEAR REACTIONS ^{60}, ^{62}Ni(n,γ),E=thermal; measured Eγ,Iγ. ^{61}, ^{63}Ni deduced levels,J,π.

Keynumber: 1970GAZN
Coden: REPT FRNC-TH-37,10/30/72
Keyword abstract: NUCLEAR REACTIONS ^{60}, ^{62}Ni(n,γ),E=thermal; measured Eγ,Iγ,γγ-coin. ^{61}, ^{63}Ni deduced levels,J,π.

Keynumber: 1970BLZS
Coden: REPT RPI-328-222, R C Block,10/13/71
Keyword abstract: NUCLEAR REACTIONS ^{50}, ^{52}, ^{53}, ^{54}Cr,V, ^{60}Ni(n,X), (n,γ),E=resonance; measured σ(E),σ(E,Eγ). ^{51}, ^{53}, ^{54}, ^{55}Cr deduced resonances,level-width.

Keynumber: 1969KE15
Reference: Yadern.Fiz. 10, 907 (1969); Soviet J.Nucl.Phys. 10, 524 (1970)
Authors: J.Kecskemeti, D.Kiss
Title: Measurement of Average Multiplicity in (n,γ) Reactions Induced by Thermal Neutrons
Keyword abstract: NUCLEAR REACTIONS ^{23}Na, ^{27}Al, ^{31}P, ^{32}S, ^{35}Cl, ^{48}Ti, ^{51}V, ^{53}Cr, ^{52}Cr, ^{55}Mn, ^{56}Fe, ^{59}Co, ^{60}Ni,Ni,Cu, ^{63}Cu, Ge, ^{73}Ge, ^{75}As,Se,Br, Sr, Zr, ^{93}Nb,Mo, ^{103}Rh,Ag(n,γ) E=thermal; measured average γ multiplicity.

Keynumber: 1969HO12
Reference: Phys.Rev. 178, 1746 (1969)
Authors: R.W.Hockenbury, Z.M.Bartolome, J.R.Tatarczuk, W.R.Moyer, R.C.Block
Title: Neutron Radiative Capture in Na, Al, Fe, and Ni from 1 to 200 keV
Keyword abstract: NUCLEAR REACTIONS ^{23}Na, ^{27}Al, ^{54}, ^{56}, ^{57}, ^{58}Fe, ^{58}, ^{60}, ^{61}, ^{62}, ^{64}Ni(n,γ), E=0.1-200 keV; measured σ(E). ^{24}Na, ^{28}Al, ^{55}, ^{57}, ^{58}, ^{59}Fe, ^{59}, ^{61}, ^{62}, ^{63}, ^{65}Ni deduced resonance parameters.

Keynumber: 1968AL18
Reference: Nucl.Phys. A122, 220 (1968)

Authors: B.J.Allen, M.J.Kenny, R.J.Sparks
Title: keV Neutron Capture in Nickel
Keyword abstract: NUCLEAR REACTIONS ^{58}, ^{60}, ^{62}Ni(n,γ), E=10-90 keV; measured σ(E; Eγ). ^{59}, ^{61}, ^{63}Ni deduced γ transition strengths. Ge(Li) detector, natural target.

Keynumber: 1967RA24
Reference: Proc.Intern.Conf.Atomic Masses, 3rd, Winnipeg, Canada, R.C.Barber, Ed., Univ.Manitoba Press, p.278(1967)
Authors: N.C.Rasmussen, V.J.Orphan, Y.Hukai
Title: Determination of (n,γ) Reaction Q Values from Capture γ-Ray Spectra
Keyword abstract: NUCLEAR REACTIONS ^{6}Li, ^{7}Li, ^{9}Be, ^{10}B, ^{12}C, ^{14}N, ^{19}F, ^{23}Na, ^{24}Mg, ^{25}Mg, ^{26}Mg, ^{27}Al, ^{28}Si, ^{31}P, ^{32}S, ^{35}Cl, ^{40}Ca, ^{45}Sc, ^{48}Ti, ^{51}V, ^{55}Mn, ^{54}Fe, ^{56}Fe, ^{59}Co, ^{58}Ni, ^{60}Ni, ^{63}Cu, ^{65}Cu, ^{66}Zn, ^{67}Zn, ^{73}Ge, ^{76}Se, ^{85}Rb, ^{87}Rb, ^{89}Y, ^{93}Nb, ^{103}Rh, ^{113}Cd, ^{123}Te, ^{133}Cs, ^{139}La, ^{141}Pr, ^{149}Sm, ^{153}Eu, ^{157}Gd, ^{159}Tb, ^{165}Ho, ^{167}Er, ^{169}Tm, ^{181}Ta, ^{182}W, ^{195}Pt, ^{197}Au, ^{199}Hg, ^{203}Tl, ^{207}Pb(n,γ), E = thermal; measured Eγ; deduced Q. Natural targets.
