File I

Implementation

1 **I3pdf** implementation

```
1 (*initex | package)
                     2 (@@=pdf)
                     ₃ (*package)
                     4 \ProvidesExplPackage{13pdf}{2020-01-12}{}
                         {L3 Experimental core PDF support}
                     6 (/package)
                    A flag so we have some chance of avoiding setting things we are not allowed to.
\g__pdf_init_bool
                     7 \bool_new:N \g__pdf_init_bool
                     8 (*package)
                     9 \cs_if_exist:NT \documentclass
                           \AtBeginDocument
                             { \bool_gset_true:N \g__pdf_init_bool }
                    13
                    _{14} \langle /package \rangle
                    (End definition for \g__pdf_init_bool.)
                    1.1
                           Compression
                    Simple to do.
\pdf_uncompress:
                    15 \cs_new_protected:Npn \pdf_uncompress:
                           \bool_if:NF \g__pdf_init_bool
                                \__pdf_backend_compresslevel:n { 0 }
                                \__pdf_backend_compress_objects:n { \c_false_bool }
                    (End definition for \pdf_uncompress:. This function is documented on page ??.)
                           Objects
                    1.2
                    Simple to do.
```

```
\pdf_object_new:nn
\pdf_object_write:nn
                      23 \cs_new_protected:Npn \pdf_object_new:nn #1#2
\pdf_object_write:nx
                           { \__pdf_backend_object_new:nn {#1} {#2} }
                      25 \cs_new_protected:Npn \pdf_object_write:nn #1#2
   \pdf_object_ref:n
                           { \__pdf_backend_object_write:nn {#1} {#2} }
  \pdf_object_now:nn
                      27 \cs_generate_variant:Nn \pdf_object_write:nn { nx }
  \pdf_object_now:nx
                       28 \cs_new:Npn \pdf_object_ref:n #1 { \__pdf_backend_object_ref:n {#1} }
   \pdf_object_last:
                       29 \cs_new_protected:Npn \pdf_object_now:nn #1#2
                           { \ \ \ } pdf_backend_object_now:nn {#1} {#2} }
                       31 \cs_generate_variant:Nn \pdf_object_now:nn { nx }
                       32 \cs_new:Npn \pdf_object_last: { \__pdf_backend_object_last: }
                       (End definition for \pdf_object_new:nn and others. These functions are documented on page ??.)
```

1.3 Version

```
\pdf_version_compare:Nn
__pdf_version_compare_=:w
                            33 %
                                  To compare version, we need to split the given value then deal with both
__pdf_version_compare_<:w
                                  major and minor version
__pdf_version_compare_>:w
                            35 \prg_new_conditional:Npnn \pdf_version_compare:Nn #1#2 { p , T , F , TF }
                                 { \use:c { __pdf_version_compare_ #1 :w } #2 . . \q_stop }
                            37 \cs_new:cpn { __pdf_version_compare_=:w } #1 . #2 . #3 \q_stop
                            38
                                  \bool_lazy_and:nnTF
                            30
                                  { \int_compare_p:nNn \__pdf_backend_version_major: = {#1} }
                            40
                                   { \int_compare_p:nNn \__pdf_backend_version_minor: = {#2} }
                            41
                                   { \prg_return_true: }
                            42
                                   { \prg_return_false: }
                            43
                            44
                              \cs_new:cpn { __pdf_version_compare_<:w } #1 . #2 . #3 \q_stop</pre>
                            45
                            46
                            47
                                 \bool_lazy_or:nnTF
                                   { \int_compare_p:nNn \__pdf_backend_version_major: < {#1} }
                            48
                            49
                                     \bool_lazy_and_p:nn
                            50
                                       { \int_compare_p:nNn \__pdf_backend_version_major: = {#1} }
                            51
                                       { \int_compare_p:nNn \__pdf_backend_version_minor: < {#2} }
                            52
                            53
                                   { \prg_return_true: }
                                   { \prg_return_false: }
                            55
                               }
                            56
                            57 \cs_new:cpn { __pdf_version_compare_>:w } #1 . #2 . #3 \q_stop
                            58
                            59
                                 \bool_lazy_or:nnTF
                                  { \int_compare_p:nNn \__pdf_backend_version_major: > {#1} }
                            60
                            61
                                     \bool_lazy_and_p:nn
                            62
                                       { \int_compare_p:nNn \__pdf_backend_version_major: = {#1} }
                            63
                                       { \int_compare_p:nNn \__pdf_backend_version_minor: > {#2} }
                            64
                            65
                                   { \prg_return_true: }
                            66
                            67
                                   { \prg_return_false: }
                               }
                            (End definition for \pdf_version_compare: Nn and others. This function is documented on page ??.)
                            Split the version and set.
      \pdf_version_gset:n
 \pdf_version_min_gset:n
                            69 \cs_new_protected:Npn \pdf_version_gset:n #1
    \__pdf_version_gset:w
                                 { \__pdf_version_gset:w #1 . . \q_stop }
                            71 \cs_new_protected:Npn \pdf_version_min_gset:n #1
                                {
                            72
                                   \pdf_version_compare:NnT < {#1}</pre>
                            73
                                     { \__pdf_version_gset:w #1 . . \q_stop }
                            74
                            75
                              \cs_new_protected:Npn \__pdf_version_gset:w #1 . #2 . #3\q_stop
                            76
                            77
                                   \bool_if:NF \g__pdf_init_bool
                            78
                                     {
```

```
\__pdf_backend_version_major_gset:n {#1}
                                         \__pdf_backend_version_minor_gset:n {#2}
                           81
                           82
                                }
                           83
                           (End\ definition\ for\ \pdf_version_gset:n,\ \pdf_version_min_gset:n,\ and\ \pdf_version_gset:w. These functions are documented on page \ref{eq:condition}.)
       \pdf_version:
                           Wrappers.
\pdf_version_major:
                           84 \cs_new:Npn \pdf_version:
\pdf_version_minor:
                           85 { \__pdf_backend_version_major: . \__pdf_backend_version_minor: }
                           86 \cs_new:Npn \pdf_version_major: { \__pdf_backend_version_major: }
                           87 \cs_new:Npn \pdf_version_minor: { \__pdf_backend_version_minor: }
                           (\mathit{End \ definition \ for \ \backslash pdf\_version:}\ ,\ \backslash pdf\_version\_major:,\ \mathit{and \ \backslash pdf\_version\_minor:}\ .\ \mathit{These \ functions}
                           are documented on page ??.)
                           88 (/initex | package)
```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	\pdf_version_gset:n <u>69</u>
\AtBeginDocument 11	$\pdf_{version_major: \dots 84}$
_	\pdf_version_min_gset:n 69
В	\pdf_version_minor: <u>84</u>
bool commands:	pdf internal commands:
\bool_gset_true:N	\pdf_backend_compress_objects:n
\bool_if:NTF 17, 78	
\bool_lazy_and:nnTF	\pdf_backend_compresslevel:n 19
\bool_lazy_and_p:nn 50, 62	\pdf_backend_object_last: 32
\bool_lazy_or:nnTF 47, 59	\pdf_backend_object_new:nn 24
\bool_new:N	\pdf_backend_object_now:nn 30
\c_false_bool 20	\pdf_backend_object_ref:n 28
\mathbf{C}	$_{\rm pdf_backend_object_write:nn}$ 26
cs commands:	\pdf_backend_version_major:
\cs_generate_variant:Nn 27, 31	$\dots \dots $
\cs_if_exist:NTF 9	\pdf_backend_version_major
\cs_new:Npn 28, 32, 37, 45, 57, 84, 86, 87	gset:n 80
\cs_new_protected:Npn	\pdf_backend_version_minor:
	\pdf_backend_version_minor
D	gset:n
\documentclass 9	\gpdf_init_bool
	pdf_version_compare_<:w 33
I	pdf_version_compare_=:w 33
int commands:	pdf_version_compare_>:w 33
\int_compare_p:nNn	_pdf_version_gset:w 69 prg commands:
$\ldots \qquad 40, 41, 48, 51, 52, 60, 63, 64$	
P	\prg_new_conditional:Npnn 35 \prg_return_false: 43, 55, 67
pdf commands:	\prg_return_true: 42, 54, 66
\pdf_object_last: 23	\ProvidesExplPackage 4
\pdf_object_new:nn 23	(110VIdebilapii dekage
\pdf_object_now:nn 23	${f Q}$
\pdf_object_ref:n 23	quark commands:
\pdf_object_write:nn 23	\q_stop 36, 37, 45, 57, 70, 74, 76
\pdf_uncompress: 15	
\pdf_version: <u>84</u>	${f U}$
\pdf_version_compare:Nn 33	use commands:
\pdf_version_compare:NnTF 73	\use:N 36