what is smart npv's full api ?

Smart NPV's official API documentation is at https://api.snpv.co.il/, with the main base URL:

```
https://www.snpv.co.il/api/v2
```

However, the official page currently exposes only three read endpoints. A separate public technical investigation catalogs a much larger API surface from a Postman collection. Below is the **combined inventory**, with the distinction preserved: not every endpoint has been independently verified or confirmed available to your subscription.[1] [2]

1. Client management

Endpoint	Purpose	Evidence
`clients/get`	Retrieve a client by UUID, phone, or borrower ID number	Official documentation. [1]
`clients/list`	List clients/leads with pagination and date filters	Official documentation. [1]
`clients/create`	Create a client	Broader collection inventory. [2]
`clients/update`	Update a client	Broader collection inventory. [2]
`clients/delete`	Delete a client	Broader collection inventory. [2]
`clients/get_client_status`	Retrieve current pipeline status, including ID, title, and last-update information	Broader collection inventory. [2]

What `clients/get` contains

The official example includes:

- Two borrowers' names, IDs, contact details, addresses, and personal information.
- Employment details and income.
- Additional income sources.
- Bank accounts.
- Liabilities and repayments.
- Deal type, equity, requested mortgage, current mortgage, property values, and bank.

- Advisor contract amount and date.
- Pipeline status, lead/archive flags, timestamps, and a link to the client card. [1]

It does not show a collection of uploaded documents or document requirements. [1]

2. Notes and uploaded documents

Endpoint	Purpose	Evidence / limitation
`clients/get_client_documentations`	Read client notes	Officially documented; returns `text`, `tags`, `created`, `created_by`. [1]
`clients/add_documentation`	Add a client note	Broader collection inventory. [2]
`clients/upload_document`	Upload a document	Listed in the broader collection; request fields and response have not been verified here. [2]

For your WhatsApp agent, the unresolved document capabilities are:

Capability	Status in the sources inspected
Upload a document	Endpoint identified
List existing uploaded documents	No endpoint identified
Retrieve document metadata or ID	No verified response schema
Download/view a document	No verified endpoint
Generate a signed URL or permanent viewer link	Not established
Retrieve required/missing-document checklist	No endpoint identified

The presence of `upload_document` does not establish any of the other capabilities. [2] [1]

3. Mortgage simulations

Endpoint	Purpose
`clients/get_client_simulations`	List a client's simulations, including simulation UUID, name, and creation information
`clients/get_simulation`	Retrieve a simulation's full mortgage structure
`clients/add_simulation`	Add a simulation

These are listed in the broader collection inventory. Notably, `get_simulation` takes the simulation UUID, not the client UUID. [2]

The investigation reports that simulations contain:

- `current_mix[]`: existing mortgage structure.
- `mixs[]`: proposed scenarios.

- Track-level amounts, interest rates, terms, indexation, rate-change dates, early-repayment fees, and grace periods.

This data is relevant only where a simulation has been saved; it is not necessarily part of the ordinary client record. [2]

4. Advisor payments

Endpoint	Purpose
`payments/get`	Retrieve advisor-fee payment records
`payments/add`	Add a payment
`payments/update`	Update a payment

These refer to payments for the advisor's services—not the borrower's monthly mortgage payments to the bank. [2]

5. Pipeline, contacts, and reference data

Endpoint	Purpose
`status/get`	Retrieve pipeline statuses
`status/add`	Add a status
`contacts/get_contact_groups`	Retrieve contact groups
`contacts/get_contacts`	Retrieve contacts
`contacts/add_contact`	Add a contact
`data/cities`	Retrieve city reference data
`sources/get`	Retrieve sources; marked Premium in the inventory
`products/create`	Create a product

These paths come from the broader collection inventory rather than the three-endpoint official page. [2]

6. Parsing and calculation services

The broader inventory also lists the following services:

Endpoint label	Purpose / qualification
`services/balance_report/get_banks`	Bank lookup for balance-report services; marked Premium
`balance_report/parsing`	Balance-report parsing
`approval_in_principle/scanning`	Approval-in-principle scanning
`calculators/reform/process`	Reform calculation/processing

Do not construct full URLs for these by blindly appending them to `/api/v2`. The investigation explicitly notes that some endpoints use `/v2/api` or `/api/services`; their exact paths and schemas need the underlying collection.[2]

Authentication and request behavior

Officially verified read example

```
curl --get 'https://www.snpv.co.il/api/v2/clients/get' \
  --data-urlencode "api_key=$SMARTNPV_API_KEY" \
  --data-urlencode 'type=uuid' \
  --data-urlencode "uuid=$CLIENT_UUID" \
  --header 'Content-Type: application/json'
```

The official read examples pass `api_key` as a query parameter. That should not be assumed to establish authentication placement or HTTP methods for every write endpoint.[1]

List filtering

`clients/list` documents:

- `limit`: default 250.
- `offset`: a block/page index; starting position is `offset × limit`.
- `range_type`: `1` for creation date, `2` for modification date.
- `from` and `until`: paired date filters.
- `lead`: client/lead filtering.
- `reference`: referral/reference filtering.[1]

There is an inconsistency between the textual description and example values for `lead`, so verify the accepted representation before depending on it.[1]

Response envelopes

The broader investigation identifies two response formats:

```
{
  "response": true,
  "responseCode": 0,
  "responseMessage": "...",
  "responseClientFields": {}
}
```

and, for payments:

```
{
  "status": 1,
  "message": "success",
```

```
  "list": []
}
```

Your wrapper should account for this inconsistency rather than assuming one universal response schema. [2]

What “full API” means here

This is the broadest endpoint inventory I could substantiate from the inspected sources—not a complete, vendor-certified specification. The third-party investigation itself says subscription-level access testing on a populated client was still pending. [2]

For your integration, request the current Postman collection or OpenAPI specification directly from Smart NPV, particularly the schemas for:

```
clients/upload_document
clients/add_documentation
clients/get_client_status
```

Also ask them explicitly for document listing, download, and checklist endpoints. Those remain the missing pieces for checking what is already in a client’s file before your agent requests it again.

⁂

1. https://api.snpv.co.il/
2. https://github.com/haiku-code/cia-knowledge/blob/main/poc1/SmartNPV_Data_Discovery_Plan.md