GOOGLE CLOUD AI BUILDER CUP 2026 · BFSI: INTELLIGENT RISK, FRAUD & FINANCIAL EXPERIENCES

Atrium — Module Flows

One flowchart per module, with the actor for every step, drawn from the code and checked against the blueprint

Team	Ctrl+Alt+Hiru
Source	Code on the dev branch, the Product Blueprint and the six implementation plans
Date	13 October 2026

The prototype uses synthetic data and paper trading only; nothing in it is investment advice.

Contents

How to read the charts 3

Modules 4

0. Front door, sign-in and workspace 5

1. Lead capture and scoring 6

2. Identity document check 7

3. Working a lead: concierge, reply draft, proposal 8

4. Convert to client 9

5. Risk profile conversation 10

6. Insights: What-if, X-ray, Risk and fund reading 11

7. Fund orders (instructions) and monthly plans 12

8. Investor Copilot 13

9. Placing an order through the Pre-trade Guardian 14

10. Held-order review 15

11. Day-end run 16

12. Bank statement intake and reconciliation 17

13. Four-eyes approvals 18

14. AML monitoring and case decision 19

15. AI decision log and event stream 20

Summary: where the code differs from the blueprint 21

Atrium — Module Flows

One flowchart per module, drawn from the code on `dev` (October 2026) and checked against the blueprint and the six implementation plans. Every step names **who** does it. Where the code differs from the blueprint, the module's notes say so.

How to read the charts

Each box starts with its actor in bold. Colour shows the kind of actor:

Colour	Actor kind	Actors
Blue	Person	Visitor, Prospect, Investor, Advisor (Daniel), Operations (Mei), Second approver (Sam), MLRO (Omar)
Grey	Web app	Next.js workspace in the browser
Green	Atrium engine	Core API, rule engines (Trust, Guardian, AML, reconciliation rules), ledger, day-end job
Amber	AI	Gemini Flash, Gemini Pro, ADK agents
Purple	Outside service	Document AI, Vertex AI Search, Firebase, broker (paper or Alpaca), Yahoo Finance, Cloud Scheduler
Red	Stop	The request is refused, with the reason shown


A rule that runs everywhere: **AI explains and proposes; engines and rules count and decide; a person makes every fact-changing decision.** Every AI call is written to the AI decision log (module 14).

Modules

#	Pillar	Module	Main actors
0	Platform	Front door, sign-in and workspace	Visitor, Web, Firebase, Core API
1	Acquire	Lead capture and scoring	Prospect, Core API, Gemini Flash, Trust rules, Advisor
2	Acquire	Identity document check	Advisor, Gemini Flash, Document AI, Trust rules
3	Acquire	Working a lead: concierge, reply draft, proposal	Advisor, ADK agents, Gemini Pro, Vertex AI Search
4	Acquire	Convert to client	Advisor, Core API
5	Invest	Risk profile conversation	Investor, Gemini Flash, Risk-profile rules
6	Invest	Insights: What-if, X-ray, Risk, fund reading	Investor, analytics engines, Gemini Flash, Vertex AI Search
7	Invest	Fund orders (instructions) and monthly plans	Investor, Core API, day-end job
8	Invest	Investor Copilot	Investor, Investor Copilot agent
9	Trade	Placing an order through the Pre-trade Guardian	Investor, Guardian rules, Gemini Flash, broker
10	Trade	Held-order review	Advisor, Gemini Pro, Guardian rules, broker
11	Operate	Day-end run	Cloud Scheduler or Operations, day-end job, Gemini Flash
12	Operate	Bank statement intake and reconciliation	Operations, Document AI, Gemini Flash, reconciliation agent
13	Operate	Four-eyes approvals (prices, manual match, reversal)	Operations, second approver, Core API, ledger
14	Operate	AML monitoring and case decision	Day-end job, AML rules, k-means model, Gemini Pro, MLRO
15	Platform	AI decision log and event stream	Every AI call, Core API, Pub/Sub, BigQuery

0. Front door, sign-in and workspace


Code: `apps/web/src/app/page.tsx`, `apps/web/src/lib/nav.ts`, `apps/web/src/lib/journeys.ts`, `services/api/app/auth.py`, `routers/me.py`.



Notes - Role to workspace: investor → Investor, advisor and admin → Advisor, ops → Operations, compliance → Compliance. Each person sees only their own workspace. - `/apply` (the prospect form) and `/login` are public; everything else needs a person. - The demo deploys with `AUTH_MODE=dev` on purpose: anyone with the link can pick any persona, staff included. - **Docs vs code:** the blueprint lists an Admin workspace (P1). There is no separate one; admin is routed to the Advisor workspace and may also decide compliance alerts.

1. Lead capture and scoring

Code: `routers/leads.py` (`POST /leads`, `POST /leads/score-pending`), `services/lead_pipeline.py`, `services/enrichment.py`, `ml/lead_model.py`, `services/trust.py`, `services/capture_guard.py`.



Trust bands: 80 and above `clear`; 50 to 79 `review`; below 50 `high_risk`; a blocking signal makes it `blocked`. A rising score adds friction; only a person blocks or converts.

Docs vs code - Blueprint §8.3 shows scoring as asynchronous agents fed by Pub/Sub. The code scores **inline** in the capture request, with `score-pending` as the catch-up path. Pub/Sub only carries the events outward. - Blueprint A3/A4 name BigQuery ML for both the Lead Score and lead anomaly detection. The Lead Score uses committed model coefficients (`lead_model.json`); stage-1 Trust is fixed rule weights plus Gemini's enrichment, with no anomaly model at the lead stage. - A6 sanctions and PEP screening is not built (P1 in the blueprint).

---

2. Identity document check

Code: `POST /leads/{id}/documents`, `services/identity.py`, `services/trust.py`.




Docs vs code: the blueprint sequence has the **prospect** uploading the ID with the form. In the code the upload is a **staff-only** step on the lead page; the public form takes no documents.

---

3. Working a lead: concierge, reply draft, proposal


Code: `POST /leads/{id}/ask`, `/draft-reply`, `/proposal`, `PATCH /leads/{id}/stage`; `agents/advisor.py`, `services/compliance.py`, `services/proposal.py`.



Docs vs code - Atrium does not send the email; the advisor sends the reviewed draft from their own mail. - A9 meeting brief and A11 call summary are not built (P1 and P2).

4. Convert to client


Code: `POST /leads/{id}/convert`, `services/conversion.py`.



Notes: the account's trading Trust Score (module 9) starts from the score the lead earned here. The override reason stays in Cloud SQL; the event only flags that one was recorded.

5. Risk profile conversation

Code: `routers/profile.py` (`GET/POST /me/risk-profile`, `POST /me/risk-profile/chat`), `services/risk_profile.py`.




Gemini only collects answers; it never sets the band.

---

6. Insights: What-if, X-ray, Risk and fund reading

Code: `routers/invest.py`, `routers/insights.py`, `routers/funds.py`, `services/whatif.py`, `services/xray.py`, `services/risk_metrics.py`, `services/narrative.py`, `knowledge/fit.py`.

All four share one pattern: an engine computes, then Gemini may explain, and its figures are checked against the engine.




Docs vs code: B5 stress tests, B9 proactive insights, B10 news digest and B12 statements and tax reports are not built (P1).

---

7. Fund orders (instructions) and monthly plans

Code: `routers/instructions.py`, `services/instructions.py`, `services/allocation.py`.
Instruction states: `received → checked → accepted → priced → allocated → settled` (or `rejected`, `reversed`).




Docs vs code: B11 in the blueprint says instructions are pre-checked "by the Trust and Trade agents". In the code the pre-check is deterministic rules (minimum, holdings, suitability); no agent and no Trust Score is involved for fund orders.

---

8. Investor Copilot


Code: `POST /accounts/{id}/copilot`, `agents/investor.py`.



Nothing inside the agent loop writes to the database; the copilot answers but never places an order.

9. Placing an order through the Pre-trade Guardian

Code: `routers/trading.py` (`/orders/preview`, `/orders/explain`, `/orders`, `/cancel`), `services/orders.py`, `services/guardian.py`, `services/account_trust.py`, `markets/broker.py`, `services/order_ai.py`.




Thresholds: one company above 15% of the account warns, above 35% holds; a sector above 40% warns; an order above 25% of the account warns; above 1% of daily volume warns.

Docs vs code - Blueprint C3 and §6.2 describe the Guardian as an **ADK agent** with Gemini reasoning. The code makes it **fixed rules only**, so the same order always gets the same verdict; Gemini explains (C4) and, for held orders, writes a review note (module 10). - Blueprint C2 routes orders to Alpaca. The default is Atrium's own paper broker; Alpaca is used when its keys are set. - C5 post-trade anomaly detection, C6 holding intelligence and C7 rebalancing are not built (P1).

10. Held-order review


Code: `GET /orders/held`, `POST /orders/{id}/review-note`, `/release`, `/reject`.



The release is the advisor's decision; the review note only suggests.

11. Day-end run

Code: `ops/day_end.py` (Cloud Run job `atrium-day-end`), `POST /operations/day-end`, `services/fund_pricing.py`, `services/allocation.py`, `services/aml.py`.




Each step records what it did; a failing step is recorded and the others still run. Because prices are only drafted here, allocation normally deals on the **next** run, after a second person has published them.

Docs vs code: blueprint §8.3 has the Compliance agent triage every alert during the day-end. In the code alerts are only raised here; the Gemini Pro review runs when the MLRO asks for it (module 14). The morning brief is for operations; the advisor pipeline brief (P8) is not built.

---

12. Bank statement intake and reconciliation

Code: `routers/operations.py` (`/statements`, `/statements/sample`, `/reconcile`, `/matches/*`), `services/statements.py`, `services/reconciliation.py`, `agents/reconciler.py`.




The agent's tools check every id and amount, so it cannot use a line twice, claim a subscription that is not open, or propose a combination that does not add up. In the demo, operations can also add another set of waiting payments so each visitor has something to reconcile.

---

13. Four-eyes approvals

Code: `services/approvals.py`, `services/fund_pricing.py` (`request_publish`, `execute_publish`), `services/reconciliation.py` (manual match), `services/reversals.py`, `routers/me.py` (`/me/authenticator`).




Docs vs code: blueprint D6 also lists **bank-detail change** and **large redemption** as four-eyes actions. The code supports three: `publish_prices`, `manual_match`, `reverse_posting`. A reversal is allowed only for a fund subscription whose units are all still held.

---

14. AML monitoring and case decision

Code: `services/aml.py`, `ml/aml_model.py`, `services/compliance_ai.py`, `routers/compliance.py`.




Docs vs code - Blueprint D7 runs the scenarios as SQL over BigQuery. The code runs them in Python over Cloud SQL; BigQuery is used to train the anomaly model and to receive events. - Blueprint D8 and §6.2 call the Compliance copilot an ADK agent. The code makes one Gemini Pro call with the evidence; it has no tools. - Bank-detail change followed by withdrawal (named in D7) is not among the scenarios. D9 KYC refresh and D12 report pack are not built.

---

15. AI decision log and event stream

Code: `ai/decisions.py`, `events.py`, `routers/ai.py` (`GET /ai/usage`), `GET /leads/{id}/decisions`, `GET /compliance/ai-decisions`.



Docs vs code: blueprint D11 records the approver of each AI output. The AI log does not; approvals are in their own table and log. P3 (Cloud DLP redaction before text reaches a model) and P6 (evaluation harness) are not built.

Summary: where the code differs from the blueprint

Area	Blueprint says	Code does	Module
Lead scoring timing	Async agents fed by Pub/Sub	Inline in the capture request, plus a staff catch-up	1
Lead anomaly detection	BigQuery ML at the lead stage	Rule weights plus Gemini enrichment	1
Sanctions and PEP (A6)	P1 feature	Not built	1
ID upload	Prospect uploads with the form	Advisor uploads on the lead page	2
Fund-order pre-check (B11)	Trust and Trade agents	Deterministic rules	7
Pre-trade Guardian (C3)	ADK agent with Gemini reasoning	Fixed rules; Gemini only explains and writes review notes	9, 10
Broker (C2)	Alpaca paper	Own paper broker by default, Alpaca when keys are set	9
Concierge router	Routes across all seven agents	Routes between the two advisor agents only	3
Day-end triage	Compliance agent triages every alert	Alerts raised; Gemini Pro review on the MLRO's request	11, 14
AML scenarios (D7)	SQL over BigQuery	Python over Cloud SQL; BigQuery trains the model	14
Compliance copilot (D8)	ADK agent	Single Gemini Pro call, no tools	14
Four-eyes actions (D6)	Prices, manual match, bank-detail change, large redemption	Prices, manual match, ledger reversal	13
Admin workspace (P1)	Separate workspace	Admin uses the Advisor workspace	0

Most of these are deliberate: the Guardian and the Trust Score were made rule-based so the same input always gives the same verdict, which the blueprint's own principle ("AI never changes a fact; it proposes") favours. They are listed so the deck and the video describe what the product actually does.