

```
!--colocamos una imagen-->
 Simg src="IUVMV3X7XVDV7PKKAXC6R5DJRM.jpg.avif">
 <div class="noticia">
 !--ponemos las letra del parrafo de el un color mas oscuro, para que la pagina tenga concondarcia--
 <!--ponemos el texto en cursiva una parte del quijote-->
<i>No comas ajos ni cebollas, porque no <sub>saquen por el olor tu villanería</sub>. Anda
despacio; habla con resposo; <br>
pero no de manera que parezca que te escuchas a ti mismo; que toda afectación es mala. Come poco
y cena más poco; <br>
que <strong>la salud de todo el cuerpo </strong> se fragua en la oficina del estómago. <br>
Sé templado en el beber, considerando que el vino demasiado ni guarda secreto, ni cumple palabra.
<hr>
Ten cuenta, Sancho, de no mascar a dos carrillos, ni de erutar delante de nadie </i> <br>
div class="traduccion">
 <div class="scroll-traduccion">
 <
<i> Eat neither garlic nor onions, lest they betray thy <sub>peasant origin by their smell </sub>.
Walk slowly; speak with deliberation; <br>
but not in such a way that it seems thou art listening to thyself; for all affectation is bad. Eat little
and sup less; <br>
for <strong>the health of the whole body </strong> is forged in the office of the stomach. <br>
Be temperate in drinking, considering that too much wine neither keeps a secret nor fulfills a
promise. <br>
Take care, Sancho, not to chew with both cheeks, nor to belch in front of anyone </i> <br>
</div>
 </div>
 div class="position">
 <!--Hacemos un enlace que diga "amplio información"-->
 <a class="flecha" href="quijote2.html">Amplio información</a> <br>
 <br
 <!--Esto es para volver a el indice-->
 <a href="indice.html"> <img src="flecha.png" width="50px" ></a>
</div>
</div>
 </body>
 </html>
CSS
background-color: hsl(23.871, 100%, 37%);
text-align: center;
text-decoration: solid;
```

```
h2 {
background-color:hsl(24, 100%, 22%);
text-align: center;
font-size: 1.5em;
font-weight: bold;
margin-top: 0;
body {
text-align: center;
background-color: #C4A484;
ul{
text-align: justify;
text-decoration: solid;
text-transform: initial;
ol{
text-align: justify;
text-decoration: solid;
text-transform: initial;
text-align: center;
text-decoration: solid;
color: aliceblue;
img {
width: "100px";
height: "100px";
a.flecha {
background-color: hsl(24, 95%, 25%);
text-align: center;
text-decoration: solid;
color: aliceblue;
table {
border-collapse: collapse;
width: 80%;
margin: 20px auto;
border: 2px solid hsl(24, 100%, 22%)
th, td {
border: 1px solid hsl(24, 100%, 22%);
text-align: left;
padding: 8px;
border-spacing: 100%;
.num-cell {
```

```
width: 1px;
height: 40px;
.small-cell {
width: 50px;
height: 40px;
color:aliceblue;
.medium-cell {
width: 80px;
height: 40px;
.large-cell {
width: 100px;
height: 40px;
color: aliceblue;
.mitad {
width: 100px;
text-align: center;
th {
background-color: hsl(24, 100%, 22%);
border-collapse: collapse;
td:first-child {
background-color: hsl(23.871, 100%, 37%);
.botonera {
list-style: none;
padding: 0;
margin: 0;
display: flex;
justify-content: center;
align-items: center;
.botonera li {
margin: 0 10px;
padding: 10px 20px;
border: 1px solid #ddd;
border-radius: 5px;
text-align: center;
background-color: #f7f7f7;
transition: all 0.3s ease;
.botonera li:hover {
background-color: hsl(23.871, 100%, 37%);
.botonera li a {
text-decoration: none;
color: #333;
font-weight: bold;
```

```
′*esto es los div*/
.indice{
text-align: center;
background-color: #C4A484;
}
.priemera{
text-decoration: solid;
text-align: center;
}
.segunda{
text-decoration: solid;
text-align: center;
}
.maquina-escribir {
width: 0;
overflow: hidden;
white-space: nowrap;
animation: escribir 9s linear;
@keyframes escribir {
from { width: 0; }
to { width: 100%; }
.position {
position: sticky;
top: 20px;
left: 50px;
.marca-de-agua {
position: fixed;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
z-index: 1;
.noticia {
border: 1px solid #ccc;
padding: 10px;
overflow-y: scroll;
display: flex;
```

```
justify-content: center;
margin: 0 auto;
}
.noticia .traduccion {
float: right;
width: 50%;
border: 1px solid #ccc;
padding: 10px;
overflow-y: scroll;
display: flex;
justify-content: center;
margin: 0 auto;
.scroll-traduccion {
max-height: 100px;
overflow-y: auto;
padding: 10px;
border: 1px solid #ddd;
.clearfix:after {
content: "";
display: table;
clear: both;
.primera, .noticia, .botonera {
border-radius: 10px; /* Ajusta el valor en píxeles para el radio deseado */
.botonera li {
border-radius: 5px; /* Puedes ajustar el radio para cada elemento individualmente */
.flecha {
border-radius: 50%; /* Para crear un botón circular */
@media (max-width: 768px) {
.noticia .traduccion {
float: none;
width: 100%;
```