Markov text generation ECE 684

Write a bare-bones Markov text generator.

Implement a function of the form finish_sentence(sentence, n, corpus, deterministic=False) that takes four arguments:

- 1. a sentence [list of tokens] that we're trying to build on,
- 2. n [int], the length of n-grams to use for prediction, and
- 3. a source corpus [list of tokens]
- 4. a flag indicating whether the process should be deterministic [bool]

and returns an extended sentence until the first ., ?, or ! is found OR until it has 15 total tokens.

If the input flag deterministic is true, choose at each step the single most probable next token. When two tokens are equally probable, choose the one that occurs first in the corpus.

If deterministic is false, draw the next word randomly from the appropriate distribution. Use stupid backoff and no smoothing.

Provide some example applications of your function in both deterministic and stochastic modes, for a few sets of seed words and a few different n.

As one (simple) test case, use the following inputs:

```
sentence = ['she', 'was', 'not']
n = 3
corpus = [
    w.lower for w in
    nltk.corpus.gutenberg.words('austen-sense.txt')
]
deterministic = True

The result should be
['she', 'was', 'not', 'in', 'the', 'world', '.']
```

Add your method to a file/module named mtg.py and use the test script text_mtg.py to verify that this example works.

You should turn in a document (.txt, .md, or .pdf) answering all of the red items above. You should also turn in Python scripts (.py) for each of the blue items.