Security_Check

- **security_check_id** (INT, PRIMARY KEY)
- passenger_id (INT, FOREIGN KEY)
- check_results (VARCHAR(50), NOT NULL)
- created_at (TIMESTAMP)
- updated_at (TIMESTAMP)

BoardingPass

- boarding_pass_id (INT, PRIMARY KEY)
- booking_id (INT, FOREIGN KEY)
- seat (VARCHAR(10), NOT NULL)
- boarding_time (DATETIME, NOT NULL)
- created_at (TIMESTAMP)
- updated_at (TIMESTAMP)

Booking

- booking_id (INT, PRIMARY KEY)
- flight_id (INT, FOREIGN KEY REFERENCES Flight)
- passenger_id (INT, FOREIGN KEY REFERENCES Passenger)
- status (VARCHAR(50))
- ticket_price (DECIMAL(10,2), NOT NULL)
- created_at (TIMESTAMP)
- updated_at (TIMESTAMP)

Flight

- flight_id (INT, PRIMARY KEY)
- departing_gate (VARCHAR(10))
- departing_gate (VARCHAR(10))
- airline_id (INT, FOREIGN KEY)
- departure_airport_id (INT, FOREIGN KEY)
- arrival_airport_id (INT, FOREIGN KEY)
- scheduled_departure_time (DATETIME)
- scheduled_arrival_time (DATETIME)
- actual_departure_time (DATETIME)
- actual_arrival_time (DATETIME)

Airline

- airline_id (INT, PRIMARY KEY)
- airline_code (VARCHAR(10), UNIQUE, NOT NULL)
- name (VARCHAR(100), NOT NULL)
- country (VARCHAR(256), NOT NULL)

Airport

- airport_id (INT, PRIMARY KEY)
- airport_name (VARCHAR(256), NOT NULL)
- country (VARCHAR(256), NOT NULL)
- state (VARCHAR(256))
- city (VARCHAR(256), NOT NULL)

Passenger

- passenger_id (INT, PRIMARY KEY)
- name (VARCHAR(50), NOT NULL)
- gender (VARCHAR(50))
- date_of_birth (DATE, NOT NULL)
- country_of_citizenship (VARCHAR(50), NOT NULL)
- country_of_residence (VARCHAR(50), NOT NULL)
- passport_number (VARCHAR(20), UNIQUE, NOT NULL)