

When Does Aggregating Explanations Work?

BloodMNIST Results

Jinhua Xu, Davide Anguita, Fabio Roli, Jing Yuan, and Luca Oneto

This report is generated from the structured result files listed in `RESULT_MANIFEST.json`. It is organised by model and experiment and retains incomplete and historical snapshots as archival tables.

Historical and superseded result tables

A DenseNet-121 (archived)

Table 1: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593	False
Simple Average	0.97313	0.98248	0.97488	0.98598	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054	False
Borda (NAIVE)	0.93516	0.99007	0.9375	0.99883	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353	False
RRF (NAIVE)	0.94276	0.99065	0.94626	0.99942	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061	False
Schulze (NAIVE)	0.94568	0.98072	0.95093	0.99065	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696	False
Kemeny-Young (NAIVE)	0.92114	0.99065	0.92407	0.99942	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367	False
Borda (THEORY)	0.89252	0.99065	0.89486	0.99942	0.44334	0.29556	0.75526	0.10339	0.35339	0.29439	False
RRF (THEORY)	0.8972	0.99065	0.89544	0.99942	0.44918	0.28621	0.75993	0.1028	0.35806	0.29439	False
Schulze (THEORY)	0.88902	0.99065	0.8896	0.99942	0.43692	0.27512	0.75175	0.10864	0.34988	0.2868	False
Kemeny-Young (THEORY)	0.89603	0.99007	0.8972	0.99883	0.44743	0.2868	0.75876	0.10105	0.35981	0.30432	False

Table 2: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593
SimpleAvg	0.97313	0.98248	0.97488	0.98598	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054
Borda (NAIVE)	0.93516	0.99007	0.9375	0.99883	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353
Borda (THE- ORY)	0.89252	0.99065	0.89486	0.99942	0.44334	0.29556	0.75526	0.10339	0.35339	0.29439
RRF (NAIVE)	0.94276	0.99065	0.94626	0.99942	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061
RRF (THEORY)	0.8972	0.99065	0.89544	0.99942	0.44918	0.28621	0.75993	0.1028	0.35806	0.29439
Schulze (NAIVE)	0.94568	0.98072	0.95093	0.99065	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696
Schulze (THE- ORY)	0.88902	0.99065	0.8896	0.99942	0.43692	0.27512	0.75175	0.10864	0.34988	0.2868
Kemeny-Young (NAIVE)	0.92114	0.99065	0.92407	0.99942	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367
Kemeny-Young (THEORY)	0.89603	0.99007	0.8972	0.99883	0.44743	0.2868	0.75876	0.10105	0.35981	0.30432

Table 3: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593
SimpleAvg	0.8919390	0.9848130	0.8907710	0.9918220	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054
Borda	0.8744160	0.9906540	0.8767520	0.9994160	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353
RRF	0.8825930	0.9906540	0.8831780	0.9994160	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061
Schulze	0.8639020	0.9906540	0.8639020	0.9994160	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696
Kemeny-Young	0.8855140	0.9906540	0.8872660	0.9994160	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367
Best Explanation (Decorr)	0.8843	0.9901	0.8843	1	0.3242	0.139	0.7465	0.0082	0.1484	0.0759
SimpleAvg (Decorr)	0.9731	0.9825	0.9749	0.986	0.4942	0.34	0.8359	0.0234	0.4048	0.3405
Borda (Decorr)	0.8925	0.9907	0.8949	0.9994	0.4433	0.2956	0.7553	0.1034	0.3534	0.2944
RRF (Decorr)	0.8972	0.9907	0.8954	0.9994	0.4492	0.2862	0.7599	0.1028	0.3581	0.2944
Schulze (Decorr)	0.889	0.9907	0.8896	0.9994	0.4369	0.2751	0.7518	0.1086	0.3499	0.2868
Kemeny-Young (Decorr)	0.896	0.9901	0.8972	0.9988	0.4474	0.2868	0.7588	0.1011	0.3598	0.3043

Table 4: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993	False
Simple Average	0.97196	0.98248	0.97488	0.98715	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928	False
Borda (NAIVE)	0.81075	0.98657	0.81367	0.99533	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785	False
RRF (NAIVE)	0.84229	0.9889	0.84521	0.99766	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166	False
Schulze (NAIVE)	0.85339	0.9521	0.85572	0.96086	0.50467	0.37734	0.71612	0.14252	0.49007	0.441	False
Kemeny-Young (NAIVE)	0.78914	0.98949	0.79089	0.99825	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507	False
Borda (THEORY)	0.74357	0.99065	0.74708	0.99942	0.39194	0.2646	0.60631	0.25117	0.38843	0.3382	False
RRF (THEORY)	0.76168	0.99065	0.76227	0.99942	0.40537	0.27629	0.62442	0.23598	0.40888	0.35572	False
Schulze (THEORY)	0.75058	0.98949	0.75467	0.99825	0.39895	0.26869	0.61332	0.24357	0.39778	0.34463	False
Kemeny-Young (THEORY)	0.76694	0.99065	0.76928	0.99942	0.40596	0.27687	0.62967	0.22897	0.41472	0.36682	False

Table 5: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993
SimpleAvg	0.97196	0.98248	0.97488	0.98715	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928
Borda (NAIVE)	0.81075	0.98657	0.81367	0.99533	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785
Borda (THEORY)	0.74357	0.99065	0.74708	0.99942	0.39194	0.2646	0.60631	0.25117	0.38843	0.3382
RRF (NAIVE)	0.84229	0.9889	0.84521	0.99766	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166
RRF (THEORY)	0.76168	0.99065	0.76227	0.99942	0.40537	0.27629	0.62442	0.23598	0.40888	0.35572
Schulze (NAIVE)	0.85339	0.9521	0.85572	0.96086	0.50467	0.37734	0.71612	0.14252	0.49007	0.441
Schulze (THEORY)	0.75058	0.98949	0.75467	0.99825	0.39895	0.26869	0.61332	0.24357	0.39778	0.34463
Kemeny-Young (NAIVE)	0.78914	0.98949	0.79089	0.99825	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507
Kemeny-Young (THEORY)	0.76694	0.99065	0.76928	0.99942	0.40596	0.27687	0.62967	0.22897	0.41472	0.36682

Table 6: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993
SimpleAvg	0.7237150	0.9824770	0.7237150	0.9865650	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928
Borda	0.6933410	0.99007	0.6945090	0.9988320	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785
RRF	0.7108640	0.99007	0.7120330	0.9988320	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166
Schulze	0.6869160	0.9877340	0.6880840	0.9964950	0.50467	0.37734	0.71612	0.14252	0.49007	0.441
Kemeny-Young	0.7167060	0.99007	0.7184580	0.9988320	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507
Best Explanation (Decorr)	0.6898	0.9907	0.6904	0.9994	0.2804	0.1437	0.5526	0.0158	0.0678	0.0099
SimpleAvg (Decorr)	0.972	0.9825	0.9749	0.9871	0.6069	0.4731	0.8347	0.0234	0.5678	0.5193
Borda (Decorr)	0.7436	0.9907	0.7471	0.9994	0.3919	0.2646	0.6063	0.2512	0.3884	0.3382
RRF (Decorr)	0.7617	0.9907	0.7623	0.9994	0.4054	0.2763	0.6244	0.236	0.4089	0.3557
Schulze (Decorr)	0.7506	0.9895	0.7547	0.9982	0.3989	0.2687	0.6133	0.2436	0.3978	0.3446
Kemeny-Young (Decorr)	0.7669	0.9907	0.7693	0.9994	0.406	0.2769	0.6297	0.229	0.4147	0.3668

Table 7: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315	False
Simple Average	0.92348	0.93984	0.92465	0.941	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638	False
Borda (NAIVE)	0.60397	0.95561	0.60456	0.96437	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841	False
RRF (NAIVE)	0.61682	0.9854	0.61857	0.99416	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834	False
Schulze (NAIVE)	0.64311	0.90129	0.64428	0.91005	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813	False
Kemeny-Young (NAIVE)	0.58002	0.97664	0.58002	0.9854	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381	False
Borda (THEORY)	0.51111	0.98715	0.51111	0.99591	0.24299	0.13668	0.37383	0.48715	0.2722	0.21787	False
RRF (THEORY)	0.51285	0.98715	0.51285	0.99591	0.24825	0.14311	0.37558	0.4854	0.27044	0.21963	False
Schulze (THEORY)	0.50701	0.98949	0.50759	0.99708	0.24474	0.13843	0.36974	0.49065	0.26928	0.21612	False
Kemeny-Young (THEORY)	0.53096	0.9889	0.53213	0.99766	0.26519	0.16005	0.39369	0.46612	0.28621	0.23598	False

Table 8: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315
SimpleAvg	0.92348	0.93984	0.92465	0.941	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638
Borda (NAIVE)	0.60397	0.95561	0.60456	0.96437	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841
Borda (THEORY)	0.5111	0.98715	0.5111	0.99591	0.24299	0.13668	0.37383	0.48715	0.2722	0.21787
RRF (NAIVE)	0.61682	0.9854	0.61857	0.99416	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834
RRF (THEORY)	0.51285	0.98715	0.51285	0.99591	0.24825	0.14311	0.37558	0.4854	0.27044	0.21963
Schulze (NAIVE)	0.64311	0.90129	0.64428	0.91005	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813
Schulze (THEORY)	0.50701	0.98949	0.50759	0.99708	0.24474	0.13843	0.36974	0.49065	0.26928	0.21612
Kemeny-Young (NAIVE)	0.58002	0.97664	0.58002	0.9854	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381
Kemeny-Young (THEORY)	0.53096	0.9889	0.53213	0.99766	0.26519	0.16005	0.39369	0.46612	0.28621	0.23598

Table 9: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315
SimpleAvg	0.4754670	0.8563080	0.4760510	0.8574770	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638
Borda	0.4626170	0.9877340	0.4632010	0.9964950	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841
RRF	0.4807240	0.98715	0.4813080	0.9959110	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834
Schulze	0.4515190	0.9824770	0.4521030	0.9912380	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813
Kemeny-Young	0.4883180	0.9877340	0.4889020	0.9964950	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381
Best Explanation (Decorr)	0.5117	0.9901	0.5129	0.9977	0.2231	0.1127	0.3744	0.0421	0.1016	0.0532
SimpleAvg (Decorr)	0.9235	0.9398	0.9246	0.941	0.6501	0.5403	0.7862	0.0736	0.6414	0.5964
Borda (Decorr)	0.5111	0.9871	0.5111	0.9959	0.243	0.1367	0.3738	0.4871	0.2722	0.2179
RRF (Decorr)	0.5129	0.9871	0.5129	0.9959	0.2482	0.1431	0.3756	0.4854	0.2704	0.2196
Schulze (Decorr)	0.507	0.9895	0.5076	0.9971	0.2447	0.1384	0.3697	0.4907	0.2693	0.2161
Kemeny-Young (Decorr)	0.531	0.9889	0.5321	0.9977	0.2652	0.16	0.3937	0.4661	0.2862	0.236

Table 10: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847	False
Simple Average	0.98773	0.99124	0.99299	0.9965	0.41647	0.24533	0.85105	0.00643	0.316	0.2389	False
Borda (NAIVE)	0.97313	0.99007	0.97547	1	0.42348	0.25175	0.83586	0.02278	0.309	0.24241	False
RRF (NAIVE)	0.97664	0.99065	0.9778	0.99942	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292	False
Schulze (NAIVE)	0.98014	0.9889	0.98423	0.99883	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526	False
Kemeny-Young (NAIVE)	0.97196	0.99007	0.97313	1	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832	False
Borda (THEORY)	0.96086	0.99065	0.9597	0.99942	0.43516	0.25467	0.8236	0.03855	0.32301	0.25526	False
RRF (THEORY)	0.96495	0.99065	0.96379	0.99942	0.44334	0.25467	0.82769	0.03446	0.30724	0.23773	False
Schulze (THEORY)	0.9597	0.99124	0.95853	0.99883	0.4229	0.23248	0.82243	0.03972	0.29264	0.22079	False
Kemeny-Young (THEORY)	0.96262	0.99065	0.96028	0.99942	0.42114	0.23949	0.82535	0.03797	0.31834	0.24299	False

Table 11: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847
SimpleAvg	0.98773	0.99124	0.99299	0.9965	0.41647	0.24533	0.85105	0.00643	0.316	0.2389
Borda (NAIVE)	0.97313	0.99007	0.97547	1	0.42348	0.25175	0.83586	0.02278	0.309	0.24241
Borda (THEORY)	0.96086	0.99065	0.9597	0.99942	0.43516	0.25467	0.8236	0.03855	0.32301	0.25526
RRF (NAIVE)	0.97664	0.99065	0.9778	0.99942	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292
RRF (THEORY)	0.96495	0.99065	0.96379	0.99942	0.44334	0.25467	0.82769	0.03446	0.30724	0.23773
Schulze (NAIVE)	0.98014	0.9889	0.98423	0.99883	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526
Schulze (THEORY)	0.9597	0.99124	0.95853	0.99883	0.4229	0.23248	0.82243	0.03972	0.29264	0.22079
Kemeny-Young (NAIVE)	0.97196	0.99007	0.97313	1	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832
Kemeny-Young (THEORY)	0.96262	0.99065	0.96028	0.99942	0.42114	0.23949	0.82535	0.03797	0.31834	0.24299

Table 12: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847
SimpleAvg	0.9643690	0.9918220	0.9655370	0.9982480	0.41647	0.24533	0.85105	0.00643	0.316	0.2389
Borda	0.9439250	0.9906540	0.9439250	0.9994160	0.42348	0.25175	0.83586	0.02278	0.309	0.24241
RRF	0.9585280	0.9906540	0.95736	0.9994160	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292
Schulze	0.9521030	0.9906540	0.9497660	0.9994160	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526
Kemeny-Young	0.95035	0.9906540	0.9515190	0.9994160	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832
Best Explanation (Decorr)	0.9667	0.9912	0.9667	1	0.2611	0.0537	0.8289	0.0047	0.1326	0.0514
SimpleAvg (Decorr)	0.9877	0.9912	0.993	0.9965	0.4165	0.2453	0.8511	0.0064	0.316	0.2389
Borda (Decorr)	0.9609	0.9907	0.9597	0.9994	0.4352	0.2547	0.8236	0.0386	0.323	0.2553
RRF (Decorr)	0.965	0.9907	0.9638	0.9994	0.4433	0.2547	0.8277	0.0345	0.3072	0.2377
Schulze (Decorr)	0.9597	0.9912	0.9585	0.9988	0.4229	0.2325	0.8224	0.0397	0.2926	0.2208
Kemeny-Young (Decorr)	0.9626	0.9907	0.9603	0.9994	0.4211	0.2395	0.8254	0.038	0.3183	0.243

Table 13: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834	False
Simple Average	0.90362	0.90829	0.90479	0.90771	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638	False
Borda (NAIVE)	0.49241	0.89369	0.49241	0.90245	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035	False
RRF (NAIVE)	0.49883	0.96904	0.49942	0.9778	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977	False
Schulze (NAIVE)	0.52336	0.86507	0.52395	0.8715	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605	False
Kemeny-Young (NAIVE)	0.46437	0.93458	0.46495	0.94334	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653	False
Borda (THEORY)	0.36157	0.98773	0.36215	0.99416	0.15713	0.0882	0.2243	0.6361	0.13259	0.09112	False
RRF (THEORY)	0.36916	0.98598	0.36974	0.99357	0.1764	0.10689	0.23189	0.6285	0.13843	0.09579	False
Schulze (THEORY)	0.35105	0.98598	0.35164	0.99474	0.15479	0.08586	0.21379	0.64661	0.12383	0.08294	False
Kemeny-Young (THEORY)	0.38902	0.9854	0.3896	0.99416	0.17465	0.10748	0.25175	0.60864	0.15771	0.11507	False

Table 14: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834
SimpleAvg	0.90362	0.90829	0.90479	0.90771	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638
Borda (NAIVE)	0.49241	0.89369	0.49241	0.90245	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035
Borda (THEORY)	0.36157	0.98773	0.36215	0.99416	0.15713	0.0882	0.2243	0.6361	0.13259	0.09112
RRF (NAIVE)	0.49883	0.96904	0.49942	0.9778	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977
RRF (THEORY)	0.36916	0.98598	0.36974	0.99357	0.1764	0.10689	0.23189	0.6285	0.13843	0.09579
Schulze (NAIVE)	0.52336	0.86507	0.52395	0.8715	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605
Schulze (THEORY)	0.35105	0.98598	0.35164	0.99474	0.15479	0.08586	0.21379	0.64661	0.12383	0.08294
Kemeny-Young (NAIVE)	0.46437	0.93458	0.46495	0.94334	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653
Kemeny-Young (THEORY)	0.38902	0.9854	0.3896	0.99416	0.17465	0.10748	0.25175	0.60864	0.15771	0.11507

Table 15: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834
SimpleAvg	0.321262	0.911799	0.321846	0.911799	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638
Borda	0.313084	0.984813	0.313668	0.992407	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035
RRF	0.319509	0.981308	0.320093	0.988902	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977
Schulze	0.290304	0.97021	0.290888	0.978972	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605
Kemeny-Young	0.34229	0.978388	0.342874	0.98715	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653
Best Explanation (Decorr)	0.4171	0.9871	0.4176	0.9959	0.1577	0.0572	0.2798	0.0911	0.1034	0.0683
SimpleAvg (Decorr)	0.9036	0.9083	0.9048	0.9077	0.6636	0.5929	0.7664	0.0935	0.6402	0.5964
Borda (Decorr)	0.3616	0.9877	0.3621	0.9942	0.1571	0.0882	0.2243	0.6361	0.1326	0.0911
RRF (Decorr)	0.3692	0.986	0.3697	0.9936	0.1764	0.1069	0.2319	0.6285	0.1384	0.0958
Schulze (Decorr)	0.3511	0.986	0.3516	0.9947	0.1548	0.0859	0.2138	0.6466	0.1238	0.0829
Kemeny-Young (Decorr)	0.389	0.9854	0.3896	0.9942	0.1746	0.1075	0.2518	0.6086	0.1577	0.1151

Table 16: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374	False
Simple Average	0.96787	0.98481	0.97255	0.99182	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208	False
Borda (NAIVE)	0.91355	0.99007	0.9153	0.99883	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229	False
RRF (NAIVE)	0.92056	0.99007	0.92348	0.99883	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871	False
Schulze (NAIVE)	0.92815	0.97547	0.93049	0.98423	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572	False
Kemeny-Young (NAIVE)	0.89369	0.99007	0.89428	0.99883	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951	False
Borda (THEORY)	0.85339	0.99065	0.85572	0.99942	0.45444	0.30607	0.71612	0.14252	0.35164	0.29614	False
RRF (THEORY)	0.875	0.99065	0.87558	0.99942	0.46554	0.30958	0.73773	0.12266	0.36974	0.31367	False
Schulze (THEORY)	0.8639	0.99065	0.8639	0.99942	0.4597	0.30783	0.72664	0.13435	0.35456	0.2979	False
Kemeny-Young (THEORY)	0.87442	0.99065	0.87675	0.99942	0.46846	0.31951	0.73715	0.1215	0.36857	0.31484	False

Table 17: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374
SimpleAvg	0.96787	0.98481	0.97255	0.99182	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208
Borda (NAIVE)	0.91355	0.99007	0.9153	0.99883	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229
Borda (THEORY)	0.85339	0.99065	0.85572	0.99942	0.45444	0.30607	0.71612	0.14252	0.35164	0.29614
RRF (NAIVE)	0.92056	0.99007	0.92348	0.99883	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871
RRF (THEORY)	0.875	0.99065	0.87558	0.99942	0.46554	0.30958	0.73773	0.12266	0.36974	0.31367
Schulze (NAIVE)	0.92815	0.97547	0.93049	0.98423	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572
Schulze (THEORY)	0.8639	0.99065	0.8639	0.99942	0.4597	0.30783	0.72664	0.13435	0.35456	0.2979
Kemeny-Young (NAIVE)	0.89369	0.99007	0.89428	0.99883	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951
Kemeny-Young (THEORY)	0.87442	0.99065	0.87675	0.99942	0.46846	0.31951	0.73715	0.1215	0.36857	0.31484

Table 18: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374
SimpleAvg	0.891939	0.984813	0.890771	0.991822	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208
Borda	0.874416	0.990654	0.876752	0.999416	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229
RRF	0.882593	0.990654	0.883178	0.999416	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871
Schulze	0.863902	0.990654	0.863902	0.999416	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572
Kemeny-Young	0.885514	0.990654	0.887266	0.999416	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951
Best Explanation (Decorr)	0.8207	0.9907	0.8213	0.9994	0.3119	0.1419	0.6828	0.0099	0.1174	0.0537
SimpleAvg (Decorr)	0.9679	0.9848	0.9725	0.9918	0.5461	0.4001	0.8306	0.0257	0.4282	0.3721
Borda (Decorr)	0.8534	0.9907	0.8557	0.9994	0.4544	0.3061	0.7161	0.1425	0.3516	0.2961
RRF (Decorr)	0.875	0.9907	0.8756	0.9994	0.4655	0.3096	0.7377	0.1227	0.3697	0.3137
Schulze (Decorr)	0.8639	0.9907	0.8639	0.9994	0.4597	0.3078	0.7266	0.1343	0.3546	0.2979
Kemeny-Young (Decorr)	0.8744	0.9907	0.8768	0.9994	0.4685	0.3195	0.7371	0.1215	0.3686	0.3148

Table 19: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993	False
Simple Average	0.96612	0.98248	0.97021	0.98657	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301	False
Borda (NAIVE)	0.75759	0.98248	0.75935	0.99124	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486	False
RRF (NAIVE)	0.78154	0.9889	0.78446	0.99766	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472	False
Schulze (NAIVE)	0.809	0.93633	0.81075	0.94509	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633	False
Kemeny-Young (NAIVE)	0.73072	0.98949	0.73364	0.99825	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047	False
Borda (THEORY)	0.68925	0.9889	0.69159	0.99766	0.37383	0.24591	0.55199	0.30666	0.39136	0.34112	False
RRF (THEORY)	0.70152	0.98949	0.70327	0.99825	0.38785	0.2646	0.56425	0.29498	0.39895	0.35105	False
Schulze (THEORY)	0.68692	0.98773	0.68808	0.9965	0.37325	0.24883	0.54965	0.31016	0.3785	0.32944	False
Kemeny-Young (THEORY)	0.69334	0.99007	0.69451	0.99883	0.38493	0.25818	0.55607	0.30374	0.38435	0.33411	False

Table 20: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993
SimpleAvg	0.96612	0.98248	0.97021	0.98657	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301
Borda (NAIVE)	0.75759	0.98248	0.75935	0.99124	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486
Borda (THEORY)	0.68925	0.9889	0.69159	0.99766	0.37383	0.24591	0.55199	0.30666	0.39136	0.34112
RRF (NAIVE)	0.78154	0.9889	0.78446	0.99766	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472
RRF (THEORY)	0.70152	0.98949	0.70327	0.99825	0.38785	0.2646	0.56425	0.29498	0.39895	0.35105
Schulze (NAIVE)	0.809	0.93633	0.81075	0.94509	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633
Schulze (THEORY)	0.68692	0.98773	0.68808	0.9965	0.37325	0.24883	0.54965	0.31016	0.3785	0.32944
Kemeny-Young (NAIVE)	0.73072	0.98949	0.73364	0.99825	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047
Kemeny-Young (THEORY)	0.69334	0.99007	0.69451	0.99883	0.38493	0.25818	0.55607	0.30374	0.38435	0.33411

Table 21: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993
SimpleAvg	0.7237150	0.9824770	0.7237150	0.9865650	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301
Borda	0.6933410	0.99007	0.6945090	0.9988320	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486
RRF	0.7108640	0.99007	0.7120330	0.9988320	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472
Schulze	0.6869160	0.9877340	0.6880840	0.9964950	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633
Kemeny-Young	0.7167060	0.99007	0.7184580	0.9988320	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047
Best Explanation (Decorr)	0.6022	0.9907	0.6051	0.9994	0.2529	0.1291	0.465	0.021	0.0537	0.0099
SimpleAvg (Decorr)	0.9661	0.9825	0.9702	0.9866	0.6379	0.521	0.8289	0.028	0.618	0.573
Borda (Decorr)	0.6893	0.9889	0.6916	0.9977	0.3738	0.2459	0.552	0.3067	0.3914	0.3411
RRF (Decorr)	0.7015	0.9895	0.7033	0.9982	0.3879	0.2646	0.5643	0.295	0.3989	0.3511
Schulze (Decorr)	0.6869	0.9877	0.6881	0.9965	0.3732	0.2488	0.5496	0.3102	0.3785	0.3294
Kemeny-Young (Decorr)	0.6933	0.9901	0.6945	0.9988	0.3849	0.2582	0.5561	0.3037	0.3843	0.3341

Table 22: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893	False
Simple Average	0.8861	0.85631	0.88668	0.85748	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951	False
Borda (NAIVE)	0.56133	0.9153	0.56192	0.92407	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757	False
RRF (NAIVE)	0.56834	0.97956	0.56893	0.98832	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752	False
Schulze (NAIVE)	0.5882	0.88785	0.58879	0.89661	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731	False
Kemeny-Young (NAIVE)	0.53388	0.95502	0.53446	0.96379	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467	False
Borda (THEORY)	0.43224	0.98598	0.43283	0.99474	0.20152	0.11916	0.29498	0.56542	0.20911	0.16764	False
RRF (THEORY)	0.43925	0.98657	0.43984	0.99533	0.22488	0.13727	0.30199	0.55841	0.21028	0.16998	False
Schulze (THEORY)	0.43516	0.98715	0.43516	0.99591	0.21787	0.13201	0.2979	0.56308	0.21145	0.17231	False
Kemeny-Young (THEORY)	0.46262	0.98773	0.4632	0.9965	0.23131	0.15304	0.32535	0.53505	0.22313	0.18341	False

Table 23: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893
SimpleAvg	0.8861	0.85631	0.88668	0.85748	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951
Borda (NAIVE)	0.56133	0.9153	0.56192	0.92407	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757
Borda (THEORY)	0.43224	0.98598	0.43283	0.99474	0.20152	0.11916	0.29498	0.56542	0.20911	0.16764
RRF (NAIVE)	0.56834	0.97956	0.56893	0.98832	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752
RRF (THEORY)	0.43925	0.98657	0.43984	0.99533	0.22488	0.13727	0.30199	0.55841	0.21028	0.16998
Schulze (NAIVE)	0.5882	0.88785	0.58879	0.89661	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731
Schulze (THEORY)	0.43516	0.98715	0.43516	0.99591	0.21787	0.13201	0.2979	0.56308	0.21145	0.17231
Kemeny-Young (NAIVE)	0.53388	0.95502	0.53446	0.96379	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467
Kemeny-Young (THEORY)	0.46262	0.98773	0.4632	0.9965	0.23131	0.15304	0.32535	0.53505	0.22313	0.18341

Table 24: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893
SimpleAvg	0.4754670	0.8563080	0.4760510	0.8574770	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951
Borda	0.4626170	0.9877340	0.4632010	0.9964950	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757
RRF	0.4807240	0.98715	0.4813080	0.9959110	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752
Schulze	0.4515190	0.9824770	0.4521030	0.9912380	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731
Kemeny-Young	0.4883180	0.9877340	0.4889020	0.9964950	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467
Best Explanation (Decorr)	0.4661	0.9883	0.4667	0.9953	0.2056	0.1051	0.3289	0.0578	0.1133	0.0689
SimpleAvg (Decorr)	0.8861	0.8563	0.8867	0.8575	0.6227	0.5345	0.7488	0.1116	0.611	0.5695
Borda (Decorr)	0.4322	0.986	0.4328	0.9947	0.2015	0.1192	0.295	0.5654	0.2091	0.1676
RRF (Decorr)	0.4393	0.9866	0.4398	0.9953	0.2249	0.1373	0.302	0.5584	0.2103	0.17
Schulze (Decorr)	0.4352	0.9871	0.4352	0.9959	0.2179	0.132	0.2979	0.5631	0.2114	0.1723
Kemeny-Young (Decorr)	0.4626	0.9877	0.4632	0.9965	0.2313	0.153	0.3254	0.535	0.2231	0.1834

Table 25: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061	False
Simple Average	0.99007	0.99182	0.99533	0.99825	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161	False
Borda (NAIVE)	0.96612	0.99007	0.96904	1	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818	False
RRF (NAIVE)	0.96963	0.98949	0.97196	0.99942	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636	False
Schulze (NAIVE)	0.97722	0.9889	0.97956	0.99766	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402	False
Kemeny-Young (NAIVE)	0.96437	0.99007	0.96437	1	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584	False
Borda (THEORY)	0.91998	0.99065	0.92231	0.99942	0.42348	0.2535	0.78271	0.07593	0.27921	0.22255	False
RRF (THEORY)	0.95035	0.99065	0.94977	0.99942	0.45093	0.27804	0.81308	0.04848	0.2903	0.2243	False
Schulze (THEORY)	0.94918	0.99065	0.94918	0.99942	0.45444	0.28213	0.81192	0.04907	0.29498	0.23306	False
Kemeny-Young (THEORY)	0.94393	0.99065	0.94393	0.99942	0.44276	0.26928	0.80607	0.05374	0.31484	0.25175	False

Table 26: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061
SimpleAvg	0.99007	0.99182	0.99533	0.99825	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161
Borda (NAIVE)	0.96612	0.99007	0.96904	1	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818
Borda (THEORY)	0.91998	0.99065	0.92231	0.99942	0.42348	0.2535	0.78271	0.07593	0.27921	0.22255
RRF (NAIVE)	0.96963	0.98949	0.97196	0.99942	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636
RRF (THEORY)	0.95035	0.99065	0.94977	0.99942	0.45093	0.27804	0.81308	0.04848	0.2903	0.2243
Schulze (NAIVE)	0.97722	0.9889	0.97956	0.99766	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402
Schulze (THEORY)	0.94918	0.99065	0.94918	0.99942	0.45444	0.28213	0.81192	0.04907	0.29498	0.23306
Kemeny-Young (NAIVE)	0.96437	0.99007	0.96437	1	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584
Kemeny-Young (THEORY)	0.94393	0.99065	0.94393	0.99942	0.44276	0.26928	0.80607	0.05374	0.31484	0.25175

Table 27: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061
SimpleAvg	0.9643690	0.9918220	0.9655370	0.9982480	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161
Borda	0.9439250	0.9906540	0.9439250	0.9994160	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818
RRF	0.9585280	0.9906540	0.95736	0.9994160	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636
Schulze	0.9521030	0.9906540	0.9497660	0.9994160	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402
Kemeny-Young	0.95035	0.9906540	0.9515190	0.9994160	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584
Best Explanation (Decorr)	0.9381	0.9918	0.9375	1	0.2821	0.0853	0.7996	0.0029	0.1443	0.0578
SimpleAvg (Decorr)	0.9901	0.9918	0.9953	0.9982	0.4644	0.2985	0.8528	0.0029	0.3353	0.2716
Borda (Decorr)	0.92	0.9907	0.9223	0.9994	0.4235	0.2535	0.7827	0.0759	0.2792	0.2225
RRF (Decorr)	0.9504	0.9907	0.9498	0.9994	0.4509	0.278	0.8131	0.0485	0.2903	0.2243
Schulze (Decorr)	0.9492	0.9907	0.9492	0.9994	0.4544	0.2821	0.8119	0.0491	0.295	0.2331
Kemeny-Young (Decorr)	0.9439	0.9907	0.9439	0.9994	0.4428	0.2693	0.8061	0.0537	0.3148	0.2518

Table 28: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	decor- related
Best Explanation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876	False
Simple Average	0.89778	0.9118	0.89836	0.9118	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974	False
Borda (NAIVE)	0.441	0.85806	0.44159	0.86565	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523	False
RRF (NAIVE)	0.44685	0.94743	0.44743	0.95502	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107	False
Schulze (NAIVE)	0.47138	0.83236	0.47196	0.83995	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736	False
Kemeny-Young (NAIVE)	0.45853	0.88026	0.45911	0.88785	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626	False
Borda (THEORY)	0.27453	0.98364	0.27512	0.99124	0.10105	0.059	0.13727	0.72313	0.06133	0.02804	False
RRF (THEORY)	0.30199	0.98364	0.30257	0.99124	0.13201	0.0993	0.16472	0.69568	0.08937	0.05607	False
Schulze (THEORY)	0.26811	0.98423	0.26869	0.99299	0.10572	0.07301	0.13084	0.72956	0.05607	0.0222	False
Kemeny-Young (THEORY)	0.31308	0.98481	0.31367	0.99241	0.13551	0.09638	0.17582	0.68458	0.09696	0.06075	False

Table 29: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876
SimpleAvg	0.89778	0.9118	0.89836	0.9118	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974
Borda (NAIVE)	0.441	0.85806	0.44159	0.86565	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523
Borda (THEORY)	0.27453	0.98364	0.27512	0.99124	0.10105	0.059	0.13727	0.72313	0.06133	0.02804
RRF (NAIVE)	0.44685	0.94743	0.44743	0.95502	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107
RRF (THEORY)	0.30199	0.98364	0.30257	0.99124	0.13201	0.0993	0.16472	0.69568	0.08937	0.05607
Schulze (NAIVE)	0.47138	0.83236	0.47196	0.83995	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736
Schulze (THEORY)	0.26811	0.98423	0.26869	0.99299	0.10572	0.07301	0.13084	0.72956	0.05607	0.0222
Kemeny-Young (NAIVE)	0.45853	0.88026	0.45911	0.88785	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626
Kemeny-Young (THEORY)	0.31308	0.98481	0.31367	0.99241	0.13551	0.09638	0.17582	0.68458	0.09696	0.06075

Table 30: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876
SimpleAvg	0.321262	0.9117990	0.3218460	0.9117990	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974
Borda	0.313084	0.9848130	0.3136680	0.9924070	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523
RRF	0.3195090	0.9813080	0.3200930	0.9889020	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107
Schulze	0.2903040	0.97021	0.2908880	0.9789720	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736
Kemeny-Young	0.34229	0.9783880	0.3428740	0.98715	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626
Best Explanation (Decorr)	0.3347	0.9819	0.3353	0.9918	0.0894	0.0099	0.1957	0.0999	0.052	0.0088
SimpleAvg (Decorr)	0.8978	0.9118	0.8984	0.9118	0.6933	0.6484	0.7605	0.0999	0.6548	0.6197
Borda (Decorr)	0.2745	0.9836	0.2751	0.9912	0.1011	0.059	0.1373	0.7231	0.0613	0.028
RRF (Decorr)	0.302	0.9836	0.3026	0.9912	0.132	0.0993	0.1647	0.6957	0.0894	0.0561
Schulze (Decorr)	0.2681	0.9842	0.2687	0.993	0.1057	0.073	0.1308	0.7296	0.0561	0.0222
Kemeny-Young (Decorr)	0.3131	0.9848	0.3137	0.9924	0.1355	0.0964	0.1758	0.6846	0.097	0.0607

Table 31: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.8533880	0.8557240	0.9906540	0.999416
Borda (n=3)	Ensemble	0.8744160	0.8767520	0.9906540	0.999416
Borda (n=4)	Ensemble	0.8855140	0.8872660	0.9906540	0.999416
Borda (n=5)	Ensemble	0.8866820	0.88785	0.9906540	0.999416
Borda (n=6)	Ensemble	0.8936920	0.89486	0.99007	0.998832
Borda (n=7)	Ensemble	0.8936920	0.8942760	0.99007	0.998832
Borda (n=8)	Ensemble	0.9135510	0.9153040	0.99007	0.998832
Kemeny-Young (n=2)	Ensemble	0.8533880	0.8557240	0.9906540	0.999416
Kemeny-Young (n=3)	Ensemble	0.8744160	0.8767520	0.9906540	0.999416
Kemeny-Young (n=4)	Ensemble	0.8855140	0.8872660	0.9906540	0.999416
Kemeny-Young (n=5)	Ensemble	0.8866820	0.88785	0.9906540	0.999416
Kemeny-Young (n=6)	Ensemble	0.8936920	0.89486	0.99007	0.998832
Kemeny-Young (n=7)	Ensemble	0.8936920	0.8942760	0.99007	0.998832
Kemeny-Young (n=8)	Ensemble	0.9135510	0.9153040	0.99007	0.998832
RRF (n=2)	Ensemble	0.875	0.8755840	0.9906540	0.999416
RRF (n=3)	Ensemble	0.8825930	0.8831780	0.9906540	0.999416
RRF (n=4)	Ensemble	0.9007010	0.9018690	0.9906540	0.999416
RRF (n=5)	Ensemble	0.9117990	0.9141360	0.9906540	0.998248
RRF (n=6)	Ensemble	0.9228970	0.9258180	0.9912380	0.998832
RRF (n=7)	Ensemble	0.9065420	0.9100470	0.9906540	0.999416
RRF (n=8)	Ensemble	0.9205610	0.9234810	0.99007	0.998832
Schulze (n=2)	Ensemble	0.8726640	0.8709110	0.9906540	0.999416
Schulze (n=3)	Ensemble	0.8639020	0.8639020	0.9906540	0.999416
Schulze (n=4)	Ensemble	0.91472	0.91472	0.99007	0.998832
Schulze (n=5)	Ensemble	0.9240650	0.9264020	0.9889020	0.997664
Schulze (n=6)	Ensemble	0.9322430	0.9363320	0.9877340	0.996495
Schulze (n=7)	Ensemble	0.9217290	0.9252340	0.9830610	0.991822
Schulze (n=8)	Ensemble	0.9281540	0.9304910	0.9754670	0.984229
norm_ensemble (n=2)	Ensemble	0.8679910	0.8674070	0.9848130	0.991822
norm_ensemble (n=3)	Ensemble	0.8919390	0.8907710	0.9848130	0.991822
norm_ensemble (n=4)	Ensemble	0.9281540	0.9293220	0.9848130	0.991822
norm_ensemble (n=5)	Ensemble	0.9450930	0.94743	0.9848130	0.991822
norm_ensemble (n=6)	Ensemble	0.9550230	0.9585280	0.9848130	0.991822
norm_ensemble (n=7)	Ensemble	0.9678740	0.9725470	0.9848130	0.991822
norm_ensemble (n=8)	Ensemble	0.9678740	0.9725470	0.9848130	0.991822

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.9468460.95035	0.9906540.999416		
Deconvolution	Single	0.9468460.95035	0.9906540.999416		
DeepLIFT_SHAP	baseline	0.9807240.984229	0.8685750.876752		
DeepLIFT_SHAP	baseline	0.9807240.984229	0.8685750.876752		
DeepLIFT_SHAP	baseline	0.9807240.984229	0.8685750.876752		
DeepLIFT_SHAP	baseline	0.9807240.984229	0.8685750.876752		
DeepLIFT_baseline	global	0.9456780.9445090.9737150.981308			
DeepLIFT_baseline	global	0.9456780.9445090.9737150.981308			
GradientShap_baseline	single	0.9339950.9363820.9824750.991238			
GradientShap_baseline	single	0.9339950.9363820.9824750.991238			
GradientShap_baseline	single	0.9351640.9375n0.9830610.991822			
GradientShap_baseline	single	0.9351640.9375n0.9830610.991822			
GuidedBackprop	Single	0.8206780.8212620.9889020.997664			
GuidedBackprop	Single	0.8206780.8212620.9889020.997664			
InputXGradient	Single	0.980140.9883180.8674070.876168			
IntegratedGradient	baseline	0.9544390.96038p0.9200050.949766			
IntegratedGradient	baseline	0.9544390.96038p0.9200050.949766			
IntegratedGradient	baseline	0.9550230.960864p0.9500050.949766			
IntegratedGradient	baseline	0.9550230.960864p0.9500050.949766			
Saliency	Single	0.9690420.9742990.9269860.935748			
Saliency	Single	0.9690420.9742990.9269860.935748			

Table 32: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.4544390	0.3060750	0.7161210	0.1425230	0.3516360	0.2961450	0.2535050	0.0303740	0.8533880	0.0011680	0.1127340	0.013435
Borda (n=3)	Ensemble	0.4684580	0.3195090	0.73715	0.1214950	0.3685750	0.3148360	0.2535050	0.0280370	0.8533880	0.0011680	0.1133180	0.012266
Borda (n=4)	Ensemble	0.4848130	0.3282710	0.7482480	0.1109810	0.39486	0.34229	0.2529210	0.0268690	0.8533880	0.0011680	0.1115650	0.014019
Borda (n=5)	Ensemble	0.4813080	0.3346960	0.7494160	0.1103970	0.3808410	0.3276870	0.2546730	0.0274530	0.8533880	0.0011680	0.1144860	0.01285
Borda (n=6)	Ensemble	0.4731310	0.32535	0.7564250	0.1033880	0.3884350	0.3387850	0.2552570	0.0239490	0.8528040	0.0005840	0.1139020	0.012266
Borda (n=7)	Ensemble	0.4842290	0.33528	0.7564250	0.1039720	0.3714950	0.3195090	0.2535050	0.0262850	0.8528040	0.0005840	0.1133180	0.013435
Borda (n=8)	Ensemble	0.4994160	0.3557240	0.7762850	0.0829440	0.39486	0.34229	0.2540890	0.0274530	0.8528040	0.0005840	0.1133180	0.010514
Kemeny-Young (n=2)	Ensemble	0.4544390	0.3060750	0.7161210	0.1425230	0.3516360	0.2961450	0.2535050	0.0303740	0.8533880	0.0011680	0.1127340	0.013435
Kemeny-Young (n=3)	Ensemble	0.4684580	0.3195090	0.73715	0.1214950	0.3685750	0.3148360	0.2535050	0.0280370	0.8533880	0.0011680	0.1133180	0.012266
Kemeny-Young (n=4)	Ensemble	0.4848130	0.3282710	0.7482480	0.1109810	0.39486	0.34229	0.2529210	0.0268690	0.8533880	0.0011680	0.1115650	0.014019
Kemeny-Young (n=5)	Ensemble	0.4813080	0.3346960	0.7494160	0.1103970	0.3808410	0.3276870	0.2546730	0.0274530	0.8533880	0.0011680	0.1144860	0.01285
Kemeny-Young (n=6)	Ensemble	0.4731310	0.32535	0.7564250	0.1033880	0.3884350	0.3387850	0.2552570	0.0239490	0.8528040	0.0005840	0.1139020	0.012266
Kemeny-Young (n=7)	Ensemble	0.4842290	0.33528	0.7564250	0.1039720	0.3714950	0.3195090	0.2535050	0.0262850	0.8528040	0.0005840	0.1133180	0.013435
Kemeny-Young (n=8)	Ensemble	0.4994160	0.3557240	0.7762850	0.0829440	0.39486	0.34229	0.2540890	0.0274530	0.8528040	0.0005840	0.1133180	0.010514
RRF (n=2)	Ensemble	0.4655370	0.3095790	0.7377340	0.1226640	0.3697430	0.3136680	0.2546730	0.0292060	0.8533880	0.0011680	0.1127340	0.013435
RRF (n=3)	Ensemble	0.4731310	0.3235980	0.7453270	0.11507	0.3685750	0.3130840	0.2558410	0.0210280	0.8533880	0.0011680	0.1127340	0.012266
RRF (n=4)	Ensemble	0.4924070	0.3434580	0.7634350	0.0963790	0.3907710	0.3399530	0.2575930	0.0239490	0.8533880	0.0011680	0.11215	0.013435
RRF (n=5)	Ensemble	0.5081780	0.3668220	0.7745330	0.0841120	0.4065420	0.3563080	0.2552570	0.0204440	0.8533880		0.1162380	0.012266
RRF (n=6)	Ensemble	0.5116820	0.3679910	0.7856310	0.07243	0.4088790	0.3609810	0.25993	0.0262850	0.8539720	0.0005840	0.1156540	0.010514
RRF (n=7)	Ensemble	0.4929910	0.3469630	0.7692760	0.0882010	0.38493	0.3382010	0.26285	0.02979	0.8533880	0.0011680	0.1144860	0.01285
RRF (n=8)	Ensemble	0.5186920	0.3785050	0.7832940	0.0747660	0.3966120	0.3487150	0.25993	0.0286210	0.8528040	0.0005840	0.11507	0.011682
Schulze (n=2)	Ensemble	0.4824770	0.3271030	0.7353970	0.1273360	0.3662380	0.3084110	0.2558410	0.0257010	0.8533880	0.0011680	0.11507	0.014019
Schulze (n=3)	Ensemble	0.4596960	0.3078270	0.7266360	0.1343460	0.3545560	0.2978970	0.2546730	0.0292060	0.8533880	0.0011680	0.1133180	0.013435
Schulze (n=4)	Ensemble	0.4970790	0.3475470	0.7774530	0.0835280	0.4007010	0.3469630	0.2564250	0.0262850	0.8528040	0.0005840	0.1139020	0.012266
Schulze (n=5)	Ensemble	0.5140190	0.3709110	0.7867990	0.0718460	0.3907710	0.3411210	0.2581780	0.0233640	0.8516360	0.0005840	0.1115650	0.009346
Schulze (n=6)	Ensemble	0.51986	0.3785050	0.7949770	0.0619160	0.4123830	0.3674070	0.2564250	0.0233640	0.8504670	0.0017520	0.1109810	0.009346
Schulze (n=7)	Ensemble	0.5087620	0.3679910	0.7844630	0.0730140	0.39778	0.35222	0.2505840	0.0175230	0.8457940	0.0064250	0.1074770	0.005841
Schulze (n=8)	Ensemble	0.5280370	0.38493	0.7908880	0.0677570	0.4042060	0.3557240	0.2412380	0.0140190	0.8382010	0.0140190	0.1004670	0.003505
norm_ensemble (n=2)	Ensemble	0.4889020	0.34521	0.7307240	0.1308410	0.3767520	0.3235980	0.2517520	0.0367990	0.8475470	0.0064250	0.1524530	0.070093
norm_ensemble (n=3)	Ensemble	0.5093460	0.3668220	0.7546730	0.1074770	0.3843460	0.3271030	0.2523360	0.0303740	0.8475470	0.0064250	0.1524530	0.070093
norm_ensemble (n=4)	Ensemble	0.5216120	0.3720790	0.7908880	0.0689250	0.4112150	0.3557240	0.2523360	0.0251170	0.8475470	0.0064250	0.1524530	0.070093
norm_ensemble (n=5)	Ensemble	0.5262850	0.38493	0.8078270	0.0508180	0.4024530	0.3463790	0.2546730	0.01986	0.8475470	0.0064250	0.1524530	0.070093
norm_ensemble (n=6)	Ensemble	0.5286210	0.38785	0.8177570	0.03972	0.4240650	0.3732480	0.2570090	0.02979	0.8475470	0.0064250	0.1524530	0.070093

Method	Type	AccRob	ConsRob	Re- place- Top	Re- place- Top	Re- place- Top	Re- place- Top	Re- place- Top	Re- place- Top	Re- place- Bottom	Re- place- Bottom	Re- place- Bottom	Re- place- Bottom	Re- place- Bottom
		gaus- sian std 0.15	gaus- sian std 0.15	salt pepper amount 0.05	salt pepper amount 0.05	speckle std 0.15	speckle std 0.15	gaus- sian std 0.15	gaus- sian std 0.15	speckle std 0.05	speckle std 0.05	speckle std 0.05	speckle std 0.05	speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.5251170	0.3785050	0.8306070	0.0257010	0.41764	0.36215	0.3469630	0.1442760	0.8475470	0.0064250	0.1524530	0.070093	
norm_ensemble (n=8)	Ensemble	0.5461450	0.4001170	0.8306070	0.0257010	0.4281540	0.3720790	0.3469630	0.1442760	0.8475470	0.0064250	0.1524530	0.070093	
Deconvolution	Single	0.3732480	0.2038550	0.8089950	0.0484810	0.2167060	0.1565420	0.2505840	0.0350470	0.8533880	0.0011680	0.1127340	0.016355	
DeepLIFT_SHAP	Single	0.3732480	0.2038550	0.8089950	0.0484810	0.2167060	0.1565420	0.2505840	0.0350470	0.8533880	0.0011680	0.1127340	0.016355	
DeepLIFT_SHAP	Single	0.4982450	0.3247660	0.8434580	0.0140190	0.3072430	0.2237150	0.1372660	0.0747660	0.7313080	0.1214950	0.0455610	0.047897	
DeepLIFT_SHAP	Single	0.4982450	0.3247660	0.8434580	0.0140190	0.3072430	0.2237150	0.1372660	0.0747660	0.7313080	0.1214950	0.0455610	0.047897	
DeepLIFT_SHAP	Single	0.4982450	0.3247660	0.8434580	0.0140190	0.3072430	0.2237150	0.1372660	0.0747660	0.7313080	0.1214950	0.0455610	0.047897	
DeepLIFT_SHAP	Single	0.4982450	0.3247660	0.8434580	0.0140190	0.3072430	0.2237150	0.1372660	0.0747660	0.7313080	0.1214950	0.0455610	0.047897	
DeepLIFT_baseline	Single	0.5216110	0.3598130	0.8084110	0.0537380	0.4269860	0.3714950	0.2447430	0.0070090	0.8364490	0.0169390	0.1109810	0.002921	
DeepLIFT_baseline	Single	0.5216110	0.3598130	0.8084110	0.0537380	0.4269860	0.3714950	0.2447430	0.0070090	0.8364490	0.0169390	0.1109810	0.002921	
GradientShap_baseline	Single	0.5017510	0.352220	0.7996720	0.0619160	0.4094630	0.3586450	0.2511680	0.01986	0.84521	0.0070090	0.1092290	0.005257	
GradientShap_baseline	Single	0.5017510	0.352220	0.7996720	0.0619160	0.4094630	0.3586450	0.2511680	0.01986	0.84521	0.0070090	0.1092290	0.005257	
GradientShap_baseline	Single	0.5016730	0.353972	0.7997867	0.0607480	0.40479	0.3498830	0.2494160	0.02278	0.8457940	0.0064250	0.11215	0.012266	
GradientShap_baseline	Single	0.5016730	0.353972	0.7997867	0.0607480	0.40479	0.3498830	0.2494160	0.02278	0.8457940	0.0064250	0.11215	0.012266	
GuidedBackprop	Single	0.3335280	0.1769860	0.6828270	0.1764020	0.1174070	0.0537380	0.2634350	0.0367990	0.8516360	0.0005840	0.1331780	0.02979	
GuidedBackprop	Single	0.3335280	0.1769860	0.6828270	0.1764020	0.1174070	0.0537380	0.2634350	0.0367990	0.8516360	0.0005840	0.1331780	0.02979	
InputXGradient	Single	0.5257010	0.3890190	0.8428740	0.00993	0.3703270	0.3271030	0.13493	0.0946260	0.73014	0.1220790	0.0023360	0.106308	
IntegratedGradient	Single	0.5023360	0.3514366	0.8270730	0.0379670	0.4053740	0.3533880	0.2114490	0.0175230	0.8037380	0.0484810	0.0771030	0.024533	
IntegratedGradient	Single	0.5023360	0.3514366	0.8270730	0.0379670	0.4053740	0.3533880	0.2114490	0.0175230	0.8037380	0.0484810	0.0771030	0.024533	
IntegratedGradient	Single	0.5035650	0.355446	0.83077570	0.0373830	0.4053740	0.3563080	0.2114490	0.0186920	0.8037380	0.0484810	0.0765190	0.025701	
IntegratedGradient	Single	0.5035650	0.355446	0.83077570	0.0373830	0.4053740	0.3563080	0.2114490	0.0186920	0.8037380	0.0484810	0.0765190	0.025701	
Saliency	Single	0.6010510	0.4690420	0.8317760	0.0239490	0.4322430	0.3872660	0.1927570	0.0338790	0.78972	0.0625	0.0537380	0.050818	
Saliency	Single	0.6010510	0.4690420	0.8317760	0.0239490	0.4322430	0.3872660	0.1927570	0.0338790	0.78972	0.0625	0.0537380	0.050818	

Table 33: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.6892520.6915890.9889020.997664			
Borda (n=3)	Ensemble	0.6933410.6945090.99007	0.998832		
Borda (n=4)	Ensemble	0.7167060.7184580.99007	0.998832		
Borda (n=5)	Ensemble	0.7266360.7283880.99007	0.998832		
Borda (n=6)	Ensemble	0.7482480.75	0.9894860.998248		
Borda (n=7)	Ensemble	0.7307240.7336450.9894860.998248			
Borda (n=8)	Ensemble	0.7575930.7593460.9824770.991238			
Kemeny-Young (n=2)	Ensemble	0.6892520.6915890.9889020.997664			
Kemeny-Young (n=3)	Ensemble	0.6933410.6945090.99007	0.998832		
Kemeny-Young (n=4)	Ensemble	0.7167060.7184580.99007	0.998832		
Kemeny-Young (n=5)	Ensemble	0.7266360.7283880.99007	0.998832		
Kemeny-Young (n=6)	Ensemble	0.7482480.75	0.9894860.998248		
Kemeny-Young (n=7)	Ensemble	0.7307240.7336450.9894860.998248			
Kemeny-Young (n=8)	Ensemble	0.7575930.7593460.9824770.991238			
RRF (n=2)	Ensemble	0.7015190.7032710.9894860.998248			
RRF (n=3)	Ensemble	0.7108640.7120330.99007	0.998832		
RRF (n=4)	Ensemble	0.7237150.7266360.99007	0.998832		
RRF (n=5)	Ensemble	0.7529210.7540890.9906540.999416			
RRF (n=6)	Ensemble	0.7751170.7762850.9906540.999416			
RRF (n=7)	Ensemble	0.7575930.7581780.9894860.998248			
RRF (n=8)	Ensemble	0.7815420.7844630.9889020.997664			
Schulze (n=2)	Ensemble	0.6910050.6933410.9894860.998248			
Schulze (n=3)	Ensemble	0.6869160.6880840.9877340.996495			
Schulze (n=4)	Ensemble	0.73715	0.74007	0.9836450.992407	
Schulze (n=5)	Ensemble	0.7721960.7751170.9830610.991822			
Schulze (n=6)	Ensemble	0.8189250.8218460.9696260.978388			
Schulze (n=7)	Ensemble	0.79965	0.8014020.9544390.963201		
Schulze (n=8)	Ensemble	0.8089950.8107480.9363320.945093			
norm_ensemble (n=2)	Ensemble	0.6956780.6950930.9824770.986565			
norm_ensemble (n=3)	Ensemble	0.7237150.7237150.9824770.986565			
norm_ensemble (n=4)	Ensemble	0.7762850.7792060.9824770.986565			
norm_ensemble (n=5)	Ensemble	0.8288550.8294390.9824770.986565			
norm_ensemble (n=6)	Ensemble	0.8609810.8633180.9824770.986565			
norm_ensemble (n=7)	Ensemble	0.9661210.97021	0.9824770.986565		
norm_ensemble (n=8)	Ensemble	0.9661210.97021	0.9824770.986565		

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.9059580.9088790.9906540.999416			
Deconvolution	Single	0.9059580.9088790.9906540.999416			
DeepLIFT_SHAP	Single	baseline0.960280.96028g0.7978970.804907			
DeepLIFT_SHAP	Single	baseline0.960280.96028g0.7978970.804907			
DeepLIFT_SHAP	Single	baseline0.960280.96028g0.7978970.804907			
DeepLIFT_SHAP	Single	baseline0.960280.96028g0.7978970.804907			
DeepLIFT_baseline	Single	0.8037380.8043220.9415890.949182			
DeepLIFT_baseline	Single	0.8037380.8043220.9415890.949182			
GradientShap_baseline	Single	0.8037380.8043220.9415890.949182			
GradientShap_baseline	Single	0.8037380.8043220.9415890.949182			
GradientShap_baseline	Single	0.8037380.8043220.9415890.949182			
GradientShap_baseline	Single	0.8037380.8043220.9415890.949182			
GuidedBackprop	Single	0.60222 0.60514 0.9877340.995327			
GuidedBackprop	Single	0.60222 0.60514 0.9877340.995327			
InputXGradient	Single	0.9713790.97722 0.80257 0.810164			
InputXGradient	Single	0.9713790.97722 0.80257 0.810164			
IntegratedGradient	Single	baseline0.8662380.8709110.9907010.909463			
IntegratedGradient	Single	baseline0.8662380.8709110.9907010.909463			
IntegratedGradient	Single	baseline0.8662380.8709110.9907010.909463			
IntegratedGradient	Single	baseline0.8662380.8709110.9907010.909463			
IntegratedGradient	Single	baseline0.8662380.8709110.9907010.909463			
Saliency	Single	0.9094630.9135510.8732480.882009			
Saliency	Single	0.9094630.9135510.8732480.882009			

Table 34: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.373832	0.245911	0.551986	0.306659	0.391355	0.341121	0.264603	0.041472	0.851636	0.000584	0.120327	0.021612
Borda (n=3)	Ensemble	0.38493	0.258178	0.556075	0.303738	0.384346	0.334112	0.261682	0.040304	0.852804	0.000584	0.122079	0.018692
Borda (n=4)	Ensemble	0.396028	0.27278	0.579439	0.27979	0.412383	0.369743	0.261682	0.037383	0.852804	0.000584	0.122079	0.02278
Borda (n=5)	Ensemble	0.415304	0.292056	0.589369	0.26986	0.41472	0.369743	0.25993	0.035631	0.852804	0.000584	0.120327	0.021028
Borda (n=6)	Ensemble	0.446262	0.330023	0.610981	0.248248	0.445678	0.400117	0.257009	0.03271	0.85222	0	0.122664	0.020444
Borda (n=7)	Ensemble	0.431075	0.319509	0.593458	0.264603	0.394276	0.350467	0.264603	0.037383	0.85222	0	0.122664	0.016939
Borda (n=8)	Ensemble	0.455607	0.341121	0.620327	0.238902	0.439836	0.39486	0.252921	0.025701	0.84521	0.007009	0.117407	0.014019
Kemeny-Young (n=2)	Ensemble	0.373832	0.245911	0.551986	0.306659	0.391355	0.341121	0.264603	0.041472	0.851636	0.000584	0.120327	0.021612
Kemeny-Young (n=3)	Ensemble	0.38493	0.258178	0.556075	0.303738	0.384346	0.334112	0.261682	0.040304	0.852804	0.000584	0.122079	0.018692
Kemeny-Young (n=4)	Ensemble	0.396028	0.27278	0.579439	0.27979	0.412383	0.369743	0.261682	0.037383	0.852804	0.000584	0.122079	0.02278
Kemeny-Young (n=5)	Ensemble	0.415304	0.292056	0.589369	0.26986	0.41472	0.369743	0.25993	0.035631	0.852804	0.000584	0.120327	0.021028
Kemeny-Young (n=6)	Ensemble	0.446262	0.330023	0.610981	0.248248	0.445678	0.400117	0.257009	0.03271	0.85222	0	0.122664	0.020444
Kemeny-Young (n=7)	Ensemble	0.431075	0.319509	0.593458	0.264603	0.394276	0.350467	0.264603	0.037383	0.85222	0	0.122664	0.016939
Kemeny-Young (n=8)	Ensemble	0.455607	0.341121	0.620327	0.238902	0.439836	0.39486	0.252921	0.025701	0.84521	0.007009	0.117407	0.014019
RRF (n=2)	Ensemble	0.38785	0.264603	0.564252	0.294977	0.398949	0.351051	0.258178	0.040304	0.85222	0	0.122079	0.022196
RRF (n=3)	Ensemble	0.400117	0.276869	0.573598	0.286215	0.403621	0.358645	0.261098	0.033294	0.852804	0.000584	0.122079	0.021028
RRF (n=4)	Ensemble	0.405958	0.287967	0.586449	0.271612	0.428738	0.384346	0.262266	0.036799	0.852804	0.000584	0.122664	0.023364
RRF (n=5)	Ensemble	0.436916	0.32243	0.615654	0.244159	0.438084	0.393107	0.263435	0.040888	0.853388	0.001168	0.124416	0.023949
RRF (n=6)	Ensemble	0.463785	0.34521	0.63785	0.221963	0.462617	0.41764	0.264019	0.03972	0.853388	0.001168	0.124416	0.022196
RRF (n=7)	Ensemble	0.448014	0.330023	0.620327	0.24007	0.426402	0.381425	0.261682	0.040304	0.85222	0	0.124416	0.020444
RRF (n=8)	Ensemble	0.471963	0.358061	0.644276	0.213785	0.457944	0.41472	0.26285	0.038551	0.851636	0.000584	0.123832	0.01986
Schulze (n=2)	Ensemble	0.384346	0.250584	0.553738	0.304907	0.398949	0.351051	0.25993	0.037967	0.85222	0	0.123248	0.018692
Schulze (n=3)	Ensemble	0.373248	0.248832	0.54965	0.310164	0.378505	0.329439	0.257593	0.034463	0.850467	0.001752	0.122664	0.022196
Schulze (n=4)	Ensemble	0.420561	0.298481	0.599883	0.258178	0.426402	0.383762	0.255257	0.030374	0.846379	0.005841	0.115654	0.011682
Schulze (n=5)	Ensemble	0.468458	0.350467	0.63493	0.223131	0.436332	0.396028	0.252336	0.032126	0.845794	0.006425	0.113318	0.011098
Schulze (n=6)	Ensemble	0.505841	0.390771	0.681659	0.176402	0.505257	0.463785	0.243575	0.015187	0.83236	0.01986	0.098131	0.001168
Schulze (n=7)	Ensemble	0.487734	0.368575	0.662383	0.196846	0.48014	0.435164	0.224299	0.000584	0.817173	0.035047	0.08528	0.016355
Schulze (n=8)	Ensemble	0.507593	0.393107	0.671729	0.1875	0.480724	0.436332	0.20736	0.015771	0.799065	0.053154	0.068925	0.033294
norm_ensemble (n=2)	Ensemble	0.378505	0.263435	0.558411	0.303154	0.396028	0.341706	0.253505	0.043808	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=3)	Ensemble	0.410047	0.292056	0.586449	0.274533	0.431659	0.380257	0.255841	0.033879	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=4)	Ensemble	0.464953	0.349299	0.639019	0.219042	0.462617	0.415304	0.256425	0.034463	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=5)	Ensemble	0.507009	0.389019	0.691589	0.168808	0.487734	0.4375	0.259346	0.030958	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=6)	Ensemble	0.53271	0.406542	0.723715	0.13493	0.526869	0.479556	0.258178	0.028621	0.84521	0.011682	0.16764	0.079439

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.6261680	0.5017520	0.8288550	0.0280370	0.5992990	0.5566590	0.3691590	0.17757	0.84521	0.0116820	0.16764	0.079439
norm_ensemble (n=8)	Ensemble	0.63785	0.5210280	0.8288550	0.0280370	0.6179910	0.5730140	0.3691590	0.17757	0.84521	0.0116820	0.16764	0.079439
Deconvolution	Single	0.3341120	0.2050230	0.7686920	0.0893690	0.1670560	0.1209110	0.2575930	0.04965	0.8533880	0.0017520	0.1267520	0.027453
DeepLIFT_SHAP	Single	0.5700930	0.4053740	0.8230140	0.0373830	0.45035	0.3639020	0.0776870	0.1156540	0.6606310	0.1933410	0.0192760	0.060748
DeepLIFT_SHAP	Single	0.5700930	0.4053740	0.8230140	0.0373830	0.45035	0.3639020	0.0776870	0.1156540	0.6606310	0.1933410	0.0192760	0.060748
DeepLIFT_SHAP	Single	0.5700930	0.4053740	0.8230140	0.0373830	0.45035	0.3639020	0.0776870	0.1156540	0.6606310	0.1933410	0.0192760	0.060748
DeepLIFT_SHAP	Single	0.5700930	0.4053740	0.8230140	0.0373830	0.45035	0.3639020	0.0776870	0.1156540	0.6606310	0.1933410	0.0192760	0.060748
DeepLIFT_baseline	Single	0.4894860	0.3539720	0.6664720	0.1939250	0.5029210	0.4538550	0.21028	0.0093460	0.8043220	0.0490650	0.0963790	0.011098
DeepLIFT_baseline	Single	0.4894860	0.3539720	0.6664720	0.1939250	0.5029210	0.4538550	0.21028	0.0093460	0.8043220	0.0490650	0.0963790	0.011098
GradientShap_baseline	Single	0.4911590	0.3703270	0.6860460	0.20171290	0.4754670	0.4322430	0.2348130	0.0140190	0.82535	0.0268690	0.0998830	0.001168
GradientShap_baseline	Single	0.4911590	0.3703270	0.6860460	0.20171290	0.4754670	0.4322430	0.2348130	0.0140190	0.82535	0.0268690	0.0998830	0.001168
GradientShap_baseline	Single	0.4911590	0.3703270	0.6860460	0.20171290	0.4754670	0.4322430	0.2348130	0.0140190	0.82535	0.0268690	0.0998830	0.001168
GradientShap_baseline	Single	0.4911590	0.3703270	0.6860460	0.20171290	0.4754670	0.4322430	0.2348130	0.0140190	0.82535	0.0268690	0.0998830	0.001168
GuidedBackprop	Single	0.2529210	0.1290890	0.4649530	0.3925230	0.0537380	0.00993	0.2622660	0.0478970	0.8504670	0.0029210	0.1483640	0.051986
GuidedBackprop	Single	0.2529210	0.1290890	0.4649530	0.3925230	0.0537380	0.00993	0.2622660	0.0478970	0.8504670	0.0029210	0.1483640	0.051986
InputXGradient	Single	0.6098130	0.4929910	0.8341120	0.0210280	0.4620330	0.4141360	0.0747660	0.1483640	0.6653040	0.1880840	0.05257	0.150117
InputXGradient	Single	0.6098130	0.4929910	0.8341120	0.0210280	0.4620330	0.4141360	0.0747660	0.1483640	0.6653040	0.1880840	0.05257	0.150117
IntegratedGradient	Single	0.5192760	0.3872660	0.7280720	0.1273360	0.4982480	0.4532710	0.1758180	0.0455610	0.7634350	0.0887850	0.0578270	0.040888
IntegratedGradient	Single	0.5192760	0.3872660	0.7280720	0.1273360	0.4982480	0.4532710	0.1758180	0.0455610	0.7634350	0.0887850	0.0578270	0.040888
IntegratedGradient	Single	0.5192760	0.3872660	0.7280720	0.1273360	0.4982480	0.4532710	0.1758180	0.0455610	0.7634350	0.0887850	0.0578270	0.040888
IntegratedGradient	Single	0.5192760	0.3872660	0.7280720	0.1273360	0.4982480	0.4532710	0.1758180	0.0455610	0.7634350	0.0887850	0.0578270	0.040888
Saliency	Single	0.5987150	0.4912380	0.7721960	0.0846960	0.5011680	0.4556070	0.14486	0.0759350	0.7359810	0.1162380	0.00993	0.092874
Saliency	Single	0.5987150	0.4912380	0.7721960	0.0846960	0.5011680	0.4556070	0.14486	0.0759350	0.7359810	0.1162380	0.00993	0.092874

Table 35: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.4322430	0.4328270	0.9859810	0.994743
Borda (n=3)	Ensemble	0.4626170	0.4632010	0.9877340	0.996495
Borda (n=4)	Ensemble	0.4883180	0.4889020	0.9877340	0.996495
Borda (n=5)	Ensemble	0.5233640	0.5239490	0.9865650	0.995327
Borda (n=6)	Ensemble	0.5519860	0.55257	0.9783880	0.98715
Borda (n=7)	Ensemble	0.5338790	0.5344630	0.9550230	0.963785
Borda (n=8)	Ensemble	0.5613320	0.5619160	0.9153040	0.924065
Kemeny-Young (n=2)	Ensemble	0.4322430	0.4328270	0.9859810	0.994743
Kemeny-Young (n=3)	Ensemble	0.4626170	0.4632010	0.9877340	0.996495
Kemeny-Young (n=4)	Ensemble	0.4883180	0.4889020	0.9877340	0.996495
Kemeny-Young (n=5)	Ensemble	0.5233640	0.5239490	0.9865650	0.995327
Kemeny-Young (n=6)	Ensemble	0.5519860	0.55257	0.9783880	0.98715
Kemeny-Young (n=7)	Ensemble	0.5338790	0.5344630	0.9550230	0.963785
Kemeny-Young (n=8)	Ensemble	0.5613320	0.5619160	0.9153040	0.924065
RRF (n=2)	Ensemble	0.4392520	0.4398360	0.9865650	0.995327
RRF (n=3)	Ensemble	0.4807240	0.4813080	0.98715	0.995911
RRF (n=4)	Ensemble	0.4959110	0.4964950	0.9853970	0.994159
RRF (n=5)	Ensemble	0.5414720	0.5420560	0.9842290	0.992991
RRF (n=6)	Ensemble	0.5630840	0.5636680	0.9853970	0.994159
RRF (n=7)	Ensemble	0.5514020	0.5519860	0.9830610	0.991822
RRF (n=8)	Ensemble	0.5683410	0.5689250	0.9795560	0.988318
Schulze (n=2)	Ensemble	0.4351640	0.4351640	0.98715	0.995911
Schulze (n=3)	Ensemble	0.4515190	0.4521030	0.9824770	0.991238
Schulze (n=4)	Ensemble	0.5046730	0.5052570	0.9585280	0.96729
Schulze (n=5)	Ensemble	0.5613320	0.5619160	0.9556070	0.964369
Schulze (n=6)	Ensemble	0.61215	0.6127340	0.9217290	0.930491
Schulze (n=7)	Ensemble	0.5747660	0.57535	0.9001170	0.908879
Schulze (n=8)	Ensemble	0.5882010	0.5887850	0.88785	0.896612
norm_ensemble (n=2)	Ensemble	0.4450930	0.4456780	0.8563080	0.857477
norm_ensemble (n=3)	Ensemble	0.4754670	0.4760510	0.8563080	0.857477
norm_ensemble (n=4)	Ensemble	0.5251170	0.5257010	0.8563080	0.857477
norm_ensemble (n=5)	Ensemble	0.6063080	0.6068930	0.8563080	0.857477
norm_ensemble (n=6)	Ensemble	0.6565420	0.6571260	0.8563080	0.857477
norm_ensemble (n=7)	Ensemble	0.8860980	0.8866820	0.8563080	0.857477
norm_ensemble (n=8)	Ensemble	0.8860980	0.8866820	0.8563080	0.857477

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.7254670.7278040.9883180.995327			
Deconvolution	Single	0.7254670.7278040.9883180.995327			
DeepLIFT_SHAP_Shap_baseline	Single	0.8726640.8720790.7026870.70736			
DeepLIFT_SHAP_Shap_baseline	Single	0.8726640.8720790.7026870.70736			
DeepLIFT_SHAP_Shap_baseline	Single	0.8726640.8720790.7026870.70736			
DeepLIFT_SHAP_Shap_baseline	Single	0.8726640.8720790.7026870.70736			
DeepLIFT_baseline	Single	0.549650.549650.8802570.886098			
DeepLIFT_baseline	Single	0.549650.549650.8802570.886098			
GradientShap_baseline	Single	0.6068080.6068080.9164720.925234			
GradientShap_baseline	Single	0.6068080.6068080.9164720.925234			
GradientShap_baseline	Single	0.5975470.5981810.915880.92465			
GradientShap_baseline	Single	0.5975470.5981810.915880.92465			
GuidedBackprop	Single	0.4661210.4667060.9848130.993575			
GuidedBackprop	Single	0.4661210.4667060.9848130.993575			
InputXGradient	Single	0.9369160.9404210.5408880.544977			
InputXGradient	Single	0.9369160.9404210.5408880.544977			
IntegratedGradient_Shap_baseline	Single	0.7056070.7067690.8309530.846379			
IntegratedGradient_Shap_baseline	Single	0.7056070.7067690.8309530.846379			
IntegratedGradient_Shap_baseline	Single	0.7056070.7067690.8309530.846379			
IntegratedGradient_Shap_baseline	Single	0.7056070.7067690.8309530.846379			
Saliency	Single	0.782710.7838790.7832940.78972			
Saliency	Single	0.782710.7838790.7832940.78972			

Table 36: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.2015190	0.1191590	0.2949770	0.5654210	0.2091120	0.16764	0.2593460	0.0490650	0.8487150	0.0035050	0.1407710	0.044393
Borda (n=3)	Ensemble	0.2313080	0.1530370	0.32535	0.5350470	0.2231310	0.1834110	0.2593460	0.0484810	0.8504670	0.0017520	0.1396030	0.04264
Borda (n=4)	Ensemble	0.2587620	0.1781540	0.3510510	0.5093460	0.2523360	0.2120330	0.25993	0.0455610	0.8504670	0.0017520	0.1442760	0.044977
Borda (n=5)	Ensemble	0.2973130	0.2108640	0.3860980	0.4742990	0.2762850	0.2336450	0.2575930	0.0473130	0.8492990	0.0029210	0.1360980	0.033879
Borda (n=6)	Ensemble	0.3235980	0.2406540	0.41472	0.4456780	0.3019860	0.25993	0.2488320	0.0344630	0.8411210	0.0110980	0.1320090	0.032126
Borda (n=7)	Ensemble	0.2978970	0.2120330	0.3966120	0.4637850	0.2949770	0.2546730	0.22722	0.0134350	0.8177570	0.0344630	0.11215	0.011682
Borda (n=8)	Ensemble	0.32535	0.2389020	0.4240650	0.4363320	0.3165890	0.2757010	0.1921730	0.0233640	0.7780370	0.0741820	0.07535	0.027453
Kemeny-Young (n=2)	Ensemble	0.2015190	0.1191590	0.2949770	0.5654210	0.2091120	0.16764	0.2593460	0.0490650	0.8487150	0.0035050	0.1407710	0.044393
Kemeny-Young (n=3)	Ensemble	0.2313080	0.1530370	0.32535	0.5350470	0.2231310	0.1834110	0.2593460	0.0484810	0.8504670	0.0017520	0.1396030	0.04264
Kemeny-Young (n=4)	Ensemble	0.2587620	0.1781540	0.3510510	0.5093460	0.2523360	0.2120330	0.25993	0.0455610	0.8504670	0.0017520	0.1442760	0.044977
Kemeny-Young (n=5)	Ensemble	0.2973130	0.2108640	0.3860980	0.4742990	0.2762850	0.2336450	0.2575930	0.0473130	0.8492990	0.0029210	0.1360980	0.033879
Kemeny-Young (n=6)	Ensemble	0.3235980	0.2406540	0.41472	0.4456780	0.3019860	0.25993	0.2488320	0.0344630	0.8411210	0.0110980	0.1320090	0.032126
Kemeny-Young (n=7)	Ensemble	0.2978970	0.2120330	0.3966120	0.4637850	0.2949770	0.2546730	0.22722	0.0134350	0.8177570	0.0344630	0.11215	0.011682
Kemeny-Young (n=8)	Ensemble	0.32535	0.2389020	0.4240650	0.4363320	0.3165890	0.2757010	0.1921730	0.0233640	0.7780370	0.0741820	0.07535	0.027453
RRF (n=2)	Ensemble	0.2248830	0.1372660	0.3019860	0.5584110	0.21028	0.1699770	0.2558410	0.0490650	0.8492990	0.0029210	0.1431070	0.046145
RRF (n=3)	Ensemble	0.2581780	0.1781540	0.3434580	0.5169390	0.2383180	0.1991820	0.2616820	0.0484810	0.8498830	0.0023360	0.1407710	0.044977
RRF (n=4)	Ensemble	0.2675230	0.1822430	0.3586450	0.5017520	0.2505840	0.2091120	0.2558410	0.0443930	0.8481310	0.0040890	0.1413550	0.042056
RRF (n=5)	Ensemble	0.3095790	0.2225470	0.4042060	0.4561920	0.2973130	0.2558410	0.2535050	0.0467290	0.8469630	0.0052570	0.1384350	0.041472
RRF (n=6)	Ensemble	0.3259350	0.2429910	0.4258180	0.4345790	0.3008180	0.2593460	0.25993	0.04965	0.8481310	0.0040890	0.1401870	0.038551
RRF (n=7)	Ensemble	0.3095790	0.2254670	0.4141360	0.4462620	0.2891360	0.2476640	0.2616820	0.0455610	0.8457940	0.0064250	0.1372660	0.037967
RRF (n=8)	Ensemble	0.3300230	0.2412380	0.4310750	0.4293220	0.3107480	0.2675230	0.2540890	0.0420560	0.84229	0.00993	0.1366820	0.037967
Schulze (n=2)	Ensemble	0.2178740	0.1320090	0.2978970	0.5630840	0.2114490	0.1723130	0.25993	0.0484810	0.8498830	0.0023360	0.1390190	0.043808
Schulze (n=3)	Ensemble	0.2278040	0.1466120	0.3142520	0.5461450	0.2126170	0.1723130	0.2581780	0.0438080	0.84521	0.0070090	0.1325930	0.034463
Schulze (n=4)	Ensemble	0.2757010	0.1991820	0.3674070	0.4929910	0.25993	0.2184580	0.2289720	0.0181070	0.8212620	0.0309580	0.1103970	0.010514
Schulze (n=5)	Ensemble	0.3241820	0.2447430	0.4240650	0.4363320	0.3002340	0.2575930	0.2283880	0.0134350	0.8183410	0.0338790	0.1068930	0.005257
Schulze (n=6)	Ensemble	0.3773360	0.2885510	0.4748830	0.3855140	0.3592290	0.3171730	0.1985980	0.01986	0.7844630	0.0677570	0.0741820	0.028621
Schulze (n=7)	Ensemble	0.3294390	0.2464950	0.4375	0.4228970	0.3212620	0.2803740	0.1787380	0.0473130	0.76285	0.0893690	0.0531540	0.045561
Schulze (n=8)	Ensemble	0.3463790	0.26285	0.4509350	0.4094630	0.3376170	0.2973130	0.1682240	0.0519860	0.7505840	0.1016360	0.0531540	0.040888
norm_ensemble (n=2)	Ensemble	0.2225470	0.1390190	0.3078270	0.55257	0.2067760	0.1658880	0.1355140	0.0700930	0.7190420	0.1407710	0.1699770	0.119743
norm_ensemble (n=3)	Ensemble	0.26285	0.1810750	0.3382010	0.5221960	0.2389020	0.1985980	0.1325930	0.0788550	0.7190420	0.1407710	0.1699770	0.119743
norm_ensemble (n=4)	Ensemble	0.3019860	0.2237150	0.38785	0.4725470	0.2721960	0.23014	0.13493	0.0806070	0.7190420	0.1407710	0.1699770	0.119743
norm_ensemble (n=5)	Ensemble	0.3755840	0.29264	0.4690420	0.3913550	0.3428740	0.29965	0.1343460	0.0817760	0.7190420	0.1407710	0.1699770	0.119743
norm_ensemble (n=6)	Ensemble	0.4117990	0.3265190	0.5192760	0.3411210	0.3872660	0.34521	0.1355140	0.0794390	0.7190420	0.1407710	0.1699770	0.119743

Method	Type	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob
		Re- place- Top gaus- sian std 0.15	Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.6232480	0.53271	0.7488320	0.1115650	0.6028040	0.5601640	0.3738320	0.2786210	0.7190420	0.1407710	0.1699770	0.119743
norm_ensemble (n=8)	Ensemble	0.6226640	0.5344630	0.7488320	0.1115650	0.6109810	0.5695090	0.3738320	0.2786210	0.7190420	0.1407710	0.1699770	0.119743
Deconvolution	Single	0.3533880	0.2616820	0.5882010	0.2704440	0.1670560	0.1343460	0.2762850	0.0806070	0.8510510	0.0023360	0.1489490	0.04965
DeepLIFT_SHAP	Single	0.5274530	0.3431780	0.7353970	0.1261680	0.52278	0.4632010	0.0403040	0.1174070	0.5654210	0.2908880	0.0052570	0.060748
DeepLIFT_SHAP	Single	0.5274530	0.3431780	0.7353970	0.1261680	0.52278	0.4632010	0.0403040	0.1174070	0.5654210	0.2908880	0.0052570	0.060748
DeepLIFT_SHAP	Single	0.5274530	0.3431780	0.7353970	0.1261680	0.52278	0.4632010	0.0403040	0.1174070	0.5654210	0.2908880	0.0052570	0.060748
DeepLIFT_SHAP	Single	0.5274530	0.3431780	0.7353970	0.1261680	0.52278	0.4632010	0.0403040	0.1174070	0.5654210	0.2908880	0.0052570	0.060748
DeepLIFT_baseline	Single	0.312620	0.2248830	0.4123830	0.4485980	0.3329440	0.29264	0.1565420	0.04965	0.7429910	0.11215	0.0636680	0.034463
DeepLIFT_baseline	Single	0.312620	0.2248830	0.4123830	0.4485980	0.3329440	0.29264	0.1565420	0.04965	0.7429910	0.11215	0.0636680	0.034463
GradientShap_baseline	Single	0.357091	0.27979	0.469042	0.2013550	0.3533880	0.3101640	0.1950930	0.0110980	0.7792060	0.0730140	0.0870330	0.01285
GradientShap_baseline	Single	0.357091	0.27979	0.469042	0.2013550	0.3533880	0.3101640	0.1950930	0.0110980	0.7792060	0.0730140	0.0870330	0.01285
GradientShap_baseline	Single	0.357091	0.27979	0.469042	0.2013550	0.3533880	0.3101640	0.1950930	0.0110980	0.7792060	0.0730140	0.0870330	0.01285
GradientShap_baseline	Single	0.357091	0.27979	0.469042	0.2013550	0.3533880	0.3101640	0.1950930	0.0110980	0.7792060	0.0730140	0.0870330	0.01285
GuidedBackprop	Single	0.2056070	0.10514	0.3288550	0.5315420	0.1133180	0.0689250	0.2716120	0.0893690	0.8475470	0.0046730	0.1869160	0.093458
GuidedBackprop	Single	0.2056070	0.10514	0.3288550	0.5315420	0.1133180	0.0689250	0.2716120	0.0893690	0.8475470	0.0046730	0.1869160	0.093458
InputXGradient	Single	0.6565420	0.5776870	0.79965	0.0578270	0.5356310	0.4935750	0.1793220	0.3966120	0.4036210	0.4532710	0.2610980	0.357477
InputXGradient	Single	0.6565420	0.5776870	0.79965	0.0578270	0.5356310	0.4935750	0.1793220	0.3966120	0.4036210	0.4532710	0.2610980	0.357477
IntegratedGradient	Single	0.4164720	0.3200330	0.5800570	0.29264	0.4205610	0.3779210	0.1337620	0.0765190	0.6968460	0.15771	0.0385510	0.05257
IntegratedGradient	Single	0.4164720	0.3200330	0.5800570	0.29264	0.4205610	0.3779210	0.1337620	0.0765190	0.6968460	0.15771	0.0385510	0.05257
IntegratedGradient	Single	0.4164720	0.3200330	0.5800570	0.29264	0.4205610	0.3779210	0.1337620	0.0765190	0.6968460	0.15771	0.0385510	0.05257
IntegratedGradient	Single	0.4164720	0.3200330	0.5800570	0.29264	0.4205610	0.3779210	0.1337620	0.0765190	0.6968460	0.15771	0.0385510	0.05257
Saliency	Single	0.5262850	0.4468460	0.6454440	0.2143690	0.4807240	0.4339950	0.0572430	0.1553740	0.6460280	0.2085280	0.0642520	0.16472
Saliency	Single	0.5262850	0.4468460	0.6454440	0.2143690	0.4807240	0.4339950	0.0572430	0.1553740	0.6460280	0.2085280	0.0642520	0.16472

Table 37: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.9199770	0.9223130	0.9906540	0.999416
Borda (n=3)	Ensemble	0.9439250	0.9439250	0.9906540	0.999416
Borda (n=4)	Ensemble	0.95035	0.9515190	0.9906540	0.999416
Borda (n=5)	Ensemble	0.96028	0.9614490	0.9906540	0.999416
Borda (n=6)	Ensemble	0.9620330	0.9632010	0.99007	1
Borda (n=7)	Ensemble	0.9643690	0.9643690	0.99007	1
Borda (n=8)	Ensemble	0.9661210	0.9690420	0.99007	1
Kemeny-Young (n=2)	Ensemble	0.9199770	0.9223130	0.9906540	0.999416
Kemeny-Young (n=3)	Ensemble	0.9439250	0.9439250	0.9906540	0.999416
Kemeny-Young (n=4)	Ensemble	0.95035	0.9515190	0.9906540	0.999416
Kemeny-Young (n=5)	Ensemble	0.96028	0.9614490	0.9906540	0.999416
Kemeny-Young (n=6)	Ensemble	0.9620330	0.9632010	0.99007	1
Kemeny-Young (n=7)	Ensemble	0.9643690	0.9643690	0.99007	1
Kemeny-Young (n=8)	Ensemble	0.9661210	0.9690420	0.99007	1
RRF (n=2)	Ensemble	0.95035	0.9497660	0.9906540	0.999416
RRF (n=3)	Ensemble	0.9585280	0.95736	0.9906540	0.999416
RRF (n=4)	Ensemble	0.9637850	0.9626170	0.99007	0.998832
RRF (n=5)	Ensemble	0.9684580	0.9684580	0.9906540	0.999416
RRF (n=6)	Ensemble	0.97021	0.9719630	0.99007	1
RRF (n=7)	Ensemble	0.96729	0.9678740	0.99007	1
RRF (n=8)	Ensemble	0.9696260	0.9719630	0.9894860	0.999416
Schulze (n=2)	Ensemble	0.9491820	0.9491820	0.9906540	0.999416
Schulze (n=3)	Ensemble	0.9521030	0.9497660	0.9906540	0.999416
Schulze (n=4)	Ensemble	0.9707940	0.9713790	0.99007	1
Schulze (n=5)	Ensemble	0.9766360	0.97722	0.9906540	0.999416
Schulze (n=6)	Ensemble	0.9754670	0.9783880	0.99007	0.998832
Schulze (n=7)	Ensemble	0.9748830	0.9754670	0.99007	0.998832
Schulze (n=8)	Ensemble	0.97722	0.9795560	0.9889020	0.997664
norm_ensemble (n=2)	Ensemble	0.95035	0.9491820	0.9918220	0.998248
norm_ensemble (n=3)	Ensemble	0.9643690	0.9655370	0.9918220	0.998248
norm_ensemble (n=4)	Ensemble	0.9737150	0.9748830	0.9918220	0.998248
norm_ensemble (n=5)	Ensemble	0.9807240	0.9818930	0.9918220	0.998248
norm_ensemble (n=6)	Ensemble	0.9789720	0.9824770	0.9918220	0.998248
norm_ensemble (n=7)	Ensemble	0.99007	0.9953270	0.9918220	0.998248
norm_ensemble (n=8)	Ensemble	0.99007	0.9953270	0.9918220	0.998248

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.9754670.97722	0.99007	1	
Deconvolution	Single	0.9754670.97722	0.99007	1	
DeepLIFT_SHAP	baseline	0.9883180.989486	0.92757	0.933995	
DeepLIFT_SHAP	baseline	0.9883180.989486	0.92757	0.933995	
DeepLIFT_SHAP	baseline	0.9883180.989486	0.92757	0.933995	
DeepLIFT_SHAP	baseline	0.9883180.989486	0.92757	0.933995	
DeepLIFT_baseline	global	0.9807240.980724	0.9842290.992991		
DeepLIFT_baseline	global	0.9807240.980724	0.9842290.992991		
GradientShap_baseline	single	0.9778010.980724	0.99007	0.908832	
GradientShap_baseline	single	0.9778010.980724	0.99007	0.908832	
GradientShap_baseline	single	0.9778010.980724	0.99007	0.908832	
GradientShap_baseline	single	0.9778010.980724	0.99007	0.908832	
GuidedBackprop	Single	0.9380840.9375	0.9906540.998248		
GuidedBackprop	Single	0.9380840.9375	0.9906540.998248		
InputXGradient	Single	0.9865650.9918220.9316590.940421			
InputXGradient	Single	0.9865650.9918220.9316590.940421			
IntegratedGradient	baseline	0.9789720.9848130.9667060.976636			
IntegratedGradient	baseline	0.9789720.9848130.9667060.976636			
IntegratedGradient	baseline	0.9789720.9848130.9667060.976636			
IntegratedGradient	baseline	0.9789720.9848130.9667060.976636			
Saliency	Single	0.9789720.9848130.9667060.976636			
Saliency	Single	0.9789720.9848130.9667060.976636			

Table 38: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.423481	0.253505	0.78271	0.075935	0.279206	0.222547	0.253505	0.021028	0.853972	0.000584	0.113318	0.006425
Borda (n=3)	Ensemble	0.442757	0.269276	0.806075	0.053738	0.314836	0.251752	0.251168	0.019276	0.853972	0.000584	0.113902	0.007593
Borda (n=4)	Ensemble	0.451519	0.275117	0.813084	0.046729	0.301402	0.238902	0.254089	0.019276	0.853388	0.001168	0.11507	0.007009
Borda (n=5)	Ensemble	0.462033	0.286799	0.823014	0.036799	0.316005	0.254673	0.254673	0.015771	0.853388	0.000584	0.114486	0.007593
Borda (n=6)	Ensemble	0.459112	0.290888	0.824766	0.035047	0.320678	0.257009	0.254673	0.015771	0.852804	0.001168	0.113902	0.009346
Borda (n=7)	Ensemble	0.465537	0.295561	0.827103	0.033879	0.314252	0.255841	0.254089	0.019276	0.852804	0.001752	0.114486	0.008762
Borda (n=8)	Ensemble	0.448014	0.280958	0.828855	0.029206	0.314252	0.258178	0.251168	0.024533	0.852804	0.001752	0.117407	0.007593
Kemeny-Young (n=2)	Ensemble	0.423481	0.253505	0.78271	0.075935	0.279206	0.222547	0.253505	0.021028	0.853972	0.000584	0.113318	0.006425
Kemeny-Young (n=3)	Ensemble	0.442757	0.269276	0.806075	0.053738	0.314836	0.251752	0.251168	0.019276	0.853972	0.000584	0.113902	0.007593
Kemeny-Young (n=4)	Ensemble	0.451519	0.275117	0.813084	0.046729	0.301402	0.238902	0.254089	0.019276	0.853388	0.001168	0.11507	0.007009
Kemeny-Young (n=5)	Ensemble	0.462033	0.286799	0.823014	0.036799	0.316005	0.254673	0.254673	0.015771	0.853388	0.000584	0.114486	0.007593
Kemeny-Young (n=6)	Ensemble	0.459112	0.290888	0.824766	0.035047	0.320678	0.257009	0.254673	0.015771	0.852804	0.001168	0.113902	0.009346
Kemeny-Young (n=7)	Ensemble	0.465537	0.295561	0.827103	0.033879	0.314252	0.255841	0.254089	0.019276	0.852804	0.001752	0.114486	0.008762
Kemeny-Young (n=8)	Ensemble	0.448014	0.280958	0.828855	0.029206	0.314252	0.258178	0.251168	0.024533	0.852804	0.001752	0.117407	0.007593
RRF (n=2)	Ensemble	0.450935	0.278037	0.813084	0.048481	0.290304	0.224299	0.254089	0.018692	0.853972	0.000584	0.113318	0.006425
RRF (n=3)	Ensemble	0.453271	0.272196	0.820678	0.040304	0.304322	0.242407	0.257593	0.017523	0.853972	0.000584	0.11507	0.007009
RRF (n=4)	Ensemble	0.464953	0.284463	0.826519	0.035631	0.304907	0.238902	0.260514	0.018107	0.852804	0.000584	0.113902	0.007009
RRF (n=5)	Ensemble	0.466706	0.293808	0.830607	0.029206	0.313084	0.248248	0.259346	0.017523	0.853388	0.001168	0.113902	0.007009
RRF (n=6)	Ensemble	0.47021	0.301402	0.832944	0.026285	0.317173	0.255257	0.257593	0.021028	0.852804	0.001752	0.113318	0.007593
RRF (n=7)	Ensemble	0.461449	0.291472	0.830023	0.030374	0.319509	0.262266	0.257593	0.021612	0.852804	0.001752	0.113902	0.008178
RRF (n=8)	Ensemble	0.473131	0.308411	0.83236	0.026285	0.317757	0.266355	0.260514	0.024533	0.85222	0.001168	0.113318	0.007593
Schulze (n=2)	Ensemble	0.454439	0.282126	0.811916	0.049065	0.294977	0.233061	0.253505	0.016939	0.853388	0.001168	0.113318	0.008762
Schulze (n=3)	Ensemble	0.443925	0.267523	0.814836	0.048481	0.292056	0.229556	0.255257	0.01986	0.853388	0.001168	0.113902	0.009346
Schulze (n=4)	Ensemble	0.462033	0.290888	0.832944	0.026285	0.29965	0.234813	0.254089	0.018107	0.853388	0.001168	0.113318	0.010514
Schulze (n=5)	Ensemble	0.46729	0.298481	0.839369	0.021028	0.309579	0.244743	0.255257	0.017523	0.853388	0.001168	0.112734	0.007009
Schulze (n=6)	Ensemble	0.461449	0.297897	0.838201	0.01986	0.311332	0.254673	0.253505	0.021612	0.852804	0.000584	0.112734	0.007009
Schulze (n=7)	Ensemble	0.448014	0.275701	0.837617	0.02278	0.310164	0.252336	0.256425	0.020444	0.852804	0.000584	0.112734	0.008762
Schulze (n=8)	Ensemble	0.462033	0.293224	0.839953	0.018692	0.320093	0.264019	0.252336	0.016355	0.851636	0.000584	0.110397	0.007009
norm_ensemble (n=2)	Ensemble	0.485981	0.313084	0.813084	0.049065	0.308411	0.24007	0.250584	0.03271	0.85514	0.000584	0.131425	0.031542
norm_ensemble (n=3)	Ensemble	0.473131	0.307243	0.827103	0.03271	0.318925	0.25	0.257009	0.025701	0.85514	0.000584	0.131425	0.031542
norm_ensemble (n=4)	Ensemble	0.48014	0.310748	0.836449	0.023364	0.314836	0.251752	0.256425	0.019276	0.854556		0.131425	0.031542
norm_ensemble (n=5)	Ensemble	0.473715	0.305491	0.842874	0.015771	0.309579	0.244743	0.256425	0.022196	0.854556	0.000584	0.131425	0.031542
norm_ensemble (n=6)	Ensemble	0.461449	0.292056	0.841706	0.015771	0.317173	0.25993	0.25993	0.026285	0.854556		0.131425	0.031542

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.45736	0.285631	0.852804	0.002921	0.329439	0.269276	0.26285	0.040888	0.854556	0.0	0.131425	0.031542
norm_ensemble (n=8)	Ensemble	0.464369	0.298481	0.852804	0.002921	0.33528	0.271612	0.26285	0.040888	0.854556	0.0	0.131425	0.031542
Deconvolution	Single	0.358061	0.168808	0.838201	0.021028	0.21729	0.136682	0.255841	0.032126	0.852804	0.001752	0.11215	0.012266
Deconvolution	Single	0.358061	0.168808	0.838201	0.021028	0.21729	0.136682	0.255841	0.032126	0.852804	0.001752	0.11215	0.012266
DeepLIFT_SHAP	Single	0.403037	0.014953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT_SHAP	Single	0.403037	0.014953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT_SHAP	Single	0.403037	0.014953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT_SHAP	Single	0.403037	0.014953	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT_baseline	Single	0.483441	0.268107	0.842874	0.016939	0.310164	0.243575	0.254673	0.014603	0.846963	0.005257	0.116238	0.006425
DeepLIFT_baseline	Single	0.483441	0.268107	0.842874	0.016939	0.310164	0.243575	0.254673	0.014603	0.846963	0.005257	0.116238	0.006425
GradientShap_baseline	Single	0.449182	0.278067	0.846537	0.201752	0.298481	0.237734	0.254089	0.02278	0.852804	0.000584	0.112734	0.009346
GradientShap_baseline	Single	0.449182	0.278067	0.846537	0.201752	0.298481	0.237734	0.254089	0.02278	0.852804	0.000584	0.112734	0.009346
GradientShap_baseline	Single	0.451154	0.280958	0.849369	0.401869	0.298481	0.237734	0.254089	0.02278	0.852804	0.000584	0.112734	0.009346
GradientShap_baseline	Single	0.451154	0.280958	0.849369	0.401869	0.298481	0.237734	0.254089	0.02278	0.852804	0.000584	0.112734	0.009346
GuidedBackprop	Single	0.344626	0.156542	0.79965	0.060748	0.157126	0.080607	0.258178	0.026285	0.853388	0.0	0.122079	0.015771
GuidedBackprop	Single	0.344626	0.156542	0.79965	0.060748	0.157126	0.080607	0.258178	0.026285	0.853388	0.0	0.122079	0.015771
InputXGradient	Single	0.438084	0.277453	0.849299	0.006425	0.293224	0.240654	0.193925	0.038551	0.794393	0.057827	0.058995	0.051402
InputXGradient	Single	0.438084	0.277453	0.849299	0.006425	0.293224	0.240654	0.193925	0.038551	0.794393	0.057827	0.058995	0.051402
IntegratedGradient	Single	0.427557	0.251552	0.840706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336
IntegratedGradient	Single	0.427557	0.251552	0.840706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336
IntegratedGradient	Single	0.425818	0.252326	0.840874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
IntegratedGradient	Single	0.425818	0.252326	0.840874	0.01285	0.294977	0.237734	0.245327	0.00993	0.84229	0.00993	0.104556	0.001752
Saliency	Single	0.526869	0.365654	0.841706	0.013435	0.33528	0.283294	0.228972	0.0	0.829439	0.021612	0.089369	0.016939
Saliency	Single	0.526869	0.365654	0.841706	0.013435	0.33528	0.283294	0.228972	0.0	0.829439	0.021612	0.089369	0.016939

Table 39: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.2745330	0.2751170	0.9836450	0.991238
Borda (n=3)	Ensemble	0.3130840	0.3136680	0.9848130	0.992407
Borda (n=4)	Ensemble	0.34229	0.3428740	0.9783880	0.98715
Borda (n=5)	Ensemble	0.3936920	0.3942760	0.9678740	0.976636
Borda (n=6)	Ensemble	0.4369160	0.4375	0.9205610	0.928154
Borda (n=7)	Ensemble	0.4585280	0.4591120	0.8802570	0.88785
Borda (n=8)	Ensemble	0.4410050	0.4415890	0.8580610	0.865654
Kemeny-Young (n=2)	Ensemble	0.2745330	0.2751170	0.9836450	0.991238
Kemeny-Young (n=3)	Ensemble	0.3130840	0.3136680	0.9848130	0.992407
Kemeny-Young (n=4)	Ensemble	0.34229	0.3428740	0.9783880	0.98715
Kemeny-Young (n=5)	Ensemble	0.3936920	0.3942760	0.9678740	0.976636
Kemeny-Young (n=6)	Ensemble	0.4369160	0.4375	0.9205610	0.928154
Kemeny-Young (n=7)	Ensemble	0.4585280	0.4591120	0.8802570	0.88785
Kemeny-Young (n=8)	Ensemble	0.4410050	0.4415890	0.8580610	0.865654
RRF (n=2)	Ensemble	0.3019860	0.30257	0.9836450	0.991238
RRF (n=3)	Ensemble	0.3195090	0.3200930	0.9813080	0.988902
RRF (n=4)	Ensemble	0.3633180	0.3639020	0.9795560	0.98715
RRF (n=5)	Ensemble	0.4042060	0.40479	0.9783880	0.98715
RRF (n=6)	Ensemble	0.4445090	0.4445090	0.9719630	0.979556
RRF (n=7)	Ensemble	0.4287380	0.4287380	0.9643690	0.971963
RRF (n=8)	Ensemble	0.4468460	0.44743	0.94743	0.955023
Schulze (n=2)	Ensemble	0.2681070	0.2686920	0.9842290	0.992991
Schulze (n=3)	Ensemble	0.2903040	0.2908880	0.97021	0.978972
Schulze (n=4)	Ensemble	0.3528040	0.3533880	0.9228970	0.930491
Schulze (n=5)	Ensemble	0.4287380	0.4293220	0.9100470	0.918808
Schulze (n=6)	Ensemble	0.4877340	0.4883180	0.8703270	0.877921
Schulze (n=7)	Ensemble	0.4521030	0.4526870	0.83528	0.841706
Schulze (n=8)	Ensemble	0.4713790	0.4719630	0.83236	0.839953
norm_ensemble (n=2)	Ensemble	0.3113320	0.3125	0.9117990	0.911799
norm_ensemble (n=3)	Ensemble	0.3212620	0.3218460	0.9117990	0.911799
norm_ensemble (n=4)	Ensemble	0.3755840	0.3761680	0.9117990	0.911799
norm_ensemble (n=5)	Ensemble	0.4678740	0.4684580	0.9117990	0.911799
norm_ensemble (n=6)	Ensemble	0.5169390	0.5175230	0.9117990	0.911799
norm_ensemble (n=7)	Ensemble	0.89778	0.8983640	0.9117990	0.911799
norm_ensemble (n=8)	Ensemble	0.89778	0.8983640	0.9117990	0.911799

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.6717290.6740650.9818930.988318			
Deconvolution	Single	0.6717290.6740650.9818930.988318			
DeepLIFT_SHAP_Shap	baseline	0.7447430.744743	0.5957940.599883		
DeepLIFT_SHAP_Shap	baseline	0.7447430.744743	0.5957940.599883		
DeepLIFT_SHAP_Shap	baseline	0.7447430.744743	0.5957940.599883		
DeepLIFT_SHAP_Shap	baseline	0.7447430.744743	0.5957940.599883		
DeepLIFT_baseline	Single	0.4073260.40771	0.8072430.813084		
DeepLIFT_baseline	Single	0.4073260.40771	0.8072430.813084		
GradientShap_baseline	Single	0.4485980.4491620.8434580.851051			
GradientShap_baseline	Single	0.4485980.4491620.8434580.851051			
GradientShap_baseline	Single	0.4485980.4491620.8434580.851051			
GradientShap_baseline	Single	0.4485980.4491620.8434580.851051			
GuidedBackprop	Single	0.3346960.33528	0.9818930.991822		
GuidedBackprop	Single	0.3346960.33528	0.9818930.991822		
InputXGradient	Single	0.8586450.8609810.30257	0.306075		
InputXGradient	Single	0.8586450.8609810.30257	0.306075		
IntegratedGradient	Single	0.5800230.580079.7308930.738902			
IntegratedGradient	Single	0.5800230.580079.7308930.738902			
IntegratedGradient	Single	0.5741820.5747660.7304770.739486			
IntegratedGradient	Single	0.5741820.5747660.7304770.739486			
Saliency	Single	0.6524530.6530370.6617990.668224			
Saliency	Single	0.6524530.6530370.6617990.668224			

Table 40: ESANN archive results for BloodMNIST–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.1010510	0.0589950	0.1372660	0.7231310	0.0613320	0.0280370	0.2564250	0.04965	0.8463790	0.0070090	0.1600470	0.061916
Borda (n=3)	Ensemble	0.1355140	0.0963790	0.1758180	0.6845790	0.0969630	0.0607480	0.2651870	0.0595790	0.8475470	0.0058410	0.1617990	0.0625
Borda (n=4)	Ensemble	0.1629670	0.1226640	0.2050230	0.6553740	0.1203270	0.0858640	0.2593460	0.0543220	0.8411210	0.0110980	0.15479	0.055491
Borda (n=5)	Ensemble	0.2044390	0.1670560	0.2564250	0.6039720	0.1670560	0.1331780	0.2476640	0.0420560	0.8306070	0.0216120	0.1442760	0.043224
Borda (n=6)	Ensemble	0.2459110	0.2038550	0.29965	0.5607480	0.2161210	0.1816590	0.1968460	0.0029210	0.7832940	0.0700930	0.1039720	0.001752
Borda (n=7)	Ensemble	0.2587620	0.2149530	0.3212620	0.5391360	0.2295560	0.1962620	0.1641360	0.0443930	0.7429910	0.1103970	0.0706780	0.028037
Borda (n=8)	Ensemble	0.2418220	0.1933410	0.3037380	0.5566590	0.2096960	0.1752340	0.1436920	0.0584110	0.7207940	0.1325930	0.04965	0.051986
Kemeny-Young (n=2)	Ensemble	0.1010510	0.0589950	0.1372660	0.7231310	0.0613320	0.0280370	0.2564250	0.04965	0.8463790	0.0070090	0.1600470	0.061916
Kemeny-Young (n=3)	Ensemble	0.1355140	0.0963790	0.1758180	0.6845790	0.0969630	0.0607480	0.2651870	0.0595790	0.8475470	0.0058410	0.1617990	0.0625
Kemeny-Young (n=4)	Ensemble	0.1629670	0.1226640	0.2050230	0.6553740	0.1203270	0.0858640	0.2593460	0.0543220	0.8411210	0.0110980	0.15479	0.055491
Kemeny-Young (n=5)	Ensemble	0.2044390	0.1670560	0.2564250	0.6039720	0.1670560	0.1331780	0.2476640	0.0420560	0.8306070	0.0216120	0.1442760	0.043224
Kemeny-Young (n=6)	Ensemble	0.2459110	0.2038550	0.29965	0.5607480	0.2161210	0.1816590	0.1968460	0.0029210	0.7832940	0.0700930	0.1039720	0.001752
Kemeny-Young (n=7)	Ensemble	0.2587620	0.2149530	0.3212620	0.5391360	0.2295560	0.1962620	0.1641360	0.0443930	0.7429910	0.1103970	0.0706780	0.028037
Kemeny-Young (n=8)	Ensemble	0.2418220	0.1933410	0.3037380	0.5566590	0.2096960	0.1752340	0.1436920	0.0584110	0.7207940	0.1325930	0.04965	0.051986
RRF (n=2)	Ensemble	0.1320090	0.0992990	0.16472	0.6956780	0.0893690	0.0560750	0.2581780	0.0508180	0.8463790	0.0070090	0.1629670	0.065421
RRF (n=3)	Ensemble	0.14778	0.1144860	0.1822430	0.6781540	0.0998830	0.0648360	0.2646030	0.0566590	0.8440420	0.0093460	0.1588790	0.064836
RRF (n=4)	Ensemble	0.1886680	0.1489490	0.2260510	0.6343460	0.1407710	0.1074770	0.2634350	0.0554910	0.84229	0.0110980	0.1565420	0.0625
RRF (n=5)	Ensemble	0.2155370	0.1752340	0.2669390	0.5934580	0.1781540	0.14486	0.2587620	0.0578270	0.8411210	0.0110980	0.15479	0.057243
RRF (n=6)	Ensemble	0.2453270	0.2026870	0.3072430	0.5537380	0.2132010	0.17757	0.2540890	0.04965	0.8346960	0.0186920	0.1542060	0.056659
RRF (n=7)	Ensemble	0.2231310	0.1828270	0.2914720	0.5695090	0.1950930	0.1582940	0.2429910	0.0420560	0.8271030	0.0262850	0.1542060	0.051986
RRF (n=8)	Ensemble	0.2424070	0.1950930	0.3095790	0.5508180	0.2137850	0.1810750	0.2266360	0.0257010	0.8101640	0.0432240	0.1384350	0.038551
Schulze (n=2)	Ensemble	0.1057240	0.0730140	0.1308410	0.7295560	0.0560750	0.0221960	0.2622660	0.0601640	0.8469630	0.0052570	0.1582940	0.061916
Schulze (n=3)	Ensemble	0.1168220	0.0846960	0.1530370	0.70736	0.0788550	0.0455610	0.2470790	0.0461450	0.8329440	0.0192760	0.1471960	0.050234
Schulze (n=4)	Ensemble	0.1653040	0.1244160	0.2155370	0.64486	0.1279210	0.0963790	0.1985980	0.0017520	0.7856310	0.0677570	0.1063080	0.007593
Schulze (n=5)	Ensemble	0.2313080	0.1956780	0.2914720	0.5689250	0.1898360	0.1536210	0.1921730	0.0175230	0.77278	0.0794390	0.0817760	0.016939
Schulze (n=6)	Ensemble	0.2903040	0.2453270	0.3504670	0.50993	0.2552570	0.22021	0.1495330	0.0531540	0.7330610	0.1203270	0.0549070	0.042056
Schulze (n=7)	Ensemble	0.2412380	0.1956780	0.3148360	0.5455610	0.2219630	0.1857480	0.1103970	0.0946260	0.6980140	0.1565420	0.0292060	0.070093
Schulze (n=8)	Ensemble	0.2663550	0.2114490	0.3341120	0.5262850	0.2406540	0.20736	0.1133180	0.0876170	0.6950930	0.1582940	0.0373830	0.054907
norm_ensemble (n=2)	Ensemble	0.14778	0.1074770	0.1740650	0.6857480	0.0911210	0.0584110	0.19743	0.0116820	0.7745330	0.0864490	0.2050230	0.154206
norm_ensemble (n=3)	Ensemble	0.1524530	0.1179910	0.1839950	0.6764020	0.0987150	0.0648360	0.1962620	0.0105140	0.7745330	0.0864490	0.2050230	0.154206
norm_ensemble (n=4)	Ensemble	0.2021030	0.1653040	0.2383180	0.6220790	0.1460280	0.1133180	0.1980140	0.0116820	0.7745330	0.0864490	0.2050230	0.154206
norm_ensemble (n=5)	Ensemble	0.2862150	0.2482480	0.3306070	0.52979	0.23014	0.1927570	0.2021030	0.0040890	0.7745330	0.0864490	0.2050230	0.154206
norm_ensemble (n=6)	Ensemble	0.3212620	0.2774530	0.3796730	0.4807240	0.2757010	0.24007	0.21028	0.0035050	0.7745330	0.0864490	0.2050230	0.154206

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.6910050	0.6466120	0.7605140	0.0998830	0.6489490	0.6144860	0.3901870	0.2862150	0.7739490	0.0858640	0.2050230	0.154206
norm_ensemble (n=8)	Ensemble	0.6933410	0.6483640	0.7605140	0.0998830	0.65479	0.6197430	0.3901870	0.2862150	0.7739490	0.0858640	0.2050230	0.154206
Deconvolution	Single	0.2978970	0.2038550	0.5344630	0.3241820	0.1162380	0.0747660	0.3440420	0.1600470	0.8446260	0.0093460	0.1664720	0.077687
Deconvolution	Single	0.2978970	0.2038550	0.5344630	0.3241820	0.1162380	0.0747660	0.3440420	0.1600470	0.8446260	0.0093460	0.1664720	0.077687
DeepLIFT_SHAP	Single	0.4455890	0.335280	0.6074770	0.2529210	0.4783880	0.4287380	0.0408880	0.09521	0.4585280	0.3983640	0.0478970	0.109229
DeepLIFT_SHAP	Single	0.4455890	0.335280	0.6074770	0.2529210	0.4783880	0.4287380	0.0408880	0.09521	0.4585280	0.3983640	0.0478970	0.109229
DeepLIFT_SHAP	Single	0.4455890	0.335280	0.6074770	0.2529210	0.4783880	0.4287380	0.0408880	0.09521	0.4585280	0.3983640	0.0478970	0.109229
DeepLIFT_SHAP	Single	0.4455890	0.335280	0.6074770	0.2529210	0.4783880	0.4287380	0.0408880	0.09521	0.4585280	0.3983640	0.0478970	0.109229
DeepLIFT_baseline	Single	0.2400970	0.1997660	0.26986	0.5905370	0.1950930	0.1612150	0.0899530	0.0975470	0.6699770	0.1851640	0.0233640	0.066589
DeepLIFT_baseline	Single	0.2400970	0.1997660	0.26986	0.5905370	0.1950930	0.1612150	0.0899530	0.0975470	0.6699770	0.1851640	0.0233640	0.066589
GradientShap	Single	0.2458270	0.1939250	0.3313200	0.490650	0.2132010	0.1781540	0.1320090	0.0519860	0.7061920	0.1466120	0.0449770	0.044977
GradientShap	Single	0.2458270	0.1939250	0.3313200	0.490650	0.2132010	0.1781540	0.1320090	0.0519860	0.7061920	0.1466120	0.0449770	0.044977
GradientShap	Single	0.2558410	0.2155870	0.3247660	0.5356310	0.2377340	0.2044390	0.1384350	0.0619160	0.71028	0.1431070	0.04264	0.050234
GradientShap	Single	0.2558410	0.2155870	0.3247660	0.5356310	0.2377340	0.2044390	0.1384350	0.0619160	0.71028	0.1431070	0.04264	0.050234
GuidedBackprop	Single	0.0893690	0.00993	0.1956780	0.6000470	0.0519860	0.0087620	0.3154210	0.1442760	0.8446260	0.0064250	0.23715	0.150701
GuidedBackprop	Single	0.0893690	0.00993	0.1956780	0.6000470	0.0519860	0.0087620	0.3154210	0.1442760	0.8446260	0.0064250	0.23715	0.150701
InputXGradient	Single	0.6279210	0.5677570	0.7213790	0.1372660	0.5192760	0.4818930	0.3755840	0.5718460	0.1653040	0.6921730	0.4375	0.526285
InputXGradient	Single	0.6279210	0.5677570	0.7213790	0.1372660	0.5192760	0.4818930	0.3755840	0.5718460	0.1653040	0.6921730	0.4375	0.526285
IntegratedGradients	Single	0.3272430	0.2663550	0.4307570	0.41764	0.3288550	0.2908880	0.0811920	0.0992990	0.5946260	0.2593460	0.0140190	0.095794
IntegratedGradients	Single	0.3272430	0.2663550	0.4307570	0.41764	0.3288550	0.2908880	0.0811920	0.0992990	0.5946260	0.2593460	0.0140190	0.095794
IntegratedGradients	Single	0.3235980	0.2610980	0.4309160	0.4234810	0.3230140	0.2844630	0.0811920	0.1045560	0.59521	0.2587620	0.0122660	0.093458
IntegratedGradients	Single	0.3235980	0.2610980	0.4309160	0.4234810	0.3230140	0.2844630	0.0811920	0.1045560	0.59521	0.2587620	0.0122660	0.093458
Saliency	Single	0.4404210	0.3960280	0.5151870	0.34521	0.3820090	0.3487150	0.0619160	0.2681070	0.5245330	0.3300230	0.1524530	0.252336
Saliency	Single	0.4404210	0.3960280	0.5151870	0.34521	0.3820090	0.3487150	0.0619160	0.2681070	0.5245330	0.3300230	0.1524530	0.252336

Table 41: Real-checkpoint explainer compatibility pilot for BloodMNIST–DenseNet-121. This archival diagnostic reports per-method execution checks and is not a Phase 2 quality or robustness result.

dataset	model	result status	gate status	method	passed	deterministic repeat	finite frac- tion	target sensi- tive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	DenseNet-121	passed	blocked	Saliency	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	passed	blocked	InputXGradient	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	passed	blocked	IntegratedGradients	true	true	1	true	1	1	0.09	6.6774e+09	
BloodMNIST	DenseNet-121	passed	blocked	GuidedBackprop	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	passed	blocked	Deconvolution	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	passed	blocked	FeatureAblation	true	true	1	true	1				
BloodMNIST	DenseNet-121	passed	blocked	Occlusion	true	true	1	true	1				
BloodMNIST	DenseNet-121	passed	blocked	DeepLift	true	true	1	true	1	1	0.0312066	6.6007e+08	
BloodMNIST	DenseNet-121	passed	blocked	GradientShap	true	true	1	true	1				
BloodMNIST	DenseNet-121	passed	blocked	DeepLiftShap	true	true	1	true	1	1	0.0315421	7.365e+09	
BloodMNIST	DenseNet-121	passed	blocked	LRP	true	true	1	true	1				

B EfficientNet-B0 (archived)

Table 42: Real-checkpoint explainer compatibility pilot for BloodMNIST-EfficientNet-B0. This archival diagnostic reports per-method execution checks and is not a Phase 2 quality or robustness result.

dataset	model	result status	gate status	method	passed	deterministic repeat	finite frac- tion	target sensi- tive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	EfficientNet B0	Failed	blocked	Saliency	true	true	1	true	1	1	0.3694493	8024e+08	
BloodMNIST	EfficientNet B0	Failed	blocked	InputXGradient	true	true	1	true	1	1	0.2382093	8265e+08	
BloodMNIST	EfficientNet B0	Failed	blocked	Integrated Gradients	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	EfficientNet B0	Failed	blocked	GuidedBackprop	true	true	1	true	1				
BloodMNIST	EfficientNet B0	Failed	blocked	Deconvolution	true	true	1	true	1				
BloodMNIST	EfficientNet B0	Failed	blocked	FeatureAblation	true	true	1	true	1				
BloodMNIST	EfficientNet B0	Failed	blocked	Occlusion	true	true	1	true	1				
BloodMNIST	EfficientNet B0	Failed	blocked	DeepLift	true	true	1	true	1	1	0.0230192	7867e+08	
BloodMNIST	EfficientNet B0	Failed	blocked	GradientShap	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	EfficientNet B0	Failed	blocked	DeepLiftShap	true	true	1	true	1	1	0.0237046	5474e+08	
BloodMNIST	EfficientNet B0	Failed	blocked	LRP	false								RuntimeError: No explanation batch candidate passed

C MobileNetV3-Large (archived)

Table 43: Real-checkpoint explainer compatibility pilot for BloodMNIST–MobileNetV3-Large. This archival diagnostic reports per-method execution checks and is not a Phase 2 quality or robustness result.

dataset	model	result status	gate status	method	passed	deterministic repeat	infinite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	MobileNetV3-Large	failed	blocked	Saliency	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	InputXGradient	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	IntegratedGradients	true	true	1	true	1	1	0.0228332	4103e+09	
BloodMNIST	MobileNetV3-Large	failed	blocked	GuidedBackprop	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	Deconvolution	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	FeatureAblation	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	Occlusion	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	DeepLift	true	true	1	true	1	1	0.0230252	2835e+08	
BloodMNIST	MobileNetV3-Large	failed	blocked	GradientShap	true	true	1	true	1				
BloodMNIST	MobileNetV3-Large	failed	blocked	DeepLiftShap	true	true	1	true	1	1	0.0227084	9991e+08	
BloodMNIST	MobileNetV3-Large	failed	blocked	LRP	false								RuntimeError: No explanation batch candidate passed

D ResNet-18 (archived)

Table 44: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
SimpleAvg	0.89311	0.91297	0.96437	0.9965	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda (NAIVE)	0.89194	0.91063	0.93283	0.99825	0.00759	0.0035	0.04673	0.02687	0.01869	0.00526
Borda (THEORY)	0.88493	0.91063	0.91472	0.99825	0.00526	0.00175	0.0625	0.03213	0.01285	0.00701
RRF (NAIVE)	0.89019	0.91121	0.93341	0.99766	0.00467	0.00701	0.04498	0.01519	0.01986	0.00409
RRF (THEORY)	0.88727	0.91063	0.91589	0.99825	0.00467	0	0.06659	0.03037	0.01051	0.00643
Schulze (NAIVE)	0.89194	0.91121	0.93575	0.99766	0.0035	0.00526	0.03972	0.00701	0.01519	0.00292
Schulze (THEORY)	0.8861	0.91238	0.91355	0.99766	0.00409	0.00292	0.0625	0.03154	0.01752	0.00935
Kemeny-Young (NAIVE)	0.88902	0.91121	0.93224	0.99766	0.00117	0.00526	0.04731	0.02745	0.01577	0.00467
Kemeny-Young (THEORY)	0.89019	0.91063	0.93458	0.99825	0.00058	0.00759	0.05023	0.03563	0.01694	0.00818

Table 45: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
SimpleAvg	0.8931070	0.9112150	0.9608640	0.9964950	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda	0.8890190	0.9106310	0.9258180	0.9970790	0.00759	0.0035	0.04673	0.02687	0.01869	0.00526
RRF	0.8872660	0.9106310	0.9228970	0.9970790	0.00467	0.00701	0.04498	0.01519	0.01986	0.00409
Schulze	0.8872660	0.9117990	0.9234810	0.9970790	0.0035	0.00526	0.03972	0.00701	0.01519	0.00292
Kemeny-Young	0.8866820	0.9100470	0.9269860	0.9976640	0.00117	0.00526	0.04731	0.02745	0.01577	0.00467
Best Explanation (Decorr)	0.8919	0.913	0.9258	0.9994	0	0.0012	0.0006	0.0093	0.0105	0.0018
SimpleAvg (Decorr)	0.8931	0.913	0.9644	0.9965	0.0047	0.007	0.0444	0.0234	0.0134	0.0029
Borda (Decorr)	0.8849	0.9106	0.9147	0.9982	0.0053	0.0018	0.0625	0.0321	0.0129	0.007
RRF (Decorr)	0.8873	0.9106	0.9159	0.9982	0.0047	0	0.0666	0.0304	0.0105	0.0064
Schulze (Decorr)	0.8861	0.9124	0.9136	0.9977	0.0041	0.0029	0.0625	0.0315	0.0175	0.0093
Kemeny-Young (Decorr)	0.8902	0.9106	0.9346	0.9982	0.0006	0.0076	0.0502	0.0356	0.0169	0.0082

Table 46: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
SimpleAvg	0.89311	0.91297	0.96437	0.9965	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda	0.88493	0.91063	0.91472	0.99825	0.00526	0.00175	0.0625	0.03213	0.01285	0.00701
RRF	0.88727	0.91063	0.91589	0.99825	0.00467	0	0.06659	0.03037	0.01051	0.00643
Schulze	0.8861	0.91238	0.91355	0.99766	0.00409	0.00292	0.0625	0.03154	0.01752	0.00935
Kemeny-Young	0.89019	0.91063	0.93458	0.99825	0.00058	0.00759	0.05023	0.03563	0.01694	0.00818
Best Explanation (Decorr)	0.8919	0.913	0.9258	0.9994	0	0.0012	0.0006	0.0093	0.0105	0.0018
SimpleAvg (Decorr)	0.8931	0.913	0.9644	0.9965	0.0047	0.007	0.0444	0.0234	0.0134	0.0029
Borda (Decorr)	0.8849	0.9106	0.9147	0.9982	0.0053	0.0018	0.0625	0.0321	0.0129	0.007
RRF (Decorr)	0.8873	0.9106	0.9159	0.9982	0.0047	0	0.0666	0.0304	0.0105	0.0064
Schulze (Decorr)	0.8861	0.9124	0.9136	0.9977	0.0041	0.0029	0.0625	0.0315	0.0175	0.0093
Kemeny-Young (Decorr)	0.8902	0.9106	0.9346	0.9982	0.0006	0.0076	0.0502	0.0356	0.0169	0.0082

Table 47: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
SimpleAvg	0.88318	0.9118	0.94451	0.99065	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda (NAIVE)	0.88143	0.91005	0.91063	0.9965	0.00759	0.00584	0.06075	0.03797	0.02278	0.00292
Borda (THEORY)	0.87383	0.91005	0.89369	0.99766	0.01227	0.00643	0.08002	0.05432	0.00058	0.00818
RRF (NAIVE)	0.8785	0.91063	0.90829	0.99591	0.00292	0.00117	0.05257	0.02629	0.01636	0.00234
RRF (THEORY)	0.8715	0.90829	0.90713	0.99591	0.00234	0.00058	0.07185	0.05958	0.00584	0.00117
Schulze (NAIVE)	0.88084	0.91063	0.91706	0.9965	0.00584	0.01227	0.04264	0.0222	0.0146	0.00935
Schulze (THEORY)	0.875	0.91121	0.89603	0.99591	0.01168	0.00818	0.07301	0.05082	0.00584	0.00117
Kemeny-Young (NAIVE)	0.88259	0.91005	0.9118	0.9965	0.00643	0.00467	0.0625	0.04556	0.01811	0.00643
Kemeny-Young (THEORY)	0.87617	0.91063	0.90829	0.99591	0.00058	0.00175	0.06133	0.04556	0.01227	0.00175

Table 48: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
SimpleAvg	0.892523	0.911215	0.943341	0.992407	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda	0.88493	0.910047	0.902453	0.995327	0.00759	0.00584	0.06075	0.03797	0.02278	0.00292
RRF	0.883178	0.910047	0.898949	0.994159	0.00292	0.00117	0.05257	0.02629	0.01636	0.00234
Schulze	0.88493	0.909463	0.911215	0.994743	0.00584	0.01227	0.04264	0.0222	0.0146	0.00935
Kemeny-Young	0.883762	0.908879	0.909463	0.993575	0.00643	0.00467	0.0625	0.04556	0.01811	0.00643
Best Explanation (Decorr)	0.8768	0.9136	0.8984	0.9936	0.0029	0.0012	0	0.007	0.0076	0
SimpleAvg (Decorr)	0.8832	0.9118	0.9445	0.9907	0.0029	0.0041	0.0403	0.0339	0.0181	0.0023
Borda (Decorr)	0.8738	0.91	0.8937	0.9977	0.0123	0.0064	0.08	0.0543	0.0006	0.0082
RRF (Decorr)	0.8715	0.9083	0.9071	0.9959	0.0023	0.0006	0.0718	0.0596	0.0058	0.0012
Schulze (Decorr)	0.875	0.9112	0.896	0.9959	0.0117	0.0082	0.073	0.0508	0.0058	0.0012
Kemeny-Young (Decorr)	0.8762	0.9106	0.9083	0.9959	0.0006	0.0018	0.0613	0.0456	0.0123	0.0018

Table 49: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
SimpleAvg	0.88318	0.9118	0.94451	0.99065	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda	0.87383	0.91005	0.89369	0.99766	0.01227	0.00643	0.08002	0.05432	0.00058	0.00818
RRF	0.8715	0.90829	0.90713	0.99591	0.00234	0.00058	0.07185	0.05958	0.00584	0.00117
Schulze	0.875	0.91121	0.89603	0.99591	0.01168	0.00818	0.07301	0.05082	0.00584	0.00117
Kemeny-Young	0.87617	0.91063	0.90829	0.99591	0.00058	0.00175	0.06133	0.04556	0.01227	0.00175
Best Explanation (Decorr)	0.8768	0.9136	0.8984	0.9936	0.0029	0.0012	0	0.007	0.0076	0
SimpleAvg (Decorr)	0.8832	0.9118	0.9445	0.9907	0.0029	0.0041	0.0403	0.0339	0.0181	0.0023
Borda (Decorr)	0.8738	0.91	0.8937	0.9977	0.0123	0.0064	0.08	0.0543	0.0006	0.0082
RRF (Decorr)	0.8715	0.9083	0.9071	0.9959	0.0023	0.0006	0.0718	0.0596	0.0058	0.0012
Schulze (Decorr)	0.875	0.9112	0.896	0.9959	0.0117	0.0082	0.073	0.0508	0.0058	0.0012
Kemeny-Young (Decorr)	0.8762	0.9106	0.9083	0.9959	0.0006	0.0018	0.0613	0.0456	0.0123	0.0018

Table 50: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
SimpleAvg	0.86098	0.90946	0.90537	0.98248	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda (NAIVE)	0.85047	0.91238	0.86974	0.98949	0.01636	0.02161	0.07769	0.05783	0.02804	0.02395
Borda (THEORY)	0.81717	0.9118	0.82418	0.98715	0.00058	0	0.11799	0.06834	0.01811	0.00701
RRF (NAIVE)	0.84755	0.91238	0.85923	0.98832	0.01928	0.01752	0.07769	0.04848	0.02044	0.00993
RRF (THEORY)	0.81308	0.91238	0.82769	0.98715	0.00643	0.00526	0.10164	0.06308	0.01869	0.01343
Schulze (NAIVE)	0.85047	0.91238	0.86449	0.98715	0.0146	0.01694	0.07068	0.03563	0.01402	0.00759
Schulze (THEORY)	0.82769	0.91121	0.8347	0.99124	0.02395	0.01694	0.08528	0.04381	0.02278	0.0146
Kemeny-Young (NAIVE)	0.84988	0.91121	0.8604	0.98773	0.00993	0.00818	0.07769	0.04965	0.01285	0.00584
Kemeny-Young (THEORY)	0.82185	0.9118	0.82418	0.98832	0.01811	0.0146	0.08178	0.03213	0.02745	0.01928

Table 51: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
SimpleAvg	0.834696	0.911215	0.860981	0.984229	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda	0.756425	0.910631	0.751752	0.985397	0.01636	0.02161	0.07769	0.05783	0.02804	0.02395
RRF	0.755841	0.910631	0.755841	0.985981	0.01928	0.01752	0.07769	0.04848	0.02044	0.00993
Schulze	0.764019	0.908879	0.762266	0.983645	0.0146	0.01694	0.07068	0.03563	0.01402	0.00759
Kemeny-Young	0.777453	0.912383	0.781542	0.984813	0.00993	0.00818	0.07769	0.04965	0.01285	0.00584
Best Explanation (Decorr)	0.7599	0.9241	0.764	0.9895	0.0018	0.0006	0.0006	0.0105	0.0018	0.0018
SimpleAvg (Decorr)	0.861	0.9095	0.9054	0.9825	0.0082	0.0152	0.0648	0.0421	0.0164	0.0105
Borda (Decorr)	0.8172	0.9118	0.8242	0.9871	0.0006	0	0.118	0.0683	0.0181	0.007
RRF (Decorr)	0.8131	0.9124	0.8277	0.9871	0.0064	0.0053	0.1016	0.0631	0.0187	0.0134
Schulze (Decorr)	0.8277	0.9112	0.8347	0.9912	0.0239	0.0169	0.0853	0.0438	0.0228	0.0146
Kemeny-Young (Decorr)	0.8218	0.9118	0.8242	0.9883	0.0181	0.0146	0.0818	0.0321	0.0275	0.0193

Table 52: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
SimpleAvg	0.86098	0.90946	0.90537	0.98248	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda	0.81717	0.9118	0.82418	0.98715	0.00058	0	0.11799	0.06834	0.01811	0.00701
RRF	0.81308	0.91238	0.82769	0.98715	0.00643	0.00526	0.10164	0.06308	0.01869	0.01343
Schulze	0.82769	0.91121	0.8347	0.99124	0.02395	0.01694	0.08528	0.04381	0.02278	0.0146
Kemeny-Young	0.82185	0.9118	0.82418	0.98832	0.01811	0.0146	0.08178	0.03213	0.02745	0.01928
Best Explanation (Decorr)	0.7599	0.9241	0.764	0.9895	0.0018	0.0006	0.0006	0.0105	0.0018	0.0018
SimpleAvg (Decorr)	0.861	0.9095	0.9054	0.9825	0.0082	0.0152	0.0648	0.0421	0.0164	0.0105
Borda (Decorr)	0.8172	0.9118	0.8242	0.9871	0.0006	0	0.118	0.0683	0.0181	0.007
RRF (Decorr)	0.8131	0.9124	0.8277	0.9871	0.0064	0.0053	0.1016	0.0631	0.0187	0.0134
Schulze (Decorr)	0.8277	0.9112	0.8347	0.9912	0.0239	0.0169	0.0853	0.0438	0.0228	0.0146
Kemeny-Young (Decorr)	0.8218	0.9118	0.8242	0.9883	0.0181	0.0146	0.0818	0.0321	0.0275	0.0193

Table 53: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
SimpleAvg	0.90012	0.9118	0.97488	0.99766	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda (NAIVE)	0.90245	0.91238	0.95269	0.99766	0.00643	0.0035	0.04322	0.01168	0.02044	0.00467
Borda (THEORY)	0.9007	0.91121	0.94743	0.99883	0.00175	0.00117	0.06308	0.03797	0.01285	0.00234
RRF (NAIVE)	0.89953	0.91238	0.95152	0.99766	0.00643	0.00175	0.03972	0.00643	0.01636	0.00701
RRF (THEORY)	0.90187	0.9118	0.95386	0.99825	0.00818	0.00526	0.03738	0.00935	0.02336	0.00759
Schulze (NAIVE)	0.90421	0.9118	0.95678	0.99825	0.00701	0.0035	0.0403	0.00234	0.0222	0
Schulze (THEORY)	0.90245	0.9118	0.94685	0.99942	0.00701	0.00175	0.06075	0.03855	0.01636	0.00058
Kemeny-Young (NAIVE)	0.90362	0.9118	0.95444	0.99825	0.01051	0.00409	0.04089	0.01811	0.02103	0.00993
Kemeny-Young (THEORY)	0.90304	0.9118	0.941	0.99825	0.00526	0.00175	0.05783	0.02044	0.01752	0.00467

Table 54: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
SimpleAvg	0.9007010	0.9123830	0.9783880	0.9959110	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda	0.8989490	0.9117990	0.9415890	0.9982480	0.00643	0.0035	0.04322	0.01168	0.02044	0.00467
RRF	0.9018690	0.9117990	0.9410050	0.9982480	0.00643	0.00175	0.03972	0.00643	0.01636	0.00701
Schulze	0.8966120	0.9117990	0.9421730	0.9982480	0.00701	0.0035	0.0403	0.00234	0.0222	0
Kemeny-Young	0.8989490	0.9117990	0.9450930	0.9982480	0.01051	0.00409	0.04089	0.01811	0.02103	0.00993
Best Explanation (Decorr)	0.8984	0.9118	0.9509	0.9994	0.0006	0.0018	0.0088	0.0041	0.0123	0.0023
SimpleAvg (Decorr)	0.9001	0.9118	0.9749	0.9977	0.0029	0.0006	0.0327	0.0129	0.0158	0
Borda (Decorr)	0.9007	0.9112	0.9474	0.9988	0.0018	0.0012	0.0631	0.038	0.0129	0.0023
RRF (Decorr)	0.9019	0.9118	0.9539	0.9982	0.0082	0.0053	0.0374	0.0093	0.0234	0.0076
Schulze (Decorr)	0.9025	0.9118	0.9468	0.9994	0.007	0.0018	0.0607	0.0386	0.0164	0.0006
Kemeny-Young (Decorr)	0.903	0.9118	0.941	0.9982	0.0053	0.0018	0.0578	0.0204	0.0175	0.0047

Table 55: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
SimpleAvg	0.90012	0.9118	0.97488	0.99766	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda	0.9007	0.91121	0.94743	0.99883	0.00175	0.00117	0.06308	0.03797	0.01285	0.00234
RRF	0.90187	0.9118	0.95386	0.99825	0.00818	0.00526	0.03738	0.00935	0.02336	0.00759
Schulze	0.90245	0.9118	0.94685	0.99942	0.00701	0.00175	0.06075	0.03855	0.01636	0.00058
Kemeny-Young	0.90304	0.9118	0.941	0.99825	0.00526	0.00175	0.05783	0.02044	0.01752	0.00467
Best Explanation (Decorr)	0.8984	0.9118	0.9509	0.9994	0.0006	0.0018	0.0088	0.0041	0.0123	0.0023
SimpleAvg (Decorr)	0.9001	0.9118	0.9749	0.9977	0.0029	0.0006	0.0327	0.0129	0.0158	0
Borda (Decorr)	0.9007	0.9112	0.9474	0.9988	0.0018	0.0012	0.0631	0.038	0.0129	0.0023
RRF (Decorr)	0.9019	0.9118	0.9539	0.9982	0.0082	0.0053	0.0374	0.0093	0.0234	0.0076
Schulze (Decorr)	0.9025	0.9118	0.9468	0.9994	0.007	0.0018	0.0607	0.0386	0.0164	0.0006
Kemeny-Young (Decorr)	0.903	0.9118	0.941	0.9982	0.0053	0.0018	0.0578	0.0204	0.0175	0.0047

Table 56: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
SimpleAvg	0.79614	0.90304	0.83353	0.96787	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda (NAIVE)	0.7611	0.90713	0.76343	0.97839	0.02103	0.02453	0.09054	0.0514	0.01636	0.01811
Borda (THEORY)	0.70561	0.91063	0.69977	0.97839	0.00467	0	0.16472	0.10456	0.00175	0.00993
RRF (NAIVE)	0.75935	0.90654	0.76928	0.97605	0.01402	0.02453	0.08586	0.04907	0.02103	0.03037
RRF (THEORY)	0.71028	0.90829	0.70736	0.97956	0.00643	0.00175	0.13668	0.08528	0.01168	0.00584
Schulze (NAIVE)	0.78096	0.90771	0.77804	0.97488	0.01636	0.02512	0.08703	0.04147	0.03096	0.03096
Schulze (THEORY)	0.69568	0.90829	0.69334	0.97839	0.00234	0.00234	0.15421	0.1028	0.00935	0.00818
Kemeny-Young (NAIVE)	0.75759	0.90654	0.7611	0.9778	0.0035	0.01343	0.10047	0.06893	0.0111	0.01402
Kemeny-Young (THEORY)	0.70619	0.90946	0.6986	0.97956	0.00584	0.00058	0.11449	0.05841	0.00234	0.00643

Table 57: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
SimpleAvg	0.7132010	0.9018690	0.7237150	0.9690420	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda	0.6442760	0.9059580	0.6261680	0.9678740	0.02103	0.02453	0.09054	0.0514	0.01636	0.01811
RRF	0.65771	0.90771	0.63785	0.9690420	0.01402	0.02453	0.08586	0.04907	0.02103	0.03037
Schulze	0.6682240	0.9065420	0.64778	0.96729	0.01636	0.02512	0.08703	0.04147	0.03096	0.03096
Kemeny-Young	0.6764020	0.9088790	0.66472	0.9661210	0.0035	0.01343	0.10047	0.06893	0.0111	0.01402
Best Explanation (Decorr)	0.6834	0.9095	0.6857	0.9772	0.0029	0	0.0018	0.0082	0.0023	0.0012
SimpleAvg (Decorr)	0.7961	0.903	0.8335	0.9679	0.0204	0.0426	0.0602	0.0397	0.0298	0.0432
Borda (Decorr)	0.7056	0.9106	0.6998	0.9784	0.0047	0	0.1647	0.1046	0.0018	0.0099
RRF (Decorr)	0.7103	0.9083	0.7074	0.9796	0.0064	0.0018	0.1367	0.0853	0.0117	0.0058
Schulze (Decorr)	0.6957	0.9083	0.6933	0.9784	0.0023	0.0023	0.1542	0.1028	0.0093	0.0082
Kemeny-Young (Decorr)	0.7062	0.9095	0.6986	0.9796	0.0058	0.0006	0.1145	0.0584	0.0023	0.0064

Table 58: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
SimpleAvg	0.79614	0.90304	0.83353	0.96787	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda	0.70561	0.91063	0.69977	0.97839	0.00467	0	0.16472	0.10456	0.00175	0.00993
RRF	0.71028	0.90829	0.70736	0.97956	0.00643	0.00175	0.13668	0.08528	0.01168	0.00584
Schulze	0.69568	0.90829	0.69334	0.97839	0.00234	0.00234	0.15421	0.1028	0.00935	0.00818
Kemeny-Young	0.70619	0.90946	0.6986	0.97956	0.00584	0.00058	0.11449	0.05841	0.00234	0.00643
Best Explanation (Decorr)	0.6834	0.9095	0.6857	0.9772	0.0029	0	0.0018	0.0082	0.0023	0.0012
SimpleAvg (Decorr)	0.7961	0.903	0.8335	0.9679	0.0204	0.0426	0.0602	0.0397	0.0298	0.0432
Borda (Decorr)	0.7056	0.9106	0.6998	0.9784	0.0047	0	0.1647	0.1046	0.0018	0.0099
RRF (Decorr)	0.7103	0.9083	0.7074	0.9796	0.0064	0.0018	0.1367	0.0853	0.0117	0.0058
Schulze (Decorr)	0.6957	0.9083	0.6933	0.9784	0.0023	0.0023	0.1542	0.1028	0.0093	0.0082
Kemeny-Young (Decorr)	0.7062	0.9095	0.6986	0.9796	0.0058	0.0006	0.1145	0.0584	0.0023	0.0064

Table 59: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
SimpleAvg	0.88668	0.91238	0.95853	0.99299	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda (NAIVE)	0.88435	0.91005	0.92231	0.9965	0.00117	0.00058	0.06717	0.03621	0.0111	0.00701
Borda (THEORY)	0.87909	0.91063	0.90888	0.99708	0.00058	0.0035	0.07944	0.0368	0.00993	0.00175
RRF (NAIVE)	0.8861	0.91005	0.92056	0.9965	0.00234	0.00643	0.06717	0.0257	0.0111	0.00467
RRF (THEORY)	0.88084	0.91063	0.91005	0.99708	0.00175	0.0035	0.07944	0.03855	0.0146	0.00117
Schulze (NAIVE)	0.89077	0.91297	0.92815	0.99708	0.00058	0.00526	0.06776	0.0257	0.0146	0.00175
Schulze (THEORY)	0.88026	0.91121	0.91121	0.9965	0.00467	0.00409	0.08002	0.03972	0.01343	0.00759
Kemeny-Young (NAIVE)	0.88551	0.91063	0.92407	0.99708	0	0.00759	0.07477	0.04089	0.00993	0.00467
Kemeny-Young (THEORY)	0.88435	0.91005	0.92991	0.99766	0.00526	0	0.07301	0.04848	0.00584	0.00234

Table 60: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
SimpleAvg	0.8931070	0.9112150	0.9608640	0.9964950	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda	0.8890190	0.9106310	0.9258180	0.9970790	0.00117	0.00058	0.06717	0.03621	0.0111	0.00701
RRF	0.8872660	0.9106310	0.9228970	0.9970790	0.00234	0.00643	0.06717	0.0257	0.0111	0.00467
Schulze	0.8872660	0.9117990	0.9234810	0.9970790	0.00058	0.00526	0.06776	0.0257	0.0146	0.00175
Kemeny-Young	0.8866820	0.9100470	0.9269860	0.9976640		0.00759	0.07477	0.04089	0.00993	0.00467
Best Explanation (Decorr)	0.8838	0.9112	0.9194	0.9953	0	0.0006	0.0012	0.0018	0.0099	0.0006
SimpleAvg (Decorr)	0.8867	0.9124	0.9585	0.993	0.0012	0	0.0555	0.0391	0.0058	0.0012
Borda (Decorr)	0.8791	0.9106	0.9089	0.9971	0.0006	0.0035	0.0794	0.0368	0.0099	0.0018
RRF (Decorr)	0.8808	0.9106	0.91	0.9971	0.0018	0.0035	0.0794	0.0386	0.0146	0.0012
Schulze (Decorr)	0.8803	0.9112	0.9112	0.9965	0.0047	0.0041	0.08	0.0397	0.0134	0.0076
Kemeny-Young (Decorr)	0.8843	0.91	0.9299	0.9977	0.0053	0	0.073	0.0485	0.0058	0.0023

Table 61: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
SimpleAvg	0.88668	0.91238	0.95853	0.99299	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda	0.87909	0.91063	0.90888	0.99708	0.00058	0.0035	0.07944	0.0368	0.00993	0.00175
RRF	0.88084	0.91063	0.91005	0.99708	0.00175	0.0035	0.07944	0.03855	0.0146	0.00117
Schulze	0.88026	0.91121	0.91121	0.9965	0.00467	0.00409	0.08002	0.03972	0.01343	0.00759
Kemeny-Young	0.88435	0.91005	0.92991	0.99766	0.00526	0	0.07301	0.04848	0.00584	0.00234
Best Explanation (Decorr)	0.8838	0.9112	0.9194	0.9953	0	0.0006	0.0012	0.0018	0.0099	0.0006
SimpleAvg (Decorr)	0.8867	0.9124	0.9585	0.993	0.0012	0	0.0555	0.0391	0.0058	0.0012
Borda (Decorr)	0.8791	0.9106	0.9089	0.9971	0.0006	0.0035	0.0794	0.0368	0.0099	0.0018
RRF (Decorr)	0.8808	0.9106	0.91	0.9971	0.0018	0.0035	0.0794	0.0386	0.0146	0.0012
Schulze (Decorr)	0.8803	0.9112	0.9112	0.9965	0.0047	0.0041	0.08	0.0397	0.0134	0.0076
Kemeny-Young (Decorr)	0.8843	0.91	0.9299	0.9977	0.0053	0	0.073	0.0485	0.0058	0.0023

Table 62: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
SimpleAvg	0.88493	0.9118	0.93984	0.99124	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda (NAIVE)	0.88201	0.90946	0.89953	0.99299	0.01051	0.00935	0.09287	0.0368	0.0146	0.00526
Borda (THEORY)	0.87266	0.91005	0.89895	0.99357	0.0035	0.00117	0.08178	0.04556	0.00175	0.00117
RRF (NAIVE)	0.88143	0.91005	0.89895	0.99357	0.0146	0.00526	0.09346	0.03914	0.01285	0.00175
RRF (THEORY)	0.87617	0.90946	0.90362	0.99299	0	0.00701	0.08645	0.04614	0.00643	0.00409
Schulze (NAIVE)	0.88318	0.91238	0.90654	0.99299	0.01168	0.01519	0.0882	0.03855	0.01402	0.00292
Schulze (THEORY)	0.875	0.91063	0.9229	0.99357	0.0035	0.01986	0.0882	0.07477	0.01343	0.01343
Kemeny-Young (NAIVE)	0.87909	0.90888	0.89895	0.99357	0.00935	0.00701	0.09579	0.04439	0.01402	0.00117
Kemeny-Young (THEORY)	0.87617	0.90888	0.90187	0.99357	0.00058	0.00584	0.08995	0.05432	0.00292	0.00292

Table 63: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
SimpleAvg	0.892523	0.911215	0.943341	0.992407	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda	0.88493	0.910047	0.902453	0.995327	0.01051	0.00935	0.09287	0.0368	0.0146	0.00526
RRF	0.883178	0.910047	0.898949	0.994159	0.0146	0.00526	0.09346	0.03914	0.01285	0.00175
Schulze	0.88493	0.909463	0.911215	0.994743	0.01168	0.01519	0.0882	0.03855	0.01402	0.00292
Kemeny-Young	0.883762	0.908879	0.909463	0.993575	0.00935	0.00701	0.09579	0.04439	0.01402	0.00117
Best Explanation (Decorr)	0.8627	0.9136	0.8791	0.9947	0.0029	0.0012	0.0082	0.0134	0.0012	0.0006
SimpleAvg (Decorr)	0.8849	0.9118	0.9398	0.9912	0.0064	0.0093	0.08	0.052	0.0146	0.0053
Borda (Decorr)	0.8727	0.91	0.8989	0.9936	0.0035	0.0012	0.0818	0.0456	0.0018	0.0012
RRF (Decorr)	0.8762	0.9095	0.9036	0.993	0	0.007	0.0864	0.0461	0.0064	0.0041
Schulze (Decorr)	0.875	0.9106	0.9229	0.9936	0.0035	0.0199	0.0882	0.0748	0.0134	0.0134
Kemeny-Young (Decorr)	0.8762	0.9089	0.9019	0.9936	0.0006	0.0058	0.09	0.0543	0.0029	0.0029

Table 64: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
SimpleAvg	0.88493	0.9118	0.93984	0.99124	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda	0.87266	0.91005	0.89895	0.99357	0.0035	0.00117	0.08178	0.04556	0.00175	0.00117
RRF	0.87617	0.90946	0.90362	0.99299	0	0.00701	0.08645	0.04614	0.00643	0.00409
Schulze	0.875	0.91063	0.9229	0.99357	0.0035	0.01986	0.0882	0.07477	0.01343	0.01343
Kemeny-Young	0.87617	0.90888	0.90187	0.99357	0.00058	0.00584	0.08995	0.05432	0.00292	0.00292
Best Explanation (Decorr)	0.8627	0.9136	0.8791	0.9947	0.0029	0.0012	0.0082	0.0134	0.0012	0.0006
SimpleAvg (Decorr)	0.8849	0.9118	0.9398	0.9912	0.0064	0.0093	0.08	0.052	0.0146	0.0053
Borda (Decorr)	0.8727	0.91	0.8989	0.9936	0.0035	0.0012	0.0818	0.0456	0.0018	0.0012
RRF (Decorr)	0.8762	0.9095	0.9036	0.993	0	0.007	0.0864	0.0461	0.0064	0.0041
Schulze (Decorr)	0.875	0.9106	0.9229	0.9936	0.0035	0.0199	0.0882	0.0748	0.0134	0.0134
Kemeny-Young (Decorr)	0.8762	0.9089	0.9019	0.9936	0.0006	0.0058	0.09	0.0543	0.0029	0.0029

Table 65: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
SimpleAvg	0.84171	0.90596	0.875	0.9778	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda (NAIVE)	0.81308	0.91063	0.82009	0.98481	0.01343	0.0257	0.15421	0.10572	0.0257	0.03505
Borda (THEORY)	0.74883	0.91121	0.74241	0.98773	0.00058	0.00234	0.16238	0.09346	0.00584	0.00117
RRF (NAIVE)	0.80082	0.91121	0.80666	0.98364	0.01402	0.02395	0.11565	0.06425	0.00993	0.01519
RRF (THEORY)	0.75584	0.91063	0.75584	0.98598	0.00058	0.00701	0.13785	0.07535	0.00818	0.00759
Schulze (NAIVE)	0.82886	0.90829	0.83002	0.98364	0.02745	0.02862	0.14136	0.07886	0.01051	0.01869
Schulze (THEORY)	0.75409	0.90713	0.74416	0.9778	0.00643	0.00234	0.17173	0.10047	0.00467	0.00058
Kemeny-Young (NAIVE)	0.80724	0.91121	0.8125	0.98423	0.03096	0.04381	0.15771	0.10689	0.03329	0.03446
Kemeny-Young (THEORY)	0.75643	0.91063	0.75175	0.9854	0.00467	0.00935	0.09638	0.03563	0.0111	0.00935

Table 66: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
SimpleAvg	0.834696	0.911215	0.860981	0.984229	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda	0.756425	0.910631	0.751752	0.985397	0.01343	0.0257	0.15421	0.10572	0.0257	0.03505
RRF	0.755841	0.910631	0.755841	0.985981	0.01402	0.02395	0.11565	0.06425	0.00993	0.01519
Schulze	0.764019	0.908879	0.762266	0.983645	0.02745	0.02862	0.14136	0.07886	0.01051	0.01869
Kemeny-Young	0.777453	0.912383	0.781542	0.984813	0.03096	0.04381	0.15771	0.10689	0.03329	0.03446
Best Explanation (Decorr)	0.715	0.9071	0.7173	0.9819	0.0023	0	0.0129	0.0275	0.0006	0
SimpleAvg (Decorr)	0.8417	0.906	0.875	0.9778	0.0123	0.0292	0.0917	0.0461	0.0275	0.0286
Borda (Decorr)	0.7488	0.9112	0.7424	0.9877	0.0006	0.0023	0.1624	0.0935	0.0058	0.0012
RRF (Decorr)	0.7558	0.9106	0.7558	0.986	0.0006	0.007	0.1379	0.0754	0.0082	0.0076
Schulze (Decorr)	0.7541	0.9071	0.7442	0.9778	0.0064	0.0023	0.1717	0.1005	0.0047	0.0006
Kemeny-Young (Decorr)	0.7564	0.9106	0.7518	0.9854	0.0047	0.0093	0.0964	0.0356	0.0111	0.0093

Table 67: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
SimpleAvg	0.84171	0.90596	0.875	0.9778	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda	0.74883	0.91121	0.74241	0.98773	0.00058	0.00234	0.16238	0.09346	0.00584	0.00117
RRF	0.75584	0.91063	0.75584	0.98598	0.00058	0.00701	0.13785	0.07535	0.00818	0.00759
Schulze	0.75409	0.90713	0.74416	0.9778	0.00643	0.00234	0.17173	0.10047	0.00467	0.00058
Kemeny-Young	0.75643	0.91063	0.75175	0.9854	0.00467	0.00935	0.09638	0.03563	0.0111	0.00935
Best Explanation (Decorr)	0.715	0.9071	0.7173	0.9819	0.0023	0	0.0129	0.0275	0.0006	0
SimpleAvg (Decorr)	0.8417	0.906	0.875	0.9778	0.0123	0.0292	0.0917	0.0461	0.0275	0.0286
Borda (Decorr)	0.7488	0.9112	0.7424	0.9877	0.0006	0.0023	0.1624	0.0935	0.0058	0.0012
RRF (Decorr)	0.7558	0.9106	0.7558	0.986	0.0006	0.007	0.1379	0.0754	0.0082	0.0076
Schulze (Decorr)	0.7541	0.9071	0.7442	0.9778	0.0064	0.0023	0.1717	0.1005	0.0047	0.0006
Kemeny-Young (Decorr)	0.7564	0.9106	0.7518	0.9854	0.0047	0.0093	0.0964	0.0356	0.0111	0.0093

Table 68: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
SimpleAvg	0.89661	0.91005	0.97371	0.99766	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda (NAIVE)	0.90187	0.91121	0.94743	0.99883	0.00993	0.00058	0.06075	0.02044	0.0111	0.00292
Borda (THEORY)	0.89895	0.9118	0.94509	0.99825	0.00234	0.00643	0.06425	0.03213	0.01519	0.0035
RRF (NAIVE)	0.90245	0.91121	0.94626	0.99883	0.00993	0.00175	0.05958	0.01577	0.01051	0.00058
RRF (THEORY)	0.90012	0.91121	0.93575	0.99766	0.01285	0.00759	0.07652	0.03329	0.0222	0.00526
Schulze (NAIVE)	0.90245	0.9118	0.9521	0.99825	0.00701	0	0.05549	0.01694	0.01285	0.00643
Schulze (THEORY)	0.89661	0.9118	0.94217	0.99825	0.00584	0.00643	0.07126	0.04498	0.0146	0.00234
Kemeny-Young (NAIVE)	0.89895	0.91121	0.94801	0.99883	0.00526	0.00526	0.05958	0.02745	0.01227	0.00058
Kemeny-Young (THEORY)	0.90129	0.91121	0.93341	0.99766	0.01577	0.00292	0.07769	0.02979	0.02453	0.00292

Table 69: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
SimpleAvg	0.9007010	0.9123830	0.9783880	0.9959110	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda	0.8989490	0.9117990	0.9415890	0.9982480	0.00993	0.00058	0.06075	0.02044	0.0111	0.00292
RRF	0.9018690	0.9117990	0.9410050	0.9982480	0.00993	0.00175	0.05958	0.01577	0.01051	0.00058
Schulze	0.8966120	0.9117990	0.9421730	0.9982480	0.00701	0	0.05549	0.01694	0.01285	0.00643
Kemeny-Young	0.8989490	0.9117990	0.9450930	0.9982480	0.00526	0.00526	0.05958	0.02745	0.01227	0.00058
Best Explanation (Decorr)	0.8908	0.9159	0.9375	0.9988	0.0018	0	0.0123	0.0029	0.007	0.0006
SimpleAvg (Decorr)	0.8966	0.91	0.9737	0.9977	0.0082	0.0093	0.045	0.0216	0.0093	0.0053
Borda (Decorr)	0.8989	0.9118	0.9451	0.9982	0.0023	0.0064	0.0643	0.0321	0.0152	0.0035
RRF (Decorr)	0.9001	0.9112	0.9357	0.9977	0.0129	0.0076	0.0765	0.0333	0.0222	0.0053
Schulze (Decorr)	0.8966	0.9118	0.9422	0.9982	0.0058	0.0064	0.0713	0.045	0.0146	0.0023
Kemeny-Young (Decorr)	0.9013	0.9112	0.9334	0.9977	0.0158	0.0029	0.0777	0.0298	0.0245	0.0029

Table 70: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
SimpleAvg	0.89661	0.91005	0.97371	0.99766	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda	0.89895	0.9118	0.94509	0.99825	0.00234	0.00643	0.06425	0.03213	0.01519	0.0035
RRF	0.90012	0.91121	0.93575	0.99766	0.01285	0.00759	0.07652	0.03329	0.0222	0.00526
Schulze	0.89661	0.9118	0.94217	0.99825	0.00584	0.00643	0.07126	0.04498	0.0146	0.00234
Kemeny-Young	0.90129	0.91121	0.93341	0.99766	0.01577	0.00292	0.07769	0.02979	0.02453	0.00292
Best Explanation (Decorr)	0.8908	0.9159	0.9375	0.9988	0.0018	0	0.0123	0.0029	0.007	0.0006
SimpleAvg (Decorr)	0.8966	0.91	0.9737	0.9977	0.0082	0.0093	0.045	0.0216	0.0093	0.0053
Borda (Decorr)	0.8989	0.9118	0.9451	0.9982	0.0023	0.0064	0.0643	0.0321	0.0152	0.0035
RRF (Decorr)	0.9001	0.9112	0.9357	0.9977	0.0129	0.0076	0.0765	0.0333	0.0222	0.0053
Schulze (Decorr)	0.8966	0.9118	0.9422	0.9982	0.0058	0.0064	0.0713	0.045	0.0146	0.0023
Kemeny-Young (Decorr)	0.9013	0.9112	0.9334	0.9977	0.0158	0.0029	0.0777	0.0298	0.0245	0.0029

Table 71: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
SimpleAvg	0.7389	0.90012	0.74533	0.96437	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda (NAIVE)	0.67114	0.90421	0.65596	0.96671	0.00993	0.02161	0.11157	0.04439	0.01051	0.00234
Borda (THEORY)	0.60572	0.91005	0.59463	0.96671	0.0035	0.00993	0.12792	0.06133	0.01227	0.00467
RRF (NAIVE)	0.66414	0.90421	0.65421	0.97255	0.00759	0.01694	0.09463	0.03037	0.01577	0.00292
RRF (THEORY)	0.61215	0.91005	0.59871	0.96554	0.00643	0.00467	0.10572	0.03271	0.01227	0.00876
Schulze (NAIVE)	0.691	0.90129	0.66998	0.96846	0.02979	0.03388	0.11974	0.05315	0.00175	0.00759
Schulze (THEORY)	0.66822	0.90654	0.64778	0.96729	0.00467	0.01168	0.11799	0.03972	0.00701	0.0035
Kemeny-Young (NAIVE)	0.65946	0.90421	0.64953	0.96904	0.00526	0.02804	0.12325	0.05549	0.01051	0.00058
Kemeny-Young (THEORY)	0.64428	0.90596	0.62617	0.96787	0.00876	0.01519	0.16005	0.08353	0.00935	0.00117

Table 72: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
SimpleAvg	0.71320	0.90186	0.90723	0.71509	0.69042	0.01869	0.03388	0.11098	0.04848	0.01928
Borda	0.64427	0.90595	0.80626	0.61680	0.96787	0.40009	0.02161	0.11157	0.04439	0.01051
RRF	0.65771	0.90771	0.63785	0.96904	0.20007	0.59075	0.01694	0.09463	0.03037	0.01577
Schulze	0.66822	0.90654	0.20647	0.77809	0.96729	0.02979	0.03388	0.11974	0.05315	0.00175
Kemeny-Young	0.67640	0.20908	0.87906	0.64720	0.96612	0.10052	0.02804	0.12325	0.05549	0.01051
Best Explanation (Decorr)	0.618	0.9042	0.6028	0.972	0.0023	0.0018	0.0187	0.021	0.0012	0.0047
SimpleAvg (Decorr)	0.7389	0.9001	0.7453	0.9644	0.0187	0.0339	0.111	0.0485	0.0193	0.0275
Borda (Decorr)	0.6057	0.91	0.5946	0.9667	0.0035	0.0099	0.1279	0.0613	0.0123	0.0047
RRF (Decorr)	0.6121	0.91	0.5987	0.9655	0.0064	0.0047	0.1057	0.0327	0.0123	0.0088
Schulze (Decorr)	0.6682	0.9065	0.6478	0.9673	0.0047	0.0117	0.118	0.0397	0.007	0.0035
Kemeny-Young (Decorr)	0.6443	0.906	0.6262	0.9679	0.0088	0.0152	0.16	0.0835	0.0093	0.0012

Table 73: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- std 0.15	ConsRob Re- place- Top gaus- std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
SimpleAvg	0.7389	0.90012	0.74533	0.96437	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda	0.60572	0.91005	0.59463	0.96671	0.0035	0.00993	0.12792	0.06133	0.01227	0.00467
RRF	0.61215	0.91005	0.59871	0.96554	0.00643	0.00467	0.10572	0.03271	0.01227	0.00876
Schulze	0.66822	0.90654	0.64778	0.96729	0.00467	0.01168	0.11799	0.03972	0.00701	0.0035
Kemeny-Young	0.64428	0.90596	0.62617	0.96787	0.00876	0.01519	0.16005	0.08353	0.00935	0.00117
Best Explanation (Decorr)	0.618	0.9042	0.6028	0.972	0.0023	0.0018	0.0187	0.021	0.0012	0.0047
SimpleAvg (Decorr)	0.7389	0.9001	0.7453	0.9644	0.0187	0.0339	0.111	0.0485	0.0193	0.0275
Borda (Decorr)	0.6057	0.91	0.5946	0.9667	0.0035	0.0099	0.1279	0.0613	0.0123	0.0047
RRF (Decorr)	0.6121	0.91	0.5987	0.9655	0.0064	0.0047	0.1057	0.0327	0.0123	0.0088
Schulze (Decorr)	0.6682	0.9065	0.6478	0.9673	0.0047	0.0117	0.118	0.0397	0.007	0.0035
Kemeny-Young (Decorr)	0.6443	0.906	0.6262	0.9679	0.0088	0.0152	0.16	0.0835	0.0093	0.0012

Table 74: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.8790890	0.9088790	0.9106310	0.997079
Borda (n=3)	Ensemble	0.8890190	0.9258180	0.9106310	0.997079
Borda (n=4)	Ensemble	0.8866820	0.9269860	0.9100470	0.997664
Borda (n=5)	Ensemble	0.88785	0.9334110	0.9106310	0.997079
Borda (n=6)	Ensemble	0.8843460	0.9299070	0.9100470	0.997664
Borda (n=7)	Ensemble	0.8855140	0.9240650	0.9106310	0.997079
Borda (n=8)	Ensemble	0.8843460	0.9223130	0.9100470	0.996495
Kemeny-Young (n=2)	Ensemble	0.8790890	0.9088790	0.9106310	0.997079
Kemeny-Young (n=3)	Ensemble	0.8890190	0.9258180	0.9106310	0.997079
Kemeny-Young (n=4)	Ensemble	0.8866820	0.9269860	0.9100470	0.997664
Kemeny-Young (n=5)	Ensemble	0.88785	0.9334110	0.9106310	0.997079
Kemeny-Young (n=6)	Ensemble	0.8843460	0.9299070	0.9100470	0.997664
Kemeny-Young (n=7)	Ensemble	0.8855140	0.9240650	0.9106310	0.997079
Kemeny-Young (n=8)	Ensemble	0.8843460	0.9223130	0.9100470	0.996495
RRF (n=2)	Ensemble	0.8808410	0.9100470	0.9106310	0.997079
RRF (n=3)	Ensemble	0.8872660	0.9228970	0.9106310	0.997079
RRF (n=4)	Ensemble	0.8884350	0.9287380	0.9100470	0.997664
RRF (n=5)	Ensemble	0.88785	0.9299070	0.9106310	0.997079
RRF (n=6)	Ensemble	0.8855140	0.9252340	0.9100470	0.997664
RRF (n=7)	Ensemble	0.88785	0.9269860	0.9106310	0.997079
RRF (n=8)	Ensemble	0.8860980	0.9205610	0.9100470	0.996495
Schulze (n=2)	Ensemble	0.8802570	0.9112150	0.9112150	0.996495
Schulze (n=3)	Ensemble	0.8872660	0.9234810	0.9117990	0.997079
Schulze (n=4)	Ensemble	0.8872660	0.94743	0.9117990	0.998248
Schulze (n=5)	Ensemble	0.8942760	0.9345790	0.9112150	0.997664
Schulze (n=6)	Ensemble	0.88493	0.9310750	0.9100470	0.997664
Schulze (n=7)	Ensemble	0.8907710	0.9304910	0.9117990	0.997079
Schulze (n=8)	Ensemble	0.8907710	0.9281540	0.9129670	0.997079
norm_ensemble (n=2)	Ensemble	0.9012850	0.9620330	0.9106310	0.998248
norm_ensemble (n=3)	Ensemble	0.8931070	0.9608640	0.9112150	0.996495
norm_ensemble (n=4)	Ensemble	0.8913550	0.96729	0.9094630	0.995911
norm_ensemble (n=5)	Ensemble	0.8896030	0.9649530	0.9112150	0.995327
norm_ensemble (n=6)	Ensemble	0.8919390	0.9655370	0.9106310	0.991822
norm_ensemble (n=7)	Ensemble	0.8855140	0.9614490	0.9112150	0.995327
norm_ensemble (n=8)	Ensemble	0.8866820	0.9585280	0.9123830	0.992991

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.8884350.9544390.9100470.995327			
Deconvolution	Single	0.8884350.9544390.9100470.995327			
DeepLIFT_SHAP	Single	0.9012850.9345790.9112150.992991			
DeepLIFT_SHAP	Single	0.9012850.9345790.9112150.992991			
DeepLIFT_SHAP	Single	0.9012850.9345790.9112150.992991			
DeepLIFT_SHAP	Single	0.9012850.9345790.9112150.992991			
DeepLIFT_baseline	Single	0.884930.9223130.9112150.995911			
DeepLIFT_baseline	Single	0.884930.9223130.9112150.995911			
FeatureAblation_single	Single	0.884930.947430.9030370.986565			
FeatureAblation_single	Single	0.884930.947430.9030370.986565			
GradientShap_baseline	Single	0.8910800.9363820.9112150.995327			
GradientShap_baseline	Single	0.8910800.9363820.9112150.995327			
GradientShap_baseline	Single	0.8910800.9363820.9112150.995327			
GradientShap_baseline	Single	0.8910800.9363820.9112150.995327			
GuidedBackprop	Single	0.8913550.9193930.9112150.994743			
GuidedBackprop	Single	0.8913550.9193930.9112150.994743			
InputXGradient	Single	0.8872660.9632010.9106310.990654			
InputXGradient	Single	0.8872660.9632010.9106310.990654			
IntegratedGradient	Single	0.8860980.9494820.9068790.989486			
IntegratedGradient	Single	0.8860980.9494820.9068790.989486			
IntegratedGradient	Single	0.887850.9509350.9068790.989486			
IntegratedGradient	Single	0.887850.9509350.9068790.989486			
Occlusion_baseline	Single	0.8866030.9162240.9076260.99007			
Occlusion_baseline	Single	0.8866030.9162240.9076260.99007			
Saliency	Single	0.8837620.9550230.9094630.994159			
Saliency	Single	0.8837620.9550230.9094630.994159			

Table 75: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.0005840	0.0035050	0.0794390	0.0367990	0.00993	0.0017520	0.0035050	0.0011680	0.0262850	0.0140190	0.01285	0.002336
Borda (n=3)	Ensemble	0.0017520	0.0075930	0.0911210	0.0677570	0.0181070	0.0029210	0.0035050	0.0011680	0.0262850	0.0140190	0.01285	0.002336
Borda (n=4)	Ensemble	0.0040890	0.0035050	0.0800230	0.0601640	0.0087620	0.0011680	0.0046730	0.0035050	0.0245330	0.0122660	0.01285	0.003505
Borda (n=5)	Ensemble	0.0029210	0.0058410	0.07535	0.0549070	0.0075930	0.0052570	0.0052570	0.0040890	0.0280370	0.0105140	0.0140190	0.002336
Borda (n=6)	Ensemble	0.0052570		0.0730140	0.0484810	0.0058410	0.0023360	0.0046730	0.0058410	0.0245330	0.0093460	0.0140190	0.002336
Borda (n=7)	Ensemble	0.0075930	0.0747660	0.0408880	0.00993	0.0046730	0.0058410	0.0046730	0.0245330	0.0087620	0.0134350	0.001752	
Borda (n=8)	Ensemble	0.0011680	0.0005840	0.0671730	0.0362150	0.0110980	0.0070090	0.0035050	0.0046730	0.0257010	0.0093460	0.01285	0.002336
Kemeny-Young (n=2)	Ensemble	0.0005840	0.0035050	0.0794390	0.0367990	0.00993	0.0017520	0.0035050	0.0011680	0.0262850	0.0140190	0.01285	0.002336
Kemeny-Young (n=3)	Ensemble	0.0017520	0.0075930	0.0911210	0.0677570	0.0181070	0.0029210	0.0035050	0.0011680	0.0262850	0.0140190	0.01285	0.002336
Kemeny-Young (n=4)	Ensemble	0.0040890	0.0035050	0.0800230	0.0601640	0.0087620	0.0011680	0.0046730	0.0035050	0.0245330	0.0122660	0.01285	0.003505
Kemeny-Young (n=5)	Ensemble	0.0029210	0.0058410	0.07535	0.0549070	0.0075930	0.0052570	0.0052570	0.0040890	0.0280370	0.0105140	0.0140190	0.002336
Kemeny-Young (n=6)	Ensemble	0.0052570		0.0730140	0.0484810	0.0058410	0.0023360	0.0046730	0.0058410	0.0245330	0.0093460	0.0140190	0.002336
Kemeny-Young (n=7)	Ensemble	0.0075930	0.0747660	0.0408880	0.00993	0.0046730	0.0058410	0.0046730	0.0245330	0.0087620	0.0134350	0.001752	
Kemeny-Young (n=8)	Ensemble	0.0011680	0.0005840	0.0671730	0.0362150	0.0110980	0.0070090	0.0035050	0.0046730	0.0257010	0.0093460	0.01285	0.002336
RRF (n=2)	Ensemble	0.0017520	0.0035050	0.0794390	0.0385510	0.0146030	0.0011680	0.0029210	0.0005840	0.0257010	0.0146030	0.0122660	0.002921
RRF (n=3)	Ensemble	0.0011680	0.0081780	0.0899530	0.0671730	0.0134350	0.0017520	0.0040890	0.0017520	0.0262850	0.0140190	0.0122660	0.001752
RRF (n=4)	Ensemble	0.0011680	0.0029210	0.0835280	0.0595790	0.0134350	0.0040890	0.0046730	0.0035050	0.0245330	0.0122660	0.01285	0.003505
RRF (n=5)	Ensemble	0.0040890	0.0040890	0.0782710	0.0484810	0.00993	0.0052570	0.0046730	0.0035050	0.0274530	0.00993	0.01285	0.002336
RRF (n=6)	Ensemble	0.0029210	0.0035050	0.0706780	0.04264	0.0081780	0.0035050	0.0058410	0.0058410	0.0251170	0.0081780	0.0140190	0.002336
RRF (n=7)	Ensemble	0.0005840	0.0052570	0.0782710	0.04264	0.0146030	0.0052570	0.0064250	0.0052570	0.0245330	0.0093460	0.0134350	0.001752
RRF (n=8)	Ensemble	0.0023360	0.0064250	0.0671730	0.0257010	0.0110980	0.0046730	0.0040890	0.0040890	0.0245330	0.0075930	0.01285	0.002336
Schulze (n=2)	Ensemble	0.0046730	0.0040890	0.0800230	0.03972	0.0134350	0.0075930	0.0040890	0.0005840	0.0274530	0.0151870	0.0157710	0.001752
Schulze (n=3)	Ensemble	0.0040890	0.0105140	0.0934580	0.0700930	0.0146030	0.0046730	0.0052570	0.0017520	0.0268690	0.0140190	0.0157710	0.001752
Schulze (n=4)	Ensemble	0.0011680	0.0035050	0.0817760	0.0706780	0.0105140	0.0105140	0.0064250	0.0040890	0.0274530	0.0151870	0.0146030	0.002921
Schulze (n=5)	Ensemble	0.0075930	0.0029210	0.07243	0.0367990	0.0204440	0.0035050	0.0070090	0.0046730	0.0262850	0.0116820	0.0140190	0.003505
Schulze (n=6)	Ensemble	0.0017520	0.0011680	0.0747660	0.0373830	0.0081780	0.0005840	0.0052570	0.0052570	0.0257010	0.0122660	0.0134350	0.001752
Schulze (n=7)	Ensemble	0.0017520	0.0046730	0.07535	0.0350470	0.0134350	0.0029210	0.0075930	0.0040890	0.0268690	0.0110980	0.0146030	0.004089
Schulze (n=8)	Ensemble	0.0005840	0.0052570	0.0677570	0.0257010	0.0146030	0.0017520	0.0070090	0.0035050	0.0274530	0.0110980	0.0151870	0.003505
norm_ensemble (n=2)	Ensemble	0.0134350	0.0040890	0.0478970	0.0210280	0.0163550	0.0052570	0.0052570	0.0029210	0.0268690	0.0146030	0.0122660	0.004089
norm_ensemble (n=3)	Ensemble	0.0023360	0.0040890	0.0683410	0.0438080	0.0110980	0.0005840	0.0058410	0.0011680	0.0274530	0.0151870	0.0151870	0.005841
norm_ensemble (n=4)	Ensemble	0.0046730	0.0695090	0.0549070	0.0163550	0.0046730	0.0040890	0.0029210	0.0274530	0.0110980	0.0116820	0.003505	
norm_ensemble (n=5)	Ensemble	0.0029210	0.0017520	0.0706780	0.0519860	0.0122660	0.0035050	0.0058410	0.0035050	0.0280370	0.0075930	0.0140190	0.003505
norm_ensemble (n=6)	Ensemble	0.0011680	0.0070090	0.0700930	0.0537380	0.00993	0.0040890	0.0046730	0.0005840	0.0321260	0.0005840	0.0110980	0.001168

Method	Type	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob
		Re- place- Top gaus- sian std 0.15	Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.0093460	0.0011680	0.0578270	0.0449770	0.0029210	0.0011680	0.0064250	0.0040890	0.0280370	0.0175230	0.0122660	0.001752
norm_ensemble (n=8)	Ensemble	0.0011680		0.0554910	0.0391360	0.0058410	0.0011680	0.0058410	0.0011680	0.0286210	0.0110980	0.0116820	0.001168
Deconvolution	Single	0.0064250	0.0011680	0.0484810	0.0122660	0.00993	0.0052570	0.0064250	0.0029210	0.0216120	0.0175230	0.0134350	0.001752
Deconvolution	Single	0.0064250	0.0011680	0.0484810	0.0122660	0.00993	0.0052570	0.0064250	0.0029210	0.0216120	0.0175230	0.0134350	0.001752
DeepLIFT_SHAP	Single	0.0035050	0.0029210	0.0683410	0.0181070	0.0146030	0.0046730	0.0087620	0.0029210	0.0257010	0.0157710	0.0163550	0.001168
DeepLIFT_SHAP	Single	0.0035050	0.0029210	0.0683410	0.0181070	0.0146030	0.0046730	0.0087620	0.0029210	0.0257010	0.0157710	0.0163550	0.001168
DeepLIFT_SHAP	Single	0.0035050	0.0029210	0.0683410	0.0181070	0.0146030	0.0046730	0.0087620	0.0029210	0.0257010	0.0157710	0.0163550	0.001168
DeepLIFT_SHAP	Single	0.0035050	0.0029210	0.0683410	0.0181070	0.0146030	0.0046730	0.0087620	0.0029210	0.0257010	0.0157710	0.0163550	0.001168
DeepLIFT_baseline	Global	0.0040890	0.0005840	0.0695090	0.0169390	0.0192760	0.0005840	0.0046730	0.0017520	0.02979	0.0064250	0.0134350	0.001168
DeepLIFT_baseline	Global	0.0040890	0.0005840	0.0695090	0.0169390	0.0192760	0.0005840	0.0046730	0.0017520	0.02979	0.0064250	0.0134350	0.001168
FeatureAblation	Single	0.0040890	0.0046730	0.0379670	0.0356310	0.0075930	0.0005840	0.0040890	0.0035050	0.02278	0.0046730	0.0140190	0.002921
FeatureAblation	Single	0.0040890	0.0046730	0.0379670	0.0356310	0.0075930	0.0005840	0.0040890	0.0035050	0.02278	0.0046730	0.0140190	0.002921
GradientShap_baseline	Single	0.0035050	0.0023360	0.0549050	0.0140190	0.0175230	0.0046730	0.0105140	0.0040890	0.0303740	0.0105140	0.0146030	0.003505
GradientShap_baseline	Single	0.0035050	0.0023360	0.0549050	0.0140190	0.0175230	0.0046730	0.0105140	0.0040890	0.0303740	0.0105140	0.0146030	0.003505
GradientShap_baseline	Single	0.0023360	0.0064250	0.0549050	0.0035050	0.0105140	0.0017520	0.0070090	0.0046730	0.0280370	0.0122660	0.01285	0.002336
GradientShap_baseline	Single	0.0023360	0.0064250	0.0549050	0.0035050	0.0105140	0.0017520	0.0070090	0.0046730	0.0280370	0.0122660	0.01285	0.002336
GuidedBackprop	Single	0.0075930	0.0005840	0.0771030	0.0414720	0.0134350	0.0023360	0.0046730	0.0005840	0.0292060	0.0052570	0.0140190	0.000584
GuidedBackprop	Single	0.0075930	0.0005840	0.0771030	0.0414720	0.0134350	0.0023360	0.0046730	0.0005840	0.0292060	0.0052570	0.0140190	0.000584
InputXGradient	Single	0	0.0075930	0.0011680	0.0221960	0.0105140	0.00993	0.0093460	0.0029210	0.0309580	0.0075930	0.0157710	0.004089
InputXGradient	Single	0	0.0075930	0.0011680	0.0221960	0.0105140	0.00993	0.0093460	0.0029210	0.0309580	0.0075930	0.0157710	0.004089
IntegratedGradient	Single	0.0035050	0.0046730	0.009630	0.01285	0.0105140	0.00993	0.0046730	0.0005840	0.0332940	0.0087620	0.0134350	0.001168
IntegratedGradient	Single	0.0035050	0.0046730	0.009630	0.01285	0.0105140	0.00993	0.0046730	0.0005840	0.0332940	0.0087620	0.0134350	0.001168
IntegratedGradient	Single	0.0064250	0.0052570	0.03271	0.0116820	0.0116820	0.0122660	0.0040890	0.0011680	0.0321260	0.0087620	0.0140190	0.001752
IntegratedGradient	Single	0.0064250	0.0052570	0.03271	0.0116820	0.0116820	0.0122660	0.0040890	0.0011680	0.0321260	0.0087620	0.0140190	0.001752
Occlusion_baseline	Global	0.016820	0.0005840	0.0835280	0.0467290	0.0140190	0.0029210	0.0052570	0.0011680	0.0292060	0.0035050	0.0110980	0.001168
Occlusion_baseline	Global	0.016820	0.0005840	0.0835280	0.0467290	0.0140190	0.0029210	0.0052570	0.0011680	0.0292060	0.0035050	0.0110980	0.001168
Saliency	Single	0.0046730	0.0110980	0.00993	0.0058410	0.0163550	0.0075930	0.0046730	0.0011680	0.0245330	0.01285	0.0122660	0.002336
Saliency	Single	0.0046730	0.0110980	0.00993	0.0058410	0.0163550	0.0075930	0.0046730	0.0011680	0.0245330	0.01285	0.0122660	0.002336

Table 76: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.8901870	0.9042060	0.9112150	0.992407
Borda (n=3)	Ensemble	0.88493	0.9024530	0.9100470	0.995327
Borda (n=4)	Ensemble	0.8837620	0.9094630	0.9088790	0.993575
Borda (n=5)	Ensemble	0.8761680	0.9018690	0.9088790	0.993575
Borda (n=6)	Ensemble	0.8726640	0.8989490	0.9100470	0.993575
Borda (n=7)	Ensemble	0.8790890	0.8989490	0.9088790	0.993575
Borda (n=8)	Ensemble	0.8820090	0.8995330	0.9094630	0.992991
Kemeny-Young (n=2)	Ensemble	0.8901870	0.9042060	0.9112150	0.992407
Kemeny-Young (n=3)	Ensemble	0.88493	0.9024530	0.9100470	0.995327
Kemeny-Young (n=4)	Ensemble	0.8837620	0.9094630	0.9088790	0.993575
Kemeny-Young (n=5)	Ensemble	0.8761680	0.9018690	0.9088790	0.993575
Kemeny-Young (n=6)	Ensemble	0.8726640	0.8989490	0.9100470	0.993575
Kemeny-Young (n=7)	Ensemble	0.8790890	0.8989490	0.9088790	0.993575
Kemeny-Young (n=8)	Ensemble	0.8820090	0.8995330	0.9094630	0.992991
RRF (n=2)	Ensemble	0.8896030	0.9053740	0.9106310	0.992407
RRF (n=3)	Ensemble	0.8831780	0.8989490	0.9100470	0.994159
RRF (n=4)	Ensemble	0.8796730	0.9112150	0.9088790	0.993575
RRF (n=5)	Ensemble	0.8761680	0.9036210	0.9094630	0.992991
RRF (n=6)	Ensemble	0.8773360	0.9042060	0.9094630	0.994159
RRF (n=7)	Ensemble	0.8796730	0.9012850	0.9106310	0.994159
RRF (n=8)	Ensemble	0.8814250	0.8989490	0.9100470	0.993575
Schulze (n=2)	Ensemble	0.8866820	0.8971960	0.9100470	0.993575
Schulze (n=3)	Ensemble	0.88493	0.9112150	0.9094630	0.994743
Schulze (n=4)	Ensemble	0.875	0.9228970	0.9106310	0.993575
Schulze (n=5)	Ensemble	0.8785050	0.9071260	0.9100470	0.994743
Schulze (n=6)	Ensemble	0.8820090	0.9059580	0.9100470	0.992407
Schulze (n=7)	Ensemble	0.8820090	0.9042060	0.9112150	0.992407
Schulze (n=8)	Ensemble	0.8831780	0.9065420	0.9123830	0.992991
norm_ensemble (n=2)	Ensemble	0.8942760	0.9456780	0.9094630	0.992991
norm_ensemble (n=3)	Ensemble	0.8925230	0.9433410	0.9112150	0.992407
norm_ensemble (n=4)	Ensemble	0.8820090	0.9456780	0.9112150	0.991822
norm_ensemble (n=5)	Ensemble	0.8820090	0.9456780	0.9100470	0.991822
norm_ensemble (n=6)	Ensemble	0.8785050	0.9404210	0.9112150	0.988902
norm_ensemble (n=7)	Ensemble	0.8814250	0.9462620	0.9129670	0.992407
norm_ensemble (n=8)	Ensemble	0.88493	0.9398360	0.9117990	0.991238

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.8732480.9351640.9071260.994743			
Deconvolution	Single	0.8732480.9351640.9071260.994743			
DeepLIFT_SHAP	Single	baseline0.886630.9059580.9100470.988902			
DeepLIFT_SHAP	Single	baseline0.886630.9059580.9100470.988902			
DeepLIFT_SHAP	Single	baseline0.886630.9059580.9100470.988902			
DeepLIFT_SHAP	Single	baseline0.886630.9059580.9100470.988902			
DeepLIFT_baseline	Single	0.8855140.9123830.9100470.992407			
DeepLIFT_baseline	Single	0.8855140.9123830.9100470.992407			
FeatureAblation_single	size	0.8764950.9217290.9007010.97722			
FeatureAblation_single	size	0.8764950.9217290.9007010.97722			
GradientShap_baseline	Single	0.886630.9059580.9100470.988902			
GradientShap_baseline	Single	0.886630.9059580.9100470.988902			
GradientShap_baseline	Single	0.886630.9059580.9100470.988902			
GradientShap_baseline	Single	0.886630.9059580.9100470.988902			
GuidedBackprop	Single	0.8627340.8790890.9135510.990654			
GuidedBackprop	Single	0.8627340.8790890.9135510.990654			
InputXGradient	Single	0.8761680.9433410.9030370.974299			
InputXGradient	Single	0.8761680.9433410.9030370.974299			
IntegratedGradient	Single	baseline0.874460.9240650.9002060.982477			
IntegratedGradient	Single	baseline0.874460.9240650.9002060.982477			
IntegratedGradient	Single	baseline0.8726640.9240650.9006210.981893			
IntegratedGradient	Single	baseline0.8726640.9240650.9006210.981893			
Occlusion_baseline	Single	0.8901870.9047950.9024530.984813			
Occlusion_baseline	Single	0.8901870.9047950.9024530.984813			
Saliency	Single	0.8773360.9439250.9100470.985397			
Saliency	Single	0.8773360.9439250.9100470.985397			

Table 77: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.0163550	0.0140190	0.10514	0.0508180	0.0105140	0.0058410	0.0087620	0.0035050	0.0146030	0.0332940	0.0140190	0.000584
Borda (n=3)	Ensemble	0.0134350	0.0146030	0.1074770	0.0706780	0.0163550	0.0075930	0.0070090	0.0046730	0.0151870	0.0356310	0.0134350	0.002921
Borda (n=4)	Ensemble	0.0134350	0.0157710	0.1016360	0.0654210	0.01285	0.0046730	0.0058410	0.0017520	0.0175230	0.0268690	0.01285	0.000584
Borda (n=5)	Ensemble	0.0005840	0.0058410	0.0899530	0.0543220	0.0029210	0.0029210	0.0075930	0.0035050	0.0192760	0.0268690	0.0140190	0.001752
Borda (n=6)	Ensemble	0.0035050	0.0011680	0.0817760	0.0455610	0.0017520	0.0011680	0.0081780	0.0040890	0.02278	0.0186920	0.0146030	0.002336
Borda (n=7)	Ensemble	0.0093460	0.0070090	0.0957940	0.0443930	0.0140190	0.0011680	0.0070090	0.0040890	0.02278	0.0186920	0.0105140	0.002921
Borda (n=8)	Ensemble	0.0105140	0.0093460	0.0928740	0.0367990	0.0146030	0.0052570	0.0070090	0.0029210	0.0216120	0.0210280	0.0122660	0.002336
Kemeny-Young (n=2)	Ensemble	0.0163550	0.0140190	0.10514	0.0508180	0.0105140	0.0058410	0.0087620	0.0035050	0.0146030	0.0332940	0.0140190	0.000584
Kemeny-Young (n=3)	Ensemble	0.0134350	0.0146030	0.1074770	0.0706780	0.0163550	0.0075930	0.0070090	0.0046730	0.0151870	0.0356310	0.0134350	0.002921
Kemeny-Young (n=4)	Ensemble	0.0134350	0.0157710	0.1016360	0.0654210	0.01285	0.0046730	0.0058410	0.0017520	0.0175230	0.0268690	0.01285	0.000584
Kemeny-Young (n=5)	Ensemble	0.0005840	0.0058410	0.0899530	0.0543220	0.0029210	0.0029210	0.0075930	0.0035050	0.0192760	0.0268690	0.0140190	0.001752
Kemeny-Young (n=6)	Ensemble	0.0035050	0.0011680	0.0817760	0.0455610	0.0017520	0.0011680	0.0081780	0.0040890	0.02278	0.0186920	0.0146030	0.002336
Kemeny-Young (n=7)	Ensemble	0.0093460	0.0070090	0.0957940	0.0443930	0.0140190	0.0011680	0.0070090	0.0040890	0.02278	0.0186920	0.0105140	0.002921
Kemeny-Young (n=8)	Ensemble	0.0105140	0.0093460	0.0928740	0.0367990	0.0146030	0.0052570	0.0070090	0.0029210	0.0216120	0.0210280	0.0122660	0.002336
RRF (n=2)	Ensemble	0.0146030	0.0105140	0.1057240	0.0514020	0.0122660	0.0046730	0.0075930	0.0029210	0.0146030	0.03271	0.0122660	0.001752
RRF (n=3)	Ensemble	0.0157710	0.0140190	0.1063080	0.0642520	0.0192760	0.0093460	0.0075930	0.0029210	0.0151870	0.0344630	0.0134350	0.001752
RRF (n=4)	Ensemble	0.00993	0.0181070	0.0992990	0.0700930	0.00993	0.0105140	0.0052570	0.0011680	0.0186920	0.0257010	0.0122660	0.001168
RRF (n=5)	Ensemble	0.0070090	0.0864490	0.0461450	0.0064250	0.0040890	0.0081780	0.0029210	0.01986	0.0251170	0.0146030	0.001168	
RRF (n=6)	Ensemble	0.0046730	0.0052570	0.0864490	0.0484810	0.00993	0.0046730	0.0064250	0.0046730	0.0239490	0.0157710	0.0140190	0.002921
RRF (n=7)	Ensemble	0.0093460	0.0093460	0.0905370	0.0414720	0.0122660	0.0017520	0.0081780	0.0040890	0.0257010	0.0157710	0.0122660	0.003505
RRF (n=8)	Ensemble	0.0146030	0.0052570	0.0934580	0.0391360	0.01285	0.0017520	0.0075930	0.0035050	0.0251170	0.0175230	0.01285	0.002921
Schulze (n=2)	Ensemble	0.0192760	0.0105140	0.1068930	0.0502340	0.0105140	0.0052570	0.0046730	0.0029210	0.0146030	0.0356310	0.0116820	0.000584
Schulze (n=3)	Ensemble	0.0087620	0.0175230	0.1098130	0.0806070	0.0116820	0.0046730	0.0075930	0.0040890	0.0134350	0.0356310	0.0134350	0.004089
Schulze (n=4)	Ensemble	0.0035050	0.01986	0.0882010	0.0747660	0.0134350	0.0134350	0.0087620	0.0040890	0.0186920	0.0303740	0.0151870	0.003505
Schulze (n=5)	Ensemble	0.0017520	0.0035050	0.0864490	0.0478970	0.0140190	0.0052570	0.0087620	0.0058410	0.0151870	0.0315420	0.0157710	0.004673
Schulze (n=6)	Ensemble	0.0064250	0.0029210	0.0928740	0.0432240	0.00993	0.0017520	0.00993	0.0058410	0.0169390	0.0274530	0.0169390	0.004673
Schulze (n=7)	Ensemble	0.0110980	0.0040890	0.0905370	0.0385510	0.0087620	0.0052570	0.0105140	0.0052570	0.0181070	0.0262850	0.0163550	0.002921
Schulze (n=8)	Ensemble	0.0116820	0.0151870	0.0882010	0.0385510	0.0140190	0.0029210	0.0116820	0.0046730	0.0192760	0.0292060	0.0163550	0.003505
norm_ensemble (n=2)	Ensemble	0.0046730	0.0052570	0.0712620	0.0420560	0.0064250	0.0011680	0.0064250	0.0011680	0.0186920	0.0315420	0.0134350	0.001168
norm_ensemble (n=3)	Ensemble	0.0040890	0.0040890	0.08528	0.0490650	0.0116820	0.0029210	0.0081780	0.0029210	0.0221960	0.0280370	0.0134350	
norm_ensemble (n=4)	Ensemble	0.0005840	0.00993	0.0759350	0.0502340	0.0110980	0.0011680	0.0105140	0.0035050	0.0251170	0.0204440	0.0169390	0.002921
norm_ensemble (n=5)	Ensemble	0.0029210	0.0116820	0.0765190	0.0490650	0.0110980	0.0081780	0.0093460	0.0035050	0.0221960	0.0186920	0.0157710	0.001752
norm_ensemble (n=6)	Ensemble	0.0052570	0.0070090	0.0759350	0.04965	0.0064250	0.0058410	0.0093460	0.0017520	0.02979	0.0146030	0.0110980	0.001168

Method	Type	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob
		Re- place- Top gaus- sian std 0.15	Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.0052570	0.0181070	0.0776870	0.0572430	0.0122660	0.0110980	0.0122660	0.0052570	0.0315420	0.03271	0.0140190	0.001168
norm_ensemble (n=8)	Ensemble	0.0064250	0.0093460	0.0800230	0.0519860	0.0146030	0.0052570	0.0093460	0.0035050	0.0239490	0.02979	0.0140190	0.000584
Deconvolution	Single	0.0029210	0.0035050	0.0467290	0.0134350	0.0070090	0.0081780	0.0064250	0.0052570	0.0064250	0.0420560	0.01285	0.008762
Deconvolution	Single	0.0029210	0.0035050	0.0467290	0.0134350	0.0070090	0.0081780	0.0064250	0.0052570	0.0064250	0.0420560	0.01285	0.008762
DeepLIFT_SHAP	Single	0.0035050	0.0040890	0.09229	0.0286210	0.0134350	0.0029210	0.0146030	0.0046730	0.0163550	0.0315420	0.0157710	
DeepLIFT_SHAP	Single	0.0035050	0.0040890	0.09229	0.0286210	0.0134350	0.0029210	0.0146030	0.0046730	0.0163550	0.0315420	0.0157710	
DeepLIFT_SHAP	Single	0.0035050	0.0040890	0.09229	0.0286210	0.0134350	0.0029210	0.0146030	0.0046730	0.0163550	0.0315420	0.0157710	
DeepLIFT_SHAP	Single	0.0035050	0.0040890	0.09229	0.0286210	0.0134350	0.0029210	0.0146030	0.0046730	0.0163550	0.0315420	0.0157710	
DeepLIFT_baseline	Global	0.00993	0	0.0876170	0.0315420	0.00993	0.0052570	0.0087620	0.0040890	0.0245330	0.0175230	0.0157710	0.002336
DeepLIFT_baseline	Global	0.00993	0	0.0876170	0.0315420	0.00993	0.0052570	0.0087620	0.0040890	0.0245330	0.0175230	0.0157710	0.002336
FeatureAblation	Single size	0.0061680	0.0029210	0.0391360	0.0385510	0.0070090	0.0023360	0.0081780	0.0035050	0.0245330	0.0116820	0.0105140	0.000584
FeatureAblation	Single size	0.0061680	0.0029210	0.0391360	0.0385510	0.0070090	0.0023360	0.0081780	0.0035050	0.0245330	0.0116820	0.0105140	0.000584
GradientShap_baseline	Single	0.0010514	0.0011680	0.0629075	0.02080370	0.0151870	0.0081780	0.0087620	0.0023360	0.0157710	0.0286210	0.0169390	
GradientShap_baseline	Single	0.0010514	0.0011680	0.0629075	0.02080370	0.0151870	0.0081780	0.0087620	0.0023360	0.0157710	0.0286210	0.0169390	
GradientShap_baseline	Single	0.0008762	0.0011680	0.0695090	0.0105140	0.0110980	0.0023360	0.0110980	0.0046730	0.0169390	0.0321260	0.0157710	
GradientShap_baseline	Single	0.0008762	0.0011680	0.0695090	0.0105140	0.0110980	0.0023360	0.0110980	0.0046730	0.0169390	0.0321260	0.0157710	
GuidedBackprop	Single	0.0146030	0.0140190	0.0858640	0.0443930	0.0151870	0.0046730	0.0075930	0.0005840	0.0257010	0.0157710	0.0175230	0.000584
GuidedBackprop	Single	0.0146030	0.0140190	0.0858640	0.0443930	0.0151870	0.0046730	0.0075930	0.0005840	0.0257010	0.0157710	0.0175230	0.000584
InputXGradient	Single	0.0105140	0.0081780	0.0081780	0.0338790	0.0011680	0.0035050	0.0093460	0.0029210	0.0251170	0.0105140	0.0163550	0.000584
InputXGradient	Single	0.0105140	0.0081780	0.0081780	0.0338790	0.0011680	0.0035050	0.0093460	0.0029210	0.0251170	0.0105140	0.0163550	0.000584
IntegratedGradient	Single	0.0029210	0.0093460	0.0300020	0.0268690	0.0110980	0.0081780	0.0046730	0.0005840	0.0251170	0.0134350	0.0122660	0.004673
IntegratedGradient	Single	0.0029210	0.0093460	0.0300020	0.0268690	0.0110980	0.0081780	0.0046730	0.0005840	0.0251170	0.0134350	0.0122660	0.004673
IntegratedGradient	Single	0.0093460	0.0300020	0.0268690	0.0110980	0.0081780	0.0046730	0.0005840	0.0251170	0.0134350	0.0122660	0.004673	
IntegratedGradient	Single	0.0093460	0.0300020	0.0268690	0.0110980	0.0081780	0.0046730	0.0005840	0.0251170	0.0134350	0.0122660	0.004673	
Occlusion_baseline	Global	0.005140	0.0011680	0.05164	0.0578270	0.0122660		0.0040890	0.0005840	0.0221960	0.0046730	0.0116820	0.005257
Occlusion_baseline	Global	0.005140	0.0011680	0.05164	0.0578270	0.0122660		0.0040890	0.0005840	0.0221960	0.0046730	0.0116820	0.005257
Saliency	Single	0.0064250	0.0029210	0.0122660	0.0140190	0.0087620	0.0005840	0.0105140	0.0011680	0.0274530	0.0169390	0.0186920	0.001168
Saliency	Single	0.0064250	0.0029210	0.0122660	0.0140190	0.0087620	0.0005840	0.0105140	0.0011680	0.0274530	0.0169390	0.0186920	0.001168

Table 78: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.7488320	0.7424070	0.9112150	0.987734
Borda (n=3)	Ensemble	0.7564250	0.7517520	0.9106310	0.985397
Borda (n=4)	Ensemble	0.7774530	0.7815420	0.9123830	0.984813
Borda (n=5)	Ensemble	0.7605140	0.7651870	0.9094630	0.985397
Borda (n=6)	Ensemble	0.7809580	0.7838790	0.9112150	0.983061
Borda (n=7)	Ensemble	0.8072430	0.8125	0.9112150	0.984229
Borda (n=8)	Ensemble	0.8130840	0.8200930	0.9106310	0.984813
Kemeny-Young (n=2)	Ensemble	0.7488320	0.7424070	0.9112150	0.987734
Kemeny-Young (n=3)	Ensemble	0.7564250	0.7517520	0.9106310	0.985397
Kemeny-Young (n=4)	Ensemble	0.7774530	0.7815420	0.9123830	0.984813
Kemeny-Young (n=5)	Ensemble	0.7605140	0.7651870	0.9094630	0.985397
Kemeny-Young (n=6)	Ensemble	0.7809580	0.7838790	0.9112150	0.983061
Kemeny-Young (n=7)	Ensemble	0.8072430	0.8125	0.9112150	0.984229
Kemeny-Young (n=8)	Ensemble	0.8130840	0.8200930	0.9106310	0.984813
RRF (n=2)	Ensemble	0.7459110	0.7435750	0.9106310	0.986565
RRF (n=3)	Ensemble	0.7558410	0.7558410	0.9106310	0.985981
RRF (n=4)	Ensemble	0.7704440	0.78271	0.9117990	0.983645
RRF (n=5)	Ensemble	0.7663550	0.77278	0.9082940	0.984813
RRF (n=6)	Ensemble	0.7856310	0.7862150	0.9123830	0.982477
RRF (n=7)	Ensemble	0.7821260	0.7903040	0.9106310	0.982477
RRF (n=8)	Ensemble	0.8008180	0.8066590	0.9112150	0.983645
Schulze (n=2)	Ensemble	0.7540890	0.7441590	0.9071260	0.977804
Schulze (n=3)	Ensemble	0.7640190	0.7622660	0.9088790	0.983645
Schulze (n=4)	Ensemble	0.8230140	0.8504670	0.9100470	0.984229
Schulze (n=5)	Ensemble	0.8019860	0.8130840	0.9106310	0.984813
Schulze (n=6)	Ensemble	0.8066590	0.8089950	0.9117990	0.985397
Schulze (n=7)	Ensemble	0.8160050	0.8189250	0.9100470	0.983061
Schulze (n=8)	Ensemble	0.8288550	0.8300230	0.9082940	0.983645
norm_ensemble (n=2)	Ensemble	0.8130840	0.8358640	0.9100470	0.983061
norm_ensemble (n=3)	Ensemble	0.8346960	0.8609810	0.9112150	0.984229
norm_ensemble (n=4)	Ensemble	0.83236	0.8726640	0.9094630	0.977804
norm_ensemble (n=5)	Ensemble	0.8212620	0.86215	0.9100470	0.976636
norm_ensemble (n=6)	Ensemble	0.8335280	0.8656540	0.9106310	0.984229
norm_ensemble (n=7)	Ensemble	0.8335280	0.8744160	0.9059580	0.980724
norm_ensemble (n=8)	Ensemble	0.8417060	0.875	0.9059580	0.977804

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.8773360.9269860.8814250.961449			
Deconvolution	Single	0.8773360.9269860.8814250.961449			
DeepLIFT_SHAP	baseline	0.8761680.873248	0.9071260.976636		
DeepLIFT_SHAP	baseline	0.8761680.873248	0.9071260.976636		
DeepLIFT_SHAP	baseline	0.8761680.873248	0.9071260.976636		
DeepLIFT_SHAP	baseline	0.8761680.873248	0.9071260.976636		
DeepLIFT_baseline	global	0.8174730.8218460.9024530.979556			
DeepLIFT_baseline	global	0.8174730.8218460.9024530.979556			
FeatureAblation_Single	size	0.8198130.9053740.8837620.959112			
FeatureAblation_Single	size	0.8198130.9053740.8837620.959112			
GradientShap_baseline	single	0.8656540.8714950.9065420.983061			
GradientShap_baseline	single	0.8656540.8714950.9065420.983061			
GradientShap_baseline	single	0.8814250.8802570.9065420.982477			
GradientShap_baseline	single	0.8814250.8802570.9065420.982477			
GuidedBackprop	Single	0.7149530.71729	0.9071260.981893		
GuidedBackprop	Single	0.7149530.71729	0.9071260.981893		
InputXGradient	Single	0.8790890.9427570.8901870.96028			
InputXGradient	Single	0.8790890.9427570.8901870.96028			
IntegratedGradient	baseline	0.8317760.8615650.8906230.971379			
IntegratedGradient	baseline	0.8317760.8615650.8906230.971379			
IntegratedGradient	baseline	0.832260.8615650.8906920.973131			
IntegratedGradient	baseline	0.832260.8615650.8906920.973131			
Occlusion_baseline	global	0.8971960.9036210.8925230.975467			
Occlusion_baseline	global	0.8971960.9036210.8925230.975467			
Saliency	Single	0.8860980.9357480.9007010.963201			
Saliency	Single	0.8860980.9357480.9007010.963201			

Table 79: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.0005840	0.0023360	0.1623830	0.0934580	0.0058410	0.0011680	0.0122660	0.00993	0.0268690	0.0549070	0.0122660	0.004673
Borda (n=3)	Ensemble	0.0046730	0.0093460	0.0963790	0.0356310	0.0110980	0.0093460	0.0110980	0.0046730	0.0251170	0.0554910	0.0140190	0.001752
Borda (n=4)	Ensemble	0.0151870	0.0268690	0.1360980	0.0794390	0.0204440	0.0239490	0.0122660	0.0040890	0.0216120	0.0514020	0.0151870	
Borda (n=5)	Ensemble	0.0175230	0.0093460	0.1092290	0.0572430	0.0157710	0.0140190	0.0110980	0.0052570	0.0204440	0.0490650	0.0134350	
Borda (n=6)	Ensemble	0.0146030	0.0070090	0.1139020	0.0584110	0.01285	0.0075930	0.0116820	0.0023360	0.0262850	0.0385510	0.0122660	0.000584
Borda (n=7)	Ensemble	0.0309580	0.0438080	0.15771	0.1068930	0.0332940	0.0344630	0.0110980	0.0040890	0.0186920	0.0432240	0.01285	0.000584
Borda (n=8)	Ensemble	0.0134350	0.0257010	0.1542060	0.1057240	0.0257010	0.0350470	0.0105140	0.0040890	0.02278	0.0537380	0.0146030	0.001752
Kemeny-Young (n=2)	Ensemble	0.0005840	0.0023360	0.1623830	0.0934580	0.0058410	0.0011680	0.0122660	0.00993	0.0268690	0.0549070	0.0122660	0.004673
Kemeny-Young (n=3)	Ensemble	0.0046730	0.0093460	0.0963790	0.0356310	0.0110980	0.0093460	0.0110980	0.0046730	0.0251170	0.0554910	0.0140190	0.001752
Kemeny-Young (n=4)	Ensemble	0.0151870	0.0268690	0.1360980	0.0794390	0.0204440	0.0239490	0.0122660	0.0040890	0.0216120	0.0514020	0.0151870	
Kemeny-Young (n=5)	Ensemble	0.0175230	0.0093460	0.1092290	0.0572430	0.0157710	0.0140190	0.0110980	0.0052570	0.0204440	0.0490650	0.0134350	
Kemeny-Young (n=6)	Ensemble	0.0146030	0.0070090	0.1139020	0.0584110	0.01285	0.0075930	0.0116820	0.0023360	0.0262850	0.0385510	0.0122660	0.000584
Kemeny-Young (n=7)	Ensemble	0.0309580	0.0438080	0.15771	0.1068930	0.0332940	0.0344630	0.0110980	0.0040890	0.0186920	0.0432240	0.01285	0.000584
Kemeny-Young (n=8)	Ensemble	0.0134350	0.0257010	0.1542060	0.1057240	0.0257010	0.0350470	0.0105140	0.0040890	0.02278	0.0537380	0.0146030	0.001752
RRF (n=2)	Ensemble	0.0029210	0.0058410	0.1401870	0.0776870	0.0064250		0.01285	0.0087620	0.0268690	0.0531540	0.01285	0.001168
RRF (n=3)	Ensemble	0.0005840	0.0070090	0.13785	0.07535	0.0081780	0.0075930	0.0122660	0.0070090	0.0262850	0.0549070	0.0140190	0.004089
RRF (n=4)	Ensemble	0.0040890	0.0163550	0.1407710	0.0870330	0.0140190	0.0192760	0.0122660	0.0046730	0.0239490	0.0478970	0.0146030	
RRF (n=5)	Ensemble	0.0163550	0.0058410	0.1179910	0.0566590	0.0151870	0.0175230	0.0110980	0.0046730	0.0204440	0.0461450	0.0122660	0.000584
RRF (n=6)	Ensemble	0.0093460	0.0058410	0.1068930	0.0443930	0.0157710	0.0146030	0.0140190	0.0040890	0.0280370	0.0309580	0.0140190	0.000584
RRF (n=7)	Ensemble	0.0011680	0.0110980	0.1244160	0.0718460	0.0035050	0.0105140	0.00993	0.0011680	0.0245330	0.0321260	0.0110980	0.001752
RRF (n=8)	Ensemble	0.0140190	0.0239490	0.1156540	0.0642520	0.00993	0.0151870	0.00993	0.0005840	0.0245330	0.0432240	0.0134350	0.000584
Schulze (n=2)	Ensemble	0.0064250	0.0023360	0.1717290	0.1004670	0.0046730	0.0005840	0.0087620	0.0023360	0.02278	0.0449770	0.0110980	0.000584
Schulze (n=3)	Ensemble	0.0081780	0.0116820	0.0864490	0.0257010	0.0087620	0.0081780	0.0105140	0.0029210	0.0239490	0.0554910	0.0134350	0.001752
Schulze (n=4)	Ensemble	0.0210280	0.0332940	0.1769860	0.1483640	0.0268690	0.0321260	0.0163550	0.0093460	0.02278	0.0543220	0.0122660	0.001168
Schulze (n=5)	Ensemble	0.0093460	0.0011680	0.1290890	0.0788550	0.0017520	0.0035050	0.01285	0.0029210	0.0239490	0.0519860	0.0146030	0.001752
Schulze (n=6)	Ensemble	0.0011680	0.0017520	0.1220790	0.0566590	0.0040890	0.0070090	0.0093460	0.0017520	0.0274530	0.0537380	0.0163550	0.004673
Schulze (n=7)	Ensemble	0.0116820	0.0163550	0.13493	0.0765190	0.0081780	0.00993	0.0116820	0.0023360	0.0233640	0.0508180	0.01285	0
Schulze (n=8)	Ensemble	0.0274530	0.0286210	0.1413550	0.0788550	0.0105140	0.0186920	0.0116820	0.0035050	0.0192760	0.0554910	0.0116820	0.000584
norm_ensemble (n=2)	Ensemble	0.0040890		0.1033880	0.0566590	0.0175230	0.0087620	0.0105140	0.0029210	0.0362150	0.0613320	0.0146030	0.002921
norm_ensemble (n=3)	Ensemble	0.0087620	0.0221960	0.0654210	0.0105140	0.0268690	0.01986	0.0122660	0.0017520	0.0332940	0.0595790	0.0134350	0.005841
norm_ensemble (n=4)	Ensemble	0.0157710	0.0362150	0.0706780	0.0321260	0.0216120	0.0186920	0.0157710	0.0017520	0.0303740	0.0484810	0.0134350	0.003505
norm_ensemble (n=5)	Ensemble	0.0029210	0.0204440	0.0625	0.0239490	0.0070090	0.0040890	0.0169390		0.0286210	0.03972	0.01285	0.002336
norm_ensemble (n=6)	Ensemble	0.0052570	0.0251170	0.0870330	0.0350470	0.0181070	0.0151870	0.0175230	0.0052570	0.0356310	0.0508180	0.0134350	0.007009

Method	Type	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob
		Re- place- Top gaus- sian std 0.15	Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.0122660	0.0420560	0.0911210	0.0514020	0.0186920	0.02979	0.0110980	0.0023360	0.0332940	0.0636680	0.0081780	
norm_ensemble (n=8)	Ensemble	0.0122660	0.0292060	0.0917060	0.0461450	0.0274530	0.0286210	0.0105140		0.0321260	0.0642520	0.01285	0
Deconvolution	Single	0.0023360	0.0064250	0.0817760	0.0467290	0.0157710	0.0005840	0.01986	0.0175230	0.0163550	0.0975470	0.0140190	0.002921
Deconvolution	Single	0.0023360	0.0064250	0.0817760	0.0467290	0.0157710	0.0005840	0.01986	0.0175230	0.0163550	0.0975470	0.0140190	0.002921
DeepLIFT_SHAP	Single	0.0175230	0.0268690	0.1103970	0.04264	0.0140190	0.0134350	0.0186920	0.0070090	0.0303740	0.0502340	0.0146030	0.005841
DeepLIFT_SHAP	Single	0.0175230	0.0268690	0.1103970	0.04264	0.0140190	0.0134350	0.0186920	0.0070090	0.0303740	0.0502340	0.0146030	0.005841
DeepLIFT_SHAP	Single	0.0175230	0.0268690	0.1103970	0.04264	0.0140190	0.0134350	0.0186920	0.0070090	0.0303740	0.0502340	0.0146030	0.005841
DeepLIFT_SHAP	Single	0.0175230	0.0268690	0.1103970	0.04264	0.0140190	0.0134350	0.0186920	0.0070090	0.0303740	0.0502340	0.0146030	0.005841
DeepLIFT_baseline	Global	0.00993	0.0040890	0.11507	0.0438080	0.0122660	0.0151870	0.0064250	0.0005840	0.0169390	0.04965	0.0110980	0.000584
DeepLIFT_baseline	Global	0.00993	0.0040890	0.11507	0.0438080	0.0122660	0.0151870	0.0064250	0.0005840	0.0169390	0.04965	0.0110980	0.000584
FeatureAblation_pit	Single size	0.0040890	0.0087620	0.0286210	0.0379670	0.00993	0.0035050	0.0005840	0.0017520	0.0210280	0.0245330	0.0087620	0.000584
FeatureAblation_pit	Single size	0.0040890	0.0087620	0.0286210	0.0379670	0.00993	0.0035050	0.0005840	0.0017520	0.0210280	0.0245330	0.0087620	0.000584
GradientShap_baseline	Single	0.0075930	0.0181679	0.0806450	0.0385510	0.0105140	0.0186920	0.0169390	0.0134350	0.0221960	0.0601640	0.0122660	0.004673
GradientShap_baseline	Single	0.0075930	0.0181679	0.0806450	0.0385510	0.0105140	0.0186920	0.0169390	0.0134350	0.0221960	0.0601640	0.0122660	0.004673
GradientShap_baseline	Single	0.0075930	0.0181679	0.0806450	0.0385510	0.0105140	0.0186920	0.0169390	0.0134350	0.0221960	0.0601640	0.0122660	0.004673
GradientShap_baseline	Single	0.0075930	0.0181679	0.0806450	0.0385510	0.0105140	0.0186920	0.0169390	0.0134350	0.0221960	0.0601640	0.0122660	0.004673
GradientShap_baseline	Single	0.0075930	0.0181679	0.0806450	0.0385510	0.0105140	0.0186920	0.0169390	0.0134350	0.0221960	0.0601640	0.0122660	0.004673
GuidedBackprop	Single	0.0029210	0.0087620	0.1308410	0.0806070	0.0064250	0.0035050	0.0070090	0.0017520	0.0303740	0.0309580	0.0151870	0.001752
GuidedBackprop	Single	0.0029210	0.0087620	0.1308410	0.0806070	0.0064250	0.0035050	0.0070090	0.0017520	0.0303740	0.0309580	0.0151870	0.001752
InputXGradient	Single	0.01285	0.0052570	0.01285	0.0665890	0.0005840	0.0029210	0.01285	0.0070090	0.0321260	0.0175230	0.0105140	0.004673
InputXGradient	Single	0.01285	0.0052570	0.01285	0.0665890	0.0005840	0.0029210	0.01285	0.0070090	0.0321260	0.0175230	0.0105140	0.004673
IntegratedGradient	Single	0.0169390	0.0268690	0.0807480	0.0403040	0.0221960	0.0221960	0.0005840	0.0011680	0.0221960	0.0274530	0.0029210	0.002336
IntegratedGradient	Single	0.0169390	0.0268690	0.0807480	0.0403040	0.0221960	0.0221960	0.0005840	0.0011680	0.0221960	0.0274530	0.0029210	0.002336
IntegratedGradient	Single	0.0169390	0.0268690	0.0807480	0.0403040	0.0221960	0.0221960	0.0005840	0.0011680	0.0221960	0.0274530	0.0029210	0.002336
IntegratedGradient	Single	0.0169390	0.0268690	0.0807480	0.0403040	0.0221960	0.0221960	0.0005840	0.0011680	0.0221960	0.0274530	0.0029210	0.002336
IntegratedGradient	Single	0.0169390	0.0268690	0.0807480	0.0403040	0.0221960	0.0221960	0.0005840	0.0011680	0.0221960	0.0274530	0.0029210	0.002336
Occlusion_baseline	Global	0.0058410	0.0112850	0.0221584	0.0788550	0.0110980	0.0058410	0.0087620	0.0070090	0.0146030	0.0058410	0.0093460	0.001752
Occlusion_baseline	Global	0.0058410	0.0112850	0.0221584	0.0788550	0.0110980	0.0058410	0.0087620	0.0070090	0.0146030	0.0058410	0.0093460	0.001752
Saliency	Single	0.0046730		0.0210280	0.0274530	0.0058410		0.0169390	0.0029210	0.0332940	0.0362150	0.01285	0.005257
Saliency	Single	0.0046730		0.0210280	0.0274530	0.0058410		0.0169390	0.0029210	0.0332940	0.0362150	0.01285	0.005257

Table 80: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.9012850.9334110.	0.9112150.997664		
Borda (n=3)	Ensemble	0.8989490.9415890.	0.9117990.998248		
Borda (n=4)	Ensemble	0.8989490.9450930.	0.9117990.998248		
Borda (n=5)	Ensemble	0.9012850.9532710.	0.9117990.998248		
Borda (n=6)	Ensemble	0.9024530.9515190.	0.9112150.998832		
Borda (n=7)	Ensemble	0.8989490.9480140.	0.9112150.998832		
Borda (n=8)	Ensemble	0.9018690.94743	0.9112150.998832		
Kemeny-Young (n=2)	Ensemble	0.9012850.9334110.	0.9112150.997664		
Kemeny-Young (n=3)	Ensemble	0.8989490.9415890.	0.9117990.998248		
Kemeny-Young (n=4)	Ensemble	0.8989490.9450930.	0.9117990.998248		
Kemeny-Young (n=5)	Ensemble	0.9012850.9532710.	0.9117990.998248		
Kemeny-Young (n=6)	Ensemble	0.9024530.9515190.	0.9112150.998832		
Kemeny-Young (n=7)	Ensemble	0.8989490.9480140.	0.9112150.998832		
Kemeny-Young (n=8)	Ensemble	0.9018690.94743	0.9112150.998832		
RRF (n=2)	Ensemble	0.9001170.9357480.	0.9112150.997664		
RRF (n=3)	Ensemble	0.9018690.9410050.	0.9117990.998248		
RRF (n=4)	Ensemble	0.9024530.9462620.	0.9117990.998248		
RRF (n=5)	Ensemble	0.9030370.9521030.	0.9117990.998248		
RRF (n=6)	Ensemble	0.9082940.9515190.	0.9112150.998832		
RRF (n=7)	Ensemble	0.9024530.9485980.	0.9112150.998832		
RRF (n=8)	Ensemble	0.9024530.9462620.	0.9112150.998832		
Schulze (n=2)	Ensemble	0.9001170.9345790.	0.9123830.997664		
Schulze (n=3)	Ensemble	0.8966120.9421730.	0.9117990.998248		
Schulze (n=4)	Ensemble	0.8989490.9614490.	0.9117990.998248		
Schulze (n=5)	Ensemble	0.9012850.9526870.	0.9117990.998248		
Schulze (n=6)	Ensemble	0.9042060.9532710.	0.9117990.998248		
Schulze (n=7)	Ensemble	0.9018690.9532710.	0.9117990.998248		
Schulze (n=8)	Ensemble	0.9024530.9521030.	0.9117990.998248		
norm_ensemble (n=2)	Ensemble	0.9018690.9737150.	0.9106310.998248		
norm_ensemble (n=3)	Ensemble	0.9007010.9783880.	0.9123830.995911		
norm_ensemble (n=4)	Ensemble	0.9007010.97722	0.9112150.997664		
norm_ensemble (n=5)	Ensemble	0.9001170.9813080.	0.9135510.996495		
norm_ensemble (n=6)	Ensemble	0.9012850.9795560.	0.9123830.996495		
norm_ensemble (n=7)	Ensemble	0.8960280.9719630.	0.9106310.997079		
norm_ensemble (n=8)	Ensemble	0.8966120.9737150.	0.9100470.997664		

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.8989490.9719630.9106310.997079			
Deconvolution	Single	0.8989490.9719630.9106310.997079			
DeepLIFT_SHAP	Single	0.9088790.9626170.9117990.997079			
DeepLIFT_SHAP	Single	0.9088790.9626170.9117990.997079			
DeepLIFT_SHAP	Single	0.9088790.9626170.9117990.997079			
DeepLIFT_SHAP	Single	0.9088790.9626170.9117990.997079			
DeepLIFT_baseline	Single	0.8989490.950350.9112150.997664			
DeepLIFT_baseline	Single	0.8989490.950350.9112150.997664			
FeatureAblation_size	Single	0.9062850.9684580.9059580.990654			
FeatureAblation_size	Single	0.9062850.9684580.9059580.990654			
GradientShap_baseline	Single	0.8977810.93750.9117990.998248			
GradientShap_baseline	Single	0.8977810.93750.9117990.998248			
GradientShap_baseline	Single	0.9058370.9759490.9123830.997664			
GradientShap_baseline	Single	0.9058370.9759490.9123830.997664			
GuidedBackprop	Single	0.897780.93750.9117990.998248			
GuidedBackprop	Single	0.897780.93750.9117990.998248			
InputXGradient	Single	0.8960280.9748830.9106310.995911			
InputXGradient	Single	0.8960280.9748830.9106310.995911			
IntegratedGradient	Single	0.9024530.9719630.9088790.995327			
IntegratedGradient	Single	0.9024530.9719630.9088790.995327			
IntegratedGradient	Single	0.9012850.9705940.9088790.995327			
IntegratedGradient	Single	0.9012850.9705940.9088790.995327			
Occlusion_baseline	Single	0.9012850.94450930.9088790.994159			
Occlusion_baseline	Single	0.9012850.94450930.9088790.994159			
Saliency	Single	0.8907710.9643690.9112150.998832			
Saliency	Single	0.8907710.9643690.9112150.998832			

Table 81: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.015771	0.002921	0.077687	0.02979	0.024533	0.002921	0.002336	0.000584	0.030374	0.006425	0.01285	0.001168
Borda (n=3)	Ensemble	0.005257	0.003505	0.070678	0.044977	0.015187	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921	
Borda (n=4)	Ensemble	0.002336	0.006425	0.064252	0.032126	0.015187	0.003505	0.004673	0.001168	0.030958	0.005257	0.012266	0.002921
Borda (n=5)	Ensemble	0.005257	0.002921	0.061332	0.039136	0.014019	0.005257	0.004089	0.001752	0.032126	0.002921	0.012266	0.002921
Borda (n=6)	Ensemble	0.007009	0.001752	0.063084	0.035631	0.015187	0.002921	0.004089	0.002921	0.032126	0.002921	0.012266	0.004089
Borda (n=7)	Ensemble	0.005257	0.005257	0.059579	0.027453	0.012266	0.000584	0.003505	0.002336	0.031542	0.004673	0.011682	0.003505
Borda (n=8)	Ensemble	0.00993	0.000584	0.060748	0.020444	0.011098	0.002921	0.003505	0.001168	0.031542	0.004673	0.011682	0.003505
Kemeny-Young (n=2)	Ensemble	0.015771	0.002921	0.077687	0.02979	0.024533	0.002921	0.002336	0.000584	0.030374	0.006425	0.01285	0.001168
Kemeny-Young (n=3)	Ensemble	0.005257	0.003505	0.070678	0.044977	0.015187	0.003505	0.004673	0.001168	0.031542	0.006425	0.013435	0.002921
Kemeny-Young (n=4)	Ensemble	0.002336	0.006425	0.064252	0.032126	0.015187	0.003505	0.004673	0.001168	0.030958	0.005257	0.012266	0.002921
Kemeny-Young (n=5)	Ensemble	0.005257	0.002921	0.061332	0.039136	0.014019	0.005257	0.004089	0.001752	0.032126	0.002921	0.012266	0.002921
Kemeny-Young (n=6)	Ensemble	0.007009	0.001752	0.063084	0.035631	0.015187	0.002921	0.004089	0.002921	0.032126	0.002921	0.012266	0.004089
Kemeny-Young (n=7)	Ensemble	0.005257	0.005257	0.059579	0.027453	0.012266	0.000584	0.003505	0.002336	0.031542	0.004673	0.011682	0.003505
Kemeny-Young (n=8)	Ensemble	0.00993	0.000584	0.060748	0.020444	0.011098	0.002921	0.003505	0.001168	0.031542	0.004673	0.011682	0.003505
RRF (n=2)	Ensemble	0.01285	0.007593	0.076519	0.033294	0.022196	0.005257	0.001752	0.002979	0.007009	0.013435	0.001752	
RRF (n=3)	Ensemble	0.008178	0.001168	0.070093	0.042056	0.019276	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921	
RRF (n=4)	Ensemble	0.006425	0.006425	0.065421	0.036799	0.018107	0.001752	0.004089	0.001752	0.030958	0.005257	0.012266	0.002921
RRF (n=5)	Ensemble	0.008178	0.000584	0.063084	0.035631	0.013435	0.005257	0.004089	0.001752	0.03271	0.002336	0.012266	0.002921
RRF (n=6)	Ensemble	0.015187	0.000584	0.070093	0.02979	0.021028	0.005841	0.004089	0.002921	0.03271	0.002336	0.012266	0.004089
RRF (n=7)	Ensemble	0.008762	0.004673	0.0625	0.024533	0.015771	0.001752	0.003505	0.002336	0.030374	0.004673	0.011682	0.003505
RRF (n=8)	Ensemble	0.00993	0.001752	0.059579	0.015771	0.010514	0.000584	0.003505	0.001168	0.030374	0.004673	0.011682	0.003505
Schulze (n=2)	Ensemble	0.016939	0.005841	0.07535	0.030958	0.02278	0.004673	0.003505	0.001168	0.030958	0.007009	0.013435	0.001752
Schulze (n=3)	Ensemble	0.005841	0.006425	0.071262	0.044977	0.014603	0.002336	0.003505	0.001168	0.030958	0.006425	0.013435	0.004089
Schulze (n=4)	Ensemble	0.005257	0.006425	0.060164	0.046729	0.014019	0.006425	0.005257	0.002921	0.030374	0.006425	0.013435	0.004089
Schulze (n=5)	Ensemble	0.011098	0.002336	0.056075	0.025701	0.014019	0.004673	0.002336	0.031542	0.005257	0.01285	0.001168	
Schulze (n=6)	Ensemble	0.004673	0.063084	0.021612	0.014603	0.004089	0.005841	0.002336	0.031542	0.004673	0.012266	0.002921	
Schulze (n=7)	Ensemble	0.004673	0.001168	0.060748	0.025701	0.011098	0.004089	0.004673	0.001168	0.031542	0.004673	0.011098	0.002921
Schulze (n=8)	Ensemble	0.007009	0.055491	0.016939	0.01285	0.006425	0.005257	0.002921	0.031542	0.004673	0.011682	0.002336	
norm_ensemble (n=2)	Ensemble	0.002921	0.002336	0.034463	0.011098	0.015187	0.002921	0.002336	0.000584	0.027453	0.009346	0.011098	0.001752
norm_ensemble (n=3)	Ensemble	0.004089	0.001752	0.055491	0.038551	0.014603	0.001168	0.005257	0.001752	0.02979	0.006425	0.013435	
norm_ensemble (n=4)	Ensemble	0.000584	0.001168	0.056075	0.038551	0.018107	0.002336	0.004673	0.002336	0.02979	0.007009	0.011682	0.002336
norm_ensemble (n=5)	Ensemble	0.002336	0.00993	0.057827	0.038551	0.013435	0.009346	0.005841	0.001168	0.032126	0.005841	0.01285	0.001168
norm_ensemble (n=6)	Ensemble	0.003505	0.012266	0.054322	0.032126	0.013435	0.008762	0.005257	0.000584	0.035631	0.002921	0.01285	0.001168

Method	Type	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob
		Re- place- Top gaus- sian std 0.15	Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.0035050	0.0017520	0.0490650	0.0233640	0.00993	0.0017520	0.0040890	0.0023360	0.0321260	0.0058410	0.0105140	0.001168
norm_ensemble (n=8)	Ensemble	0.0081780	0.0093460	0.0449770	0.0216120	0.0093460	0.0052570	0.0046730	0.0035050	0.0303740	0.0064250	0.0110980	0.002921
Deconvolution	Single	0.0052570	0.0011680	0.0443930	0.0122660	0.0105140	0.0029210	0.0029210	0.0011680	0.0286210	0.0075930	0.0122660	0.001752
Deconvolution	Single	0.0052570	0.0011680	0.0443930	0.0122660	0.0105140	0.0029210	0.0029210	0.0011680	0.0286210	0.0075930	0.0122660	0.001752
DeepLIFT_SHAP	Single	0.0033600	0.0070090	0.0531540	0.01285	0.0204440	0.0122660	0.0052570	0.0017520	0.0292060	0.0087620	0.0146030	0.001752
DeepLIFT_SHAP	Single	0.0033600	0.0070090	0.0531540	0.01285	0.0204440	0.0122660	0.0052570	0.0017520	0.0292060	0.0087620	0.0146030	0.001752
DeepLIFT_SHAP	Single	0.0033600	0.0070090	0.0531540	0.01285	0.0204440	0.0122660	0.0052570	0.0017520	0.0292060	0.0087620	0.0146030	0.001752
DeepLIFT_SHAP	Single	0.0033600	0.0070090	0.0531540	0.01285	0.0204440	0.0122660	0.0052570	0.0017520	0.0292060	0.0087620	0.0146030	0.001752
DeepLIFT_baseline	Global	0.0075930	0.0035050	0.0613320	0.0093460	0.0245330	0.0070090	0.0035050	0.0035050	0.0321260	0.0017520	0.0122660	0.000584
DeepLIFT_baseline	Global	0.0075930	0.0035050	0.0613320	0.0093460	0.0245330	0.0070090	0.0035050	0.0035050	0.0321260	0.0017520	0.0122660	0.000584
FeatureAblation	Single	0.00993	0.0064250	0.0367990	0.0315420	0.0192760	0.0081780	0.0017520		0.0280370	0.0029210	0.00993	0
FeatureAblation	Single	0.00993	0.0064250	0.0367990	0.0315420	0.0192760	0.0081780	0.0017520		0.0280370	0.0029210	0.00993	0
GradientShap_baseline	Single	0.00075930	0.00229210	0.0408880	0.0081780	0.01285	0.0093460	0.0046730	0.0035050	0.0315420	0.0058410	0.0116820	0.003505
GradientShap_baseline	Single	0.00075930	0.00229210	0.0408880	0.0081780	0.01285	0.0093460	0.0046730	0.0035050	0.0315420	0.0058410	0.0116820	0.003505
GradientShap_baseline	Single	0.00075930	0.00229210	0.0408880	0.0081780	0.01285	0.0093460	0.0046730	0.0035050	0.0315420	0.0058410	0.0116820	0.003505
GradientShap_baseline	Single	0.00075930	0.00229210	0.0408880	0.0081780	0.01285	0.0093460	0.0046730	0.0035050	0.0315420	0.0058410	0.0116820	0.003505
GuidedBackprop	Single	0.0040890	0.0011680	0.0578270	0.0221960	0.0157710	0.0017520	0.0029210	0.0005840	0.0338790	0.0017520	0.0134350	0.001752
GuidedBackprop	Single	0.0040890	0.0011680	0.0578270	0.0221960	0.0157710	0.0017520	0.0029210	0.0005840	0.0338790	0.0017520	0.0134350	0.001752
InputXGradient	Single	0.0040890	0.0070090	0.0134350	0.0163550	0.0122660	0.0005840	0.0075930	0.0040890	0.03271	0.0046730	0.01285	0.001168
InputXGradient	Single	0.0040890	0.0070090	0.0134350	0.0163550	0.0122660	0.0005840	0.0075930	0.0040890	0.03271	0.0046730	0.01285	0.001168
IntegratedGradient	Single	0.0122660	0.0110980	0.0208080	0.00993	0.0181070	0.0040890	0.0046730	0.0017520	0.0274530	0.0070090	0.0105140	0.000584
IntegratedGradient	Single	0.0122660	0.0110980	0.0208080	0.00993	0.0181070	0.0040890	0.0046730	0.0017520	0.0274530	0.0070090	0.0105140	0.000584
IntegratedGradient	Single	0.0122660	0.0110980	0.0208080	0.00993	0.0181070	0.0040890	0.0046730	0.0017520	0.0274530	0.0070090	0.0105140	0.000584
IntegratedGradient	Single	0.0122660	0.0110980	0.0208080	0.00993	0.0181070	0.0040890	0.0046730	0.0017520	0.0274530	0.0070090	0.0105140	0.000584
Occlusion_baseline	Global	0.016820	0.0023360	0.0706780	0.03972	0.0116820	0.0011680	0.0023360	0.0011680	0.0303740	0.0035050	0.0122660	0.001752
Occlusion_baseline	Global	0.016820	0.0023360	0.0706780	0.03972	0.0116820	0.0011680	0.0023360	0.0011680	0.0303740	0.0035050	0.0122660	0.001752
Saliency	Single	0.0017520	0.0075930	0.0122660	0.0035050	0.0070090	0.0011680	0.0040890	0.0052570	0.02979	0.0070090	0.0116820	0.003505
Saliency	Single	0.0017520	0.0075930	0.0122660	0.0035050	0.0070090	0.0011680	0.0040890	0.0052570	0.02979	0.0070090	0.0116820	0.003505

Table 82: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.6057240	0.5946260	0.9100470	0.966706
Borda (n=3)	Ensemble	0.6442760	0.6261680	0.9059580	0.967874
Borda (n=4)	Ensemble	0.6764020	0.66472	0.9088790	0.966121
Borda (n=5)	Ensemble	0.6553740	0.6360980	0.9030370	0.966121
Borda (n=6)	Ensemble	0.6693930	0.6495330	0.9094630	0.967874
Borda (n=7)	Ensemble	0.6594630	0.6495330	0.9042060	0.969042
Borda (n=8)	Ensemble	0.6711450	0.6559580	0.9042060	0.966706
Kemeny-Young (n=2)	Ensemble	0.6057240	0.5946260	0.9100470	0.966706
Kemeny-Young (n=3)	Ensemble	0.6442760	0.6261680	0.9059580	0.967874
Kemeny-Young (n=4)	Ensemble	0.6764020	0.66472	0.9088790	0.966121
Kemeny-Young (n=5)	Ensemble	0.6553740	0.6360980	0.9030370	0.966121
Kemeny-Young (n=6)	Ensemble	0.6693930	0.6495330	0.9094630	0.967874
Kemeny-Young (n=7)	Ensemble	0.6594630	0.6495330	0.9042060	0.969042
Kemeny-Young (n=8)	Ensemble	0.6711450	0.6559580	0.9042060	0.966706
RRF (n=2)	Ensemble	0.61215	0.5987150	0.9100470	0.965537
RRF (n=3)	Ensemble	0.65771	0.63785	0.90771	0.969042
RRF (n=4)	Ensemble	0.6653040	0.6582940	0.9094630	0.965537
RRF (n=5)	Ensemble	0.6571260	0.65479	0.90479	0.965537
RRF (n=6)	Ensemble	0.66472	0.6612150	0.9094630	0.96729
RRF (n=7)	Ensemble	0.6670560	0.6588790	0.9053740	0.96729
RRF (n=8)	Ensemble	0.6641360	0.6542060	0.9042060	0.972547
Schulze (n=2)	Ensemble	0.6098130	0.5957940	0.9082940	0.967874
Schulze (n=3)	Ensemble	0.6682240	0.64778	0.9065420	0.96729
Schulze (n=4)	Ensemble	0.7237150	0.74007	0.9042060	0.964369
Schulze (n=5)	Ensemble	0.7079440	0.7021030	0.9012850	0.962617
Schulze (n=6)	Ensemble	0.6997660	0.6910050	0.9042060	0.968458
Schulze (n=7)	Ensemble	0.6734810	0.6594630	0.9024530	0.965537
Schulze (n=8)	Ensemble	0.6910050	0.6699770	0.9012850	0.968458
norm_ensemble (n=2)	Ensemble	0.66472	0.65771	0.9071260	0.976051
norm_ensemble (n=3)	Ensemble	0.7132010	0.7237150	0.9018690	0.969042
norm_ensemble (n=4)	Ensemble	0.7237150	0.7429910	0.8995330	0.963201
norm_ensemble (n=5)	Ensemble	0.7167060	0.73014	0.9053740	0.963785
norm_ensemble (n=6)	Ensemble	0.7213790	0.7348130	0.9024530	0.964953
norm_ensemble (n=7)	Ensemble	0.7377340	0.7593460	0.9018690	0.964953
norm_ensemble (n=8)	Ensemble	0.7389020	0.7453270	0.9001170	0.964369

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.7429910.7535050.8580610.928154			
Deconvolution	Single	0.7429910.7535050.8580610.928154			
DeepLIFT_SHAP	baseline	0.7757010.7610980.9030370.96028			
DeepLIFT_SHAP	baseline	0.7757010.7610980.9030370.96028			
DeepLIFT_SHAP	baseline	0.7757010.7610980.9030370.96028			
DeepLIFT_SHAP	baseline	0.7757010.7610980.9030370.96028			
DeepLIFT_baseline	global	0.6582940.65479	0.8901870.96028		
DeepLIFT_baseline	global	0.6582940.65479	0.8901870.96028		
FeatureAblation	Single size	0.8402990.8896030.8767520.948598			
FeatureAblation	Single size	0.8402990.8896030.8767520.948598			
GradientShap	baseline	0.7552570.7459110.8995380.956192			
GradientShap	baseline	0.7552570.7459110.8995380.956192			
GradientShap	baseline	0.7552570.7459110.8995380.956192			
GradientShap	baseline	0.7552570.7459110.8995380.956192			
GuidedBackprop	Single	0.6179910.6028040.9042060.971963			
GuidedBackprop	Single	0.6179910.6028040.9042060.971963			
InputXGradient	Single	0.8802570.9345790.8668220.928738			
InputXGradient	Single	0.8802570.9345790.8668220.928738			
IntegratedGradient	baseline	0.5336450.7540890.89086	0.963201		
IntegratedGradient	baseline	0.5336450.7540890.89086	0.963201		
IntegratedGradient	baseline	0.5336450.7540890.89086	0.963201		
IntegratedGradient	baseline	0.5336450.7540890.89086	0.963201		
Occlusion_baseline	global	0.8065190.8154210.88785	0.969626		
Occlusion_baseline	global	0.8065190.8154210.88785	0.969626		
Saliency	Single	0.8703270.9170560.8866820.94743			
Saliency	Single	0.8703270.9170560.8866820.94743			

Table 83: ESANN archive results for BloodMNIST-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.003505	0.00993	0.127921	0.061332	0.012266	0.004673	0.032126	0.010514	0.038551	0.071846	0.015771	0.000584
Borda (n=3)	Ensemble	0.008762	0.015187	0.160047	0.083528	0.009346	0.001168	0.021028	0.012266	0.033294	0.074766	0.014603	
Borda (n=4)	Ensemble	0.010514	0.019276	0.17465	0.104556	0.006425	0.007009	0.023949	0.004673	0.036799	0.075935	0.015771	0.000584
Borda (n=5)	Ensemble	0.01285	0.009346	0.136098	0.060164	0.023364	0.02278	0.01285	0.002921	0.03271	0.067757	0.00993	0.001752
Borda (n=6)	Ensemble	0.001168	0.007593	0.114486	0.041472	0.016355	0.012266	0.018107	0.001168	0.035631	0.058411	0.014019	0.002921
Borda (n=7)	Ensemble	0.005257	0.028037	0.123248	0.055491	0.010514	0.000584	0.012266	0.002921	0.029206	0.068925	0.006425	0.001168
Borda (n=8)	Ensemble	0.00993	0.021612	0.111565	0.044393	0.010514	0.002336	0.014019		0.04264	0.086449	0.004673	0.001752
Kemeny-Young (n=2)	Ensemble	0.003505	0.00993	0.127921	0.061332	0.012266	0.004673	0.032126	0.010514	0.038551	0.071846	0.015771	0.000584
Kemeny-Young (n=3)	Ensemble	0.008762	0.015187	0.160047	0.083528	0.009346	0.001168	0.021028	0.012266	0.033294	0.074766	0.014603	
Kemeny-Young (n=4)	Ensemble	0.010514	0.019276	0.17465	0.104556	0.006425	0.007009	0.023949	0.004673	0.036799	0.075935	0.015771	0.000584
Kemeny-Young (n=5)	Ensemble	0.01285	0.009346	0.136098	0.060164	0.023364	0.02278	0.01285	0.002921	0.03271	0.067757	0.00993	0.001752
Kemeny-Young (n=6)	Ensemble	0.001168	0.007593	0.114486	0.041472	0.016355	0.012266	0.018107	0.001168	0.035631	0.058411	0.014019	0.002921
Kemeny-Young (n=7)	Ensemble	0.005257	0.028037	0.123248	0.055491	0.010514	0.000584	0.012266	0.002921	0.029206	0.068925	0.006425	0.001168
Kemeny-Young (n=8)	Ensemble	0.00993	0.021612	0.111565	0.044393	0.010514	0.002336	0.014019		0.04264	0.086449	0.004673	0.001752
RRF (n=2)	Ensemble	0.006425	0.004673	0.105724	0.03271	0.012266	0.008762	0.026869	0.005841	0.038551	0.071846	0.016939	0.000584
RRF (n=3)	Ensemble	0.014019	0.011098	0.174065	0.095794	0.014603	0.01285	0.020444	0.012266	0.037383	0.080023	0.012266	0.000584
RRF (n=4)	Ensemble		0.00993	0.160631	0.094626	0.004089	0.010514	0.023364	0.005257	0.033879	0.074766	0.018692	0.001752
RRF (n=5)	Ensemble	0.017523	0.001752	0.118575	0.058995	0.009346	0.008762	0.016355	0.002921	0.033879	0.065421	0.010514	0.004673
RRF (n=6)	Ensemble	0.012266	0.009346	0.096379	0.041472	0.015187	0.001752	0.018107	0.001752	0.033879	0.057243	0.013435	0.004089
RRF (n=7)	Ensemble	0.008178	0.023949	0.120911	0.056659	0.003505	0.004673	0.01285	0.000584	0.036799	0.063668	0.008762	0.001168
RRF (n=8)	Ensemble	0.007593	0.016939	0.094626	0.030374	0.015771	0.002921	0.012266	0.008762	0.03972	0.091121	0.005841	0.004673
Schulze (n=2)	Ensemble	0.007593	0.010514	0.140771	0.068341	0.007593		0.026869	0.008178	0.043808	0.083528	0.011098	
Schulze (n=3)	Ensemble	0.004673	0.011682	0.117991	0.03972	0.007009	0.003505	0.016355	0.007009	0.039136	0.08528	0.01285	0
Schulze (n=4)	Ensemble	0.016355	0.040304	0.201519	0.160631	0.008762	0.016939	0.018107	0.004089	0.038551	0.073598	0.011682	0.001168
Schulze (n=5)	Ensemble	0.007593	0.014603	0.165304	0.102804	0.004089	0.002336	0.008762	0.002921	0.031542	0.074766	0.005841	0.002336
Schulze (n=6)	Ensemble	0.006425	0.012266	0.14486	0.079439	0.004673	0.003505	0.017523	0.006425	0.036215	0.068925	0.00993	0.002921
Schulze (n=7)	Ensemble	0.009346	0.021612	0.131425	0.060748	0.008762	0.000584	0.011682	0.002336	0.037967	0.076519	0.006425	
Schulze (n=8)	Ensemble	0.02979	0.033879	0.119743	0.053154	0.001752	0.007593	0.009346	0.003505	0.042056	0.093458	0.005257	0.000584
norm_ensemble (n=2)	Ensemble	0.020444	0.015187	0.093458	0.02979	0.004673	0.005257	0.016939	0.005841	0.055491	0.102804	0.00993	0.004673
norm_ensemble (n=3)	Ensemble	0.01986	0.041472	0.063084		0.011682	0.024533	0.013435	0.007593	0.04965	0.097547	0.011682	0.004089
norm_ensemble (n=4)	Ensemble	0.016939	0.03972	0.093458	0.034463	0.014019	0.027453	0.016939	0.007593	0.044393	0.088201	0.010514	0.000584
norm_ensemble (n=5)	Ensemble	0.00993	0.026285	0.09229	0.028621	0.002921	0.004673	0.016939	0.002921	0.057243	0.077687	0.014603	0.007593
norm_ensemble (n=6)	Ensemble	0.012266	0.028621	0.091121	0.030374	0.004089	0.010514	0.013435	0.002336	0.054907	0.078855	0.007593	0.007593

Method	Type	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob	AccRob	ConsRob
		Re- place- Top gaus- sian std 0.15	Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.028621	0.054907	0.111565	0.065421	0.015771	0.044977	0.00993	0.006425	0.051402	0.096379	0.008178	0.000584
norm_ensemble (n=8)	Ensemble	0.018692	0.033879	0.110981	0.048481	0.019276	0.027453	0.01285	0.006425	0.051986	0.101051	0.008178	0.002336
Deconvolution	Single	0.021028	0.01986	0.10514	0.037967	0.001168	0.018107	0.023364	0.019276	0.058995	0.159463	0.007009	0.005841
Deconvolution	Single	0.021028	0.01986	0.10514	0.037967	0.001168	0.018107	0.023364	0.019276	0.058995	0.159463	0.007009	0.005841
DeepLIFT_SHAP	Single	0.037830	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT_SHAP	Single	0.037830	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT_SHAP	Single	0.037830	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT_SHAP	Single	0.037830	0.046729	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT_baseline	Global	0.011698	0.003505	0.085864	0.010514	0.009346	0.001752	0.015187	0.013435	0.019276	0.081776	0.005841	0.005257
DeepLIFT_baseline	Global	0.011698	0.003505	0.085864	0.010514	0.009346	0.001752	0.015187	0.013435	0.019276	0.081776	0.005841	0.005257
FeatureAblation	Single	0.002921	0.007593	0.011682	0.026285	0.014019	0.013435	0.006425	0.005841	0.031542	0.040888	0.002336	0.005841
FeatureAblation	Single	0.002921	0.007593	0.011682	0.026285	0.014019	0.013435	0.006425	0.005841	0.031542	0.040888	0.002336	0.005841
GradientShap_baseline	Single	0.002336	0.001752	0.015420	0.09229	0.017523	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841	0.002921
GradientShap_baseline	Single	0.002336	0.001752	0.015420	0.09229	0.017523	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841	0.002921
GradientShap_baseline	Single	0.002336	0.001752	0.015420	0.09229	0.017523	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841	0.002921
GradientShap_baseline	Single	0.002336	0.001752	0.015420	0.09229	0.017523	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841	0.002921
GuidedBackprop	Single	0.002336	0.001752	0.015420	0.09229	0.017523	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841	0.002921
GuidedBackprop	Single	0.002336	0.001752	0.015420	0.09229	0.017523	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841	0.002921
InputXGradient	Single	0.007009	0.005841	0.036799	0.080607	0.004089	0.014603	0.00993	0	0.038551	0.021612	0.002336	0.010514
InputXGradient	Single	0.007009	0.005841	0.036799	0.080607	0.004089	0.014603	0.00993	0	0.038551	0.021612	0.002336	0.010514
IntegratedGradient	Single	0.012266	0.033949	0.020880	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0.002336
IntegratedGradient	Single	0.012266	0.033949	0.020880	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0.002336
IntegratedGradient	Single	0.012266	0.033949	0.020880	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0.002336
IntegratedGradient	Single	0.012266	0.033949	0.020880	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0.002336
Occlusion_baseline	Global	0.002921	0.005257	0.021664	0.061916	0.001168			0.008762	0.005841	0.013435	0.02278	0.00993
Occlusion_baseline	Global	0.002921	0.005257	0.021664	0.061916	0.001168			0.008762	0.005841	0.013435	0.02278	0.00993
Saliency	Single	0.003505	0.005257	0.018692	0.026285	0.026869	0.026285	0.019276	0.009346	0.044977	0.063084	0.004089	0.002336
Saliency	Single	0.003505	0.005257	0.018692	0.026285	0.026869	0.026285	0.019276	0.009346	0.044977	0.063084	0.004089	0.002336

Table 84: Real-checkpoint explainer compatibility pilot for BloodMNIST-ResNet-18. This archival diagnostic reports per-method execution checks and is not a Phase 2 quality or robustness result.

dataset	model	result status	gate status	method	passed	deterministic repeat	finite frac- tion	target sensi- tive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	ResNet-18	passed	blocked	Saliency	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	passed	blocked	InputXGradient	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	passed	blocked	IntegratedGradients	true	true	1	true	1	1	0.0334741	2.722e+09	
BloodMNIST	ResNet-18	passed	blocked	GuidedBackprop	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	passed	blocked	Deconvolution	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	passed	blocked	FeatureAblation	true	true	1	true	1				
BloodMNIST	ResNet-18	passed	blocked	Occlusion	true	true	1	true	1				
BloodMNIST	ResNet-18	passed	blocked	DeepLift	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	passed	blocked	GradientShap	true	true	1	true	1				
BloodMNIST	ResNet-18	passed	blocked	DeepLiftShap	true	true	1	true	1	1	0.0168324	4.4585e+08	
BloodMNIST	ResNet-18	passed	blocked	LRP	true	true	1	true	1				

E ResNet-50 (archived)

Table 85: Real-checkpoint explainer compatibility pilot for BloodMNIST-ResNet-50. This archival diagnostic reports per-method execution checks and is not a Phase 2 quality or robustness result.

dataset	model	result status	gate status	method	passed	deterministic repeat	infinite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	ResNet-50	failed	blocked	Saliency	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	failed	blocked	InputXGradient	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	failed	blocked	IntegratedGradients	true	true	1	true	1	1	0.07787	4.5233e+09	
BloodMNIST	ResNet-50	failed	blocked	GuidedBackprop	true	true	1	true	1				
BloodMNIST	ResNet-50	failed	blocked	Deconvolution	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	failed	blocked	FeatureAblation	true	true	1	true	1				
BloodMNIST	ResNet-50	failed	blocked	Occlusion	true	true	1	true	1				
BloodMNIST	ResNet-50	failed	blocked	DeepLift	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	failed	blocked	GradientShap	true	true	1	true	1				
BloodMNIST	ResNet-50	failed	blocked	DeepLiftShap	true	true	1	true	1	1	0.02698	1.2474e+09	
BloodMNIST	ResNet-50	failed	blocked	LRP	false								RuntimeError: No explanation batch candidate passed

F ViT-B/16 (archived)

cell	dataset	model	architecture	split	sample count	method	setting	q	source count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Best Indi- vidual	best- individual	1	3	0.19088	0.4490890	1.989670	4.588330	0.0592420	0.0413130	0.04258	0.0637240	0.0664520	0.0483290	0.0441390	0.0642110	0.0795090	0.0568060	0.0441390	0.0568060
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	SimpleAvg	NAIVE	11	3	0.1792850	0.4776380	1.859110	4.873820	0.0635290	0.0484260	0.0494980	0.0569030	0.0721040	0.05778	0.0518370	0.05817	0.0614830	0.0449190	0.0385850	0.0449190
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	SimpleAvg	ind	11	11	0.1800640	0.4618530	1.867870	4.715	0.0590470	0.0491080	0.0479390	0.0496930	0.0686930	0.0575860	0.0511550	0.05057	0.0754170	0.0458930	0.0362470	0.0458930
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Borda	NAIVE	11	3	0.1810390	0.4831920	1.881520	4.931310	0.0720060	0.0610930	0.0533960	0.0655750	0.0808730	0.0700570	0.0560270	0.0666470	0.0810680	0.0640160	0.0558320	0.0640160
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Borda	ind	11	11	0.1829870	0.4522070	1.888340	4.624380	0.0789240	0.0637240	0.0537850	0.0587550	0.0894480	0.0727860	0.0561240	0.0599240	0.07717	0.0555390	0.0529090	0.0555390
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	RRF	NAIVE	11	3	0.1812340	0.4898180	1.888340	4.996590	0.0731750	0.0587550	0.0549550	0.0614830	0.0811650	0.0663550	0.0571960	0.0628470	0.0684980	0.0618730	0.0516420	0.0618730
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	RRF	ind	11	11	0.18708	0.4554220	1.943880	4.653610	0.0669390	0.05817	0.0511550	0.0590470	0.0757090	0.0648930	0.0540780	0.0596320	0.0736630	0.0570010	0.0499850	0.0570010
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Kemeny	NAIVE	11	3	0.1812340	0.5016080	1.891260	5.115460	0.0696680	0.0566110	0.0538830	0.0603140	0.0770730	0.0645040	0.0562210	0.0608980	0.0604110	0.0497910	0.0450160	0.0497910
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Kemeny	ind	11	11	0.1888340	0.4636070	1.964340	4.735460	0.0689860	0.0564160	0.0570010	0.0473550	0.07717	0.0628470	0.0596320	0.0482320	0.0689860	0.0602160	0.0491080	0.0602160
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Schulze	NAIVE	11	3	0.1825	0.4950790	1.897110	5.049210	0.0680110	0.0573910	0.0521290	0.0596320	0.0765860	0.06577	0.05437	0.0610930	0.0709340	0.05778	0.0507650	0.0507650
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	vit	test	3421	Schulze	ind	11	11	0.1897110	0.4507450	1.955570	4.609760	0.0681090	0.0561240	0.0502780	0.0555390	0.0786320	0.06577	0.0534930	0.0570010	0.0701550	0.0491080	0.05057	0.0491080

Table 87: NAIVE results for BloodMNIST-ViT-B/16. This table is a historical snapshot included for archival comp the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
bloodmnist	bloodmnist-vit-b16	isitt	test	3421	best_index	0.30575	0.30575	0.31745	0.31745	0.08184	0.07541	0.08477	0.06489	0.06430	0.05378	0.06693	0.04384	0.04180	0.02952	0.04004	0.02893	0.02923	-	0.02952	
bloodmnist	bloodmnist-vit-b16	isitt	test	3421	simpleavg	0.30166	0.40806	0.31277	0.41800	0.05963	0.06606	0.06635	0.05933	0.04589	0.05524	0.05261	0.04764	0.01198	0.00876	0.01403	0.00906	-	-	-	
bloodmnist	bloodmnist-vit-b16	isitt	test	3421	borda	0.25840	0.44402	0.26863	0.45396	0.07278	0.10230	0.07950	0.09558	0.05641	0.07278	0.06460	0.06577	0.02367	0.0266	0.02630	0.02630	0.03917	-	0.04033	
bloodmnist	bloodmnist-vit-b16	isitt	test	3421	kemeny	0.27886	0.43057	0.28909	0.43993	0.08798	0.09734	0.09529	0.09090	0.06372	0.07483	0.07161	0.06664	0.03449	0.03683	0.03712	0.03712	0.03800	-	0.03829	
bloodmnist	bloodmnist-vit-b16	isitt	test	3421	rrf	0.29085	0.41683	0.30137	0.42619	0.07775	0.08857	0.08447	0.08155	0.06138	0.07161	0.06810	0.06372	0.02250	0.02630	0.02513	0.02630	0.02923	-	0.02893	
bloodmnist	bloodmnist-vit-b16	isitt	test	3421	schulze	0.27214	0.42882	0.28208	0.43817	0.08710	0.09558	0.09529	0.08886	0.06343	0.07278	0.07132	0.06460	0.03010	0.03010	0.03332	0.02981	0.03449	-	0.03595	

Table 88: NAIVE results for BloodMNIST–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	bloodmnist	bloodmnist-vit-b16	all	20	best_individual							
dataset_model	bloodmnist	bloodmnist-vit-b16	all	20	simpleavg	9	2	0	18			
dataset_model	bloodmnist	bloodmnist-vit-b16	all	20	borda	4	6	0	14	16	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	all	20	kemeny	7	11	0	9	16	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	all	20	rrf	0	5	1	14	16	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	all	20	schulze	1	11	0	9	16	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	quality	4	best_individual							
dataset_model	bloodmnist	bloodmnist-vit-b16	quality	4	simpleavg	9	0	0	4			
dataset_model	bloodmnist	bloodmnist-vit-b16	quality	4	borda	0	0	0	4	0	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	quality	4	kemeny	0	0	0	4	0	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	quality	4	rrf	0	0	0	4	0	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	quality	4	schulze	0	0	0	4	0	0	4
dataset_model	bloodmnist	bloodmnist-vit-b16	business	46_all	best_individual							
dataset_model	bloodmnist	bloodmnist-vit-b16	business	46_all	simpleavg	9	2	0	14			
dataset_model	bloodmnist	bloodmnist-vit-b16	business	46_all	borda	4	6	0	10	16	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	business	46_all	kemeny	7	11	0	5	16	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	business	46_all	rrf	0	5	1	10	16	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	business	46_all	schulze	1	11	0	5	16	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	stussian	4	best_individual							
dataset_model	bloodmnist	bloodmnist-vit-b16	stussian	4	simpleavg	9	0	0	4			
dataset_model	bloodmnist	bloodmnist-vit-b16	stussian	4	borda	2	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	stussian	4	kemeny	2	4	0	0	4	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	stussian	4	rrf	0	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	stussian	4	schulze	1	4	0	0	4	0	0
dataset_model	bloodmnist	bloodmnist-vit-b16	set_pepper	per	best_individual							
dataset_model	bloodmnist	bloodmnist-vit-b16	set_pepper	per	simpleavg	9	2	0	2			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	bloodmnist	bloodmnist	vit-b16	pepper	borda	0	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	pepper	kemeny	3	3	0	1	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	pepper	rrf	0	3	0	1	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	pepper	schulze	0	3	0	1	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	speckle	best_individual	4						
dataset_model	bloodmnist	bloodmnist	vit-b16	speckle	simpleavg	0	0	0	4			
dataset_model	bloodmnist	bloodmnist	vit-b16	speckle	borda	0	0	0	4	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	speckle	kemeny	2	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	speckle	rrf	0	0	0	4	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	speckle	schulze	0	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	diversarial	best_individual	4						
dataset_model	bloodmnist	bloodmnist	vit-b16	diversarial	simpleavg	0	0	0	4			
dataset_model	bloodmnist	bloodmnist	vit-b16	diversarial	borda	2	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	diversarial	kemeny	0	2	0	2	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	diversarial	rrf	0	0	1	3	4	0	0
dataset_model	bloodmnist	bloodmnist	vit-b16	diversarial	schulze	0	2	0	2	4	0	0
overall			all	80	best_individual	26						
overall			all	80	simpleavg	0	40	2	38			
overall			all	80	borda	20	45	1	34	54	3	23
overall			all	80	kemeny	19	49	1	30	44	3	33
overall			all	80	rrf	5	44	1	35	49	4	27
overall			all	80	schulze	7	50	0	30	48	4	28
overall			quality	16	best_individual	4						
overall			quality	16	simpleavg	2	2	1	13			
overall			quality	16	borda	0	1	0	15	2	0	14
overall			quality	16	kemeny	0	1	0	15	2	0	14
overall			quality	16	rrf	1	1	0	15	5	1	10
overall			quality	16	schulze	0	1	0	15	1	2	13
overall			robustness	64_all	best_individual	4						
overall			robustness	64_all	simpleavg	8	38	1	25			
overall			robustness	64_all	borda	20	44	1	19	52	3	9
overall			robustness	64_all	kemeny	19	48	1	15	42	3	19
overall			robustness	64_all	rrf	4	43	1	20	44	3	17
overall			robustness	64_all	schulze	7	49	0	15	47	2	15
overall			gaussian	16	best_individual	4						
overall			gaussian	16	simpleavg	4	10	0	6			
overall			gaussian	16	borda	6	13	0	3	14	0	2
overall			gaussian	16	kemeny	8	14	0	2	12	1	3

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16	rrf	0	12	0	4	11	1	4	
overall			gaussian 16	schulze	3	14	0	2	12	0	4	
overall			salt_pepper	best_individual								
overall			salt_pepper	simpleavg		11	1	4				
overall			salt_pepper	borda	3	13	0	3	13	0	3	
overall			salt_pepper	kemeny	6	14	0	2	10	0	6	
overall			salt_pepper	rrf	2	14	0	2	12	2	2	
overall			salt_pepper	schulze	2	14	0	2	14	0	2	
overall			speckle 16	best_individual								
overall			speckle 16	simpleavg		11	0	5				
overall			speckle 16	borda	5	10	1	5	12	1	3	
overall			speckle 16	kemeny	5	13	0	3	9	2	5	
overall			speckle 16	rrf	0	11	0	5	9	0	7	
overall			speckle 16	schulze	2	13	0	3	9	2	5	
overall			adversarial	best_individual								
overall			adversarial	simpleavg		6	0	10				
overall			adversarial	borda	6	8	0	8	13	2	1	
overall			adversarial	kemeny	0	7	1	8	11	0	5	
overall			adversarial	rrf	2	6	1	9	12	0	4	
overall			adversarial	schulze	0	8	0	8	12	0	4	

Table 89: NOISE diagnostics results for BloodMNIST-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	geometrylabel	geometrycenter rule	q	rule	method prefix	quality	perturbed quality	robustness
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	tearman	NOISE- S	borda	3	SimpleAvg	Gradient	["C":0.31748302280443055,"Cbar":0.36603670856474,"F":0.3083437451037707,"Fbar":0.3650979245834255},{ "C":0.094832063283272924,"Cbar":0.05873465067183729635,"F":0.3946214557147005},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.064605},{ "C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.03915}],	0.3650979245834255
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	tearman	NOISE- S	borda	3	Borda	["Gradient	["C":0.31748302280443055,"Cbar":0.36603670856474,"F":0.3083437451037707,"Fbar":0.3650979245834255},{ "C":0.094832063283272924,"Cbar":0.05873465067183729635,"F":0.3946214557147005},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.064605},{ "C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.03915}],	0.3650979245834255
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	tearman	NOISE- S	borda	3	RRF	["Gradient	["C":0.31748302280443055,"Cbar":0.36603670856474,"F":0.3083437451037707,"Fbar":0.3650979245834255},{ "C":0.094832063283272924,"Cbar":0.05873465067183729635,"F":0.3946214557147005},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.064605},{ "C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.03915}],	0.3650979245834255
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	tearman	NOISE- S	borda	3	Kemeny	["Gradient	["C":0.31748302280443055,"Cbar":0.36603670856474,"F":0.3083437451037707,"Fbar":0.3650979245834255},{ "C":0.094832063283272924,"Cbar":0.05873465067183729635,"F":0.3946214557147005},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.064605},{ "C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.03915}],	0.3650979245834255
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	tearman	NOISE- S	borda	3	Schulze	["Gradient	["C":0.31748302280443055,"Cbar":0.36603670856474,"F":0.3083437451037707,"Fbar":0.3650979245834255},{ "C":0.094832063283272924,"Cbar":0.05873465067183729635,"F":0.3946214557147005},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.064605},{ "C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.03915}],	0.3650979245834255
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	teardall	NOISE- K	kemeny	3	SimpleAvg	Gradient	["C":0.31748302280443055,"Cbar":0.36603670856474,"F":0.3083437451037707,"Fbar":0.3650979245834255},{ "C":0.094832063283272924,"Cbar":0.05873465067183729635,"F":0.3946214557147005},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.0538749807932855276235618983335282081262792575270387894468378805},{ "C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.064605},{ "C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.03915}],	0.3650979245834255

Table 90: NOISE diagnostics results for BloodMNIST–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	conditioned_qualified	0.342005	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	conditioned_qualified	0.380883	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	conditioned_qualified	0.382929	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	adversarial	conditioned_qualified	0.373283	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	adversarial	conditioned_qualified	0.371236	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	adversarial	conditioned_qualified	0.362467	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	conditioned_qualified	0.351067	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	conditioned_qualified	0.330897	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	adversarial	conditioned_qualified	0.327682	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	conditioned_qualified	0.308974	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	conditioned_qualified	0.342005	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	conditioned_qualified	0.359544	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	conditioned_qualified	0.386144	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	adversarial	conditioned_qualified	0.356913	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	adversarial	conditioned_qualified	0.35779	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	adversarial	conditioned_qualified	0.358667	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	conditioned_qualified	0.358667	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	conditioned_qualified	0.342005	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	adversarial	sara-2- 255	adversarial	0.340544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	adversarial	sara-2- 255	adversarial	0.32739	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.342882	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.382344	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.385852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.367436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.365098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.356621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.360129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.336744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	adversarial	0.330313	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.342005	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.375329	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.381175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.370944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.358959	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.359252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	adversarial	0.356621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	schulze	adversarial	conditioned_qualified_quality_sara-2-255	0.339959	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	schulze	adversarial	conditioned_qualified_quality_sara-2-255	0.337036	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	schulze	adversarial	conditioned_qualified_quality_sara-2-255	0.318036	True			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.341128	False			["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.376206	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.365683	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.349605	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.321251	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.322713	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.30722	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.304005	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.308974	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	21	simpleavg	adversarial	conditioned_qualified_quality_sara-2-255	0.308389	True			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	22	borda	adversarial	conditioned_barquality_sara-2-255	0.429699	False			["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	23	borda	adversarial	conditioned_barquality_sara-2-255	0.442561	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	24	borda	adversarial	conditioned_barquality_sara-2-255	0.477346	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	borda	adversarial	conditioned_barquality_sara-2-255	0.483484	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	26	borda	adversarial	conditioned_barquality_sara-2-255	0.464192	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	27	borda	adversarial	conditioned_barquality_sara-2-255	0.471207	False			["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial	condition	0.6	0.4981	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	adversarial	condition	0.6	0.536393	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	adversarial	condition	0.6	0.521777	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	adversarial	condition	0.6	0.550132	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	kemeny	adversarial	condition	0.6	0.429699	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	kemeny	adversarial	condition	0.6	0.437591	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	kemeny	adversarial	condition	0.6	0.470915	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	kemeny	adversarial	condition	0.6	0.508331	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	kemeny	adversarial	condition	0.6	0.461853	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	kemeny	adversarial	condition	0.6	0.470038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	kemeny	adversarial	condition	0.6	0.485531	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	kemeny	adversarial	condition	0.6	0.526747	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	kemeny	adversarial	condition	0.6	0.512131	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	21	kemeny	adversarial	condition	0.6	0.522362	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	22	rrf	adversarial	condition	0.6	0.430284	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	23	rrf	adversarial	condition	0.6	0.432914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	24	rrf	adversarial	condition	0.6	0.460684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	rrf	adversarial	condition	0.6	0.488746	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	26	rrf	adversarial	condition	0.6	0.463315	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	rrf	adversarial-condition	0.469746	Barqual	0.469746	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	rrf	adversarial-condition	0.485823	Barqual	0.485823	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	rrf	adversarial-condition	0.514762	Barqual	0.514762	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	rrf	adversarial-condition	0.512716	Barqual	0.512716	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	rrf	adversarial-condition	0.521777	Barqual	0.521777	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	schulze	adversarial-condition	0.429699	Barqual	0.429699	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	schulze	adversarial-condition	0.431745	Barqual	0.431745	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	schulze	adversarial-condition	0.463899	Barqual	0.463899	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	schulze	adversarial-condition	0.486407	Barqual	0.486407	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	schulze	adversarial-condition	0.465361	Barqual	0.465361	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	schulze	adversarial-condition	0.464484	Barqual	0.464484	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	schulze	adversarial-condition	0.491961	Barqual	0.491961	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	schulze	adversarial-condition	0.527039	Barqual	0.527039	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	schulze	adversarial-condition	0.511254	Barqual	0.511254	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	schulze	adversarial-condition	0.536393	Barqual	0.536393	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	simpleavg	adversarial-condition	0.435837	Barqual	0.435837	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	simpleavg	adversarial-condition	0.462438	Barqual	0.462438	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	simpleavg	adversarial-condition	0.4943	Barqual	0.4943	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	adversarial-condition	0.509208	Barqual	0.509208	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	adversarial	conditioned	Bar	qual0.492546	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	simpleavg	adversarial	conditioned	Bar	qual0.503362	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	adversarial	conditioned	Bar	qual0.522362	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	adversarial	conditioned	Bar	qual0.533177	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	adversarial	conditioned	Bar	qual0.529377	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	adversarial	conditioned	Bar	qual0.532593	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	adversarial	conditioned	Ed_qual	0.331774	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	adversarial	conditioned	Ed_qual	0.37036	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	borda	adversarial	conditioned	Ed_qual	0.371529	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	adversarial	conditioned	Ed_qual	0.362759	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	adversarial	conditioned	Ed_qual	0.360421	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	adversarial	conditioned	Ed_qual	0.351067	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial	conditioned	Ed_qual	0.341128	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	adversarial	conditioned	Ed_qual	0.320959	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	adversarial	conditioned	Ed_qual	0.317159	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	adversarial	conditioned	Ed_qual	0.297574	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	adversarial	conditioned	Ed_qual	0.331774	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	adversarial	conditioned	Ed_qual	0.349021	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	kemeny	adversarial	conditioned	Ed_qual	0.375037	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	adversarial	conditioned	Fed_qual	0.346098	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	adversarial	conditioned	Fed_qual	0.347267	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	adversarial	conditioned	Fed_qual	0.347267	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	conditioned	Fed_qual	0.348144	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	adversarial	conditioned	Fed_qual	0.331774	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	adversarial	conditioned	Fed_qual	0.329436	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	adversarial	conditioned	Fed_qual	0.316866	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	rrf	adversarial	conditioned	Fed_qual	0.332067	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	rrf	adversarial	conditioned	Fed_qual	0.371821	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	rrf	adversarial	conditioned	Fed_qual	0.375037	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	rrf	adversarial	conditioned	Fed_qual	0.356621	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	rrf	adversarial	conditioned	Fed_qual	0.354575	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	rrf	adversarial	conditioned	Fed_qual	0.345513	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	rrf	adversarial	conditioned	Fed_qual	0.349605	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	rrf	adversarial	conditioned	Fed_qual	0.325928	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	rrf	adversarial	conditioned	Fed_qual	0.32622	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	rrf	adversarial	conditioned	Fed_qual	0.320082	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	schulze	adversarial	conditioned	Fed_qual	0.331774	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	schulze	adversarial	conditioned	Fed_qual	0.365098	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	schulze	adversarial	conditioned	Fed_qual	0.369775	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	adversarial	conditioned	Fed_qual	0.360713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	adversarial	conditioned	Fed_qual	0.348436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	adversarial	conditioned	Fed_qual	0.348728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	adversarial	conditioned	Fed_qual	0.346682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	adversarial	conditioned	Fed_qual	0.329436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	conditioned	Fed_qual	0.326805	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	adversarial	conditioned	Fed_qual	0.306635	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	adversarial	conditioned	Fed_qual	0.330605	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	adversarial	conditioned	Fed_qual	0.365098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	adversarial	conditioned	Fed_qual	0.354575	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavg	adversarial	conditioned	Fed_qual	0.339374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	simpleavg	adversarial	conditioned	Fed_qual	0.310728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	simpleavg	adversarial	conditioned	Fed_qual	0.311897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	simpleavg	adversarial	conditioned	Fed_qual	0.296112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	adversarial	conditioned	Fed_qual	0.292897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	simpleavg	adversarial	conditioned	Fed_qual	0.297866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	simpleavg	adversarial	conditioned	Fed_qual	0.297281	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	borda	adversarial	conditioned	Fed_qual	0.420637	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial-condition	0.432914	FBar	0.432914	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial-condition	0.469161	FBar	0.469161	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	adversarial-condition	0.474423	FBar	0.474423	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	adversarial-condition	0.454838	FBar	0.454838	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	adversarial-condition	0.462146	FBar	0.462146	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial-condition	0.488454	FBar	0.488454	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial-condition	0.527039	FBar	0.527039	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	adversarial-condition	0.512131	FBar	0.512131	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial-condition	0.540193	FBar	0.540193	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	adversarial-condition	0.420637	FBar	0.420637	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	adversarial-condition	0.428237	FBar	0.428237	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	adversarial-condition	0.461561	FBar	0.461561	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	adversarial-condition	0.499562	FBar	0.499562	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	kemeny	adversarial-condition	0.451915	FBar	0.451915	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	adversarial-condition	0.461269	FBar	0.461269	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	adversarial-condition	0.476761	FBar	0.476761	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	adversarial-condition	0.5171	FBar	0.5171	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	kemeny	adversarial-condition	0.502777	FBar	0.502777	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	adversarial-condition	0.512716	FBar	0.512716	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	rrf	adversarial-condition	0.421222	F _{0.5}	0.421222	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	rrf	adversarial-condition	0.423853	F _{0.5}	0.423853	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	rrf	adversarial-condition	0.451038	F _{0.5}	0.451038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	rrf	adversarial-condition	0.479392	F _{0.5}	0.479392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	rrf	adversarial-condition	0.453376	F _{0.5}	0.453376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	rrf	adversarial-condition	0.460976	F _{0.5}	0.460976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	rrf	adversarial-condition	0.475884	F _{0.5}	0.475884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	rrf	adversarial-condition	0.505115	F _{0.5}	0.505115	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	rrf	adversarial-condition	0.503069	F _{0.5}	0.503069	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	rrf	adversarial-condition	0.512131	F _{0.5}	0.512131	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	schulze	adversarial-condition	0.420637	F _{0.5}	0.420637	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	schulze	adversarial-condition	0.422391	F _{0.5}	0.422391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	schulze	adversarial-condition	0.455422	F _{0.5}	0.455422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	schulze	adversarial-condition	0.477346	F _{0.5}	0.477346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	schulze	adversarial-condition	0.456007	F _{0.5}	0.456007	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	schulze	adversarial-condition	0.455422	F _{0.5}	0.455422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	schulze	adversarial-condition	0.482315	F _{0.5}	0.482315	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	schulze	adversarial-condition	0.517685	F _{0.5}	0.517685	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	schulze	adversarial-condition	0.5019	F _{0.5}	0.5019	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	schulze	adversarial-condition	0.526747	F _{bar} qual	0.526747	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	simpleavg	adversarial-condition	0.427068	F _{bar} qual	0.427068	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	simpleavg	adversarial-condition	0.453084	F _{bar} qual	0.453084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	simpleavg	adversarial-condition	0.484946	F _{bar} qual	0.484946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	adversarial-condition	0.499562	F _{bar} qual	0.499562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	simpleavg	adversarial-condition	0.4829	F _{bar} qual	0.4829	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	simpleavg	adversarial-condition	0.494008	F _{bar} qual	0.494008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	adversarial-condition	0.512716	F _{bar} qual	0.512716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	simpleavg	adversarial-condition	0.522947	F _{bar} qual	0.522947	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	adversarial-condition	0.519146	F _{bar} qual	0.519146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	adversarial-condition	0.522362	F _{bar} qual	0.522362	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	borda	gaussian-condition	0.395498	F _{cd} _qual	0.395498	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	borda	gaussian-condition	0.414206	F _{cd} _qual	0.414206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	borda	gaussian-condition	0.414206	F _{cd} _qual	0.414206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	borda	gaussian-condition	0.408652	F _{cd} _qual	0.408652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	borda	gaussian-condition	0.408945	F _{cd} _qual	0.408945	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	borda	gaussian-condition	0.401929	F _{cd} _qual	0.401929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	borda	gaussian-condition	0.379421	F _{cd} _qual	0.379421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	borda	gaussian-condition	0.375621	F _{cd} _qual	0.375621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	borda	gaussian-conditioned	0.15	cd_quality	0.365683	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	borda	gaussian-conditioned	0.15	cd_quality	0.348144	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	kemeny	gaussian-conditioned	0.15	cd_quality	0.395498	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	35	kemeny	gaussian-conditioned	0.15	cd_quality	0.403391	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	35	kemeny	gaussian-conditioned	0.15	cd_quality	0.413037	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	50	kemeny	gaussian-conditioned	0.15	cd_quality	0.397837	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	65	kemeny	gaussian-conditioned	0.15	cd_quality	0.40076	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	75	kemeny	gaussian-conditioned	0.15	cd_quality	0.405145	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	85	kemeny	gaussian-conditioned	0.15	cd_quality	0.402514	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	95	kemeny	gaussian-conditioned	0.15	cd_quality	0.386729	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	100	kemeny	gaussian-conditioned	0.15	cd_quality	0.384975	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	100	kemeny	gaussian-conditioned	0.15	cd_quality	0.384391	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	rrf	gaussian-conditioned	0.15	cd_quality	0.397545	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	35	rrf	gaussian-conditioned	0.15	cd_quality	0.419176	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	35	rrf	gaussian-conditioned	0.15	cd_quality	0.418883	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	50	rrf	gaussian-conditioned	0.15	cd_quality	0.407776	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	65	rrf	gaussian-conditioned	0.15	cd_quality	0.405729	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	75	rrf	gaussian-conditioned	0.15	cd_quality	0.41216	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	85	rrf	gaussian-conditioned	0.15	cd_quality	0.409237	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	rrf	gaussian-conditioned	0.15	cd_quality	0.394914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	rrf	gaussian-conditioned	0.15	cd_quality	0.389652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	rrf	gaussian-conditioned	0.15	cd_quality	0.385852	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	schulze	gaussian-conditioned	0.15	cd_quality	0.395498	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	schulze	gaussian-conditioned	0.15	cd_quality	0.410406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	schulze	gaussian-conditioned	0.15	cd_quality	0.414206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	schulze	gaussian-conditioned	0.15	cd_quality	0.407191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	schulze	gaussian-conditioned	0.15	cd_quality	0.403683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	schulze	gaussian-conditioned	0.15	cd_quality	0.406899	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	schulze	gaussian-conditioned	0.15	cd_quality	0.402806	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	schulze	gaussian-conditioned	0.15	cd_quality	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	20	schulze	gaussian-conditioned	0.15	cd_quality	0.383514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	21	schulze	gaussian-conditioned	0.15	cd_quality	0.377375	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	22	simpleavg	gaussian-conditioned	0.15	cd_quality	0.391991	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	23	simpleavg	gaussian-conditioned	0.15	cd_quality	0.410406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	24	simpleavg	gaussian-conditioned	0.15	cd_quality	0.416253	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	simpleavg	gaussian-conditioned	0.15	cd_quality	0.407191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	26	simpleavg	gaussian-conditioned	0.15	cd_quality	0.393452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	27	simpleavg	gaussian-conditioned	0.15	cd_quality	0.371529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-conditioned	0.15	ed_qual	0.376498	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	gaussian-conditioned	0.15	ed_qual	0.377667	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	gaussian-conditioned	0.15	ed_qual	0.380006	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	gaussian-conditioned	0.15	ed_qual	0.379129	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	gaussian-conditioned	0.15	ed_qual	0.330313	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	gaussian-conditioned	0.15	ed_qual	0.305759	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	borda	gaussian-conditioned	0.15	ed_qual	0.311312	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	gaussian-conditioned	0.15	ed_qual	0.314236	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	gaussian-conditioned	0.15	ed_qual	0.302251	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	gaussian-conditioned	0.15	ed_qual	0.304297	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-conditioned	0.15	ed_qual	0.329436	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	gaussian-conditioned	0.15	ed_qual	0.338205	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	gaussian-conditioned	0.15	ed_qual	0.329144	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	gaussian-conditioned	0.15	ed_qual	0.358375	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	gaussian-conditioned	0.15	ed_qual	0.330313	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	gaussian-conditioned	0.15	ed_qual	0.319497	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	kemeny	gaussian-conditioned	0.15	ed_qual	0.30722	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	gaussian-conditioned	0.15	ed_qual	0.340251	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	gaussian-conditioned	0.15	ed_qual	0.32242	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	1st	kemeny	gaussian-condition	0.15	0.64	0.319205	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8st	kemeny	gaussian-condition	0.15	0.64	0.319205	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9st	kemeny	gaussian-condition	0.15	0.64	0.349605	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	kemeny	gaussian-condition	0.15	0.64	0.349605	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11st	kemeny	gaussian-condition	0.15	0.64	0.349021	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12st	rrf	gaussian-condition	0.15	0.64	0.325928	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13st	rrf	gaussian-condition	0.15	0.64	0.308389	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14st	rrf	gaussian-condition	0.15	0.64	0.313066	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15st	rrf	gaussian-condition	0.15	0.64	0.32622	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16st	rrf	gaussian-condition	0.15	0.64	0.312482	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17st	rrf	gaussian-condition	0.15	0.64	0.307805	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18st	rrf	gaussian-condition	0.15	0.64	0.320666	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19st	rrf	gaussian-condition	0.15	0.64	0.338498	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	rrf	gaussian-condition	0.15	0.64	0.339082	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11st	rrf	gaussian-condition	0.15	0.64	0.344636	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12st	schulze	gaussian-condition	0.15	0.64	0.330313	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13st	schulze	gaussian-condition	0.15	0.64	0.30722	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14st	schulze	gaussian-condition	0.15	0.64	0.311897	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15st	schulze	gaussian-condition	0.15	0.64	0.321543	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	gaussian-condition	0.15	0.6	0.308097	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	gaussian-condition	0.15	0.6	0.310143	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	gaussian-condition	0.15	0.6	0.320666	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	gaussian-condition	0.15	0.6	0.344051	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	gaussian-condition	0.15	0.6	0.333821	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	gaussian-condition	0.15	0.6	0.349313	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	gaussian-condition	0.15	0.6	0.33002	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	gaussian-condition	0.15	0.6	0.316866	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	simpleavg	gaussian-condition	0.15	0.6	0.31482	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	gaussian-condition	0.15	0.6	0.325636	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	gaussian-condition	0.15	0.6	0.325051	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	gaussian-condition	0.15	0.6	0.339374	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-condition	0.15	0.6	0.353405	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	gaussian-condition	0.15	0.6	0.35779	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	gaussian-condition	0.15	0.6	0.359252	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	gaussian-condition	0.15	0.6	0.358667	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	gaussian-condition	0.15	Ed_qual	0.380298	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	gaussian-condition	0.15	Ed_qual	0.397837	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	borda	gaussian-condition	0.15	Ed_qual	0.396375	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	gaussian-conditioned	0.15	Fed_quality	0.390529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	gaussian-conditioned	0.15	Fed_quality	0.391114	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	gaussian-conditioned	0.15	Fed_quality	0.384391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-conditioned	0.15	Fed_quality	0.362759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	gaussian-conditioned	0.15	Fed_quality	0.358375	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	gaussian-conditioned	0.15	Fed_quality	0.348436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	gaussian-conditioned	0.15	Fed_quality	0.33119	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	kemeny	gaussian-conditioned	0.15	Fed_quality	0.380298	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	kemeny	gaussian-conditioned	0.15	Fed_quality	0.387898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	kemeny	gaussian-conditioned	0.15	Fed_quality	0.395791	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	kemeny	gaussian-conditioned	0.15	Fed_quality	0.379129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	kemeny	gaussian-conditioned	0.15	Fed_quality	0.382052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	kemeny	gaussian-conditioned	0.15	Fed_quality	0.386729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	kemeny	gaussian-conditioned	0.15	Fed_quality	0.384683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	kemeny	gaussian-conditioned	0.15	Fed_quality	0.367729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	kemeny	gaussian-conditioned	0.15	Fed_quality	0.365683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	kemeny	gaussian-conditioned	0.15	Fed_quality	0.366852	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	rrf	gaussian-conditioned	0.15	Fed_quality	0.382344	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	rrf	gaussian-conditioned	0.15	Fed_quality	0.403391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	1	rrf	gaussian-conditioned 0.15	Fed_quality	0.401637	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	rrf	gaussian-conditioned 0.15	Fed_quality	0.389944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	rrf	gaussian-conditioned 0.15	Fed_quality	0.387021	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	rrf	gaussian-conditioned 0.15	Fed_quality	0.394621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	rrf	gaussian-conditioned 0.15	Fed_quality	0.392283	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	rrf	gaussian-conditioned 0.15	Fed_quality	0.377375	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	rrf	gaussian-conditioned 0.15	Fed_quality	0.372406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	rrf	gaussian-conditioned 0.15	Fed_quality	0.368606	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	schulze	gaussian-conditioned 0.15	Fed_quality	0.380298	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	schulze	gaussian-conditioned 0.15	Fed_quality	0.394037	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	schulze	gaussian-conditioned 0.15	Fed_quality	0.397545	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	schulze	gaussian-conditioned 0.15	Fed_quality	0.388775	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	schulze	gaussian-conditioned 0.15	Fed_quality	0.384975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	schulze	gaussian-conditioned 0.15	Fed_quality	0.38936	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	schulze	gaussian-conditioned 0.15	Fed_quality	0.38556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	schulze	gaussian-conditioned 0.15	Fed_quality	0.364221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	20	schulze	gaussian-conditioned 0.15	Fed_quality	0.365098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	21	schulze	gaussian-conditioned 0.15	Fed_quality	0.359252	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	22	simpleavg	gaussian-conditioned 0.15	Fed_quality	0.376498	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-condition	0.15	Fed_quality	0.394621	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-condition	0.15	Fed_quality	0.399883	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	gaussian-condition	0.15	Fed_quality	0.390237	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	gaussian-condition	0.15	Fed_quality	0.376498	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	gaussian-condition	0.15	Fed_quality	0.354867	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-condition	0.15	Fed_quality	0.359252	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-condition	0.15	Fed_quality	0.360129	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	gaussian-condition	0.15	Fed_quality	0.362759	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	gaussian-condition	0.15	Fed_quality	0.361298	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	gaussian-condition	0.15	Fed_quality	0.311312	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	gaussian-condition	0.15	Fed_quality	0.288512	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-condition	0.15	Fed_quality	0.295235	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	gaussian-condition	0.15	Fed_quality	0.297866	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	gaussian-condition	0.15	Fed_quality	0.285881	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	gaussian-condition	0.15	Fed_quality	0.287928	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-condition	0.15	Fed_quality	0.312774	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-condition	0.15	Fed_quality	0.321543	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	gaussian-condition	0.15	Fed_quality	0.312189	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-condition	0.15	Fed_quality	0.341713	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	kemeny	gaussian-condition	0.15	F ₁	0.311312	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	kemeny	gaussian-condition	0.15	F ₁	0.299912	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	4	kemeny	gaussian-condition	0.15	F ₁	0.291143	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	kemeny	gaussian-condition	0.15	F ₁	0.324467	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	kemeny	gaussian-condition	0.15	F ₁	0.306343	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	kemeny	gaussian-condition	0.15	F ₁	0.30342	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	kemeny	gaussian-condition	0.15	F ₁	0.302835	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	kemeny	gaussian-condition	0.15	F ₁	0.333528	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	kemeny	gaussian-condition	0.15	F ₁	0.333821	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	kemeny	gaussian-condition	0.15	F ₁	0.333236	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	rrf	gaussian-condition	0.15	F ₁	0.307512	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	rrf	gaussian-condition	0.15	F ₁	0.291143	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	rrf	gaussian-condition	0.15	F ₁	0.297281	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	rrf	gaussian-condition	0.15	F ₁	0.311605	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	rrf	gaussian-condition	0.15	F ₁	0.296989	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	rrf	gaussian-condition	0.15	F ₁	0.291728	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	rrf	gaussian-condition	0.15	F ₁	0.304005	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	rrf	gaussian-condition	0.15	F ₁	0.32242	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	20	rrf	gaussian-condition	0.15	F ₁	0.322713	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	rrf	gaussian-condition	0.15	F ₁ Harqual	0.328267	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	schulze	gaussian-condition	0.15	F ₁ Harqual	0.311312	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	schulze	gaussian-condition	0.15	F ₁ Harqual	0.289681	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	schulze	gaussian-condition	0.15	F ₁ Harqual	0.296405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	schulze	gaussian-condition	0.15	F ₁ Harqual	0.304882	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	schulze	gaussian-condition	0.15	F ₁ Harqual	0.292605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	schulze	gaussian-condition	0.15	F ₁ Harqual	0.294066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	schulze	gaussian-condition	0.15	F ₁ Harqual	0.304005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	schulze	gaussian-condition	0.15	F ₁ Harqual	0.327974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	schulze	gaussian-condition	0.15	F ₁ Harqual	0.318036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	schulze	gaussian-condition	0.15	F ₁ Harqual	0.333236	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.311312	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.299328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.298743	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.309266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.307805	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.321836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	simpleavg	gaussian-condition	0.15	F ₁ Harqual	0.341421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	simpleavg	gaussian-condition	0.15	F1	0.34259	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	simpleavg	gaussian-condition	0.15	F1	0.342005	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	borda	salt-pepper- 0.05	conditioned	cd_qual	0.375913	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	borda	salt-pepper- 0.05	conditioned	cd_qual	0.392575	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	borda	salt-pepper- 0.05	conditioned	cd_qual	0.382052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	borda	salt-pepper- 0.05	conditioned	cd_qual	0.383221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	borda	salt-pepper- 0.05	conditioned	cd_qual	0.385852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	borda	salt-pepper- 0.05	conditioned	cd_qual	0.376206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	borda	salt-pepper- 0.05	conditioned	cd_qual	0.358959	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	borda	salt-pepper- 0.05	conditioned	cd_qual	0.349605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	borda	salt-pepper- 0.05	conditioned	cd_qual	0.347559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	borda	salt-pepper- 0.05	conditioned	cd_qual	0.333236	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.375913	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.386437	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.387314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.379421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.38556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.388191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	kemeny	salt-pepper- 0.05	conditioned	cd_qual	0.381175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	salt- pepper- 0.05	conditioned	cd_qual	0.362175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	kemeny	salt- pepper- 0.05	conditioned	cd_qual	0.367144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	kemeny	salt- pepper- 0.05	conditioned	cd_qual	0.360713	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.377667	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.398422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.396668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.384683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.38556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.390237	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.387898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.371821	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.37036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	21	rrf	salt- pepper- 0.05	conditioned	cd_qual	0.369483	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	22	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.375913	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	23	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.389652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	24	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.387898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.385852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	26	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.385267	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	27	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.383806	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.380883	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.359252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.365098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	salt- pepper- 0.05	conditioned	cd_qual	0.353405	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.380298	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.387898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.396375	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.392283	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.377083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.358375	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.363929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.363344	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.364806	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	simpleavg	salt- pepper- 0.05	conditioned	cd_qual	0.36539	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	borda	salt- pepper- 0.05	conditioned	cd_qual	0.343467	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	borda	salt- pepper- 0.05	conditioned	cd_qual	0.321543	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	24	borda	salt- pepper- 0.05	conditioned	cd_qual	0.340836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	25	borda	salt- pepper- 0.05	conditioned	cd_qual	0.33879	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	26	borda	salt- pepper- 0.05	conditioned	cd_qual	0.323297	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	salt- pepper- 0.05	condition	0.6	0.335574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	salt- pepper- 0.05	condition	0.6	0.364806	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	salt- pepper- 0.05	condition	0.6	0.37416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	salt- pepper- 0.05	condition	0.6	0.37036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	salt- pepper- 0.05	condition	0.6	0.388191	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	salt- pepper- 0.05	condition	0.6	0.343467	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	salt- pepper- 0.05	condition	0.6	0.334697	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	kemeny	salt- pepper- 0.05	condition	0.6	0.343759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	salt- pepper- 0.05	condition	0.6	0.36159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	salt- pepper- 0.05	condition	0.6	0.335282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	salt- pepper- 0.05	condition	0.6	0.340251	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	salt- pepper- 0.05	condition	0.6	0.336451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	salt- pepper- 0.05	condition	0.6	0.366559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	salt- pepper- 0.05	condition	0.6	0.359252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	salt- pepper- 0.05	condition	0.6	0.373283	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	salt- pepper- 0.05	condition	0.6	0.343759	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	salt- pepper- 0.05	condition	0.6	0.322713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	rrf	salt- pepper- 0.05	condition	0.6	0.333528	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	salt- pepper- 0.05	condition	0.6	0.346975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	salt- pepper- 0.05	condition	0.6	0.330313	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	salt- pepper- 0.05	condition	0.6	0.337036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	salt- pepper- 0.05	condition	0.6	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	salt- pepper- 0.05	condition	0.6	0.352529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	salt- pepper- 0.05	condition	0.6	0.351944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	salt- pepper- 0.05	condition	0.6	0.362467	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	salt- pepper- 0.05	condition	0.6	0.343467	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	salt- pepper- 0.05	condition	0.6	0.325928	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	salt- pepper- 0.05	condition	0.6	0.340251	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	salt- pepper- 0.05	condition	0.6	0.337621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	salt- pepper- 0.05	condition	0.6	0.327974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	salt- pepper- 0.05	condition	0.6	0.332067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	salt- pepper- 0.05	condition	0.6	0.344051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	salt- pepper- 0.05	condition	0.6	0.360713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	condition	0.6	0.358667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	salt- pepper- 0.05	condition	0.6	0.373575	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	salt- pepper- 0.05	condition	0.6	0.34259	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	salt- pepper- 0.05	condition	0.6	0.333528	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	salt- pepper- 0.05	condition	0.6	0.330605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.337036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.33879	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.354282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.369483	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.371529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.370652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.37036	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	borda	salt- pepper- 0.05	conditioned_	quality	0.358959	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	borda	salt- pepper- 0.05	conditioned_	quality	0.375913	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	borda	salt- pepper- 0.05	conditioned_	quality	0.365683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	borda	salt- pepper- 0.05	conditioned_	quality	0.365098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	borda	salt- pepper- 0.05	conditioned_	quality	0.367436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	borda	salt- pepper- 0.05	conditioned_	quality	0.358082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	borda	salt- pepper- 0.05	conditioned_	quality	0.340836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	borda	salt- pepper- 0.05	conditioned_	quality	0.332067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	borda	salt- pepper- 0.05	conditioned_	quality	0.329436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	borda	salt- pepper- 0.05	conditioned_	quality	0.31482	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	kemeny	salt- pepper- 0.05	conditioned_	quality	0.358959	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	kemeny	salt- pepper- 0.05	conditioned_	quality	0.370067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.372698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.371236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.367729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.366559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.365683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.363344	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.341421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.348144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	salt- pepper- 0.05	conditioned	Fed_qual	0.335574	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.363929	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.370944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.379129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.375329	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.359544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.341713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.345805	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.345513	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.346975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned	Fed_qual	0.347559	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	salt- pepper- 0.05	condition	F ₁	0.325636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	salt- pepper- 0.05	condition	F ₁	0.304297	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	borda	salt- pepper- 0.05	condition	F ₁	0.322713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	salt- pepper- 0.05	condition	F ₁	0.321543	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	salt- pepper- 0.05	condition	F ₁	0.304882	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	salt- pepper- 0.05	condition	F ₁	0.317451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	salt- pepper- 0.05	condition	F ₁	0.347559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	salt- pepper- 0.05	condition	F ₁	0.356621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	salt- pepper- 0.05	condition	F ₁	0.353113	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	salt- pepper- 0.05	condition	F ₁	0.371236	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	salt- pepper- 0.05	condition	F ₁	0.325636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	salt- pepper- 0.05	condition	F ₁	0.317743	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	kemeny	salt- pepper- 0.05	condition	F ₁	0.325928	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	salt- pepper- 0.05	condition	F ₁	0.343467	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	kemeny	salt- pepper- 0.05	condition	F ₁	0.316866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	kemeny	salt- pepper- 0.05	condition	F ₁	0.322128	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	salt- pepper- 0.05	condition	F ₁	0.319205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	kemeny	salt- pepper- 0.05	condition	F ₁	0.349313	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	kemeny	salt- pepper- 0.05	condition	F ₁	0.34259	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	1	kemeny	salt- pepper- 0.05	condition	F ₁ equality	0.355744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.325928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.305466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	4	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.315989	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.329436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.311897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.318328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.31979	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.335574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.33499	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	rrf	salt- pepper- 0.05	condition	F ₁ equality	0.345221	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.325636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.308682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.322713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.320374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.309266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.313943	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.32739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	schulze	salt- pepper- 0.05	condition	F ₁ equality	0.343759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	F _{0.5}	0.341421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	F _{0.5}	0.356036	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.324467	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.316574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.313943	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.320374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.321543	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.338205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.352821	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.354575	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.353698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned	F _{0.5}	0.352821	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	speckle- 0.15	conditioned	G _{0.5}	0.342882	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	speckle- 0.15	conditioned	G _{0.5}	0.369483	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	speckle- 0.15	conditioned	G _{0.5}	0.368606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	speckle- 0.15	conditioned	G _{0.5}	0.361298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	speckle- 0.15	conditioned	G _{0.5}	0.357205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	speckle- 0.15	conditioned	G _{0.5}	0.340836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	speckle- 0.15	conditioned	G _{0.5}	0.32242	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	borda	speckle- 0.15	conditioned_	qual	0.320959	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	borda	speckle- 0.15	conditioned_	qual	0.311897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	borda	speckle- 0.15	conditioned_	qual	0.294943	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	kemeny	speckle- 0.15	conditioned_	qual	0.342882	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	kemeny	speckle- 0.15	conditioned_	qual	0.356036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	kemeny	speckle- 0.15	conditioned_	qual	0.36919	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	kemeny	speckle- 0.15	conditioned_	qual	0.349605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	kemeny	speckle- 0.15	conditioned_	qual	0.353405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	kemeny	speckle- 0.15	conditioned_	qual	0.352236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	kemeny	speckle- 0.15	conditioned_	qual	0.356036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	kemeny	speckle- 0.15	conditioned_	qual	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	20	kemeny	speckle- 0.15	conditioned_	qual	0.332944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	21	kemeny	speckle- 0.15	conditioned_	qual	0.32622	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	22	rrf	speckle- 0.15	conditioned_	qual	0.344928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	23	rrf	speckle- 0.15	conditioned_	qual	0.371529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	24	rrf	speckle- 0.15	conditioned_	qual	0.371529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	rrf	speckle- 0.15	conditioned_	qual	0.363929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	26	rrf	speckle- 0.15	conditioned_	qual	0.360421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	27	rrf	speckle- 0.15	conditioned_	qual	0.35779	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	conditioned_	qual	0.358375	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	speckle- 0.15	conditioned_	qual	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	speckle- 0.15	conditioned_	qual	0.339959	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	speckle- 0.15	conditioned_	qual	0.326513	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	speckle- 0.15	conditioned_	qual	0.342882	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	speckle- 0.15	conditioned_	qual	0.364513	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	speckle- 0.15	conditioned_	qual	0.36539	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	speckle- 0.15	conditioned_	qual	0.362759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	speckle- 0.15	conditioned_	qual	0.355159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	speckle- 0.15	conditioned_	qual	0.352821	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	speckle- 0.15	conditioned_	qual	0.351067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	speckle- 0.15	conditioned_	qual	0.333821	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	schulze	speckle- 0.15	conditioned_	qual	0.330605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	schulze	speckle- 0.15	conditioned_	qual	0.315405	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	simpleavg	speckle- 0.15	conditioned_	qual	0.346682	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	simpleavg	speckle- 0.15	conditioned_	qual	0.358667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	24	simpleavg	speckle- 0.15	conditioned_	qual	0.365098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	25	simpleavg	speckle- 0.15	conditioned_	qual	0.361882	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	26	simpleavg	speckle- 0.15	conditioned_	qual	0.346975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	simpleavg	speckle- 0.15	conditioned_	qual	0.319205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	speckle- 0.15	conditioned_	qual	0.325928	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	speckle- 0.15	conditioned_	qual	0.322713	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	conditioned_	qual	0.325051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	conditioned_	qual	0.326805	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	speckle- 0.15	conditioned_	qual	0.35019	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	speckle- 0.15	conditioned_	qual	0.351652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	speckle- 0.15	conditioned_	qual	0.361882	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	speckle- 0.15	conditioned_	qual	0.369483	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	speckle- 0.15	conditioned_	qual	0.345513	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	speckle- 0.15	conditioned_	qual	0.356913	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	speckle- 0.15	conditioned_	qual	0.38936	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	speckle- 0.15	conditioned_	qual	0.406606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	speckle- 0.15	conditioned_	qual	0.387314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	speckle- 0.15	conditioned_	qual	0.427653	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	speckle- 0.15	conditioned_	qual	0.35019	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	speckle- 0.15	conditioned_	qual	0.351652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	speckle- 0.15	conditioned_	qual	0.352529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	conditioned_	qual	0.386144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	condition	Barqual	0.354867	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	speckle- 0.15	condition	Barqual	0.358082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	speckle- 0.15	condition	Barqual	0.359836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	speckle- 0.15	condition	Barqual	0.399591	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	speckle- 0.15	condition	Barqual	0.387898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	speckle- 0.15	condition	Barqual	0.402806	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	speckle- 0.15	condition	Barqual	0.348144	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	speckle- 0.15	condition	Barqual	0.345221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	rrf	speckle- 0.15	condition	Barqual	0.354282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	speckle- 0.15	condition	Barqual	0.377375	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	speckle- 0.15	condition	Barqual	0.354867	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	speckle- 0.15	condition	Barqual	0.352236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	condition	Barqual	0.368898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	speckle- 0.15	condition	Barqual	0.390529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	speckle- 0.15	condition	Barqual	0.387021	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	speckle- 0.15	condition	Barqual	0.399883	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	speckle- 0.15	condition	Barqual	0.35019	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	speckle- 0.15	condition	Barqual	0.348144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	schulze	speckle- 0.15	condition	Barqual	0.352236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	speckle- 0.15	conditioned	Barqual	0.370944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	speckle- 0.15	conditioned	Barqual	0.353405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	speckle- 0.15	conditioned	Barqual	0.349021	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	conditioned	Barqual	0.371529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	speckle- 0.15	conditioned	Barqual	0.397545	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	conditioned	Barqual	0.384975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	speckle- 0.15	conditioned	Barqual	0.40836	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	speckle- 0.15	conditioned	Barqual	0.349313	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	speckle- 0.15	conditioned	Barqual	0.344928	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	speckle- 0.15	conditioned	Barqual	0.348728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavg	speckle- 0.15	conditioned	Barqual	0.35779	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	simpleavg	speckle- 0.15	conditioned	Barqual	0.363052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	simpleavg	speckle- 0.15	conditioned	Barqual	0.393452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	simpleavg	speckle- 0.15	conditioned	Barqual	0.405729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	speckle- 0.15	conditioned	Barqual	0.407483	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	simpleavg	speckle- 0.15	conditioned	Barqual	0.407191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	simpleavg	speckle- 0.15	conditioned	Barqual	0.408945	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	borda	speckle- 0.15	conditioned	Ed_qual	0.332067	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	borda	speckle- 0.15	conditioned	Ed_qual	0.35779	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	conditioned	Fed_qual	0.359252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	conditioned	Fed_qual	0.359252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	speckle- 0.15	conditioned	Fed_qual	0.351359	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	speckle- 0.15	conditioned	Fed_qual	0.347852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	speckle- 0.15	conditioned	Fed_qual	0.344051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	conditioned	Fed_qual	0.345221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	conditioned	Fed_qual	0.323005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	speckle- 0.15	conditioned	Fed_qual	0.326805	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	conditioned	Fed_qual	0.313359	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	speckle- 0.15	conditioned	Fed_qual	0.332067	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	speckle- 0.15	conditioned	Fed_qual	0.352529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	conditioned	Fed_qual	0.353405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	speckle- 0.15	conditioned	Fed_qual	0.35019	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	speckle- 0.15	conditioned	Fed_qual	0.342005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	speckle- 0.15	conditioned	Fed_qual	0.339082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	conditioned	Fed_qual	0.338205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	conditioned	Fed_qual	0.320666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	conditioned	Fed_qual	0.317451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	conditioned	Fed_qual	0.302251	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.335282	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.346098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.352529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.349605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.333821	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.306343	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.312774	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.309559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.311897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	speckle-	conditioned_0.15	Fed_quality	0.313651	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	speckle-	conditioned_0.15	Fed_quality	0.341128	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	speckle-	conditioned_0.15	Fed_quality	0.343175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	speckle-	conditioned_0.15	Fed_quality	0.353405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	speckle-	conditioned_0.15	Fed_quality	0.361006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	speckle-	conditioned_0.15	Fed_quality	0.337328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	speckle-	conditioned_0.15	Fed_quality	0.346682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	speckle-	conditioned_0.15	Fed_quality	0.379421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	speckle-	conditioned_0.15	Fed_quality	0.397252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	speckle-	conditioned_0.15	Fed_quality	0.377667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	1	borda	speckle- 0.15	condition	F1	0.417422	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	kemeny	speckle- 0.15	condition	F1	0.341128	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	kemeny	speckle- 0.15	condition	F1	0.342298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	4	kemeny	speckle- 0.15	condition	F1	0.344051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	condition	F1	0.378544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	kemeny	speckle- 0.15	condition	F1	0.346682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	kemeny	speckle- 0.15	condition	F1	0.349313	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	kemeny	speckle- 0.15	condition	F1	0.351359	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	kemeny	speckle- 0.15	condition	F1	0.390237	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	kemeny	speckle- 0.15	condition	F1	0.378837	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	kemeny	speckle- 0.15	condition	F1	0.393745	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	rrf	speckle- 0.15	condition	F1	0.339082	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	rrf	speckle- 0.15	condition	F1	0.336744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	rrf	speckle- 0.15	condition	F1	0.344636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	rrf	speckle- 0.15	condition	F1	0.368021	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	rrf	speckle- 0.15	condition	F1	0.347559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	rrf	speckle- 0.15	condition	F1	0.342882	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	rrf	speckle- 0.15	condition	F1	0.359836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	rrf	speckle- 0.15	condition	F1	0.381175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	rrf	speckle- 0.15	condition	F ₁ equality	0.37796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	rrf	speckle- 0.15	condition	F ₁ equality	0.390529	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	schulze	speckle- 0.15	condition	F ₁ equality	0.341128	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	schulze	speckle- 0.15	condition	F ₁ equality	0.339374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	schulze	speckle- 0.15	condition	F ₁ equality	0.343759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	50	schulze	speckle- 0.15	condition	F ₁ equality	0.362467	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	60	schulze	speckle- 0.15	condition	F ₁ equality	0.345221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	75	schulze	speckle- 0.15	condition	F ₁ equality	0.339667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	80	schulze	speckle- 0.15	condition	F ₁ equality	0.362759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	90	schulze	speckle- 0.15	condition	F ₁ equality	0.388483	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	100	schulze	speckle- 0.15	condition	F ₁ equality	0.376206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	100	schulze	speckle- 0.15	condition	F ₁ equality	0.398714	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	simpleavg	speckle- 0.15	condition	F ₁ equality	0.340544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	simpleavg	speckle- 0.15	condition	F ₁ equality	0.336451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	25	simpleavg	speckle- 0.15	condition	F ₁ equality	0.339667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	50	simpleavg	speckle- 0.15	condition	F ₁ equality	0.348728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	60	simpleavg	speckle- 0.15	condition	F ₁ equality	0.35399	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	75	simpleavg	speckle- 0.15	condition	F ₁ equality	0.383514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	80	simpleavg	speckle- 0.15	condition	F ₁ equality	0.396668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	simpleavg	speckle- 0.15	condition	Equal	0.398129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	condition	Equal	0.397837	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	simpleavg	speckle- 0.15	condition	Equal	0.399298	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	borda	clean	quality	C	0.302835	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	borda	clean	quality	C	0.331482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	4	borda	clean	quality	C	0.331482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	borda	clean	quality	C	0.330897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	borda	clean	quality	C	0.318328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	borda	clean	quality	C	0.316282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	borda	clean	quality	C	0.308389	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	borda	clean	quality	C	0.294943	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	borda	clean	quality	C	0.293189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	borda	clean	quality	C	0.268635	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	2	kemeny	clean	quality	C	0.302835	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	3	kemeny	clean	quality	C	0.32242	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	4	kemeny	clean	quality	C	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	kemeny	clean	quality	C	0.318328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	kemeny	clean	quality	C	0.315989	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	kemeny	clean	quality	C	0.31862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	clean	quality	C	0.323297	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	clean	quality	C	0.300789	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	clean	quality	C	0.301958	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	clean	quality	C	0.289097	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	rrf	clean	quality	C	0.304589	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	rrf	clean	quality	C	0.331482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	rrf	clean	quality	C	0.342005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	rrf	clean	quality	C	0.33002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	rrf	clean	quality	C	0.31979	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	rrf	clean	quality	C	0.327097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	rrf	clean	quality	C	0.33002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	rrf	clean	quality	C	0.310436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	rrf	clean	quality	C	0.311897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	rrf	clean	quality	C	0.301374	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	schulze	clean	quality	C	0.302835	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	schulze	clean	quality	C	0.32242	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	24	schulze	clean	quality	C	0.337036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	25	schulze	clean	quality	C	0.328559	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	26	schulze	clean	quality	C	0.315989	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	schulze	clean	quality	C	0.325343	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	clean	quality	C	0.321836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	clean	quality	C	0.298158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	schulze	clean	quality	C	0.304589	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	clean	quality	C	0.282081	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavglean	clean	quality	C	0.308097	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavglean	clean	quality	C	0.317451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavglean	clean	quality	C	0.326513	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavglean	clean	quality	C	0.327682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavglean	clean	quality	C	0.299328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavglean	clean	quality	C	0.301374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavglean	clean	quality	C	0.307512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavglean	clean	quality	C	0.309851	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavglean	clean	quality	C	0.311312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavglean	clean	quality	C	0.312774	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	borda	clean	quality	Cbar	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	borda	clean	quality	Cbar	0.37679	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	borda	clean	quality	Cbar	0.394037	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	borda	clean	quality	Cbar	0.39696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	clean	quality	Cbar	0.38059	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	clean	quality	Cbar	0.382052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	clean	quality	Cbar	0.413622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	clean	quality	Cbar	0.441391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	clean	quality	Cbar	0.419176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	clean	quality	Cbar	0.453961	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	kemeny	clean	quality	Cbar	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	kemeny	clean	quality	Cbar	0.37796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	kemeny	clean	quality	Cbar	0.386144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	kemeny	clean	quality	Cbar	0.423853	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	kemeny	clean	quality	Cbar	0.386144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	kemeny	clean	quality	Cbar	0.391991	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	kemeny	clean	quality	Cbar	0.392575	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	kemeny	clean	quality	Cbar	0.428822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	kemeny	clean	quality	Cbar	0.424145	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	clean	quality	Cbar	0.43993	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	rrf	clean	quality	Cbar	0.381467	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	rrf	clean	quality	Cbar	0.369775	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	rrf	clean	quality	Cbar	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	clean	quality	Cbar	0.404268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	clean	quality	Cbar	0.386729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	clean	quality	Cbar	0.380883	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	clean	quality	Cbar	0.394914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	clean	quality	Cbar	0.425607	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	clean	quality	Cbar	0.420053	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	clean	quality	Cbar	0.426191	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	clean	quality	Cbar	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	clean	quality	Cbar	0.371236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	clean	quality	Cbar	0.384975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	clean	quality	Cbar	0.39696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	clean	quality	Cbar	0.38176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	clean	quality	Cbar	0.38176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	clean	quality	Cbar	0.402514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	clean	quality	Cbar	0.426191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	schulze	clean	quality	Cbar	0.418299	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	schulze	clean	quality	Cbar	0.438176	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	simpleavg	clean	quality	Cbar	0.386144	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	simpleavg	clean	quality	Cbar	0.368606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	simple	avg	clean	quality	Cbar	0.368606	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simple	avg	clean	quality	Cbar	0.381467	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simple	avg	clean	quality	Cbar	0.387898	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simple	avg	clean	quality	Cbar	0.398129	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simple	avg	clean	quality	Cbar	0.417422	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simple	avg	clean	quality	Cbar	0.417714	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simple	avg	clean	quality	Cbar	0.417129	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simple	avg	clean	quality	Cbar	0.418006	True ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	borda		clean	quality	F	0.291435	False ["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	borda		clean	quality	F	0.320666	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	borda		clean	quality	F	0.320374	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	borda		clean	quality	F	0.320374	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	borda		clean	quality	F	0.307512	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	borda		clean	quality	F	0.305759	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	borda		clean	quality	F	0.297574	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	borda		clean	quality	F	0.284127	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda		clean	quality	F	0.282374	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda		clean	quality	F	0.258404	True ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	kemeny		clean	quality	F	0.291435	False ["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	clean	quality	F	0.31102	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	clean	quality	F	0.325051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	clean	quality	F	0.307805	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	clean	quality	F	0.305466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	clean	quality	F	0.308097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	clean	quality	F	0.312189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	clean	quality	F	0.290558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	clean	quality	F	0.290851	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	clean	quality	F	0.278866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	clean	quality	F	0.293189	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	clean	quality	F	0.320666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	rrf	clean	quality	F	0.330897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	clean	quality	F	0.319205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	clean	quality	F	0.309266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	clean	quality	F	0.316574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	clean	quality	F	0.318913	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	clean	quality	F	0.299328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	clean	quality	F	0.300789	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	clean	quality	F	0.290851	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	clean	quality	F	0.291435	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	clean	quality	F	0.311605	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	schulze	clean	quality	F	0.32622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	clean	quality	F	0.318036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	clean	quality	F	0.305466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	clean	quality	F	0.31482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	clean	quality	F	0.31102	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	clean	quality	F	0.287635	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	clean	quality	F	0.294066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	clean	quality	F	0.272143	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavglean	clean	quality	F	0.296697	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavglean	clean	quality	F	0.306343	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	simpleavglean	clean	quality	F	0.315405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavglean	clean	quality	F	0.316574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavglean	clean	quality	F	0.288804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavglean	clean	quality	F	0.290558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavglean	clean	quality	F	0.296405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavglean	clean	quality	F	0.298451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavglean	clean	quality	F	0.299912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	simple	avg	clean	quality	F	0.301666	True ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda		clean	quality	Fbar	0.374744	False ["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda		clean	quality	Fbar	0.367729	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	borda		clean	quality	Fbar	0.384683	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda		clean	quality	Fbar	0.387606	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda		clean	quality	Fbar	0.371529	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda		clean	quality	Fbar	0.373283	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda		clean	quality	Fbar	0.403683	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda		clean	quality	Fbar	0.43233	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda		clean	quality	Fbar	0.409822	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda		clean	quality	Fbar	0.444022	True ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	kemeny		clean	quality	Fbar	0.374744	False ["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	kemeny		clean	quality	Fbar	0.369483	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	kemeny		clean	quality	Fbar	0.377083	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	kemeny		clean	quality	Fbar	0.415083	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	kemeny		clean	quality	Fbar	0.37796	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	kemeny		clean	quality	Fbar	0.383514	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	kemeny		clean	quality	Fbar	0.383514	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	kemeny		clean	quality	Fbar	0.420053	False ["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	clean	quality	Fbar	0.415083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	clean	quality	Fbar	0.430576	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	clean	quality	Fbar	0.373283	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	clean	quality	Fbar	0.361298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	clean	quality	Fbar	0.373867	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	clean	quality	Fbar	0.395206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	clean	quality	Fbar	0.378544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	clean	quality	Fbar	0.372406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	clean	quality	Fbar	0.38556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	clean	quality	Fbar	0.41596	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	clean	quality	Fbar	0.410699	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	clean	quality	Fbar	0.416837	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	clean	quality	Fbar	0.374744	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	clean	quality	Fbar	0.363052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	schulze	clean	quality	Fbar	0.375913	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	clean	quality	Fbar	0.387898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	clean	quality	Fbar	0.373575	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	clean	quality	Fbar	0.373283	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	clean	quality	Fbar	0.39316	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	clean	quality	Fbar	0.417714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	schulze	clean	quality	Fbar	0.409237	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	clean	quality	Fbar	0.428822	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	clean	quality	Fbar	0.377667	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	clean	quality	Fbar	0.359252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	clean	quality	Fbar	0.359544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	clean	quality	Fbar	0.371821	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	clean	quality	Fbar	0.378252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	clean	quality	Fbar	0.388191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	clean	quality	Fbar	0.407191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	clean	quality	Fbar	0.407776	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	clean	quality	Fbar	0.407191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	clean	quality	Fbar	0.408068	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	adversarial	robustness	F3	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	robustness	F3	0.049401	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	adversarial	robustness	F3	0.051447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	adversarial	robustness	F3	0.042385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	adversarial	robustness	F3	0.052909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	adversarial	robustness	F3	0.046185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.042678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	adversarial	sara-2- 255	robustness	0.035954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	adversarial	sara-2- 255	robustness	0.034493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	adversarial	sara-2- 255	robustness	0.040339	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	kemeny	adversarial	sara-2- 255	robustness	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	kemeny	adversarial	sara-2- 255	robustness	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	kemeny	adversarial	sara-2- 255	robustness	0.049985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	kemeny	adversarial	sara-2- 255	robustness	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	kemeny	adversarial	sara-2- 255	robustness	0.041801	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	kemeny	adversarial	sara-2- 255	robustness	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	kemeny	adversarial	sara-2- 255	robustness	0.03537	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	kemeny	adversarial	sara-2- 255	robustness	0.041216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	kemeny	adversarial	sara-2- 255	robustness	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	21	kemeny	adversarial	sara-2- 255	robustness	0.038293	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	22	rrf	adversarial	sara-2- 255	robustness	0.038293	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	23	rrf	adversarial	sara-2- 255	robustness	0.050862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	24	rrf	adversarial	sara-2- 255	robustness	0.043847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	rrf	adversarial	sara-2- 255	robustness	0.037416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	26	rrf	adversarial	sara-2- 255	robustness	0.045308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1st	rrf	adversarial	sara-2- 255	robustness	0.029524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8st	rrf	adversarial	sara-2- 255	robustness	0.030108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9st	rrf	adversarial	sara-2- 255	robustness	0.025723	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	robustness	0.024847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1st	rrf	adversarial	sara-2- 255	robustness	0.028939	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2st	schulze	adversarial	sara-2- 255	robustness	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3st	schulze	adversarial	sara-2- 255	robustness	0.052909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4st	schulze	adversarial	sara-2- 255	robustness	0.044139	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5st	schulze	adversarial	sara-2- 255	robustness	0.042385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6st	schulze	adversarial	sara-2- 255	robustness	0.04297	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7st	schulze	adversarial	sara-2- 255	robustness	0.033908	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8st	schulze	adversarial	sara-2- 255	robustness	0.034785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9st	schulze	adversarial	sara-2- 255	robustness	0.041801	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	adversarial	sara-2- 255	robustness	0.032447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1st	schulze	adversarial	sara-2- 255	robustness	0.035954	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2st	simpleavg	adversarial	sara-2- 255	robustness	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3st	simpleavg	adversarial	sara-2- 255	robustness	0.058755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4st	simpleavg	adversarial	sara-2- 255	robustness	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5st	simpleavg	adversarial	sara-2- 255	robustness	0.021923	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	adversarial	robustness	CS	0.021923	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	adversarial	robustness	CS	0.021339	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	adversarial	robustness	CS	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	adversarial	robustness	CS	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	adversarial	robustness	CS	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	adversarial	robustness	CS	-	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	borda	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	borda	adversarial	robustness	CSbar	-	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	kemeny	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	kemeny	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	kemeny	adversarial	robustness	CSbar	-	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11 reference	method prefix
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	kemeny	adversarial	sara-2-255	robustness	-0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	6	kemeny	adversarial	sara-2-255	robustness	-0.075709	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	7	kemeny	adversarial	sara-2-255	robustness	-0.078047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	8	kemeny	adversarial	sara-2-255	robustness	-0.092955	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	9	kemeny	adversarial	sara-2-255	robustness	-0.097925	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	10	kemeny	adversarial	sara-2-255	robustness	-0.087986	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	11	kemeny	adversarial	sara-2-255	robustness	-0.082432	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	12	rrf	adversarial	sara-2-255	robustness	-0.048816	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	13	rrf	adversarial	sara-2-255	robustness	-0.063139	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	14	rrf	adversarial	sara-2-255	robustness	-0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	15	rrf	adversarial	sara-2-255	robustness	-0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	16	rrf	adversarial	sara-2-255	robustness	-0.076586	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	17	rrf	adversarial	sara-2-255	robustness	-0.088863	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	18	rrf	adversarial	sara-2-255	robustness	-0.090909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	19	rrf	adversarial	sara-2-255	robustness	-0.089155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	20	rrf	adversarial	sara-2-255	robustness	-0.092663	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	21	rrf	adversarial	sara-2-255	robustness	-0.095586	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	22	schulze	adversarial	sara-2-255	robustness	-0.04677	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	23	schulze	adversarial	sara-2-255	robustness	-0.060509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.078924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.089448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.083601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.082724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.089448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.100848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.092955	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		schulze	adversarial	robustness	CSbar	- 0.098217	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.049693	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.093832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.125694	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.12774	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.104648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.105232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.10494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.115463	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.112248	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		simpleavg	adversarial	robustness	CSbar	- 0.114586	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		borda	adversarial	robustness	CS	0.040339	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.049693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.051155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	adversarial	sara-2- 255	robustness	0.042385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	adversarial	sara-2- 255	robustness	0.052909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	adversarial	sara-2- 255	robustness	0.045308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.043555	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	adversarial	sara-2- 255	robustness	0.036831	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	adversarial	sara-2- 255	robustness	0.034785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.03917	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	adversarial	sara-2- 255	robustness	0.040339	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	adversarial	sara-2- 255	robustness	0.038001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	sara-2- 255	robustness	0.049985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	adversarial	sara-2- 255	robustness	0.038293	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	adversarial	sara-2- 255	robustness	0.041801	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	adversarial	sara-2- 255	robustness	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	sara-2- 255	robustness	0.035954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	adversarial	sara-2- 255	robustness	0.041216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	adversarial	sara-2- 255	robustness	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	adversarial	sara-2- 255	robustness	0.038001	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	ref-	method
					kind				ence		prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	rrf	adversarial	sara-2- 255	robustness	0.038878	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	rrf	adversarial	sara-2- 255	robustness	0.051155	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	rrf	adversarial	sara-2- 255	robustness	0.044139	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	rrf	adversarial	sara-2- 255	robustness	0.037416	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	rrf	adversarial	sara-2- 255	robustness	0.045308	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	rrf	adversarial	sara-2- 255	robustness	0.028939	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	rrf	adversarial	sara-2- 255	robustness	0.030693	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	rrf	adversarial	sara-2- 255	robustness	0.0266	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	robustness	0.025431	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	rrf	adversarial	sara-2- 255	robustness	0.029231	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	schulze	adversarial	sara-2- 255	robustness	0.040339	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	schulze	adversarial	sara-2- 255	robustness	0.053493	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	schulze	adversarial	sara-2- 255	robustness	0.043555	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	schulze	adversarial	sara-2- 255	robustness	0.042678	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	schulze	adversarial	sara-2- 255	robustness	0.04297	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	schulze	adversarial	sara-2- 255	robustness	0.033908	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	schulze	adversarial	sara-2- 255	robustness	0.035662	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	schulze	adversarial	sara-2- 255	robustness	0.041801	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	schulze	adversarial	sara-2- 255	robustness	0.032739	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	schulze	adversarial	robustness	$\mathbb{S}$	0.034493	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	simpleavg	adversarial	robustness	$\mathbb{S}$	0.033908	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	simpleavg	adversarial	robustness	$\mathbb{S}$	0.058755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	simpleavg	adversarial	robustness	$\mathbb{S}$	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0228	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	simpleavg	adversarial	robustness	$\mathbb{S}$	0.021923	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	simpleavg	adversarial	robustness	$\mathbb{S}$	0.021339	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	adversarial	robustness	$\mathbb{S}$	-	False 0.000292	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	simpleavg	adversarial	robustness	$\mathbb{S}$	-	False 0.005554	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	adversarial	robustness	$\mathbb{S}$	-	False 0.002046	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	adversarial	robustness	$\mathbb{S}$	-	True 0.004385	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.045893	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.065186	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.084478	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.086817	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.083309	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.088863	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.084771	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	borda	adversarial	robustness	$\mathbb{S}$ bar	-	False 0.094709	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	adversarial	sara-2- 255	robustness	- 0.102309	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	adversarial	sara-2- 255	robustness	- 0.096171	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	kemeny	adversarial	sara-2- 255	robustness	- 0.045893	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	kemeny	adversarial	sara-2- 255	robustness	- 0.058755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	kemeny	adversarial	sara-2- 255	robustness	- 0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	50	kemeny	adversarial	sara-2- 255	robustness	- 0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	60	kemeny	adversarial	sara-2- 255	robustness	- 0.073955	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	75	kemeny	adversarial	sara-2- 255	robustness	- 0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	80	kemeny	adversarial	sara-2- 255	robustness	- 0.093248	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	90	kemeny	adversarial	sara-2- 255	robustness	- 0.097048	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	100	kemeny	adversarial	sara-2- 255	robustness	- 0.087694	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	100	kemeny	adversarial	sara-2- 255	robustness	- 0.08214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	rrf	adversarial	sara-2- 255	robustness	- 0.047939	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	30	rrf	adversarial	sara-2- 255	robustness	- 0.062555	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	35	rrf	adversarial	sara-2- 255	robustness	- 0.07717	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	50	rrf	adversarial	sara-2- 255	robustness	- 0.084186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	60	rrf	adversarial	sara-2- 255	robustness	- 0.074832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	75	rrf	adversarial	sara-2- 255	robustness	- 0.088571	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	80	rrf	adversarial	sara-2- 255	robustness	- 0.090324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	rrf	adversarial	sara-2- 255	robustness	- 0.089155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	rrf	adversarial	sara-2- 255	robustness	- 0.092371	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	rrf	adversarial	sara-2- 255	robustness	- 0.095294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	12	schulze	adversarial	sara-2- 255	robustness	- 0.045893	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	13	schulze	adversarial	sara-2- 255	robustness	- 0.059339	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	14	schulze	adversarial	sara-2- 255	robustness	- 0.079509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	15	schulze	adversarial	sara-2- 255	robustness	- 0.089448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	16	schulze	adversarial	sara-2- 255	robustness	- 0.082432	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	17	schulze	adversarial	sara-2- 255	robustness	- 0.08214	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	18	schulze	adversarial	sara-2- 255	robustness	- 0.089155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	19	schulze	adversarial	sara-2- 255	robustness	- 0.099971	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	20	schulze	adversarial	sara-2- 255	robustness	- 0.092663	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	21	schulze	adversarial	sara-2- 255	robustness	- 0.097925	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	22	simpleavg	adversarial	sara-2- 255	robustness	- 0.049401	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	23	simpleavg	adversarial	sara-2- 255	robustness	- 0.093832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	24	simpleavg	adversarial	sara-2- 255	robustness	- 0.125402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	25	simpleavg	adversarial	sara-2- 255	robustness	- 0.12774	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	26	simpleavg	adversarial	sara-2- 255	robustness	- 0.104648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	27	simpleavg	adversarial	sara-2- 255	robustness	- 0.105817	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	adversarial	robustness	Fbar	-	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	simpleavg	adversarial	robustness	Fbar	-	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	adversarial	robustness	Fbar	-	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	adversarial	robustness	Fbar	-	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	gaussian	robustness	G	0.092663	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	gaussian	robustness	G	0.082724	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	borda	gaussian	robustness	G	0.082724	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	gaussian	robustness	G	0.077755	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	gaussian	robustness	G	0.090617	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	gaussian	robustness	G	0.085647	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	gaussian	robustness	G	0.071032	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	gaussian	robustness	G	0.080678	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	gaussian	robustness	G	0.072493	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	gaussian	robustness	G	0.079509	True		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	gaussian	robustness	G	0.092663	False		["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	gaussian	robustness	G	0.08097	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	kemeny	gaussian	robustness	G	0.076878	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	gaussian	robustness	G	0.079509	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	kemeny	gaussian	robustness	G	0.084771	False		["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	kemeny	gaussian-robustness	0.15	CS	0.086524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	gaussian-robustness	0.15	CS	0.079217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	gaussian-robustness	0.15	CS	0.08594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	gaussian-robustness	0.15	CS	0.083017	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	gaussian-robustness	0.15	CS	0.095294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	gaussian-robustness	0.15	CS	0.092955	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	gaussian-robustness	0.15	CS	0.087694	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	rrf	gaussian-robustness	0.15	CS	0.076878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	gaussian-robustness	0.15	CS	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	gaussian-robustness	0.15	CS	0.08594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	gaussian-robustness	0.15	CS	0.085063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	gaussian-robustness	0.15	CS	0.079217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	gaussian-robustness	0.15	CS	0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	gaussian-robustness	0.15	CS	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	gaussian-robustness	0.15	CS	0.084478	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	gaussian-robustness	0.15	CS	0.092663	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	gaussian-robustness	0.15	CS	0.087986	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	schulze	gaussian-robustness	0.15	CS	0.07717	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	gaussian-robustness	0.15	CS	0.078632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	gaussian-robustness	0.15	CS	0.087694	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	gaussian-robustness	0.15	CS	0.081555	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	gaussian-robustness	0.15	CS	0.08097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	gaussian-robustness	0.15	CS	0.084771	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	gaussian-robustness	0.15	CS	0.078924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	gaussian-robustness	0.15	CS	0.095294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	gaussian-robustness	0.15	CS	0.083894	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	gaussian-robustness	0.15	CS	0.092955	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	gaussian-robustness	0.15	CS	0.08974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavg	gaussian-robustness	0.15	CS	0.079509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	simpleavg	gaussian-robustness	0.15	CS	0.094125	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	simpleavg	gaussian-robustness	0.15	CS	0.070155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	simpleavg	gaussian-robustness	0.15	CS	0.068986	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	gaussian-robustness	0.15	CS	0.067816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	gaussian-robustness	0.15	CS	0.068693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	gaussian-robustness	0.15	CS	0.066355	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	borda	gaussian-robustness	0.15	CSbar	0.052616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	borda	gaussian-robustness	0.15	CSbar	0.071032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	borda	gaussian-robustness	0.15	CSbar	0.082724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	gaussian-robustness	0.15	CSbar	0.082724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	gaussian-robustness	0.15	CSbar	0.07834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	gaussian-robustness	0.15	CSbar	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-robustness	0.15	CSbar	0.084186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	gaussian-robustness	0.15	CSbar	0.103186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	gaussian-robustness	0.15	CSbar	0.090032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	gaussian-robustness	0.15	CSbar	0.095586	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	kemeny	gaussian-robustness	0.15	CSbar	0.052616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	kemeny	gaussian-robustness	0.15	CSbar	0.058462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	kemeny	gaussian-robustness	0.15	CSbar	0.078924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	kemeny	gaussian-robustness	0.15	CSbar	0.083601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	kemeny	gaussian-robustness	0.15	CSbar	0.063724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	kemeny	gaussian-robustness	0.15	CSbar	0.072786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	kemeny	gaussian-robustness	0.15	CSbar	0.07337	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	kemeny	gaussian-robustness	0.15	CSbar	0.079217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	kemeny	gaussian-robustness	0.15	CSbar	0.07454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	kemeny	gaussian-robustness	0.15	CSbar	0.090909	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	rrf	gaussian-robustness	0.15	CSbar	0.055539	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	rrf	gaussian-robustness	0.15	CSbar	0.061386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.069863	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.078047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.074247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.073078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.074247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.087109	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.08097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.081555	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.052616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.064016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.073078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.075417	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.073663	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.071616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.081847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.08214	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.088863	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.056124	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.051739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.053785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simple	avg	gaussian-robustness	CSbar	0.055832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simple	avg	gaussian-robustness	CSbar	0.062847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simple	avg	gaussian-robustness	CSbar	0.058755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.064016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.059924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simple	avg	gaussian-robustness	CSbar	0.057878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.059339	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda		gaussian-robustness	CS	0.088863	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda		gaussian-robustness	CS	0.07717	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	borda		gaussian-robustness	CS	0.076001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda		gaussian-robustness	CS	0.070155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda		gaussian-robustness	CS	0.083601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda		gaussian-robustness	CS	0.078632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda		gaussian-robustness	CS	0.065186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda		gaussian-robustness	CS	0.074247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda		gaussian-robustness	CS	0.066063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	borda		gaussian-robustness	CS	0.072786	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	gaussian-robustness	0.15	SS	0.088863	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	gaussian-robustness	0.15	SS	0.076878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	gaussian-robustness	0.15	SS	0.07074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	gaussian-robustness	0.15	SS	0.071324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	gaussian-robustness	0.15	SS	0.076586	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	gaussian-robustness	0.15	SS	0.078632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	gaussian-robustness	0.15	SS	0.072493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	gaussian-robustness	0.15	SS	0.07717	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	gaussian-robustness	0.15	SS	0.074832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	gaussian-robustness	0.15	SS	0.087986	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	gaussian-robustness	0.15	SS	0.089155	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	gaussian-robustness	0.15	SS	0.082724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	gaussian-robustness	0.15	SS	0.07074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	gaussian-robustness	0.15	SS	0.07074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	gaussian-robustness	0.15	SS	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	gaussian-robustness	0.15	SS	0.078047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	gaussian-robustness	0.15	SS	0.07337	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	gaussian-robustness	0.15	SS	0.078047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	gaussian-robustness	0.15	SS	0.071616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value	metric	value	q11 ref- erence	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	rrf	gaussian-robustness	0.15	SS	0.077755	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	gaussian-robustness	0.15	SS	0.088863	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	gaussian-robustness	0.15	SS	0.082432	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	schulze	gaussian-robustness	0.15	SS	0.071324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	gaussian-robustness	0.15	SS	0.07074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	gaussian-robustness	0.15	SS	0.079509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	gaussian-robustness	0.15	SS	0.07454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	gaussian-robustness	0.15	SS	0.07454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	gaussian-robustness	0.15	SS	0.076586	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	gaussian-robustness	0.15	SS	0.071032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	gaussian-robustness	0.15	SS	0.087109	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	gaussian-robustness	0.15	SS	0.079801	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	gaussian-robustness	0.15	SS	0.088278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	gaussian-robustness	0.15	SS	0.084478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavg	gaussian-robustness	0.15	SS	0.073663	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	simpleavg	gaussian-robustness	0.15	SS	0.087694	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	simpleavg	gaussian-robustness	0.15	SS	0.064309	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	simpleavg	gaussian-robustness	0.15	SS	0.062847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	gaussian-robustness	0.15	SS	0.061678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	gaussian-robustness	0.15	F	0.062847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	gaussian-robustness	0.15	F	0.059632	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	gaussian-robustness	0.15	Fbar	0.063432	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	gaussian-robustness	0.15	Fbar	0.079217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	borda	gaussian-robustness	0.15	Fbar	0.089448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	gaussian-robustness	0.15	Fbar	0.08974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	gaussian-robustness	0.15	Fbar	0.085647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	gaussian-robustness	0.15	Fbar	0.085355	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	gaussian-robustness	0.15	Fbar	0.090909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	gaussian-robustness	0.15	Fbar	0.110786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	gaussian-robustness	0.15	Fbar	0.097632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	gaussian-robustness	0.15	Fbar	0.102309	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	gaussian-robustness	0.15	Fbar	0.063432	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	gaussian-robustness	0.15	Fbar	0.06957	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	kemeny	gaussian-robustness	0.15	Fbar	0.08594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	gaussian-robustness	0.15	Fbar	0.090617	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	gaussian-robustness	0.15	Fbar	0.071616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	gaussian-robustness	0.15	Fbar	0.080094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	gaussian-robustness	0.15	Fbar	0.080678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	1	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.086524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	10	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.081263	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	11	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.09734	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	2	rrf	gaussian-robustness	0.15	$\bar{F}$	0.06577	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	3	rrf	gaussian-robustness	0.15	$\bar{F}$	0.070155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	4	rrf	gaussian-robustness	0.15	$\bar{F}$	0.076586	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	5	rrf	gaussian-robustness	0.15	$\bar{F}$	0.083601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	6	rrf	gaussian-robustness	0.15	$\bar{F}$	0.081555	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	7	rrf	gaussian-robustness	0.15	$\bar{F}$	0.080678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	8	rrf	gaussian-robustness	0.15	$\bar{F}$	0.081555	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	9	rrf	gaussian-robustness	0.15	$\bar{F}$	0.09354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	10	rrf	gaussian-robustness	0.15	$\bar{F}$	0.087986	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	11	rrf	gaussian-robustness	0.15	$\bar{F}$	0.088571	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	2	schulze	gaussian-robustness	0.15	$\bar{F}$	0.063432	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	3	schulze	gaussian-robustness	0.15	$\bar{F}$	0.07337	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	4	schulze	gaussian-robustness	0.15	$\bar{F}$	0.079509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	5	schulze	gaussian-robustness	0.15	$\bar{F}$	0.083017	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	6	schulze	gaussian-robustness	0.15	$\bar{F}$	0.08097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	7	schulze	gaussian-robustness	0.15	$\bar{F}$	0.079217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	8	schulze	gaussian-robustness	0.15	$\bar{F}$	0.089155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	9	schulze	gaussian-robustness	0.15	$\bar{F}$	0.08974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	10	schulze	gaussian-robustness	0.15	$\bar{F}$	0.091201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	11	schulze	gaussian-robustness	0.15	$\bar{F}$	0.095586	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	12	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.066355	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	13	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.059924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	14	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.060801	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	15	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.062555	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	16	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.070447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	17	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.066355	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	18	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.071032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	19	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.066355	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	20	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.064601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	21	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.066063	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	22	borda	salt-pepper-robustness	0.05	$\bar{G}$	0.073078	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	23	borda	salt-pepper-robustness	0.05	$\bar{G}$	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	24	borda	salt-pepper-robustness	0.05	$\bar{G}$	0.05057	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	25	borda	salt-pepper-robustness	0.05	$\bar{G}$	0.052324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	26	borda	salt-pepper-robustness	0.05	$\bar{G}$	0.067524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	borda	salt- pepper- 0.05	robustness	CS	0.059924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	salt- pepper- 0.05	robustness	CS	0.05057	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	salt- pepper- 0.05	robustness	CS	0.054662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	salt- pepper- 0.05	robustness	CS	0.05437	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	salt- pepper- 0.05	robustness	CS	0.064601	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	CS	0.073078	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	salt- pepper- 0.05	robustness	CS	0.064016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	CS	0.051155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	CS	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	CS	0.06957	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	CS	0.06957	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	CS	0.057878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	CS	0.061386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	CS	0.065186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	salt- pepper- 0.05	robustness	CS	0.071616	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	salt- pepper- 0.05	robustness	CS	0.073078	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	salt- pepper- 0.05	robustness	CS	0.066939	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	rrf	salt- pepper- 0.05	robustness	CS	0.054662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	salt- pepper- 0.05	robustness	CS	0.054662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	salt- pepper- 0.05	robustness	CS	0.06577	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	salt- pepper- 0.05	robustness	CS	0.063139	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	salt- pepper- 0.05	robustness	CS	0.057878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	salt- pepper- 0.05	robustness	CS	0.061386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	salt- pepper- 0.05	robustness	CS	0.058462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	salt- pepper- 0.05	robustness	CS	0.068109	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	salt- pepper- 0.05	robustness	CS	0.073078	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	salt- pepper- 0.05	robustness	CS	0.067232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	salt- pepper- 0.05	robustness	CS	0.050862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	salt- pepper- 0.05	robustness	CS	0.057293	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	salt- pepper- 0.05	robustness	CS	0.069278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	salt- pepper- 0.05	robustness	CS	0.058462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	salt- pepper- 0.05	robustness	CS	0.059047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	salt- pepper- 0.05	robustness	CS	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	schulze	salt- pepper- 0.05	robustness	CS	0.060509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	schulze	salt- pepper- 0.05	robustness	CS	0.071324	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	simpleavg	salt- pepper- 0.05	robustness	CS	0.072201	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	simpleavg	salt- pepper- 0.05	robustness	CS	0.070447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	24	simpleavg	salt- pepper- 0.05	robustness	CS	0.069863	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	CS	0.064601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	CS	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	CS	0.057001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	CS	0.056416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	CS	0.053493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	CS	0.053493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	CS	0.052616	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	borda	salt- pepper- 0.05	robustness	CSbar	0.039462	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	borda	salt- pepper- 0.05	robustness	CSbar	0.055247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	borda	salt- pepper- 0.05	robustness	CSbar	0.053201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	borda	salt- pepper- 0.05	robustness	CSbar	0.05817	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	borda	salt- pepper- 0.05	robustness	CSbar	0.057293	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	borda	salt- pepper- 0.05	robustness	CSbar	0.046478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	borda	salt- pepper- 0.05	robustness	CSbar	0.048816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	borda	salt- pepper- 0.05	robustness	CSbar	0.067232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	borda	salt- pepper- 0.05	robustness	CSbar	0.048816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	borda	salt- pepper- 0.05	robustness	CSbar	0.06577	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	kemeny	salt- pepper- 0.05	robustness	CSbar	0.039462	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	kemeny	salt- pepper- 0.05	robustness	CSbar	0.043262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.045308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.044724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	salt- pepper- 0.05	robustness	CSbar	0.059339	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	salt- pepper- 0.05	robustness	CSbar	0.053785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	salt- pepper- 0.05	robustness	CSbar	0.049693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.058462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	salt- pepper- 0.05	robustness	CSbar	0.065478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	robustness	CSbar	0.059632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	salt- pepper- 0.05	robustness	CSbar	0.064601	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.043555	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.035077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.038001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.044431	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.049108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.043847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.047939	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.046185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.046478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.047647	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	borda	salt- pepper- 0.05	robustness	SS	0.067524	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	borda	salt- pepper- 0.05	robustness	SS	0.055247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	borda	salt- pepper- 0.05	robustness	SS	0.045308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	borda	salt- pepper- 0.05	robustness	SS	0.044724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	borda	salt- pepper- 0.05	robustness	SS	0.059924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	borda	salt- pepper- 0.05	robustness	SS	0.052324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	borda	salt- pepper- 0.05	robustness	SS	0.043262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	borda	salt- pepper- 0.05	robustness	SS	0.047939	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	borda	salt- pepper- 0.05	robustness	SS	0.047062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	borda	salt- pepper- 0.05	robustness	SS	0.056416	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	SS	0.067524	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	salt- pepper- 0.05	robustness	SS	0.059047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	SS	0.045601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	SS	0.053201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	SS	0.06197	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	SS	0.062262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	SS	0.050862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	SS	0.052909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	SS	0.057878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	kemeny	salt- pepper- 0.05	robustness	SS	0.063724	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	rrf	salt- pepper- 0.05	robustness	SS	0.067524	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	rrf	salt- pepper- 0.05	robustness	SS	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	rrf	salt- pepper- 0.05	robustness	SS	0.048524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	salt- pepper- 0.05	robustness	SS	0.047939	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	salt- pepper- 0.05	robustness	SS	0.05817	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	rrf	salt- pepper- 0.05	robustness	SS	0.055832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	salt- pepper- 0.05	robustness	SS	0.051155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	salt- pepper- 0.05	robustness	SS	0.054662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	salt- pepper- 0.05	robustness	SS	0.052324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	salt- pepper- 0.05	robustness	SS	0.061386	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	salt- pepper- 0.05	robustness	SS	0.067524	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	salt- pepper- 0.05	robustness	SS	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	salt- pepper- 0.05	robustness	SS	0.045016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	salt- pepper- 0.05	robustness	SS	0.049693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	salt- pepper- 0.05	robustness	SS	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	salt- pepper- 0.05	robustness	SS	0.050862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	salt- pepper- 0.05	robustness	SS	0.052324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	salt- pepper- 0.05	robustness	SS	0.053785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.054078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.063432	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.067232	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.064601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.063724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.058755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.07074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.051155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.049401	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.047062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.047062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	$\mathbb{S}$	0.045893	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.049108	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.063432	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.06197	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.066063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.066647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.055832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	borda	salt- pepper- 0.05	robustness	$\mathbb{S}$ bar	0.056124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	borda	salt- pepper- 0.05	robustness	Fbar	0.075709	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	salt- pepper- 0.05	robustness	Fbar	0.056709	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	salt- pepper- 0.05	robustness	Fbar	0.072786	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	Fbar	0.049108	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	salt- pepper- 0.05	robustness	Fbar	0.051739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	Fbar	0.051155	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	Fbar	0.071616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	Fbar	0.061093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	Fbar	0.061386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	Fbar	0.064309	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	Fbar	0.07074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	Fbar	0.072493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	kemeny	salt- pepper- 0.05	robustness	Fbar	0.074832	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	rrf	salt- pepper- 0.05	robustness	Fbar	0.047355	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	rrf	salt- pepper- 0.05	robustness	Fbar	0.055832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	rrf	salt- pepper- 0.05	robustness	Fbar	0.057878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	rrf	salt- pepper- 0.05	robustness	Fbar	0.06577	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	rrf	salt- pepper- 0.05	robustness	Fbar	0.066647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	rrf	salt- pepper- 0.05	robustness	Fbar	0.054078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	salt- pepper- 0.05	robustness	Fbar	0.06577	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	salt- pepper- 0.05	robustness	Fbar	0.080386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	salt- pepper- 0.05	robustness	Fbar	0.075709	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	salt- pepper- 0.05	robustness	Fbar	0.071616	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	salt- pepper- 0.05	robustness	Fbar	0.049108	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	salt- pepper- 0.05	robustness	Fbar	0.05437	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	salt- pepper- 0.05	robustness	Fbar	0.053201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	schulze	salt- pepper- 0.05	robustness	Fbar	0.067524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	schulze	salt- pepper- 0.05	robustness	Fbar	0.064309	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	schulze	salt- pepper- 0.05	robustness	Fbar	0.059339	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	schulze	salt- pepper- 0.05	robustness	Fbar	0.06577	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	schulze	salt- pepper- 0.05	robustness	Fbar	0.073955	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	schulze	salt- pepper- 0.05	robustness	Fbar	0.067816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	schulze	salt- pepper- 0.05	robustness	Fbar	0.072786	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.053201	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.042678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	24	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.045601	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	25	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.051447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	26	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.056709	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.049985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.05437	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.053201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.053493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.055247	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	speckle- 0.15	robustness	F3	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	speckle- 0.15	robustness	F3	0.038001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	borda	speckle- 0.15	robustness	F3	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	speckle- 0.15	robustness	F3	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	speckle- 0.15	robustness	F3	0.038878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	speckle- 0.15	robustness	F3	0.024554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	speckle- 0.15	robustness	F3	0.014031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	speckle- 0.15	robustness	F3	0.026016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	speckle- 0.15	robustness	F3	0.018708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	speckle- 0.15	robustness	F3	0.026308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	speckle- 0.15	robustness	F3	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	speckle- 0.15	robustness	F3	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	kemeny	speckle- 0.15	robustness	F3	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	robustness	F3	0.031277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	robustness	CS	0.037416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	speckle- 0.15	robustness	CS	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	speckle- 0.15	robustness	CS	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	speckle- 0.15	robustness	CS	0.03537	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	speckle- 0.15	robustness	CS	0.030985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	speckle- 0.15	robustness	CS	0.037124	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	rrf	speckle- 0.15	robustness	CS	0.040339	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	rrf	speckle- 0.15	robustness	CS	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	rrf	speckle- 0.15	robustness	CS	0.029524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	rrf	speckle- 0.15	robustness	CS	0.033908	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	rrf	speckle- 0.15	robustness	CS	0.040631	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	rrf	speckle- 0.15	robustness	CS	0.030693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	rrf	speckle- 0.15	robustness	CS	0.028354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	rrf	speckle- 0.15	robustness	CS	0.025723	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	rrf	speckle- 0.15	robustness	CS	0.028062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	rrf	speckle- 0.15	robustness	CS	0.025139	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	schulze	speckle- 0.15	robustness	CS	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	schulze	speckle- 0.15	robustness	CS	0.042093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	schulze	speckle- 0.15	robustness	CS	0.028354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	speckle- 0.15	robustness	CS	0.034201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	speckle- 0.15	robustness	CS	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	speckle- 0.15	robustness	CS	0.027477	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	robustness	CS	0.029231	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	speckle- 0.15	robustness	CS	0.035662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	CS	0.026016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	schulze	speckle- 0.15	robustness	CS	0.033324	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	simpleavg	speckle- 0.15	robustness	CS	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	simpleavg	speckle- 0.15	robustness	CS	0.041216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	simpleavg	speckle- 0.15	robustness	CS	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	simpleavg	speckle- 0.15	robustness	CS	0.034201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	simpleavg	speckle- 0.15	robustness	CS	0.047647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	simpleavg	speckle- 0.15	robustness	CS	0.017831	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	simpleavg	speckle- 0.15	robustness	CS	0.018416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	simpleavg	speckle- 0.15	robustness	CS	0.012862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	simpleavg	speckle- 0.15	robustness	CS	0.013739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	simpleavg	speckle- 0.15	robustness	CS	0.014031	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	borda	speckle- 0.15	robustness	CSbar	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	borda	speckle- 0.15	robustness	CSbar	0.025139	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	1	borda	speckle- 0.15	robustness	$\bar{G}$	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	5	borda	speckle- 0.15	robustness	$\bar{G}$	0.027477	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	6	borda	speckle- 0.15	robustness	$\bar{G}$	0.035077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	7	borda	speckle- 0.15	robustness	$\bar{G}$	0.025139	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	8	borda	speckle- 0.15	robustness	$\bar{G}$	0.024262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	9	borda	speckle- 0.15	robustness	$\bar{G}$	0.034785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	10	borda	speckle- 0.15	robustness	$\bar{G}$	0.031862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	11	borda	speckle- 0.15	robustness	$\bar{G}$	0.026308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	12	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	13	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.026308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	14	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	15	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.037708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	16	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.031277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	17	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.033908	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	18	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	19	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.029231	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	20	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.036247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	21	kemeny	speckle- 0.15	robustness	$\bar{G}$	0.037124	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	22	rrf	speckle- 0.15	robustness	$\bar{G}$	0.033324	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.024554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.028647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.026893	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.031862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.028647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.026016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.035077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	0.026308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.023093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.026016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.028354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.030985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.028647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.033324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	schulze	speckle- 0.15	robustness	$\bar{G}$ bar	0.029816	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	simpleavg	speckle- 0.15	robustness	CSbar	0.036831	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	simpleavg	speckle- 0.15	robustness	CSbar	0.023677	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	speckle- 0.15	robustness	CSbar	0.019877	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	speckle- 0.15	robustness	CSbar	0.023677	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	simpleavg	speckle- 0.15	robustness	CSbar	0.024847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	simpleavg	speckle- 0.15	robustness	CSbar	0.004677	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	speckle- 0.15	robustness	CSbar	0.011692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	simpleavg	speckle- 0.15	robustness	CSbar	0.010231	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	CSbar	0.009939	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	speckle- 0.15	robustness	CSbar	0.009062	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	speckle- 0.15	robustness	CS	0.040631	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	speckle- 0.15	robustness	CS	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	speckle- 0.15	robustness	CS	0.036247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	speckle- 0.15	robustness	CS	0.028062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	speckle- 0.15	robustness	CS	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	speckle- 0.15	robustness	CS	0.021339	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	speckle- 0.15	robustness	CS	0.011985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	speckle- 0.15	robustness	CS	0.02397	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	speckle- 0.15	robustness	CS	0.015785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	1	borda	speckle- 0.15	robustness	FS	0.023677	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	2	kemeny	speckle- 0.15	robustness	FS	0.040631	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	3	kemeny	speckle- 0.15	robustness	FS	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	4	kemeny	speckle- 0.15	robustness	FS	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	robustness	FS	0.028647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	6	kemeny	speckle- 0.15	robustness	FS	0.035077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	7	kemeny	speckle- 0.15	robustness	FS	0.030693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	speckle- 0.15	robustness	FS	0.030693	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	speckle- 0.15	robustness	FS	0.032447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	speckle- 0.15	robustness	FS	0.028939	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	speckle- 0.15	robustness	FS	0.034493	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	rrf	speckle- 0.15	robustness	FS	0.040339	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	rrf	speckle- 0.15	robustness	FS	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	rrf	speckle- 0.15	robustness	FS	0.028354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	rrf	speckle- 0.15	robustness	FS	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	rrf	speckle- 0.15	robustness	FS	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	rrf	speckle- 0.15	robustness	FS	0.027477	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	rrf	speckle- 0.15	robustness	FS	0.026308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	rrf	speckle- 0.15	robustness	FS	0.023677	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	speckle- 0.15	robustness	FS	0.026016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	rrf	speckle- 0.15	robustness	FS	0.022508	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.040631	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.040924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.027185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.036539	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.024262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.027185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.023385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.030108	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.039754	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.045016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.015785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	FS	0.016369	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	simpleavg	speckle- 0.15	robustness	F	0.011108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	F	0.011985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	F	0.011985	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	borda	speckle- 0.15	robustness	Fbar	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	borda	speckle- 0.15	robustness	Fbar	0.024554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	borda	speckle- 0.15	robustness	Fbar	0.031277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	borda	speckle- 0.15	robustness	Fbar	0.0266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	borda	speckle- 0.15	robustness	Fbar	0.034201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	borda	speckle- 0.15	robustness	Fbar	0.0266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	borda	speckle- 0.15	robustness	Fbar	0.024262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	borda	speckle- 0.15	robustness	Fbar	0.035077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	borda	speckle- 0.15	robustness	Fbar	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	borda	speckle- 0.15	robustness	Fbar	0.0266	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	kemeny	speckle- 0.15	robustness	Fbar	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	kemeny	speckle- 0.15	robustness	Fbar	0.027185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	kemeny	speckle- 0.15	robustness	Fbar	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	kemeny	speckle- 0.15	robustness	Fbar	0.036539	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	kemeny	speckle- 0.15	robustness	Fbar	0.031277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	kemeny	speckle- 0.15	robustness	Fbar	0.034201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	8	kemeny	speckle- 0.15	robustness	Fbar	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	9	kemeny	speckle- 0.15	robustness	Fbar	0.029816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	10	kemeny	speckle- 0.15	robustness	Fbar	0.036247	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	11	kemeny	speckle- 0.15	robustness	Fbar	0.036831	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	12	rrf	speckle- 0.15	robustness	Fbar	0.034201	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	13	rrf	speckle- 0.15	robustness	Fbar	0.024554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	14	rrf	speckle- 0.15	robustness	Fbar	0.029231	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	15	rrf	speckle- 0.15	robustness	Fbar	0.027185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	16	rrf	speckle- 0.15	robustness	Fbar	0.030985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	17	rrf	speckle- 0.15	robustness	Fbar	0.029524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	18	rrf	speckle- 0.15	robustness	Fbar	0.025723	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	19	rrf	speckle- 0.15	robustness	Fbar	0.034785	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	20	rrf	speckle- 0.15	robustness	Fbar	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	21	rrf	speckle- 0.15	robustness	Fbar	0.026308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	22	schulze	speckle- 0.15	robustness	Fbar	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	23	schulze	speckle- 0.15	robustness	Fbar	0.023677	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	24	schulze	speckle- 0.15	robustness	Fbar	0.032154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	25	schulze	speckle- 0.15	robustness	Fbar	0.025431	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist	bloodmnist- vit-b16	26	schulze	speckle- 0.15	robustness	Fbar	0.028354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	1	schulze	speckle- 0.15	robustness	Fbar	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	schulze	speckle- 0.15	robustness	Fbar	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	schulze	speckle- 0.15	robustness	Fbar	0.029231	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	schulze	speckle- 0.15	robustness	Fbar	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	schulze	speckle- 0.15	robustness	Fbar	0.030108	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	2	simpleavg	speckle- 0.15	robustness	Fbar	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	3	simpleavg	speckle- 0.15	robustness	Fbar	0.0228	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	4	simpleavg	speckle- 0.15	robustness	Fbar	0.019877	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	5	simpleavg	speckle- 0.15	robustness	Fbar	0.023093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	6	simpleavg	speckle- 0.15	robustness	Fbar	0.024262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	7	simpleavg	speckle- 0.15	robustness	Fbar	0.004677	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	8	simpleavg	speckle- 0.15	robustness	Fbar	0.010523	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	9	simpleavg	speckle- 0.15	robustness	Fbar	0.009646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	10	simpleavg	speckle- 0.15	robustness	Fbar	0.009354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	11	simpleavg	speckle- 0.15	robustness	Fbar	0.008769	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap

Table 91: NOISE diagnostics results for BloodMNIST-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	quality	clean	C	max	3	0.331482[3,4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	quality	clean	Cbar	min	3	0.37679 [3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	quality	clean	F	max	3	0.320666[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	quality	clean	Fbar	min	3	0.367729[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	adversarial	G-sara-2-255	max	6	0.052909[6]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	adversarial	Gbar-sara-2-255	max	2	-0.04677 [2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	adversarial	F-sara-2-255	max	6	0.052909[6]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	adversarial	Fbar-sara-2-255	max	2	-0.045893 [2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	gaussian	C-0.15	max	2	0.092663[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	gaussian	Cbar-0.15	max	9	0.103186[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	gaussian	F-0.15	max	2	0.088863[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	gaussian	Fbar-0.15	max	9	0.110786[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	salt-pepper	C-0.05	max	2	0.073078[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	salt-pepper	Cbar-0.05	max	9	0.067232[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	salt-pepper	F-0.05	max	2	0.067524[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	salt-pepper	Fbar-0.05	max	9	0.075709[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	speckle	C-0.15	max	2	0.040047[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist–bloodmnist-vit-b16	bloodmnist-vit-b16	bloodmnist-vit-b16	sorda	robustness	speckle	Cbar-0.15	max	6	0.035077[6]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientDescent"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isorda	robustness	speckle- 0.15	F	max	2	0.040631[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isorda	robustness	speckle- 0.15	Fbar	max	9	0.035077[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	quality	clean	C	max	4	0.336159[4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	quality	clean	Cbar	min	3	0.37796 [3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	quality	clean	F	max	4	0.325051[4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	quality	clean	Fbar	min	3	0.369483[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	adversarial- sara-2- 255	G	max	4	0.049985[4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	adversarial- sara-2- 255	Gbar	max	2	- [2] 0.04677			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	adversarial- sara-2- 255	F	max	4	0.049985[4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	adversarial- sara-2- 255	Fbar	max	2	- [2] 0.045893			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	gaussian- 0.15	C	max	11	0.095294[11]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	gaussian- 0.15	Cbar	max	11	0.090909[11]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	gaussian- 0.15	F	max	2	0.088863[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	gaussian- 0.15	Fbar	max	11	0.09734 [11]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	salt- pepper- 0.05	C	max	2	0.073078[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	salt- pepper- 0.05	Cbar	max	11	0.066647[11]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	salt- pepper- 0.05	F	max	2	0.067524[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	salt- pepper- 0.05	Fbar	max	11	0.074832[11]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	isteny	robustness	speckle- 0.15	C	max	2	0.040047[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	many	robustness	speckle- 0.15	Cbar	max	5	0.037708[5]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	many	robustness	speckle- 0.15	F	max	2	0.040631[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	many	robustness	speckle- 0.15	Fbar	max	11	0.036831[11]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		quality	clean	C	max	4	0.342005[4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		quality	clean	Cbar	min	3	0.369775[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		quality	clean	F	max	4	0.330897[4]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		quality	clean	Fbar	min	3	0.361298[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	adversarial- sara-2- 255	C	max	3	0.050862[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	adversarial- sara-2- 255	Cbar	max	2	- [2] 0.048816			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	adversarial- sara-2- 255	F	max	3	0.051155[3]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	adversarial- sara-2- 255	Fbar	max	2	- [2] 0.047939			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	gaussian- 0.15	C	max	2	0.092955[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	gaussian- 0.15	Cbar	max	9	0.087109[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	gaussian- 0.15	F	max	2	0.089155[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	gaussian- 0.15	Fbar	max	9	0.09354 [9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	salt- pepper- 0.05	C	max	2	0.073078[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	salt- pepper- 0.05	Cbar	max	9	0.073078[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	salt- pepper- 0.05	F	max	2	0.067524[2]			smallest_["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16		robustness	salt- pepper- 0.05	Fbar	max	9	0.080386[9]			smallest_["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	speckle- 0.15	C	max	6	0.040631[6]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	speckle- 0.15	Cbar	max	9	0.035077[9]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	speckle- 0.15	F	max	2	0.040339[2]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	speckle- 0.15	Fbar	max	9	0.034785[9]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	quality	clean	C	max	4	0.337036[4]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	quality	clean	Cbar	min	3	0.371236[3]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	quality	clean	F	max	4	0.32622 [4]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	quality	clean	Fbar	min	3	0.363052[3]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	adversarial- sara-2- 255	C	max	3	0.052909[3]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	adversarial- sara-2- 255	Cbar	max	2	- [2] 0.04677	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	adversarial- sara-2- 255	F	max	3	0.053493[3]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	adversarial- sara-2- 255	Fbar	max	2	- [2] 0.045893	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	gaussian- 0.15	C	max	11	0.095294[11]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	gaussian- 0.15	Cbar	max	11	0.088863[11]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	gaussian- 0.15	F	max	2	0.088863[2]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	gaussian- 0.15	Fbar	max	11	0.095586[11]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	salt- pepper- 0.05	C	max	2	0.073078[2]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	salt- pepper- 0.05	Cbar	max	9	0.065478[9]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	robustness	salt- pepper- 0.05	F	max	2	0.067524[2]	smallest	12	smallest	["GradientAscent", "CheferTransformerAttribution"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie icy	pol- method prefix
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	salze	robustness	salt- pepper- 0.05	Fbar	max	9	0.073955[9]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	salze	robustness	speckle- 0.15	C	max	3	0.042093[3]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	salze	robustness	speckle- 0.15	Cbar	max	10	0.033324[10]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	salze	robustness	speckle- 0.15	F	max	3	0.040924[3]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	salze	robustness	speckle- 0.15	Fbar	max	2	0.033616[2,7]		smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	quality	clean	C	max	5	0.327682[5]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	quality	clean	Cbar	min	3	0.368606[3,4]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	quality	clean	F	max	5	0.316574[5]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	quality	clean	Fbar	min	3	0.359252[3]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	adversarial- sara-2- 255	C	max	3	0.058755[3]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	adversarial- sara-2- 255	Cbar	max	2	- [2] 0.049693		smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	adversarial- sara-2- 255	F	max	3	0.058755[3]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	adversarial- sara-2- 255	Fbar	max	2	- [2] 0.049401		smallest	["GradientAscent", "CheferTransformerAttribution"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	gaussian- 0.15	C	max	6	0.094125[6]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	gaussian- 0.15	Cbar	max	8	0.064016[8]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	gaussian- 0.15	F	max	3	0.088278[3]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	gaussian- 0.15	Fbar	max	8	0.071032[8]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	salt- pepper- 0.05	C	max	6	0.077755[6]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]
bloodmnist- bloodmnist-vit- b16	bloodmnist- vit-b16	bloodmnist- vit-b16	stapleavg	robustness	salt- pepper- 0.05	Cbar	max	6	0.049108[6]		smallest	["GradientAscent", "CheferTransformerAttribution", "GradientAscent"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist-vit-b16	isappleavgobustness	salt- pepper- 0.05	F		max	6	0.07074	[6]	smallest	$[\frac{1}{G}w_{\text{dihint}}\frac{A}{\text{Absolute}}\frac{R}{\text{ReLU}}\frac{H}{\text{ReLU}}]$, "CheferTransformerAttribution", "Grad
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist-vit-b16	isappleavgobustness	salt- pepper- 0.05	Fbar		max	6	0.056709	[6]	smallest	$[\frac{1}{G}w_{\text{dihint}}\frac{A}{\text{Absolute}}\frac{R}{\text{ReLU}}\frac{H}{\text{ReLU}}]$, "CheferTransformerAttribution", "Grad
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist-vit-b16	isappleavgobustness	speckle- 0.15	C		max	6	0.047647	[6]	smallest	$[\frac{1}{G}w_{\text{dihint}}\frac{A}{\text{Absolute}}\frac{R}{\text{ReLU}}\frac{H}{\text{ReLU}}]$, "CheferTransformerAttribution", "Grad
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist-vit-b16	isappleavgobustness	speckle- 0.15	Cbar		max	2	0.036831	[2]	smallest	$[\frac{1}{G}w_{\text{dihint}}\frac{A}{\text{Absolute}}\frac{R}{\text{ReLU}}\frac{H}{\text{ReLU}}]$, "CheferTransformerAttribution"]
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist-vit-b16	isappleavgobustness	speckle- 0.15	F		max	6	0.045016	[6]	smallest	$[\frac{1}{G}w_{\text{dihint}}\frac{A}{\text{Absolute}}\frac{R}{\text{ReLU}}\frac{H}{\text{ReLU}}]$, "CheferTransformerAttribution", "Grad
bloodmnist– bloodmnist-vit- b16	bloodmnist	bloodmnist-vit-b16	isappleavgobustness	speckle- 0.15	Fbar		max	2	0.037124	[2]	smallest	$[\frac{1}{G}w_{\text{dihint}}\frac{A}{\text{Absolute}}\frac{R}{\text{ReLU}}\frac{H}{\text{ReLU}}]$, "CheferTransformerAttribution"]

Table 92: NOISE diagnostics results for BloodMNIST-ViT-B/16. This table is a historical snapshot included for archival purposes and is not present in the source file.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turbed-gaussian-0.15	Fbar per-turbed-gaussian-0.15	C per-turbed-gaussian-0.15	Cbar per-turbed-gaussian-0.15	F per-turbed-salt-pepper-0.05	Fbar per-turbed-salt-pepper-0.05	C per-turbed-salt-pepper-0.05	Cbar per-turbed-salt-pepper-0.05	F per-turbed-speckle-0.15	Fbar per-turbed-speckle-0.15	C per-turbed-speckle-0.15	Cbar per-turbed-speckle-0.15	F per-turbed-adversarial-255	Fbar per-turbed-adversarial-255	C per-turbed-adversarial-255	Cbar per-turbed-adversarial-255	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	2	simpleavg	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	2	borda	False	["GradientDescent"]	0.29143503	0.37474403	0.30283503	0.38292903	0.38029803	0.31131203	0.39549803	0.33031303	0.35895903	0.32563603	0.37591303	0.34346703	0.33206703	0.34112803	0.34288203	0.35019	0.33177403	0.42063703	0.42063703	0.42063703	0.42063703
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	2	rrf	False	["GradientDescent"]	0.29348903	0.37328303	0.3058903	0.38144703	0.38234403	0.30751203	0.39754503	0.32592803	0.36071303	0.32592803	0.37766703	0.34375903	0.33352803	0.33908203	0.34492803	0.34814403	0.33206703	0.42122203	0.42122203	0.42122203	0.42122203
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	2	kemeny	False	["GradientDescent"]	0.29143503	0.37474403	0.30283503	0.38292903	0.38029803	0.31131203	0.39549803	0.33031303	0.35895903	0.32563603	0.37591303	0.34346703	0.33206703	0.34112803	0.34288203	0.35019	0.33177403	0.42063703	0.42063703	0.42063703	0.42063703
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	2	schulze	False	["GradientDescent"]	0.29143503	0.37474403	0.30283503	0.38292903	0.38029803	0.31131203	0.39549803	0.33031303	0.35895903	0.32563603	0.37591303	0.34346703	0.33206703	0.34112803	0.34288203	0.35019	0.33177403	0.42063703	0.42063703	0.42063703	0.42063703
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	3	simpleavg	False	["GradientDescent"]	0.30634903	0.3925203	0.31745103	0.36869603	0.39462103	0.29932803	0.41040603	0.316803	0.3603603	0.37094403	0.31657403	0.38789803	0.33352803	0.34609803	0.33645103	0.35866703	0.34492803	0.36509803	0.45308403	0.45308403	0.45308403
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	3	borda	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	3	rrf	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	3	kemeny	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	3	schulze	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	4	simpleavg	False	["GradientDescent"]	0.31540503	0.3954403	0.32654903	0.36869603	0.39938303	0.29874303	0.41040603	0.316803	0.3603603	0.37094403	0.31657403	0.38789803	0.33352803	0.34609803	0.33645103	0.35866703	0.34492803	0.36509803	0.48494603	0.48494603	0.48494603
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	4	borda	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	4	rrf	False	["GradientDescent"]	0.3089703	0.37886703	0.3206503	0.38292903	0.40185703	0.29728103	0.41883303	0.31307603	0.36942103	0.31549903	0.3666803	0.33352803	0.35925203	0.34463603	0.37152903	0.35428203	0.37503703	0.45103803	0.45103803	0.45103803	0.45103803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	4	kemeny	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	4	schulze	False	["GradientDescent"]	0.29669703	0.37506703	0.30809703	0.38614603	0.37649803	0.31131203	0.39199103	0.33002	0.36392903	0.32446703	0.38029803	0.34259	0.33528203	0.34054403	0.34668203	0.34931303	0.33060503	0.42706803	0.42706803	0.42706803	0.42706803
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	simpleavg	False	["GradientDescent"]	0.31657403	0.37882103	0.32782903	0.38144703	0.39028703	0.30926503	0.40719103	0.32563603	0.37591303	0.32446703	0.37228303	0.34375903	0.33528203	0.34960503	0.34872803	0.36188203	0.35779	0.33937403	0.49956203	0.49956203	0.49956203

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turb gaussian-0.15	Fbar per-turb gaussian-0.15	C per-turb gaussian-0.15	Cbar per-turb gaussian-0.15	F per-turb salt-pepper-0.05	Fbar per-turb salt-pepper-0.05	C per-turb salt-pepper-0.05	Cbar per-turb salt-pepper-0.05	F per-turb speckle-0.15	Fbar per-turb speckle-0.15	C per-turb speckle-0.15	Cbar per-turb speckle-0.15	F per-turb adversarial-255	Fbar per-turb adversarial-255	C per-turb adversarial-255	Cbar per-turb adversarial-255	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	borda	False	["Gradient Descent"]	0.3203740	0.3878060	0.3308970	0.3969460	0.3905200	0.3976650	0.4088650	0.4142360	0.3665008	0.4321440	0.3532210	0.3838790	0.3484360	0.3610060	0.3612980	0.3694830	0.3627590	0.4744230	0.4744230	0.4744230	0.4744230
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	rrf	False	["Gradient Descent"]	0.3192050	0.3852060	0.3308260	0.3944600	0.3116050	0.4077760	0.3262720	0.3671440	0.3294860	0.3546830	0.3459750	0.3513590	0.3680210	0.3639290	0.3773750	0.3566210	0.4793920	0.4793920	0.4793920	0.4793920	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	kemeny	False	["Gradient Descent"]	0.3078050	0.3608300	0.3382800	0.3885360	0.3791290	0.3214670	0.3974370	0.3402510	0.3690060	0.3434670	0.3793210	0.3611590	0.3364510	0.3785440	0.3496050	0.3861440	0.3460980	0.4995620	0.4995620	0.4995620	0.4995620
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	schulze	False	["Gradient Descent"]	0.3189360	0.3878980	0.3355690	0.3969460	0.3884770	0.3146820	0.4071910	0.3215430	0.3677290	0.3293740	0.3558220	0.3376210	0.3501900	0.3624670	0.3627590	0.3709440	0.3607130	0.4773460	0.4773460	0.4773460	0.4773460
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	simpleavg	False	["Gradient Descent"]	0.2888040	0.3782520	0.2998280	0.3878980	0.3764980	0.3076050	0.3931520	0.3250510	0.3595440	0.3214540	0.3758300	0.3387900	0.3333820	0.3539900	0.3469750	0.3630520	0.3107280	0.4829000	0.4829000	0.4829000	0.4829000
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	borda	False	["Gradient Descent"]	0.3075120	0.3745290	0.3382800	0.3805460	0.3911140	0.2856810	0.4089450	0.3092250	0.3674360	0.3148820	0.3558220	0.3329760	0.3416360	0.3373280	0.3572050	0.3455130	0.3604210	0.4548380	0.4548380	0.4548380	0.4548380
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	rrf	False	["Gradient Descent"]	0.3092660	0.3765440	0.3397960	0.3879010	0.2966890	0.4057290	0.3124820	0.3674360	0.3148970	0.3558220	0.3301340	0.3478520	0.3475590	0.3604210	0.3548670	0.3545750	0.4533760	0.4533760	0.4533760	0.4533760	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	kemeny	False	["Gradient Descent"]	0.3054660	0.3759600	0.3398900	0.3861440	0.3820520	0.3063430	0.4007600	0.3222420	0.3674360	0.3168660	0.3558220	0.3352820	0.3415410	0.3466820	0.3534050	0.3548670	0.3472670	0.4519150	0.4519150	0.4519150	0.4519150
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	schulze	False	["Gradient Descent"]	0.3054660	0.3737500	0.3398900	0.3847460	0.3840750	0.2926050	0.4036830	0.3080970	0.3665590	0.3092660	0.3552670	0.3327940	0.3420850	0.3452210	0.3551590	0.3534050	0.3484360	0.4560070	0.4560070	0.4560070	0.4560070
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	simpleavg	False	["Gradient Descent"]	0.2905560	0.3811910	0.3308710	0.3981490	0.3546700	0.3216830	0.3743220	0.3393740	0.3491130	0.3382050	0.3589750	0.3512820	0.3301240	0.3605140	0.3192050	0.3934520	0.3118970	0.4940080	0.4940080	0.4940080	0.4940080
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	borda	False	["Gradient Descent"]	0.3057500	0.3732800	0.3382800	0.3805260	0.3843900	0.2879280	0.4043290	0.3042970	0.3589820	0.3174510	0.3762060	0.3353740	0.3327070	0.3066820	0.3498360	0.3569130	0.3510670	0.4621460	0.4621460	0.4621460	0.4621460
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	rrf	False	["Gradient Descent"]	0.3165740	0.3731060	0.3379050	0.3808830	0.3946210	0.2917280	0.4121160	0.3057050	0.3594060	0.3183280	0.3902370	0.3360340	0.3088260	0.3577900	0.3522360	0.3455130	0.4609760	0.4609760	0.4609760	0.4609760	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	kemeny	False	["Gradient Descent"]	0.3089970	0.3837140	0.3382800	0.3919970	0.3864290	0.3033420	0.4051450	0.3192050	0.3593060	0.3221280	0.3584110	0.3402910	0.3387870	0.3003130	0.3523600	0.3580820	0.3472670	0.4612690	0.4612690	0.4612690	0.4612690
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	5	schulze	False	["Gradient Descent"]	0.3148210	0.3732800	0.3354490	0.3847460	0.3840750	0.2940650	0.4068990	0.3101430	0.3676830	0.3139130	0.3580600	0.3306750	0.3390820	0.3396670	0.3572810	0.3490210	0.3487280	0.4554220	0.4554220	0.4554220	0.4554220
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	8	simpleavg	False	["Gradient Descent"]	0.2964050	0.3671910	0.3075120	0.3754920	0.3592520	0.3361590	0.3763930	0.3593400	0.3452820	0.3373920	0.3369030	0.3427740	0.3066660	0.3259280	0.4057290	0.2961200	0.5127160	0.5127160	0.5127160	0.5127160	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	8	borda	False	["Gradient Descent"]	0.2975740	0.3668300	0.3388900	0.3469200	0.3627590	0.3127740	0.3793210	0.3294360	0.3475590	0.3589990	0.3360030	0.3095390	0.3042160	0.3224200	0.3893610	0.3412800	0.4884540	0.4884540	0.4884540	0.4884540	
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	8	rrf	False	["Gradient Descent"]	0.3189160	0.3855600	0.3308260	0.3949460	0.3922830	0.3040050	0.4092370	0.3206760	0.3590670	0.3197900	0.3578980	0.3361590	0.3491340	0.3098360	0.3537500	0.3684980	0.3490050	0.4758840	0.4758840	0.4758840	0.4758840
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	8	kemeny	False	["Gradient Descent"]	0.3124800	0.3837140	0.3329760	0.3925750	0.3846830	0.3026830	0.4092510	0.3192050	0.3574750	0.3364480	0.3013420	0.3013420	0.3013420	0.3013420	0.3013420	0.3013420	0.3013420	0.4404760	0.4404760	0.4404760	0.4404760

Table 93: Real-checkpoint explainer compatibility pilot for BloodMNIST–ViT-B/16. This archival diagnostic reports per-method execution checks and is not a Phase 2 quality or robustness result.

dataset	model	result status	gate status	method	passed	deterministic repeat	finite frac- tion	target sensi- tive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	ViT-B/16	passed	passed	Saliency	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	InputXGradient	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	IntegratedGradients	true	true	1	true	1	1	0.1384456	6673e+09	
BloodMNIST	ViT-B/16	passed	passed	FeatureAblation	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	Occlusion	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	GradientShap	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	CheferTransformerAttribution	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	PartialLRP	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	FullLRP	true	true	1	true	1				
BloodMNIST	ViT-B/16	passed	passed	GradientAttentionRollout	true	true	1	true	1	1	0.0636453	3842e+09	
BloodMNIST	ViT-B/16	passed	passed	AttentionGradCAM	true	true	1	true	1	1	0.0522153	3105e+09	