

When Does Aggregating Explanations Work?

ImageNet Results

Jinhua Xu, Davide Anguita, Fabio Roli, Jing Yuan, and Luca Oneto

This report is generated from the structured result files listed in `RESULT_MANIFEST.json`. It is organised by model and experiment and retains incomplete and historical snapshots as archival tables. The released ImageNet rows use the 100-class ImageNet-1k subset (ImageNet100); the label ImageNet is used consistently in this archive.

1 ResNet-18

cell	dataset	model	architecture	split	sample count	method	setting	q	source count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Best Indi- vidual	best- individual	1	3	0.044	0.4272	0.1246670	0.5692670	0.0663330	0.0492	0.024933	-0.0362	0.2380670	0.2176670	0.069667	-0.1094	-0.0742	-	-	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	SimpleAvg	NAIVE	11	3	0.0271330	0.6409330	0.0957330	0.7948	0.0772	0.0593330	0.0232	-0.024333	0.2602	0.2304670	0.0732	-0.0892	0.0683330	0.0671330	0.0004670	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	SimpleAvg	ind	11	11	0.0224	0.6304	0.0908	0.7818	0.0804	0.0578	0.0268	-0.0194	0.2558	0.2322	0.0768	-0.0844	0.064	0.0578	-0.0006	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Borda	NAIVE	11	3	0.0313330	0.6224	0.1006670	0.7764670	0.0724	0.0548670	0.0256	-0.028067	0.2561330	0.2262670	0.075267	-0.0932	0.0466670	0.040867	-0.013333	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Borda	ind	11	11	0.0294	0.6288	0.105	0.7822	0.0766	0.0472	0.0254	-0.026	0.2506	0.2176	0.0696	-0.0988	0.0496	0.0422	-0.0132	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	RRF	NAIVE	11	3	0.0314670	0.6242	0.1008670	0.7782670	0.0682	0.0464	0.0214	-0.0286	0.246	0.2188	0.067933	-0.094533	0.0484670	0.0426	-	-
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	RRF	ind	11	11	0.0312	0.625	0.1026	0.78	0.066	0.0432	0.021	-0.028	0.242	0.2132	0.0624	-0.0958	0.0452	0.0408	-0.0164	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Kemeny	NAIVE	11	3	0.0291330	0.623	0.0972	0.7764	0.0632	0.0474	0.020067	-0.0262	0.2427330	0.2179330	0.066467	-0.090467	0.0482670	0.040067	-0.011067	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Kemeny	ind	11	11	0.03	0.6202	0.0996	0.7764	0.0664	0.0466	0.022	-0.0266	0.2468	0.2138	0.0662	-0.0926	0.0414	0.0366	-0.0172	-
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Schulze	NAIVE	11	3	0.0298670	0.6220670	0.0982	0.7757330	0.0644670	0.047	0.020267	-0.026933	0.245	0.2188670	0.0684	-0.091467	0.0458670	0.039467	-0.012133	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	Schulze	ind	11	11	0.0304	0.6284	0.1002	0.7814	0.0688	0.0488	0.0224	-0.027	0.2484	0.2186	0.0682	-0.0942	0.0486	0.0442	-0.0124	0

Table 2: NOISE results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance model	selected size	candidate count	forced fall-back	selection rule	scope	alpha	selected meth- ods	ordered meth- ods	prefix p values	task id	task di- gest	artifact root	manifest content digest	manifest as- sump- tion id	manifest as- sump- tion digest
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman	11	11	True	largest_	global	0.65	"sample"	"GuidedB-GuidedB-HashedP-FISHP-I-TORCHP-SFSDP-PD-CNNP-DLTP-76975d14c0c4603992387f8e34b242609b6247d3ce64d3"	ImageNet– ImageNet- resnet18– spearman– 8d99b22ccf	ImageNet– ImageNet- resnet18/ spearman/	assumptions- ccfebbe768f7c1e3a4faa9b92a75bbd6f220	assumptions- ccfebbe768f7c1e3a4faa9b92a75bbd6f220	assumptions- ccfebbe768f7c1e3a4faa9b92a75bbd6f220	assumptions- ccfebbe768f7c1e3a4faa9b92a75bbd6f220	
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	11	True	largest_	global	0.65	"sample"	"GuidedB-GuidedB-HashedP-FISHP-I-TORCHP-SFSDP-PD-CNNP-DLTP-76975d14c0c4603992387f8e34b242609b6247d3ce64d3"	ImageNet– ImageNet- resnet18– kendall– d7d3ee64d3	ImageNet– ImageNet- resnet18/ kendall/	assumptions- d7d3ee64d36247f46091d920f889776260912cba9147	assumptions- d7d3ee64d36247f46091d920f889776260912cba9147	assumptions- d7d3ee64d36247f46091d920f889776260912cba9147	assumptions- d7d3ee64d36247f46091d920f889776260912cba9147	

Table 3: NOISE results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source

cell	dataset	model	architecture	split	sample count	distance method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	best_individual	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	simpleavg	NOISE	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1378	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	borda	naive	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	borda	NOISE	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	kemeny	naive	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	kemeny	NOISE	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	mr	naive	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	mr	NOISE	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	schulze	naive	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	spearman	schulze	NOISE	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	best_individual	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	simpleavg	NOISE	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1378	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	borda	naive	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	borda	NOISE	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	kemeny	naive	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	resnet18	test	5000	kendall	kemeny	NOISE	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136

cell	dataset	model	architecture	split	sample count	distance model	method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	F
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	rrf	naive	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	rrf	NOISE	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	schulze	naive	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	schulze	NOISE	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0

Table 4: NOISE results for ImageNet-ResNet-18. This table is the current released snapshot; it re

cell	dataset	model	architecture	split	sample count	distance model	method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	F
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	best_individual	best_individual	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.095
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	simpleavg	naive	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.1196
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	simpleavg	NOISE	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1378	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.1196
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	borda	naive	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.103
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	borda	NOISE	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.103
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	kemeny	naive	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0994
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	kemeny	NOISE	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0994
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	rrf	naive	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	rrf	NOISE	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	schulze	naive	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	spearman	schulze	NOISE	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	best_individual	best_individual	0.1716	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.095
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	simpleavg	naive	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.1196
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	simpleavg	NOISE	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1378	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.1196
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	borda	naive	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.103
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	borda	NOISE	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.103
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	kemeny	naive	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0994
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	tan	test	5000	kendall	kemeny	NOISE	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0994

cell	dataset	model	architecture	split	sample count	distance model	method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	F
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	rrf	naive	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	rrf	NOISE	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	schulze	naive	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0958
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	nn	test	5000	kendall	schulze	NOISE	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0958

Table 5: NOISE diagnostics results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	F	quality	clean	F	0.1726	clean_selected	7316	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	clean_selected	7552	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	C	quality	clean	C	0.2872	clean_selected	2921	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	clean_selected	2952	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	clean_selected	156	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	0.1262	clean_selected	1031	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	clean_selected	3281	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	0.3426	clean_selected	3102	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	clean_selected	4378	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.107	clean_selected	6086	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	clean_selected	3676	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3174	clean_selected	2856	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	clean_selected	6618	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	0.0666	clean_selected	6071	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	clean_selected	1678	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_s	robustness	speckle	Cbar	0.13	clean_selected	6091	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	0.0908	clean_selected	1058	basin_individual
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_a	robustness	adversarial	Fbar	0.0428	clean_selected	6246	basin_individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	0.1732	clean_selection	0.2096	baseline	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	adversarial	Cbar	0.0784	clean_selection	0.0572	baseline	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	F	quality	clean	F	0.1726	naive_q1	0.1726	max	equal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	naive_q1	0.251	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	C	quality	clean	C	0.2872	naive_q1	0.286	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	naive_q1	0.3862	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	naive_q1	0.1564	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	0.1262	naive_q1	0.1118	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	naive_q1	0.3474	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	0.3426	naive_q1	0.3208	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	naive_q1	0.1376	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.107	naive_q1	0.0916	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	naive_q1	0.3152	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3174	naive_q1	0.2946	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	naive_q1	0.0734	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	0.0666	naive_q1	0.0636	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	naive_q1	0.1192	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_s	robustness	speckle	Cbar	0.13	naive_q1	0.1196	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	0.0908	naive_q1	0.0944	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar	robustness	adversarial	Fbar	0.0428	naive_q10	0.0338	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	0.1732	naive_q10	0.1768	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	adversarial	Cbar	0.0784	naive_q10	0.0754	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	F	quality	clean	F	0.1726	NOISE_0p1526	0.1726	max	equal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	NOISE_0p2511	0.2511	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	C	quality	clean	C	0.2872	NOISE_0p2866	0.2866	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	NOISE_0p3862	0.3862	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	NOISE_0p1561	0.1561	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	0.1262	NOISE_0p1118	0.1118	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	NOISE_0p3474	0.3474	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	0.3426	NOISE_0p3208	0.3208	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	NOISE_0p1378	0.1378	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.107	NOISE_0p0916	0.0916	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	NOISE_0p3152	0.3152	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3174	NOISE_0p2946	0.2946	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	NOISE_0p0734	0.0734	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	0.0666	NOISE_0p0636	0.0636	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	NOISE_0p1192	0.1192	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_s	robustness	speckle	Cbar	0.13	NOISE_0p1196	0.1196	min	worse

cell	dataset	model	rule	q	column group	endpoint	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	0.0908	NOISE_0p0944	0.0944	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_a	robustness	adversarial	Fbar	0.0428	NOISE_0p0338	0.0338	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	0.1732	NOISE_0p1768	0.1768	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_a	robustness	adversarial	Cbar	0.0784	NOISE_0p0754	0.0754	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	F	quality	clean	F	0.1726	NOISE_0c1726	0.1726	max	equal
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	NOISE_0c2698	0.2698	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	C	quality	clean	C	0.2872	NOISE_0c2872	0.2872	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	NOISE_0c3862	0.3862	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	NOISE_0c156	0.156	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	0.1262	NOISE_0c118	0.118	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	NOISE_0c347	0.347	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	0.3426	NOISE_0c3208	0.3208	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	NOISE_0c128	0.128	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.107	NOISE_0c0916	0.0916	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	NOISE_0c3152	0.3152	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3174	NOISE_0c2946	0.2946	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	NOISE_0c0734	0.0734	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	0.0666	NOISE_0c0666	0.0666	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	NOISE_0c1192	0.1192	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	speckle	Cbar	0.13	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	0.0908	NOISE_0.001	0.001	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar	robustness	adversarial	Fbar	0.0428	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	0.1732	NOISE_0.001	0.001	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	adversarial	Cbar	0.0784	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean	F	0.1876	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean	Fbar	0.1982	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean	C	0.312	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean	Cbar	0.3216	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian	F	0.1676	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	gaussian	Fbar	0.13	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian	C	0.3406	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	gaussian	Cbar	0.3498	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper	F	0.1502	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	salt_pepper	Fbar	0.1106	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper	C	0.3128	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	salt_pepper	Cbar	0.3188	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle	F	0.0764	clean_selected	0.001	max	indivictat
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	speckle	Fbar	0.051	clean_selected	0.001	max	indivictat

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle	C	0.1138	clean_selected	0.1138	basin	indivictal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle	Cbar	0.1142	clean_selected	0.0051	basin	indivictal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	F	0.1108	clean_selected	0.058	basin	indivictal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	adversarial	Fbar	0.0262	clean_selected	0.0216	basin	indivictal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	C	0.203	clean_selected	0.2096	basin	indivictal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	adversarial	Cbar	0.072	clean_selected	0.0572	basin	indivictal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean	F	0.1876	naive_q1	0.158	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean	Fbar	0.1982	naive_q1	0.2186	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean	C	0.312	naive_q1	0.2756	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean	Cbar	0.3216	naive_q1	0.3464	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian	F	0.1676	naive_q1	0.1692	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	gaussian	Fbar	0.13	naive_q1	0.0996	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian	C	0.3406	naive_q1	0.3384	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	gaussian	Cbar	0.3498	naive_q1	0.3208	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper	F	0.1502	naive_q1	0.1624	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	salt_pepper	Fbar	0.1106	naive_q1	0.0788	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper	C	0.3128	naive_q1	0.3208	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	salt_pepper	Cbar	0.3188	naive_q1	0.2822	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle	F	0.0764	naive_q1	0.0748	min	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	speckle	Fbar	0.051	naive_q10.0428	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle	C	0.1138	naive_q10.1142	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle	Cbar	0.1142	naive_q10.1103	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	F	0.1108	naive_q10.095	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_a	robustness	adversarial	Fbar	0.0262	naive_q10.019	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	C	0.203	naive_q10.1882	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_a	robustness	adversarial	Cbar	0.072	naive_q10.0532	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean	F	0.1876	NOISE_0p158	max	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean	Fbar	0.1982	NOISE_0p2186	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean	C	0.312	NOISE_0p2756	max	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean	Cbar	0.3216	NOISE_0p3464	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian	F	0.1676	NOISE_0p1692	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_g	robustness	gaussian	Fbar	0.13	NOISE_0p0996	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian	C	0.3406	NOISE_0p3384	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_g	robustness	gaussian	Cbar	0.3498	NOISE_0p3208	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper	F	0.1502	NOISE_0p1624	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.1106	NOISE_0p0788	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper	C	0.3128	NOISE_0p3208	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3188	NOISE_0p2822	min	worse	

cell	dataset	model	rule	q	column group	endpoint condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle F	0.0764	NOISE_0p0748	0p0748	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	speckle Fbar	0.051	NOISE_0p0428	0p0428	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle C	0.1138	NOISE_0p1142	0p1142	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle Cbar	0.1142	NOISE_0p1143	0p1143	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	0.1108	NOISE_0p0995	0p0995	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_a	robustness	adversarial	0.0262	NOISE_0p0119	0p0119	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	0.203	NOISE_0p1882	0p1882	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_a	robustness	adversarial	0.072	NOISE_0p0532	0p0532	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean F	0.1876	NOISE_0c1751	0c1751	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean Fbar	0.1982	NOISE_0c2186	0c2186	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean C	0.312	NOISE_0c2756	0c2756	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean Cbar	0.3216	NOISE_0c3464	0c3464	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian F	0.1676	NOISE_0c1692	0c1692	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_g	robustness	gaussian Fbar	0.13	NOISE_0c0996	0c0996	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian C	0.3406	NOISE_0c3384	0c3384	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_g	robustness	gaussian Cbar	0.3498	NOISE_0c3208	0c3208	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper F	0.1502	NOISE_0c1624	0c1624	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_p	robustness	salt_pepper Fbar	0.1106	NOISE_0c0788	0c0788	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper C	0.3128	NOISE_0c3208	0c3208	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	salt_pepper	Cbar	0.3188	NOISE_0.02821	0.2821	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle	F	0.0764	NOISE_0.07448	0.07448	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	speckle	Fbar	0.051	NOISE_0.04428	0.04428	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle	C	0.1138	NOISE_0.09142	0.09142	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle	Cbar	0.1142	NOISE_0.09031	0.09031	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	F	0.1108	NOISE_0.0995	0.0995	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	adversarial	Fbar	0.0262	NOISE_0.00141	0.00141	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	C	0.203	NOISE_0.06882	0.06882	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	adversarial	Cbar	0.072	NOISE_0.00532	0.00532	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	F	quality	clean	F	0.1874	clean_selected	0.745	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	clean_selected	0.752	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	C	quality	clean	C	0.3128	clean_selected	0.292	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	clean_selected	0.2952	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	clean_selected	0.5	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	gaussian	Fbar	0.096	clean_selected	0.031	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	clean_selected	0.328	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	gaussian	Cbar	0.3062	clean_selected	0.3002	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_p	robustness	salt_pepper	F	0.1628	clean_selected	0.378	basin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	salt_pepper	Fbar	0.0684	clean_selected	0.0685	basin	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_p	robustness	salt_pepper	F	0.3156	clean_selected	0.3156	basin_individual	tie
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_p	robustness	salt_pepper	Fbar	0.2774	clean_selected	0.2856	basin_individual	tie
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	clean_selected	0.0618	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_s	robustness	speckle	Fbar	0.0446	clean_selected	0.0371	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	clean_selected	0.1178	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_s	robustness	speckle	Cbar	0.1034	clean_selected	0.0951	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_a	robustness	adversarial	F	0.1106	clean_selected	0.058	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_a	robustness	adversarial	Fbar	0.0272	clean_selected	0.0216	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_a	robustness	adversarial	C	0.2054	clean_selected	0.2096	basin_individual	tie
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_a	robustness	adversarial	Cbar	0.0746	clean_selected	0.0572	basin_individual	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	F	quality	clean	F	0.1874	naive_q1	0.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	naive_q1	0.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	C	quality	clean	C	0.3128	naive_q1	0.271	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	naive_q1	0.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	naive_q1	0.1668	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_g	robustness	gaussian	Fbar	0.096	naive_q1	0.0684	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	naive_q1	0.3296	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_g	robustness	gaussian	Cbar	0.3062	naive_q1	0.2774	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_p	robustness	salt_pepper	F	0.1628	naive_q1	0.1614	min	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	salt_pepper	Fbar	0.0684	naive_q10	0.045	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_p	robustness	salt_pepper	C	0.3156	naive_q10	0.317	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	salt_pepper	Cbar	0.2774	naive_q10	0.2522	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	naive_q10	0.0748	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	speckle	Fbar	0.0446	naive_q10	0.0362	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	naive_q10	0.1136	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	speckle	Cbar	0.1034	naive_q10	0.0994	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_a	robustness	adversarial	F	0.1106	naive_q10	0.0904	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	adversarial	Fbar	0.0272	naive_q10	0.015	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_a	robustness	adversarial	C	0.2054	naive_q10	0.179	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	adversarial	Cbar	0.0746	naive_q10	0.0492	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	F	quality	clean	F	0.1874	NOISE_0p1556	0.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	NOISE_0p2234	0.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	C	quality	clean	C	0.3128	NOISE_0p271	0.271	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	NOISE_0p3492	0.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	NOISE_0p1668	0.1668	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	gaussian	Fbar	0.096	NOISE_0p068	0.068	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	NOISE_0p3296	0.3296	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	gaussian	Cbar	0.3062	NOISE_0p2774	0.2774	min	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_p	robustness	salt_pepper	F	0.1628	NOISE_0p1614	0p1614	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0684	NOISE_0p0645	0p0645	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_p	robustness	salt_pepper	C	0.3156	NOISE_0p3117	0p3117	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.2774	NOISE_0p2522	0p2522	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	NOISE_0p0748	0p0748	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_s	robustness	speckle	Fbar	0.0446	NOISE_0p0362	0p0362	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	NOISE_0p1136	0p1136	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_s	robustness	speckle	Cbar	0.1034	NOISE_0p0994	0p0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_a	robustness	adversarial	F	0.1106	NOISE_0p0994	0p0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_a	robustness	adversarial	Fbar	0.0272	NOISE_0p0115	0p0115	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_a	robustness	adversarial	C	0.2054	NOISE_0p1759	0p1759	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_a	robustness	adversarial	Cbar	0.0746	NOISE_0p0492	0p0492	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	F	quality	clean	F	0.1874	NOISE_0c1556	0c1556	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	NOISE_0c2234	0c2234	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	C	quality	clean	C	0.3128	NOISE_0c2711	0c2711	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	NOISE_0c3492	0c3492	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	NOISE_0c1668	0c1668	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_g	robustness	gaussian	Fbar	0.096	NOISE_0c0684	0c0684	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	NOISE_0c3296	0c3296	min	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	gaussian	Cbar	0.3062	NOISE_0.0274	0.0274	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_p	robustness	salt_pepper	Fbar	0.1628	NOISE_0.0614	0.0614	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	salt_pepper	Fbar	0.0684	NOISE_0.0044	0.0044	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_p	robustness	salt_pepper	Cbar	0.3156	NOISE_0.0317	0.0317	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	salt_pepper	Cbar	0.2774	NOISE_0.0274	0.0274	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	NOISE_0.0074	0.0074	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	speckle	Fbar	0.0446	NOISE_0.0033	0.0033	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	NOISE_0.0136	0.0136	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	speckle	Cbar	0.1034	NOISE_0.0099	0.0099	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_a	robustness	adversarial	F	0.1106	NOISE_0.0099	0.0099	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	adversarial	Fbar	0.0272	NOISE_0.0015	0.0015	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_a	robustness	adversarial	C	0.2054	NOISE_0.0179	0.0179	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	adversarial	Cbar	0.0746	NOISE_0.0049	0.0049	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	F	quality	clean	F	0.1886	clean_selected	0.0736	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	Fbar	quality	clean	Fbar	0.1868	clean_selected	0.0752	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	C	quality	clean	C	0.3152	clean_selected	0.2021	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	Cbar	quality	clean	Cbar	0.3094	clean_selected	0.2052	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	clean_selected	0.0552	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar	robustness	gaussian	Fbar	0.1144	clean_selected	0.031	best	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_g	robustness	gaussian	C	0.3352	clean_selected	0.3281	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_g	robustness	gaussian	Cbar	0.3324	clean_selected	0.3140	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_p	robustness	salt_pepper	F	0.1572	clean_selected	0.1378	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0966	clean_selected	0.0686	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_p	robustness	salt_pepper	C	0.3154	clean_selected	0.3176	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	clean_selected	0.2856	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_s	robustness	speckle	F	0.0822	clean_selected	0.0618	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_s	robustness	speckle	Fbar	0.0468	clean_selected	0.0371	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_s	robustness	speckle	C	0.1146	clean_selected	0.1178	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_s	robustness	speckle	Cbar	0.108	clean_selected	0.0951	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_a	robustness	adversarial	F	0.1102	clean_selected	0.058	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	clean_selected	0.0216	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_a	robustness	adversarial	C	0.205	clean_selected	0.2096	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	clean_selected	0.0572	basin	indiv
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	F	quality	clean	F	0.1886	naive_q1	0.1612	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	Fbar	quality	clean	Fbar	0.1868	naive_q1	0.2176	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	C	quality	clean	C	0.3152	naive_q1	0.2812	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	Cbar	quality	clean	Cbar	0.3094	naive_q1	0.3424	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	naive_q1	0.1648	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar	robustness	gaussian	Fbar	0.1144	naive_q10.0776	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_g	robustness	gaussian	C	0.3352	naive_q10.3286	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar	robustness	gaussian	Cbar	0.3324	naive_q10.2944	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_F_p	robustness	salt_pepper	F	0.1572	naive_q10.1624	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0966	naive_q10.066	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_p	robustness	salt_pepper	C	0.3154	naive_q10.3134	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	naive_q10.2654	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_F_s	robustness	speckle	F	0.0822	naive_q10.0742	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar_s	robustness	speckle	Fbar	0.0468	naive_q10.0342	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_s	robustness	speckle	C	0.1146	naive_q10.1126	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar_s	robustness	speckle	Cbar	0.108	naive_q10.0958	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_F_a	robustness	adversarial	F	0.1102	naive_q10.0956	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	naive_q10.0246	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_a	robustness	adversarial	C	0.205	naive_q10.1914	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	naive_q10.0608	min	worse	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	F	quality	clean	F	0.1886	NOISE_0.1612	max	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	Fbar	quality	clean	Fbar	0.1868	NOISE_0.2176	min	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	C	quality	clean	C	0.3152	NOISE_0.2812	max	better	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	Cbar	quality	clean	Cbar	0.3094	NOISE_0.3424	min	better	

cell	dataset	model	rule	q	column group	endpoint	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	NOISE_0p1646	0p1646	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_g	robustness	gaussian	Fbar	0.1144	NOISE_0p1144	0p1144	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_g	robustness	gaussian	C	0.3352	NOISE_0p3352	0p3352	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_g	robustness	gaussian	Cbar	0.3324	NOISE_0p3324	0p3324	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_p	robustness	salt_pepper	F	0.1572	NOISE_0p1572	0p1572	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0966	NOISE_0p0966	0p0966	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_p	robustness	salt_pepper	C	0.3154	NOISE_0p3154	0p3154	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	NOISE_0p3072	0p3072	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_s	robustness	speckle	F	0.0822	NOISE_0p0822	0p0822	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_s	robustness	speckle	Fbar	0.0468	NOISE_0p0468	0p0468	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_s	robustness	speckle	C	0.1146	NOISE_0p1146	0p1146	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_s	robustness	speckle	Cbar	0.108	NOISE_0p108	0p108	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_a	robustness	adversarial	F	0.1102	NOISE_0p1102	0p1102	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	NOISE_0p032	0p032	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_a	robustness	adversarial	C	0.205	NOISE_0p205	0p205	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	NOISE_0p0754	0p0754	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	F	quality	clean	F	0.1886	NOISE_0p1886	0p1886	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	Fbar	quality	clean	Fbar	0.1868	NOISE_0p1868	0p1868	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	C	quality	clean	C	0.3152	NOISE_0p3152	0p3152	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	Cbar	quality	clean	Cbar	0.3094	NOISE_0.3424	0.3424	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	NOISE_0.1648	0.1648	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_g	robustness	gaussian	Fbar	0.1144	NOISE_0.0776	0.0776	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_g	robustness	gaussian	C	0.3352	NOISE_0.3286	0.3286	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_g	robustness	gaussian	Cbar	0.3324	NOISE_0.2944	0.2944	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_p	robustness	salt_pepper	F	0.1572	NOISE_0.1624	0.1624	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0966	NOISE_0.0666	0.0666	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_p	robustness	salt_pepper	C	0.3154	NOISE_0.3134	0.3134	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	NOISE_0.2654	0.2654	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_s	robustness	speckle	F	0.0822	NOISE_0.0742	0.0742	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_s	robustness	speckle	Fbar	0.0468	NOISE_0.0342	0.0342	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_s	robustness	speckle	C	0.1146	NOISE_0.1126	0.1126	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_s	robustness	speckle	Cbar	0.108	NOISE_0.0958	0.0958	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_a	robustness	adversarial	F	0.1102	NOISE_0.0956	0.0956	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	NOISE_0.0246	0.0246	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_a	robustness	adversarial	C	0.205	NOISE_0.1944	0.1944	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	NOISE_0.0608	0.0608	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	F	quality	clean	F	0.1876	clean_selected	736	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	Fbar	quality	clean	Fbar	0.2018	clean_selected	752	best	individual

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	C	quality	clean	C	0.312	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	Cbar	quality	clean	Cbar	0.3258	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_g	robustness	gaussian	F	0.1686	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_g	robustness	gaussian	Fbar	0.1176	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_g	robustness	gaussian	C	0.337	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_g	robustness	gaussian	Cbar	0.3336	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0996	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_p	robustness	salt_pepper	C	0.321	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_s	robustness	speckle	F	0.0788	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_s	robustness	speckle	Fbar	0.049	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_s	robustness	speckle	C	0.115	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_s	robustness	speckle	Cbar	0.111	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_a	robustness	adversarial	F	0.1092	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_a	robustness	adversarial	C	0.2016	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_a	robustness	adversarial	Cbar	0.0798	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	F	quality	clean	F	0.1876	naive_q1	1.1576	max better

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	Fbar	quality	clean	Fbar	0.2018	naive_q10.2182	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	C	quality	clean	C	0.312	naive_q10.276	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	Cbar	quality	clean	Cbar	0.3258	naive_q10.3444	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_g	robustness	gaussian	F	0.1686	naive_q10.1662	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_g	robustness	gaussian	Fbar	0.1176	naive_q10.0762	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_g	robustness	gaussian	C	0.337	naive_q10.3296	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_g	robustness	gaussian	Cbar	0.3336	naive_q10.288	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	naive_q10.1592	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0996	naive_q10.0656	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_p	robustness	salt_pepper	C	0.321	naive_q10.3124	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	naive_q10.2696	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_s	robustness	speckle	F	0.0788	naive_q10.077	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_s	robustness	speckle	Fbar	0.049	naive_q10.035	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_s	robustness	speckle	C	0.115	naive_q10.112	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_s	robustness	speckle	Cbar	0.111	naive_q10.0958	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_a	robustness	adversarial	F	0.1092	naive_q10.0926	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	naive_q10.017	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_a	robustness	adversarial	C	0.2016	naive_q10.1864	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_a	robustness	adversarial	Cbar	0.0798	naive_q10.0506	min	worse

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	F	quality	clean	F	0.1876	NOISE_0p1576m	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	Fbar	quality	clean	Fbar	0.2018	NOISE_0p2182m	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	C	quality	clean	C	0.312	NOISE_0p276m	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	Cbar	quality	clean	Cbar	0.3258	NOISE_0p344m	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_g	robustness	gaussian	F	0.1686	NOISE_0p1662m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_g	robustness	gaussian	Fbar	0.1176	NOISE_0p0762m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_g	robustness	gaussian	C	0.337	NOISE_0p3296m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Cbar_g	robustness	gaussian	Cbar	0.3336	NOISE_0p288m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	NOISE_0p1592m	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0996	NOISE_0p0656m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_p	robustness	salt_pepper	C	0.321	NOISE_0p312m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	NOISE_0p2696m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_s	robustness	speckle	F	0.0788	NOISE_0p077m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_s	robustness	speckle	Fbar	0.049	NOISE_0p035m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_s	robustness	speckle	C	0.115	NOISE_0p112m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Cbar_s	robustness	speckle	Cbar	0.111	NOISE_0p0958m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_a	robustness	adversarial	F	0.1092	NOISE_0p0926m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	NOISE_0p017m	min	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_a	robustness	adversarial	C	0.2016	NOISE_0p1864m	min	worse

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Cbar	robustness	adversarial	Cbar	0.0798	NOISE_0p0506	0.0506	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	F	quality	clean	F	0.1876	NOISE_0e157d	0.157d	max	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	Fbar	quality	clean	Fbar	0.2018	NOISE_0e218d	0.218d	min	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	C	quality	clean	C	0.312	NOISE_0e276d	0.276d	max	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	Cbar	quality	clean	Cbar	0.3258	NOISE_0e344d	0.344d	min	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_F_g	robustness	gaussian	F	0.1686	NOISE_0e166d	0.166d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Fbar_g	robustness	gaussian	Fbar	0.1176	NOISE_0e076d	0.076d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_C_g	robustness	gaussian	C	0.337	NOISE_0e320d	0.320d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Cbar_g	robustness	gaussian	Cbar	0.3336	NOISE_0e288d	0.288d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	NOISE_0e159d	0.159d	min	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	0.0996	NOISE_0e065d	0.065d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_C_p	robustness	salt_pepper	C	0.321	NOISE_0e312d	0.312d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	0.3072	NOISE_0e260d	0.260d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_F_s	robustness	speckle	F	0.0788	NOISE_0e077d	0.077d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Fbar_s	robustness	speckle	Fbar	0.049	NOISE_0e035d	0.035d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_C_s	robustness	speckle	C	0.115	NOISE_0e112d	0.112d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Cbar_s	robustness	speckle	Cbar	0.111	NOISE_0e095d	0.095d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_F_a	robustness	adversarial	F	0.1092	NOISE_0e092d	0.092d	min	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	Schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	NOISE_0e017d	0.017d	min	worse

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedvalue	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_a	robustness	adversarial	Cl	0.2016	NOISE_0.1864	0.1864	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_a	robustness	adversarial	Cbar	0.0798	NOISE_0.0706	0.0706	min	worse

Table 6: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R Fbar F
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	dual_ge	ometry_q	[6GuidedB1.876p0.12940.12872ap"0.004Lif.1.56eat0.262atio.347Occ0.3426]	0.1294	0.107	0.3086	0.3174	0.0722	0.0666	0.1188	0.13	0.0908	0.0428	0								
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	dual_ge	ometry_q	[6GuidedB1.876p0.15020.1352ap"0.0216Lif.1.676eat0.41Abatio.3406cc0.3498]	0.1502	0.1106	0.3128	0.3188	0.0764	0.051	0.1138	0.1142	0.1108	0.0262	0								
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	dual_ge	ometry_q	[6GuidedB1.876p0.16280.1352ap"0.0879Lif.1.794eat0.696latio.332Occ0.3062]	0.1628	0.0684	0.3156	0.2774	0.0846	0.0446	0.1202	0.1034	0.1106	0.0272	0								
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	trf	dual_ge	ometry_q	[6GuidedB1.876p0.15720.1352ap"0.004Lif.1.676eat0.41Abatio.3406cc0.3426]	0.1572	0.0966	0.3154	0.3072	0.0822	0.0468	0.1146	0.108	0.1102	0.032	0								
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	dual_ge	ometry_q	[6GuidedB1.876p0.15780.1352ap"0.0216Lif.1.676eat0.41Abatio.3406cc0.3498]	0.1578	0.0996	0.321	0.3072	0.0788	0.049	0.115	0.111	0.1092	0.0352	0								

Table 7: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

group	dimension	group value	measure	endpoint	excluded zero clean boundaries	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
overall		all	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
overall		all	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
overall		all	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
geometry		NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
geometry		NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
geometry		NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
geometry		NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
geometry		NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
geometry		NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
cell		dermamnist-dermamnist-resnet18	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
cell		dermamnist-dermamnist-resnet18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
cell		dermamnist-dermamnist-resnet18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
cell		dermamnist-dermamnist-vit-b16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
cell		dermamnist-dermamnist-vit-b16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
cell		dermamnist-dermamnist-vit-b16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	0.000538
cell		ImageNet-ImageNet-resnet18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
cell		ImageNet-ImageNet-resnet18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
cell		ImageNet-ImageNet-resnet18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
cell		ImageNet-ImageNet-vit-b16	A	160	0	158	1	1	0.9875	0.430644	0.3613	0.069345	0.044877
cell		ImageNet-ImageNet-vit-b16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
cell		ImageNet-ImageNet-vit-b16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306

group	dimension	group value	measure	endpoint	excluded	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
					zero clean boundaries								
rule		borda	A	128	0	93	8	27	0.7265620	0.4532640	0.4253750	0.0278890	0.016037
rule		borda	Q	128	0	25	62	41	0.1953120	0.8457770	0.848649-	0	0.002873
rule		borda	G	128	0	85	8	35	0.6640620	0.5900260	0.5708340	0.0191920	0.015577
rule		kemeny	A	128	0	104	8	16	0.8125	0.4610850	0.4250410	0.0360440	0.021968
rule		kemeny	Q	128	0	20	62	46	0.15625	0.8482480	0.852649-	0	0.004401
rule		kemeny	G	128	0	94	7	27	0.7343750	0.5979920	0.5737770	0.0242150	0.018785
rule		rrf	A	128	0	95	9	24	0.7421880	0.4590290	0.4304320	0.0285980	0.019214
rule		rrf	Q	128	0	27	62	39	0.2109380	0.8458350	0.848603-	0	0.002768
rule		rrf	G	128	0	87	7	34	0.6796880	0.5957530	0.5755790	0.0201740	0.016809
rule		schulze	A	128	0	99	6	23	0.7734380	0.4575970	0.4277350	0.0298620	0.015907
rule		schulze	Q	128	0	24	62	42	0.1875	0.8449680	0.848161-	0	0.003193
rule		schulze	G	128	0	86	5	37	0.6718750	0.5942910	0.57383	0.0204610	0.019537
rule		simpleavg	A	128	0	78	8	42	0.6093750	0.4334840	0.4252260	0.0082570	0.001855
rule		simpleavg	Q	128	0	31	62	35	0.2421880	0.83216	0.832543-	0	0.000383
rule		simpleavg	G	128	0	73	3	52	0.5703120	0.5738290	0.5666660	0.0071620	0.001469
metric		C	A	160	0	130	5	25	0.8125	0.2353970	0.2202970	0.0151010	0.011985
metric		C	Q	160	0	26	80	54	0.1625	0.7669510	0.77309 -	0	0.006139
metric		C	G	160	0	107	1	52	0.66875	0.4117910	0.3989470	0.0128450	0.012893
metric		Cbar	A	160	0	120	8	32	0.75	0.5729490	0.5317610	0.0411880	0.0281
metric		Cbar	Q	160	0	43	50	67	0.26875	0.8454680	0.849271-	0	0.003803
metric		Cbar	G	160	0	109	6	45	0.68125	0.6863050	0.6612840	0.0250210	0.01781
metric		F	A	160	0	120	5	35	0.75	0.2439220	0.2274010	0.0165220	0.01198
metric		F	Q	160	0	21	100	39	0.13125	0.8579960	0.862183-	0	0.004187
metric		F	G	160	0	113	2	45	0.70625	0.4368680	0.4210130	0.0158560	0.013696
metric		Fbar	A	160	0	99	21	40	0.61875	0.7593	0.72759	0.03171	0.004836
metric		Fbar	Q	160	0	37	80	43	0.23125	0.9031750	0.89994	0.0032340	
metric		Fbar	G	160	0	96	21	43	0.6	0.8265480	0.8073060	0.0192420	0.003817
noise		a	A	160	0	143	3	14	0.89375	0.3918450	0.3521730	0.0396720	0.019188
noise		a	Q	160	0	65	60	35	0.40625	0.7638420	0.7477250	0.0161170	
noise		a	G	160	0	132	0	28	0.825	0.5218810	0.4871990	0.0346820	0.023838
noise		g	A	160	0	106	13	41	0.6625	0.4589240	0.4391540	0.01977	0.007812
noise		g	Q	160	0	22	80	58	0.1375	0.8076180	0.81805 -	0	0.010431
noise		g	G	160	0	94	11	55	0.5875	0.5842330	0.5736490	0.0105840	0.00565
noise		p	A	160	0	106	16	38	0.6625	0.4654490	0.4450130	0.0204360	0.004444
noise		p	Q	160	0	20	80	60	0.125	0.8475720	0.856296-	0	0.008724
noise		p	G	160	0	90	13	57	0.5625	0.5999360	0.5885990	0.0113370	0.001782
noise		s	A	160	0	114	7	39	0.7125	0.4953490	0.4707070	0.0246420	0.0181
noise		s	Q	160	0	20	90	50	0.125	0.9545570	0.962414-	0	0.007856
noise		s	G	160	0	109	6	45	0.68125	0.6554620	0.6391010	0.0163610	0.01453

Table 8: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

[illegible]

Table 9: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the s

endpoint id	source kind	cell	dataset	model	setting	geometry	geometry label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
89f017a10e54932f478295583007342e144024f6226f127015f0d796658a	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6306	0.2156350.52902	0.2156350.52902	0.52902	0.52902	1	2.4533150		
db58de2e01fec4ca2f0085f4d9a2211975152416a16f0211c8d8b9da46370	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6306	0.7155150.4357750	0.7155150.4357750	0.4357750	0.4357750	0.6090370	0.6090370		
cf1c1196dc1973bc330015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6306	0.3024	0.6396	0.3024	0.6396	0.6396	1	2.1150790	
5c182ca8a10d541224018f1709993a5595998804d1a5f029c473196ba	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6306	0.6294	0.3012	0.6294	0.3012	0.3012	0.4785510	0.4785510	
7cda43ab668d7e559015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6442	0.2156350.4951880	0.2156350.4951880	0.4951880	0.4951880		2.29642	0	
009895ceb664beed1015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6442	0.7155150.47004	0.7155150.47004	0.47004	0.47004	0.6569260	0.6569260		
9e670deba453732530015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6442	0.3024	0.611	0.3024	0.611	0.611	1	2.0205030	
6af711278b8f7b4e1f015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6442	0.6294	0.3196	0.6294	0.3196	0.3196	0.5077850	0.5077850	
7ecba23ed01012e6d3015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.7854	0.2156350.3315510	0.2156350.3315510	0.3315510	0.3315510		1.5375580		
79495cdcb4c6be3a7015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.7854	0.7155150.6093710	0.7155150.6093710	0.6093710	0.6093710	0.8516540	0.8516540		
536d58f696d498207015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.7854	0.3024	0.4234	0.3024	0.4234	0.4234	1	1.4001320	
dad4fac6ec4ddd961015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.7854	0.6294	0.506	0.6294	0.506	0.506	0.80394	0.80394	0
e4d8f97220e4c3bf1e015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.8368	0.2156350.0996650	0.2156350.0996650	0.0996650	0.0996650	0.4621950	0.4621950		
e77298063053dc669015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.8368	0.7155150.7562140	0.7155150.7562140	0.7562140	0.7562140		1.0568810		
4a94ad78d79237da015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.8368	0.3024	0.1142	0.3024	0.1142	0.1142	0.3776460	0.3776460	
a168daea818d3958b015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	simpleav	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.8368	0.6294	0.7082	0.6294	0.7082	0.7082	1	1.1251990	
e846752619332a1ed015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	borda	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6306	0.22185	0.5664450	0.22185	0.5664450	0.5664451		2.5532740	
9166e0f15f241cd71e015b1dd499721a14f7361589e9c015f990b27na	NOISE-4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	borda	GuidedBackprop	DeepLift	Shap	DeepLift	0.8366	0.8366	0.8366	0.6306	0.7846040	0.5344120	0.7846040	0.5344120	0.5344120	0.6811220	0.6811220	

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized perturbed raw	Qnorm clean	Qnorm perturbed	A	Q	Q raw	C
e23c9d3b9ac787bb	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.6454	Feat.0.6454	0.8366	0.6306	0.3116	0.6454	0.3116	0.6454	0.6454	1	2.0712450	0
4add48ccf45458b053015E1927f4c123140038901f4475746005E559p8973ac	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.6286	Feat.0.6286	0.8366	0.6306	0.6976	0.3714	0.6976	0.3714	0.3714	0.5323970	0.5323970	0
4328a7db7d185c1e7015E1c132827f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.3468	Feat.0.3468	0.8366	0.6442	0.22185	0.5383420	0.22185	0.5383420	0.5383421		2.4266	0
6ee2b2a05dc79fd097015E1d3a27f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.3738	Feat.0.3738	0.8366	0.6442	0.7846040	0.5762190	0.7846040	0.5762190	0.5762190	0.7344070	0.7344070	0
10205ef12027644d615E17210a527f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.6286	Feat.0.6286	0.8366	0.6442	0.3116	0.6286	0.3116	0.6286	0.6286	1	2.01733	0
cc6c0318a76b27666c015E174474b8ff4435Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.6022	Feat.0.6022	0.8366	0.6442	0.6976	0.3978	0.6976	0.3978	0.3978	0.5702410	0.5702410	0
654223dcb927da1c7015E174474b8ff4435Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.6541	Feat.0.6541	0.8366	0.7854	0.22185	0.3379170	0.22185	0.3379170	0.3379171		1.5231750	0
f8dd0e8d8695b2dd015E15062a29f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.2260	Feat.0.2260	0.8366	0.7854	0.7846040	0.7193790	0.7846040	0.7193790	0.7193790	0.9168680	0.9168680	0
7fafd42cf39e3a5a6b0015E17066a29f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.4292	Feat.0.4292	0.8366	0.7854	0.3116	0.4292	0.3116	0.4292	0.4292	1	1.3774070	0
124daa124313959223015E17210a527f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.4044	Feat.0.4044	0.8366	0.7854	0.6976	0.5952	0.6976	0.5952	0.5952	0.8532110	0.8532110	0
f779c6ae25f2384b43015E173bb20f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.0756	Feat.0.0756	0.8366	0.8368	0.22185	0.0903440	0.22185	0.0903440	0.0903440	0.40723	0.40723	0
a42c33ac60b84ca672015E174474b8ff4435Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.15	Feat.0.15	0.8366	0.8368	0.7846040	0.8207460	0.7846040	0.8207460	0.8207461		1.0460630	0
c306c1c1ced572a8b015E15062a29f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.1056	Feat.0.1056	0.8366	0.8368	0.3116	0.1056	0.3116	0.1056	0.1056	0.3388960	0.3388960	0
33683a9e6c68e12a0015E173bb20f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	borda	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.3812	Feat.0.3812	0.8366	0.8368	0.6976	0.7688	0.6976	0.7688	0.7688	1	1.1020640	0
4365fd8339a42b49c2015E17066a29f40052Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	kemeny	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.3454	Feat.0.3454	0.8366	0.6306	0.20918	0.5480490	0.20918	0.5480490	0.5480491		2.61999	0
142c3bfa4ce18489e9015E174474b8ff4435Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	kemeny	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.2545	Feat.0.2545	0.8366	0.6306	0.8027730	0.6019660	0.8027730	0.6019660	0.6019660	0.7498590	0.7498590	0
1b6f3748c9a59de053015E1785672801a7400c4f5263Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	kemeny	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.6268	Feat.0.6268	0.8366	0.6306	0.2978	0.6268	0.2978	0.6268	0.6268	1	2.1047680	0
379950a67707cdf3e015E174474b8ff4435Ne1f87a84f9073E5asp6728ad	NOISE-3	ImageNet-resnet18	ImageNet-resnet18	resnet18 S	resnet18 S	resnet18 S	resnet18 S	kemeny	GuidedBackprop	DeepSift	Shap	DeepLift	Feat.0.5858	Feat.0.5858	0.8366	0.6306	0.7228	0.4142	0.7228	0.4142	0.4142	0.5730490	0.5730490	0

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C	
9bf8acf185aec3c385	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.75	0.866	0.8366	0.6442	0.20918	0.5218880	0.20918	0.5218880	0.5218881		2.4949210		
ef5509023e6b17a43d	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.65	0.856	0.8366	0.6442	0.8027730	0.6497980	0.8027730	0.6497980	0.6497980	0.8094420	0.8094420		
f28eca34ebdbdcfaa	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.978	0.6086	0.8366	0.6442	0.2978	0.6086	0.2978	0.6086	0.6086	1		2.0436530	
e9ad8d8e4753b7bca	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.2772	0.5528	0.8366	0.6442	0.7228	0.4472	0.7228	0.4472	0.4472	0.6187050	0.6187050		
ed09e5ee1e02dd22	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.75	0.856	0.8366	0.7854	0.20918	0.3254390	0.20918	0.3254390	0.3254391		1.5557860		
67c210bf4812f6dd15	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.65	0.856	0.8366	0.7854	0.8027730	0.7450980	0.8027730	0.7450980	0.7450980	0.9281550	0.9281550		
65087e58e40d249f10	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.978	0.6086	0.8366	0.7854	0.2978	0.4114	0.2978	0.4114	0.4114	1		1.3814640	
195dbd0e255790be	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.2772	0.5528	0.8366	0.7854	0.7228	0.6212	0.7228	0.6212	0.6212	0.8594360	0.8594360		
c7829bbd4f4d316e	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.75	0.856	0.8366	0.8368	0.20918	0.08174	0.20918	0.08174	0.08174	0.3907640	0.3907640		
66ab186e27f59e219	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.65	0.856	0.8366	0.8368	0.8027730	0.8133370	0.8027730	0.8133370	0.8133371		1.0131590		
2b48d006363255aa	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.978	0.6086	0.8366	0.8368	0.2978	0.0932	0.2978	0.0932	0.0932	0.3129620	0.3129620		
f3d96328cb9f786e8	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	kemeny	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.2772	0.5528	0.8366	0.8368	0.7228	0.763	0.7228	0.763	0.763	1		1.0556170	
cea94a114496f6727	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	rrf	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.83	0.359	0.8366	0.6306	0.2192210	0.5692990	0.2192210	0.5692990	0.5692991		2.5969230		
c83fa8c1da7781ccc	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	rrf	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.606	0.359	0.8366	0.6306	0.8080330	0.58928	0.8080330	0.58928	0.58928	0.7292780	0.7292780		
65bd21d52f893b53	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	rrf	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.606	0.359	0.8366	0.6306	0.3066	0.6396	0.3066	0.6396	0.6396	1		2.0861060	
5639bafa8bcb679f6	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	rrf	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.978	0.595	0.8366	0.6306	0.7252	0.405	0.7252	0.405	0.405	0.5584670	0.5584670		
1198e7c4e4d2e9e15	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	rrf	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.83	0.359	0.8366	0.6442	0.2192210	0.5408260	0.2192210	0.5408260	0.5408261		2.4670390		
a8c39b52c0622ed9a	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	rrf	GuidedBackprop	DeepLift	DeepLift	DeepLift	0.606	0.359	0.8366	0.6442	0.8080330	0.6389320	0.8080330	0.6389320	0.6389320	0.7907260	0.7907260		

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 perturbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
05701d1362896ca7	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.6262	0.6262	0.8366	0.6442	0.3066	0.6262	0.3066	0.6262	0.6262	1	2.0424010	0
c46cfc0dab669cac3	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.5588	0.5588	0.8366	0.6442	0.7252	0.4412	0.7252	0.4412	0.4412	0.6083840	6.083840	0
41241ebb4286bfb6	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.6662	0.6662	0.8366	0.7854	0.2192210	0.3389360	0.2192210	0.3389360	0.3389361		1.5460930	0
14f5e58b0cb8f83f8	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.6662	0.6662	0.8366	0.7854	0.8080330	0.7463710	0.8080330	0.7463710	0.7463710	0.92369	0.92369	0
b58064594afd8ef40	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.426	0.426	0.8366	0.7854	0.3066	0.426	0.3066	0.426	0.426	1	1.3894320	0
5eb9a7c3bad7d7e3	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.3762	0.3762	0.8366	0.7854	0.7252	0.6232	0.7252	0.6232	0.6232	0.8593490	0.8593490	0
c3a9e7750bfe77184	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.078	0.078	0.8366	0.8368	0.2192210	0.0872370	0.2192210	0.0872370	0.0872370	0.3979420	0.3979420	0
4dc2a4e643030bc1	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.184	0.184	0.8366	0.8368	0.8080330	0.8391490	0.8080330	0.8391490	0.8391491		1.0385090	0
aae73907e6374200	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.1018	0.1018	0.8366	0.8368	0.3066	0.1018	0.3066	0.1018	0.1018	0.3320290	0.3320290	0
2794c579502a23d3	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	rrf	GuidedBackprop	DeepLift	Feat	0.014	0.014	0.8366	0.8368	0.7252	0.789	0.7252	0.789	0.789	1	1.0879760	0
07d48b48a0fdc614e	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.3464	0.3464	0.8366	0.6306	0.2036820	0.5493180	0.2036820	0.5493180	0.5493181		2.6969460	0
54324077617aa1410	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.2544	0.2544	0.8366	0.6306	0.7936890	0.5965750	0.7936890	0.5965750	0.5965750	0.7516480	0.7516480	0
c0522143b3a203422	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.6212	0.6212	0.8366	0.6306	0.2974	0.6212	0.2974	0.6212	0.6212	1	2.0887690	0
f8f3eb53c07435e7c	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.5875	0.5875	0.8366	0.6306	0.7128	0.4124	0.7128	0.4124	0.4124	0.5785630	0.5785630	0
957e4f92284cc3347	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.3898	0.3898	0.8366	0.6442	0.2036820	0.5274760	0.2036820	0.5274760	0.5274761		2.5897090	0
560c469f1dd77450a	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.2238	0.2238	0.8366	0.6442	0.7936890	0.6525920	0.7936890	0.6525920	0.6525920	0.8222270	0.8222270	0
5d301279307b9d02	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.6152	0.6152	0.8366	0.6442	0.2974	0.6152	0.2974	0.6152	0.6152	1	2.0685940	0
04a427ed87981944	NOISE	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	NOISE-4	schulze	GuidedBackprop	DeepLift	Feat	0.5544	0.5544	0.8366	0.6442	0.7128	0.4456	0.7128	0.4456	0.4456	0.62514	0.62514	0

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
9267a8239faa5557080157e1da53755b89201f	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	kemeny	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.1074Ablat.0.8366Occu.0.8368	0.1074Ablat.0.8366Occu.0.8368	0.3128	0.1074	0.3128	0.1074	0.1074	0.1074	0.34335	0.34335	0	
24b1db6935f6b2cf0d3192051384d238815984fcaaf03e801627fd402f83a	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	kemeny	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.1126Ablat.0.8366Occu.0.8368	0.1126Ablat.0.8366Occu.0.8368	0.7128	0.7874	0.7128	0.7874	0.7874	1		1.1046580		
53711cc9f68461da6f0158187b76cfe0844a26b7c7078f92440d76ad	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.3532Ablat.0.8366Occu.0.6306	0.3532Ablat.0.8366Occu.0.6306	0.2254360.5601010.2254360.5601010.5601011							2.4845220		
f69a2363e09bfee76f82522a10d1b082673gd0080baf78d70484346d66b0	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.6012Ablat.0.8366Occu.0.6306	0.6012Ablat.0.8366Occu.0.6306	0.7767150.52236	0.7767150.52236	0.52236	0.6725240.6725240						
16cbaeb9da46ce4a90153e7d1d4gd244baf80e12d8g6N20760351860da3b	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.6504Ablat.0.8366Occu.0.6306	0.6504Ablat.0.8366Occu.0.6306	0.3152	0.6504	0.3152	0.6504	0.6504	1		2.0634520		
2dec3d074f16cac33f0887b31d245f18605dN6f0aa90N4N0158eek1406a2b	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.6441Ablat.0.8366Occu.0.6306	0.6441Ablat.0.8366Occu.0.6306	0.6906	0.3582	0.6906	0.3582	0.3582	0.5186790.5186790				
606045b7f60714ea6370152418img0N6f1m24e27457013N6NO161a9245d40d	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.3458Ablat.0.8366Occu.0.6442	0.3458Ablat.0.8366Occu.0.6442	0.2254360.53679	0.2254360.53679	0.53679	1		2.3811150				
41a79af5258005967N015F61411gdN22fimg4N4img5957N0168E233b2f80	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.2834Ablat.0.8366Occu.0.6442	0.2834Ablat.0.8366Occu.0.6442	0.7767150.5600750.7767150.5600750.5600750.7210810.7210810									
b5612cfbc4dc971f28015Bfca1022g8N015a50e1021gd8Y440150781k0762d0	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.6306Ablat.0.8366Occu.0.6442	0.6306Ablat.0.8366Occu.0.6442	0.3152	0.6306	0.3152	0.6306	0.6306	1		2.0006350		
24c08cc15aa79c902N014B5932gdNcd401305f589d06N01417c78ch212	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBckprop	DeepSift	Shap DeepLift	Feat.0.6166Ablat.0.8366Occu.0.6442	0.6166Ablat.0.8366Occu.0.6442	0.6906	0.3834	0.6906	0.3834	0.3834	0.5551690.5551690				
241ee7c9322b6da49N015E11img4N002089N41d16456N008E218nd4b05	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.0708Ablat.0.8366Occu.0.7554	0.0708Ablat.0.8366Occu.0.7554	0.2254360.3447920.2254360.3447920.3447921							1.5294450		
b840f46556335215N015B61b509Ncd1022gd2e1bb92bN054378Befkaid817	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.2834Ablat.0.8366Occu.0.7554	0.2834Ablat.0.8366Occu.0.7554	0.7767150.7025720.7767150.7025720.7025720.9045420.9045420									
7ab157862b3d5160N015Ba7img035fd736Ncd400gdN7a0152764322500cN	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.4298Ablat.0.8366Occu.0.7554	0.4298Ablat.0.8366Occu.0.7554	0.3152	0.4298	0.3152	0.4298	0.4298	1		1.3635790		
0a36f8484ed907f2623015Bach12gdN1067gd7N82Eimg2N40N0151kbf1Bak2	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.4174Ablat.0.8366Occu.0.7554	0.4174Ablat.0.8366Occu.0.7554	0.6906	0.5826	0.6906	0.5826	0.5826	0.8436140.8436140				
9d8feb41e61d5e6985378E101img0Ncd332N4838g9N8N015Bd0cnd4043	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.0784Ablat.0.8366Occu.0.8368	0.0784Ablat.0.8366Occu.0.8368	0.2254360.09369	0.2254360.09369	0.09369	0.4155950.4155950						
212dec837497fab9dN015B83720495N45e2gd134Mimg36Ncd0715E1dk000d1173	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.1548Ablat.0.8366Occu.0.8368	0.1548Ablat.0.8366Occu.0.8368	0.7767150.81501	0.7767150.81501	0.81501	1		1.0493030				
a1e419d621848b8e3N015E901f224N3878gdNbd53g30N5095Eac26nd540f83	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.1102Ablat.0.8366Occu.0.8368	0.1102Ablat.0.8366Occu.0.8368	0.3152	0.1102	0.3152	0.1102	0.1102	0.3496190.3496190				
742d6d5aceb0ee5a4015912img20N686095dNcd400gdN72N3857e34ch805eN	NOISE	ImageNet	ImageNet	resnet18	ImageNet	ImageNet	ImageNet	NOISE- 5	rrf	GuidedBackprop	DeepSift	Shap DeepLift	Feat.0.084Ablat.0.8366Occu.0.8368	0.084Ablat.0.8366Occu.0.8368	0.6906	0.766	0.6906	0.766	0.766	1		1.10918	0	

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C	
097cb021cfc674fe6a244c97f28a3e11d0288f4b0c41f8818f55e	244c97f28a3e11d0288f4b0c41f8818f55e	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	202ee70		11	borda	Saliency	InputXGradient	Integrated	C158	0.58	0.32	0.32	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736
afca5af531d1c46ced5ad71b102888983mag304934557NeNA03E54f943e36	5ad71b102888983mag304934557NeNA03E54f943e36	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	54f943e36		11	borda	Saliency	InputXGradient	Integrated	C218	0.18	0.29	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
52205034356b4eb706317501668B8C26528N492mag1N0C53206D0a30c46139	6317501668B8C26528N492mag1N0C53206D0a30c46139	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	0a30c46139		11	borda	Saliency	InputXGradient	Integrated	C275	0.55	0.64	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
086eddb84e2bd9bc8af6V3E2De3Nf1mag6Nef55421NNA4VE031755696b	af6V3E2De3Nf1mag6Nef55421NNA4VE031755696b	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	031755696b		11	borda	Saliency	InputXGradient	Integrated	C240	0.45	0.38	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
89e5181fd8998e853N95V4E502888Nef0mag5Nef10078NNA4VEad21e2583	95V4E502888Nef0mag5Nef10078NNA4VEad21e2583	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	ad21e2583		11	borda	Saliency	InputXGradient	Integrated	C158	0.58	0.32	0.32	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736
20ccf26636f56608e75A4V2C2mag8N1Bmag9N0N30V394d1536731	5A4V2C2mag8N1Bmag9N0N30V394d1536731	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	4d1536731		11	borda	Saliency	InputXGradient	Integrated	C218	0.18	0.29	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
7338762a881ebfbc17A06Ba1mag5N1d2ag6Nef1222NefNA4VE53dc8b03	7A06Ba1mag5N1d2ag6Nef1222NefNA4VE53dc8b03	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	53dc8b03		11	borda	Saliency	InputXGradient	Integrated	C275	0.55	0.64	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
786734cbd9a8b5598N9VB4E50mag4Nef0mag6Nef10078NNA4VE5a29a8e22ad	8N9VB4E50mag4Nef0mag6Nef10078NNA4VE5a29a8e22ad	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	5a29a8e22ad		11	borda	Saliency	InputXGradient	Integrated	C240	0.45	0.38	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
9a41424617b631a77eA1VBe1768B8C01mag9Nef55421NNA4VE299696a0ed6	7eA1VBe1768B8C01mag9Nef55421NNA4VE299696a0ed6	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	6a0ed6		11	borda	Saliency	InputXGradient	Integrated	C158	0.58	0.32	0.32	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736
a7419d72ce31b1c359A0Bf35mag0Nefmag3N7C30380NNA0A1VE1a404f240	9A0Bf35mag0Nefmag3N7C30380NNA0A1VE1a404f240	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	4f240		11	borda	Saliency	InputXGradient	Integrated	C218	0.18	0.29	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
a35fc5a23db429fb2535V4E7a774e00485515Nef17Q2730N40B75bbf67a7e8bc	535V4E7a774e00485515Nef17Q2730N40B75bbf67a7e8bc	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	7e8bc		11	borda	Saliency	InputXGradient	Integrated	C275	0.55	0.64	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
8a74973e84a8604dNNA3V7a8f62Nef7D1459C0f9c2N8F230VFe8df41289	NA3V7a8f62Nef7D1459C0f9c2N8F230VFe8df41289	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	41289		11	borda	Saliency	InputXGradient	Integrated	C240	0.45	0.38	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
56358ea453ee90763NNA1V75186magNef79c2Nef3ag9NefN4B26E462292e	NA1V75186magNef79c2Nef3ag9NefN4B26E462292e	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	292e		11	kemeny	Saliency	InputXGradient	Integrated	C155	0.55	0.32	0.32	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736
3a1156f38545892ff13A00FEed3778Nef79670Nef145NefNA4VEad98b7f45	3A00FEed3778Nef79670Nef145NefNA4VEad98b7f45	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	98b7f45		11	kemeny	Saliency	InputXGradient	Integrated	C223	0.45	0.29	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
1d55920c087e450f2N53V4E37492Nef7mag8Nef1mag8N5040A1VH9dc363f3	2N53V4E37492Nef7mag8Nef1mag8N5040A1VH9dc363f3	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	363f3		11	kemeny	Saliency	InputXGradient	Integrated	C271	0.45	0.06	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
55939b76e0afa9e6N54V7B7f1mag6Nef7mag78241mag8Nef2A4V35090e69e9b	54V7B7f1mag6Nef7mag78241mag8Nef2A4V35090e69e9b	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	9e9b		11	kemeny	Saliency	InputXGradient	Integrated	C240	0.45	0.26	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834
c0731461ae56b91ee2AfV7E549528Nef0mag6Nef10078NNA4VE0437c9f0e9	2AfV7E549528Nef0mag6Nef10078NNA4VE0437c9f0e9	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	0437c9f0e9		11	kemeny	Saliency	InputXGradient	Integrated	C155	0.55	0.32	0.32	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736	0.18886	0.49736
af87ecb1f113d4bfc49A33Ea2f6059Nef135ag6Nefmag8NefN4A8F7501b0a855	9A33Ea2f6059Nef135ag6Nefmag8NefN4A8F7501b0a855	ImageNet-resnet18	ImageNet-resnet18	resnet18 q=11	0a855		11	kemeny	Saliency	InputXGradient	Integrated	C223	0.45	0.26	0.32	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834	0.13870	0.58834

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C	
e973a45b6a65e502a0ad125d1n202n52n06g3Nc4aagf5V4Nc1W6E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.271	0.58	0.346	0.366	0.342	0.271	0.58	0.346	0.366	0.342	0.271	0.58	0.346	0.366
c82ccd26a9afa4925NAd09E50n51p0C8nhdg6787n2g2N579H9E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.249	0.014	0.346	0.366	0.342	0.0508	0.346	0.366	0.342	0.0508	0.346	0.366	0.342	0.0508
5f7c6b41f34b099d4Nc1V7E0H2ag3Ncd68g8Ncdm2g5NcdN0V6E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.556	0.330	0.346	0.366	0.368	0.1859	0.346	0.366	0.368	0.1859	0.346	0.366	0.368	0.1859
4f9d3d0dd8aa9f454Nc1V3E8166g6N565f9gNcd3ag2N7052I78E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.223	0.259	0.346	0.366	0.368	0.7329	0.346	0.366	0.368	0.7329	0.346	0.366	0.368	0.7329
34a5fbd331f8675eaN8E8Vcakh68gKcd7m6g9ScBmhg6032Nc1V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.271	0.384	0.346	0.366	0.368	0.0271	0.346	0.366	0.368	0.0271	0.346	0.366	0.368	0.0271
8be02caa35ee3be003A08E1n38bN34524gnd640g2637N7D13V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.249	0.386	0.346	0.366	0.368	0.0508	0.346	0.366	0.368	0.0508	0.346	0.366	0.368	0.0508
057f16b4c0b980f92N5A3V4Scdm9g1Ncdm4ag8ScD434507NAdV3E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.556	0.652	0.346	0.366	0.368	0.1859	0.346	0.366	0.368	0.1859	0.346	0.366	0.368	0.1859
a6ae2666c759e37beN5A49E0Bba240V6H8g55H517g6305N7A72E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.223	0.208	0.346	0.366	0.368	0.7329	0.346	0.366	0.368	0.7329	0.346	0.366	0.368	0.7329
818b23304b1ec54506A45E28f5g30N544agNcdm4ag65Ncdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.271	0.092	0.346	0.366	0.368	0.0271	0.346	0.366	0.368	0.0271	0.346	0.366	0.368	0.0271
26f6b7573ea5d19ebN6A4E6B8620g53cdm8g8Ncdm4ag4026N7V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			kemeny	Saliency	InputXGradient	Integrated	0.249	0.349	0.346	0.366	0.368	0.0508	0.346	0.366	0.368	0.0508	0.346	0.366	0.368	0.0508
63c2fdac44980b249N5A78E77n639n24fih5755f58441N3n2V30E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.161	0.326	0.346	0.366	0.368	0.1926	0.346	0.366	0.368	0.1926	0.346	0.366	0.368	0.1926
3310c9f82c7b4dd6d09A1V4E1n9g10Vcdm8g5Ncdm9ag2Ncdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.217	0.295	0.346	0.366	0.368	0.7369	0.346	0.366	0.368	0.7369	0.346	0.366	0.368	0.7369
b01a76ad856a32b6N6A4E586d0g2Ncdm9ag2Ncdm52g6N700Ad8E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.281	0.098	0.346	0.366	0.368	0.2852	0.346	0.366	0.368	0.2852	0.346	0.366	0.368	0.2852
2abb2fc980ea9e926N1A2V6E1f72g28Vcdm60g8Ncdm6g8Ncdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.242	0.336	0.346	0.366	0.368	0.0576	0.346	0.366	0.368	0.0576	0.346	0.366	0.368	0.0576
46ed3daacf67245b9NAT3Ed6632g00343g0Ncdm9ag7Ncdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.161	0.326	0.346	0.366	0.368	0.1926	0.346	0.366	0.368	0.1926	0.346	0.366	0.368	0.1926
d7fbeb5f438d83b06N7A3E52Hm7g38Vcdm60g2Ncdm6ga7Ncdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.217	0.283	0.346	0.366	0.368	0.7369	0.346	0.366	0.368	0.7369	0.346	0.366	0.368	0.7369
0c6e1adea59621ecN7A3E5477g1g38Vcdm60g2Ncdm6ga7Ncdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.281	0.094	0.346	0.366	0.368	0.2852	0.346	0.366	0.368	0.2852	0.346	0.366	0.368	0.2852
4775604fb8ac589e6N6A4E6Bfmdg7Ncdm35gaN5818gNcdm4V7E	ImageNet-resnet18	ImageNet-resnet18 q=11	ImageNet-resnet18	resnet18	q=11			rrf	Saliency	InputXGradient	Integrated	0.242	0.078	0.346	0.366	0.368	0.0576	0.346	0.366	0.368	0.0576	0.346	0.366	0.368	0.0576

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
6c4956b7ae9d506e851a238bc55a4818c8f0e2a2c3b0c70402b34a75aa896	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.1611	0.3541	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
7a8f0198e43bce7189615f740c7b064288fa5c9748edde202177512a1aef5	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.2175	0.3518	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
15eeaa1eae29ad2308f0b5b55fdd4982c1f0f1880e213ag70NcAd175a9b6258a7d	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.2811	0.3385	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
f09e58aac93a8b0458025f411247a8f496gaNbnSA1Vd96fb7e735	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.3421	0.3382	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
e325b1dbb6b4a9e9c93a6vde377ad9761006d5e170418Nc806VE11c38fe42d	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.1611	0.3541	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
7f9e2d4f1232dbe90800ME7a7f9e5NcdaagdN94fdd2Nc95A0Y0E1f23f40a2	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.2175	0.3518	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
15096f5146caff916d75121E316a7d907bfbag380Bd44d1855AdA03366067052a	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.2811	0.3385	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
c89a88bc3ac64aa4e1A0V4E27a7ad9209cNc86380N83A1V1E21fb9be87	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	rrf	Saliency	InputXGradient	Integrated	0.3421	0.3382	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
fc626ac3c2b7d7d225A1V1E0H4agdN516bgaN8324ag7699A2V099726cac694	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.1577	0.3338	0.3366	0.3366	0.1883	0.3338	0.1883	0.3338	0.2097	0.3338	0.2097	0.3338
1482198cba5384deN7A38Bb1803g106fdd15dNc93b49N0N4130Ecc2bdc696a	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.2181	0.3344	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
d8b79370b0e77901N40V97a820g1N516fag77Nc19b0945787A02Ece32cea25a	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.2761	0.3566	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
7c8e686f95c850ca726b1V5E1490cb2Nc16ag6Na1559gNc61BV437b34a34ca	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.3441	0.3324	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
aa7c6329a8034f884N2A7VE3dd95b8Nc0img5284img68NcNA1A07ac9211924	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.1577	0.3338	0.3366	0.3366	0.1883	0.3338	0.1883	0.3338	0.2097	0.3338	0.2097	0.3338
0920fc3bc57369abeN61V1E1826g38Nc1b39fN838ag6Nc8914E558096b0a5	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.2181	0.3344	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
9430e826659039b60A63VE122972Nc045ag6D832ag6903A71E33a402e0f9	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.2761	0.3566	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
a61dac760845340adNA1VE148e598N514b0gaNcdd1ag6520N22V4889b9aa90	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.3441	0.3324	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541
44cc8fe278bdca62eNA1V1E1697240N822687N49img2N402A1V1E4d4c7cf308	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.1577	0.3338	0.3366	0.3366	0.1883	0.3338	0.1883	0.3338	0.2097	0.3338	0.2097	0.3338
425d36c0dbab8b475A1V1E11b986N410aa52Nc040g683A1V0Efb2b17dacd8	ImageNet	ImageNet-resnet18	ImageNet	resnet18 q=11	ImageNet	ImageNet	ImageNet	11	schulze	Saliency	InputXGradient	Integrated	0.2181	0.3344	0.3366	0.3366	0.1926	0.3541	0.1926	0.3541	0.2097	0.3541	0.2097	0.3541

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
92d4fbe1b6d2194f3c38f5b344904d41b660e158f1a6b10741053a4edf5b6f2	ImageNet-resnet18	18	ImageNet	resnet18 q=11	0.71053	0.4edf5b6f2	11	schulze	Saliency	InputXGradient	Integrated	0.276	0.88	0.836	0.7354	0.276	0.388	0.276	0.388	0.388	0.388	0.388	0.388	0.388
7d6df3692f96aa53985511b031fag4821b3262Nfbc352077324102b61d0651e	ImageNet-resnet18	18	ImageNet	resnet18 q=11	0.352077	0.2b61d0651e	11	schulze	Saliency	InputXGradient	Integrated	0.244	0.902	0.836	0.7354	0.244	0.556	0.244	0.556	0.556	0.556	0.556	0.556	0.556
1a0d1e25ddc12c2fb1a180b17819830f63292542993808b1d42bca5d3c8f2	ImageNet-resnet18	18	ImageNet	resnet18 q=11	0.29938	0.2bca5d3c8f2	11	schulze	Saliency	InputXGradient	Integrated	0.157	0.65	0.836	0.7354	0.157	0.183	0.157	0.183	0.183	0.183	0.183	0.183	0.183
15e5795e91a1fb4665c1f88b200b18231129608df75d63c1b1402E20603b0e97	ImageNet-resnet18	18	ImageNet	resnet18 q=11	0.289102	0.20603b0e97	11	schulze	Saliency	InputXGradient	Integrated	0.218	0.912	0.836	0.7354	0.218	0.739	0.218	0.739	0.739	0.739	0.739	0.739	0.739
f95441441b1f9274f738129d28ff7659248129608df75d63c1b1402E211ef0c	ImageNet-resnet18	18	ImageNet	resnet18 q=11	0.289102	0.211ef0c	11	schulze	Saliency	InputXGradient	Integrated	0.276	0.896	0.836	0.7354	0.276	0.396	0.276	0.396	0.396	0.396	0.396	0.396	0.396
e8f7223572c1245628c1d05351b048384fdedN0406052NcNATV1B2da6a677	ImageNet-resnet18	18	ImageNet	resnet18 q=11	0.289102	0.2da6a677	11	schulze	Saliency	InputXGradient	Integrated	0.244	0.938	0.836	0.7354	0.244	0.556	0.244	0.556	0.556	0.556	0.556	0.556	0.556

Table 10: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	setting	geometry	geometryq label	rule	endpoint count	NOISE A mean	NAIVE A mean	delta mean	A wins	A ties	A losses	NOISE Q mean	NAIVE Q mean	delta mean	Q wins	Q ties	Q losses	NOISE G mean	NAIVE G mean	delta mean	G wins	G ties	G losses
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- K	kendall	NOISE- K	borda	16	0.4879940	0.46872	0.01927412	5	0	4	0.8006330	0.808635-	0.008002	2	8	6	0.6186760	0.6083980	0.01027912	12	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- K	kendall	NOISE- K	kemeny	16	0.52433	0.4752660	0.04906416	5	0	0	0.8265930	0.827135-	0.000542	2	8	6	0.6512580	0.6195050	0.03175316	16	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- K	kendall	NOISE- K	rrf	16	0.5029120	0.4788380	0.02407413	5	0	3	0.8113020	0.820179-	0.008877	2	8	6	0.6321790	0.6194160	0.01276312	12	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- K	kendall	NOISE- K	schulze	16	0.4928320	0.4751630	0.01767	12	0	4	0.80658	0.820947-	0.014367	2	8	6	0.6241350	0.6171890	0.00694610	10	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- K	kendall	NOISE- K	simpleavg	16	0.4327290	0.449203-	0.016475	4	0	12	0.7849250	0.798078-	0.013153	2	8	6	0.5768050	0.592509-	0.015704	4	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- S	spearman	NOISE- S	borda	16	0.5078630	0.46872	0.03914316	4	0	0	0.8146480	0.8086350	0.0060138	13	8	0	0.6363940	0.6083980	0.02799616	16	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- S	spearman	NOISE- S	kemeny	16	0.5170570	0.4752660	0.04179116	4	0	0	0.8276480	0.8271350	0.0005135	13	8	3	0.6464920	0.6195050	0.02698614	14	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- S	spearman	NOISE- S	rrf	16	0.5251270	0.4788380	0.04628916	4	0	0	0.8249910	0.8201790	0.0048137	13	8	1	0.65078	0.6194160	0.03136516	16	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- S	spearman	NOISE- S	schulze	16	0.5169990	0.4751630	0.04183616	4	0	0	0.8300370	0.8209470	0.00909	6	8	2	0.6476110	0.6171890	0.03042214	14	0	0
ImageNet– ImageNet– resnet18	ImageNet	resnet18	NOISE- S	spearman	NOISE- S	simpleavg	16	0.4593770	0.4492030	0.01017316	4	0	0	0.7967330	0.798078-	0.001344	3	8	5	0.5989970	0.5925090	0.00648814	14	0	0

Table 11: NOISE diagnostics results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	F	quality	clean	F	0.1726	clean_selected	7746	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	clean_selected	7752	bsin_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	C	quality	clean	C	0.2872	clean_selected	2021	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	clean_selected	2052	bsin_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	clean_selected	165	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1262	clean_selected	163	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	clean_selected	3281	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3426	clean_selected	3402	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	clean_selected	378	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.107	clean_selected	366	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	clean_selected	3676	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3174	clean_selected	2856	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	clean_selected	618	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	-0.0666	clean_selected	637	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	clean_selected	178	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Cbar_s	robustness	speckle	Cbar	-0.13	clean_selected	695	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	-0.0908	clean_selected	1658	bsax_indivictat
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	5	R_Fbar_a	robustness	adversarial	Fbar	0.0428	clean_selected	6246	bsax_indivictat

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	-0.1732	clean_selection	0.2096	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	adversarial	Cbar	0.0784	clean_selection	0.0572	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	F	quality	clean	F	0.1726	naive_q1	0.1726	max	equal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	naive_q1	0.251	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	C	quality	clean	C	0.2872	naive_q1	0.286	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	naive_q1	0.3862	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	naive_q1	0.1564	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1262	naive_q1	0.1118	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	naive_q1	0.3474	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3426	naive_q1	0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	naive_q1	0.1376	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.107	naive_q1	0.0916	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	naive_q1	0.3152	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3174	naive_q1	0.2946	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	naive_q1	0.0734	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	-0.0666	naive_q1	0.0636	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	naive_q1	0.1192	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_s	robustness	speckle	Cbar	-0.13	naive_q1	0.1196	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	-0.0908	naive_q1	0.0944	max	better

cell	dataset	model	rule	q	column group	endpoint condition	metric	value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar	robustness	adversarial Fbar	0.0428	naive_q10.0338	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial C	-0.1732	naive_q1-0.1768	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	adversarial Cbar	0.0784	naive_q10.0754	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	F	quality	clean F	0.1726	NOISE_0p1526	max	equal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Fbar	quality	clean Fbar	0.2698	NOISE_0p2511	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	C	quality	clean C	0.2872	NOISE_0p2861	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Cbar	quality	clean Cbar	0.4004	NOISE_0p3862	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_g	robustness	gaussian F	0.156	NOISE_0p1561	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian Fbar	-0.1262	NOISE_0p1181	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_g	robustness	gaussian C	0.347	NOISE_0p3471	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian Cbar	-0.3426	NOISE_0p3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_p	robustness	salt_pepper F	0.1294	NOISE_0p1378	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper Fbar	-0.107	NOISE_0p0916	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_p	robustness	salt_pepper C	0.3086	NOISE_0p3152	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper Cbar	-0.3174	NOISE_0p2946	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_s	robustness	speckle F	0.0722	NOISE_0p0731	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_s	robustness	speckle Fbar	-0.0666	NOISE_0p0636	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_s	robustness	speckle C	0.1188	NOISE_0p1192	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_s	robustness	speckle Cbar	-0.13	NOISE_0p1196	max	worse

cell	dataset	model	rule	q	column group	endpoint	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	-0.0908	NOISE_0.0914	0.0914	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_a	robustness	adversarial	Fbar	0.0428	NOISE_0.0338	0.0338	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	-0.1732	NOISE_0.0376	0.0376	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_a	robustness	adversarial	Cbar	0.0784	NOISE_0.0551	0.0551	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	F	quality	clean	F	0.1726	NOISE_0.1726	0.1726	max	equal
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	NOISE_0.2511	0.2511	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	C	quality	clean	C	0.2872	NOISE_0.2872	0.2872	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	NOISE_0.3862	0.3862	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_g	robustness	gaussian	F	0.156	NOISE_0.1561	0.1561	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1262	NOISE_0.1148	0.1148	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_g	robustness	gaussian	C	0.347	NOISE_0.3471	0.3471	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3426	NOISE_0.3208	0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_p	robustness	salt_pepper	F	0.1294	NOISE_0.1294	0.1294	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.107	NOISE_0.0943	0.0943	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_p	robustness	salt_pepper	C	0.3086	NOISE_0.3152	0.3152	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3174	NOISE_0.2943	0.2943	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_s	robustness	speckle	F	0.0722	NOISE_0.0734	0.0734	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar_s	robustness	speckle	Fbar	-0.0666	NOISE_0.0633	0.0633	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_s	robustness	speckle	C	0.1188	NOISE_0.1192	0.1192	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	speckle	Cbar	-0.13	NOISE_10.1198	10.1198	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_F_a	robustness	adversarial	F	-0.0908	NOISE_10.0944	10.0944	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Fbar	robustness	adversarial	Fbar	0.0428	NOISE_10.0381	10.0381	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_C_a	robustness	adversarial	C	-0.1732	NOISE_10.1768	10.1768	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	5	R_Cbar	robustness	adversarial	Cbar	0.0784	NOISE_10.0754	10.0754	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean	F	0.1876	clean_selected	10.746	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean	Fbar	0.1982	clean_selected	10.752	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean	C	0.312	clean_selected	10.292	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean	Cbar	0.3216	clean_selected	10.2952	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian	F	0.1676	clean_selected	10.155	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_g	robustness	gaussian	Fbar	-0.13	clean_selected	10.163	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian	C	0.3406	clean_selected	10.328	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3498	clean_selected	10.3402	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper	F	0.1502	clean_selected	10.1378	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1106	clean_selected	10.0636	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper	C	0.3128	clean_selected	10.3176	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3188	clean_selected	10.2856	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle	F	0.0764	clean_selected	10.0618	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_s	robustness	speckle	Fbar	-0.051	clean_selected	10.037	bsax	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle	C	0.1138	clean_selected	0.1178	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle	Cbar	-0.1142	clean_selected	0.065	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	F	-0.1108	clean_selected	0.1058	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	adversarial	Fbar	0.0262	clean_selected	0.0216	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	C	-0.203	clean_selected	0.2096	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	adversarial	Cbar	0.072	clean_selected	0.0572	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean	F	0.1876	naive_q1	0.158	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean	Fbar	0.1982	naive_q1	0.2186	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean	C	0.312	naive_q1	0.2756	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean	Cbar	0.3216	naive_q1	0.3464	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian	F	0.1676	naive_q1	0.1692	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	gaussian	Fbar	-0.13	naive_q1	0.0996	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian	C	0.3406	naive_q1	0.3384	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	gaussian	Cbar	-0.3498	naive_q1	0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper	F	0.1502	naive_q1	0.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	salt_pepper	Fbar	-0.1106	naive_q1	0.0788	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper	C	0.3128	naive_q1	0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	salt_pepper	Cbar	-0.3188	naive_q1	0.2822	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle	F	0.0764	naive_q1	0.0748	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	speckle	Fbar	-0.051	naive_q1	-0.0428	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle	C	0.1138	naive_q1	0.1142	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle	Cbar	-0.1142	naive_q1	-0.103	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	F	-0.1108	naive_q1	-0.095	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_a	robustness	adversarial	Fbar	0.0262	naive_q1	0.019	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	C	-0.203	naive_q1	-0.1882	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_a	robustness	adversarial	Cbar	0.072	naive_q1	0.0532	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean	F	0.1876	NOISE_0p15	0.158	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean	Fbar	0.1982	NOISE_0p25	0.2186	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean	C	0.312	NOISE_0p25	0.256	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean	Cbar	0.3216	NOISE_0p35	0.346	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian	F	0.1676	NOISE_0p15	0.1692	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_g	robustness	gaussian	Fbar	-0.13	NOISE_0p25	-0.096	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian	C	0.3406	NOISE_0p35	0.338	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3498	NOISE_0p45	-0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper	F	0.1502	NOISE_0p15	0.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1106	NOISE_0p25	-0.0788	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper	C	0.3128	NOISE_0p35	0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3188	NOISE_0p45	-0.2822	max	worse

cell	dataset	model	rule	q	column group	endpoint condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle F	0.0764	NOISE_0p0748	0p0748	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_s	robustness	speckle Fbar	-0.051	NOISE_0p0428	0p0428	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle C	0.1138	NOISE_0p1142	0p1142	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_s	robustness	speckle Cbar	-0.1142	NOISE_0p1142	0p1142	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial F	-0.1108	NOISE_0p0905	0p0905	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_a	robustness	adversarial Fbar	0.0262	NOISE_0p0119	0p0119	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial C	-0.203	NOISE_0p1482	0p1482	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_a	robustness	adversarial Cbar	0.072	NOISE_0p0532	0p0532	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	F	quality	clean F	0.1876	NOISE_0p1751	0p1751	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Fbar	quality	clean Fbar	0.1982	NOISE_0p2180	0p2180	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	C	quality	clean C	0.312	NOISE_0p2750	0p2750	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	Cbar	quality	clean Cbar	0.3216	NOISE_0p3461	0p3461	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_g	robustness	gaussian F	0.1676	NOISE_0p1692	0p1692	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_g	robustness	gaussian Fbar	-0.13	NOISE_0p0993	0p0993	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_g	robustness	gaussian C	0.3406	NOISE_0p3384	0p3384	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar_g	robustness	gaussian Cbar	-0.3498	NOISE_0p3208	0p3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_p	robustness	salt_pepper F	0.1502	NOISE_0p1624	0p1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar_p	robustness	salt_pepper Fbar	-0.1106	NOISE_0p0788	0p0788	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_p	robustness	salt_pepper C	0.3128	NOISE_0p3208	0p3208	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	salt_pepper	Cbar	-0.3188	NOISE_40.2822	40.2822	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_s	robustness	speckle	F	0.0764	NOISE_40.0748	40.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	speckle	Fbar	-0.051	NOISE_40.0428	40.0428	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_s	robustness	speckle	C	0.1138	NOISE_40.1142	40.1142	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	speckle	Cbar	-0.1142	NOISE_40.1031	40.1031	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_F_a	robustness	adversarial	F	-0.1108	NOISE_40.0951	40.0951	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Fbar	robustness	adversarial	Fbar	0.0262	NOISE_40.0141	40.0141	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_C_a	robustness	adversarial	C	-0.203	NOISE_40.1682	40.1682	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	R_Cbar	robustness	adversarial	Cbar	0.072	NOISE_40.0532	40.0532	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	F	quality	clean	F	0.1874	clean_selected_7346	7346	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	clean_selected_7352	7352	bsin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	C	quality	clean	C	0.3128	clean_selected_2092	2092	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	clean_selected_2052	2052	bsin	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	clean_selected_5	5	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	gaussian	Fbar	-0.096	clean_selected_103	103	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	clean_selected_3281	3281	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar	robustness	gaussian	Cbar	-0.3062	clean_selected_3402	3402	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_p	robustness	salt_pepper	F	0.1628	clean_selected_3378	3378	bsax	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar	robustness	salt_pepper	Fbar	-0.0684	clean_selected_636	636	bsax	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_p	robustness	salt_pepper	F	0.3156	clean_selection	0.3156	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_p	robustness	salt_pepper	Fbar	-0.2774	clean_selection	0.2856	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	clean_selection	0.0618	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_s	robustness	speckle	Fbar	-0.0446	clean_selection	0.037	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	clean_selection	0.1178	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_s	robustness	speckle	Cbar	-0.1034	clean_selection	0.095	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_a	robustness	adversarial	F	-0.1106	clean_selection	0.1058	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_a	robustness	adversarial	Fbar	0.0272	clean_selection	0.0216	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_a	robustness	adversarial	C	-0.2054	clean_selection	0.2006	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_a	robustness	adversarial	Cbar	0.0746	clean_selection	0.0572	max	indifferent
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	F	quality	clean	F	0.1874	naive_quality	0.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	naive_quality	0.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	C	quality	clean	C	0.3128	naive_quality	0.271	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	naive_quality	0.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	naive_quality	0.1668	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Fbar_g	robustness	gaussian	Fbar	-0.096	naive_quality	0.0684	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	naive_quality	0.3296	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3062	naive_quality	0.2774	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	R_F_p	robustness	salt_pepper	F	0.1628	naive_quality	0.1614	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Fbar	robustness	salt_pepper	Fbar	-0.0684	naive_q1	-0.045	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_C_p	robustness	salt_pepper	C	0.3156	naive_q1	0.317	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Cbar	robustness	salt_pepper	Cbar	-0.2774	naive_q1	-0.2522	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_F_s	robustness	speckle	F	0.0846	naive_q1	0.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Fbar	robustness	speckle	Fbar	-0.0446	naive_q1	-0.0362	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_C_s	robustness	speckle	C	0.1202	naive_q1	0.1136	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Cbar	robustness	speckle	Cbar	-0.1034	naive_q1	-0.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_F_a	robustness	adversarial	F	-0.1106	naive_q1	-0.0904	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Fbar	robustness	adversarial	Fbar	0.0272	naive_q1	0.015	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_C_a	robustness	adversarial	C	-0.2054	naive_q1	-0.179	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Cbar	robustness	adversarial	Cbar	0.0746	naive_q1	0.0492	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	F	quality	clean	F	0.1874	NOISE_0p1556	0.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	Fbar	quality	clean	Fbar	0.1658	NOISE_0p2234	0.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	C	quality	clean	C	0.3128	NOISE_0p2711	0.2711	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	Cbar	quality	clean	Cbar	0.2872	NOISE_0p3492	0.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	NOISE_0p1668	0.1668	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Fbar	robustness	gaussian	Fbar	-0.096	NOISE_0p0684	0.0684	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_C_g	robustness	gaussian	C	0.332	NOISE_0p3296	0.3296	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet	kemeny	5	R_Cbar	robustness	gaussian	Cbar	-0.3062	NOISE_0p2774	0.2774	max	worse

cell	dataset	model	rule	q	column group	endpoint	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_F_p	robustness	salt_pepper	F	0.1628	NOISE_0.1614	0.1614	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0684	NOISE_0.0645	0.0645	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_C_p	robustness	salt_pepper	C	0.3156	NOISE_0.3117	0.3117	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2774	NOISE_0.2572	0.2572	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	NOISE_0.0748	0.0748	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Fbar_s	robustness	speckle	Fbar	-0.0446	NOISE_0.0362	0.0362	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	NOISE_0.1136	0.1136	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Cbar_s	robustness	speckle	Cbar	-0.1034	NOISE_0.0994	0.0994	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_F_a	robustness	adversarial	F	-0.1106	NOISE_0.0904	0.0904	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Fbar_a	robustness	adversarial	Fbar	0.0272	NOISE_0.0115	0.0115	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_C_a	robustness	adversarial	C	-0.2054	NOISE_0.1479	0.1479	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Cbar_a	robustness	adversarial	Cbar	0.0746	NOISE_0.0492	0.0492	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	F	quality	clean	F	0.1874	NOISE_0.1551	0.1551	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	Fbar	quality	clean	Fbar	0.1658	NOISE_0.2234	0.2234	min	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	C	quality	clean	C	0.3128	NOISE_0.2711	0.2711	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	Cbar	quality	clean	Cbar	0.2872	NOISE_0.3442	0.3442	min	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_F_g	robustness	gaussian	F	0.1704	NOISE_0.1661	0.1661	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_Fbar_g	robustness	gaussian	Fbar	-0.096	NOISE_0.0684	0.0684	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kemeny	5	R_C_g	robustness	gaussian	C	0.332	NOISE_0.3291	0.3291	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Cbar	robustness	gaussian	Cbar	-0.3062	NOISE_40.2774	40.2774	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_F_p	robustness	salt_pepper	Fbar	0.1628	NOISE_40.1614	40.1614	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Fbar	robustness	salt_pepper	Fbar	-0.0684	NOISE_40.0615	40.0615	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_C_p	robustness	salt_pepper	Cbar	0.3156	NOISE_40.3171	40.3171	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Cbar	robustness	salt_pepper	Cbar	-0.2774	NOISE_40.2774	40.2774	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_F_s	robustness	speckle	F	0.0846	NOISE_40.0748	40.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Fbar	robustness	speckle	Fbar	-0.0446	NOISE_40.0432	40.0432	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_C_s	robustness	speckle	C	0.1202	NOISE_40.1186	40.1186	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Cbar	robustness	speckle	Cbar	-0.1034	NOISE_40.0994	40.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_F_a	robustness	adversarial	F	-0.1106	NOISE_40.0994	40.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Fbar	robustness	adversarial	Fbar	0.0272	NOISE_40.0171	40.0171	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_C_a	robustness	adversarial	C	-0.2054	NOISE_40.1791	40.1791	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	kemeny	5	R_Cbar	robustness	adversarial	Cbar	0.0746	NOISE_40.0492	40.0492	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	trf	5	F	quality	clean	F	0.1886	clean_selected	0.7346	bs_max	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	trf	5	Fbar	quality	clean	Fbar	0.1868	clean_selected	0.7552	bs_min	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	trf	5	C	quality	clean	C	0.3152	clean_selected	0.2921	bs_max	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	trf	5	Cbar	quality	clean	Cbar	0.3094	clean_selected	0.2952	bs_min	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	clean_selected	0.155	bs_max	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	trf	5	R_Fbar	robustness	gaussian	Fbar	-0.1144	clean_selected	0.163	bs_max	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_C_g	robustness	gaussian	C	0.3352	clean_sel0.3281	base	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Cbar_g	robustness	gaussian	Cbar	-0.3324	clean_sel0.3402	base	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_F_p	robustness	salt_pepper	F	0.1572	clean_sel0.1378	base	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0966	clean_sel0.0636	base	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_C_p	robustness	salt_pepper	C	0.3154	clean_sel0.3176	base	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	clean_sel0.2856	base	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_F_s	robustness	speckle	F	0.0822	clean_sel0.0618	base	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Fbar_s	robustness	speckle	Fbar	-0.0468	clean_sel0.0337	base	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_C_s	robustness	speckle	C	0.1146	clean_sel0.1178	base	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Cbar_s	robustness	speckle	Cbar	-0.108	clean_sel0.093	base	min	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_F_a	robustness	adversarial	F	-0.1102	clean_sel0.1058	base	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Fbar_a	robustness	adversarial	Fbar	0.032	clean_sel0.0236	base	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_C_a	robustness	adversarial	C	-0.205	clean_sel0.2096	base	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	clean_sel0.0572	base	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	F	quality	clean	F	0.1886	naive_q10.1612	max		better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	Fbar	quality	clean	Fbar	0.1868	naive_q10.2176	min		better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	C	quality	clean	C	0.3152	naive_q10.2812	max		better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	Cbar	quality	clean	Cbar	0.3094	naive_q10.3424	min		better
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18		5	R_F_g	robustness	gaussian	F	0.1646	naive_q10.1648	max		worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar	robustness	gaussian	Fbar	-0.1144	naive_q1	-0.0776	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_g	robustness	gaussian	C	0.3352	naive_q1	0.3286	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar	robustness	gaussian	Cbar	-0.3324	naive_q1	-0.2944	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_F_p	robustness	salt_pepper	F	0.1572	naive_q1	0.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0966	naive_q1	-0.066	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_p	robustness	salt_pepper	C	0.3154	naive_q1	0.3134	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	naive_q1	-0.2654	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_F_s	robustness	speckle	F	0.0822	naive_q1	0.0742	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar_s	robustness	speckle	Fbar	-0.0468	naive_q1	-0.0342	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_s	robustness	speckle	C	0.1146	naive_q1	0.1126	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar_s	robustness	speckle	Cbar	-0.108	naive_q1	-0.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_F_a	robustness	adversarial	F	-0.1102	naive_q1	-0.0956	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	naive_q1	0.0246	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_C_a	robustness	adversarial	C	-0.205	naive_q1	-0.1914	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	naive_q1	0.0608	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	F	quality	clean	F	0.1886	NOISE_opt	0.1612	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	Fbar	quality	clean	Fbar	0.1868	NOISE_opt	0.2176	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	C	quality	clean	C	0.3152	NOISE_opt	0.2812	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	rf	5	Cbar	quality	clean	Cbar	0.3094	NOISE_opt	0.3424	max	better

cell	dataset	model	rule	q	column group	endpoint	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	NOISE_0p1646	0p1646	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1144	NOISE_0p1144	0p1144	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_g	robustness	gaussian	C	0.3352	NOISE_0p3352	0p3352	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3324	NOISE_0p3324	0p3324	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_p	robustness	salt_pepper	F	0.1572	NOISE_0p1572	0p1572	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0966	NOISE_0p0966	0p0966	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_p	robustness	salt_pepper	C	0.3154	NOISE_0p3154	0p3154	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	NOISE_0p3072	0p3072	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_s	robustness	speckle	F	0.0822	NOISE_0p0822	0p0822	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_s	robustness	speckle	Fbar	-0.0468	NOISE_0p0468	0p0468	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_s	robustness	speckle	C	0.1146	NOISE_0p1146	0p1146	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_s	robustness	speckle	Cbar	-0.108	NOISE_0p108	0p108	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_a	robustness	adversarial	F	-0.1102	NOISE_0p1102	0p1102	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	NOISE_0p032	0p032	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_a	robustness	adversarial	C	-0.205	NOISE_0p205	0p205	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	NOISE_0p0754	0p0754	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	F	quality	clean	F	0.1886	NOISE_0p1886	0p1886	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	Fbar	quality	clean	Fbar	0.1868	NOISE_0p1868	0p1868	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet- resnet18	trf	5	C	quality	clean	C	0.3152	NOISE_0p3152	0p3152	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	Cbar	quality	clean	Cbar	0.3094	NOISE_0.3424	0.3424	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_g	robustness	gaussian	F	0.1646	NOISE_0.1648	0.1648	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1144	NOISE_0.0773	0.0773	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_g	robustness	gaussian	C	0.3352	NOISE_0.3286	0.3286	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3324	NOISE_0.2944	0.2944	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_p	robustness	salt_pepper	F	0.1572	NOISE_0.1624	0.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0966	NOISE_0.0661	0.0661	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_p	robustness	salt_pepper	C	0.3154	NOISE_0.3134	0.3134	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	NOISE_0.2654	0.2654	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_s	robustness	speckle	F	0.0822	NOISE_0.0742	0.0742	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_s	robustness	speckle	Fbar	-0.0468	NOISE_0.0342	0.0342	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_s	robustness	speckle	C	0.1146	NOISE_0.1126	0.1126	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_s	robustness	speckle	Cbar	-0.108	NOISE_0.0958	0.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_F_a	robustness	adversarial	F	-0.1102	NOISE_0.0953	0.0953	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Fbar_a	robustness	adversarial	Fbar	0.032	NOISE_0.0246	0.0246	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_C_a	robustness	adversarial	C	-0.205	NOISE_0.1944	0.1944	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	5	R_Cbar_a	robustness	adversarial	Cbar	0.0754	NOISE_0.0608	0.0608	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	F	quality	clean	F	0.1876	clean_selected	0.735	best	individual
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	Fbar	quality	clean	Fbar	0.2018	clean_selected	0.752	best	individual

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	C	quality	clean	C	0.312	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	Cbar	quality	clean	Cbar	0.3258	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_g	robustness	gaussian	F	0.1686	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1176	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_g	robustness	gaussian	C	0.337	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3336	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0996	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_p	robustness	salt_pepper	C	0.321	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_s	robustness	speckle	F	0.0788	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_s	robustness	speckle	Fbar	-0.049	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_s	robustness	speckle	C	0.115	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_s	robustness	speckle	Cbar	-0.111	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_F_a	robustness	adversarial	F	-0.1092	clean_selected	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_C_a	robustness	adversarial	C	-0.2016	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	R_Cbar_a	robustness	adversarial	Cbar	0.0798	clean_selected	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	Schulze	5	F	quality	clean	F	0.1876	naive_q1	1.1576	max better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
						group				value	value		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	Fbar	quality	clean	Fbar	0.2018	naive_q1	0.2182	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	C	quality	clean	C	0.312	naive_q1	0.276	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	Cbar	quality	clean	Cbar	0.3258	naive_q1	0.3444	min	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_g	robustness	gaussian	F	0.1686	naive_q1	0.1662	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1176	naive_q1	0.0762	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_g	robustness	gaussian	C	0.337	naive_q1	0.3296	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3336	naive_q1	0.288	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	naive_q1	0.1592	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0996	naive_q1	0.0656	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_p	robustness	salt_pepper	C	0.321	naive_q1	0.3124	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	naive_q1	0.2696	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_s	robustness	speckle	F	0.0788	naive_q1	0.077	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_s	robustness	speckle	Fbar	-0.049	naive_q1	0.035	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_s	robustness	speckle	C	0.115	naive_q1	0.112	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_s	robustness	speckle	Cbar	-0.111	naive_q1	0.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_F_a	robustness	adversarial	F	-0.1092	naive_q1	0.0926	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	naive_q1	0.017	max	better
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_a	robustness	adversarial	C	-0.2016	naive_q1	0.1864	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_a	robustness	adversarial	Cbar	0.0798	naive_q1	0.0506	max	better

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	F	quality	clean	F	0.1876	NOISE_0p1576	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	Fbar	quality	clean	Fbar	0.2018	NOISE_0p2182	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	C	quality	clean	C	0.312	NOISE_0p276	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	Cbar	quality	clean	Cbar	0.3258	NOISE_0p3444	min	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_g	robustness	gaussian	F	0.1686	NOISE_0p1662	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_g	robustness	gaussian	Fbar	-0.1176	NOISE_0p0762	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_g	robustness	gaussian	C	0.337	NOISE_0p3296	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Cbar_g	robustness	gaussian	Cbar	-0.3336	NOISE_0p288	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	NOISE_0p1592	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_p	robustness	salt_pepper	Fbar	-0.0996	NOISE_0p0556	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_p	robustness	salt_pepper	C	0.321	NOISE_0p3124	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Cbar_p	robustness	salt_pepper	Cbar	-0.3072	NOISE_0p2696	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_s	robustness	speckle	F	0.0788	NOISE_0p077	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_s	robustness	speckle	Fbar	-0.049	NOISE_0p035	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_s	robustness	speckle	C	0.115	NOISE_0p112	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Cbar_s	robustness	speckle	Cbar	-0.111	NOISE_0p0958	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_F_a	robustness	adversarial	F	-0.1092	NOISE_0p0926	max	worse
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_Fbar_a	robustness	adversarial	Fbar	0.0352	NOISE_0p017	max	better
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	Schulze	5	R_C_a	robustness	adversarial	C	-0.2016	NOISE_0p4864	max	worse

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Cbar	robustness	adversarial	Cbar	0.0798	NOISE_0.0506	0.0506	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	F	quality	clean	F	0.1876	NOISE_0.1576	0.1576	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	Fbar	quality	clean	Fbar	0.2018	NOISE_0.2184	0.2184	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	C	quality	clean	C	0.312	NOISE_0.2761	0.2761	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	Cbar	quality	clean	Cbar	0.3258	NOISE_0.3444	0.3444	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_F_g	robustness	gaussian	F	0.1686	NOISE_0.1662	0.1662	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Fbar	robustness	gaussian	Fbar	-0.1176	NOISE_0.0762	0.0762	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_C_g	robustness	gaussian	C	0.337	NOISE_0.3261	0.3261	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Cbar	robustness	gaussian	Cbar	-0.3336	NOISE_0.2381	0.2381	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_F_p	robustness	salt_pepper	F	0.1578	NOISE_0.1592	0.1592	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Fbar	robustness	salt_pepper	Fbar	-0.0996	NOISE_0.0653	0.0653	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_C_p	robustness	salt_pepper	C	0.321	NOISE_0.3124	0.3124	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Cbar	robustness	salt_pepper	Cbar	-0.3072	NOISE_0.2693	0.2693	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_F_s	robustness	speckle	F	0.0788	NOISE_0.0771	0.0771	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Fbar	robustness	speckle	Fbar	-0.049	NOISE_0.0351	0.0351	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_C_s	robustness	speckle	C	0.115	NOISE_0.1121	0.1121	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Cbar	robustness	speckle	Cbar	-0.111	NOISE_0.0953	0.0953	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_F_a	robustness	adversarial	F	-0.1092	NOISE_0.0923	0.0923	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	5	R_Fbar	robustness	adversarial	Fbar	0.0352	NOISE_0.0171	0.0171	max	better

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_C_a	robustness	adversarial	Cl	-0.2016	NOISE_40.1864	40.1864	max	worse
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	5	R_Cbar_a	robustness	adversarial	Cbar	0.0798	NOISE_0.07061	0.07061	max	better

Table 12: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	geometry	selected q	NOISE q	q error	absolute exact q error	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie pol- icy
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	5	5	0	0	True	True	True	0.1876	0.1876	0	[5] smallest_q_within_absolute_1e-12
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	5	5	0	0	True	True	True	0.1874	0.1874	0	[5] smallest_q_within_absolute_1e-12

Table 13: NOISE diagnostics results for ImageNet-ResNet-18. This table is the current released snapshot; it reports

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R Fbar F
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavg	dual_geometry	q=0.5	GuidedBackprop	0.726	0.258	0.287	0.287	0.004	0.155	0.162	0.170	0.1294	-0.107	0.3086	-0.3174	0.0722	-0.0666	0.1188	-0.13	-0.0908	0.0428	-0.0428
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	dual_geometry	q=0.5	GuidedBackprop	0.726	0.192	0.352	0.352	0.024	0.167	0.166	0.140	0.1502	-0.1106	0.3128	-0.3188	0.0764	-0.051	0.1138	-0.1142	-0.1108	0.0262	-0.0262
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	dual_geometry	q=0.5	GuidedBackprop	0.726	0.158	0.352	0.352	0.087	0.179	0.161	0.132	0.1628	-0.0684	0.3156	-0.2774	0.0846	-0.0446	0.1202	-0.1034	-0.1106	0.0272	-0.0272
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	dual_geometry	q=0.5	GuidedBackprop	0.726	0.188	0.352	0.352	0.004	0.166	0.144	0.135	0.1572	-0.0966	0.3154	-0.3072	0.0822	-0.0468	0.1146	-0.108	-0.1102	0.032	-0.032
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	dual_geometry	q=0.5	GuidedBackprop	0.726	0.208	0.352	0.352	0.025	0.168	0.176	0.137	0.1578	-0.0996	0.321	-0.3072	0.0788	-0.049	0.115	-0.111	-0.1092	0.0352	-0.0352

Table 14: NOISE diagnostics results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	F	quality	clean	F	0.1804	clean_selected	0.1716	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	Fbar	quality	clean	Fbar	0.238	clean_selected	0.1752	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	C	quality	clean	C	0.3024	clean_selected	0.2921	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	Cbar	quality	clean	Cbar	0.3706	clean_selected	0.2952	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_g	robustness		F	0.1532	clean_selected	0.15	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_g	robustness		Fbar	-0.1178	clean_selected	0.103	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_g	robustness		C	0.3372	clean_selected	0.3281	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Cbar_g	robustness		Cbar	-0.3282	clean_selected	0.3102	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_p	robustness		F	0.1386	clean_selected	0.1378	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_p	robustness		Fbar	-0.1034	clean_selected	0.0636	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_p	robustness		C	0.3086	clean_selected	0.3176	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Cbar_p	robustness		Cbar	-0.3098	clean_selected	0.2836	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_s	robustness		F	0.08	clean_selected	0.0618	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_s	robustness		Fbar	-0.0688	clean_selected	0.037	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_s	robustness		C	0.121	clean_selected	0.1178	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Cbar_s	robustness		Cbar	-0.1234	clean_selected	0.095	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_a	robustness		F	-0.097	clean_selected	0.1058	bns4_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_a	robustness		Fbar	0.034	clean_selected	0.0216	bns4_x	indivictat

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_a	robustness	robustness	C	-0.1882	clean_sel	0.2006	best	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_a	robustness	robustness	Cbar	0.0788	clean_sel	0.0572	best	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	F	quality	clean	F	0.1804	naive_q1	1.1726	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	Fbar	quality	clean	Fbar	0.238	naive_q1	1.251	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	C	quality	clean	C	0.3024	naive_q1	1.286	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	Cbar	quality	clean	Cbar	0.3706	naive_q1	1.3862	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_g	robustness	robustness	F	0.1532	naive_q1	1.1564	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_g	robustness	robustness	Fbar	-0.1178	naive_q1	1.1118	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_g	robustness	robustness	C	0.3372	naive_q1	1.3474	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_g	robustness	robustness	Cbar	-0.3282	naive_q1	1.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_p	robustness	robustness	F	0.1386	naive_q1	1.1376	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_p	robustness	robustness	Fbar	-0.1034	naive_q1	1.0916	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_p	robustness	robustness	C	0.3086	naive_q1	1.3152	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_p	robustness	robustness	Cbar	-0.3098	naive_q1	1.2946	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_s	robustness	robustness	F	0.08	naive_q1	1.0734	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_s	robustness	robustness	Fbar	-0.0688	naive_q1	1.0636	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_s	robustness	robustness	C	0.121	naive_q1	1.1192	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_s	robustness	robustness	Cbar	-0.1234	naive_q1	1.1196	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_a	robustness	robustness	F	-0.097	naive_q1	1.0944	max	worse

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_r	robustness		Fbar	0.034	naive_q1	0.0338	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_a	robustness		C	-0.1882	naive_q1	-0.1768	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_r	robustness		Cbar	0.0788	naive_q1	0.0754	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	F	quality	clean	F	0.1804	NOISE_0.1726	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	Fbar	quality	clean	Fbar	0.238	NOISE_0.254	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	C	quality	clean	C	0.3024	NOISE_0.286	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	Cbar	quality	clean	Cbar	0.3706	NOISE_0.382	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_g	robustness		F	0.1532	NOISE_0.1564	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_g	robustness		Fbar	-0.1178	NOISE_0.1118	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_g	robustness		C	0.3372	NOISE_0.3474	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_g	robustness		Cbar	-0.3282	NOISE_0.3208	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_p	robustness		F	0.1386	NOISE_0.1378	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_p	robustness		Fbar	-0.1034	NOISE_0.1016	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_p	robustness		C	0.3086	NOISE_0.3152	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_p	robustness		Cbar	-0.3098	NOISE_0.2946	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_s	robustness		F	0.08	NOISE_0.0784	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar_s	robustness		Fbar	-0.0688	NOISE_0.0636	gemmetry		worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_s	robustness		C	0.121	NOISE_0.1102	gemmetry		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar_s	robustness		Cbar	-0.1234	NOISE_0.1196	gemmetry		worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_a	robustness		F	-0.097	NOISE_0.0044	0.0044	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_a	robustness		Fbar	0.034	NOISE_0.0038	0.0038	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_a	robustness		C	-0.1882	NOISE_0.0176	0.0176	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Cbar_a	robustness		Cbar	0.0788	NOISE_0.0076	0.0076	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	F	quality	clean	F	0.1804	dual_geometry_0.1726	0.1726	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	Fbar	quality	clean	Fbar	0.238	dual_geometry_0.2098	0.2098	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	C	quality	clean	C	0.3024	dual_geometry_0.2872	0.2872	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	Cbar	quality	clean	Cbar	0.3706	dual_geometry_0.4004	0.4004	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_g	robustness		F	0.1532	dual_geometry_0.156	0.156	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_g	robustness		Fbar	-0.1178	dual_geometry_0.1262	0.1262	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_g	robustness		C	0.3372	dual_geometry_0.347	0.347	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Cbar_g	robustness		Cbar	-0.3282	dual_geometry_0.3436	0.3436	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_p	robustness		F	0.1386	dual_geometry_0.1294	0.1294	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_p	robustness		Fbar	-0.1034	dual_geometry_0.1107	0.1107	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_p	robustness		C	0.3086	dual_geometry_0.3086	0.3086	shared_q	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Cbar_p	robustness		Cbar	-0.3098	dual_geometry_0.3174	0.3174	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_F_s	robustness		F	0.08	dual_geometry_0.0722	0.0722	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_Fbar_s	robustness		Fbar	-0.0688	dual_geometry_0.0666	0.0666	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	simpleavg	R_C_s	robustness		C	0.121	dual_geometry_0.1188	0.1188	shared_q	better

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar	robustness		Cbar	-0.1234	dual_geometry	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_F_a	robustness		F	-0.097	dual_geometry	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Fbar	robustness		Fbar	0.034	dual_geometry	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_C_a	robustness		C	-0.1882	dual_geometry	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	simpleavg	4	R_Cbar	robustness		Cbar	0.0788	dual_geometry	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	F	quality	clean	F	0.1856	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	Fbar	quality	clean	Fbar	0.1802	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	C	quality	clean	C	0.3116	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	Cbar	quality	clean	Cbar	0.3024	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_g	robustness		F	0.1716	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_g	robustness		Fbar	-0.1134	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_g	robustness		C	0.3338	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_g	robustness		Cbar	-0.3262	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_p	robustness		F	0.1612	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_p	robustness		Fbar	-0.0928	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_p	robustness		C	0.317	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_p	robustness		Cbar	-0.2998	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_s	robustness		F	0.0798	clean_selection	bst_axis	indivictal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_s	robustness		Fbar	-0.0402	clean_selection	bst_axis	indivictal	

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_s	robustness	C	0.1176	clean_sel0.1178	best	individer	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.1024	clean_sel0.0995	best	individer	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_a	robustness	F	-0.11	clean_sel0.1058	best	individer	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	0.0302	clean_sel0.0216	best	individer	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_a	robustness	C	-0.206	clean_sel0.2096	best	individer	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	0.0712	clean_sel0.0572	best	individer	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	F	quality	clean	F	0.1856	naive_q10.158	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	Fbar	quality	clean	Fbar	0.1802	naive_q10.2186	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	C	quality	clean	C	0.3116	naive_q10.2756	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	Cbar	quality	clean	Cbar	0.3024	naive_q10.3464	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_g	robustness	F	0.1716	naive_q10.1692	max	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	-0.1134	naive_q10.0996	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_g	robustness	C	0.3338	naive_q10.3384	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.3262	naive_q10.3208	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_p	robustness	F	0.1612	naive_q10.1624	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	-0.0928	naive_q10.0788	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_p	robustness	C	0.317	naive_q10.3208	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.2998	naive_q10.2822	max	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_s	robustness	F	0.0798	naive_q10.0748	max	better	

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	-0.0402	naive_q1	0.0428	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_s	robustness	C	0.1176	naive_q1	0.1142	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.1024	naive_q1	0.103	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_a	robustness	F	-0.11	naive_q1	0.095	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	0.0302	naive_q1	0.019	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_a	robustness	C	-0.206	naive_q1	0.1882	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	0.0712	naive_q1	0.0532	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	F	quality clean	F	0.1856	NOISE_0.158	gemmetry	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	Fbar	quality clean	Fbar	0.1802	NOISE_0.2186	gemmetry	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	C	quality clean	C	0.3116	NOISE_0.276	gemmetry	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	Cbar	quality clean	Cbar	0.3024	NOISE_0.3464	gemmetry	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_g	robustness	F	0.1716	NOISE_0.1692	gemmetry	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	-0.1134	NOISE_0.0996	gemmetry	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_g	robustness	C	0.3338	NOISE_0.3384	gemmetry	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.3262	NOISE_0.3208	gemmetry	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_p	robustness	F	0.1612	NOISE_0.1624	gemmetry	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	-0.0928	NOISE_0.0788	gemmetry	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_p	robustness	C	0.317	NOISE_0.3208	gemmetry	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.2998	NOISE_0.2822	gemmetry	max	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_s	robustness	F	0.0798	NOISE_0.0748	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_r	robustness	Fbar	-0.0402	NOISE_0.0428	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_s	robustness	C	0.1176	NOISE_0.1142	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_r	robustness	Cbar	-0.1024	NOISE_0.103	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_a	robustness	F	-0.11	NOISE_0.095	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_a	robustness	Fbar	0.0302	NOISE_0.019	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_a	robustness	C	-0.206	NOISE_0.1882	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_a	robustness	Cbar	0.0712	NOISE_0.0532	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	F	quality clean	F	0.1856	dual_geo_0.1376	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	Fbar	quality clean	Fbar	0.1802	dual_geo_0.1382	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	C	quality clean	C	0.3116	dual_geo_0.312	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	Cbar	quality clean	Cbar	0.3024	dual_geo_0.316	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_g	robustness	F	0.1716	dual_geo_0.1476	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_g	robustness	Fbar	-0.1134	dual_geo_0.119	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_g	robustness	C	0.3338	dual_geo_0.3406	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Cbar_g	robustness	Cbar	-0.3262	dual_geo_0.3498	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_F_p	robustness	F	0.1612	dual_geo_0.1502	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_Fbar_p	robustness	Fbar	-0.0928	dual_geo_0.1106	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	borda	4	R_C_p	robustness	C	0.317	dual_geo_0.3128	shared_q	better

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_robustness	robustness		Cbar	-0.2998	dual_geometry	0.3188	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_s_robustness	robustness		F	0.0798	dual_geometry	0.0764	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_robustness	robustness		Fbar	-0.0402	dual_geometry	0.0511	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_s_robustness	robustness		C	0.1176	dual_geometry	0.1138	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_robustness	robustness		Cbar	-0.1024	dual_geometry	0.1142	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_F_a_robustness	robustness		F	-0.11	dual_geometry	0.1108	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Fbar_robustness	robustness		Fbar	0.0302	dual_geometry	0.0262	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_C_a_robustness	robustness		C	-0.206	dual_geometry	0.203	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	borda	4	R_Cbar_robustness	robustness		Cbar	0.0712	dual_geometry	0.072	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	F_quality_clean	quality	clean	F	0.175	clean_selected	0.1716	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	Fbar_quality_clean	quality	clean	Fbar	0.165	clean_selected	0.1552	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	C_quality_clean	quality	clean	C	0.2978	clean_selected	0.2921	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	Cbar_quality_clean	quality	clean	Cbar	0.2772	clean_selected	0.2952	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_g_robustness	robustness		F	0.1706	clean_selected	0.156	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar_g_robustness	robustness		Fbar	-0.086	clean_selected	0.103	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_g_robustness	robustness		C	0.329	clean_selected	0.3281	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar_g_robustness	robustness		Cbar	-0.3086	clean_selected	0.3102	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_p_robustness	robustness		F	0.1612	clean_selected	0.1478	best_axis	indivictal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar_p_robustness	robustness		Fbar	-0.0606	clean_selected	0.0636	best_axis	indivictal

cell	dataset	model	geometry	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_p	robustness	ps	C	0.3108	clean_sel	0.3176	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar_p	robustness	ps	Cbar	-0.2756	clean_sel	0.2836	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_s	robustness	ps	F	0.0806	clean_sel	0.0618	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar_s	robustness	ps	Fbar	-0.0352	clean_sel	0.0337	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_s	robustness	ps	C	0.1136	clean_sel	0.1178	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar_s	robustness	ps	Cbar	-0.1016	clean_sel	0.0995	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_a	robustness	ps	F	-0.1066	clean_sel	0.1038	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar_a	robustness	ps	Fbar	0.0088	clean_sel	0.0216	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_a	robustness	ps	C	-0.2046	clean_sel	0.2096	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar_a	robustness	ps	Cbar	0.0402	clean_sel	0.0572	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	F	quality	clean	F	0.175	naive_q	0.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	Fbar	quality	clean	Fbar	0.165	naive_q	0.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	C	quality	clean	C	0.2978	naive_q	0.271	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	Cbar	quality	clean	Cbar	0.2772	naive_q	0.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_g	robustness	ps	F	0.1706	naive_q	0.1668	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar_g	robustness	ps	Fbar	-0.086	naive_q	0.0684	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_g	robustness	ps	C	0.329	naive_q	0.3296	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar_g	robustness	ps	Cbar	-0.3086	naive_q	0.2774	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_p	robustness	ps	F	0.1612	naive_q	0.1614	max	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness	Fbar	-0.0606	naive_q1	0.045	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_p	robustness	C	0.3108	naive_q1	0.317	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness	Cbar	-0.2756	naive_q1	0.2522	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_s	robustness	F	0.0806	naive_q1	0.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness	Fbar	-0.0352	naive_q1	0.0362	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_s	robustness	C	0.1136	naive_q1	0.1136	max	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness	Cbar	-0.1016	naive_q1	0.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_a	robustness	F	-0.1066	naive_q1	0.0904	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness	Fbar	0.0088	naive_q1	0.015	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_a	robustness	C	-0.2046	naive_q1	0.179	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness	Cbar	0.0402	naive_q1	0.0492	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	F	quality clean	F	0.175	NOISE_0.1556	0.1556	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	Fbar	quality clean	Fbar	0.165	NOISE_0.2284	0.2284	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	C	quality clean	C	0.2978	NOISE_0.2774	0.2774	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	Cbar	quality clean	Cbar	0.2772	NOISE_0.3492	0.3492	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_g	robustness	F	0.1706	NOISE_0.1668	0.1668	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness	Fbar	-0.086	NOISE_0.0684	0.0684	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_g	robustness	C	0.329	NOISE_0.3296	0.3296	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness	Cbar	-0.3086	NOISE_0.2774	0.2774	geometry	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_F_p	robustness	F	0.1612	NOISE_0.1614	0.1614	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Fbar_p	robustness	Fbar	-0.0606	NOISE_0.1045	0.1045	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_C_p	robustness	C	0.3108	NOISE_0.3117	0.3117	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Cbar_p	robustness	Cbar	-0.2756	NOISE_0.1252	0.1252	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_F_s	robustness	F	0.0806	NOISE_0.0748	0.0748	gemastry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Fbar_s	robustness	Fbar	-0.0352	NOISE_0.1036	0.1036	gemastry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_C_s	robustness	C	0.1136	NOISE_0.1186	0.1186	gemastry	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Cbar_s	robustness	Cbar	-0.1016	NOISE_0.1009	0.1009	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_F_a	robustness	F	-0.1066	NOISE_0.1004	0.1004	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Fbar_a	robustness	Fbar	0.0088	NOISE_0.1015	0.1015	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_C_a	robustness	C	-0.2046	NOISE_0.1179	0.1179	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Cbar_a	robustness	Cbar	0.0402	NOISE_0.1040	0.1040	gemastry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	F	quality clean	F	0.175	dual_geo_0.1874	0.1874	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	Fbar	quality clean	Fbar	0.165	dual_geo_0.1458	0.1458	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	C	quality clean	C	0.2978	dual_geo_0.3128	0.3128	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	Cbar	quality clean	Cbar	0.2772	dual_geo_0.2872	0.2872	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_F_g	robustness	F	0.1706	dual_geo_0.1704	0.1704	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_Fbar_g	robustness	Fbar	-0.086	dual_geo_0.0006	0.0006	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	kemeny	4	R_C_g	robustness	C	0.329	dual_geo_0.332	0.332	shared_q	worse

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness		Cbar	-0.3086	dual_geometric	0.3062	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_p	robustness		F	0.1612	dual_geometric	0.1628	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness		Fbar	-0.0606	dual_geometric	0.0654	shared	qbetter
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_p	robustness		C	0.3108	dual_geometric	0.3156	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness		Cbar	-0.2756	dual_geometric	0.2774	shared	qbetter
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_s	robustness		F	0.0806	dual_geometric	0.0846	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness		Fbar	-0.0352	dual_geometric	0.0446	shared	qbetter
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_s	robustness		C	0.1136	dual_geometric	0.1202	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness		Cbar	-0.1016	dual_geometric	0.1034	shared	qbetter
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_F_a	robustness		F	-0.1066	dual_geometric	0.1106	shared	qbetter
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Fbar	robustness		Fbar	0.0088	dual_geometric	0.0272	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_C_a	robustness		C	-0.2046	dual_geometric	0.2054	shared	qbetter
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	kemeny	4	R_Cbar	robustness		Cbar	0.0402	dual_geometric	0.0746	shared	qworse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	F	quality	clean	F	0.1834	clean_selected	0.736	best	ax individual
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	Fbar	quality	clean	Fbar	0.1606	clean_selected	0.752	best	ax individual
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	C	quality	clean	C	0.3066	clean_selected	0.2921	best	ax individual
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	Cbar	quality	clean	Cbar	0.2748	clean_selected	0.2952	best	ax individual
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_F_g	robustness		F	0.1756	clean_selected	0.155	best	ax individual
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Fbar	robustness		Fbar	-0.0984	clean_selected	0.103	best	ax individual

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_C_g	robustness		C	0.333	clean_sel0.3281	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Cbar_g	robustness		Cbar	-0.3202	clean_sel0.3402	best	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_F_p	robustness		F	0.165	clean_sel0.1378	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Fbar_p	robustness		Fbar	-0.072	clean_sel0.0636	best	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_C_p	robustness		C	0.3196	clean_sel0.3176	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Cbar_p	robustness		Cbar	-0.284	clean_sel0.2836	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_F_s	robustness		F	0.0828	clean_sel0.0618	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Fbar_s	robustness		Fbar	-0.0386	clean_sel0.0337	best	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_C_s	robustness		C	0.1194	clean_sel0.1178	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Cbar_s	robustness		Cbar	-0.102	clean_sel0.095	best	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_F_a	robustness		F	-0.1104	clean_sel0.1058	best	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Fbar_a	robustness		Fbar	0.026	clean_sel0.0216	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_C_a	robustness		C	-0.2048	clean_sel0.2096	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_Cbar_a	robustness		Cbar	0.0638	clean_sel0.0572	best	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	F	quality	clean	F	0.1834	naive_q10.1612	max		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	Fbar	quality	clean	Fbar	0.1606	naive_q10.12176	min		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	C	quality	clean	C	0.3066	naive_q10.2812	max		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	Cbar	quality	clean	Cbar	0.2748	naive_q10.3424	min		better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	rrf	4	R_F_g	robustness		F	0.1756	naive_q10.1648	max		better

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar	robustness	clean	Fbar	-0.0984	naive_q1	0.0776	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_g	robustness	clean	C	0.333	naive_q1	0.3286	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar	robustness	clean	Cbar	-0.3202	naive_q1	0.2944	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_p	robustness	clean	F	0.165	naive_q1	0.1624	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar	robustness	clean	Fbar	-0.072	naive_q1	0.066	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_p	robustness	clean	C	0.3196	naive_q1	0.3134	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar	robustness	clean	Cbar	-0.284	naive_q1	0.2654	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_s	robustness	clean	F	0.0828	naive_q1	0.0742	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar	robustness	clean	Fbar	-0.0386	naive_q1	0.0342	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_s	robustness	clean	C	0.1194	naive_q1	0.1126	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar	robustness	clean	Cbar	-0.102	naive_q1	0.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_a	robustness	clean	F	-0.1104	naive_q1	0.0956	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar	robustness	clean	Fbar	0.026	naive_q1	0.0246	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_a	robustness	clean	C	-0.2048	naive_q1	0.1914	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar	robustness	clean	Cbar	0.0638	naive_q1	0.0608	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	F	quality	clean	F	0.1834	NOISE_0.162	geometry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	Fbar	quality	clean	Fbar	0.1606	NOISE_0.2176	geometry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	C	quality	clean	C	0.3066	NOISE_0.2842	geometry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	Cbar	quality	clean	Cbar	0.2748	NOISE_0.3424	geometry	better	

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_g	robustness		F	0.1756	NOISE_0.1648	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar_g	robustness		Fbar	-0.0984	NOISE_0.0776	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_g	robustness		C	0.333	NOISE_0.3286	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar_g	robustness		Cbar	-0.3202	NOISE_0.2944	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_p	robustness		F	0.165	NOISE_0.1624	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar_p	robustness		Fbar	-0.072	NOISE_0.066	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_p	robustness		C	0.3196	NOISE_0.3184	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar_p	robustness		Cbar	-0.284	NOISE_0.2654	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_s	robustness		F	0.0828	NOISE_0.0742	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar_s	robustness		Fbar	-0.0386	NOISE_0.0342	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_s	robustness		C	0.1194	NOISE_0.1126	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar_s	robustness		Cbar	-0.102	NOISE_0.0958	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_F_a	robustness		F	-0.1104	NOISE_0.0956	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Fbar_a	robustness		Fbar	0.026	NOISE_0.0246	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_C_a	robustness		C	-0.2048	NOISE_0.1914	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	R_Cbar_a	robustness		Cbar	0.0638	NOISE_0.0608	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	F	quality	clean	F	0.1834	dual_geometric_0.1836	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	Fbar	quality	clean	Fbar	0.1606	dual_geometric_0.1868	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	rrf	4	C	quality	clean	C	0.3066	dual_geometric_0.3152	shared_q	worse	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	Cbar	quality	clean	Cbar	0.2748	dual_geo	0.3094	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_F_g	robustness		F	0.1756	dual_geo	0.1446	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Fbar_g	robustness		Fbar	-0.0984	dual_geo	0.1444	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_C_g	robustness		C	0.333	dual_geo	0.3352	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Cbar_g	robustness		Cbar	-0.3202	dual_geo	0.3334	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_F_p	robustness		F	0.165	dual_geo	0.1572	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Fbar_p	robustness		Fbar	-0.072	dual_geo	0.0966	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_C_p	robustness		C	0.3196	dual_geo	0.3154	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Cbar_p	robustness		Cbar	-0.284	dual_geo	0.3072	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_F_s	robustness		F	0.0828	dual_geo	0.0822	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Fbar_s	robustness		Fbar	-0.0386	dual_geo	0.0468	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_C_s	robustness		C	0.1194	dual_geo	0.1146	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Cbar_s	robustness		Cbar	-0.102	dual_geo	0.1108	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_F_a	robustness		F	-0.1104	dual_geo	0.1192	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Fbar_a	robustness		Fbar	0.026	dual_geo	0.0322	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_C_a	robustness		C	-0.2048	dual_geo	0.205	shared_q	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	rrf	4	R_Cbar_a	robustness		Cbar	0.0638	dual_geo	0.0754	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	schulze	4	F	quality	clean	F	0.1704	clean_sel	0.1716	best	individual
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE-	borda	schulze	4	Fbar	quality	clean	Fbar	0.1726	clean_sel	0.1752	best	individual

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	C	quality	clean	C	0.2974	clean_sel0.2921	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	Cbar	quality	clean	Cbar	0.2872	clean_sel0.2952	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_g	robustness		F	0.176	clean_sel0.175	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_g	robustness		Fbar	-0.0818	clean_sel0.103	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_g	robustness		C	0.3238	clean_sel0.3281	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_g	robustness		Cbar	-0.3004	clean_sel0.3402	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_p	robustness		F	0.1694	clean_sel0.1678	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_p	robustness		Fbar	-0.0512	clean_sel0.0636	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_p	robustness		C	0.3178	clean_sel0.3176	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_p	robustness		Cbar	-0.2672	clean_sel0.2836	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_s	robustness		F	0.0876	clean_sel0.0618	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_s	robustness		Fbar	-0.028	clean_sel0.037	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_s	robustness		C	0.1156	clean_sel0.1178	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_s	robustness		Cbar	-0.0916	clean_sel0.095	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_a	robustness		F	-0.1046	clean_sel0.1038	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_a	robustness		Fbar	0.0142	clean_sel0.0216	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_a	robustness		C	-0.206	clean_sel0.2096	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_a	robustness		Cbar	0.0508	clean_sel0.0572	best	max
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	F	quality	clean	F	0.1704	naive_q0.1576	max	better

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	Fbar	quality	clean	Fbar	0.1726	naive_q1	0.2182	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	C	quality	clean	C	0.2974	naive_q1	0.276	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	Cbar	quality	clean	Cbar	0.2872	naive_q1	0.3444	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_g	robustness		F	0.176	naive_q1	0.1662	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_g	robustness		Fbar	-0.0818	naive_q1	0.0762	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_g	robustness		C	0.3238	naive_q1	0.3296	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_g	robustness		Cbar	-0.3004	naive_q1	0.288	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_p	robustness		F	0.1694	naive_q1	0.1592	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_p	robustness		Fbar	-0.0512	naive_q1	0.0656	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_p	robustness		C	0.3178	naive_q1	0.3124	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_p	robustness		Cbar	-0.2672	naive_q1	0.2696	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_s	robustness		F	0.0876	naive_q1	0.077	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_s	robustness		Fbar	-0.028	naive_q1	0.035	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_s	robustness		C	0.1156	naive_q1	0.112	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_s	robustness		Cbar	-0.0916	naive_q1	0.0958	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_a	robustness		F	-0.1046	naive_q1	0.0926	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_a	robustness		Fbar	0.0142	naive_q1	0.017	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_a	robustness		C	-0.206	naive_q1	0.1864	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_a	robustness		Cbar	0.0508	naive_q1	0.0506	max	better

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	F	quality	clean	F	0.1704	NOISE_0.1576	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	Fbar	quality	clean	Fbar	0.1726	NOISE_0.2182	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	C	quality	clean	C	0.2974	NOISE_0.2776	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	Cbar	quality	clean	Cbar	0.2872	NOISE_0.3444	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_g	robustness		F	0.176	NOISE_0.1662	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_g	robustness		Fbar	-0.0818	NOISE_0.0762	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_g	robustness		C	0.3238	NOISE_0.3206	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_g	robustness		Cbar	-0.3004	NOISE_0.1288	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_p	robustness		F	0.1694	NOISE_0.1502	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_p	robustness		Fbar	-0.0512	NOISE_0.0656	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_p	robustness		C	0.3178	NOISE_0.3124	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_p	robustness		Cbar	-0.2672	NOISE_0.1269	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_s	robustness		F	0.0876	NOISE_0.0777	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_s	robustness		Fbar	-0.028	NOISE_0.035	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_s	robustness		C	0.1156	NOISE_0.112	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_s	robustness		Cbar	-0.0916	NOISE_0.0958	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_F_a	robustness		F	-0.1046	NOISE_0.0926	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Fbar_a	robustness		Fbar	0.0142	NOISE_0.017	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_a	robustness		C	-0.206	NOISE_0.1864	gemmetry	worse	

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Cbar_r	robustness		Cbar	0.0508	NOISE- 0.0506	gemaxtry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	F	quality	clean	F	0.1704	dual_geometric 0.1476	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	Fbar	quality	clean	Fbar	0.1726	dual_geometric 0.2018	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	C	quality	clean	C	0.2974	dual_geometric 0.312	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	Cbar	quality	clean	Cbar	0.2872	dual_geometric 0.3258	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_F_g	robustness		F	0.176	dual_geometric 0.1686	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Fbar_g	robustness		Fbar	-0.0818	dual_geometric 0.1176	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_C_g	robustness		C	0.3238	dual_geometric 0.337	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Cbar_g	robustness		Cbar	-0.3004	dual_geometric 0.3336	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_F_p	robustness		F	0.1694	dual_geometric 0.1578	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Fbar_p	robustness		Fbar	-0.0512	dual_geometric 0.0936	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_C_p	robustness		C	0.3178	dual_geometric 0.321	shared_q	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Cbar_p	robustness		Cbar	-0.2672	dual_geometric 0.3072	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_F_s	robustness		F	0.0876	dual_geometric 0.0788	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Fbar_s	robustness		Fbar	-0.028	dual_geometric 0.049	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_C_s	robustness		C	0.1156	dual_geometric 0.115	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Cbar_s	robustness		Cbar	-0.0916	dual_geometric 0.117	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_F_a	robustness		F	-0.1046	dual_geometric 0.1032	shared_q	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman S	NOISE- S	borda	schulze	4	R_Fbar_a	robustness		Fbar	0.0142	dual_geometric 0.0352	shared_q	worse	

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_C_a	robustness		C	-0.206	dual_geom_2016	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	NOISE- S	borda	schulze	4	R_Cbar_a	robustness		Cbar	0.0508	dual_geom_2016	shared_q	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	F	quality	clean	F	0.1726	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	Fbar	quality	clean	Fbar	0.2698	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	C	quality	clean	C	0.2872	clean_sel_0.2921	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	Cbar	quality	clean	Cbar	0.4004	clean_sel_0.2921	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_F_g	robustness		F	0.156	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Fbar_g	robustness		Fbar	-0.1262	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_C_g	robustness		C	0.347	clean_sel_0.3281	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Cbar_g	robustness		Cbar	-0.3426	clean_sel_0.3281	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_F_p	robustness		F	0.1294	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Fbar_p	robustness		Fbar	-0.107	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_C_p	robustness		C	0.3086	clean_sel_0.3176	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Cbar_p	robustness		Cbar	-0.3174	clean_sel_0.3176	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_F_s	robustness		F	0.0722	clean_sel_0.0618	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Fbar_s	robustness		Fbar	-0.0666	clean_sel_0.0618	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_C_s	robustness		C	0.1188	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Cbar_s	robustness		Cbar	-0.13	clean_sel_0.0716	bsa_x	indivictat
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_F_a	robustness		F	-0.0908	clean_sel_0.0716	bsa_x	indivictat

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_r	robustness		Fbar	0.0428	clean_set	0.0216	best	indifferent
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_a	robustness		C	-0.1732	clean_set	0.2096	best	indifferent
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_r	robustness		Cbar	0.0784	clean_set	0.0572	best	indifferent
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	F	quality	clean	F	0.1726	naive_q	0.1726	max	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	Fbar	quality	clean	Fbar	0.2698	naive_q	0.1251	min	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	C	quality	clean	C	0.2872	naive_q	0.1286	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	Cbar	quality	clean	Cbar	0.4004	naive_q	0.13862	min	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_g	robustness		F	0.156	naive_q	0.1564	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_g	robustness		Fbar	-0.1262	naive_q	0.1118	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_g	robustness		C	0.347	naive_q	0.13474	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_g	robustness		Cbar	-0.3426	naive_q	0.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_p	robustness		F	0.1294	naive_q	0.11376	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_p	robustness		Fbar	-0.107	naive_q	0.0916	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_p	robustness		C	0.3086	naive_q	0.13152	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_p	robustness		Cbar	-0.3174	naive_q	0.2946	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_s	robustness		F	0.0722	naive_q	0.10734	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_s	robustness		Fbar	-0.0666	naive_q	0.0636	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_s	robustness		C	0.1188	naive_q	0.11192	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_s	robustness		Cbar	-0.13	naive_q	0.1196	max	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_F_a	robustness		F	-0.0908	naive_q1	-0.0944	max	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Fbar_a	robustness		Fbar	0.0428	naive_q1	0.0338	max	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_C_a	robustness		C	-0.1732	naive_q1	-0.1768	max	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Cbar_a	robustness		Cbar	0.0784	naive_q1	0.0754	max	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	F	quality	clean	F	0.1726	NOISE_0.1726	0.1726	geometry	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	Fbar	quality	clean	Fbar	0.2698	NOISE_0.2551	0.2551	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	C	quality	clean	C	0.2872	NOISE_0.286	0.286	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	Cbar	quality	clean	Cbar	0.4004	NOISE_0.3862	0.3862	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_F_g	robustness		F	0.156	NOISE_0.1564	0.1564	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Fbar_g	robustness		Fbar	-0.1262	NOISE_0.1118	0.1118	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_C_g	robustness		C	0.347	NOISE_0.3474	0.3474	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Cbar_g	robustness		Cbar	-0.3426	NOISE_0.32208	0.32208	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_F_p	robustness		F	0.1294	NOISE_0.1378	0.1378	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Fbar_p	robustness		Fbar	-0.107	NOISE_0.10916	0.10916	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_C_p	robustness		C	0.3086	NOISE_0.3152	0.3152	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Cbar_p	robustness		Cbar	-0.3174	NOISE_0.32046	0.32046	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_F_s	robustness		F	0.0722	NOISE_0.0784	0.0784	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_Fbar_s	robustness		Fbar	-0.0666	NOISE_0.0636	0.0636	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall resnet18	NOISE- K	kemeny	simpleavg	R_C_s	robustness		C	0.1188	NOISE_0.1192	0.1192	geometry	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_r	robustness		Cbar	-0.13	NOISE_s	0.196	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_a	robustness		F	-0.0908	NOISE_s	0.0944	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_r	robustness		Fbar	0.0428	NOISE_s	0.0338	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_a	robustness		C	-0.1732	NOISE_s	0.1763	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_r	robustness		Cbar	0.0784	NOISE_s	0.0754	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	F	quality	clean	F	0.1726	dual_geo	0.1726	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	Fbar	quality	clean	Fbar	0.2698	dual_geo	0.2698	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	C	quality	clean	C	0.2872	dual_geo	0.2872	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	Cbar	quality	clean	Cbar	0.4004	dual_geo	0.4004	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_g	robustness		F	0.156	dual_geo	0.156	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_g	robustness		Fbar	-0.1262	dual_geo	0.1262	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_g	robustness		C	0.347	dual_geo	0.347	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_g	robustness		Cbar	-0.3426	dual_geo	0.3426	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_p	robustness		F	0.1294	dual_geo	0.1294	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_p	robustness		Fbar	-0.107	dual_geo	0.107	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_C_p	robustness		C	0.3086	dual_geo	0.3086	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_p	robustness		Cbar	-0.3174	dual_geo	0.3174	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_F_s	robustness		F	0.0722	dual_geo	0.0722	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_s	robustness		Fbar	-0.0666	dual_geo	0.0666	shared_qequal	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_C_s	robustness		C	0.1188	dual_geometric	0.1188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Cbar_s	robustness		Cbar	-0.13	dual_geometric	0.1188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_F_a	robustness		F	-0.0908	dual_geometric	0.1188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Fbar_a	robustness		Fbar	0.0428	dual_geometric	0.1188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_C_a	robustness		C	-0.1732	dual_geometric	0.1188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	simpleavg	5	R_Cbar_a	robustness		Cbar	0.0784	dual_geometric	0.1188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	F	quality	clean	F	0.1876	clean_selected	0.1876	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Fbar	quality	clean	Fbar	0.1982	clean_selected	0.1876	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	C	quality	clean	C	0.312	clean_selected	0.2921	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Cbar	quality	clean	Cbar	0.3216	clean_selected	0.2921	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_g	robustness		F	0.1676	clean_selected	0.1676	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_g	robustness		Fbar	-0.13	clean_selected	0.1676	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_g	robustness		C	0.3406	clean_selected	0.3281	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_g	robustness		Cbar	-0.3498	clean_selected	0.3281	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_p	robustness		F	0.1502	clean_selected	0.1478	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_p	robustness		Fbar	-0.1106	clean_selected	0.1478	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_p	robustness		C	0.3128	clean_selected	0.3176	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_p	robustness		Cbar	-0.3188	clean_selected	0.3176	borda	indivictat
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_s	robustness		F	0.0764	clean_selected	0.0618	borda	indivictat

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_r	robustness		Fbar	-0.051	clean_sel	10.037	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_s	robustness		C	0.1138	clean_sel	10.178	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_r	robustness		Cbar	-0.1142	clean_sel	10.095	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_a	robustness		F	-0.1108	clean_sel	10.103	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_r	robustness		Fbar	0.0262	clean_sel	10.021	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_a	robustness		C	-0.203	clean_sel	10.209	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_r	robustness		Cbar	0.072	clean_sel	10.052	best	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	F	quality	clean	F	0.1876	naive_q	10.158	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Fbar	quality	clean	Fbar	0.1982	naive_q	10.2186	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	C	quality	clean	C	0.312	naive_q	10.2756	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Cbar	quality	clean	Cbar	0.3216	naive_q	10.3464	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_g	robustness		F	0.1676	naive_q	10.1692	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_g	robustness		Fbar	-0.13	naive_q	10.0996	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_g	robustness		C	0.3406	naive_q	10.3384	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_g	robustness		Cbar	-0.3498	naive_q	10.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_p	robustness		F	0.1502	naive_q	10.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_p	robustness		Fbar	-0.1106	naive_q	10.0788	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_p	robustness		C	0.3128	naive_q	10.3208	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_p	robustness		Cbar	-0.3188	naive_q	10.2822	max	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_s	robustness	F	0.0764	naive_q1	0.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_r	robustness	Fbar	-0.051	naive_q1	0.0428	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_s	robustness	C	0.1138	naive_q1	0.1142	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_r	robustness	Cbar	-0.1142	naive_q1	0.103	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_a	robustness	F	-0.1108	naive_q1	0.095	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_a	robustness	Fbar	0.0262	naive_q1	0.019	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_a	robustness	C	-0.203	naive_q1	0.1882	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_a	robustness	Cbar	0.072	naive_q1	0.0532	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	F	quality	clean	F	0.1876	NOISE_0.158	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Fbar	quality	clean	Fbar	0.1982	NOISE_0.2186	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	C	quality	clean	C	0.312	NOISE_0.2756	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Cbar	quality	clean	Cbar	0.3216	NOISE_0.3464	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_g	robustness	F	0.1676	NOISE_0.1692	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_g	robustness	Fbar	-0.13	NOISE_0.10996	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_g	robustness	C	0.3406	NOISE_0.3384	gemmetry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_g	robustness	Cbar	-0.3498	NOISE_0.32208	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_p	robustness	F	0.1502	NOISE_0.1624	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_p	robustness	Fbar	-0.1106	NOISE_0.0788	gemmetry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_p	robustness	C	0.3128	NOISE_0.3208	gemmetry	worse	

cell	dataset	model	geometry label	geometry- center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_robustness	robustness	Cbar	-0.3188	NOISE_0.2822	0.2822	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_s_robustness	robustness	F	0.0764	NOISE_0.0768	0.0768	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_robustness	robustness	Fbar	-0.051	NOISE_0.0428	0.0428	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_s_robustness	robustness	C	0.1138	NOISE_0.1142	0.1142	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_robustness	robustness	Cbar	-0.1142	NOISE_0.1103	0.1103	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_a_robustness	robustness	F	-0.1108	NOISE_0.1095	0.1095	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_robustness	robustness	Fbar	0.0262	NOISE_0.010	0.010	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_a_robustness	robustness	C	-0.203	NOISE_0.1882	0.1882	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_robustness	robustness	Cbar	0.072	NOISE_0.0532	0.0532	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	F	quality	clean	F	0.1876	dual_geometry_shared	0.1876	shared_qequal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Fbar	quality	clean	Fbar	0.1982	dual_geometry_shared	0.1982	shared_qequal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	C	quality	clean	C	0.312	dual_geometry_shared	0.312	shared_qequal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	Cbar	quality	clean	Cbar	0.3216	dual_geometry_shared	0.3216	shared_qequal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_g_robustness	robustness	F	0.1676	dual_geometry_shared	0.1676	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_g_robustness	robustness	Fbar	-0.13	dual_geometry_shared	0.13	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_g_robustness	robustness	C	0.3406	dual_geometry_shared	0.3406	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_g_robustness	robustness	Cbar	-0.3498	dual_geometry_shared	0.3498	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_p_robustness	robustness	F	0.1502	dual_geometry_shared	0.1502	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_p_robustness	robustness	Fbar	-0.1106	dual_geometry_shared	0.1106	shared_qequal	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	label	rule				group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_p	robustness		C	0.3128	dual_geo	0.3128	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_p	robustness		Cbar	-0.3188	dual_geo	0.3188	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_s	robustness		F	0.0764	dual_geo	0.0764	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_s	robustness		Fbar	-0.051	dual_geo	0.051	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_s	robustness		C	0.1138	dual_geo	0.1138	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_s	robustness		Cbar	-0.1142	dual_geo	0.1142	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_F_a	robustness		F	-0.1108	dual_geo	0.1108	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Fbar_a	robustness		Fbar	0.0262	dual_geo	0.0262	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_C_a	robustness		C	-0.203	dual_geo	0.203	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	borda	5	R_Cbar_a	robustness		Cbar	0.072	dual_geo	0.072	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	F	quality	clean	F	0.1874	clean_sel	0.1874	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	Fbar	quality	clean	Fbar	0.1658	clean_sel	0.1658	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	C	quality	clean	C	0.3128	clean_sel	0.3128	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	Cbar	quality	clean	Cbar	0.2872	clean_sel	0.2872	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_F_g	robustness		F	0.1704	clean_sel	0.1704	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_g	robustness		Fbar	-0.096	clean_sel	0.096	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_C_g	robustness		C	0.332	clean_sel	0.332	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_g	robustness		Cbar	-0.3062	clean_sel	0.3062	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_F_p	robustness		F	0.1628	clean_sel	0.1628	best	individual

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule				group					value	value		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_robustness	robustness	clean	Fbar	-0.0684	clean_sel0.0684	0.0684	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_C_p_robustness	robustness	clean	C	0.3156	clean_sel0.3156	0.3156	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_robustness	robustness	clean	Cbar	-0.2774	clean_sel0.2774	0.2774	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_F_s_robustness	robustness	clean	F	0.0846	clean_sel0.0846	0.0846	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_robustness	robustness	clean	Fbar	-0.0446	clean_sel0.0446	0.0446	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_C_s_robustness	robustness	clean	C	0.1202	clean_sel0.1202	0.1202	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_robustness	robustness	clean	Cbar	-0.1034	clean_sel0.1034	0.1034	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_F_a_robustness	robustness	clean	F	-0.1106	clean_sel0.1106	0.1106	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_robustness	robustness	clean	Fbar	0.0272	clean_sel0.0272	0.0272	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_C_a_robustness	robustness	clean	C	-0.2054	clean_sel0.2054	0.2054	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_robustness	robustness	clean	Cbar	0.0746	clean_sel0.0746	0.0746	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	F_quality	quality	clean	F	0.1874	naive_q10.1556	10.1556	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	Fbar_quality	quality	clean	Fbar	0.1658	naive_q10.2234	10.2234	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	C_quality	quality	clean	C	0.3128	naive_q10.271	10.271	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	Cbar_quality	quality	clean	Cbar	0.2872	naive_q10.3492	10.3492	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_F_g_robustness	robustness	naive	F	0.1704	naive_q10.1668	10.1668	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_g_robustness	robustness	naive	Fbar	-0.096	naive_q10.0684	10.0684	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_C_g_robustness	robustness	naive	C	0.332	naive_q10.3296	10.3296	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_g_robustness	robustness	naive	Cbar	-0.3062	naive_q10.2774	10.2774	max	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_F_p	robustness	F	0.1628	naive_q1	0.1614	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_p	robustness	Fbar	-0.0684	naive_q1	0.045	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_C_p	robustness	C	0.3156	naive_q1	0.317	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_p	robustness	Cbar	-0.2774	naive_q1	0.2522	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_F_s	robustness	F	0.0846	naive_q1	0.0748	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_s	robustness	Fbar	-0.0446	naive_q1	0.0362	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_C_s	robustness	C	0.1202	naive_q1	0.1136	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_s	robustness	Cbar	-0.1034	naive_q1	0.0994	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_F_a	robustness	F	-0.1106	naive_q1	0.0904	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_a	robustness	Fbar	0.0272	naive_q1	0.015	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_C_a	robustness	C	-0.2054	naive_q1	0.179	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Cbar_a	robustness	Cbar	0.0746	naive_q1	0.0492	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	F	quality	clean	F	0.1874	NOISE_0.1556	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	Fbar	quality	clean	Fbar	0.1658	NOISE_0.2284	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	C	quality	clean	C	0.3128	NOISE_0.271	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	Cbar	quality	clean	Cbar	0.2872	NOISE_0.3402	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_F_g	robustness	F	0.1704	NOISE_0.1668	geometry	better	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_Fbar_g	robustness	Fbar	-0.096	NOISE_0.0684	geometry	worse	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	kemeny	5	R_C_g	robustness	C	0.332	NOISE_0.3206	geometry	better	

cell	dataset	model	geometrylabel	geometrycenter rule	rule	q	column	endpointgroup	conditionmetric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Cbar_robustness	Cbar	-0.3062	NOISE_0.1274	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_F_p_robustness	F	0.1628	NOISE_0.1664	gemmetry	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Fbar_robustness	Fbar	-0.0684	NOISE_0.1045	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_C_p_robustness	C	0.3156	NOISE_0.3117	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Cbar_robustness	Cbar	-0.2774	NOISE_0.1252	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_F_s_robustness	F	0.0846	NOISE_0.0748	gemmetry	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Fbar_robustness	Fbar	-0.0446	NOISE_0.1032	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_C_s_robustness	C	0.1202	NOISE_0.1186	gemmetry	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Cbar_robustness	Cbar	-0.1034	NOISE_0.1099	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_F_a_robustness	F	-0.1106	NOISE_0.1090	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Fbar_robustness	Fbar	0.0272	NOISE_0.1016	gemmetry	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_C_a_robustness	C	-0.2054	NOISE_0.1179	gemmetry	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Cbar_robustness	Cbar	0.0746	NOISE_0.1040	gemmetry	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	F	quality clean	F	0.1874	dual_geometry_shared	equal
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	Fbar	quality clean	Fbar	0.1658	dual_geometry_shared	equal
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	C	quality clean	C	0.3128	dual_geometry_shared	equal
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	Cbar	quality clean	Cbar	0.2872	dual_geometry_shared	equal
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_F_g_robustness	F	0.1704	dual_geometry_shared	equal	
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	kemeny	5	R_Fbar_robustness	Fbar	-0.096	dual_geometry_shared	equal	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_C_g	robustness		C	0.332	dual_geo	0.332	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Cbar_g	robustness		Cbar	-0.3062	dual_geo	0.3062	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_F_p	robustness		F	0.1628	dual_geo	0.1628	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Fbar_p	robustness		Fbar	-0.0684	dual_geo	0.0684	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_C_p	robustness		C	0.3156	dual_geo	0.3156	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Cbar_p	robustness		Cbar	-0.2774	dual_geo	0.2774	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_F_s	robustness		F	0.0846	dual_geo	0.0846	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Fbar_s	robustness		Fbar	-0.0446	dual_geo	0.0446	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_C_s	robustness		C	0.1202	dual_geo	0.1202	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Cbar_s	robustness		Cbar	-0.1034	dual_geo	0.1034	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_F_a	robustness		F	-0.1106	dual_geo	0.1106	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Fbar_a	robustness		Fbar	0.0272	dual_geo	0.0272	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_C_a	robustness		C	-0.2054	dual_geo	0.2054	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	kemeny	5	R_Cbar_a	robustness		Cbar	0.0746	dual_geo	0.0746	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	F	quality	clean	F	0.1886	clean_sel	0.1886	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	Fbar	quality	clean	Fbar	0.1868	clean_sel	0.1868	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	C	quality	clean	C	0.3152	clean_sel	0.3152	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	Cbar	quality	clean	Cbar	0.3094	clean_sel	0.3094	best	individual
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_F_g	robustness		F	0.1646	clean_sel	0.1646	best	individual

cell	dataset	model	geometry label	geometry- center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar	robustness	clean	Fbar	-0.1144	clean_sel0.103	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_g	robustness	clean	C	0.3352	clean_sel0.328	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar	robustness	clean	Cbar	-0.3324	clean_sel0.340	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_p	robustness	clean	F	0.1572	clean_sel0.147	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_p	robustness	clean	Fbar	-0.0966	clean_sel0.063	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_p	robustness	clean	C	0.3154	clean_sel0.317	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_p	robustness	clean	Cbar	-0.3072	clean_sel0.283	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_s	robustness	clean	F	0.0822	clean_sel0.061	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_s	robustness	clean	Fbar	-0.0468	clean_sel0.037	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_s	robustness	clean	C	0.1146	clean_sel0.117	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_s	robustness	clean	Cbar	-0.108	clean_sel0.095	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_a	robustness	clean	F	-0.1102	clean_sel0.105	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_a	robustness	clean	Fbar	0.032	clean_sel0.021	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_a	robustness	clean	C	-0.205	clean_sel0.209	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_a	robustness	clean	Cbar	0.0754	clean_sel0.057	bsa	indiv
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	F	quality	clean	F	0.1886	naive_q1.1612	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	Fbar	quality	clean	Fbar	0.1868	naive_q1.2176	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	C	quality	clean	C	0.3152	naive_q1.2812	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	Cbar	quality	clean	Cbar	0.3094	naive_q1.3424	min	better

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_g	robustness		F	0.1646	naive_q1	0.1648	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_g	robustness		Fbar	-0.1144	naive_q1	0.0776	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_g	robustness		C	0.3352	naive_q1	0.3286	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_g	robustness		Cbar	-0.3324	naive_q1	0.2944	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_p	robustness		F	0.1572	naive_q1	0.1624	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_p	robustness		Fbar	-0.0966	naive_q1	0.066	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_p	robustness		C	0.3154	naive_q1	0.3134	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_p	robustness		Cbar	-0.3072	naive_q1	0.2654	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_s	robustness		F	0.0822	naive_q1	0.0742	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_s	robustness		Fbar	-0.0468	naive_q1	0.0342	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_s	robustness		C	0.1146	naive_q1	0.1126	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_s	robustness		Cbar	-0.108	naive_q1	0.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_a	robustness		F	-0.1102	naive_q1	0.0956	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_a	robustness		Fbar	0.032	naive_q1	0.0246	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_a	robustness		C	-0.205	naive_q1	0.1914	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_a	robustness		Cbar	0.0754	naive_q1	0.0608	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	F	quality	clean	F	0.1886	NOISE_0.1642	0.1642	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	Fbar	quality	clean	Fbar	0.1868	NOISE_0.2176	0.2176	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	C	quality	clean	C	0.3152	NOISE_0.2842	0.2842	geometry	better

cell	dataset	model	geometry label	geometry- center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	Cbar	quality	clean	Cbar	0.3094	NOISE_0.3424	0.3424	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_g	robustness		F	0.1646	NOISE_0.1668	0.1668	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_g	robustness		Fbar	-0.1144	NOISE_0.1077	0.1077	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_g	robustness		C	0.3352	NOISE_0.3326	0.3326	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_g	robustness		Cbar	-0.3324	NOISE_0.2944	0.2944	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_p	robustness		F	0.1572	NOISE_0.1624	0.1624	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_p	robustness		Fbar	-0.0966	NOISE_0.1066	0.1066	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_p	robustness		C	0.3154	NOISE_0.3184	0.3184	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_p	robustness		Cbar	-0.3072	NOISE_0.2654	0.2654	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_s	robustness		F	0.0822	NOISE_0.0742	0.0742	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_s	robustness		Fbar	-0.0468	NOISE_0.0342	0.0342	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_s	robustness		C	0.1146	NOISE_0.1126	0.1126	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_s	robustness		Cbar	-0.108	NOISE_0.1058	0.1058	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_F_a	robustness		F	-0.1102	NOISE_0.1056	0.1056	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Fbar_a	robustness		Fbar	0.032	NOISE_0.0246	0.0246	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_C_a	robustness		C	-0.205	NOISE_0.1914	0.1914	gemmetry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	R_Cbar_a	robustness		Cbar	0.0754	NOISE_0.0668	0.0668	gemmetry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	F	quality	clean	F	0.1886	dual_geom_1.886	1.886	shared_qequal	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny rrf	5	Fbar	quality	clean	Fbar	0.1868	dual_geom_1.868	1.868	shared_qequal	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	C	quality	clean	C	0.3152	dual_geo	0.3152	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	Cbar	quality	clean	Cbar	0.3094	dual_geo	0.3094	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_F_g	robustness		F	0.1646	dual_geo	0.1646	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Fbar_g	robustness		Fbar	-0.1144	dual_geo	0.1144	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_C_g	robustness		C	0.3352	dual_geo	0.3352	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Cbar_g	robustness		Cbar	-0.3324	dual_geo	0.3324	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_F_p	robustness		F	0.1572	dual_geo	0.1572	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Fbar_p	robustness		Fbar	-0.0966	dual_geo	0.0966	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_C_p	robustness		C	0.3154	dual_geo	0.3154	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Cbar_p	robustness		Cbar	-0.3072	dual_geo	0.3072	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_F_s	robustness		F	0.0822	dual_geo	0.0822	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Fbar_s	robustness		Fbar	-0.0468	dual_geo	0.0468	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_C_s	robustness		C	0.1146	dual_geo	0.1146	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Cbar_s	robustness		Cbar	-0.108	dual_geo	0.108	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_F_a	robustness		F	-0.1102	dual_geo	0.1102	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Fbar_a	robustness		Fbar	0.032	dual_geo	0.032	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_C_a	robustness		C	-0.205	dual_geo	0.205	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	rrf	5	R_Cbar_a	robustness		Cbar	0.0754	dual_geo	0.0754	shared	equal
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	NOISE-	kemeny	schulze	5	F	quality	clean	F	0.1876	clean_sel	0.1876	best	individual

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome	
			label	rule					group				value	value			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	Fbar	quality	clean	Fbar	0.2018	clean_sel	0.752	bsn	indiv	nsd
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	C	quality	clean	C	0.312	clean_sel	0.292	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	Cbar	quality	clean	Cbar	0.3258	clean_sel	0.2952	bsn	indiv	nsd
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_F_g	robustness		F	0.1686	clean_sel	0.752	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Fbar_g	robustness		Fbar	-0.1176	clean_sel	0.103	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_C_g	robustness		C	0.337	clean_sel	0.328	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Cbar_g	robustness		Cbar	-0.3336	clean_sel	0.3402	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_F_p	robustness		F	0.1578	clean_sel	0.752	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Fbar_p	robustness		Fbar	-0.0996	clean_sel	0.636	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_C_p	robustness		C	0.321	clean_sel	0.356	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Cbar_p	robustness		Cbar	-0.3072	clean_sel	0.2856	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_F_s	robustness		F	0.0788	clean_sel	0.618	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Fbar_s	robustness		Fbar	-0.049	clean_sel	0.637	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_C_s	robustness		C	0.115	clean_sel	0.478	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Cbar_s	robustness		Cbar	-0.111	clean_sel	0.605	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_F_a	robustness		F	-0.1092	clean_sel	0.1058	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Fbar_a	robustness		Fbar	0.0352	clean_sel	0.0216	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_C_a	robustness		C	-0.2016	clean_sel	0.2096	bsn	ax	vid
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Cbar_a	robustness		Cbar	0.0798	clean_sel	0.0572	bsn	ax	vid

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	label	rule				group				value	value		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	F	quality	clean	F	0.1876	naive_q1	1.1576	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	Fbar	quality	clean	Fbar	0.2018	naive_q1	1.2182	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	C	quality	clean	C	0.312	naive_q1	1.276	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	Cbar	quality	clean	Cbar	0.3258	naive_q1	1.3444	min	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_F_g	robustness		F	0.1686	naive_q1	1.1662	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Fbar_g	robustness		Fbar	-0.1176	naive_q1	1.0762	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_C_g	robustness		C	0.337	naive_q1	1.3296	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Cbar_g	robustness		Cbar	-0.3336	naive_q1	1.288	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_F_p	robustness		F	0.1578	naive_q1	1.1592	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Fbar_p	robustness		Fbar	-0.0996	naive_q1	1.0656	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_C_p	robustness		C	0.321	naive_q1	1.3124	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Cbar_p	robustness		Cbar	-0.3072	naive_q1	1.2696	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_F_s	robustness		F	0.0788	naive_q1	1.077	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Fbar_s	robustness		Fbar	-0.049	naive_q1	1.035	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_C_s	robustness		C	0.115	naive_q1	1.112	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Cbar_s	robustness		Cbar	-0.111	naive_q1	1.0958	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_F_a	robustness		F	-0.1092	naive_q1	1.0926	max	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_Fbar_a	robustness		Fbar	0.0352	naive_q1	1.017	max	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Kendall	NOISE- K	kemeny	schulze	5	R_C_a	robustness		C	-0.2016	naive_q1	1.1864	max	worse

cell	dataset	model	geometry	geometry-label	center-rule	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
									group				value	value		
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Cbar_r	robustness	Cbar		0.0798	naive_q11	0.0506	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	F	quality	clean	F	0.1876	NOISE_0.1576	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	Fbar	quality	clean	Fbar	0.2018	NOISE_0.2182	geometry	min	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	C	quality	clean	C	0.312	NOISE_0.276	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	Cbar	quality	clean	Cbar	0.3258	NOISE_0.344	geometry	min	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_F_g	robustness	F		0.1686	NOISE_0.1662	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Fbar_r	robustness	Fbar		-0.1176	NOISE_-0.0762	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_C_g	robustness	C		0.337	NOISE_0.3206	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Cbar_r	robustness	Cbar		-0.3336	NOISE_-0.288	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_F_p	robustness	F		0.1578	NOISE_0.1502	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Fbar_r	robustness	Fbar		-0.0996	NOISE_-0.0656	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_C_p	robustness	C		0.321	NOISE_0.3124	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Cbar_r	robustness	Cbar		-0.3072	NOISE_-0.2696	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_F_s	robustness	F		0.0788	NOISE_0.077	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Fbar_r	robustness	Fbar		-0.049	NOISE_-0.025	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_C_s	robustness	C		0.115	NOISE_0.112	geometry	max	better
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Cbar_r	robustness	Cbar		-0.111	NOISE_-0.0958	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_F_a	robustness	F		-0.1092	NOISE_-0.0926	geometry	max	worse
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	kendall	NOISE-K	kemeny	schulze	5	R_Fbar_r	robustness	Fbar		0.0352	NOISE_0.017	geometry	max	better

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_C_a	robustness		C	-0.2016	NOISE- 0.1864	0.1864	geometry	worse
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Cbar_a	robustness		Cbar	0.0798	NOISE- 0.0506	0.0506	geometry	better
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	F	quality	clean	F	0.1876	dual_geo- 0.1876	0.1876	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	Fbar	quality	clean	Fbar	0.2018	dual_geo- 0.2018	0.2018	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	C	quality	clean	C	0.312	dual_geo- 0.312	0.312	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	Cbar	quality	clean	Cbar	0.3258	dual_geo- 0.3258	0.3258	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_F_g	robustness		F	0.1686	dual_geo- 0.1686	0.1686	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Fbar_g	robustness		Fbar	-0.1176	dual_geo- 0.1176	0.1176	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_C_g	robustness		C	0.337	dual_geo- 0.337	0.337	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Cbar_g	robustness		Cbar	-0.3336	dual_geo- 0.3336	0.3336	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_F_p	robustness		F	0.1578	dual_geo- 0.1578	0.1578	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Fbar_p	robustness		Fbar	-0.0996	dual_geo- 0.0996	0.0996	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_C_p	robustness		C	0.321	dual_geo- 0.321	0.321	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Cbar_p	robustness		Cbar	-0.3072	dual_geo- 0.3072	0.3072	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_F_s	robustness		F	0.0788	dual_geo- 0.0788	0.0788	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Fbar_s	robustness		Fbar	-0.049	dual_geo- 0.049	0.049	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_C_s	robustness		C	0.115	dual_geo- 0.115	0.115	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_Cbar_s	robustness		Cbar	-0.111	dual_geo- 0.111	0.111	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall K	NOISE- K	kemeny schulze	5	R_F_a	robustness		F	-0.1092	dual_geo- 0.1092	0.1092	shared_	equal

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Fbar_robustness		Fbar		0.0352	dual_geometric	0.0352	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_C_a_robustness		C		-0.2016	dual_geometric	-0.2016	shared_	equal
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	NOISE- K	kemeny	schulze	5	R_Cbar_robustness		Cbar		0.0798	dual_geometric	0.0798	shared_	equal

Table 15: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	geometrycenter rule	selected q	NOISE q	q error	absolute exact q error	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie pol- icy	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	pearmanborda	4	5	-1	1	False	True	False	0.1856	0.1876	0.002	[5]	smallest_q_within_absolute_1e-12
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall kemeny	5	5	0	0	True	True	True	0.1874	0.1874	0	[5]	smallest_q_within_absolute_1e-12

Table 16: NOISE diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot

cell	dataset	model	geometry	geometry label	center rule	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s																	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	NOISE– S	borda	simpleavg	NOISE– S	4	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.869	0.718	0.624	0.376	0.769	0.582	0.617	0.383	0.772	-0.3282	0.1386	-0.1034	0.3086	-0.3098	0.08	-0.0688	0.121	-0.0346	0.333	-0.3098	0.08	-0.0688	0.121	-0.0346	0.333	-0.3098	0.08	-0.0688	0.121	-0.0346	0.333		
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	NOISE– S	borda	borda	NOISE– S	4	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.856	0.719	0.616	0.384	0.762	0.571	0.614	0.386	0.738	-0.3262	0.1612	-0.0928	0.317	-0.2998	0.0798	-0.0402	0.1176	-0.2998	0.0798	-0.0402	0.1176	-0.2998	0.0798	-0.0402	0.1176	-0.2998	0.0798	-0.0402	0.1176	-0.2998	0.0798	-0.0402	0.1176
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	NOISE– S	borda	kemeny	NOISE– S	4	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.875	0.715	0.628	0.372	0.772	0.566	0.606	0.394	0.729	-0.3086	0.1612	-0.0606	0.3108	-0.2756	0.0806	-0.0352	0.1136	-0.2756	0.0806	-0.0352	0.1136	-0.2756	0.0806	-0.0352	0.1136	-0.2756	0.0806	-0.0352	0.1136	-0.2756	0.0806	-0.0352	0.1136
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	NOISE– S	borda	rrf	NOISE– S	4	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.839	0.716	0.606	0.394	0.772	0.566	0.606	0.394	0.733	-0.3202	0.165	-0.072	0.3196	-0.284	0.0828	-0.0386	0.1194	-0.284	0.0828	-0.0386	0.1194	-0.284	0.0828	-0.0386	0.1194	-0.284	0.0828	-0.0386	0.1194	-0.284	0.0828	-0.0386	0.1194
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	spearman	NOISE– S	borda	schulze	NOISE– S	4	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.879	0.712	0.627	0.373	0.772	0.566	0.606	0.394	0.738	-0.3004	0.1694	-0.0512	0.3178	-0.2672	0.0876	-0.028	0.1156	-0.2672	0.0876	-0.028	0.1156	-0.2672	0.0876	-0.028	0.1156	-0.2672	0.0876	-0.028	0.1156	-0.2672	0.0876	-0.028	0.1156
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall	NOISE– K	kemeny	simpleavg	NOISE– K	5	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.876	0.726	0.638	0.362	0.809	0.556	0.622	0.378	0.747	0.1294	-0.107	0.3086	-0.3174	0.0722	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	-0.0666	0.1188	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall	NOISE– K	kemeny	borda	NOISE– K	5	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.876	0.719	0.632	0.368	0.809	0.556	0.622	0.378	0.747	0.1502	-0.1106	0.3128	-0.3188	0.0764	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	-0.051	0.1138	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall	NOISE– K	kemeny	kemeny	NOISE– K	5	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.877	0.715	0.632	0.368	0.809	0.556	0.622	0.378	0.747	0.1628	-0.0684	0.3156	-0.2774	0.0846	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	-0.0446	0.1202	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall	NOISE– K	kemeny	rrf	NOISE– K	5	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.886	0.718	0.632	0.368	0.809	0.556	0.622	0.378	0.747	0.1572	-0.0966	0.3154	-0.3072	0.0822	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	-0.0468	0.1146	
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kendall	NOISE– K	kemeny	schulze	NOISE– K	5	["GuidedBackprop", "DeepLIFT", "IShap", "DeepLIFT", "FeatureAttribution", "Occlusion"]	0.876	0.718	0.632	0.368	0.809	0.556	0.622	0.378	0.747	0.1578	-0.0996	0.321	-0.3072	0.0788	-0.049	0.115	-0.049	0.115	-0.049	0.115	-0.049	0.115	-0.049	0.115	-0.049	0.115	-0.049	0.115	-0.049	0.115	-0.049	0.115	

Table 17: NOISE q-sweep results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance aggregation model	n	mean distance	n distances	fit model	fit statistic	fit value	p fit theta	selected q	selected by noise	forced fall-back	methods	selection task id	selection task digest	of json
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 2	2341.4	10000	kendall	0.3673140002t	0.07110311			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 3	1829.8	15000	kendall	0.3574120002t	0.09280911			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 4	3010.4	20000	kendall	0.5235290002t	0.05330311			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 5	3433	25000	kendall	0.3457650002t	0.04540711			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 6	3377.5	30000	kendall	0.4365300002t	0.04634211			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 7	3218.6	35000	kendall	0.4983140002t	0.04917811			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 8	3257.5	40000	kendall	0.4840050002t	0.04846111			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 9	3164.8	45000	kendall	0.5007860002t	0.05010911			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 10	3430.5	50000	kendall	0.4851990002t	0.04544911			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b260912cba91145	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	

[illegible]

cell	dataset	model	distance aggregation model	n	mean distance	n distances	fit model	fit statistic	fit value	p	fit theta	selected q	selected by noise	forced fall-back	methods	selection task id	selection task digest	of json
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearmanborda	10	2.5082e+05	5000	spearman	0.5486546	0.002	multi	0.000235	all	importance	False	force_binned_synt	GuidedSuppression	8d99b22ccf	ImageNet-ImageNet-resnet18-spearman-8d99b22ccf
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearmanborda	11	2.9165e+05	5000	spearman	0.5181476	0.002	multi	0.0002	all	importance	False	force_binned_synt	GuidedSuppression	8d99b22ccf	ImageNet-ImageNet-resnet18-spearman-8d99b22ccf

Table 18: NOISE q-sweep results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	C	max	5	0.312	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	Cbar	min	2	0.2586	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	F	max	5	0.1876	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	Fbar	min	2	0.1452	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	sarsa-2- 255	C	max	11	-0.1882	[11]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	sarsa-2- 255	Cbar	max	5	0.072	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	sarsa-2- 255	F	max	8	-0.094	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	sarsa-2- 255	Fbar	max	6	0.0324	[6]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian- 0.15	C	max	6	0.3474	[6]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian- 0.15	Cbar	max	9	-0.2942	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian- 0.15	F	max	7	0.178	[7]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian- 0.15	Fbar	max	9	-0.0828	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt- pepper- 0.05	C	max	7	0.3256	[7]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt- pepper- 0.05	Cbar	max	9	-0.2636	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt- pepper- 0.05	F	max	8	0.1664	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt- pepper- 0.05	Fbar	max	3	-0.047	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	speckle- 0.15	C	max	7	0.126	[7,8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	speckle- 0.15	Cbar	max	9	-0.0898	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	borda	robustness	speckle- 0.15	F	max	8	0.0866	[8]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	borda	robustness	speckle- 0.15	Fbar	max	3	-0.0274	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	quality	clean	C	max	5	0.3128	[5]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	quality	clean	Cbar	min	2	0.2586	[2]	smallest	[GuidedBackSolpt]_DeepLiftShap]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	quality	clean	F	max	5	0.1874	[5]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	quality	clean	Fbar	min	2	0.1452	[2]	smallest	[GuidedBackSolpt]_DeepLiftShap]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	G	max	11	-0.179	[11]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	Gbar	max	5	0.0746	[5]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	F	max	11	-0.0904	[11]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	Fbar	max	6	0.036	[6]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	C	max	7	0.3358	[7]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	Cbar	max	9	-0.2642	[9]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	F	max	3	0.175	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	Fbar	max	9	-0.0522	[9]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	C	max	8	0.3216	[8]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	Cbar	max	9	-0.2452	[9]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	F	max	3	0.1672	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	Fbar	max	3	-0.0356	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	C	max	8	0.1234	[8]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	Cbar	max	6	-0.0882	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	F	max	5	0.0846	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	Fbar	max	3	-0.0222	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	C	max	5	0.3152	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	Cbar	min	2	0.256	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	F	max	5	0.1886	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	Fbar	min	2	0.1424	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	C	max	10	-0.1868	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	Cbar	max	6	0.0784	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	F	max	11	-0.0956	[11]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	Fbar	max	6	0.0382	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	C	max	6	0.3436	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	Cbar	max	9	-0.2768	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	F	max	4	0.1756	[4]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	Fbar	max	9	-0.07	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	C	max	6	0.321	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	Cbar	max	9	-0.2524	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	F	max	3	0.1658	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	Fbar	max	9	-0.052	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle-	C	max	7	0.1262	[7]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle-	Cbar	max	8	-0.0882	[8,9]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle-	F	max	7	0.0858	[7]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle-	Fbar	max	3	-0.0276	[3]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift']
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	C	max	5	0.312	[5]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	Cbar	min	2	0.2586	[2]	smallest	[GuidedBacksolpt'DeeptShap']
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	F	max	5	0.1876	[5]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	Fbar	min	2	0.1452	[2]	smallest	[GuidedBacksolpt'DeeptShap']
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari-	C	max	9	-0.1846	[9]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari-	Cbar	max	5	0.0798	[5]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari-	F	max	11	-0.0926	[11]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari-	Fbar	max	5	0.0352	[5]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian-	C	max	6	0.339	[6]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian-	Cbar	max	10	-0.2776	[10]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian-	F	max	3	0.1794	[3]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift']
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian-	Fbar	max	9	-0.0652	[9]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	salt- pepper-	C	max	5	0.321	[5]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	salt- pepper-	Cbar	max	10	-0.2512	[10]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift', 'FeatureAblation', 'C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	salt- pepper-	F	max	3	0.1698	[3]	smallest	[GuidedBacksolpt'DeeptShap', 'DeepLift']

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	salt- pepper- 0.05	Fbar	max	3	-0.0382	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	C	max	6	0.1206	[6]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	Cbar	max	2	-0.0906	[2]	smallest	[GuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	F	max	3	0.0878	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	Fbar	max	3	-0.0238	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	C	max	2	0.3056	[2]	smallest	[GuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	Cbar	min	2	0.2646	[2]	smallest	[GuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	F	max	2	0.1814	[2]	smallest	[GuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	Fbar	min	2	0.15	[2]	smallest	[GuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	C	max	8	-0.173	[8]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	Cbar	max	4	0.0788	[4]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	F	max	5	-0.0908	[5]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	Fbar	max	5	0.0428	[5]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	C	max	8	0.35	[8]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	Cbar	max	3	-0.3048	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	F	max	3	0.1726	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	Fbar	max	3	-0.088	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	salt- pepper- 0.05	C	max	8	0.3218	[8]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	salt- pepper- 0.05	Cbar	max	3	-0.2764	[3]	smallest	[GuidedBacksolpt'DeepliftShap', 'DeepLift'] 12

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	salt- pepper- 0.05	F		max	3	0.1618	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	salt- pepper- 0.05	Fbar		max	3	-0.0568	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	C		max	8	0.124	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	Cbar		max	3	-0.0928	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	F		max	4	0.08	[4]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	Fbar		max	3	-0.0282	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]

Table 19: NOISE q-sweep results for ImageNet-ResNet-18. This table is the current released snapshot; it reports

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turbed gaussian-0.15	Fbar per-turbed gaussian-0.15	C per-turbed gaussian-0.15	Cbar per-turbed gaussian-0.15	F per-turbed salt-pepper-0.05	Fbar per-turbed salt-pepper-0.05	C per-turbed salt-pepper-0.05	Cbar per-turbed salt-pepper-0.05	F per-turbed speckle-0.15	Fbar per-turbed speckle-0.15	C per-turbed speckle-0.15	Cbar per-turbed speckle-0.15	F per-turbed adversarial-255	Fbar per-turbed adversarial-255	C per-turbed adversarial-255	Cbar per-turbed adversarial-255
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	simpleavg	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3442	0.2646	0.6302	0.5798	0.3322	0.2146	0.603	0.551	0.2532	0.1868	0.4078	0.3658	0.0666	0.1256	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	borda	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3498	0.2586	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	rrf	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3456	0.256	0.6344	0.5794	0.3418	0.2126	0.6132	0.5448	0.2594	0.179	0.4144	0.3594	0.0652	0.119	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	kemeny	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3498	0.2586	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	schulze	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3498	0.2586	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	simpleavg	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3488	0.2518	0.628	0.58	0.338	0.2206	0.6078	0.5516	0.253	0.192	0.4112	0.368	0.0608	0.1456	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	borda	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3502	0.2502	0.621	0.5822	0.3378	0.2056	0.6118	0.5416	0.2602	0.186	0.4164	0.3674	0.0612	0.1364	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	rrf	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3474	0.2474	0.6178	0.5848	0.342	0.2144	0.6124	0.5482	0.2566	0.1888	0.413	0.3678	0.0622	0.141	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	kemeny	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.345	0.2452	0.6196	0.5826	0.3372	0.226	0.608	0.5632	0.2512	0.2126	0.4032	0.3936	0.0586	0.1786	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	schulze	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3452	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024	0.4058	0.3834	0.06	0.172	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	simpleavg	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3386	0.2386	0.6316	0.572	0.336	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	borda	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3572	0.2372	0.624	0.572	0.336	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	rrf	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3359	0.2359	0.629	0.571	0.3359	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	kemeny	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3456	0.23456	0.629	0.571	0.3359	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	schulze	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3454	0.23454	0.629	0.571	0.3359	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	simpleavg	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3286	0.23286	0.6316	0.572	0.336	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	borda	False	["GuidedBicubicprop0.15DeepLift0.385ap"]	0.3552	0.2352	0.6282	0.572	0.336	0.2336	0.6316	0.5396	0.2336	0.2336	0.396	0.418	0.0634	0.204	0	0	0	0	0	0

Table 20: NOISE selector diagnostics results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	rule	q	predicted score	delta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95	dual geom- etry score	dual geom- etry pre- dicted q	dual geom- etry actual regret	dual geom- etry actual near opti- mal 95
ImageNet– ImageNet- resnet18	borda	2	0.1710674.2395515.7148	0.1818	4	5	0.002	True	0.1710675	0	True			
ImageNet– ImageNet- resnet18	borda	3	0.1714434.3864175.3645330.1762	4	5	0.002	False	0.1705585	0	True				
ImageNet– ImageNet- resnet18	borda	4	0.1769893.54931 7.57135 0.1856	4	5	0.002	True	0.1737175	0	True				
ImageNet– ImageNet- resnet18	borda	5	0.1725123.4577047.84256 0.1876	4	5	0.002	True	0.1761485	0	True				
ImageNet– ImageNet- resnet18	borda	6	0.1707753.41039 7.9847330.1782	4	5	0.002	False	0.1722395	0	True				
ImageNet– ImageNet- resnet18	borda	7	0.1695953.4274777.9332290.1698	4	5	0.002	False	0.1685715	0	True				
ImageNet– ImageNet- resnet18	borda	8	0.1646073.3929968.03735 0.1634	4	5	0.002	False	0.1633515	0	True				
ImageNet– ImageNet- resnet18	borda	9	0.1576073.42122 7.9520670.1618	4	5	0.002	False	0.1546355	0	True				
ImageNet– ImageNet- resnet18	borda	10	0.1602693.1937358.65292 0.1616	4	5	0.002	False	0.1560155	0	True				
ImageNet– ImageNet- resnet18	borda	11	0.1603122.9804 9.3356730.158	4	5	0.002	False	0.1570575	0	True				
ImageNet– ImageNet- resnet18	kemeny	2	0.1710674.2395515.7148 0.1818	5	5	0	True	0.1710675	0	True				
ImageNet– ImageNet- resnet18	kemeny	3	0.1696735.0133294.0461330.17	5	5	0	False	0.1705585	0	True				
ImageNet– ImageNet- resnet18	kemeny	4	0.1704463.9871736.3539 0.175	5	5	0	False	0.1737175	0	True				
ImageNet– ImageNet- resnet18	kemeny	5	0.1797833.6942137.15368 0.1874	5	5	0	True	0.1761485	0	True				
ImageNet– ImageNet- resnet18	kemeny	6	0.1737033.6571127.2592670.1806	5	5	0	True	0.1722395	0	True				
ImageNet– ImageNet- resnet18	kemeny	7	0.1675473.7491786.999 0.1716	5	5	0	False	0.1685715	0	True				

cell	rule	q	predicted score	theta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95	dual geom- etry score	dual geom- etry pre- dicted q	dual geom- etry actual regret	dual geom- etry actual near opti- mal 95
ImageNet- ImageNet- resnet18	kemeny	8	0.162094	3.678705	7.1977	0.1642	5	5	0	False	0.163351	5	0	True
ImageNet- ImageNet- resnet18	kemeny	9	0.151663	3.719726	7.081622	0.1574	5	5	0	False	0.154635	5	0	True
ImageNet- ImageNet- resnet18	kemeny	10	0.151761	3.455865	7.84806	0.1586	5	5	0	False	0.156015	5	0	True
ImageNet- ImageNet- resnet18	kemeny	11	0.153802	3.223616	8.559164	0.1556	5	5	0	False	0.157057	5	0	True

Table 21: NOISE stability archive results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	noise	condition id	metric	robustness	selected method
ImageNet	ImageNet	resnet18	test	5000	gaussian	gaussian-R_F	0.078	LRP	
ImageNet	ImageNet	resnet18	test	5000	gaussian	gaussian-R_Fbar	0.0108	InputXGradient	
ImageNet	ImageNet	resnet18	test	5000	gaussian	gaussian-R_C	0.2344	LRP	
ImageNet	ImageNet	resnet18	test	5000	gaussian	gaussian-R_Cbar	0.184	InputXGradient	
ImageNet	ImageNet	resnet18	test	5000	salt_pepper	salt-pepper-R_F	0.0442	LRP	
ImageNet	ImageNet	resnet18	test	5000	salt_pepper	salt-pepper-R_Fbar	0.0086	InputXGradient	
ImageNet	ImageNet	resnet18	test	5000	salt_pepper	salt-pepper-R_C	0.2042	LRP	
ImageNet	ImageNet	resnet18	test	5000	salt_pepper	salt-pepper-R_Cbar	0.1848	InputXGradient	
ImageNet	ImageNet	resnet18	test	5000	speckle	speckle-R_F	0.0238	LRP	
ImageNet	ImageNet	resnet18	test	5000	speckle	speckle-R_Fbar	0.0004	InputXGradient	
ImageNet	ImageNet	resnet18	test	5000	speckle	speckle-R_C	0.0644	LRP	
ImageNet	ImageNet	resnet18	test	5000	speckle	speckle-R_Cbar	0.047	InputXGradient	
ImageNet	ImageNet	resnet18	test	5000	adversarial	adversarial-R_F	0.036	LRP	
ImageNet	ImageNet	resnet18	test	5000	adversarial	adversarial-R_Fbar	0.0026	Deconvolution	
ImageNet	ImageNet	resnet18	test	5000	adversarial	adversarial-R_C	0.1048	LRP	
ImageNet	ImageNet	resnet18	test	5000	adversarial	adversarial-R_Cbar	0.002	Deconvolution	

Table 22: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	reference enforce method	excluded
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	g	F	max	-	0.029616	0.044	0.1103330	0.044	0.1103330	0.13995	cfe0e909148vd33a6C508a435B			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	g	Fbar	min	-	0.016248	0.4272	0.5014	-0.4272	-0.5014	-	dlabelc18ae798a66F5014c0			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	g	C	max	-	0.028703	0.1246670	0.3627330	0.1246670	0.3627330	0.3914366a1baec4422f9ad5655ff0a1B				
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	g	Cbar	min	-	0.020363	0.5692670	0.851267-	-	-	-	95b5540018vc024adR874c0			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	p	F	max	-	0.025974	0.044	0.0932	0.044	0.0932	0.1191744c5325f63bd201578580445B				
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	p	Fbar	min	-	0.019921	0.4272	0.499467-	-0.4272	-	-	09ad128dc38e1988R834767			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	p	C	max	-	0.027777	0.1246670	0.3423330	0.1246670	0.3423330	0.3701111ed0db2052876c0122185B				
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	p	Cbar	min	-	0.025113	0.5692670	0.836	-	-0.836	-	bcba10e90awde694130d6597			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	s	F	max	-	0.002731	0.044	0.0689330	0.044	0.0689330	0.0716645165ff17aed496926423ad4B				
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	s	Fbar	min	-	0.028785	0.4272	0.504667-	-0.4272	-	-	19399a18e53d81md5967d5c0			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	s	C	max	-	0.005048	0.1246670	0.1943330	0.1246670	0.1943330	0.1993817a09f680fa0f358a3f015d4B				
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	s	Cbar	min	-	0.030783	0.5692670	0.7008	-	-0.7008	-	07d7a69da0e2d821dPa5c4B			
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	a	F	max	0.001732	0.044	0.0078	0.044	0.0078	0.006068ed4abc018a7841c16b8820B					
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	a	Fbar	min	0.00794	0.4272	0.4212	-0.4272	-0.4212	-	cb2acb6326c944b19588994				
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	a	C	max	0.001219	0.1246670	0.0152670	0.1246670	0.0152670	0.014047066ed30a6d863cbfCa01d4B					
33706f8ee8fdaf2a78ff046cNet-embQ5a5e1046GONH13a7c33450007f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	individual	Best individual				1	a	Cbar	min	0.006271	0.5692670	0.5516	-	-0.5516	-	0ea2c985189241b7a57Pbf4d7				
3b7223b327af31c054192NDe1img202De1a228Nc5464662f0008da9NAFME	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	SimpleAvg	SimpleAvg				11	g	F	max	-	0.011715	0.0271330	0.1043330	0.0271330	0.1043330	0.11604896175b9f0f75220c5edaf0B				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	p	Fbar	min	0.1107540.6224	0.581533-0.6224	-	-	a31ff58f50dd45833b7992ga1f	0.5815330.692288	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	p	C	max	-	0.1006670.3269330.1006670.3269330.337401d094395d3ff0991v1516gd72	0.010468	-	0.1006670.3269330.1006670.3269330.337401d094395d3ff0991v1516gd72	-	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	p	Cbar	min	0.0863550.7764670.928533-	0.7764670.9285331.014888	-	-	9c0a36660b1565fvt4345gd1f	0.0863550.7764670.9285331.014888	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	s	F	max	0.0009250.0313330.0569330.0313330.0569330.0560081216db584db34c1cd9570gc7	-	-	-	0.0009250.0313330.0569330.0313330.0569330.0560081216db584db34c1cd9570gc7	-	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	s	Fbar	min	0.0667730.6224	0.635733-0.6224	-	-	44d7df52671854902ast0h1d0	0.0667730.62240.635733-0.6224-0.6357330.702507	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	s	C	max	0.0055390.1006670.1759330.1006670.1759330.170394229d394f41536kiv61247977	-	-	-	0.0055390.1006670.1759330.1006670.1759330.170394229d394f41536kiv61247977	-	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	s	Cbar	min	0.05146	0.7764670.8462	-	-0.8462	-	240ec8fb44c50civ31558760	0.051460.7764670.8462-0.8462-0.89766	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	a	F	max	0.0030270.0313330.0032670.0313330.0032670.000239cb12bd050204aciv4966289d1f	-	-	-	0.0030270.0313330.0032670.0313330.0032670.000239cb12bd050204aciv4966289d1f	-	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	a	Fbar	min	0.01722	0.6224	0.6218	-0.6224	-0.6218	-	cfb75348011eaciv7091cfd3d1f	0.017220.62240.6218-0.6224-0.6218-0.63902	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	a	C	max	0.0052970.1006670.0074670.1006670.0074670.00216981ecb394fcd63063vfas1299e1f	-	-	-	0.0052970.1006670.0074670.1006670.0074670.00216981ecb394fcd63063vfas1299e1f	-	-	-	-	-	-	-	-	-	-	
a0797fb5a026f9b0e0c3eN81n044Nc8b6gdNt4548650b51005731bN4AEV1c7	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	a	Cbar	min	0.0188490.7764670.775267-	0.7764670.7752670.794115	-	-	-	3fbd535cf11abcb5ccs4802f	0.0188490.7764670.775267-0.7764670.7752670.794115	-	-	-	-	-	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	g	F	max	-	0.0294	0.106	0.0294	0.106	0.11955296175b90f1d75220c5edaf6120	-	0.0294	0.106	0.0294	0.106	0.11955296175b90f1d75220c5edaf6120	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	g	Fbar	min	0.1061220.6288	0.5792	-0.6288	-0.5792	-	6ddff6c065314345b9971782	0.1061220.62880.5792-0.6288-0.5792-0.685322	-	-	-	-	-	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	g	C	max	-	0.105	0.3556	0.105	0.3556	0.36501509d031bf10ff4a7398734g693	-	0.105	0.3556	0.105	0.3556	0.36501509d031bf10ff4a7398734g693	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	g	Cbar	min	0.0928040.7822	0.9402	-0.7822	-0.9402	-	1010706c4d892832d4245h8b5d	0.0928040.78220.9402-0.7822-0.9402-1.033004	-	-	-	-	-	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	p	F	max	-	0.0294	0.0766	0.0294	0.0766	0.097775c6133875fcd0c4430a2b4d0f	-	0.0294	0.0766	0.0294	0.0766	0.097775c6133875fcd0c4430a2b4d0f	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	p	Fbar	min	0.1123630.6288	0.5866	-0.6288	-0.5866	-	a31ff58f50dd45833b7992ga1f	0.1123630.62880.5866-0.6288-0.5866-0.698963	-	-	-	-	-	-	-	-	
a13ed4f80e88d36ba0d428N01mf90N54hf6gb700ce94ed483d081dc3ed92269d	Borda	ImageNet-resnet18	resnet18	ImageNet-resnet18	11	p	C	max	-	0.105	0.3226	0.105	0.3226	0.343626d094395d3ff0991v1516gd72	-	0.105	0.3226	0.105	0.3226	0.343626d094395d3ff0991v1516gd72	-	-	-	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality oriented
308cb16170307aa3307a1b189b3ad90Ne6f8a1877900c53b822090e81d50f5450a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	BRF				11	s	Cbar	min	0.0494130.78	0.852	-0.78	-0.852	-0.901413	240ec8fb50c1b155787060	cb12bd05020c46c49662894f			
308cb16170307aa3307a1b189b3ad90Ne6f8a1877900c53b822090e81d50f5450a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	BRF				11	a	F	max	0.0030260.0312	0.0032	0.0312	0.0032	0.000174	cb12bd05020c46c49662894f				
308cb16170307aa3307a1b189b3ad90Ne6f8a1877900c53b822090e81d50f5450a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	BRF				11	a	Fbar	min	0.0210310.625	0.6208	-0.625	-0.6208	-0.641831	cfb753486d11e4a7b7095cf43a7				
308cb16170307aa3307a1b189b3ad90Ne6f8a1877900c53b822090e81d50f5450a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	BRF				11	a	C	max	0.0036690.1026	0.0068	0.1026	0.0068	0.003131	181ecb394fd630d3df5a299e1				
308cb16170307aa3307a1b189b3ad90Ne6f8a1877900c53b822090e81d50f5450a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	BRF				11	a	Cbar	min	0.0243580.78	0.7738	-0.78	-0.7738	-0.798158	3fbd535cf11bbcf8eecc48021				
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	g	F	max	-0.026807	0.0291330.0923330.0291330.0923330.11914	96175b90f1d75220e5edaf620							
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	g	Fbar	min	0.1050610.623	0.574733-0.623	-0.5747330.679794	-	-	6ddff6c0f53143a5f69971782				
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	g	C	max	-0.014001	0.0972	0.3399330.0972	0.3399330.35393409d031bf10ff4e789872e5093						
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	g	Cbar	min	0.0926420.7764	0.935067-0.7764	-0.9350671.027709	-	-	1010706c6d89282242578bd				
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	p	F	max	-0.020814	0.0291330.0765330.0291330.0765330.097347c6133875fad09c1430a2b4f0								
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	p	Fbar	min	0.10998	0.623	0.582933-0.623	-0.5829330.692913	a31ff58f5fd1458303b7909a1					
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	p	C	max	-0.017287	0.0972	0.3151330.0972	0.3151330.33242	d094395daf099115146472					
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	p	Cbar	min	0.0849590.7764	0.929867-0.7764	-0.9298671.014826	-	-	9c0a36660b1565fe14745gh1				
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	s	F	max	-0.003848	0.0291330.0492	0.0291330.0492	0.0530481216db5840b3e1e1957fde7						
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	s	Fbar	min	0.0691130.623	0.634067-0.623	-0.6340670.703179	-	-	44d7df52671854902a5d6ba0				
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	s	C	max	-0.002474	0.0972	0.1636670.0972	0.1636670.166141229d394fd153631b61247927						
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	s	Cbar	min	0.0531230.7764	0.844467-0.7764	-0.8444670.897589	-	-	240ec8fb50c1b155787060				
304af6c9abde626764acg5Ncd0dhg3Y4075d130v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	119553	1000	MAIVE	Be			11	a	F	max	0.0037670.0291330.0029330.0291330.002933-	0.000834			cb12bd05020c46c49662894f					

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality									
304af6c9abde626764aag5Ncdhg93Y4075d30v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	bbd15000c073NA1VB	11	a	Fbar	min	0.0193360.623	0.620333-0.623	-	-	0.6203330.639669	cfb75348011leadh709scfd3a	0.0193360.623	0.620333-0.623	-	-	0.6203330.639669	cfb75348011leadh709scfd3a	0.0193360.623	0.620333-0.623	-										
304af6c9abde626764aag5Ncdhg93Y4075d30v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	bbd15000c073NA1VB	11	a	C	max	0.0062890.0972	0.0067330.0972	0.0067330.00044481ecb394fcd6303dfas1299e1	0.0062890.0972	0.0067330.0972	0.0067330.00044481ecb394fcd6303dfas1299e1	0.0062890.0972	0.0067330.0972	0.0067330.00044481ecb394fcd6303dfas1299e1	0.0062890.0972	0.0067330.0972	0.0067330.00044481ecb394fcd6303dfas1299e1	0.0062890.0972	0.0067330.0972	0.0067330.00044481ecb394fcd6303dfas1299e1	0.0062890.0972									
304af6c9abde626764aag5Ncdhg93Y4075d30v7069	ImageNet-resnet18	ImageNet-resnet18	resnet18	bbd15000c073NA1VB	11	a	Cbar	min	0.0219060.7764	0.772133-0.7764	-	-	0.7721330.794039	3fbd535cf11abebf8cees14802	0.0219060.7764	0.772133-0.7764	-	-	0.7721330.794039	3fbd535cf11abebf8cees14802	0.0219060.7764	0.772133-0.7764	-										
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	g	F	max	-	0.03	0.0964	0.03	0.0964	0.12048	96175b90f1675220e5ednf120	-	0.03	0.0964	0.03	0.0964	0.12048	96175b90f1675220e5ednf120	-	0.03	0.0964	0.03	0.0964	0.12048	96175b90f1675220e5ednf120				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	g	Fbar	min	0.0983260.6202	0.5788	-0.6202	-0.5788	-	0.677126	6ddff6c0d53114345b99f1782	0.0983260.6202	0.5788	-0.6202	-0.5788	-	0.677126	6ddff6c0d53114345b99f1782	0.0983260.6202	0.5788	-0.6202	-0.5788	-	0.677126	6ddff6c0d53114345b99f1782				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	g	C	max	-	0.0996	0.3464	0.0996	0.3464	0.35734409d031bf10ff4e789873a6093	0.0983260.6202	0.5788	-0.6202	-0.5788	-	0.677126	6ddff6c0d53114345b99f1782	0.0983260.6202	0.5788	-0.6202	-0.5788	-	0.677126	6ddff6c0d53114345b99f1782					
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	g	Cbar	min	0.0883090.7764	0.9394	-0.7764	-0.9394	-	1.027709	1010706c6892822d2dmg8b7	0.0883090.7764	0.9394	-0.7764	-0.9394	-	1.027709	1010706c6892822d2dmg8b7	0.0883090.7764	0.9394	-0.7764	-0.9394	-	1.027709	1010706c6892822d2dmg8b7				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	p	F	max	-	0.03	0.0766	0.03	0.0766	0.09874	c6133875fcd04c1430a2b4d0	-	0.03	0.0766	0.03	0.0766	0.09874	c6133875fcd04c1430a2b4d0	-	0.03	0.0766	0.03	0.0766	0.09874	c6133875fcd04c1430a2b4d0				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	p	Fbar	min	0.1063930.6202	0.5836	-0.6202	-0.5836	-	0.689993	a31ff58f5fcd45e803b7929a1	0.1063930.6202	0.5836	-0.6202	-0.5836	-	0.689993	a31ff58f5fcd45e803b7929a1	0.1063930.6202	0.5836	-0.6202	-0.5836	-	0.689993	a31ff58f5fcd45e803b7929a1				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	p	C	max	-	0.0996	0.3134	0.0996	0.3134	0.335868d094395f8f0991151fmg72	0.1063930.6202	0.5836	-0.6202	-0.5836	-	0.689993	a31ff58f5fcd45e803b7929a1	0.1063930.6202	0.5836	-0.6202	-0.5836	-	0.689993	a31ff58f5fcd45e803b7929a1					
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	p	Cbar	min	0.0794260.7764	0.9354	-0.7764	-0.9354	-	1.014826	9c0a36660b1565f1e4745a1f	0.0794260.7764	0.9354	-0.7764	-0.9354	-	1.014826	9c0a36660b1565f1e4745a1f	0.0794260.7764	0.9354	-0.7764	-0.9354	-	1.014826	9c0a36660b1565f1e4745a1f				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	s	F	max	-	0.03	0.052	0.03	0.052	0.0542141216db584db34e1f9557fpc7	0.0794260.7764	0.9354	-0.7764	-0.9354	-	1.014826	9c0a36660b1565f1e4745a1f	0.0794260.7764	0.9354	-0.7764	-0.9354	-	1.014826	9c0a36660b1565f1e4745a1f					
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	s	Fbar	min	0.06264	0.6202	0.6374	-0.6202	-0.6374	-	0.70004	44d7df52671854902a10d1a0	0.06264	0.6202	0.6374	-0.6202	-0.6374	-	0.70004	44d7df52671854902a10d1a0	0.06264	0.6202	0.6374	-0.6202	-0.6374	-	0.70004	44d7df52671854902a10d1a0	
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	s	C	max	-	0.0996	0.1658	0.0996	0.1658	0.169086229d394fcd15362c1651247927	0.06264	0.6202	0.6374	-0.6202	-0.6374	-	0.70004	44d7df52671854902a10d1a0	0.06264	0.6202	0.6374	-0.6202	-0.6374	-	0.70004	44d7df52671854902a10d1a0			
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	s	Cbar	min	0.0497890.7764	0.8478	-0.7764	-0.8478	-	0.897589	240ec8fb4a1e59c1135587060	0.0497890.7764	0.8478	-0.7764	-0.8478	-	0.897589	240ec8fb4a1e59c1135587060	0.0497890.7764	0.8478	-0.7764	-0.8478	-	0.897589	240ec8fb4a1e59c1135587060				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	a	F	max	0.0038110.03	0.0034	0.03	0.0034	-	0.000411	cb12bd050202d46149662894f	0.0038110.03	0.0034	0.03	0.0034	-	0.000411	cb12bd050202d46149662894f	0.0038110.03	0.0034	0.03	0.0034	-	0.000411	cb12bd050202d46149662894f				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	a	Fbar	min	0.0150420.6202	0.6216	-0.6202	-0.6216	-	0.636642	cfb75348011leadh709scfd3a	0.0150420.6202	0.6216	-0.6202	-0.6216	-	0.636642	cfb75348011leadh709scfd3a	0.0150420.6202	0.6216	-0.6202	-0.6216	-	0.636642	cfb75348011leadh709scfd3a				
6e1d901450c817a89fb266N5fbb552N8H1f6bM2eS	ImageNet-resnet18	ImageNet-resnet18	resnet18	119a3-50005637739e5c00Kemeny	11	a	C	max	0.0053620.0996	0.007	0.0996	0.007	0.00163881ecb394fcd6303dfas1299e1	0.0053620.0996	0.007	0.0996	0.007	0.00163881ecb394fcd6303dfas1299e1	0.0053620.0996	0.007	0.0996	0.007	0.00163881ecb394fcd6303dfas1299e1	0.0053620.0996	0.007	0.0996	0.007	0.00163881ecb394fcd6303dfas1299e1	0.0053620.0996	0.007	0.0996	0.007	0.00163881ecb394fcd6303dfas1299e1

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	g	Fbar	min	0.10514	0.6284	0.5798	-0.6284	-0.5798	-0.68494	6ddff6c0d31baf0ff4e789873e3693	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	g	C	max	-0.009596	0.1002	0.3486	0.1002	0.3486	0.35819609d031baf0ff4e789873e3693	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	g	Cbar	min	0.0898730	0.7814	0.9424	-0.7814	-0.9424	-1.032273	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	p	F	max	-0.020182	0.0304	0.0792	0.0304	0.0792	0.099382c6133875fcd04c480a2b430	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	p	Fbar	min	0.1143450	0.6284	0.5842	-0.6284	-0.5842	-0.698545	a31ff58f5d4f5a833b7929a1d	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	p	C	max	-0.01793	0.1002	0.3188	0.1002	0.3188	0.33673 d094395d3ff0591e15f6a72	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	p	Cbar	min	0.0841090	0.7814	0.9354	-0.7814	-0.9354	-1.019509	9c0a36660b156af47456a1f	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	s	F	max	-0.001952	0.0304	0.0528	0.0304	0.0528	0.0547521216db5840b3e1c9d9570cde7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	s	Fbar	min	0.0684340	0.6284	0.6408	-0.6284	-0.6408	-0.709234	44d7df52671854502a5d4d6	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	s	C	max	-0.001422	0.1002	0.1684	0.1002	0.1684	0.169822229d394f915363c1e1247977	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	s	Cbar	min	0.0509	0.7814	0.852	-0.7814	-0.852	-0.9029	240ec8fb4e59c1315587060	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	a	F	max	0.0036160	0.0304	0.0034	0.0304	0.0034	-0.000216	cb12bd05020d46c49662894f	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	a	Fbar	min	0.0215070	0.6284	0.624	-0.6284	-0.624	-0.645507	cfb75348011e4d7091cfd38d	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	a	C	max	0.0040630	0.1002	0.006	0.1002	0.006	0.00193781ecb394f6d6303cf5a290e9	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	
455397943176a569	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	114ea300029ed67a	1000	1000	1000	1000	1000	11	a	Cbar	min	0.02536	0.7814	0.7744	-0.7814	-0.7744	-0.79976	3fbd535cf11bcb08eecc4802	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7	1010706c6d8928224d5f8b7

Table 23: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance geometry	geometryq label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s
33706f8ee8fdaf2a78f9d46c3a1b0554f046f0f13a7c33450057f3bb9b96de	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	individual	Best individual			1		{'C': 'Guided-Back-prop', 'Cbar': 'LRP', 'F': 'Guided-Back-prop', 'Fbar': 'LRP'}	-	-	-	-	-	-	-	-	-	-
													0.0296160	0.0162480	0.0287030	0.0203630	0.0259740	0.0199210	0.0277770	0.0251130	0.0027310	0.0287850
3b7223b327af31c05141927f441img802fba3228c64662df008da9b46f1c	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	SimpleAvg	SimpleAvg			11			-	0.1242850	0.0040830	0.113173-	-	0.137817-	-	0.111058-	-	0.08282
													0.0111715				0.007667		0.004113		2.266e-05	
ed73509580b6a1e74268e918b3a9c16f43f0c50086f12da6f15bd	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	SimpleAvg	SimpleAvg			11			-	0.1204470	0.0017570	0.106438-	-	0.128031-	-	0.0994830	0.0052140	0.0804770
													0.005931				0.006327		0.000226			
a0797fb5a026f9b0e10c3e9811a441c6b6ed1a548650b3000731bb1b4c1c7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.103489-	0.09157	-	0.110754-	-	0.0863550	0.0009250	0.0667730	
													0.018808		0.002059		0.014682		0.010468			
a13ed4f80e88d36ba0d42801img905cfb6eb700c64ed483d081dc3ed92269d	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.106122-	0.092804-	-	0.112363-	-	0.0828580	0.0013940	0.067683-	
													0.013552		0.009415		0.021175		0.021026			
36ce59e27e1471b28a3aba904675830767f7f4d328c206ce15003ac641b14c5	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.105204-	0.092346-	-	0.112565-	-	0.088441-	-	0.068392-	
													0.023081		0.012276		0.02323		0.018022		0.003321	
308cb16170307aa307c1b893ad90648ea91700c453b823090e81c3af5450a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.1019	-	0.088795-	-	0.110799-	-	0.081197-	-	0.064022-
													0.025135		0.017005		0.026268		0.024378		0.003629	
304af6c9abde626704aag5Ncd0db934075d3057069bbdd15000c073NA1V3	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.105061-	0.092642-	-	0.10998	-	0.084959-	-	0.069113-	
													0.026807		0.014001		0.020814		0.017287		0.003848	
6e1d901450c817a89fb296N51b552N1416ba12e3	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.098326-	0.088309-	-	0.106393-	-	0.079426-	-	0.06264	
													0.02408		0.010944		0.02214		0.022468		0.002214	
d10dcf40daa15894aimg805155aged321e82ee6475006ec66N405V1	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.102705-	0.0909	-	0.10934	-	0.085402-	-	0.067933-	
													0.025941		0.012155		0.021659		0.01679		0.003901	
455397943176a5691img5N3h2217N0208570N15114ea300029ed77a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	50000	Borda	Borda			11			-	0.10514	-	0.089873-	-	0.114345-	-	0.084109-	-	0.068434-
													0.021898		0.009596		0.020182		0.01793		0.001952	

Table 24: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	slapped was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
066ed30a6d863cb1f485ce492343212ca4c2fa210ca10f1b36f5289e551103a04980b90_4989110f	ImageNet- resnet18	0.001583	0.014068	0.826873	0.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;Fea								
07d7a69a9a02d8244imageNet-18	ImageNet- resnet18	0.009516	0.034489	0.891457	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;Fea								
09ad128ce383e198113347Ne7f3a	ImageNet- resnet18	0.017803	0.047174	0.765955	-0.423	-0.1752	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;Fea								
09d031ba10ff4e789872e50083	ImageNet- resnet18	0.003158	0.003172	0.018775	0.954785	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;Fea								
0ea2c9856f924b7a57imageNet-18	ImageNet- resnet18	0.006747	0.029041	0.935409	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;Fea								
1010706ce2892822412178Ne7f	ImageNet- resnet18	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;Fea								
11ed0db2052376c21221f3N65	ImageNet- resnet18	0.004515	0.023756	0.935768	0.1174	0.292	0.3216	0.6096	Deconvolution;DeepLift;DeepLiftShap;Fea								
1216db5846b3decf1157geN7e	ImageNet- resnet18	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;Fea								
19399a18c53d81c44067Ne7f	ImageNet- resnet18	0.008211	0.032037	0.893243	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;Fea								
229d394fa15363cb112e70N7e	ImageNet- resnet18	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;Fea								
240ec8fbacae59c13157870f00hfc	ImageNet- resnet18	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;Fea								
3fbd535ce1abe6b81imageNet-18	ImageNet- resnet18	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;Fea								
44d7df52c7485f901acafN6f94	ImageNet- resnet18	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;Fea								
4c5325f63bd201571826geN7e	ImageNet- resnet18	0.004756	0.024382	0.906291	0.043	0.1696	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;Fea								
5165ff17acd49692fd423geN7e	ImageNet- resnet18	0.000477	0.007721	0.985278	0.043	0.1696	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;Fea								
6a1baec4422f9a45a5508N65	ImageNet- resnet18	0.002855	0.018891	0.957233	0.1174	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;Fea								
6ddf6c0e5314315f907geN7e	ImageNet- resnet18	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;Fea								

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	slapped was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
7a09f680fa0f358ed3f0b5e38d73f5e1807eb77a8f90a1c1e330577dp2a692246a11236d178e1.236d178f	ImageNet- resnet18	0.95274	False		1	least_squares	0.0005350.0081780.9886050.1174			0.95274	0.0005350.0081780.9886050.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;Fea		
81ecb394c6c630e3d11a299e0cf0960d1a47c6efb69ee9d3f902ad76b818a6650v4974380.407638f	ImageNet- resnet18	0.047926	False		1	least_squares	0.0015840.0132660.8384640.1174			0.047926	0.0015840.0132660.8384640.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;Fea		
95b554003bc024fcba57d1a4f58cb4437218db4b5f6bd42eb3d72a6c109201b776d570.876657f	ImageNet- resnet18	0.331852	False		1	least_squares	0.0218220.0522280.723071-0.565			0.331852	0.0218220.0522280.723071-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;Fea		
96175b901675220e311a6f626fad28b9cgb70834493f40bc531b30abe8d4f4f4580pt.545394f	ImageNet- resnet18	0.074103	False		1	least_squares	0.0024450.0164840.9482150.043			0.074103	0.0024450.0164840.9482150.043	0.1716	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;Fea		
9c0a36660b1565fe1175a11647a423144ff6fb01aa84fc2348dfd65bd42d0170v4365190.936310f	ImageNet- resnet18	0.287713	False		1	least_squares	0.0200520.0472020.786093-0.565			0.287713	0.0200520.0472020.786093-0.565	-0.2952	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;Fea		
a31ff58f51ef458303b7929a4f58cb67b59644446131588a1Hd1lea42fd574d981v4246pt.042961f	ImageNet- resnet18	0.043149	False		1	least_squares	0.0188770.0457980.794231-0.423			0.043149	0.0188770.0457980.794231-0.423	-0.1752	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;Fea		
bcba10e90aade6940b36f596c8aa1b3pd2cd422bRP1da1Bf2074891conf4ad1v895920.88792f	ImageNet- resnet18	0.304358	False		1	least_squares	0.0186750.0483150.758638-0.565			0.304358	0.0186750.0483150.758638-0.565	-0.2952	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;Fea		
c6133875fedd04c430a2bd50f136976ap78a521717eb0f5cb67bc2a5d0fb774f1v40680pt.606391f	ImageNet- resnet18	0.050533	False		1	least_squares	0.0051040.0238150.9045640.043			0.050533	0.0051040.0238150.9045640.043	0.1716	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;Fea		
cb12bd05020da6c40662804f9df02bd77f90df9233341707B1d64279a2016g80v4874390.487439f	ImageNet- resnet18	0.015049	False		1	least_squares	0.0006710.0086320.86933 0.043			0.015049	0.0006710.0086320.86933 0.043	0.1716	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;Fea		
cb2acb6336c1c944b1a8994fba0ddfd5541fe1107B1f0572240f1f8637932a0gb1v08691pt.086914f	ImageNet- resnet18	0.03519	False		1	least_squares	0.0052690.0256640.929468-0.423			0.03519	0.0052690.0256640.929468-0.423	-0.1752	-0.4256	-0.1536	Deconvolution;DeepLift;DeepLiftShap;Fea		
cfb75348014eada70b9a3da92ad18b46114aa00833f0da1644314c0b5da2g2f1v081435pt.081435f	ImageNet- resnet18	0.03816	False		1	least_squares	0.0052860.0242340.936748-0.423			0.03816	0.0052860.0242340.936748-0.423	-0.1752	-0.4256	-0.1536	Deconvolution;DeepLift;DeepLiftShap;Fea		
cfe0e909548d331a4f58235e8754c4aegp45b0276a5039134083rpf1c0a0d1a1v5413pt.504113f	ImageNet- resnet18	0.060808	False		1	least_squares	0.0020590.0160410.9541030.043			0.060808	0.0020590.0160410.9541030.043	0.1696	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;Fea		
d094395d3fe0f97111f1f6a726837cffb22480162073e57c6d12728183adna18gat1v43666pt.436660f	ImageNet- resnet18	0.19276	False		1	least_squares	0.0049480.0234460.9326540.1174			0.19276	0.0049480.0234460.9326540.1174	0.292	0.3216	0.6096	Deconvolution;DeepLift;DeepLiftShap;Fea		
d1abelc18ec798aa06014805f161aa2742c6c619Bd7822d00730c051a7freg4v4115050.941505f	ImageNet- resnet18	0.095757	False		1	least_squares	0.0178470.0472310.732353-0.423			0.095757	0.0178470.0472310.732353-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;Fea		
ed4abc805c7384eb4b82613f13819dff312b3d3814d41380177d0e68240v495750.495754f	ImageNet- resnet18	0.015745	False		1	least_squares	0.00066 0.0090860.8623980.043			0.015745	0.00066 0.0090860.8623980.043	0.1696	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;Fea		

Table 25: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometry q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbid quality oriented	reference curve id	reference pool policy	reference method	excluded
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			g	F	max	-0.021759	0.1716	0.3216	0.1716	0.3216	0.343359cfe0e909148vd33anC5084358					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			g	Fbar	min	-0.038114	0.1752	0.2782	-0.1752	-0.2782	-0.240086	d39d6fd93a1aacc09C1b397B9				
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			g	C	max	-0.013129	0.292	0.62	0.292	0.62	0.6331297c50bc24a34e848D5b6Kaff					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			g	Cbar	min	-0.025316	0.2952	0.6054	-0.2952	-0.6054	-0.580084	be9143dda6523da0C0000000				
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			p	F	max	-0.020654	0.1716	0.3094	0.1716	0.3094	0.3300544c5325f63bd20157685804454					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			p	Fbar	min	-0.027134	0.1752	0.2438	-0.1752	-0.2438	-0.216666	f88794641483e9e5C245f44154				
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			p	C	max	-0.003305	0.292	0.6096	0.292	0.6096	0.612905537b44d4dca0a9924403ff6					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			p	Cbar	min	-0.024804	0.2952	0.5808	-0.2952	-0.5808	-0.555996	5d7063b06523ef01611055023				
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			s	F	max	-0.013926	0.1716	0.2334	0.1716	0.2334	0.2473265165ff17ad496926423ad480					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			s	Fbar	min	-0.016828	0.1752	0.2122	-0.1752	-0.2122	-0.195372	4f51889f2a5ffe906C11d44560				
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			s	C	max	0.0056970.292	0.4098	0.292	0.4098	0.404103cc175d17753f2009Deb015708						
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			s	Cbar	min	-0.005572	0.2952	0.3902	-0.2952	-0.3902	-0.384628	8ef69de9440ad31074ad953				
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			a	F	max	-0.003526	0.1716	0.0658	0.1716	0.0658	0.069326ed4abc805a7841016582059					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			a	Fbar	min	0.0029990.1752	0.1536	-0.1752	-0.1536	-0.156599	f999ec441e44e267630f8d007					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			a	C	max	-0.018457	0.292	0.0824	0.292	0.0824	0.100857809f4a9312a2e2783b5100f69					
4b1d9eaea430a030411b1geNbl3go38445284N469e693632003ee4ddDec758428Best_indspiralan	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			a	Cbar	min	0.0081660.2952	0.238	-0.2952	-0.238	-0.246166	b0f63d877fcb2a6865088d56					
685703c1eb6f9a50582023N7f1526b38442b4Nc021c4b1a7000b9631b3vd499esimpleavgspearman	ImageNet-resnet18	resnet18	resnet18	individual	2000	individual	Best_ind	spiralan			g	F	max	-0.011924	0.1726	0.329	0.1726	0.329	0.34092496175b90f675220c5edaf020					

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented	
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			g	Fbar	min	-0.037537	-	0.251	0.3628	-0.251	-0.3628	-0.325263	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			g	C	max	0.0112640	0.286	0.6334	0.286	0.6334	0.62213609d031baf0ff4e789872e509f	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782				
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			g	Cbar	min	-0.035498	-	0.3862	0.707	-0.3862	-0.707	-0.671502	1010706c4d289282242dmg8b5f	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			p	F	max	-0.017682	-	0.1726	0.3102	0.1726	0.3102	0.327882c6133875fcd04c480a2b4300	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			p	Fbar	min	-0.037668	-	0.251	0.3426	-0.251	-0.3426	-0.304932	a31ff58f5dd45e883b7929a1e	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			p	C	max	-0.002463	-	0.286	0.6012	0.286	0.6012	0.603663d094395d3ff0597151f6d72	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			p	Cbar	min	-0.031404	-	0.3862	0.6808	-0.3862	-0.6808	-0.649396	9c0a36660b1565f47455a1f	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782		
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			s	F	max	-0.000124	-	0.1726	0.246	0.1726	0.246	0.2461241216db584db3e1cd9570cde7	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			s	Fbar	min	-0.028525	-	0.251	0.3146	-0.251	-0.3146	-0.286075	44d7df5267185d502a5d61d6	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782		
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			s	C	max	0.0073880	0.286	0.4052	0.286	0.4052	0.397812229d394fdd536c1b512479775	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782				
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			s	Cbar	min	-0.022676	-	0.3862	0.5058	-0.3862	-0.5058	-0.483124	240ec8fb4cde59c1315587600	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782		
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			a	F	max	0.0090310	0.1726	0.0782	0.1726	0.0782	0.069169cb12bd05020d46c49662894f	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782				
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			a	Fbar	min	0.0203240	0.251	0.2172	-0.251	-0.2172	-0.237524	cfb75348011ead7691cfd3ba	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			a	C	max	0.0148020	0.286	0.1092	0.286	0.1092	0.09439881ecb394fdd6303c3ef5a290eb	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782				
685703c1eb6f9a5058a02377d15f26b93d442b146c021c4b1a500b9631h3v499e	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			a	Cbar	min	0.0367920	0.3862	0.3108	-0.3862	-0.3108	-0.347592	3fbd535cf11bbcfb8ceca48042	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
7adc2b4b8151d069b11f32065b3f4b52f1ad910929f10c935000608c0005f2	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			g	F	max	-0.011924	-	0.1726	0.329	0.1726	0.329	0.34092496175b9f0d75220c5ed6f800	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
7adc2b4b8151d069b11f32065b3f4b52f1ad910929f10c935000608c0005f2	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			g	Fbar	min	-0.037537	-	0.251	0.3628	-0.251	-0.3628	-0.325263	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782			
7adc2b4b8151d069b11f32065b3f4b52f1ad910929f10c935000608c0005f2	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	simpleavg	pearman			g	C	max	0.0112640	0.286	0.6334	0.286	0.6334	0.62213609d031baf0ff4e789872e509f	6ddff6c0d53143a5b9971782	6ddff6c0d53143a5b9971782				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			g	Cbar	min	-0.035498	0.3862	0.707	-0.3862	-0.707	-0.671502	1010706c	d289282242dmg8bE		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			p	F	max	-0.017482	0.1726	0.3104	0.1726	0.3104	0.327882c	6133875f	add0c1430a2b4d0		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			p	Fbar	min	-0.037668	0.251	0.3426	-0.251	-0.3426	-0.304932	a31ff58f5	add458393b7999a1E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			p	C	max	-0.002463	0.286	0.6012	0.286	0.6012	0.603663d	094395f8	add09a1e15164d7E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			p	Cbar	min	-0.031404	0.3862	0.6808	-0.3862	-0.6808	-0.649396	9c0a36660	add1565f47475g1E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			s	F	max	-0.000124	0.1726	0.246	0.1726	0.246	0.2461241	21216db58	addb3a1d957f6d7E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			s	Fbar	min	-0.028525	0.251	0.3146	-0.251	-0.3146	-0.286075	44d7df526	add71854902asid61E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			s	C	max	0.0073880	0.286	0.4052	0.286	0.4052	0.3978122	229d394ff	add5363b15127927E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			s	Cbar	min	-0.022676	0.3862	0.5058	-0.3862	-0.5058	-0.483124	240ec8fb4	add50a1315787d0E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			a	F	max	0.0090310	0.1726	0.0782	0.1726	0.0782	0.069169c	b12bd0502	add20c4614961284E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			a	Fbar	min	0.0203240	0.251	0.2172	-0.251	-0.2172	-0.237524	cfb753480	add14e17091cd33aE		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			a	C	max	0.0148020	0.286	0.1092	0.286	0.1092	0.0943988	1ecb394f6	add63033dfasi299E		
7adc2b4b8151d069	H118-2061b-f4b-N2H-dq1-N0-296	ImageNet	resnet18	train	10c935600608c	NOISE	simpleavg		spearman			a	Cbar	min	0.0367920	0.3862	0.3108	-0.3862	-0.3108	-0.347592	3fbd535c1	add1ab618ceesi480E		
d1ed4f281b6e6e84d	26c9281b-1img13-N4f137-98tst	ImageNet	resnet18	test	17da985008	cd	b9a	7b778	sorda	spearman		g	F	max	0.0088460	0.158	0.3272	0.158	0.3272	0.3183549	6175b90f6	add75220c5cedaf0E		
d1ed4f281b6e6e84d	26c9281b-1img13-N4f137-98tst	ImageNet	resnet18	test	17da985008	cd	b9a	7b778	sorda	spearman		g	Fbar	min	-0.023816	0.2186	0.3182	-0.2186	-0.3182	-0.294384	6ddff6c0e	add3114345b99178E		
d1ed4f281b6e6e84d	26c9281b-1img13-N4f137-98tst	ImageNet	resnet18	test	17da985008	cd	b9a	7b778	sorda	spearman		g	C	max	0.0066380	0.2756	0.614	0.2756	0.614	0.6073620	9d031baf0	add0ff4a789879e96E		
d1ed4f281b6e6e84d	26c9281b-1img13-N4f137-98tst	ImageNet	resnet18	test	17da985008	cd	b9a	7b778	sorda	spearman		g	Cbar	min	-0.03203	0.3464	0.6672	-0.3464	-0.6672	-0.63517	1010706c	d289282242dmg8bE		
d1ed4f281b6e6e84d	26c9281b-1img13-N4f137-98tst	ImageNet	resnet18	test	17da985008	cd	b9a	7b778	sorda	spearman		p	F	max	0.0159790	0.158	0.3204	0.158	0.3204	0.304421c	6133875f	add0c1430a2b4d0		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	reference excluded	excluded method
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		p	Cbar	min	-0.016477	0.3464	0.6286	-0.3464	-0.6286	-0.612123	9c0a36660b1565f47475ghP	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a	
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		s	F	max	0.0063250	0.158	0.2328	0.158	0.2328	0.2264751216db5840b3m4e957fde7	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a		
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		s	Fbar	min	-0.011654	0.2186	0.2614	-0.2186	-0.2614	-0.249746	44d7df52f71855902acd6ba5	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a	
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		s	C	max	0.0047490	0.2756	0.3898	0.2756	0.3898	0.385051229d394ff1136cb15127977	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a		
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		s	Cbar	min	-0.008551	0.3464	0.4494	-0.3464	-0.4494	-0.440849	240ec8fb44e50c131578760	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a	
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		a	F	max	0.0009550	0.158	0.063	0.158	0.063	0.062045cb12bd05020d40v49662894F	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a		
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		a	Fbar	min	0.0028980	0.2186	0.1996	-0.2186	-0.1996	-0.202498	cfb75348011e4ad17691scf33ak	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a	
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		a	C	max	-0.001823	0.2756	0.0874	0.2756	0.0874	0.08922381ecb394fcd63033dfas299eB	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a		
46df8a55b23d20e20722997N21695dN73047eN6108a	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	96445000563c	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a	3047eN6108a		a	Cbar	min	0.0088540	0.3464	0.2932	-0.3464	-0.2932	-0.302054	3fbd535cf11bbcfb8ceca4802	46df8a55b23d20e20722997N21695dN73047eN6108a	46df8a55b23d20e20722997N21695dN73047eN6108a	
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		g	F	max	0.0077560	0.1556	0.3224	0.1556	0.3224	0.31464496175b9fbd75220e5edaf626	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672		
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		g	Fbar	min	0.0071590	0.2234	0.2918	-0.2234	-0.2918	-0.298959	6ddf6c0d5314315fb99f782	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		g	C	max	-0.000227	0.271	0.6006	0.271	0.6006	0.60082709d031bf10ff4e789879c560E	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672		
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		g	Cbar	min	0.0111260	0.3492	0.6266	-0.3492	-0.6266	-0.637726	1010706cd892822425m8bE	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		p	F	max	0.0164350	0.1556	0.317	0.1556	0.317	0.300565c6133875ffed0c430a3b4f0	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672		
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		p	Fbar	min	0.0077460	0.2234	0.2684	-0.2234	-0.2684	-0.276146	a31ff58f50d145893b7902ak	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		p	C	max	0.0058870	0.271	0.588	0.271	0.588	0.582113d094395d8ff060v1516m72	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672		
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		p	Cbar	min	0.0133450	0.3492	0.6014	-0.3492	-0.6014	-0.614745	9c0a36660b1565f47475ghP	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	
7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	6425007	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a	6bdad2ad6a		s	F	max	0.0071550	0.1556	0.2304	0.1556	0.2304	0.2232451216db5840b3m4e957fde7	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672	7a79f1194a55eac6aH7426Ned4ad735ff09fghN7672		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality per-turbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
c9b90e4b722f921ea6685d7f1a6583b34ind9d0c89c3ee5150075dbf0019f968	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				s	Cbar	min	-0.004777	0.3492	0.4486	-0.3492	-0.4486	-0.443823	240ec8fb50c1b315578700f	archive50c1b315578700f		
c9b90e4b722f921ea6685d7f1a6583b34ind9d0c89c3ee5150075dbf0019f968	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				a	F	max	0.0043260	0.1556	0.0652	0.1556	0.0652	0.060874	cb12bd05020c46c49662894f	archive50c1b315578700f		
c9b90e4b722f921ea6685d7f1a6583b34ind9d0c89c3ee5150075dbf0019f968	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				a	Fbar	min	-0.000713	0.2234	0.2084	-0.2234	-0.2084	-0.207687	cfb75348011e4d17691scfd3ba	archive50c1b315578700f		
c9b90e4b722f921ea6685d7f1a6583b34ind9d0c89c3ee5150075dbf0019f968	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				a	C	max	0.0050660	0.271	0.092	0.271	0.092	0.0869348	ecb394fd630c3dfasi290e5	archive50c1b315578700f		
c9b90e4b722f921ea6685d7f1a6583b34ind9d0c89c3ee5150075dbf0019f968	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				a	Cbar	min	0.0052580	0.3492	0.3	-0.3492	-0.3	-0.305258	3fbd535cf11bcbf8eecc4802e	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				g	F	max	0.0026990	0.1612	0.326	0.1612	0.326	0.3233019	6175b9f1d75220e5edaf026	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				g	Fbar	min	-0.001769	0.2176	0.2952	-0.2176	-0.2952	-0.293431	6ddff6c0f5314345f699mg182	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				g	C	max	-0.005517	0.2812	0.6098	0.2812	0.6098	0.6153170	9d031bf10ff4e789872c500e5	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				g	Cbar	min	-0.005282	0.3424	0.6368	-0.3424	-0.6368	-0.631518	1010706c62892822d42518bf	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				p	F	max	0.0140360	0.1612	0.3236	0.1612	0.3236	0.309564c	6133875fdd1d0c430a3b460	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				p	Fbar	min	-0.013503	0.2176	0.2836	-0.2176	-0.2836	-0.270097	a31ff5f5fd4458303b7909aa	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				p	C	max	-0.002167	0.2812	0.5946	0.2812	0.5946	0.596767d	0943953af00991151461d72	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				p	Cbar	min	0.0005770	0.3424	0.6078	-0.3424	-0.6078	-0.608377	9c0a36600b1565f6e4745ghfP	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				s	F	max	0.0046180	0.1612	0.2354	0.1612	0.2354	0.2307821	216db5840b34e1c955f7c7e7	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				s	Fbar	min	-0.003175	0.2176	0.2518	-0.2176	-0.2518	-0.248625	44d7df52671854902asid0ab	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				s	C	max	0.0018780	0.2812	0.3938	0.2812	0.3938	0.3919222	229d394fd15363c1b61247974f	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				s	Cbar	min	-0.0016	0.3424	0.4382	-0.3424	-0.4382	-0.4366	240ec8fb50c1b315578700f	archive50c1b315578700f		
d3d3204dc55980a9f686gt78b92gbNddh449Nc02908b9a300d9c3d7397bfc77f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	0.289	3ee5150075dbf0019f968	spearman				a	F	max	0.0019940	0.1612	0.0656	0.1612	0.0656	0.063606	cb12bd05020c46c49662894f	archive50c1b315578700f		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
d3d3204dc55980a9f688g1N9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				a	Fbar	min		0.0084170.2176	0.193	-0.2176	-0.193	-	cfb75348011lead7091scf33ak				
d3d3204dc55980a9f688g1N9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				a	C	max		-0.00221	0.2812	0.0898	0.2812	0.0898	0.09201	81ecb394fcd6303dfasi299eB			
d3d3204dc55980a9f688g1N9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				a	Cbar	min		0.0158780.3424	0.2816	-0.3424	-0.2816	-	3fbd535cf11abebf8ceasing809E				
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				g	F	max		0.0026990.1612	0.326	0.1612	0.326	0.32330196175b90f675220c5edaf025					
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				g	Fbar	min		-0.001769	0.2176	0.2952	-0.2176	-0.2952	-	6ddff6c0d53114345b99f1782E			
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				g	C	max		-0.005517	0.2812	0.6098	0.2812	0.6098	0.61531709d031bf10ff4e789873a09F				
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				g	Cbar	min		-0.005282	0.3424	0.6368	-0.3424	-0.6368	-	1010706c689282242dmg8bE			
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				p	F	max		0.0140360.1612	0.3236	0.1612	0.3236	0.309564c6133875fcd04c1430a2b4d0E					
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				p	Fbar	min		-0.013503	0.2176	0.2836	-0.2176	-0.2836	-	a31ff58f5fcd458303b7929a2E			
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				p	C	max		-0.002167	0.2812	0.5946	0.2812	0.5946	0.596767d094395daff09a1151fmg72E				
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				p	Cbar	min		0.0005770.3424	0.6078	-0.3424	-0.6078	-	9c0a36660b1565f4747d5gblE				
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				s	F	max		0.0046180.1612	0.2354	0.1612	0.2354	0.2307821216db584db34e9f957fde7E					
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				s	Fbar	min		-0.003175	0.2176	0.2518	-0.2176	-0.2518	-	44d7df52671854902ac10dabE			
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				s	C	max		0.0018780.2812	0.3938	0.2812	0.3938	0.391922229d394fcd536cd651247977E					
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				s	Cbar	min		-0.0016	0.3424	0.4382	-0.3424	-0.4382	-0.4366	240ecfb4e59c1315587060E			
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				a	F	max		0.0019940.1612	0.0656	0.1612	0.0656	0.063606cb12bd05020d461496629dE					
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				a	Fbar	min		0.0084170.2176	0.193	-0.2176	-0.193	-	cfb75348011lead7091scf33ak				
e57b928fb900188bd560gaN9332g6N712121N061sf6726c50003d89870138f rrf	ImageNet-resnet18	ImageNet	resnet18	train	12908b9a530049c3d7397bfc77f	0.29	spearman				a	C	max		-0.00221	0.2812	0.0898	0.2812	0.0898	0.09201	81ecb394fcd6303dfasi299eB			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
e57b928fb900188bd560ca9f4332g6N7f1212e6015f6726c50003d89870433f	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	a	Cbar	min	0.0158780.3424	0.2816	-0.3424	-0.2816	-0.297478	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	g	F	max	0.0060640.1576	0.3238	0.1576	0.3238	0.31773696175b9f075220e5edid6026	0.31773696175b9f075220e5edid6026	0.31773696175b9f075220e5edid6026	0.31773696175b9f075220e5edid6026			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	g	Fbar	min	-0.0003970.2182	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0d5314315f699f1782	6ddff6c0d5314315f699f1782	6ddff6c0d5314315f699f1782	6ddff6c0d5314315f699f1782		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	g	C	max	-0.002330.276	0.6056	0.276	0.6056	0.6079309d031ba10ff4e789873e509f	0.6079309d031ba10ff4e789873e509f	0.6079309d031ba10ff4e789873e509f	0.6079309d031ba10ff4e789873e509f			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	g	Cbar	min	0.0009440.3444	0.6324	-0.3444	-0.6324	-0.633344	1010706c6d89282242d57b5f	1010706c6d89282242d57b5f	1010706c6d89282242d57b5f	1010706c6d89282242d57b5f		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	p	F	max	0.0130210.1576	0.3168	0.1576	0.3168	0.303779c6133875fadd0c430a3b460	0.303779c6133875fadd0c430a3b460	0.303779c6133875fadd0c430a3b460	0.303779c6133875fadd0c430a3b460			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	p	Fbar	min	-0.0130770.2182	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f50d1458333b7999ba	a31ff58f50d1458333b7999ba	a31ff58f50d1458333b7999ba	a31ff58f50d1458333b7999ba		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	p	C	max	-0.0008970.276	0.5884	0.276	0.5884	0.589297d094395cf10f097151464d72	0.589297d094395cf10f097151464d72	0.589297d094395cf10f097151464d72	0.589297d094395cf10f097151464d72			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	p	Cbar	min	-0.003750.3444	0.614	-0.3444	-0.614	-0.61025	9c0a3666f0b1565f614745ghf	9c0a3666f0b1565f614745ghf	9c0a3666f0b1565f614745ghf	9c0a3666f0b1565f614745ghf		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	s	F	max	0.0086630.1576	0.2346	0.1576	0.2346	0.2259371216db584db3a1e19570c7	0.2259371216db584db3a1e19570c7	0.2259371216db584db3a1e19570c7	0.2259371216db584db3a1e19570c7			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	s	Fbar	min	-0.0039020.2182	0.2532	-0.2182	-0.2532	-0.249298	44d7df526718545902asd6ba	44d7df526718545902asd6ba	44d7df526718545902asd6ba	44d7df526718545902asd6ba		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	s	C	max	0.0024590.276	0.388	0.276	0.388	0.385541229d394f115363civ613e7927	0.385541229d394f115363civ613e7927	0.385541229d394f115363civ613e7927	0.385541229d394f115363civ613e7927			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	s	Cbar	min	-0.0014760.3444	0.4402	-0.3444	-0.4402	-0.438724	240ec8fb4e50c1315787000	240ec8fb4e50c1315787000	240ec8fb4e50c1315787000	240ec8fb4e50c1315787000		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	a	F	max	0.003150.1576	0.065	0.1576	0.065	0.06185cb12bd05020d4614966294f	0.06185cb12bd05020d4614966294f	0.06185cb12bd05020d4614966294f	0.06185cb12bd05020d4614966294f			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	a	Fbar	min	0.0008660.2182	0.2012	-0.2182	-0.2012	-0.202066	cfb75348011e4a17091sing3ak	cfb75348011e4a17091sing3ak	cfb75348011e4a17091sing3ak	cfb75348011e4a17091sing3ak		
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	a	C	max	0.0001780.276	0.0896	0.276	0.0896	0.08942281ecb394f6d630c3dfasi299cB	0.08942281ecb394f6d630c3dfasi299cB	0.08942281ecb394f6d630c3dfasi299cB	0.08942281ecb394f6d630c3dfasi299cB			
c34bcb1e1c938f68f060d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	a	Cbar	min	0.0059660.3444	0.2938	-0.3444	-0.2938	-0.299766	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092		
180dff39e28876c2e10d93aeB524c36f7f12e5000980fna8d500	ImageNet-resnet18	ImageNet	resnet18	train	5000	5000	5000	5000	5000	5000	g	F	max	0.0060640.1576	0.3238	0.1576	0.3238	0.31773696175b9f075220e5edid6026	0.31773696175b9f075220e5edid6026	0.31773696175b9f075220e5edid6026	0.31773696175b9f075220e5edid6026			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			g	Fbar	min	-0.000397	0.2182	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0d53143a5b9971782	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			g	C	max	-0.00233	0.276	0.6056	0.276	0.6056	0.60793	09d031ba10ff4e789873e509f				
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			g	Cbar	min	0.0009440	0.3444	0.6324	-0.3444	-0.6324	-0.633344	1010706c62892822e2d518b5f	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			p	F	max	0.0130210	0.1576	0.3168	0.1576	0.3168	0.303779c6133875fcd004c480a2b430	09d031ba10ff4e789873e509f				
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			p	Fbar	min	-0.013077	0.2182	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f50d45e830b7929a1e	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			p	C	max	-0.000897	0.276	0.5884	0.276	0.5884	0.589297d094395d3ff0097151f672	09d031ba10ff4e789873e509f				
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			p	Cbar	min	-0.00375	0.3444	0.614	-0.3444	-0.614	-0.61025	9c0a36660b1565f47456b1f	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			s	F	max	0.0086630	0.1576	0.2346	0.1576	0.2346	0.2259371216db5840b3e1e9570c7	09d031ba10ff4e789873e509f				
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			s	Fbar	min	-0.003902	0.2182	0.2532	-0.2182	-0.2532	-0.249298	44d7df5267185d5002a5d016b	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			s	C	max	0.0024590	0.276	0.388	0.276	0.388	0.385541229d394f515361e151247977	09d031ba10ff4e789873e509f				
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			s	Cbar	min	-0.001476	0.3444	0.4402	-0.3444	-0.4402	-0.438724	240ec8fb40e59c13155b7060	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			a	F	max	0.00315	0.1576	0.065	0.1576	0.065	0.06185	cb12bd05020d46149662804f	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			a	Fbar	min	0.0008660	0.2182	0.2012	-0.2182	-0.2012	-0.202066	cfb75348011ead17091b1cfd3a1f	09d031ba10ff4e789873e509f			
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			a	C	max	0.0001780	0.276	0.0896	0.276	0.0896	0.08942281ecb394fdd63063edf51290e5	09d031ba10ff4e789873e509f				
180df39e28876c2e310d4a8c8bf33550871b30e41a7860f000bb72N0L8BF8	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	schulze	spearman			a	Cbar	min	0.0059660	0.3444	0.2938	-0.3444	-0.2938	-0.299766	3fbd535cf11bbcf8e6e5a4802	09d031ba10ff4e789873e509f			
d0e526cd5f6b66e34124f528ff06a7c7NH2628GN14896bf451000a3fe2089	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	best_individual	individual			g	F	max	-0.021759	0.1716	0.3216	0.1716	0.3216	0.343359cfe0e909148d331a0508a358f	09d031ba10ff4e789873e509f				
d0e526cd5f6b66e34124f528ff06a7c7NH2628GN14896bf451000a3fe2089	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	best_individual	individual			g	Fbar	min	-0.038114	0.1752	0.2782	-0.1752	-0.2782	-0.240086	d39d6fd92a1aacc09c1b3071b9	09d031ba10ff4e789873e509f			
d0e526cd5f6b66e34124f528ff06a7c7NH2628GN14896bf451000a3fe2089	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	78601000	5000	best_individual	individual			g	C	max	-0.013129	0.292	0.62	0.292	0.62	0.6331297c50bc284e34e848d5baf8aff	09d031ba10ff4e789873e509f				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
0e9f8e5a8b5180786f2607NfF3aghs5f5315e7386633e9b540071a8b34d9a14	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	a	Fbar	min	-0.000713	0.2234	0.2084	-0.2234	-0.2084	-0.207687	cfb75348011eadb7091scf43ba	cfb75348011eadb7091scf43ba	cfb75348011eadb7091scf43ba	cfb75348011eadb7091scf43ba
0e9f8e5a8b5180786f2607NfF3aghs5f5315e7386633e9b540071a8b34d9a14	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	a	C	max	0.0050660	0.271	0.092	0.271	0.092	0.08693481	ecb394fcd630a3dfasi299eB	ecb394fcd630a3dfasi299eB	ecb394fcd630a3dfasi299eB	ecb394fcd630a3dfasi299eB
0e9f8e5a8b5180786f2607NfF3aghs5f5315e7386633e9b540071a8b34d9a14	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	a	Cbar	min	0.0052580	0.3492	0.3	-0.3492	-0.3	-0.305258	3fbd535cf11abebf8easing4809	3fbd535cf11abebf8easing4809	3fbd535cf11abebf8easing4809	3fbd535cf11abebf8easing4809
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	g	F	max	0.0077560	0.1556	0.3224	0.1556	0.3224	0.314644961	75b90f075220e5ednq126	75b90f075220e5ednq126	75b90f075220e5ednq126	75b90f075220e5ednq126
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	g	Fbar	min	0.0071590	0.2234	0.2918	-0.2234	-0.2918	-0.298959	6ddf6c0d5314345b99f1782	6ddf6c0d5314345b99f1782	6ddf6c0d5314345b99f1782	6ddf6c0d5314345b99f1782
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	g	C	max	-0.000227	0.271	0.6006	0.271	0.6006	0.60082709	d031ba0ff4e789873a009	d031ba0ff4e789873a009	d031ba0ff4e789873a009	d031ba0ff4e789873a009
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	g	Cbar	min	0.0111260	0.3492	0.6266	-0.3492	-0.6266	-0.637726	1010706c6d89282242dm8bE	1010706c6d89282242dm8bE	1010706c6d89282242dm8bE	1010706c6d89282242dm8bE
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	p	F	max	0.0164350	0.1556	0.317	0.1556	0.317	0.300565c6	133875fcd04c430a2b4d0	133875fcd04c430a2b4d0	133875fcd04c430a2b4d0	133875fcd04c430a2b4d0
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	p	Fbar	min	0.0077460	0.2234	0.2684	-0.2234	-0.2684	-0.276146	a31ff58f5d4458303b7929aE	a31ff58f5d4458303b7929aE	a31ff58f5d4458303b7929aE	a31ff58f5d4458303b7929aE
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	p	C	max	0.0058870	0.271	0.588	0.271	0.588	0.582113d0	94395f0f0971515mg72	94395f0f0971515mg72	94395f0f0971515mg72	94395f0f0971515mg72
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	p	Cbar	min	0.0133450	0.3492	0.6014	-0.3492	-0.6014	-0.614745	9c0a36660b1565f4747d5abE	9c0a36660b1565f4747d5abE	9c0a36660b1565f4747d5abE	9c0a36660b1565f4747d5abE
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	s	F	max	0.0071550	0.1556	0.2304	0.1556	0.2304	0.22324512	16db5840b34e9f957f6c7	16db5840b34e9f957f6c7	16db5840b34e9f957f6c7	16db5840b34e9f957f6c7
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	s	Fbar	min	-0.004472	0.2234	0.2596	-0.2234	-0.2596	-0.255128	44d7df52671854902ac0dabE	44d7df52671854902ac0dabE	44d7df52671854902ac0dabE	44d7df52671854902ac0dabE
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	s	C	max	0.0051940	0.271	0.3846	0.271	0.3846	0.37940622	9d394fcd536ad651247977	9d394fcd536ad651247977	9d394fcd536ad651247977	9d394fcd536ad651247977
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	s	Cbar	min	-0.004777	0.3492	0.4486	-0.3492	-0.4486	-0.443823	240ec8fb4e59c1315587060	240ec8fb4e59c1315587060	240ec8fb4e59c1315587060	240ec8fb4e59c1315587060
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	a	F	max	0.0043260	0.1556	0.0652	0.1556	0.0652	0.060874cb	12bd05020d46c4966289dE	12bd05020d46c4966289dE	12bd05020d46c4966289dE	12bd05020d46c4966289dE
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	a	Fbar	min	-0.000713	0.2234	0.2084	-0.2234	-0.2084	-0.207687	cfb75348011eadb7091scf43ba	cfb75348011eadb7091scf43ba	cfb75348011eadb7091scf43ba	cfb75348011eadb7091scf43ba
9e8d85fe50f4aac9849c592Nf46m1gc865nag735f08033b35800d80N03F76	kemeny	kendall	ImageNet-resnet18	resnet18	33b35800d80N03F76	1500	1800	1800	1800	1800	1800	a	C	max	0.0050660	0.271	0.092	0.271	0.092	0.08693481	ecb394fcd630a3dfasi299eB	ecb394fcd630a3dfasi299eB	ecb394fcd630a3dfasi299eB	ecb394fcd630a3dfasi299eB

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded q
9e8d85fe50f4aac9849a5e466a1a865aaf735d08033b358001d8041c14576	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f	kemeny	kendall			a	Cbar	min		0.0052580.3492	0.3	-0.3492	-0.3	-	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			g	F	max		0.0026990.1612	0.326	0.1612	0.326	0.32330196175b9f1675220c5edaf626	1675220c5edaf626				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			g	Fbar	min	-	0.0017690.2176	0.2952	-0.2176	-0.2952	-	6ddff6c065314345f699f1782	65314345f699f1782			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			g	C	max	-	0.0055170.2812	0.6098	0.2812	0.6098	0.61531709d031ba10ff4e789874e509f	10ff4e789874e509f				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			g	Cbar	min	-	0.0052820.3424	0.6368	-0.3424	-0.6368	-	1010706c6289222424718b5f	6289222424718b5f			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			p	F	max		0.0140360.1612	0.3236	0.1612	0.3236	0.309564c6133875fad00c430a3b460	fad00c430a3b460				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			p	Fbar	min	-	0.0135030.2176	0.2836	-0.2176	-0.2836	-	a31ff58f5fd1458333b7999a6	fd1458333b7999a6			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			p	C	max	-	0.0021670.2812	0.5946	0.2812	0.5946	0.596767d094395cfaf009715146472f	af009715146472f				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			p	Cbar	min		0.0005770.3424	0.6078	-0.3424	-0.6078	-	9c0a3666f11565f6147459bf	f11565f6147459bf			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			s	F	max		0.0046180.1612	0.2354	0.1612	0.2354	0.2307821216db584db3a0c195706c7	db584db3a0c195706c7				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			s	Fbar	min	-	0.0031750.2176	0.2518	-0.2176	-0.2518	-	44d7df52671855d902asd6ba6	671855d902asd6ba6			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			s	C	max		0.0018780.2812	0.3938	0.2812	0.3938	0.391922229d394fa15363b613a79727f	fa15363b613a79727f				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			s	Cbar	min	-0.0016	0.34240.4382	0.4382	-0.3424	-0.4382	-0.4366	240ec8fbf9e50c131578700f	f9e50c131578700f			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			a	F	max		0.0019940.1612	0.0656	0.1612	0.0656	0.063606cb12bd05020ca6c4966294f	cb12bd05020ca6c4966294f				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			a	Fbar	min		0.0084170.2176	0.193	-0.2176	-0.193	-	cfb75348011eac417091sing3ak	011eac417091sing3ak			
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			a	C	max	-	0.002210.2812	0.0898	0.2812	0.0898	0.0920181ecb394fd630c3dfasi299ce	fd630c3dfasi299ce				
b0a2e3e34e91091591e856dNedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			a	Cbar	min		0.0158780.3424	0.2816	-0.3424	-0.2816	-	3fbd535cf11abeb8ceesid8092	3fbd535cf11abeb8ceesid8092			
e807e24afb534d24c02f1a3cd057a6NedFmshbN947aa1849622c3428e30027788n347db841f	ImageNet- resnet18	ImageNet- resnet18	resnet18	train	119850	17a1849622c3428e30027788n347db841f		kendall			g	F	max		0.0026990.1612	0.326	0.1612	0.326	0.32330196175b9f1675220c5edaf626	1675220c5edaf626				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality per-turbed oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	g	Fbar	min	-	0.001769	0.2176	0.2952	-0.2176	-0.2952	-	0.293431	6ddff6c0d53143a5b09971782	6ddff6c0d53143a5b09971782	0.61531709	d031baf0ff4e789873e509E	0.61531709	d031baf0ff4e789873e509E	0.61531709	
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	g	C	max	-	0.005517	0.2812	0.6098	0.2812	0.6098	0.61531709	d031baf0ff4e789873e509E	0.61531709	d031baf0ff4e789873e509E	0.61531709	d031baf0ff4e789873e509E	0.61531709	d031baf0ff4e789873e509E	0.61531709	
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	g	Cbar	min	-	0.005282	0.3424	0.6368	-0.3424	-0.6368	-	0.631518	1010706c6d289282242dmg8bE	1010706c6d289282242dmg8bE	0.309564c6133875	ffd0d04c440a2b430E	0.309564c6133875	ffd0d04c440a2b430E	0.309564c6133875	
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	p	F	max	0.0140360	0.1612	0.3236	0.1612	0.3236	0.309564c6133875	ffd0d04c440a2b430E	0.309564c6133875	ffd0d04c440a2b430E	0.309564c6133875	ffd0d04c440a2b430E	0.309564c6133875	ffd0d04c440a2b430E	0.309564c6133875		
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	p	Fbar	min	-	0.013503	0.2176	0.2836	-0.2176	-0.2836	-	0.270097	a31ff58f50df45e8803b7929a1E	a31ff58f50df45e8803b7929a1E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E		
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	p	C	max	-	0.002167	0.2812	0.5946	0.2812	0.5946	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E	0.596767d094395d3ff0e0971e51f672E		
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	p	Cbar	min	0.0005770	0.3424	0.6078	-0.3424	-0.6078	-	0.608377	9c0a36660b15651e147456g1E	9c0a36660b15651e147456g1E	0.0005770	0.3424	0.6078	-0.3424	-0.6078	-	
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	s	F	max	0.0046180	0.1612	0.2354	0.1612	0.2354	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E	0.2307821216db5840b3c4e1d9570c7E			
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	s	Fbar	min	-	0.003175	0.2176	0.2518	-0.2176	-0.2518	-	0.248625	44d7df526718545002a5d61a6E	44d7df526718545002a5d61a6E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E		
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	s	C	max	0.0018780	0.2812	0.3938	0.2812	0.3938	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E	0.391922229d394f515363c1b51247977E			
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	s	Cbar	min	-0.0016	0.3424	0.4382	-0.3424	-0.4382	-0.4366	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E	240ec8fb44e59c131558760E		
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	a	F	max	0.0019940	0.1612	0.0656	0.1612	0.0656	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E	0.063606cb12bd05020d46149662894E			
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	a	Fbar	min	0.0084170	0.2176	0.193	-0.2176	-0.193	-	0.201417	cfb75348011ead7091scfd3a1E	cfb75348011ead7091scfd3a1E	0.0084170	0.2176	0.193	-0.2176	-0.193	-	
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	a	C	max	-	0.00221	0.2812	0.0898	0.2812	0.0898	0.09201	81ecb394f6d6303c3dfas1290E	81ecb394f6d6303c3dfas1290E	0.09201	81ecb394f6d6303c3dfas1290E	0.09201	81ecb394f6d6303c3dfas1290E	0.09201		
e807e24afb534d24cd2f54g3vcd057ge4N04m71e03d244dc10500812a8NaC2B7E96rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc10500812a8NaC2B7E96rf	10500812a8NaC2B7E96rf	a	Cbar	min	0.0158780	0.3424	0.2816	-0.3424	-0.2816	-	0.297478	3fbd535cf11bbcf08cecs14812E	3fbd535cf11bbcf08cecs14812E	0.0158780	0.3424	0.2816	-0.3424	-0.2816	-	
8e1cf25cda1673fbe32d4j005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc105005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	105005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	g	F	max	0.0060640	0.1576	0.3238	0.1576	0.3238	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E	0.31773696175b9f0f075220a5edc16126E			
8e1cf25cda1673fbe32d4j005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc105005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	105005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	g	Fbar	min	-	0.000397	0.2182	0.2944	-0.2182	-0.2944	-	0.294003	6ddff6c0d53143a5b09971782	6ddff6c0d53143a5b09971782	0.60793	09d031baf0ff4e789873e509E	0.60793	09d031baf0ff4e789873e509E	0.60793	
8e1cf25cda1673fbe32d4j005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	dc105005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	105005D93b227f6612a9N1f8261887600d0b241h70ea05schulze	g	C	max	-	0.00233	0.276	0.6056	0.276	0.6056	0.60793	09d031baf0ff4e789873e509E	0.60793	09d031baf0ff4e789873e509E	0.60793	09d031baf0ff4e789873e509E	0.60793	09d031baf0ff4e789873e509E	0.60793	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometry q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	reference excluded	excluded q
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			g	Cbar	min	0.0009440.3444	0.6324	-0.3444	-0.6324	-	0.633344	1010706cda1892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			p	F	max	0.0130210.1576	0.3168	0.1576	0.3168	0.303779c6133875fcd00c4430a2b4d0	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			p	Fbar	min	-0.013077	0.2182	0.2838	-0.2182	-0.2838	-0.270723	a31ff58f50ed4558303b79929aaf	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			p	C	max	-0.000897	0.276	0.5884	0.276	0.5884	0.589297d094395d4f009a1514f6d72	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			p	Cbar	min	-0.00375	0.3444	0.614	-0.3444	-0.614	-0.61025	9c0a3660db1565fe47455g8f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			s	F	max	0.0086630.1576	0.2346	0.1576	0.2346	0.2259371216db5846b34e1d957f6e7	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			s	Fbar	min	-0.003902	0.2182	0.2532	-0.2182	-0.2532	-0.249298	44d7df52671855d902a5d0d6f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			s	C	max	0.0024590.276	0.388	0.276	0.388	0.385541229d394f415363c61247977	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			s	Cbar	min	-0.001476	0.3444	0.4402	-0.3444	-0.4402	-0.438724	240ec8fb4c4e50a1315587060	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			a	F	max	0.00315	0.1576	0.065	0.1576	0.065	0.06185	cb12bd05020ca6c49662894f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			a	Fbar	min	0.0008660.2182	0.2012	-0.2182	-0.2012	-0.202066	cfb753480d14e4d17091c4d33d3	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			a	C	max	0.0001780.276	0.0896	0.276	0.0896	0.08942281ecb394f40d630a3df3299e	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		
8e1cf25cda1673fbee3a2410065093b227ff61a2e91f62	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	26188	70000	0b244b70ea05schulze	kendall			a	Cbar	min	0.0059660.3444	0.2938	-0.3444	-0.2938	-0.299766	3fbd535c41bb6b68cecc4d802	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
302b199fe197e31485f9a7e05f15390db189730ta42b5d50027054NO7SE7s8	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	42b5d50027054NO7SE7s8	NO7SE7s8	schulze	kendall			g	F	max	0.0060640.1576	0.3238	0.1576	0.3238	0.31773696175b9fcd075220a5ced6d15	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		
302b199fe197e31485f9a7e05f15390db189730ta42b5d50027054NO7SE7s8	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	42b5d50027054NO7SE7s8	NO7SE7s8	schulze	kendall			g	Fbar	min	-0.000397	0.2182	0.2944	-0.2182	-0.2944	-0.294003	6ddff6c0553143a5b69971782	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f
302b199fe197e31485f9a7e05f15390db189730ta42b5d50027054NO7SE7s8	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	42b5d50027054NO7SE7s8	NO7SE7s8	schulze	kendall			g	C	max	-0.00233	0.276	0.6056	0.276	0.6056	0.60793	09d031baf00f4a78873a609f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f
302b199fe197e31485f9a7e05f15390db189730ta42b5d50027054NO7SE7s8	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	42b5d50027054NO7SE7s8	NO7SE7s8	schulze	kendall			g	Cbar	min	0.0009440.3444	0.6324	-0.3444	-0.6324	-0.633344	1010706cda1892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	
302b199fe197e31485f9a7e05f15390db189730ta42b5d50027054NO7SE7s8	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	42b5d50027054NO7SE7s8	NO7SE7s8	schulze	kendall			p	F	max	0.0130210.1576	0.3168	0.1576	0.3168	0.303779c6133875fcd00c4430a2b4d0	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f	cd892820242d78b5f		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded q method o
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	Fbar	min	-	0.013077	0.2182	0.2838	-0.2182	-0.2838	-	a31ff58f5dd1458333b7999ba6	0.270723	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	C	max	-	0.000897	0.276	0.5884	0.276	0.5884	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	Cbar	min	-	0.00375	0.3444	0.614	-0.3444	-0.614	-	9c0a3666db11565afe47545ghF	0.61025	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	F	max	0.0086630.1576	0.2346	0.1576	0.2346	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7	0.2259371216db5846b3xndev9577gle7		
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	Fbar	min	-	0.003902	0.2182	0.2532	-0.2182	-0.2532	-	44d7df52671854302asid6ja6	0.249298	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	C	max	0.0024590.276	0.388	0.276	0.388	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7	0.385541229d394fa15363iv612et7Z7		
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	Cbar	min	-	0.001476	0.3444	0.4402	-0.3444	-0.4402	-	240ec8fbacbe50c1315587060	0.438724	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	F	max	0.00315	0.1576	0.065	0.1576	0.1576	0.065	0.06185	cb12bd05020cad6c49662894F	0.06185	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	Fbar	min	0.0008660.2182	0.2012	-0.2182	-0.2012	-	cfb75348611ead7091scgd3BaK	0.202066	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2		
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	C	max	0.0001780.276	0.0896	0.276	0.0896	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB	0.08942281ecb394nd633dc3dfas299eB		
302b199fe197e3148f90g7c09lm5396Ndinh89730tas42b5d50027054NOJSEb7s8shulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	42b5d50027054	NOJSE	b7s8shulze	kendall	Cbar	min	0.0059660.3444	0.2938	-0.3444	-0.2938	-	3fbd535c811ebc68cees4802	0.299766	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2	0.589297d094395dafe09971v154m4t2		

Table 26: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in

[illegible]

candidate id	cell	dataset	model	split	sample count	setting	method	distance geometry model	geometry label	source id	methods selected	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
b0a2e3e34e9109159e556d9f1f5b9847aaf84f622e3428e30027788a347db841f	ImageNet	ImageNet	resnet18	train	11624	1000	kendall					0.002699-	-	-	-	0.014036-	-	-	0.0005770.004618-	-	-	-	-
	ImageNet	ImageNet	resnet18	val	11624	1000						0.0017690.0055170.005282	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.003175	0.003175	0.003175	0.003175
e807e24afb534d24cd5f5133cd057ed40d71e09d1244dc10500812a8b0257e96rf	ImageNet	ImageNet	resnet18	train	11624	1000	kendall					0.002699-	-	-	-	0.014036-	-	-	0.0005770.004618-	-	-	-	-
	ImageNet	ImageNet	resnet18	val	11624	1000						0.0017690.0055170.005282	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.0135030.002167	0.003175	0.003175	0.003175	0.003175
8e1cf25cda1673fbee1241005093b227f6612a0c1f62618876000b24470ea05schulze	ImageNet	ImageNet	resnet18	train	11624	1000	kendall					0.006064-	-	-	0.0009440.013021-	-	-	-	0.008663-	-	-	-	-
	ImageNet	ImageNet	resnet18	val	11624	1000						0.0003970.00233	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.003902	0.003902	0.003902	0.003902
302b199fe197e314869a7e091a539001b189730e1a42b5d5000705400757e8schulze	ImageNet	ImageNet	resnet18	train	11624	1000	kendall					0.006064-	-	-	0.0009440.013021-	-	-	-	0.008663-	-	-	-	-
	ImageNet	ImageNet	resnet18	val	11624	1000						0.0003970.00233	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.0130770.0008970.00375	0.003902	0.003902	0.003902	0.003902

Table 27: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	slapped was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
09d031ba10ff4e789872a560083	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.158560	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;Fea
1010706ce2892822412b7d8d67a5856708b47b99d24d761339e94368ad096b0a128826.942382	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.318947	0.02265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;Fea
1216db5846b3decfd1556e870705f79de8eab1ade966933051da7fd5322d37631a4510pt_345791	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.138445	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;Fea
229d394fa15363cb112a79770bffa4c7ca71ac190fbbb0215ca5d316c586fat1v22707pt_237074	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.146869	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;Fea
240ec8fbacae59c1315720f09d1bfc77745e98766d65606393f1270b8a39967att1v06218pt_062187	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.072907	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;Fea
3fbd535ce1abe6b8dea4602d0ba8a9da40aa5f4c50de9aed178660c877ma4pt11v445pt_14415	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.094279	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;Fea
44d7df52c7485f9072ac6b16f91b1a0678b8c1423dff20a30851a17b20fuga1v12144pt_131240	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.004641	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;Fea
4c5325f63bd20157785264e5f180a81cf910a9b5f1212dd0f3ad04p1a43b681v652d6pt_652d65	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.146456	0.004756	0.024382	0.906291	0.043	0.1696	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;Fea
4f51889f2a5ffe996e1b45369b02047cb93857c6a6d6d3707pnd49c1ee272a1v53662pt_153662	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.067449	0.008795	0.033157	0.880463	-0.423	-0.1884	-0.5008	-0.2146	Deconvolution;DeepLift;DeepLiftShap;Fea
5165ff17acd49692fd423ddNe4f959fc2dsla633507270b32836ep36pe5d9e181v37665pt_376655	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.110920	0.000477	0.007721	0.985278	0.043	0.1696	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;Fea
537b44d6de0ab9a27m469Ne472974q8a046e2d10907f890895f85d0a4511v44232pt_442326	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.191746	0.004939	0.024846	0.925855	0.1174	0.2858	0.3216	0.596	Deconvolution;DeepLift;FeatureAblation;
5d7063b09f23ef916ff05928571ad06997e5c7b16d2867f0301pnd13442v59750v978334pt_978334	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.267191	0.019639	0.049547	0.751194	-0.565	-0.3024	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;Fea
6ddff6c0e5314315ff005928571ad06997e5c7b16d2867f0301pnd13442v59750v978334pt_978334	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.086049	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;Fea
7c50bc284c34e848152gaNe63eeeb33c018442d3ep1d2303pnd33aand9att1v4303pt_44303	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.117650	0.003032	0.019469	0.953177	0.1174	0.2858	0.3518	0.6088	Deconvolution;DeepLift;FeatureAblation;
809f4a93b2eb2783ff8190N45c1a0804fec229a5040515f6803a5e2a349641v529329pt_529329	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.053678	0.001307	0.012783	0.863974	0.1174	0.2858	0.0126	0.1134	Deconvolution;DeepLift;FeatureAblation;
81ecb394c6c630e3d11a299Ne670f0960d1a47c6efb69ee9d3f902ad76b1813b66a0v497433pt_497433	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.047926	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;Fea
8ef69de9dd0adc31274a953406500c0sl9105f1a63c54d87a057pnd860v478d807158pt_07158	ImageNet- resnet18	8856182	1a1d1bc112d46fe1a1644b057006		11	cegn1v42055pt_430558	False	least_squares	0.068297	0.010289	0.035862	0.873643	-0.565	-0.3024	-0.7	-0.397	Deconvolution;DeepLift;DeepLiftShap;Fea

Table 28: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbid quality oriented	reference curve id	reference pool policy	reference enforce method	excluded
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	F	max	-0.021759	0.1716	0.3216	0.1716	0.3216	0.343359	cfe0e909148vd33a0c508a4359			
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	Fbar	min	-0.038114	0.1752	0.2782	-0.1752	-0.2782	-0.240086	d39d6fd93a1aacc09C1b397B9				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	C	max	-0.013129	0.292	0.62	0.292	0.62	0.633129	7c50bc24a34e8a9D5b0K1ff5				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	Cbar	min	-0.025316	0.2952	0.6054	-0.2952	-0.6054	-0.580084	be9143dda5623da0c0000d00				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	F	max	-0.020654	0.1716	0.3094	0.1716	0.3094	0.330054	4c5325f63bd20157685804154				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	Fbar	min	-0.027134	0.1752	0.2438	-0.1752	-0.2438	-0.216666	f88794641883c9e5d245f1d154				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	C	max	-0.003305	0.292	0.6096	0.292	0.6096	0.612905	537b44d1ddca0a0925c4d01ff5				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	Cbar	min	-0.024804	0.2952	0.5808	-0.2952	-0.5808	-0.555996	5d7063b0623ef01611056023				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	F	max	-0.013926	0.1716	0.2334	0.1716	0.2334	0.247326	5165ff17ad496926423ad180				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	Fbar	min	-0.016828	0.1752	0.2122	-0.1752	-0.2122	-0.195372	4f51889f2a5ffe906611d4f560				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	C	max	0.005697	0.292	0.4098	0.292	0.4098	0.404103	cc175d17733f2009De1a015708				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	Cbar	min	-0.005572	0.2952	0.3902	-0.2952	-0.3902	-0.384628	8ef69de91d0ad031074ad0953				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	F	max	-0.003526	0.1716	0.0658	0.1716	0.0658	0.069326	ed4abc8d5a78410c1b582059				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	Fbar	min	0.002999	0.1752	0.1536	-0.1752	-0.1536	-0.156599	f999ec441e14e267630f8a0007				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	C	max	-0.018457	0.292	0.0824	0.292	0.0824	0.100857	809f4a9312a0e2783d5a100f69				
d1b6f41e1ea71d75f119622NcB0a11N41774137c499aae5152003fd3c3e1v18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	Cbar	min	0.008166	0.2952	0.238	-0.2952	-0.238	-0.246166	b0f63d877fcb2a6865088d150				
a953ca7e0875b48314086Nf10c2b70066538620c725a09003635243ca632	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	F	max	-0.011924	0.1726	0.329	0.1726	0.329	0.340924	96175b901675220c5edaf020				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality oriented	reference curve id	reference pool policy	excluded reference	excluded method
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				g	Fbar	min	-	0.037537	0.251	0.3628	-0.251	-0.3628	-	6ddff6c0d53143a5b9971782	0.325263		
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				g	C	max	0.011264	0.286	0.6334	0.286	0.6334	0.622136	09d031ba10ff4e789873e509f				
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				g	Cbar	min	-	0.035498	0.3862	0.707	-0.3862	-0.707	-	1010706c4289282242518b5f	0.671502		
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				p	F	max	-	0.017682	0.1726	0.3102	0.1726	0.3102	0.327882	c6133875fcd04c1480a2b430f			
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				p	Fbar	min	-	0.037668	0.251	0.3426	-0.251	-0.3426	-	a31ff58f50df458803b7929a1e	0.304932		
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				p	C	max	-	0.002463	0.286	0.6012	0.286	0.6012	0.603663	d094395d3ff059115186722			
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				p	Cbar	min	-	0.031404	0.3862	0.6808	-0.3862	-0.6808	-	9c0a36660b1565f47456b1f	0.649396		
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				s	F	max	-	0.000124	0.1726	0.246	0.1726	0.246	0.246124	1216db5840b34e1d9570c1e7			
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				s	Fbar	min	-	0.028525	0.251	0.3146	-0.251	-0.3146	-	44d7df52671854502a5d61e5	0.286075		
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				s	C	max	0.007388	0.286	0.4052	0.286	0.4052	0.397812	2229d394f1536341612479775				
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				s	Cbar	min	-	0.022676	0.3862	0.5058	-0.3862	-0.5058	-	240ec8fb44e59c1315587600	0.483124		
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				a	F	max	0.00903	0.1726	0.0782	0.1726	0.0782	0.069169	cb12bd050204a649662894f				
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				a	Fbar	min	0.020324	0.251	0.2172	-0.251	-0.2172	-	cfb75348011ead709b5cfd38a	0.237524			
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				a	C	max	0.014802	0.286	0.1092	0.286	0.1092	0.094398	81ecb3946d6303c3df51290e5				
a953ca7e0875b48374436806f10ad2b7d06653856820c725a500036355213ca632	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	725	avg	simple				a	Cbar	min	0.036792	0.3862	0.3108	-0.3862	-0.3108	-	3fbd535cf11bbcf08ceca48042	0.347592			
826314e6481a6baf29ad7eN208613b08f104a29f5af5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	574	avg	addborda				g	F	max	0.008846	0.158	0.3272	0.158	0.3272	0.318354	96175b9f0f075220c5ed61826				
826314e6481a6baf29ad7eN208613b08f104a29f5af5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	574	avg	addborda				g	Fbar	min	-	0.023816	0.2186	0.3182	-0.2186	-0.3182	-	6ddff6c0d53143a5b9971782	0.294384		
826314e6481a6baf29ad7eN208613b08f104a29f5af5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	avg	574	avg	addborda				g	C	max	0.006638	0.2756	0.614	0.2756	0.614	0.607362	09d031ba10ff4e789873e509f				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			g	Cbar	min	-0.03203	-	0.3464	0.6672	-0.3464	-0.6672	-0.63517	1010706c6289282242d5m8bE	ad	ad	ad
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			p	F	max	0.0159790.158	0.3204	0.158	0.3204	0.304421c6133875faddd0ci430a2b4b0	ad	ad	ad	ad		
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			p	Fbar	min	-0.02626	-	0.2186	0.2974	-0.2186	-0.2974	-0.27114	a31ff58f56ad458393b7999a2aE	ad	ad	ad
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			p	C	max	0.0076780.2756	0.5964	0.2756	0.5964	0.588722d094395c3ff09915156b72E	ad	ad	ad	ad		
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			p	Cbar	min	-0.016477	-	0.3464	0.6286	-0.3464	-0.6286	-0.612123	9c0a36660b1565f614755g5bE	ad	ad	ad
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			s	F	max	0.0063250.158	0.2328	0.158	0.2328	0.2264751216db5840b3a1c61957f6c7E	ad	ad	ad	ad		
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			s	Fbar	min	-0.011654	-	0.2186	0.2614	-0.2186	-0.2614	-0.249746	44d7df52671855902asid6b6E	ad	ad	ad
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			s	C	max	0.0047490.2756	0.3898	0.2756	0.3898	0.385051229d394ff15363ib513e7927E	ad	ad	ad	ad		
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			s	Cbar	min	-0.008551	-	0.3464	0.4494	-0.3464	-0.4494	-0.440849	240ec8fb4cde59c1315782060E	ad	ad	ad
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			a	F	max	0.0009550.158	0.063	0.158	0.063	0.062045cb12bd057020c461c49662894E	ad	ad	ad	ad		
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			a	Fbar	min	0.0028980.2186	0.1996	-0.2186	-0.1996	-0.202498	cfb75348014eard17091scd33aE	ad	ad	ad		
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			a	C	max	-0.001823	-	0.2756	0.0874	0.2756	0.0874	0.08922381ecb394fcd6303c3dfasi299eE	ad	ad	ad	
826314e6481a6baf29ad7cN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			a	Cbar	min	0.0088540.3464	0.2932	-0.3464	-0.2932	-0.302054	3fbd535c11abeb88eeca1809E	ad	ad	ad		
0ca46955d8b33ae71da8gdN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			g	F	max	0.0077560.1556	0.3224	0.1556	0.3224	0.314644496175b9f0675220c5e1cfd026E	ad	ad	ad	ad		
0ca46955d8b33ae71da8gdN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			g	Fbar	min	0.0071590.2234	0.2918	-0.2234	-0.2918	-0.298959	6ddff6c0e5314345fb9917578E	ad	ad	ad		
0ca46955d8b33ae71da8gdN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			g	C	max	-0.000227	-	0.271	0.6006	0.271	0.6006	0.60082709d031baf0ff4e7898791e560E	ad	ad	ad	
0ca46955d8b33ae71da8gdN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			g	Cbar	min	0.0111260.3492	0.6266	-0.3492	-0.6266	-0.637726	1010706c6289282242d5m8bE	ad	ad	ad		
0ca46955d8b33ae71da8gdN208613H08104pa2thesaf5742500095f0n9i3	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	57425000	95f0n9i3	aa	borda			p	F	max	0.0164350.1556	0.317	0.1556	0.317	0.300565c6133875faddd0ci430a2b4b0	ad	ad	ad	ad		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality per-turbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				p	Fbar	min		0.0077460.2234	0.2684	-0.2234	-0.2684	-	a31ff58f50dd45833b79999a15164d72				
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				p	C	max		0.0058870.271	0.588	0.271	0.588	0.582113d094395d3ff099715164d72					
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				p	Cbar	min		0.0133450.3492	0.6014	-0.3492	-0.6014	-	9c0a36600b1565f6143d58b1f1558760				
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				s	F	max		0.0071550.1556	0.2304	0.1556	0.2304	0.2232451216db5840b34e1cd9570c7					
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				s	Fbar	min	-	0.004472	0.2234	0.2596	-0.2234	-0.2596	-	44d7df52671854902a5d0d1b51558760			
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				s	C	max		0.0051940.271	0.3846	0.271	0.3846	0.379406229d394fd153631612c7977					
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				s	Cbar	min	-	0.004777	0.3492	0.4486	-0.3492	-0.4486	-	240ec8fb4a4e50c131558760			
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				a	F	max		0.0043260.1556	0.0652	0.1556	0.0652	0.060874cb12bd050204a61c49662894f					
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				a	Fbar	min	-	0.000713	0.2234	0.2084	-0.2234	-0.2084	-	cfb75348011eacba7091cfd3bf			
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				a	C	max		0.0050660.271	0.092	0.271	0.092	0.08693481ecb394fd61630c3dfc1290e5					
0ca46955d8b33ae71da8gd4a28dd5875e05022738e916f5d570054e5872c4	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				a	Cbar	min		0.0052580.3492	0.3	-0.3492	-0.3	-	3fbd535cf11ab6b6eecc4d802				
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				g	F	max		0.0026990.1612	0.326	0.1612	0.326	0.32330196175b9f1d75220c5edaf6125					
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				g	Fbar	min	-	0.001769	0.2176	0.2952	-0.2176	-0.2952	-	6ddff6c065314345b9971782			
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				g	C	max	-	0.005517	0.2812	0.6098	0.2812	0.6098	0.61531709d031bf10ff4e739873e6095				
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				g	Cbar	min	-	0.005282	0.3424	0.6368	-0.3424	-0.6368	-	1010706c4d289282042c518b5f			
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				p	F	max		0.0140360.1612	0.3236	0.1612	0.3236	0.309564c6133875fdd0d1c430a2b480					
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				p	Fbar	min	-	0.013503	0.2176	0.2836	-0.2176	-0.2836	-	a31ff58f50dd45833b79999a15164d72			
385fd791e9acb977b5399e5b126c5eb10ad95042b5df8b550001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	50000	bebkemeny				p	C	max	-	0.002167	0.2812	0.5946	0.2812	0.5946	0.596767d094395d3ff099715164d72				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	pool policy	reference excluded	excluded method
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	Cbar	min		0.0005770.3424	0.6078	-0.3424	-0.6078	-	9c0a36660b1565f474755g1F	0.608377			
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	F	max		0.0046180.1612	0.2354	0.1612	0.2354	0.2307821216db5840b34c1e957f6c7					
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	Fbar	min		-0.0031750.2176	0.2518	-0.2176	-0.2518	-	44d7df52f71855902acd61ab	0.248625			
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	C	max		0.0018780.2812	0.3938	0.2812	0.3938	0.391922229d394ff133631b512e7977					
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	Cbar	min		-0.00160.3424	0.4382	-0.3424	-0.4382	-0.4366	240ec8fb4c1e50c141578760				
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	F	max		0.0019940.1612	0.0656	0.1612	0.0656	0.063606cb12bd05020d40c496d284f					
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	Fbar	min		0.0084170.2176	0.193	-0.2176	-0.193	-	cfb75348011ead7691scf3ak	0.201417			
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	C	max		-0.002210.2812	0.0898	0.2812	0.0898	0.09201	81ecb394fcd630a3dfas299eB				
385fd791e9acb977b5399e5e126c5eNb10m1g95042b5df8b50001b612a1c7a334f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	a	Cbar	min		0.0158780.3424	0.2816	-0.3424	-0.2816	-	3fdb535cf11bbef8ceca4802	0.297478			
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	F	max		0.0060640.1576	0.3238	0.1576	0.3238	0.31773696175b9f1d75220a5edac6d26					
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	Fbar	min		-0.0003970.2182	0.2944	-0.2182	-0.2944	-	6ddff6c0d5314315fb9971782	0.294003			
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	C	max		-0.002330.276	0.6056	0.276	0.6056	0.60793	09d031bf10ff4e789879c560E				
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	g	Cbar	min		0.0009440.3444	0.6324	-0.3444	-0.6324	-	1010706c289282242d718bE	0.633344			
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	F	max		0.0130210.1576	0.3168	0.1576	0.3168	0.303779c6133875fedd01c430a3b4f0					
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	Fbar	min		-0.0130770.2182	0.2838	-0.2182	-0.2838	-	a31ff58f50d4458303b7902aa	0.270723			
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	C	max		-0.0008970.276	0.5884	0.276	0.5884	0.589297d094395daf060115161d72					
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	p	Cbar	min		-0.003750.3444	0.614	-0.3444	-0.614	-	9c0a36660b1565f474755g1F	0.61025			
0dba3c2765e068f5a57522d1d9836N8H9b98N4f5c10dcc950073567na1c3eff4aschulze	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	s	F	max		0.0086630.1576	0.2346	0.1576	0.2346	0.2259371216db5840b34c1e957f6c7					

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded qe method o
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					s	Fbar	min	-0.003902	0.2182	0.2532	-0.2182	-0.2532	-0.249298	44d7df52671854902asd0b6	full5363dive1267977	aschulze	
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					s	C	max	0.0024590	0.276	0.388	0.276	0.388	0.385541229d394fbd5363dive1267977	full5363dive1267977	aschulze		
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					s	Cbar	min	-0.001476	0.3444	0.4402	-0.3444	-0.4402	-0.438724	240ec8fb5d4e59c1315587060	full5363dive1267977	aschulze	
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					a	F	max	0.00315	0.1576	0.065	0.1576	0.065	0.06185	cb12bd05020d46c49662894f	full5363dive1267977	aschulze	
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					a	Fbar	min	0.0008660	0.2182	0.2012	-0.2182	-0.2012	-0.202066	cfb75348011e4d47091c1d3b3f	full5363dive1267977	aschulze	
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					a	C	max	0.0001780	0.276	0.0896	0.276	0.0896	0.08942281ecb394fbd5363dive1267977	full5363dive1267977	aschulze		
0dba3c2765e068f5a57522e7d9836f8b9b98N4d5sl0dcc950003567natv3	ImageNet-resnet18	ImageNet-resnet18	resnet18				aschulze					a	Cbar	min	0.0059660	0.3444	0.2938	-0.3444	-0.2938	-0.299766	3fbd535cf11b6f6b6eecc48092	full5363dive1267977	aschulze	

Table 29: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
d1b6f41e1ea71d75f1196224c30a117417741376499aae5152003fd3c3e118e6	best_individual	ImageNet	resnet18		50000									-	-	-	-	-	-	-	-	-	-	-	0
a953ca7e0875b4837436863670eade70d665385629c725a79f036352d13ea632	simpleavg	ImageNet	resnet18		50000									-	-	0.011264	-	-	-	-	-	-	-	-	0
826314e6481a6baf29ad7e2086a3b08104a220edaf5742500e95f0a963aadborda		ImageNet	resnet18		50000									0.008846	-	0.006638	-	0.015979	-	0.007678	-	0.006325	-	0.011654	0
0ca46955d8b33ae71da8g41a28d5675d05022708aef16f5d570054e5872c4	bebkemeny	ImageNet	resnet18		50000									0.0077560	0.007159	-	0.0111260	0.0164350	0.0077460	0.0058870	0.0133450	0.007155	-	0.004472	0
385fd791e9acb977b5399e5b7965eN10img95042b5df8b350001b612aicc7a334f		ImageNet	resnet18		50000									0.002699	-	-	-	0.014036	-	-	0.0005770	0.004618	-	0.003175	0
0dba3c2765e068f5a57522d71933dN8H9b98N4d5e10dcc970073567n1c3	aschulze	ImageNet	resnet18		50000									0.006064	-	-	0.0009440	0.013021	-	-	-	0.008663	-	0.003902	0

Table 30: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometry quality	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turb quality oriented	reference curve id	reference pool policy	reference enforce method	excluded quality oriented
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	F	max	g	F	max	-0.012324	0.1726	0.3286	0.1726	0.3286	0.34092496175b90f1675220a5edaf6120	-	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Fbar	min	g	Fbar	min	-0.05282	0.2698	0.396	-0.2698	-0.396	-0.34318	6ddff6c0453143a15b9971782	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	C	max	g	C	max	0.01036	0.2872	0.6342	0.2872	0.6342	0.62384	09d031bf10ff4e7898791e5908	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Cbar	min	g	Cbar	min	-0.058535	0.4004	0.743	-0.4004	-0.743	-0.684465	1010706c6289282242d78b5b	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	F	max	p	F	max	-0.025882	0.1726	0.302	0.1726	0.302	0.327882c6133875fedd04c430a2b430	-	-	-	
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Fbar	min	p	Fbar	min	-0.05226	0.2698	0.3768	-0.2698	-0.3768	-0.32454	a31ff58f5fed15e833b7929ba5	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	C	max	p	C	max	-0.009587	0.2872	0.5958	0.2872	0.5958	0.605387d094395d3ff0971515af72	-	-	-	
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Cbar	min	p	Cbar	min	-0.055105	0.4004	0.7178	-0.4004	-0.7178	-0.662695	9c0a36660b1565f47455gh1f	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	F	max	s	F	max	-0.001324	0.1726	0.2448	0.1726	0.2448	0.2461241216db5846b34b1e95576c7	-	-	-	
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Fbar	min	s	Fbar	min	-0.029246	0.2698	0.3364	-0.2698	-0.3364	-0.307154	44d7df526718543902a5d616b	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	C	max	s	C	max	0.006715	0.2872	0.406	0.2872	0.406	0.399285229d394ff15363b512e7927	-	-	-	
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Cbar	min	s	Cbar	min	-0.032193	0.4004	0.5304	-0.4004	-0.5304	-0.498207	240ec8fb4a1e50c131578700	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	F	max	a	F	max	0.012631	0.1726	0.0818	0.1726	0.0818	0.069169cb12bd05f020c46c4966294f	-	-	-	
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Fbar	min	a	Fbar	min	0.030847	0.2698	0.227	-0.2698	-0.227	-0.257847	cfb75348011e4a717991c833a	-	-	-
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	C	max	a	C	max	0.019005	0.2872	0.114	0.2872	0.114	0.09499581ecb394fdd630a3df3299c9	-	-	-	
6905661250f6bec4f1b16d1271b3a9eNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5c725023076eb6707746	simple	avg	noise	5	Cbar	min	a	Cbar	min	0.041839	0.4004	0.322	-0.4004	-0.322	-0.363839	3fbd535c811b6c6b6eecc4d802	-	-	-
417ae84889b8d6381690296799a9bNdfb9348N7	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	190f75010f7																			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	g	Fbar	min	-0.053258	0.1982	0.3282	-0.1982	-0.3282	-0.274942	6ddff6c0d53143a5b99971782	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	g	C	max	-0.00647	0.312	0.6526	0.312	0.6526	0.65907	09d031ba10ff4e789873e5093	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	g	Cbar	min	-0.05887	0.3216	0.6714	-0.3216	-0.6714	-0.61253	1010706c6d892822e2d518b5f	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	p	F	max	-0.014185	0.1876	0.3378	0.1876	0.3378	0.351985c6133875fcd040a2b4300	417ae84889b8d638				
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	p	Fbar	min	-0.058936	0.1982	0.3088	-0.1982	-0.3088	-0.249864	a31ff58f50df45e8803b7929a1e	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	p	C	max	-0.016217	0.312	0.6248	0.312	0.6248	0.641017d094395d3ff0597151f6172	417ae84889b8d638				
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	p	Cbar	min	-0.051503	0.3216	0.6404	-0.3216	-0.6404	-0.588897	9c0a36660b1565f1e474561f1	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	s	F	max	-0.002311	0.1876	0.264	0.1876	0.264	0.2663111216db5840b34e1d9570c1e7	417ae84889b8d638				
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	s	Fbar	min	-0.022327	0.1982	0.2492	-0.1982	-0.2492	-0.226873	44d7df5267185d5002a5c1d1d1b5	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	s	C	max	-0.003916	0.312	0.4258	0.312	0.4258	0.429716229d394fcd15363d1e1247977	417ae84889b8d638				
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	s	Cbar	min	-0.021293	0.3216	0.4358	-0.3216	-0.4358	-0.414507	240ec8fb40e59c1315587040	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	a	F	max	0.0003120	0.1876	0.0768	0.1876	0.0768	0.076488cb12bd05020d46149662894f	417ae84889b8d638				
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	a	Fbar	min	0.0084450	0.1982	0.172	-0.1982	-0.172	-0.180445	cfb75348011ead17091cfd33a1f	417ae84889b8d638			
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	a	C	max	0.0016630	0.312	0.109	0.312	0.109	0.10733781ecb394fcd6303e3f1290e9	417ae84889b8d638				
417ae84889b8d638	b0902296719a5bNeF95cg4934t5b	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	a	Cbar	min	0.02408	0.3216	0.2496	-0.3216	-0.2496	-0.27368	3fbd535cf11bbcf08cecc148012	417ae84889b8d638			
ebfd37b1acf5e1c2d	b0902296719a5bNeF73592N0e50ff89f5080761ee79216	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	g	F	max	-0.006004	0.1874	0.3578	0.1874	0.3578	0.36380496175b9f0f075220a5ed16100	ebfd37b1acf5e1c2d				
ebfd37b1acf5e1c2d	b0902296719a5bNeF73592N0e50ff89f5080761ee79216	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	g	Fbar	min	-0.017736	0.1658	0.2618	-0.1658	-0.2618	-0.244064	6ddff6c0d53143a5b99971782	ebfd37b1acf5e1c2d			
ebfd37b1acf5e1c2d	b0902296719a5bNeF73592N0e50ff89f5080761ee79216	ImageNet-resnet18	resnet18	train	190f7500fb4da07a6088d	noise	metric			5	g	C	max	-0.015407	0.3128	0.6448	0.3128	0.6448	0.66020709d031ba10ff4e789873e5093	ebfd37b1acf5e1c2d				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	g	Cbar	min	-0.012273	0.2872	0.5934	-0.2872	-0.5934	-0.581127	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	p	F	max	-0.001464	0.1874	0.3502	0.1874	0.3502	0.351664c6133875fdd0d4480a2b4d0	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	p	Fbar	min	-0.018128	0.1658	0.2342	-0.1658	-0.2342	-0.216072	a31ff58f55d4458393b7999a2f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	p	C	max	-0.013766	0.3128	0.6284	0.3128	0.6284	0.642166d094395f8f009a71516472	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	p	Cbar	min	-0.007919	0.2872	0.5646	-0.2872	-0.5646	-0.556681	9c0a36660b1565f44745a5b7f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	s	F	max	0.0059590.1874	0.272	0.1874	0.272	0.272	0.2660411216db58f40b3a4cfe957f6e7	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	s	Fbar	min	-0.019856	0.1658	0.2104	-0.1658	-0.2104	-0.190544	44d7df52671855902asid6ba0	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	s	C	max	0.0023020.3128	0.433	0.3128	0.433	0.433	0.430698229d394ff15363b51347927f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	s	Cbar	min	-0.012633	0.2872	0.3906	-0.2872	-0.3906	-0.377967	240ec8fb4c4e50a1315782060	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	a	F	max	0.00041	0.1874	0.0768	0.1874	0.0768	0.07639cb12bd05f020c46c4966284f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	a	Fbar	min	0.00682	0.1658	0.1386	-0.1658	-0.1386	-0.14542	cfb75348014e4d7091c8d3a1	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	a	C	max	-0.000335	0.3128	0.1074	0.3128	0.1074	0.10773581ecb394fd6303dfasi299e9	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
ebfd37b1acf5e1c2dd8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	a	Cbar	min	0.0217210.2872	0.2126	-0.2872	-0.2126	-0.234321	3fbd535c11abeb8eeca4802f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	g	F	max	-0.012459	0.1886	0.3532	0.1886	0.3532	0.36565996175b90f6f75220c5edaf00	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	g	Fbar	min	-0.037123	0.1868	0.3012	-0.1868	-0.3012	-0.264077	6ddff6c0e5314345b9971782	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	g	C	max	-0.013216	0.3152	0.6504	0.3152	0.6504	0.66361609d031baf0ff4e789879c509f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	
8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	g	Cbar	min	-0.040407	0.3094	0.6418	-0.3094	-0.6418	-0.601393	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f
8a798b9bf2406931066990f907a71b1Nc4ma197800928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	ImageNet-resnet18	5000	ImageNet-resnet18	resnet18	ImageNet-resnet18	resnet18	5	p	F	max	-0.007792	0.1886	0.3458	0.1886	0.3458	0.353592c6133875fdd0d4480a2b4d0	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	1010706c6d289282242d5b8b5f	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	p	Fbar	min	-0.045426	0.1868	0.2834	-0.1868	-0.2834	-0.237974	a31ff58f50df45833b79999a1f516472	0.0971516472	0.0971516472	0.0971516472	
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	p	C	max	-0.015014	0.3152	0.6306	0.3152	0.6306	0.645614d094395d3ff0971516472	0.0971516472	0.0971516472	0.0971516472		
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	p	Cbar	min	-0.039128	0.3094	0.6166	-0.3094	-0.6166	-0.577472	9c0a36660b1565f1e4515gb1f	0.0971516472	0.0971516472	0.0971516472	
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	s	F	max	0.0031440.1886	0.2708	0.1886	0.2708	0.2676561216db584db34c1e9570c1e7	0.0971516472	0.0971516472	0.0971516472			
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	s	Fbar	min	-0.01951	0.1868	0.2336	-0.1868	-0.2336	-0.21409	44d7df52671854902a50c1d1b5	0.0971516472	0.0971516472	0.0971516472	
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	s	C	max	-0.003843	0.3152	0.4298	0.3152	0.4298	0.433643229d394f41536c1e1247977	0.0971516472	0.0971516472	0.0971516472		
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	s	Cbar	min	-0.015852	0.3094	0.4174	-0.3094	-0.4174	-0.401548	240ec8fb4c1e50c131578760	0.0971516472	0.0971516472	0.0971516472	
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	a	F	max	0.0014240.1886	0.0784	0.1886	0.0784	0.076976cb12bd05020461c4966280d1	0.0971516472	0.0971516472	0.0971516472			
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	a	Fbar	min	0.0133210.1868	0.1548	-0.1868	-0.1548	-0.168121	cfb75348011e4d17091cfd381f	0.0971516472	0.0971516472	0.0971516472		
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	a	C	max	0.0012710.3152	0.1102	0.3152	0.1102	0.1102	0.10892981ecb394f6d630a3dfc129091	0.0971516472	0.0971516472	0.0971516472		
8a798b9bf240693106699f90711b4c1a9780c0928b664500fb42007af9850mfetry_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	a	Cbar	min	0.0257210.3094	0.234	-0.3094	-0.234	-0.259721	3fbd535cf11b1c1b6e3cc148092	0.0971516472	0.0971516472	0.0971516472		
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	g	F	max	-0.007913	0.1876	0.3562	0.1876	0.3562	0.36411396175b90f1075220a5ced6f120	0.0971516472	0.0971516472	0.0971516472		
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	g	Fbar	min	-0.041027	0.2018	0.3194	-0.2018	-0.3194	-0.278373	6ddff6c045314345b9971782	0.0971516472	0.0971516472	0.0971516472	
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	g	C	max	-0.01007	0.312	0.649	0.312	0.649	0.65907 09d031bf10ff4c739873a9693	0.0971516472	0.0971516472	0.0971516472		
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	g	Cbar	min	-0.043036	0.3258	0.6594	-0.3258	-0.6594	-0.616364	1010706c1d289282024231b8b5	0.0971516472	0.0971516472	0.0971516472	
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	p	F	max	-0.006585	0.1876	0.3454	0.1876	0.3454	0.351985c6133875f4dd0c1430a2b4d0	0.0971516472	0.0971516472	0.0971516472		
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	p	Fbar	min	-0.047782	0.2018	0.3014	-0.2018	-0.3014	-0.253618	a31ff58f50df45833b79999a1f516472	0.0971516472	0.0971516472	0.0971516472	
0e4e526d4bd321aa1971ge38f707a2a2405a8650112ed4531a50005cf0c5rdaaf43rct1ze_noise	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	1000	1000	1000	1000	5	p	C	max	-0.008017	0.312	0.633	0.312	0.633	0.641017d094395d3ff0971516472	0.0971516472	0.0971516472	0.0971516472		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometry q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded reference method
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	p	Cbar	min	-0.040169	0.3258	0.633	-0.3258	-0.633	-0.592831	9c0a36660b1565f47475981f					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	s	F	max	8.9402e-05	0.1876	0.2664	0.1876	0.2664	0.266311	1216db584db34d1e957f6c7					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	s	Fbar	min	-0.019891	0.2018	0.2508	-0.2018	-0.2508	-0.230909	44d7df52f718545902a5d6b1b5					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	s	C	max	-0.002716	0.312	0.427	0.312	0.427	0.429716	229d394ff113361b612a7977					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	s	Cbar	min	-0.017832	0.3258	0.4368	-0.3258	-0.4368	-0.418968	240ec8fb44e50a1315787060					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	a	F	max	0.001912	0.1876	0.0784	0.1876	0.0784	0.076488	cb12bd05020d461496628941					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	a	Fbar	min	0.017737	0.2018	0.1666	-0.2018	-0.1666	-0.184337	cfb753480114e4d17691scf3ak					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	a	C	max	0.003063	0.312	0.1104	0.312	0.1104	0.107337	81ecb394f6d6303dfas1290e9					
0e4e526d4bd321aa1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c	ImageNet-resnet18	ImageNet-resnet18	resnet18	val	531ad0005cf0c5adaaf43c	noise	1971gc38c7f07a2a2405a865b112ed4531ad0005cf0c5adaaf43c		5	a	Cbar	min	0.032485	0.3258	0.246	-0.3258	-0.246	-0.278485	3fbd535cf11bbcf8eeaa18042					

Table 31: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in

[illegible]

Table 32: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	slapd was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods	
09d031ba10ff4e789872a560083	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.000000	0.000000	False	0.000000	0.003172	0.018775	0.954785	0.1174	0.292	0.3518	0.62	Deconvolution;DeepLift;DeepLiftShap;Fe
1010706ce289282241a7d88c67a5856708b47b99d24d761339e94368ad096b09e12889e9d2382	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.02265	0.050166	0.003172	0.018775	0.002265	0.050166	0.755578	-0.565	-0.2952	-0.8856	-0.5968	Deconvolution;DeepLift;DeepLiftShap;Fe
1216db5846b3decf1a576e705f79de8eab1ade966933051da7fd5322d37631a4510pt.345791	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.000635	0.008402	0.003172	0.018775	0.000635	0.008402	0.981622	0.043	0.1716	0.0668	0.2552	Deconvolution;DeepLift;DeepLiftShap;Fe
229d394fa15363cb112a79770bffa4c7ca71ac190fbbb0215ca5d316c586fat1v22707pt.237074	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.000565	0.007921	0.003172	0.018775	0.000565	0.007921	0.988828	0.1174	0.292	0.1818	0.4098	Deconvolution;DeepLift;DeepLiftShap;Fe
240ec8fbacae59c13157a70f09d1fc7745e98766d65606393f1270b8a39967att1v06287pt.062187	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.01031	0.033845	0.003172	0.018775	0.01031	0.033845	0.901909	-0.565	-0.2952	-0.7	-0.3902	Deconvolution;DeepLift;DeepLiftShap;Fe
3fbd535ce1abe6b8dca4602d0ba8a9da40aa5f4c50de9aed178660c87cma4pt11v445pt.14415	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.006757	0.027399	0.003172	0.018775	0.006757	0.027399	0.942124	-0.565	-0.2952	-0.563	-0.238	Deconvolution;DeepLift;DeepLiftShap;Fe
44d7df52c7485f902a16b16f91ba0678b8c1423dff20a30851a17b20fuga1v12194pt.131240	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.008982	0.031591	0.003172	0.018775	0.008982	0.031591	0.903619	-0.423	-0.1752	-0.5008	-0.2122	Deconvolution;DeepLift;DeepLiftShap;Fe
6ddf6c0e5314315f10075782f91a44045815e880ad53a32319d47cc17da92a0053040695801	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.018674	0.045551	0.003172	0.018775	0.018674	0.045551	0.765147	-0.423	-0.1752	-0.5286	-0.2574	Deconvolution;DeepLift;DeepLiftShap;Fe
81ecb394c6c630e3f1a299e07f0960d1a47c6efb69ee9d3f902ad76b813a6650v4974380.407638	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.001584	0.013266	0.003172	0.018775	0.001584	0.013266	0.838464	0.1174	0.292	0.0126	0.1134	Deconvolution;DeepLift;DeepLiftShap;Fe
96175b901675220e5img6326f1ad28b9cgb70834493f40bc53b30abe8dfimg1v4580pt.545394	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.002445	0.016484	0.003172	0.018775	0.002445	0.016484	0.948215	0.043	0.1716	0.121	0.348	Deconvolution;DeepLift;DeepLiftShap;Fe
9c0a36660b1565fe117d5e17647a423p44ff6fb01aa84fc23e8dfd65b42d03a0936510p.936510	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.020052	0.047202	0.003172	0.018775	0.020052	0.047202	0.786093	-0.565	-0.2952	-0.846	-0.5668	Deconvolution;DeepLift;DeepLiftShap;Fe
a31ff58f51ef45830317a29a4f80ac67b59644446131588a1h11ea42fd5744981v04296pt.042961	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.018877	0.045798	0.003172	0.018775	0.018877	0.045798	0.794231	-0.423	-0.1752	-0.511	-0.2326	Deconvolution;DeepLift;DeepLiftShap;Fe
c6133875fedd04c430a2bd00f136976ap78a521717eb0f5ca67bc2a5d0fb374ffv60680pt.60680	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.005104	0.023815	0.003172	0.018775	0.005104	0.023815	0.904564	0.043	0.1716	0.0872	0.341	Deconvolution;DeepLift;DeepLiftShap;Fe
cb12bd05020da6c40a2bd00f136976ap78a521717eb0f5ca67bc2a5d0fb374ffv60680pt.60680	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.000671	0.008632	0.003172	0.018775	0.000671	0.008632	0.86933	0.043	0.1716	0.007	0.0794	Deconvolution;DeepLift;DeepLiftShap;Fe
cfb75348014eada70b653a483a18b46114aa00833f0da1644314c0b5da2g21v08103pt.081035	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.005286	0.024234	0.003172	0.018775	0.005286	0.024234	0.936748	-0.423	-0.1752	-0.4256	-0.1536	Deconvolution;DeepLift;DeepLiftShap;Fe
d094395d3fe0f97111img726837cfbb22480162073e57c6d12728183cdna18pt1v43669pt.436690	ImageNet- resnet18	0.856182	1a1d1bc112d46fe1a1644b057006c921v42055pt.430558		2	False	0.004948	0.023446	0.003172	0.018775	0.004948	0.023446	0.932654	0.1174	0.292	0.3216	0.6096	Deconvolution;DeepLift;DeepLiftShap;Fe

Table 33: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turb. quality oriented	reference curve id	reference pool policy	reference method	excluded
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	g	F	max	-0.019382	0.1804	0.3336	0.1804	0.3336	0.35298296175b90f6f75220c5cedaf6d0	0.35298296175b90f6f75220c5cedaf6d0	0.35298296175b90f6f75220c5cedaf6d0	6ddff6c053143a56b9971782	6ddff6c053143a56b9971782	6ddff6c053143a56b9971782	
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	g	Fbar	min	-0.042927	0.238	0.3558	-0.238	-0.3558	-0.312873	-	6ddff6c053143a56b9971782	6ddff6c053143a56b9971782	6ddff6c053143a56b9971782		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	g	C	max	-0.005833	0.3024	0.6396	0.3024	0.6396	0.64543309d031bf10ff4e780873a56093	0.64543309d031bf10ff4e780873a56093	0.64543309d031bf10ff4e780873a56093	0.64543309d031bf10ff4e780873a56093	0.64543309d031bf10ff4e780873a56093		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	g	Cbar	min	-0.041539	0.3706	0.6988	-0.3706	-0.6988	-0.657261	-	1010706c6d892822424518b5f	1010706c6d892822424518b5f	1010706c6d892822424518b5f		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	p	F	max	-0.021416	0.1804	0.319	0.1804	0.319	0.340416c6133875fad00a430a2b4d0	0.340416c6133875fad00a430a2b4d0	0.340416c6133875fad00a430a2b4d0	0.340416c6133875fad00a430a2b4d0	0.340416c6133875fad00a430a2b4d0		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	p	Fbar	min	-0.050027	0.238	0.3414	-0.238	-0.3414	-0.291373	-	a31ff58f56d4458393b79991a5f	a31ff58f56d4458393b79991a5f	a31ff58f56d4458393b79991a5f		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	p	C	max	-0.016225	0.3024	0.611	0.3024	0.611	0.627225d094395f8f00971e15164d72	0.627225d094395f8f00971e15164d72	0.627225d094395f8f00971e15164d72	0.627225d094395f8f00971e15164d72	0.627225d094395f8f00971e15164d72		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	p	Cbar	min	-0.045613	0.3706	0.6804	-0.3706	-0.6804	-0.634787	-	9c0a3666f0b1565f4e47455g4f	9c0a3666f0b1565f4e47455g4f	9c0a3666f0b1565f4e47455g4f		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	s	F	max	0.0037790	0.1804	0.2604	0.1804	0.2604	0.2566211216db5840b3a4e955f6c7	0.2566211216db5840b3a4e955f6c7	0.2566211216db5840b3a4e955f6c7	0.2566211216db5840b3a4e955f6c7	0.2566211216db5840b3a4e955f6c7		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	s	Fbar	min	-0.035302	0.238	0.3068	-0.238	-0.3068	-0.271498	-	44d7df52f71854902a5d6ba6	44d7df52f71854902a5d6ba6	44d7df52f71854902a5d6ba6		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	s	C	max	0.0054640	0.3024	0.4234	0.3024	0.4234	0.417936229d394ff1d53621b513e7927	0.417936229d394ff1d53621b513e7927	0.417936229d394ff1d53621b513e7927	0.417936229d394ff1d53621b513e7927	0.417936229d394ff1d53621b513e7927		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	s	Cbar	min	-0.027446	0.3706	0.494	-0.3706	-0.494	-0.466554	-	240ec8fbf4e59c1315787d60	240ec8fbf4e59c1315787d60	240ec8fbf4e59c1315787d60		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	a	F	max	0.0104250	0.1804	0.0834	0.1804	0.0834	0.072975cb12bd05f020ca6a49c6284f	0.072975cb12bd05f020ca6a49c6284f	0.072975cb12bd05f020ca6a49c6284f	0.072975cb12bd05f020ca6a49c6284f	0.072975cb12bd05f020ca6a49c6284f		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	a	Fbar	min	0.01947	0.238	0.204	-0.238	-0.204	-0.22347	-	cfb75348014e4d7091c6d33a	cfb75348014e4d7091c6d33a	cfb75348014e4d7091c6d33a		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	a	C	max	0.0116410	0.3024	0.1142	0.3024	0.1142	0.10255981ecb394fd6630a3dfas1290e1	0.10255981ecb394fd6630a3dfas1290e1	0.10255981ecb394fd6630a3dfas1290e1	0.10255981ecb394fd6630a3dfas1290e1	0.10255981ecb394fd6630a3dfas1290e1		
9e54e048fba03d16a6f1e02cf7fegbNldhucgSN256591abb5000a645fNOISE2dfsimpleavg	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	a	Cbar	min	0.0379430	0.3706	0.2918	-0.3706	-0.2918	-0.329743	-	3fbd535cf11ab6b8ceca4802f	3fbd535cf11ab6b8ceca4802f	3fbd535cf11ab6b8ceca4802f		
2bd8e7f8108cc53a31df3e9610fbgeNa41d68513c5981a008f0051af7NOL308borda	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	5000	S	NOISE2dfsimpleavg	spearman	NOISE-S	-4	g	F	max	-0.003821	0.1856	0.3572	0.1856	0.3572	0.36102196175b90f6f75220c5cedaf6d0	0.36102196175b90f6f75220c5cedaf6d0	0.36102196175b90f6f75220c5cedaf6d0	0.36102196175b90f6f75220c5cedaf6d0	0.36102196175b90f6f75220c5cedaf6d0		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	g	Fbar	min	-0.035813	0.1802	0.2936	-0.1802	-0.2936	-0.257787	6ddff6c0f53143a5fb9971782	53143a5fb9971782	53143a5fb9971782	53143a5fb9971782	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	g	C	max	-0.013102	0.3116	0.6454	0.3116	0.6454	0.65850209d031baf0ff4e789873e5093	031baf0ff4e789873e5093	031baf0ff4e789873e5093	031baf0ff4e789873e5093		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	g	Cbar	min	-0.033597	0.3024	0.6286	-0.3024	-0.6286	-0.595003	1010706c6d892822e2d518b5f	0892822e2d518b5f	0892822e2d518b5f	0892822e2d518b5f	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	p	F	max	-0.001972	0.1856	0.3468	0.1856	0.3468	0.348772c6133875fcd040a2b430	6133875fcd040a2b430	6133875fcd040a2b430	6133875fcd040a2b430		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	p	Fbar	min	-0.04191	0.1802	0.273	-0.1802	-0.273	-0.23109	a31ff5f5f0d45e830b7929a1e	31ff5f5f0d45e830b7929a1e	31ff5f5f0d45e830b7929a1e	31ff5f5f0d45e830b7929a1e	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	p	C	max	-0.011842	0.3116	0.6286	0.3116	0.6286	0.640442d094395d3ff0f097151f67d72	094395d3ff0f097151f67d72	094395d3ff0f097151f67d72	094395d3ff0f097151f67d72		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	p	Cbar	min	-0.031284	0.3024	0.6022	-0.3024	-0.6022	-0.570916	9c0a36660b1565f61e47456b1f	0a36660b1565f61e47456b1f	0a36660b1565f61e47456b1f	0a36660b1565f61e47456b1f	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	s	F	max	0.0017810	0.1856	0.2654	0.1856	0.2654	0.2636191216db5840b34e1d9570c67	1216db5840b34e1d9570c67	1216db5840b34e1d9570c67	1216db5840b34e1d9570c67		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	s	Fbar	min	-0.01371	0.1802	0.2204	-0.1802	-0.2204	-0.20669	44d7df5267185f902a5d6da6	7df5267185f902a5d6da6	7df5267185f902a5d6da6	7df5267185f902a5d6da6	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	s	C	max	-2.5317e-05	0.3116	0.4292	0.3116	0.4292	0.429225229d394fcd1536c161247977	225229d394fcd1536c161247977	225229d394fcd1536c161247977	225229d394fcd1536c161247977		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	s	Cbar	min	-0.010687	0.3024	0.4048	-0.3024	-0.4048	-0.394113	240ec8fb4e5901315587040	ec8fb4e5901315587040	ec8fb4e5901315587040	ec8fb4e5901315587040	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	a	F	max	8.7898e-05	0.1856	0.0756	0.1856	0.0756	0.075512cb12bd05020d460496628041	12bd05020d460496628041	12bd05020d460496628041	12bd05020d460496628041		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	a	Fbar	min	0.0109870	0.1802	0.15	-0.1802	-0.15	-0.160987	cfb75348011ead70915cfd3a6	75348011ead70915cfd3a6	75348011ead70915cfd3a6	75348011ead70915cfd3a6	
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	a	C	max	-0.001538	0.3116	0.1056	0.3116	0.1056	0.10713881ecb394fcd630d3df51290e9	394fcd630d3df51290e9	394fcd630d3df51290e9	394fcd630d3df51290e9		
2bd8e7f8108cc53a31df0929610fbc9eNa41685f13c598a100850051af74613038	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	100850051	S	borda	spearman	NOISE-	4	a	Cbar	min	0.0205120	0.3024	0.2312	-0.3024	-0.2312	-0.251712	3fbd535cf1bbcb08ee54802	bd535cf1bbcb08ee54802	bd535cf1bbcb08ee54802	bd535cf1bbcb08ee54802	
e5bd301583d61261126672b38e74d212cb3d54b797a089ee5500a912N01290b	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000a912	S	Kemeny	spearman	NOISE-	4	g	F	max	0.0009650	0.175	0.3456	0.175	0.3456	0.34463596175b9f0d75220a5ed6180	175b9f0d75220a5ed6180	175b9f0d75220a5ed6180	175b9f0d75220a5ed6180		
e5bd301583d61261126672b38e74d212cb3d54b797a089ee5500a912N01290b	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000a912	S	Kemeny	spearman	NOISE-	4	g	Fbar	min	-0.007699	0.165	0.251	-0.165	-0.251	-0.243301	6ddff6c0f53143a5fb9971782	53143a5fb9971782	53143a5fb9971782	53143a5fb9971782	
e5bd301583d61261126672b38e74d212cb3d54b797a089ee5500a912N01290b	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000a912	S	Kemeny	spearman	NOISE-	4	g	C	max	-0.012098	0.2978	0.6268	0.2978	0.6268	0.63889809d031baf0ff4e789873e5093	09d031baf0ff4e789873e5093	09d031baf0ff4e789873e5093	09d031baf0ff4e789873e5093		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded method
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	g	Cbar	min	-0.013802	0.2772	0.5858	-0.2772	-0.5858	-0.571998	1010706c6d2892822425m8b4	1010706c6d2892822425m8b4	1010706c6d2892822425m8b4	1010706c6d2892822425m8b4	
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	p	F	max	0.0044610.175	0.3362	0.175	0.3362	0.331739c6133875fad0d0c1430a2b4b0	0.331739c6133875fad0d0c1430a2b4b0	0.331739c6133875fad0d0c1430a2b4b0	0.331739c6133875fad0d0c1430a2b4b0	0.331739c6133875fad0d0c1430a2b4b0		
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	p	Fbar	min	-0.010363	0.165	0.2256	-0.165	-0.2256	-0.215237	a31ff58f50ed458393b7999a1f	a31ff58f50ed458393b7999a1f	a31ff58f50ed458393b7999a1f	a31ff58f50ed458393b7999a1f	
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	p	C	max	-0.012016	0.2978	0.6086	0.2978	0.6086	0.620616d094395f3ff0f0971515m4d72	0.620616d094395f3ff0f0971515m4d72	0.620616d094395f3ff0f0971515m4d72	0.620616d094395f3ff0f0971515m4d72		
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	p	Cbar	min	-0.005484	0.2772	0.5528	-0.2772	-0.5528	-0.547316	9c0a36660b1565f44745g1f	9c0a36660b1565f44745g1f	9c0a36660b1565f44745g1f	9c0a36660b1565f44745g1f	
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	s	F	max	0.0062460.175	0.2556	0.175	0.2556	0.2493541216db58f40b34a1d957f6e7	0.2493541216db58f40b34a1d957f6e7	0.2493541216db58f40b34a1d957f6e7	0.2493541216db58f40b34a1d957f6e7	0.2493541216db58f40b34a1d957f6e7		
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	s	Fbar	min	-0.010553	0.165	0.2002	-0.165	-0.2002	-0.189647	44d7df52671855902as6d1a0	44d7df52671855902as6d1a0	44d7df52671855902as6d1a0	44d7df52671855902as6d1a0	
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	s	C	max	-0.000892	0.2978	0.4114	0.2978	0.4114	0.412292229d394ff15363b512e7927	0.412292229d394ff15363b512e7927	0.412292229d394ff15363b512e7927	0.412292229d394ff15363b512e7927		
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	s	Cbar	min	-0.011455	0.2772	0.3788	-0.2772	-0.3788	-0.367345	240ec8fb4c0e50c1315782060	240ec8fb4c0e50c1315782060	240ec8fb4c0e50c1315782060	240ec8fb4c0e50c1315782060	
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	a	F	max	-0.00194	0.175	0.0684	0.175	0.0684	0.07034cb12bd05020c46c49662894f	0.07034cb12bd05020c46c49662894f	0.07034cb12bd05020c46c49662894f	0.07034cb12bd05020c46c49662894f		
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	a	Fbar	min	-0.011645	0.165	0.1562	-0.165	-0.1562	-0.144555	cfb75348014ead7691scd3a1	cfb75348014ead7691scd3a1	cfb75348014ead7691scd3a1	cfb75348014ead7691scd3a1	
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	a	C	max	-0.00707	0.2978	0.0932	0.2978	0.0932	0.1002781ecb394fcd6303dfasi290e9	0.1002781ecb394fcd6303dfasi290e9	0.1002781ecb394fcd6303dfasi290e9	0.1002781ecb394fcd6303dfasi290e9		
e5bd301583d61261h26572b38e74gt1Ncb3d54N547a089ee5000a912N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	a	Cbar	min	-0.014121	0.2772	0.237	-0.2772	-0.237	-0.222879	3fbd535c11abeb8eeas4802	3fbd535c11abeb8eeas4802	3fbd535c11abeb8eeas4802	3fbd535c11abeb8eeas4802	
61a3529fd3e5d80ea0f46e09cb7128N841e45b56tc3302a5b5007bf61N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	g	F	max	0.001380.1834	0.359	0.1834	0.359	0.3576296175b90f675220c5eafad00	0.3576296175b90f675220c5eafad00	0.3576296175b90f675220c5eafad00	0.3576296175b90f675220c5eafad00	0.3576296175b90f675220c5eafad00		
61a3529fd3e5d80ea0f46e09cb7128N841e45b56tc3302a5b5007bf61N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	g	Fbar	min	-0.019892	0.1606	0.259	-0.1606	-0.259	-0.239108	6ddff6c0e5314345b69971782	6ddff6c0e5314345b69971782	6ddff6c0e5314345b69971782	6ddff6c0e5314345b69971782	
61a3529fd3e5d80ea0f46e09cb7128N841e45b56tc3302a5b5007bf61N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	g	C	max	-0.011799	0.3066	0.6396	0.3066	0.6396	0.65139909d031baf0ff4e7898792e509f	0.65139909d031baf0ff4e7898792e509f	0.65139909d031baf0ff4e7898792e509f	0.65139909d031baf0ff4e7898792e509f		
61a3529fd3e5d80ea0f46e09cb7128N841e45b56tc3302a5b5007bf61N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	g	Cbar	min	-0.025193	0.2748	0.595	-0.2748	-0.595	-0.569807	1010706c6d2892822425m8b4	1010706c6d2892822425m8b4	1010706c6d2892822425m8b4	1010706c6d2892822425m8b4	
61a3529fd3e5d80ea0f46e09cb7128N841e45b56tc3302a5b5007bf61N015E9H	ImageNet-resnet18	ImageNet-resnet18	resnet18	S	5000	S	NOISE	spearman	NOISE-S	-4	p	F	max	0.0031640.1834	0.3484	0.1834	0.3484	0.345236c6133875fad0d0c1430a2b4b0	0.345236c6133875fad0d0c1430a2b4b0	0.345236c6133875fad0d0c1430a2b4b0	0.345236c6133875fad0d0c1430a2b4b0	0.345236c6133875fad0d0c1430a2b4b0		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	p	Fbar	min	-0.021952	0.1606	0.2326	-0.1606	-0.2326	-0.210648	a31ff58f5dd45833b7999a1f	0.091516472		
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	p	C	max	-0.007059	0.3066	0.6262	0.3066	0.6262	0.633259d094395d3ff0991516472				
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	p	Cbar	min	-0.013732	0.2748	0.5588	-0.2748	-0.5588	-0.545068	9c0a36660b1565f6143d5b1f			
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	s	F	max	0.00554201834	0.2662	0.1834	0.1834	0.2662	0.2606581216db584db34c1cd9570c7				
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	s	Fbar	min	-0.014486	0.1606	0.1992	-0.1606	-0.1992	-0.184714	44d7df52671854902a51d1d0			
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	s	C	max	0.00291	0.3066	0.426	0.3066	0.426	0.42309	229d394f415363161247977			
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	s	Cbar	min	-0.012004	0.2748	0.3768	-0.2748	-0.3768	-0.364796	240ec8fb4c50c1315587060			
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	a	F	max	-0.001439	0.1834	0.073	0.1834	0.073	0.074439cb12bd05202a61c4966289d1				
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	a	Fbar	min	0.00519801606	0.1346	-0.1606	-0.1346	-0.139798	cfb75348011eac47091cfd3d1				
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	a	C	max	-0.00285	0.3066	0.1018	0.3066	0.1018	0.10465	81ecb394fdd630c3df4299e9			
61a3529fd3e5d80ea0f16e09cb71283841e45b56c3302a515f007bf61N30LX396rf	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	a	Cbar	min	0.00913302748	0.211	-0.2748	-0.211	-0.220133	3fbd535cf11ab6b6eecc4d802				
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	g	F	max	0.00887701704	0.3464	0.1704	0.3464	0.33752396175b9f1d75220c5edaf626					
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	g	Fbar	min	-0.003856	0.1726	0.2544	-0.1726	-0.2544	-0.250544	6ddff6c065314345b9971782			
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	g	C	max	-0.01713	0.2974	0.6212	0.2974	0.6212	0.63833	09d031bf10ff4e739873e9693			
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	g	Cbar	min	-0.006473	0.2872	0.5876	-0.2872	-0.5876	-0.581127	1010706c4d892820242518b5d			
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	p	F	max	0.01545301704	0.3398	0.1704	0.3398	0.324347c6133875fdd0d1430a2b4d0					
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	p	Fbar	min	-0.000636	0.1726	0.2238	-0.1726	-0.2238	-0.223164	a31ff58f5dd45833b7999a1f			
9eb73cc68e45d3bad684e711400d1014b5865e7c5864d023007dfb1N01S183schulze	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	S			spearman	NOISE-S	-4	p	C	max	-0.004841	0.2974	0.6152	0.2974	0.6152	0.620041d094395d3ff0991516472				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	comment
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	p	Cbar	min	0.00228	10.2872	0.5544	-0.2872	-0.5544	-0.556681	9c0a36660b1565f47475ghf	00b1565f47475ghf	00b1565f47475ghf	00b1565f47475ghf	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	s	F	max	0.014837	0.1704	0.258	0.1704	0.258	0.243163	1216db5840b34e1f957fde7	1216db5840b34e1f957fde7	1216db5840b34e1f957fde7	1216db5840b34e1f957fde7	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	s	Fbar	min	-0.002431	0.1726	0.2006	-0.1726	-0.2006	-0.198169	44d7df52f71855902acd69af	44d7df52f71855902acd69af	44d7df52f71855902acd69af	44d7df52f71855902acd69af	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	s	C	max	0.001199	0.2974	0.413	0.2974	0.413	0.411801	229d394ff11362cb512e7977	229d394ff11362cb512e7977	229d394ff11362cb512e7977	229d394ff11362cb512e7977	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	s	Cbar	min	-0.000833	0.2872	0.3788	-0.2872	-0.3788	-0.377967	240ec8fb44e59c1415587060	240ec8fb44e59c1415587060	240ec8fb44e59c1415587060	240ec8fb44e59c1415587060	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	a	F	max	-0.002295	0.1704	0.0658	0.1704	0.0658	0.068095	cb12bd05020d46c4966284f	cb12bd05020d46c4966284f	cb12bd05020d46c4966284f	cb12bd05020d46c4966284f	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	a	Fbar	min	-0.005629	0.1726	0.1584	-0.1726	-0.1584	-0.152771	cfb75348011ead7691scf3af	cfb75348011ead7691scf3af	cfb75348011ead7691scf3af	cfb75348011ead7691scf3af	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	a	C	max	-0.008671	0.2974	0.0914	0.2974	0.0914	0.100071	181ecb394fcd630c3dfas299e9	181ecb394fcd630c3dfas299e9	181ecb394fcd630c3dfas299e9	181ecb394fcd630c3dfas299e9	
9eb73cc68e45d3bad684e7b1400d104b5865e7c5864d023d007dfb180d15f83	ImageNet-resnet18	ImageNet	resnet18	train	1000	S	simpleavg	spearman	NOISE-4	S	a	Cbar	min	-0.002079	0.2872	0.2364	-0.2872	-0.2364	-0.234321	3fbd535cf11bbcfb8ceca4802	3fbd535cf11bbcfb8ceca4802	3fbd535cf11bbcfb8ceca4802	3fbd535cf11bbcfb8ceca4802	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	g	F	max	-0.012324	0.1726	0.3286	0.1726	0.3286	0.340924	96175b9f6d75220c5edaf620	96175b9f6d75220c5edaf620	96175b9f6d75220c5edaf620	96175b9f6d75220c5edaf620	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	g	Fbar	min	-0.05282	0.2698	0.396	-0.2698	-0.396	-0.34318	6ddff6c0d5314315fb9971782	6ddff6c0d5314315fb9971782	6ddff6c0d5314315fb9971782	6ddff6c0d5314315fb9971782	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	g	C	max	0.01036	0.2872	0.6342	0.2872	0.6342	0.62384	09d031bf10ff4e789879c560E	09d031bf10ff4e789879c560E	09d031bf10ff4e789879c560E	09d031bf10ff4e789879c560E	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	g	Cbar	min	-0.058535	0.4004	0.743	-0.4004	-0.743	-0.684465	1010706cd2892822425718bf	1010706cd2892822425718bf	1010706cd2892822425718bf	1010706cd2892822425718bf	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	p	F	max	-0.025882	0.1726	0.302	0.1726	0.302	0.327882	c6133875ff4dd04c430a2b4f0	c6133875ff4dd04c430a2b4f0	c6133875ff4dd04c430a2b4f0	c6133875ff4dd04c430a2b4f0	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	p	Fbar	min	-0.05226	0.2698	0.3768	-0.2698	-0.3768	-0.32454	a31ff58f50d4458303b7902aa	a31ff58f50d4458303b7902aa	a31ff58f50d4458303b7902aa	a31ff58f50d4458303b7902aa	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	p	C	max	-0.009587	0.2872	0.5958	0.2872	0.5958	0.605387	d094395daff06011516d72	d094395daff06011516d72	d094395daff06011516d72	d094395daff06011516d72	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	p	Cbar	min	-0.055105	0.4004	0.7178	-0.4004	-0.7178	-0.662695	9c0a36660b1565f47475ghf	9c0a36660b1565f47475ghf	9c0a36660b1565f47475ghf	9c0a36660b1565f47475ghf	
42cb9029aba792af33cagbNef18d89fN8f549cN919732f5650001fc45N0XSH9	ImageNet-resnet18	ImageNet	resnet18	train	1000	K	simpleavg	kendall	NOISE-5	K	s	F	max	-0.001324	0.1726	0.2448	0.1726	0.2448	0.246124	1216db5840b34e1f957fde7	1216db5840b34e1f957fde7	1216db5840b34e1f957fde7	1216db5840b34e1f957fde7	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	s	Fbar	min	-0.029246	0.2698	0.3364	-0.2698	-0.3364	-0.307154	44d7df52671854902acd6ba6	full536active1247977	asid6ba6	clean quality oriented	
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	s	C	max	0.0067150	0.2872	0.406	0.2872	0.406	0.399285229d394f11536active1247977	full536active1247977	asid6ba6	clean quality oriented		
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	s	Cbar	min	-0.032193	0.4004	0.5304	-0.4004	-0.5304	-0.498207	240ec8fb4c1e50c1315587060	full536active1247977	asid6ba6	clean quality oriented	
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	a	F	max	0.0126310	0.1726	0.0818	0.1726	0.0818	0.069169cb12bd05020c1ac149662894f	full536active1247977	asid6ba6	clean quality oriented		
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	a	Fbar	min	0.0308470	0.2698	0.227	-0.2698	-0.227	-0.257847	cfb75348011ead17091c1d33a	full536active1247977	asid6ba6	clean quality oriented	
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	a	C	max	0.0190050	0.2872	0.114	0.2872	0.114	0.09499581ecb394f11536active1247977	full536active1247977	asid6ba6	clean quality oriented		
42cb9029aba792af33	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	a	Cbar	min	0.0418390	0.4004	0.322	-0.4004	-0.322	-0.363839	3fbd535cf11b6b68eecc1d809c	full536active1247977	asid6ba6	clean quality oriented	
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	g	F	max	-0.008913	0.1876	0.3552	0.1876	0.3552	0.36411396175b90f1075220e5ed10d020	full536active1247977	asid6ba6	clean quality oriented		
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	g	Fbar	min	-0.053258	0.1982	0.3282	-0.1982	-0.3282	-0.274942	6ddff6c0f53114345fb99f1782	full536active1247977	asid6ba6	clean quality oriented	
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	g	C	max	-0.00647	0.312	0.6526	0.312	0.6526	0.65907 09d031baf10ff4e789873e56093	full536active1247977	asid6ba6	clean quality oriented		
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	g	Cbar	min	-0.05887	0.3216	0.6714	-0.3216	-0.6714	-0.61253	1010706c12892822e2d18b5b	full536active1247977	asid6ba6	clean quality oriented	
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	p	F	max	-0.014185	0.1876	0.3378	0.1876	0.3378	0.351985c6133875f1dd04c1430a2b430	full536active1247977	asid6ba6	clean quality oriented		
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	p	Fbar	min	-0.058936	0.1982	0.3088	-0.1982	-0.3088	-0.249864	a31ff58f51ed458393b79929ba5	full536active1247977	asid6ba6	clean quality oriented	
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	p	C	max	-0.016217	0.312	0.6248	0.312	0.6248	0.641017d094395d3ff09715146d72	full536active1247977	asid6ba6	clean quality oriented		
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	p	Cbar	min	-0.051503	0.3216	0.6404	-0.3216	-0.6404	-0.588897	9c0a3666f0b11565f1e4755g1f	full536active1247977	asid6ba6	clean quality oriented	
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	s	F	max	-0.002311	0.1876	0.264	0.1876	0.264	0.2663111216db5840b34e19576c7	full536active1247977	asid6ba6	clean quality oriented		
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	s	Fbar	min	-0.022327	0.1982	0.2492	-0.1982	-0.2492	-0.226873	44d7df52671854902acd6ba6	full536active1247977	asid6ba6	clean quality oriented	
b666d0f48660bb4235	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	1000	K	simpleavg		kendall	NOISE-K	-5	s	C	max	-0.003916	0.312	0.4258	0.312	0.4258	0.429716229d394f11536active1247977	full536active1247977	asid6ba6	clean quality oriented		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
b666d0f48660bb42351e7e207f1b47fdd19081c67ebf75099ddab807681e32	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	s	Cbar	min	-0.021293	0.3216	0.4358	-0.3216	-0.4358	-0.414507	240ec8fb50c1b3155787060	arch50c1b3155787060		
b666d0f48660bb42351e7e207f1b47fdd19081c67ebf75099ddab807681e32	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	a	F	max	0.0003120	0.1876	0.0768	0.1876	0.0768	0.076488	cb12bd05020c46c49662894f	arch50c1b3155787060		
b666d0f48660bb42351e7e207f1b47fdd19081c67ebf75099ddab807681e32	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	a	Fbar	min	0.0084450	0.1982	0.172	-0.1982	-0.172	-0.180445	cfb75348611e4b7691scf6d3ak	arch50c1b3155787060		
b666d0f48660bb42351e7e207f1b47fdd19081c67ebf75099ddab807681e32	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	a	C	max	0.0016630	0.312	0.109	0.312	0.109	0.1073378	1ecb394fd6630d3df51299e9	arch50c1b3155787060		
b666d0f48660bb42351e7e207f1b47fdd19081c67ebf75099ddab807681e32	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	a	Cbar	min	0.02408	0.3216	0.2496	-0.3216	-0.2496	-0.27368	3fbd535cf11bcbf8eecc4802e	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	g	F	max	-0.006004	0.1874	0.3578	0.1874	0.3578	0.3638049	6175b90f075220e5edaf020	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	g	Fbar	min	-0.017736	0.1658	0.2618	-0.1658	-0.2618	-0.244064	6ddff6c0f5314345f699img782	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	g	C	max	-0.015407	0.3128	0.6448	0.3128	0.6448	0.6602070	9d031bf10ff4e789872e5093	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	g	Cbar	min	-0.012273	0.2872	0.5934	-0.2872	-0.5934	-0.581127	1010706c62892822e42img8bd	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	p	F	max	-0.001464	0.1874	0.3502	0.1874	0.3502	0.351664c	6133875fad0c1430a2b4d0	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	p	Fbar	min	-0.018128	0.1658	0.2342	-0.1658	-0.2342	-0.216072	a31ff58f50ed458303b7909ad	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	p	C	max	-0.013766	0.3128	0.6284	0.3128	0.6284	0.642166d	094395c3af009115146img72	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	p	Cbar	min	-0.007919	0.2872	0.5646	-0.2872	-0.5646	-0.556681	9c0a36660b1565fe4745img11	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	s	F	max	0.0059590	0.1874	0.272	0.1874	0.272	0.2660411	1216db5840b3a1e1957img7	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	s	Fbar	min	-0.019856	0.1658	0.2104	-0.1658	-0.2104	-0.190544	44d7df52671854902asid6ba0	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	s	C	max	0.0023020	0.3128	0.433	0.3128	0.433	0.4306982	29d394f51536c1b612img757	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	s	Cbar	min	-0.012633	0.2872	0.3906	-0.2872	-0.3906	-0.377967	240ec8fb50c1b3155787060	arch50c1b3155787060		
c98b89f4e7b16bdb31e792N56imgd09f6f179cN465600e05200710d8N095E847	ImageNet-resnet18	ImageNet-resnet18	resnet18	test	50000	K			kendall	NOISE-K	-5	a	F	max	0.00041	0.1874	0.0768	0.1874	0.0768	0.07639	cb12bd05020c46c49662894f	arch50c1b3155787060		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
c98b89f4e7b16bdbb51f792b5f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	a	Fbar	min	0.00682	0.1658	0.1386	-0.1658	-0.1386	-0.14542	cfb75348011leadu709scf43ba	cfb75348011leadu709scf43ba	cfb75348011leadu709scf43ba	cfb75348011leadu709scf43ba
c98b89f4e7b16bdbb51f792b5f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	a	C	max	-0.000335	0.3128	0.1074	0.3128	0.1074	0.10773581	ecb394fcd630a3dfasi299c9	ecb394fcd630a3dfasi299c9	ecb394fcd630a3dfasi299c9	ecb394fcd630a3dfasi299c9
c98b89f4e7b16bdbb51f792b5f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	a	Cbar	min	0.0217210	0.2872	0.2126	-0.2872	-0.2126	-0.234321	3fbd535cf11abeb8ceasing802	3fbd535cf11abeb8ceasing802	3fbd535cf11abeb8ceasing802	3fbd535cf11abeb8ceasing802
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	g	F	max	-0.012459	0.1886	0.3532	0.1886	0.3532	0.36565996175b90f075220e5edmg120	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	g	Fbar	min	-0.037123	0.1868	0.3012	-0.1868	-0.3012	-0.264077	6ddff6c0453114345f699f1782	6ddff6c0453114345f699f1782	6ddff6c0453114345f699f1782	6ddff6c0453114345f699f1782
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	g	C	max	-0.013216	0.3152	0.6504	0.3152	0.6504	0.66361609d031bf10ff4e789873a6093	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	g	Cbar	min	-0.040407	0.3094	0.6418	-0.3094	-0.6418	-0.601393	1010706c618928224dmg8b5	1010706c618928224dmg8b5	1010706c618928224dmg8b5	1010706c618928224dmg8b5
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	p	F	max	-0.007792	0.1886	0.3458	0.1886	0.3458	0.353592c6133875fdd04a430a2b4d00	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	p	Fbar	min	-0.045426	0.1868	0.2834	-0.1868	-0.2834	-0.237974	a31ff58f5fcd45a803b7929a2f5	a31ff58f5fcd45a803b7929a2f5	a31ff58f5fcd45a803b7929a2f5	a31ff58f5fcd45a803b7929a2f5
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	p	C	max	-0.015014	0.3152	0.6306	0.3152	0.6306	0.645614d094395f8ff0991151fmg72	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	p	Cbar	min	-0.039128	0.3094	0.6166	-0.3094	-0.6166	-0.577472	9c0a36660b1565f4747d5ab1f	9c0a36660b1565f4747d5ab1f	9c0a36660b1565f4747d5ab1f	9c0a36660b1565f4747d5ab1f
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	s	F	max	0.0031440	0.1886	0.2708	0.1886	0.2708	0.2676561216db5840b34e1957f6c7	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	s	Fbar	min	-0.01951	0.1868	0.2336	-0.1868	-0.2336	-0.21409	44d7df52671854902asid0ba6	44d7df52671854902asid0ba6	44d7df52671854902asid0ba6	44d7df52671854902asid0ba6
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	s	C	max	-0.003843	0.3152	0.4298	0.3152	0.4298	0.433643229d394fcd1536ac161247927	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	s	Cbar	min	-0.015852	0.3094	0.4174	-0.3094	-0.4174	-0.401548	240ec8fb4a4e59a1315587600	240ec8fb4a4e59a1315587600	240ec8fb4a4e59a1315587600	240ec8fb4a4e59a1315587600
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	a	F	max	0.0014240	0.1886	0.0784	0.1886	0.0784	0.076976cb12bd05020d4a149662894f	0375114345f699f1782	0375114345f699f1782	0375114345f699f1782	
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	a	Fbar	min	0.0133210	0.1868	0.1548	-0.1868	-0.1548	-0.168121	cfb75348011leadu709scf43ba	cfb75348011leadu709scf43ba	cfb75348011leadu709scf43ba	cfb75348011leadu709scf43ba
1f52710d1e113b4ad2f60N35f1f179cN467400e05200710d8N015E84K	ImageNet-resnet18	ImageNet	resnet18	train	1000	0.5	K		kendall	NOISE-K	5	a	C	max	0.0012710	0.3152	0.1102	0.3152	0.1102	0.10892981	ecb394fcd630a3dfasi299c9	ecb394fcd630a3dfasi299c9	ecb394fcd630a3dfasi299c9	ecb394fcd630a3dfasi299c9

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
1f52710d1e113b4a0b2f6035fdd88e10a6696285	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	50000	029693	NOISE-K	rrf	kendall	NOISE-K	-5	a	Cbar	min	0.0257210.3094	0.234	-0.3094	-0.234	-0.259721	3fbd535c11bb6b8ceesid8092	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	g	F	max	-0.007913	0.1876	0.3562	0.1876	0.3562	0.36411396175b90f67522065edn6020	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	g	Fbar	min	-0.041027	0.2018	0.3194	-0.2018	-0.3194	-0.278373	6ddff6c0e5314345f699f75782	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	g	C	max	-0.01007	0.312	0.649	0.312	0.649	0.6590709d031ba10ff4789873e9093	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	g	Cbar	min	-0.043036	0.3258	0.6594	-0.3258	-0.6594	-0.616364	1010706c4d89222424m8b5f	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	p	F	max	-0.006585	0.1876	0.3454	0.1876	0.3454	0.351985c6133875fad04c430a2b400	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	p	Fbar	min	-0.047782	0.2018	0.3014	-0.2018	-0.3014	-0.253618	a31ff58f5fd1458333b7999jak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	p	C	max	-0.008017	0.312	0.633	0.312	0.633	0.641017d094395cfaf0097151564d72	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	p	Cbar	min	-0.040169	0.3258	0.633	-0.3258	-0.633	-0.592831	9c0a3666f0b1565f614745ghfF	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	s	F	max	8.9402e-05	0.1876	0.2664	0.1876	0.2664	0.2663111216db5846b3aefc9570c67	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	s	Fbar	min	-0.019891	0.2018	0.2508	-0.2018	-0.2508	-0.230909	44d7df52671854902acd6ba6	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	s	C	max	-0.002716	0.312	0.427	0.312	0.427	0.429716229d394ff4153663b613e7927	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	s	Cbar	min	-0.017832	0.3258	0.4368	-0.3258	-0.4368	-0.418968	240ec8fb4e50c1315787000	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	a	F	max	0.0019120.1876	0.0784	0.1876	0.0784	0.076488cb12bd05020ca6c49662804f	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak		
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	a	Fbar	min	0.0177370.2018	0.1666	-0.2018	-0.1666	-0.184337	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	a	C	max	0.0030630.312	0.1104	0.312	0.1104	0.1104	0.10733781ecb394fcd630c3dfasi299c9	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	
e2a297747fd8d372356eg96efb79445Ndlr859538418a	ImageNet-resnet18	ImageNet-resnet18	resnet18	train	300e5000	2903	NOISE-K	bschulze	kendall	NOISE-K	-5	a	Cbar	min	0.0324850.3258	0.246	-0.3258	-0.246	-0.278485	3fbd535c11bb6b8ceesid8092	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	cfb7534801leauh709sing3ak	

Table 34: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	q	source id	methods selected	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s		
9e54e048fba03d16a1616e02c7f7edbb5b1b0c98256591abb500ca645f0c522	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	S	simpleavg		spearman	NOISE-S	- 4		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation	0.0193820.0429270.0058330.0415390.0214160.0500270.0162250.045613	-	-	-	-	-	-	0.003779-	0.035302			
2bd8e7f8108cc53a31a8f93e9640ffageNa41685f13c598a100850051af76013038	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	S	borda		spearman	NOISE-S	- 4		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation	0.0038210.0358130.0131020.0335970.0019720.04191	-	-	-	-	-	-	0.001781-	0.01371			
e5bd301583d61261b2a72b38f74e2c2ad54b597a089ee5001a9120c1f2e9b	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	S	kemeny		spearman	NOISE-S	- 4		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation	0.0076990.0120980.013802	-	-	-	-	-	-	0.006246-	0.010553			
61a3529fd3e5d80eaf0f6e09eb71283e41e45b56c3302a515007bf61330128396f	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	S	rrf		spearman	NOISE-S	- 4		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation	0.0198920.0117990.025193	-	-	-	-	-	-	0.005542-	0.014486			
9eb73cc68e45d3bad0e79b400d104b55865e7c5f64d023d07dfb18c015f3	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	S	schulze		spearman	NOISE-S	- 4		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation	0.0038570.01713	0.006473	-	-	-	-	-	0.0022810.014837-	0.002431			
42cb9029aba792af38c3a6f18d89f8f5510c9319732f5650001fc45701519	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	K	simpleavg		kendall	NOISE-K	- 5		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation;Occlusion	0.0123240.05282	-	0.0585350.0258820.05226	-	-	-	-	-	-	-		
b666d0f48660bb42851a7e12b7f747f41a90b0c497ebf75090ddab8c016832	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	K	borda		kendall	NOISE-K	- 5		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation;Occlusion	0.0089130.0532580.00647	0.05887	0.0141850.0589360.0162170.0515030.0023110.0223270	-	-	-	-	-	-	-		
c98b89f4e7b16bdb31a79256f6ad09f6173d3465600e05200710d816c915f347	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	K	kemeny		kendall	NOISE-K	- 5		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation;Occlusion	0.0060040.0177360.0154070.0122730.0014640.0181280.0137660.007919	-	-	-	-	-	-	0.005959-	0.019856			
1f52710d1e113b4ad026f6b35fdd88c108a6c96234fab033540029690301868	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	K	rrf		kendall	NOISE-K	- 5		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation;Occlusion	0.0124590.0371230.0132160.0404070.0077920.0454260.0150140.039128	-	-	-	-	-	-	0.003144-	0.01951			
e2a297747fd8d372356agf9c4b794454dc859538418a300e500229030c0158f	ImageNet-resnet18	ImageNet-resnet18	resnet18	1	1000	K	schulze		kendall	NOISE-K	- 5		GuidedBackprop;DeepLiftShap;DeepLift;FeatureAblation;Occlusion	0.0079130.0410270.01007	0.0430360.0065850.0477820.0080170.04016905	-	-	-	-	-	-	8.9402e-	-	-	-

Table 35: effective robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm-adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
86cb6feb19192082f78b99c3b45d366a9c95c0089c8b3d780388305159e14	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	gaussian	S	simpleavg	gaussian	F	-0.0119240.0193820.007458	-0.0193820.007458	-0.007458	0.006678-0.020704	-0.0056580.95	0.8707	1	False	0.87005		False	0.87005	worse
5fbb98e3e158506ca1d0233fcd1a86ce572654b770001875e399487700eb4	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	gaussian	S	simpleavg	gaussian	Fbar	-0.0375370.0429270.00539	-0.0429270.00539	-0.00539	0.006094-0.017183	-0.0065650.95	0.80885	1	False	0.81395		False	0.81395	worse
bca6e92ec9f7e787e0aa0293cd142340181b08e15000b53ef44f1d13060159d94	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	gaussian	S	simpleavg	gaussian	C	0.011264-0.0058330.017097	-0.0058330.017097	-0.017097	0.006942-0.0306480.003582	-0.0061720.95	0.99235	1	False	0.9937		False	0.9937	worse
e283df1171806335e1f0c9e140ff04d261166873e1500015e9a3e8c9d190015f454	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	gaussian	S	simpleavg	gaussian	Cbar	-0.0354980.0415390.006041	-0.0415390.006041	-0.006041	0.00622-0.018074	-0.0061720.95	0.83575	1	False	0.8325		False	0.8325	worse
6b64743eab6866d1d472408f1684ef83b1229788f000051557baf1d22801159d84	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	salt_pepper	S	simpleavg	salt_pepper	Fer	-0.0176820.0214160.003734	-0.0214160.003734	-0.003734	0.006884-0.017224	-0.0098450.95	0.71005	1	False	0.70305		False	0.70305	worse
f82dcab2b7df661770a837241eae6c91150e77c5878cdeb494319780515f436	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	salt_pepper	S	simpleavg	salt_pepper	Fbar	-0.0376680.0500270.012358	-0.0500270.012358	-0.012358	0.006236-0.0245230.000231	-0.0061720.95	0.97665	1	False	0.97665		False	0.97665	worse
b5448bec2eaa66a20a367b1b0ad4e145ag0362202a0c975f919ba0c0158ad1	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	salt_pepper	S	simpleavg	salt_pepper	Per	-0.0024630.0162250.013761	-0.0162250.013761	-0.013761	0.006916-0.0273410.000221	-0.0061720.95	0.97625	1	False	0.97605		False	0.97605	worse
58ec827f142df9de1b544084a981e2cd66dad4166007335d62a10d7490757424	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	salt_pepper	S	simpleavg	salt_pepper	Cbar	-0.0314040.0456130.01421	-0.0456130.01421	-0.01421	0.006065-0.0260380.002454	-0.0061720.95	0.99025	1	False	0.99025		False	0.99025	worse
134b72be7e56a06ff130c73f51d2d81cd1f5583e160002399a77ce48e3d015f4a4	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	speckle	S	simpleavg	speckle	F	-0.000124	0.0037790.0039030.006123-0.008082	0.0039030.006123-0.008082	-0.006123	0.0159870.95	0.264	1	False	0.25875		False	0.25875	better
89a21315a0569fa722a486f0f97g06702b175e2000af7b1d21f8197981691	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	speckle	S	simpleavg	speckle	Fbar	-0.0285250.0353020.006776	-0.0353020.006776	-0.006776	0.006693-0.02014	-0.0062710.95	0.84895	1	False	0.84255		False	0.84255	worse
c3a9700defd555b24413ge9e5804bNe0114g1825231876speckle872e0815f4b3	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	speckle	S	simpleavg	speckle	C	0.0073880.005464-0.001924	0.005464-0.001924	-0.001924	0.006073-0.013757	0.0100340.95	0.6283	1	False	0.6216		False	0.6216	worse
6e3bee0e5221993f3bns1pne151d4fNe15223eNe000028cfHptaa0062000152ab4	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	speckle	S	simpleavg	speckle	Cbar	-0.0226760.0274460.00477	-0.0274460.00477	-0.00477	0.00667-0.017925	0.0082570.95	0.7675	1	False	0.7608		False	0.7608	worse
8699c96cfeb8a579877a9e901b983Ne1e4ag9N25000d234030f604N7315f914	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	adversarial	S	simpleavg	adversarial	F	0.0090310.0104250.0013940.003044-0.004555	0.0104250.0013940.003044-0.004555	0.003044-0.004555	0.0073220.95	0.33025	1	False	0.32225		False	0.32225	better	
b577096a64644f4ca06e9eN0072geNe00690N1500024b1sp1a2dfad906185a24	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	adversarial	S	simpleavg	adversarial	Fbar	0.0203240.01947-0.000853	-0.01947-0.000853	-0.000853	0.006174-0.013053	0.011070.95	0.55745	1	False	0.55575		False	0.55575	worse
c0040b5aa55fc9c49fbb97091df50N091mf30N25000194f83ad99eN015f124	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	adversarial	S	simpleavg	adversarial	G	0.0148020.011641-0.003161	0.011641-0.003161	-0.003161	0.003348-0.009715	0.0034390.95	0.82645	1	False	0.82705		False	0.82705	worse
6b39baa8ba3e28bfb857NffB2d4730d105876536000238b1p74371a1dN035fede	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	adversarial	S	simpleavg	adversarial	Gbar	0.0367920.0379430.0011510.006871-0.012422	0.0379430.0011510.006871-0.012422	0.0011510.006871-0.012422	0.0146540.95	0.4329	1	False	0.43145		False	0.43145	better	
f168c1bc2acfee5a5d83ge9N1f0d2297f3img18f50007761890nb60N005E34	ImageNet-resnet18	ImageNet-resnet18	resnet18	10000	gaussian	S	borda g	gaussian	F	0.008846-0.0038210.012667	-0.0038210.012667	-0.012667	0.008039-0.028252	0.0030460.95	0.9461	1	False	0.941		False	0.941	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
08e3892c3ab3eb9571a6662f1b074b267750491e500b26c984e476f8675751c61	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	g	gaussian Fbar	-	-	-	0.007465-	0.0027430.95	0.9477	1	False	0.9457	worse			
902f3alc2a92ac3d48225a80df238b14f96974b650006f9889366b175f01b703d	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	g	gaussian C	0.006638-	-	-	0.008187-	-	0.95	0.99275	1	False	0.99155	worse		
43d86eaf03f9df3e310a6e1b074b267750491e500b26c984e476f8675751c61	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	g	gaussian Cbar	-	-	-	0.007647-	0.0135220.95	0.5797	1	False	0.58325	worse			
d1d6157f552156ca918609f5f123520382f46d335400169e982348a60185e64	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	p	salt_pepper	0.015979-	-	-	0.008267-	-	0.95	0.9864	1	False	0.9843	worse		
c6ba35c30ddb7619117273b81a43f074b267750491e500b26c984e476f8675751c61	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	p	salt_pepper	-	-	-	0.007929-	0.00015	0.95	0.978	1	False	0.97405	worse		
ff42ae78efc6d420ea76f63a0c17d8ca2f63098e5000f6ad90b1d583035f04	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	p	salt_pepper	0.007678-	-	-	0.008198-	-	0.95	0.9914	1	False	0.99135	worse		
ae3ee58983305bc6077880f343agbNc1aa9dN360005f3740f575da87015B144	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	p	salt_pepper	-	-	-	0.00776	-	0.0007160.95	0.97395	1	False	0.9691	worse		
02bbc0111e23439a10a6834f1a42571aa6cN35007462446a81e700157889	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	s	speckle F	0.0063250.001781-	-	-	0.007439-	0.0102790.95	0.73685	1	False	0.72685	worse			
882899e3b307f6e5a14087234f89dN71bf9dN50001d4d9570951a720159f84	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	s	speckle Fbar	-	-	-	0.008041-	0.0136910.95	0.6027	1	False	0.59815	worse			
9f99cbc4a1d8799701f3a321b1a4b1e071a23450014d5130286da045824	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	s	speckle C	0.004749-	-	-	0.007386-	0.0098470.95	0.74185	1	False	0.73985	worse			
1b1651ea7914fdd231aa29c1490a4801b75750001e22623a6923N005E14	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	s	speckle Cbar	-	-	-	0.008254-	0.0141660.95	0.60435	1	False	0.5951	worse			
68af006c4a33776411844f74a63f781b1b572550002d5b553acba2N045E4	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	a	adversarial	0.0009558.7898e-	-	-	0.003395-	0.0059390.95	0.6052	1	False	0.5982	worse			
37d883616bb827208670a1596625c16089025500861d25ed91a19N03H01	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	a	adversarial	0.0028980.0109870.0080880.007449-	-	-	0.0227970.95	0.14165	1	False	0.13285	better				
55a45262654687472da09841f59a82f0a075N45001f0bde5b2458N025E24	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	a	adversarial	-	-	0.0002850.003727-	0.00772	0.95	0.47185	1	False	0.4669	better			
f2a5591f8c3e06aa511879d521aa6187675250e1550069ca95a9dccaN035E494	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	borda	a	adversarial	0.0088540.0205120.0116570.008222-	-	-	0.0279940.95	0.07885	1	False	0.07515	better				
c110673c3f5ba24ba00827021m38dN3ag9321500093218a6f0a04015E7b4	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	rrf	g	gaussian F	0.0026990.00138	-	-	0.008206-	0.0148690.95	0.57625	1	False	0.5542	worse			
d37250a95d31e4b314a8cN14e5667fN0Ba1gNf90b0d9345p1a799N016E24	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	rrf	g	gaussian Fbar	-	-	-	0.007386-	-	0.95	0.9929	1	False	0.99225	worse		
4386bf2c0b9d0bdca1a0b1a0a0b055fagNc5070951a75d0a91a1N025E54	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	S	S	rrf	g	gaussian C	-	-	-	0.008219-	0.0100620.95	0.7833	1	False	0.7758	worse			

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
f69cf4f29fcd6450bfb1132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	g	gaussian Cbar	-	-	-	0.007587-0.0348	-	0.95	0.99555	1	False	0.9955	worse		
3ea657772c5766761132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	p	salt_pepper	0.0140360.003164-	0.010873	0.008222-	0.0053210.95	0.91105	1	False	0.90215	worse				
d7213212bf5c2a542132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	p	salt_pepper	-	-	-	0.007824-	0.0069490.95	0.86535	1	False	0.85485	worse			
8290a7fba28d91287084fc36f6fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	p	salt_pepper	-	-	-	0.008209-	0.0111760.95	0.73165	1	False	0.723	worse			
1de6e67a73cdd7b347fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	p	salt_pepper	0.000577-	-	0.007826-	0.0011990.95	0.96815	1	False	0.96485	worse				
c732305a096087fb9132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	s	speckle F	0.0046180.0055420.0009230.007283-	0.013306	0.01532	0.95	0.45085	1	False	0.4448	better				
3b9c254bd457d4dd132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	s	speckle Fbar	-	-	-	0.007864-	0.0040520.95	0.9264	1	False	0.9253	worse			
0f9d781e14a1384df132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	s	speckle C	0.0018780.00291	0.0010320.007295-	0.013266	0.0154080.95	0.45265	1	False	0.43995	better				
1e6bd2b09a138ee3ffa771861fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	s	speckle Cbar	-0.0016	-	-	0.008002-	0.0052080.95	0.9037	1	False	0.90295	worse			
c8dc4b16ace081470204567fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	a	adversarial	0.001994-	-	0.003296-	0.0030890.95	0.85445	1	False	0.8474	worse				
81092673e91f881600a23e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	a	adversarial	0.0084170.005198-	0.003219	0.007187-	0.01092	0.95	0.6806	1	False	0.6687	worse			
76ec08f06a51408591ad23e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	a	adversarial	-	-	-	0.00366	-	0.0065230.95	0.57185	1	False	0.5638	worse		
5655aa708f2254fced132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	rrf	a	adversarial	0.0158780.009133-	0.006745	0.008032-	0.0091160.95	0.8052	1	False	0.7984	worse				
3f2520eba2f40fd60f0663744f2189Ndd7ag721e2002def49pad7	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	kemeny	g	gaussian F	0.0077560.000965-	0.00679	0.007727-	0.0084240.95	0.81295	1	False	0.80775	worse				
f8128815dc46ec5b1132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	kemeny	g	gaussian Fbar	0.007159-	-	0.007272-	-	0.95	0.98035	1	False	0.97785	worse			
3bd1dc8d58d22073702669Ndd86375dd1ag200675000e93e49553368Ndd15M71	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	kemeny	g	gaussian C	-	-	-	0.008128-	0.0039990.95	0.92885	1	False	0.92755	worse			
52e60d6ecb63632b1132e658327fdd9c9581e25gt30f5500ff4514pad2dh337	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	kemeny	g	gaussian Cbar	0.011126-	-	0.007533-	-	0.95	0.99945	1	False	0.9995	worse			
02aa7b154e0d268fcb790Ndd188e901ag200675000e62e9552806Ndd13E4f9	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000	S	S	kemeny	p	salt_pepper	0.0164350.004461-	0.011974	0.008131-	0.0041030.95	0.9321	1	False	0.92715	worse				

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm-adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
75885e8eff7f5b381771d60Nk15f9g0Ne19ag5N16000F3fa3pba43dd1N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	p	salt_pepper	Fbar	0.007746-0.010363	-0.018109	-0.007761-0.033336	0.007761-0.033336	-0.002794	0.95	0.99025	1	False	0.99045	worse	
77ab5159ad2431391b1d0520af25f98Dfrdg1N65000a3e4epb3b1N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	p	salt_pepper	Fer	0.005887-0.012016	-0.017903	-0.008308-0.034312	0.008308-0.034312	0.001576	0.95	0.98325	1	False	0.98405	worse	
5b5868902cf696bef18a9geN1124ag1N01611b014F000a8836d0r6a9N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	p	salt_pepper	Fbar	0.013345-0.005484	-0.018829	-0.007761-0.033851	0.007761-0.033851	0.003633	0.95	0.9924	1	False	0.99225	worse	
034a03ea76a137d21ef7212Ndc53g3N4181b1N3752001951speban1N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	s	speckle	F	0.0071550.006246-	0.000908	-0.007217-0.01497	0.007217-0.01497	0.013346	0.95	0.5552	1	False	0.54655	worse	
5e7c08bf66c038f132b1d1837b6ageN1418857N05000ed0sp4a3d2N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	s	speckle	Fbar	-0.0044720.010553	-0.006081	-0.007968-0.021469	0.007968-0.021469	0.009555	0.95	0.7815	1	False	0.7694	worse	
2ed4889affad3ad5926a4f8N110ag5Nbd164gaN25000d566p0511ad6N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	s	speckle	C	0.005194-0.000892	-0.006086	-0.007343-0.0206	0.007343-0.0206	0.008306	0.95	0.8009	1	False	0.79315	worse	
f10e394c10d9f155a13b0b1d483083227ag1N55000d12acsped73a1N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	s	speckle	Cbar	-0.0047770.011455	-0.006677	-0.008144-0.022245	0.008144-0.022245	0.009435	0.95	0.8008	1	False	0.78465	worse	
af51d2e391572c64b0f791061b6f5eNbf14gaN750000fd13p3c667aB01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	a	adversarial	El	0.004326-0.00194	-0.006266	-0.003125-0.012383	0.003125-0.012383	0.2233e-05	0.95	0.9775	1	False	0.97605	worse	
31913b15c0df38f931a95bN18629f72a555ag3N252500a01sf602a57N21SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	a	adversarial	Fbar	-0.0007130.011645	-0.010932	-0.007475-0.025485	0.007475-0.025485	0.003832	0.95	0.92955	1	False	0.9276	worse	
1c41bdf5ab807c3b014eN1262dNab149550450009fe63pa459ad6N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	a	adversarial	Cl	0.005066-0.00707	-0.012137	-0.003517-0.018995	0.003517-0.018995	0.005312	0.95	0.9994	1	False	0.9997	worse	
328fc55ac345dcb6e7a3223N10ag3N3073N0000a06752f849a1N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	kemeny	a	adversarial	Clbar	0.005258-0.014121	-0.019379	-0.008227-0.035416	0.008227-0.035416	0.003128	0.95	0.9912	1	False	0.99085	worse	
4d58cd10ed8e55113b1d72N61fag705f01b129Nbf1019879spe150baN03SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	g	gaussian	F	0.0060640.008877	0.002813	-0.007923-0.012761	0.007923-0.012761	0.018286	0.95	0.36915	1	False	0.358	better	
1f93ac4036c0032cb7243bN240329N20005gaN650007c8081da9d5N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	g	gaussian	Fbar	-0.0003970.003856	-0.003459	-0.007273-0.017519	0.007273-0.017519	0.010676	0.95	0.6956	1	False	0.67025	worse	
4a07dc798ef585dce85278N701ag1N37JmagaN550019cc0p9ac9189N01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	g	gaussian	C	-0.002330.01713	-0.0148	0.008181-0.030924	0.008181-0.030924	0.001041	0.95	0.96375	1	False	0.96585	worse	
04b3f0ab71b862e75a7873N10597N6177ad2N54900274b9p02a01aN01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	g	gaussian	Cbar	0.000944-0.006473	-0.007417	-0.007535-0.022108	0.007535-0.022108	0.007767	0.95	0.84545	1	False	0.82975	worse	
3847319dd0d69ac6b2b12N1e6f1N71hag6N750002f7093f7a80baN01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	p	salt_pepper	Fer	0.0130210.015453	0.002432	-0.008326-0.013904	0.008326-0.013904	0.018643	0.95	0.38745	1	False	0.37945	better	
fc851698541ef200f35288dN71hag6N71h025f845200a0587ceef7daN01SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	p	salt_pepper	Fbar	-0.0130770.000636	-0.00636	-0.0124410.007696-	0.007696-0.002441	0.02756	0.95	0.05635	1	False	0.0509	better	
6eeb0f45d329bb3a25ef53N11ag1N01h279N50004e4b3551b26a907SE	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	S	schulze	p	salt_pepper	Fer	-0.0008970.004841	-0.003945	-0.008344-0.020458	0.008344-0.020458	0.012461	0.95	0.68345	1	False	0.68245	worse	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
4079e09160c8601b5f5d8e4e1495617f84b3a0d6d500048787b8798871N00232d	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	p	salt_pepper	Fbar	-0.00375	0.00228	10.00603	10.00757	-0.008508	0.02096	80.95	0.22465	1	False	0.2069	better
c7dde7ea6385c6a186490fdd5dgcNe14a7e7e15400c0af8b4770e3a20159e-4	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	s	speckle	F	0.00866	0.01483	70.00617	40.00710	-0.007534	0.02033	90.95	0.1924	1	False	0.1908	better
6f1f97418eb868e3911279571img66img66Na608030fla947528cN0358F-4	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	s	speckle	Fbar	-0.00390	0.00243	10.00147	10.00804	-0.014035	0.01739	10.95	0.43475	1	False	0.4211	better
1d9c40520b87fc3d74c9a3b1img15Ne74a88N0e2210bfba43d98b087915Ead4	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	s	speckle	C	0.00245	0.00119	-0.001259	0.00716	-0.015165	0.01290	30.95	0.56845	1	False	0.56945	worse
847fd2a513af86965b76a769112028f02img2775070c592b5b0d7a2a00738a-4	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	s	speckle	Cbar	-0.00147	-0.000833	0.00064	30.00812	-0.014985	0.01687	40.95	0.47835	1	False	0.45815	better
b69dc10ed36ab1bc0717b1b1094e2044f85cN76070109c5pec4a1a1005182c4	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	a	adversarial	F	0.00315	-0.00229	-0.005446	0.00322	-0.011723	0.00093	60.95	0.95625	1	False	0.9531	worse
c1cf9ec37a0b706f50f5imgNe106573Nfd6img7N650001a3939e7f46N0157b-4	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	a	adversarial	Fbar	0.00086	-0.00562	0.006495	0.00734	-0.020642	0.00818	60.95	0.8192	1	False	0.80605	worse
9b2a11d7adc9911d081b10d29025b87a2N15070a0601912a810N018Fec-9	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	a	adversarial	C	0.00017	-0.00867	0.008849	0.00359	-0.01593	50.00172	0.95	0.9927	1	False	0.9928	worse
259f8c261918548611b929N63img42N72700970037f0fcfsple196e7N0273E454	ImageNet-resnet18	ImageNet	resnet18	1000	S	S	schulze	a	adversarial	Cbar	0.00596	-0.00207	0.008045	0.00809	-0.023605	0.00801	10.95	0.84495	1	False	0.8327	worse
eda835b2990b7b6c07a29b05b7429Nef1a3N1500059c1a0fada170b6C143735	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		gaussian	F	-0.01192	-0.012324	-0.0004	0.00692	-0.014031	0.01313	70.95	0.5189	1	False	0.5267	worse
1e9193a6fa9b07afd1064e304637bN4179020N45074158B7e2d119N015E15	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		gaussian	Fbar	-0.03753	0.0705282	0.015283	0.00648	-0.02811	40.00273	0.95	0.991	1	False	0.991	worse
9fd23bd3ca0891e020f4e304637bN4179020N45074158B7e2d119N015E15	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		gaussian	C	0.01126	0.01036	-0.000905	0.00718	-0.014945	0.013	0.95	0.5451	1	False	0.5552	worse
1b673199bf3a2c602f21b939f5ma34907499dgcN45000f1edabf08f132005E2-5	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		gaussian	Cbar	-0.03549	0.05853	0.023037	0.00662	-0.03606	10.010052	0.95	0.99995	1	False	0.9997	worse
710ed5db6f0c503c8img0N74424eSN04ma340795000a840f6328d14N018Eed5	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		salt_pepper	F	-0.01768	0.02025882	-0.0082	0.00721	-0.02231	0.00596	40.95	0.8707	1	False	0.8714	worse
c4f34680dd16b7904d56e330fimg38N4e184eN25500e18dd278b3N0243B37	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		salt_pepper	Fbar	-0.03766	0.05226	0.014592	0.00684	-0.02808	90.001229	0.95	0.98315	1	False	0.98365	worse
5cd880c9eb27648347img70img65216183N05000e834a527d18N018E2-5	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		salt_pepper	F	-0.00246	0.00958	0.007124	0.00725	-0.02144	0.00693	10.95	0.83205	1	False	0.8394	worse
f17e5a016ce9d254844b9aNe28bdcN27mb29N670002e6a3e19ad47baN02573b-5	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		salt_pepper	Fbar	-0.03140	0.05510	0.023701	0.00667	-0.03686	20.010696	0.95	0.9999	1	False	0.99985	worse
41829403ab7863121994g18Nimg5b7051022eN6500078fa08dd96N018E1b3	ImageNet-resnet18	ImageNet	resnet18	1000	K	K	simpleavg		speckle	F	-0.00012	-0.001324	-0.0012	0.00637	-0.013778	0.01131	90.95	0.57045	1	False	0.57755	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
b58649ea72f92dcb8a2e98341	ImageNet-resnet18	ImageNet-resnet18	resnet18	66268	speckle	Fbar	simpleavg				-0.0285250	-0.0292460	-0.000721	0.007413	-0.015224	0.0135630	0.95	0.53365	1	False	0.54065	worse
eb856b729cfc66c15b76ff8847746504a2a9c5000	ImageNet-resnet18	ImageNet-resnet18	resnet18	19724	speckle	C	simpleavg				0.0073880	0.006715	-0.000672	0.006461	-0.013348	0.0120990	0.95	0.53905	1	False	0.54695	worse
b7124e87f9df22232da74834c1166622f1a38803f5900	ImageNet-resnet18	ImageNet-resnet18	resnet18	38036	speckle	Cbar	simpleavg				-0.0226760	0.0321930	0.009517	0.00746	-0.02416	0.0050980	0.95	0.8983	1	False	0.89785	worse
ef5fd98927df8fdca14695c90455c1f5e1a6c90e5000	ImageNet-resnet18	ImageNet-resnet18	resnet18	28815	adversarial	F	simpleavg				0.0090310	0.0126310	0.0036	0.003124	-0.002552	0.0096980	0.95	0.1218	1	False	0.1268	better
ef7a2bf3335b084c1b70a8f8f1a929bdc14444c55f9071d465093a7902456	ImageNet-resnet18	ImageNet-resnet18	resnet18	71d	adversarial	Fbar	simpleavg				0.0203240	0.0308470	0.0105230	0.00661	-0.002711	0.0234420	0.95	0.0524	1	False	0.05905	better
5cc6f4fc3d700f16d09b2c1d4d43a9c84c1e3575f002	ImageNet-resnet18	ImageNet-resnet18	resnet18	23426	adversarial	G	simpleavg				0.0148020	0.0190050	0.0042030	0.003437	-0.002496	0.0109260	0.95	0.11195	1	False	0.1136	better
0458b4754df38923d9906c744b57e736ba6g2X5003	ImageNet-resnet18	ImageNet-resnet18	resnet18	96fa7e1c2584015f225	adversarial	Gbar	simpleavg				0.0367920	0.0418390	0.0050470	0.007228	-0.00925	0.0192050	0.95	0.23685	1	False	0.24505	better
04ffa00a7dd89c31c1b7f09842004e80f979273850007a628f931127038E-5	ImageNet-resnet18	ImageNet-resnet18	resnet18	7624	gaussian	F	borda	g			0.008846	-0.0089130	0.017758	0.008328	-0.0340940	0.001476	0.95	0.98375	1	False	0.98405	worse
22cbbc2ea1dda1881a827f2b1a1932d0a5e2e500076dd3410867074079E305	ImageNet-resnet18	ImageNet-resnet18	resnet18	6676	gaussian	Fbar	borda	g			-0.0238160	0.0532580	0.029442	0.007696	-0.0447430	0.014265	0.95	0.99985	1	False	0.99995	worse
5439b18fc38cb21f0bca43894b1d3690d815421b500006690a0a51b5800E85	ImageNet-resnet18	ImageNet-resnet18	resnet18	90069	gaussian	C	borda	g			0.006638	-0.00647	0.013108	0.008608	-0.029848	0.0038280	0.95	0.938	1	False	0.9354	worse
19ab1c639e7e8095d60978b08a23f5f1f0f48350008f118e2a2bb096163ac5	ImageNet-resnet18	ImageNet-resnet18	resnet18	118e2a2bb096163ac5	gaussian	Cbar	borda	g			-0.03203	0.05887	0.026839	0.007845	-0.0422520	0.01132	0.95	0.9996	1	False	0.9997	worse
dbf9a7eb96a2ee71abf326f961d0a604a7a3f52065921eb1045ab20c04045E9c5	ImageNet-resnet18	ImageNet-resnet18	resnet18	1045ab20c04045E9c5	salt_pepper	Fer	borda	p			0.015979	-0.0141850	0.030164	0.008649	-0.04709	0.013166	0.95	0.9997	1	False	0.9999	worse
4f95fbe3923c193d4f4489f61d0a604a7a3f52065921eb1045ab20c04045E9c5	ImageNet-resnet18	ImageNet-resnet18	resnet18	5000039af09681d005E8e5	salt_pepper	Fbar	borda	p			-0.02626	0.0589360	0.032676	0.008166	-0.0486410	0.016624	0.95	1	1	False	1	worse
7e83d5ea7c42837d41b3a1f1f0f48350008f118e2a2bb096163ac5	ImageNet-resnet18	ImageNet-resnet18	resnet18	1c16e27c110041E2cc5	salt_pepper	Fer	borda	p			0.007678	-0.0162170	0.023895	0.00866	-0.0409520	0.007121	0.95	0.99735	1	False	0.9978	worse
e58fe3bf9ccb8fcca2b1a6c6e61f499c1d85641b85200092051970b3b2037E15	ImageNet-resnet18	ImageNet-resnet18	resnet18	92051970b3b2037E15	salt_pepper	Cbar	borda	p			-0.0164770	0.0515030	0.035026	0.008252	-0.0512	0.018702	0.95	0.99995	1	False	1	worse
f14d711f336685681a3a2801d0a604a7a3f52065921eb1045ab20c04045E9c5	ImageNet-resnet18	ImageNet-resnet18	resnet18	2074944f5800E56c5	speckle	F	borda	s			0.006325	-0.0023110	0.008635	0.007823	-0.023886	0.0069180	0.95	0.8689	1	False	0.8603	worse
aeb6b415a7a049f9d44f6857176c990ab08Ne50201ad57875fb38043E1b5	ImageNet-resnet18	ImageNet-resnet18	resnet18	57875fb38043E1b5	speckle	Fbar	borda	s			-0.0116540	0.0223270	0.010673	0.008362	-0.027102	0.0056870	0.95	0.9011	1	False	0.89755	worse
c20170d08a50383447ff2c756f1d0a604a7a3f52065921eb1045ab20c04045E9c5	ImageNet-resnet18	ImageNet-resnet18	resnet18	6a704c3411005Ebe5	speckle	C	borda	s			0.004749	-0.0039160	0.008665	0.007797	-0.023957	0.0067440	0.95	0.8674	1	False	0.865	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
ea9effe524c85d7e0a6778744106f68b1da453245002aff1d6dbf08b2c130a	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	borda	s	speckle	Cbar	-0.0085510	-0.0212930	-0.012742	0.008412	-0.029269	0.0036590	0.9358	1	False	0.93425	worse	
52747190690f5aa6a11a9148ad402fb6315117d790000cbfd94d405a7c718f35	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	borda	a	adversarial	F	0.0009550	0.000312	-0.000643	0.003444	-0.007366	0.0061290	0.5797	1	False	0.56845	worse	
4254532955da95151f209c7f1b894c1b57f827a56087d14f3b9f1dd0048f135	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	borda	a	adversarial	Fbar	0.0028980	0.0084450	0.0055470	0.007917	-0.01011	0.0211770	0.2395	1	False	0.2375	better	
69605d296db60925b110b52f88928271814e904567009beed10fdd17019246b	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	borda	a	adversarial	G	-0.001823	0.0016630	0.0034860	0.003852	-0.003966	0.011095	0.18905	1	False	0.1834	better	
852951e4985452f0f651104647fca8276a1a84e500091647f5341f5ea7c01818	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	borda	a	adversarial	Gbar	0.0088540	0.02408	0.0152250	0.008689	-0.001799	0.0320810	0.0382	1	False	0.04135	better	
238c49bb45e5fd71d9a3geN7d111f374177ad005030b55538dd71f4f1f40f5f5e5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	g	gaussian	F	0.002699	-0.0124590	0.015157	0.008466	-0.031729	0.0016920	0.9635	1	False	0.96025	worse	
5b832b501d6a4b7e0b1942721m9d1b1f6c62c755000d2a6d1818c701431095	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	g	gaussian	Fbar	-0.0017690	0.0371230	0.035354	0.007688	-0.0504180	0.02032	0.95	1	False	1	worse	
ace857ba2c17fe9e41151457e0d9517N540dag8f250001bcb128716028315f915	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	g	gaussian	C	-0.0055170	0.0132160	0.007699	0.008645	-0.024799	0.0092490	0.82075	1	False	0.8089	worse	
baa06263a119093611002b861bcaage7e2f7ad2e42001601777070158f50	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	g	gaussian	Cbar	-0.0052820	0.0404070	0.035125	0.007954	-0.0506830	0.019444	0.95	1	False	1	worse	
f069f4b83ba04b8bd0f94c3f84623f28f3d33e5070f3a59e6dd17e01508e5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	p	salt_pepper	F	0.014036	-0.0077920	0.021829	0.008852	-0.0390370	0.004262	0.95	1	False	0.9936	worse	
4725dc2ce6bb417ed068929d096f8d12486c7e5007263182a2a125801581a5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	p	salt_pepper	Fbar	-0.0135030	0.0454260	0.031923	0.008097	-0.047752	-0.0159095	0.99995	1	False	1	worse	
619a656f6eed242e057938214835e88d177f862908b83f7e78712240148f5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	p	salt_pepper	F	-0.0021670	0.0150140	0.012847	0.008874	-0.030056	0.0047620	0.95	1	False	0.9219	worse	
a3ff6efc47b08d20bda10140378120b7f68ce97e506558947831dd1d0130e5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	p	salt_pepper	Gbar	0.000577	-0.0391280	0.039705	0.008174	-0.0557350	0.023528	0.95	1	False	1	worse	
a8f8848d8f7780317f9838f144a40726b59478f5586c9a82bda2555075815	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	s	speckle	F	0.0046180	0.003144	-0.001475	0.007703	-0.016445	0.01366095	0.5846	1	False	0.56695	worse	
58b0e5df002ec6af200831002f749d38559a925590082684d53487758930165	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	s	speckle	Fbar	-0.0031750	0.019510	0.016334	0.00821	-0.0324020	0.00012	0.95	1	False	0.9759	worse	
481bd3405b69acea10009967b2214de7a7d7950938d0039313fd1015f3b55	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	s	speckle	C	0.001878	-0.0038430	0.005721	0.007749	-0.020733	0.0094750	0.77075	1	False	0.76515	worse	
0257125ef6b7007996066geN1m940f1a270N2500016b251d3d11820158e56	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	s	speckle	Cbar	-0.0016	-0.0158520	0.014252	0.008395	-0.030575	0.0021530	0.95	1	False	0.9541	worse	
59758d703b2c8a74612893c14d529f944a5478509d0b347c2a4420158e848	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	ImageNet	K	rrf	a	adversarial	F	0.0019940	0.001424	-0.000057	0.003527	-0.007452	0.0062940	0.95	1	False	0.5509	worse	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
25a83e010cf8942175a0b47ef1f0a9b9e0f0f8e8560065b645a4c2d179013f105	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	rrf	a	adversarial	Fbar	0.008417	0.013321	0.004904	0.007441	-0.009526	0.019526	0.95	0.25955	1	False	0.2527	better
b29eea1a12d721e10b042f61b065e95507d587c52069999ef0280044f0d1231a5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	rrf	a	adversarial	Fbar	-0.00221	0.001271	0.00348	0.003879	-0.004129	0.011084	0.95	0.1942	1	False	0.17555	better
7cbe24b86b1b769f90b09d50dd45a7b8a38858e600d684e6d49b0b0273b73c	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	rrf	a	adversarial	Fbar	0.015878	0.025721	0.009843	0.008321	-0.006121	0.026495	0.95	0.1167	1	False	0.11635	better
6a33b065ec58a676d50c0d08458a9e1421d7e50007cf2ab7761a156132e55	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	g	gaussian	F	0.007756	-0.006004	0.013759	0.008372	-0.029902	0.00292	0.95	0.9505	1	False	0.94675	worse
94217ef047c66918f317f4c0c1f5747Ne11727dNe5020fc2b499c1f590151e-5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	g	gaussian	Fbar	0.007159	-0.017736	0.024895	0.007571	-0.039741	0.010117	0.95	0.99945	1	False	0.99965	worse
a8e63b79f155000c3f0b42070d8469e7a0e366000803dce3d8f83361573e5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	g	gaussian	C	-0.000227	-0.015407	0.015179	0.008751	-0.032316	0.002211	0.95	0.96045	1	False	0.95845	worse
aecfc1234d5615801b0b0e1db29gf70e0f0a9e0e50057d985d8283790354f5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	g	gaussian	Cbar	0.011126	-0.012273	0.023399	0.007717	-0.038341	0.008246	0.95	0.9987	1	False	0.99875	worse
0b221153bd5842f37b0b841dd241N91a036078500544d74440b199N03199-103	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	p	salt_pepper	F	0.016435	-0.001464	0.017899	0.008577	-0.03464	0.000938	0.95	0.9821	1	False	0.981	worse
8d4f3887f2240e5b60b09dNf5f08g12Ne3006geNe590073e52d63N0319ef5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	p	salt_pepper	Fbar	0.007746	-0.018128	0.025875	0.007999	-0.041698	0.01036	0.95	0.999	1	False	0.9995	worse
76a72eca54c44bb20b0b0e1db29gf70e0f0a9e0e50057d985d8283790354f5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	p	salt_pepper	F	0.005887	-0.013766	0.019653	0.008728	-0.036819	0.002575	0.95	0.9877	1	False	0.9881	worse
b401d88e2dd5e3b4b5f02N91a036078500544d74440b199N0319ef5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	p	salt_pepper	Fbar	0.013345	-0.007919	0.021264	0.007949	-0.036963	0.005666	0.95	0.9958	1	False	0.9962	worse
3183233d8145fd931b0b0e1db29gf70e0f0a9e0e50057d985d8283790354f5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	s	speckle	F	0.007155	0.005959	-0.001196	0.007531	-0.015899	0.013636	0.95	0.56745	1	False	0.5591	worse
9c4609c5b8152002276a0b47ef1f0a9b9e0f0f8e8560065b645a4c2d179013f105	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	s	speckle	Fbar	-0.004472	-0.019856	0.015384	0.008384	-0.031858	0.001087	0.95	0.9667	1	False	0.96715	worse
d97bdd5953e4d3e8b0722Nf0f38geNe516592N54061308e09d52c498215b545	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	s	speckle	C	0.005194	0.002302	-0.002892	0.007683	-0.01773	0.012396	0.95	0.64985	1	False	0.64805	worse
ab5d100b4d807803f0b42070d8469e7a0e366000803dce3d8f83361573e5	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	s	speckle	Cbar	-0.004777	-0.012633	0.007856	0.008471	-0.024309	0.00882	0.95	0.82465	1	False	0.8189	worse
82b7668ac32a06b51028Nf0f38geNe516592N54061308e09d52c498215b545	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	a	adversarial	F	0.004326	0.00041	-0.003916	0.00348	-0.010791	0.002965	0.95	0.87465	1	False	0.86915	worse
e6bbfa6896b11492051a0b47ef1f0a9b9e0f0f8e8560065b645a4c2d179013f105	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	a	adversarial	Fbar	-0.000713	0.00682	0.007532	0.007657	-0.007419	0.022518	0.95	0.16355	1	False	0.16275	better
a97b213fd186a41f702a5e321a963bNe516592N54061308e09d52c498215b545	ImageNet-resnet18	ImageNet-resnet18	resnet18	100000	K	K	kemeny	a	adversarial	F	0.005066	-0.000335	0.005401	0.003886	-0.01301	0.002145	0.95	0.9162	1	False	0.91745	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
200358c54eb87e64b6a97f675b6gedN48550bN450006804cncd332bN70439D	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	kemeny	a	adversarial	Gbar	0.005258	0.02172	10.01646	30.00839	45.8352e-06	0.03293	80.95	0.02525	1	False	0.0249	better
d5c4dafdcda5aa256729ce37f4d484N1470092Ne502606ba427d408N2018E2	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	g	gaussian	F	0.006064-	-	0.00791	30.013977	0.008792-	0.003366	0.95	0.94525	1	False	0.94225	worse
575d3d1108a93b59805933N1e3883N540cageNe5070f56cd10420415N085E74	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	g	gaussian	Fbar	-	-	-	0.007842-	-	0.95	1	1	False	1	worse	
f927e37807d0b7623180cgeN4570752N14f040N05000da6200158c00918E49	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	g	gaussian	C	-	-	-	0.008882-	0.009871	0.95	0.8102	1	False	0.80345	worse	
bfe76fd20bc4bab88a096N8100396N8175fgaN750076b59acbf86511N018E45	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	g	gaussian	Cbar	0.000944-	-	0.04303	60.04398	0.008185-	-	0.95	1	1	False	1	worse
1e14507fd2d6e79ea3b322N01a336N1f336Nc55000e7cd86cndlaN045E55	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	p	salt_pepper	F	0.013021-	-	0.009086-	-	0.95	0.9843	1	False	0.98395	worse		
a37728ff6b64ff03b7a082bN844ageN726fa72N05002538f03ceh1ecN0439D	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	p	salt_pepper	Fbar	-	-	-	0.008338-	-	0.95	1	1	False	1	worse	
23a5d9096989f265dd0d920N14854gh74HbgedN150008bf7290da1h7N018E905	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	p	salt_pepper	F	-	-	-	0.009037-	0.01052	0.95	0.78745	1	False	0.7841	worse	
ed5aa137febbf36992a69N24986geN81dca7N0600059a82d6a1ccN018E335	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	p	salt_pepper	Cbar	-	-	-	0.008243-	-	0.95	0.99995	1	False	1	worse	
e036ecc344a776985446geN81dca7N0600059a82d6a1ccN018E335	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	s	speckle	F	0.008663	8.9402e-05	-	0.007962-	0.007063	0.95	0.86375	1	False	0.8572	worse	
a155d5dbe914a0af2463geN77a2beN0774382Nc500076b7296da1263N018E365	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	s	speckle	Fbar	-	-	-	0.00872-	0.001226	0.95	0.96635	1	False	0.9656	worse	
214293157467db01366geN1b3magN7588175N7950008ca5f2a18a345N018E55	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	s	speckle	C	0.002459-	-	0.007953-	-	0.010251	0.95	0.74175	1	False	0.7397	worse	
78799ee143fc5ba57bf0geN1b3magN7588175N7950008ca5f2a18a345N018E55	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	s	speckle	Cbar	-	-	-	0.008739-	0.000788	0.95	0.9694	1	False	0.9698	worse	
b87413a7d45a183bb582geN1b3magN7588175N7950008ca5f2a18a345N018E55	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	a	adversarial	El	0.00315	0.001912-	0.001238	0.003698-	0.005949	0.95	0.6359	1	False	0.62275	worse	
5eb5dc1b613948c437bfgeN1b3magN7588175N7950008ca5f2a18a345N018E55	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	a	adversarial	Fbar	0.000866	0.01773	70.01687	10.007777	0.001577	0.03218	0.95	0.0152	1	False	0.0156	better
b61499e1ee4bcd4dd55300N83a656Ndf58gedN25000a6ff00336d011N018E5	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	a	adversarial	G	0.000178	0.00306	30.00288	50.004038-	0.010738	0.95	0.23885	1	False	0.238	better	
41f9f77b355b2ec7240724050587geN3557a48f65450005b4d4ed3012N018E5	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	K	K	schulze	a	adversarial	Gbar	0.005966	0.03248	50.02651	90.008579	0.009647	0.04341	0.95	0.00145	0.8816	False	0.0009	better

Table 36: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet- resnet18	nn	test	5000	best_indiv	0.17161	0.1752	0.292	0.2952	0.15	-0.103	0.328	-0.3102	0.1378	-0.0686	0.3176	-0.2856	0.0618	-0.037	0.1178	-0.095	-0.1058	0.0216	-0.2096	0
ImageNet	ImageNet- resnet18	nn	test	5000	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	-0.1118	0.3474	-0.3208	0.1376	-0.0916	0.3152	-0.2946	0.0734	-0.0636	0.1192	-0.1196	-0.0944	0.0338	-0.1768	0
ImageNet	ImageNet- resnet18	nn	test	5000	borda	0.158	0.2186	0.2756	0.3464	0.1692	-0.0996	0.3384	-0.3208	0.1624	-0.0788	0.3208	-0.2822	0.0748	-0.0428	0.1142	-0.103	-0.095	0.019	-0.1882	0
ImageNet	ImageNet- resnet18	nn	test	5000	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	-0.0684	0.3296	-0.2774	0.1614	-0.045	0.317	-0.2522	0.0748	-0.0362	0.1136	-0.0994	-0.0904	0.015	-0.179	0
ImageNet	ImageNet- resnet18	nn	test	5000	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	-0.0776	0.3286	-0.2944	0.1624	-0.066	0.3134	-0.2654	0.0742	-0.0342	0.1126	-0.0958	-0.0956	0.0246	-0.1914	0
ImageNet	ImageNet- resnet18	nn	test	5000	schulze	0.1576	0.2182	0.276	0.3444	0.1662	-0.0762	0.3296	-0.288	0.1592	-0.0656	0.3124	-0.2696	0.077	-0.035	0.112	-0.0958	-0.0926	0.017	-0.1864	0

Table 37: main comparison results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet resnet18	all	20	best_individual							
dataset_model	ImageNet	ImageNet resnet18	all	20	simpleavg	9	0	11				
dataset_model	ImageNet	ImageNet resnet18	all	20	borda	3	9	0	11	11	1	8
dataset_model	ImageNet	ImageNet resnet18	all	20	kemeny	5	11	0	9	13	0	7
dataset_model	ImageNet	ImageNet resnet18	all	20	rrf	2	13	0	7	11	0	9
dataset_model	ImageNet	ImageNet resnet18	all	20	schulze	1	11	0	9	12	0	8
dataset_model	ImageNet	ImageNet resnet18	quality	4	best_individual							
dataset_model	ImageNet	ImageNet resnet18	quality	4	simpleavg	1	0	3				
dataset_model	ImageNet	ImageNet resnet18	quality	4	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet resnet18	quality	4	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet resnet18	quality	4	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet resnet18	quality	4	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet resnet18	robustness	46	best_individual							
dataset_model	ImageNet	ImageNet resnet18	robustness	46	simpleavg	8	0	8				
dataset_model	ImageNet	ImageNet resnet18	robustness	46	borda	3	9	0	7	9	1	6
dataset_model	ImageNet	ImageNet resnet18	robustness	46	kemeny	5	11	0	5	11	0	5
dataset_model	ImageNet	ImageNet resnet18	robustness	46	rrf	2	13	0	3	9	0	7
dataset_model	ImageNet	ImageNet resnet18	robustness	46	schulze	1	11	0	5	10	0	6
dataset_model	ImageNet	ImageNet resnet18	gaussian	4	best_individual							
dataset_model	ImageNet	ImageNet resnet18	gaussian	4	simpleavg	2	0	2				
dataset_model	ImageNet	ImageNet resnet18	gaussian	4	borda	1	3	0	1	2	1	1
dataset_model	ImageNet	ImageNet resnet18	gaussian	4	kemeny	2	4	0	0	3	0	1
dataset_model	ImageNet	ImageNet resnet18	gaussian	4	rrf	0	4	0	0	3	0	1
dataset_model	ImageNet	ImageNet resnet18	gaussian	4	schulze	0	4	0	0	3	0	1
dataset_model	ImageNet	ImageNet resnet18	salt_pepper	4	best_individual							
dataset_model	ImageNet	ImageNet resnet18	salt_pepper	4	simpleavg	0	0	4				

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	resnet18	borda	2	3	0	1	4	0	0
dataset_model	ImageNet	ImageNet	salt_pepper	resnet18	kemeny	2	3	0	1	4	0	0
dataset_model	ImageNet	ImageNet	salt_pepper	resnet18	rrf	1	3	0	1	3	0	1
dataset_model	ImageNet	ImageNet	salt_pepper	resnet18	schulze	0	3	0	1	3	0	1
dataset_model	ImageNet	ImageNet	speckle	resnet18	best_individual	4						
dataset_model	ImageNet	ImageNet	speckle	resnet18	simpleavg	4	2	0	2			
dataset_model	ImageNet	ImageNet	speckle	resnet18	borda	0	1	0	3	3	0	1
dataset_model	ImageNet	ImageNet	speckle	resnet18	kemeny	0	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet	speckle	resnet18	rrf	1	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet	speckle	resnet18	schulze	1	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	resnet18	best_individual	4						
dataset_model	ImageNet	ImageNet	adversarial	resnet18	simpleavg	4	4	0	0			
dataset_model	ImageNet	ImageNet	adversarial	resnet18	borda	0	2	0	2	0	0	4
dataset_model	ImageNet	ImageNet	adversarial	resnet18	kemeny	1	2	0	2	1	0	3
dataset_model	ImageNet	ImageNet	adversarial	resnet18	rrf	0	4	0	0	0	0	4
dataset_model	ImageNet	ImageNet	adversarial	resnet18	schulze	0	2	0	2	1	0	3
overall			all	80	best_individual	2						
overall			all	80	simpleavg	2	34	1	45			
overall			all	80	borda	14	46	2	32	52	3	25
overall			all	80	kemeny	18	48	0	32	56	0	24
overall			all	80	rrf	9	48	1	31	52	1	27
overall			all	80	schulze	9	46	0	34	50	3	27
overall			quality	16	best_individual	1						
overall			quality	16	simpleavg	1	5	0	11			
overall			quality	16	borda	1	4	0	12	5	1	10
overall			quality	16	kemeny	0	4	0	12	7	0	9
overall			quality	16	rrf	0	4	0	12	6	0	10
overall			quality	16	schulze	3	4	0	12	7	1	8
overall			robustness	64_all	best_individual	1						
overall			robustness	64_all	simpleavg	1	29	1	34			
overall			robustness	64_all	borda	13	42	2	20	47	2	15
overall			robustness	64_all	kemeny	18	44	0	20	49	0	15
overall			robustness	64_all	rrf	9	44	1	19	46	1	17
overall			robustness	64_all	schulze	6	42	0	22	43	2	19
overall			gaussian	16	best_individual	2						
overall			gaussian	16	simpleavg	1	7	0	9			
overall			gaussian	16	borda	4	12	0	4	13	1	2
overall			gaussian	16	kemeny	6	12	0	4	15	0	1

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16	rrf	1	13	0	3	15	0	1	
overall			gaussian 16	schulze	2	12	0	4	14	1	1	
overall			salt_pepper	best_individual								
overall			salt_pepper	simpleavg	9	5	1	10				
overall			salt_pepper	borda	5	12	0	4	15	1	0	
overall			salt_pepper	kemeny	7	12	0	4	16	0	0	
overall			salt_pepper	rrf	3	12	1	3	14	1	1	
overall			salt_pepper	schulze	1	12	0	4	14	0	2	
overall			speckle 16	best_individual								
overall			speckle 16	simpleavg	8	8	0	8				
overall			speckle 16	borda	1	11	0	5	12	0	4	
overall			speckle 16	kemeny	2	12	0	4	13	0	3	
overall			speckle 16	rrf	5	11	0	5	13	0	3	
overall			speckle 16	schulze	3	12	0	4	10	1	5	
overall			adversarial	best_individual								
overall			adversarial	simpleavg	7	9	0	7				
overall			adversarial	borda	3	7	2	7	7	0	9	
overall			adversarial	kemeny	3	8	0	8	5	0	11	
overall			adversarial	rrf	0	8	0	8	4	0	12	
overall			adversarial	schulze	0	6	0	10	5	0	11	

Table 38: main comparison results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-

k	method	F	Fbar	C	Cbar	F per- turbed g	Fbar per- turbed g	C per- turbed g	Cbar per- turbed g	F per- turbed p	Fbar per- turbed p	C per- turbed p	Cbar per- turbed p	F per- turbed s	Fbar per- turbed s	C per- turbed s	Cbar per- turbed s	F per- turbed a	Fbar per- turbed a	C per- turbed a	Cbar per- turbed a	R g F	R g Fbar	R g C	R g Cbar
10	best_indiv	0.1122	0.3446	0.214	0.4816	0.2268	0.3834	0.5082	0.7406	0.2014	0.3754	0.4798	0.7232	0.1508	0.3676	0.3002	0.566	0.0308	0.325	0.05	0.4526	0.1152	-0.0388	0.2942	-0.0342
10	simpleavg	0.1122	0.4314	0.2172	0.5768	0.2388	0.4656	0.5148	0.8248	0.218	0.4658	0.4868	0.8108	0.1686	0.4678	0.3084	0.6686	0.0296	0.405	0.046	0.5364	0.1266	-0.0342	0.2976	-0.0342
10	borda	0.1016	0.4124	0.205	0.5538	0.2262	0.4408	0.4878	0.797	0.2142	0.4424	0.4692	0.7848	0.145	0.442	0.2796	0.6392	0.0222	0.4062	0.0344	0.5316	0.1246	-0.0284	0.2828	-0.0284
10	kemeny	0.098	0.4174	0.1934	0.5602	0.223	0.4154	0.4722	0.7688	0.2174	0.4114	0.4634	0.7606	0.1362	0.4274	0.2718	0.6322	0.0226	0.409	0.0322	0.536	0.125	0.002	0.2788	-0.0284
10	rrf	0.102	0.407	0.2054	0.5478	0.2354	0.424	0.486	0.7794	0.2236	0.4116	0.477	0.7576	0.1486	0.431	0.2846	0.631	0.0244	0.4056	0.0358	0.5288	0.1334	-0.017	0.2806	-0.017
10	schulze	0.1012	0.4176	0.2016	0.5618	0.2278	0.4062	0.48	0.7624	0.2172	0.4118	0.4664	0.7586	0.1456	0.435	0.2812	0.637	0.023	0.404	0.0326	0.5288	0.1266	0.0114	0.2784	-0.0114
20	best_indiv	0.1726	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	0.15	-0.103	0.328	-0.103
20	simpleavg	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.1118
20	borda	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.0996
20	kemeny	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.0684
20	rrf	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.0776
20	schulze	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.0762
40	best_indiv	0.2906	0.0644	0.4418	0.1518	0.4502	0.1174	0.7652	0.4354	0.4446	0.0824	0.7514	0.4018	0.3986	0.0836	0.572	0.2418	0.1968	0.044	0.2552	0.0746	0.1392	-0.053	0.3234	-0.053
40	simpleavg	0.2906	0.1048	0.4178	0.2124	0.4376	0.214	0.7636	0.5398	0.4268	0.1958	0.7412	0.509	0.3786	0.1516	0.5552	0.316	0.1928	0.0642	0.2504	0.109	0.147	-0.1092	0.3458	-0.1092
40	borda	0.279	0.0756	0.412	0.1758	0.429	0.151	0.737	0.452	0.4336	0.13	0.7336	0.4314	0.376	0.1092	0.5472	0.2688	0.168	0.0456	0.2196	0.0858	0.15	-0.0754	0.325	-0.0754
40	kemeny	0.282	0.083	0.4102	0.1814	0.4288	0.1508	0.7372	0.4558	0.422	0.1198	0.7196	0.42	0.361	0.117	0.531	0.2716	0.1662	0.0548	0.2158	0.0954	0.1468	-0.0678	0.327	-0.0678
40	rrf	0.2848	0.0772	0.413	0.177	0.4338	0.15	0.7426	0.454	0.4308	0.1184	0.7336	0.4202	0.37	0.1062	0.542	0.2638	0.174	0.048	0.2254	0.0876	0.149	-0.0728	0.3296	-0.0728
40	schulze	0.2798	0.0814	0.4138	0.1786	0.4304	0.151	0.7342	0.4572	0.4258	0.122	0.726	0.419	0.3692	0.1132	0.5394	0.2708	0.1678	0.0524	0.2188	0.0926	0.1506	-0.0696	0.3204	-0.0696
80	best_indiv	0.5074	0.0174	0.6444	0.0812	0.5422	0.033	0.8802	0.3012	0.5452	-0.0002	0.8728	0.2766	0.5706	0.02	0.7632	0.152	0.4306	0.0038	0.5358	0.0108	0.0352	-0.0156	0.2358	-0.0156
80	simpleavg	0.4784	0.0242	0.6186	0.0964	0.5326	0.077	0.8784	0.3534	0.532	0.0574	0.8654	0.3294	0.5416	0.0396	0.7374	0.176	0.4098	0.0046	0.5162	0.0134	0.0542	-0.0528	0.2598	-0.0528
80	borda	0.4632	0.0148	0.6028	0.0812	0.5304	0.0338	0.8616	0.286	0.529	0.016	0.8524	0.2648	0.5408	0.0252	0.7306	0.153	0.3784	0.0016	0.4736	0.0092	0.0672	-0.019	0.2588	-0.019
80	kemeny	0.4628	0.0202	0.6054	0.0912	0.5232	0.0318	0.8536	0.2846	0.5304	0.021	0.853	0.2696	0.5344	0.0216	0.7226	0.1456	0.3752	0.0046	0.4688	0.012	0.0604	-0.0116	0.2482	-0.0116
80	rrf	0.4726	0.016	0.6094	0.086	0.5326	0.0378	0.8664	0.2868	0.5268	0.0168	0.8482	0.2662	0.5432	0.024	0.7296	0.15	0.3862	0.0022	0.4814	0.0082	0.06	-0.0218	0.257	-0.0218
80	schulze	0.4656	0.0156	0.605	0.085	0.5264	0.0366	0.8602	0.2862	0.5288	0.0224	0.8516	0.2648	0.5386	0.0242	0.7268	0.1498	0.3798	0.0036	0.4736	0.0102	0.0608	-0.021	0.2552	-0.021

Table 39: main comparison results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-

p	method	F	Fbar	C	Cbar	F per- turbed g	Fbar per- turbed g	C per- turbed g	Cbar per- turbed g	F per- turbed p	Fbar per- turbed p	C per- turbed p	Cbar per- turbed p	F per- turbed s	Fbar per- turbed s	C per- turbed s	Cbar per- turbed s	F per- turbed a	Fbar per- turbed a	C per- turbed a	Cbar per- turbed a	R g F	R Fbar	g	R g C	F C	
8	best_individual	0.6522	0.1998	0.8118	0.173	0.5126	0.4468	0.8808	0.1616	0.5218	0.4308	0.8764	0.1266	0.602	0.269	0.8168	0.021	0.6564	0.0346	0.815	0.073	0.1396	0.247	-	-	-	-
8	simpleavg	0.0988	0.7428	0.196	0.9038	0.1976	0.575	0.4634	0.9398	0.182	0.5874	0.4474	0.9454	0.1426	0.7014	0.2852	0.914	0.0208	0.7324	0.033	0.8894	0.0988	0.1678	0.2674	-	-	-
8	borda	0.0858	0.739	0.182	0.8988	0.183	0.5712	0.4258	0.937	0.1678	0.5872	0.407	0.9404	0.1242	0.6944	0.2576	0.911	0.016	0.744	0.0262	0.9044	0.0972	0.1678	0.2438	-	-	-
8	kemeny	0.0768	0.7168	0.1728	0.877	0.1872	0.5404	0.4196	0.9092	0.1722	0.5514	0.404	0.9118	0.1216	0.6652	0.2478	0.8796	0.0156	0.7206	0.0242	0.8794	0.1104	0.1764	0.2468	-	-	-
8	rrf	0.0812	0.717	0.1772	0.8784	0.1982	0.5446	0.4392	0.911	0.178	0.5568	0.4154	0.9174	0.124	0.6722	0.2558	0.8852	0.0156	0.7204	0.0256	0.8778	0.117	0.1724	0.262	-	-	-
8	schulze	0.0828	0.7176	0.1814	0.876	0.1896	0.5412	0.4244	0.9094	0.1762	0.563	0.4116	0.9206	0.1228	0.6704	0.2538	0.884	0.0162	0.7206	0.0246	0.8792	0.1068	0.1764	0.243	-	-	-
14	best_individual	0.2664	0.2706	0.4014	0.3186	0.3274	0.5846	0.6664	0.3104	0.296	0.5672	0.641	0.219	0.2854	0.3736	0.4742	0.0488	0.2458	0.0658	0.3572	0.169	-0.061	0.314	-	-	-	-
14	simpleavg	0.1578	0.3846	0.2718	0.5284	0.3074	0.42	0.5984	0.7736	0.2846	0.4204	0.5724	0.7642	0.2228	0.4114	0.3818	0.6076	0.0632	0.353	0.092	0.469	0.1496	-0.0354	0.3266	-	-	-
14	borda	0.1424	0.3442	0.2576	0.4834	0.2936	0.383	0.5664	0.732	0.2874	0.374	0.5578	0.7196	0.21	0.3618	0.3666	0.5602	0.0492	0.3328	0.069	0.4478	0.1512	-0.0388	0.3088	-	-	-
14	kemeny	0.135	0.332	0.2482	0.4664	0.2856	0.347	0.5576	0.6972	0.2846	0.3392	0.5536	0.678	0.1956	0.3484	0.3498	0.5418	0.0476	0.3278	0.0664	0.4398	0.1506	-0.015	0.3094	-	-	-
14	rrf	0.143	0.3218	0.2574	0.4564	0.297	0.3484	0.5644	0.6934	0.29	0.345	0.5616	0.6868	0.2056	0.3486	0.3602	0.5384	0.053	0.3188	0.0726	0.4298	0.154	-0.0266	0.307	-	-	-
14	schulze	0.137	0.3286	0.25	0.4638	0.2954	0.3518	0.5646	0.7024	0.2834	0.3448	0.552	0.6866	0.2016	0.3418	0.3562	0.5354	0.0478	0.3242	0.0662	0.4396	0.1584	-0.0232	0.3146	-	-	-
16	best_individual	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	0.15	-0.103	0.328	-	-	-
16	simpleavg	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-	-	-
16	borda	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-	-	-
16	kemeny	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-	-	-
16	rrf	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-	-	-
16	schulze	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-	-	-

Table 40: main comparison results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-

fill	method	F	Fbar	C	Cbar	F per- turbed g	Fbar per- turbed g	C per- turbed g	Cbar per- turbed g	F per- turbed p	Fbar per- turbed p	C per- turbed p	Cbar per- turbed p	F per- turbed s	Fbar per- turbed s	C per- turbed s	Cbar per- turbed s	F per- turbed a	Fbar per- turbed a	C per- turbed a	Cbar per- turbed a	R g F	R g Fbar	R g C	R g Cbar
dataset_mean	best_ind	0.17161	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.3094	0.2438	0.6096	0.5808	0.2334	0.2122	0.4098	0.3902	0.0658	0.1536	0.0824	0.238	0.15	-0.103	0.328	-0.0684
dataset_mean	simpleavg	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.3102	0.3426	0.6012	0.6808	0.246	0.3146	0.4052	0.5058	0.0782	0.2172	0.1092	0.3108	0.1564	-0.1118	0.3474	-0.0684
dataset_mean	borda	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.3204	0.2974	0.5964	0.6286	0.2328	0.2614	0.3898	0.4494	0.063	0.1996	0.0874	0.2932	0.1692	-0.0996	0.3384	-0.0684
dataset_mean	kemeny	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.317	0.2684	0.588	0.6014	0.2304	0.2596	0.3846	0.4486	0.0652	0.2084	0.092	0.3	0.1668	-0.0684	0.3296	-0.0684
dataset_mean	rrf	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.3236	0.2836	0.5946	0.6078	0.2354	0.2518	0.3938	0.4382	0.0656	0.193	0.0898	0.2816	0.1648	-0.0776	0.3286	-0.0684
dataset_mean	schulze	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.3168	0.2838	0.5884	0.614	0.2346	0.2532	0.388	0.4402	0.065	0.2012	0.0896	0.2938	0.1662	-0.0762	0.3296	-0.0684
class_mean	best_ind	0.17161	0.2618	0.2952	0.393	0.3262	0.3402	0.622	0.6854	0.3102	0.3194	0.6076	0.6676	0.2388	0.2948	0.4146	0.4868	0.0662	0.23	0.0854	0.3428	0.1478	-0.0784	0.3268	-0.0684
class_mean	simpleavg	0.174	0.344	0.29	0.4804	0.331	0.4116	0.6304	0.7616	0.3154	0.404	0.6048	0.7564	0.252	0.3974	0.412	0.5982	0.0826	0.3156	0.1132	0.4298	0.157	-0.0676	0.3404	-0.0684
class_mean	borda	0.1658	0.31	0.2826	0.4464	0.3314	0.3708	0.6154	0.7236	0.3176	0.3666	0.5968	0.7108	0.2414	0.346	0.3982	0.5424	0.0676	0.2954	0.093	0.4124	0.1656	-0.0608	0.3328	-0.0684
class_mean	kemeny	0.1656	0.3096	0.2782	0.4414	0.3248	0.3466	0.606	0.7006	0.3166	0.3448	0.5902	0.6884	0.2358	0.3404	0.3896	0.5336	0.0688	0.3024	0.0944	0.4132	0.1592	-0.037	0.3278	-0.0684
class_mean	rrf	0.1714	0.3042	0.2886	0.4338	0.3288	0.3512	0.6124	0.7058	0.3218	0.3558	0.5952	0.697	0.2424	0.3346	0.399	0.5302	0.0708	0.2832	0.0974	0.3948	0.1574	-0.047	0.3238	-0.0684
class_mean	schulze	0.1662	0.3096	0.2804	0.439	0.3214	0.3508	0.6074	0.7032	0.3144	0.3462	0.5878	0.6882	0.2388	0.3462	0.396	0.541	0.0676	0.2972	0.0926	0.4112	0.1552	-0.0412	0.327	-0.0684

Table 41: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

noise	severity	method	F clean	Fbar clean	C clean	Cbar clean	F per-turbed	Fbar per-turbed	C per-turbed	Cbar per-turbed	R F	R Fbar	R C	R Cbar
gaussian	0.1	best_ind	0.1716	0.1752	0.292	0.2952	0.2996	0.2632	0.4984	0.483	0.128	-0.088	0.2064	-0.1878
gaussian	0.1	simpleavg	0.1726	0.251	0.286	0.3862	0.2986	0.3644	0.4952	0.5942	0.126	-0.1134	0.2092	-0.208
gaussian	0.1	borda	0.158	0.2186	0.2756	0.3464	0.2848	0.3046	0.4698	0.5288	0.1268	-0.086	0.1942	-0.1824
gaussian	0.1	kemeny	0.1556	0.2234	0.271	0.3492	0.2806	0.2908	0.4672	0.51	0.125	-0.0674	0.1962	-0.1608
gaussian	0.1	rrf	0.1612	0.2176	0.2812	0.3424	0.2892	0.2876	0.4726	0.507	0.128	-0.07	0.1914	-0.1646
gaussian	0.1	schulze	0.1576	0.2182	0.276	0.3444	0.2886	0.2902	0.4746	0.5144	0.131	-0.072	0.1986	-0.17
gaussian	0.15	best_ind	0.1716	0.1752	0.292	0.2952	0.3216	0.2782	0.62	0.6054	0.15	-0.103	0.328	-0.3102
gaussian	0.15	simpleavg	0.1726	0.251	0.286	0.3862	0.329	0.3628	0.6334	0.707	0.1564	-0.1118	0.3474	-0.3208
gaussian	0.15	borda	0.158	0.2186	0.2756	0.3464	0.3272	0.3182	0.614	0.6672	0.1692	-0.0996	0.3384	-0.3208
gaussian	0.15	kemeny	0.1556	0.2234	0.271	0.3492	0.3224	0.2918	0.6006	0.6266	0.1668	-0.0684	0.3296	-0.2774
gaussian	0.15	rrf	0.1612	0.2176	0.2812	0.3424	0.326	0.2952	0.6098	0.6368	0.1648	-0.0776	0.3286	-0.2944
gaussian	0.15	schulze	0.1576	0.2182	0.276	0.3444	0.3238	0.2944	0.6056	0.6324	0.1662	-0.0762	0.3296	-0.288
gaussian	0.2	best_ind	0.1716	0.1752	0.292	0.2952	0.2976	0.256	0.7166	0.729	0.126	-0.0808	0.4246	-0.4338
gaussian	0.2	simpleavg	0.1726	0.251	0.286	0.3862	0.3048	0.3154	0.7262	0.7988	0.1322	-0.0644	0.4402	-0.4126
gaussian	0.2	borda	0.158	0.2186	0.2756	0.3464	0.304	0.2812	0.7134	0.7558	0.146	-0.0626	0.4378	-0.4094
gaussian	0.2	kemeny	0.1556	0.2234	0.271	0.3492	0.2966	0.2534	0.6992	0.7288	0.141	-0.03	0.4282	-0.3796
gaussian	0.2	rrf	0.1612	0.2176	0.2812	0.3424	0.3028	0.2626	0.7048	0.7344	0.1416	-0.045	0.4236	-0.392
gaussian	0.2	schulze	0.1576	0.2182	0.276	0.3444	0.2966	0.2586	0.697	0.734	0.139	-0.0404	0.421	-0.3896
salt_pepper	0.03	best_ind	0.1716	0.1752	0.292	0.2952	0.2884	0.2266	0.522	0.4822	0.1168	-0.0514	0.23	-0.187
salt_pepper	0.03	simpleavg	0.1726	0.251	0.286	0.3862	0.3018	0.3366	0.524	0.6008	0.1292	-0.0856	0.238	-0.2146
salt_pepper	0.03	borda	0.158	0.2186	0.2756	0.3464	0.2958	0.2768	0.5092	0.532	0.1378	-0.0582	0.2336	-0.1856
salt_pepper	0.03	kemeny	0.1556	0.2234	0.271	0.3492	0.2932	0.2544	0.5014	0.5078	0.1376	-0.031	0.2304	-0.1586
salt_pepper	0.03	rrf	0.1612	0.2176	0.2812	0.3424	0.2962	0.2644	0.5052	0.5126	0.135	-0.0468	0.224	-0.1702
salt_pepper	0.03	schulze	0.1576	0.2182	0.276	0.3444	0.2926	0.2574	0.5012	0.5076	0.135	-0.0392	0.2252	-0.1632
salt_pepper	0.05	best_ind	0.1716	0.1752	0.292	0.2952	0.3094	0.2438	0.6096	0.5808	0.1378	-0.0686	0.3176	-0.2856
salt_pepper	0.05	simpleavg	0.1726	0.251	0.286	0.3862	0.3102	0.3426	0.6012	0.6808	0.1376	-0.0916	0.3152	-0.2946
salt_pepper	0.05	borda	0.158	0.2186	0.2756	0.3464	0.3204	0.2974	0.5964	0.6286	0.1624	-0.0788	0.3208	-0.2822
salt_pepper	0.05	kemeny	0.1556	0.2234	0.271	0.3492	0.317	0.2684	0.588	0.6014	0.1614	-0.045	0.317	-0.2522
salt_pepper	0.05	rrf	0.1612	0.2176	0.2812	0.3424	0.3236	0.2836	0.5946	0.6078	0.1624	-0.066	0.3134	-0.2654
salt_pepper	0.05	schulze	0.1576	0.2182	0.276	0.3444	0.3168	0.2838	0.5884	0.614	0.1592	-0.0656	0.3124	-0.2696
salt_pepper	0.08	best_ind	0.1716	0.1752	0.292	0.2952	0.3198	0.2654	0.6884	0.6928	0.1482	-0.0902	0.3964	-0.3976
salt_pepper	0.08	simpleavg	0.1726	0.251	0.286	0.3862	0.3278	0.3364	0.7096	0.772	0.1552	-0.0854	0.4236	-0.3858
salt_pepper	0.08	borda	0.158	0.2186	0.2756	0.3464	0.327	0.3054	0.6914	0.7356	0.169	-0.0868	0.4158	-0.3892
salt_pepper	0.08	kemeny	0.1556	0.2234	0.271	0.3492	0.322	0.28	0.6768	0.7088	0.1664	-0.0566	0.4058	-0.3596
salt_pepper	0.08	rrf	0.1612	0.2176	0.2812	0.3424	0.3226	0.2818	0.6854	0.717	0.1614	-0.0642	0.4042	-0.3746
salt_pepper	0.08	schulze	0.1576	0.2182	0.276	0.3444	0.3256	0.2822	0.6818	0.71	0.168	-0.064	0.4058	-0.3656
speckle	0.1	best_ind	0.1716	0.1752	0.292	0.2952	0.2084	0.1978	0.3566	0.3452	0.0368	-0.0226	0.0646	-0.05
speckle	0.1	simpleavg	0.1726	0.251	0.286	0.3862	0.2214	0.2938	0.3582	0.454	0.0488	-0.0428	0.0722	-0.0678
speckle	0.1	borda	0.158	0.2186	0.2756	0.3464	0.2072	0.2412	0.3366	0.4002	0.0492	-0.0226	0.061	-0.0538
speckle	0.1	kemeny	0.1556	0.2234	0.271	0.3492	0.2022	0.246	0.3284	0.3994	0.0466	-0.0226	0.0574	-0.0502
speckle	0.1	rrf	0.1612	0.2176	0.2812	0.3424	0.2094	0.2378	0.3402	0.3894	0.0482	-0.0202	0.059	-0.047
speckle	0.1	schulze	0.1576	0.2182	0.276	0.3444	0.2072	0.2402	0.3338	0.3928	0.0496	-0.022	0.0578	-0.0484
speckle	0.15	best_ind	0.1716	0.1752	0.292	0.2952	0.2334	0.2122	0.4098	0.3902	0.0618	-0.037	0.1178	-0.095
speckle	0.15	simpleavg	0.1726	0.251	0.286	0.3862	0.246	0.3146	0.4052	0.5058	0.0734	-0.0636	0.1192	-0.1196
speckle	0.15	borda	0.158	0.2186	0.2756	0.3464	0.2328	0.2614	0.3898	0.4494	0.0748	-0.0428	0.1142	-0.103
speckle	0.15	kemeny	0.1556	0.2234	0.271	0.3492	0.2304	0.2596	0.3846	0.4486	0.0748	-0.0362	0.1136	-0.0994
speckle	0.15	rrf	0.1612	0.2176	0.2812	0.3424	0.2354	0.2518	0.3938	0.4382	0.0742	-0.0342	0.1126	-0.0958
speckle	0.15	schulze	0.1576	0.2182	0.276	0.3444	0.2346	0.2532	0.388	0.4402	0.077	-0.035	0.112	-0.0958
speckle	0.2	best_ind	0.1716	0.1752	0.292	0.2952	0.253	0.2244	0.4606	0.4412	0.0814	-0.0492	0.1686	-0.146
speckle	0.2	simpleavg	0.1726	0.251	0.286	0.3862	0.2656	0.3256	0.4606	0.5498	0.093	-0.0746	0.1746	-0.1636

noise	severity	method	F clean	Fbar clean	C clean	Cbar clean	F per-turbed	Fbar per-turbed	C per-turbed	Cbar per-turbed	R F	R Fbar	R C	R Cbar
speckle	0.2	borda	0.158	0.2186	0.2756	0.3464	0.259	0.2788	0.4482	0.506	0.101	-0.0602	0.1726	-0.1596
speckle	0.2	kemeny	0.1556	0.2234	0.271	0.3492	0.2572	0.2642	0.44	0.4784	0.1016	-0.0408	0.169	-0.1292
speckle	0.2	rrf	0.1612	0.2176	0.2812	0.3424	0.262	0.269	0.4462	0.4906	0.1008	-0.0514	0.165	-0.1482
speckle	0.2	schulze	0.1576	0.2182	0.276	0.3444	0.2568	0.2712	0.4446	0.4912	0.0992	-0.053	0.1686	-0.1468
adversarial	0.003922	best_indiv	0.1726	0.1752	0.292	0.2952	0.0712	0.1556	0.0994	0.2522	-0.1004	0.0196	-0.1926	0.043
adversarial	0.003922	simpleavg	0.1726	0.251	0.286	0.3862	0.0812	0.2062	0.1184	0.3042	-0.0914	0.0448	-0.1676	0.082
adversarial	0.003922	borda	0.158	0.2186	0.2756	0.3464	0.0692	0.1954	0.1004	0.2988	-0.0888	0.0232	-0.1752	0.0476
adversarial	0.003922	kemeny	0.1556	0.2234	0.271	0.3492	0.0686	0.2034	0.1006	0.3044	-0.087	0.02	-0.1704	0.0448
adversarial	0.003922	rrf	0.1612	0.2176	0.2812	0.3424	0.0742	0.1948	0.1072	0.294	-0.087	0.0228	-0.174	0.0484
adversarial	0.003922	schulze	0.1576	0.2182	0.276	0.3444	0.071	0.198	0.1026	0.2994	-0.0866	0.0202	-0.1734	0.045
adversarial	0.007843	best_indiv	0.1726	0.1752	0.292	0.2952	0.0658	0.1536	0.0824	0.238	-0.1058	0.0216	-0.2096	0.0572
adversarial	0.007843	simpleavg	0.1726	0.251	0.286	0.3862	0.0782	0.2172	0.1092	0.3108	-0.0944	0.0338	-0.1768	0.0754
adversarial	0.007843	borda	0.158	0.2186	0.2756	0.3464	0.063	0.1996	0.0874	0.2932	-0.095	0.019	-0.1882	0.0532
adversarial	0.007843	kemeny	0.1556	0.2234	0.271	0.3492	0.0652	0.2084	0.092	0.3	-0.0904	0.015	-0.179	0.0492
adversarial	0.007843	rrf	0.1612	0.2176	0.2812	0.3424	0.0656	0.193	0.0898	0.2816	-0.0956	0.0246	-0.1914	0.0608
adversarial	0.007843	schulze	0.1576	0.2182	0.276	0.3444	0.065	0.2012	0.0896	0.2938	-0.0926	0.017	-0.1864	0.0506
adversarial	0.015686	best_indiv	0.1726	0.1752	0.292	0.2952	0.0664	0.1576	0.0834	0.2366	-0.1052	0.0176	-0.2086	0.0586
adversarial	0.015686	simpleavg	0.1726	0.251	0.286	0.3862	0.0776	0.2278	0.1072	0.3192	-0.095	0.0232	-0.1788	0.067
adversarial	0.015686	borda	0.158	0.2186	0.2756	0.3464	0.0582	0.2184	0.082	0.3098	-0.0998	0.0002	-0.1936	0.0366
adversarial	0.015686	kemeny	0.1556	0.2234	0.271	0.3492	0.0628	0.214	0.0868	0.3106	-0.0928	0.0094	-0.1842	0.0386
adversarial	0.015686	rrf	0.1612	0.2176	0.2812	0.3424	0.0622	0.2176	0.0866	0.307	-0.099	0	-0.1946	0.0354
adversarial	0.015686	schulze	0.1576	0.2182	0.276	0.3444	0.0638	0.2054	0.0872	0.2998	-0.0938	0.0128	-0.1888	0.0446

Table 42: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet resnet18	nn	test	5000	best_individual	0.17161	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.0004
ImageNet	ImageNet resnet18	nn	test	5000	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0004
ImageNet	ImageNet resnet18	nn	test	5000	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0004
ImageNet	ImageNet resnet18	nn	test	5000	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0004
ImageNet	ImageNet resnet18	nn	test	5000	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0004
ImageNet	ImageNet resnet18	nn	test	5000	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0004

Table 43: main comparison results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet- resnet18	all	20	best_individual							
dataset_model	ImageNet	ImageNet- resnet18	all	20	simpleavg		1	0	19			
dataset_model	ImageNet	ImageNet- resnet18	all	20	borda	0	0	0	20	11	1	8
dataset_model	ImageNet	ImageNet- resnet18	all	20	kemeny	0	0	0	20	13	0	7
dataset_model	ImageNet	ImageNet- resnet18	all	20	rrf	0	0	0	20	13	0	7
dataset_model	ImageNet	ImageNet- resnet18	all	20	schulze	0	0	0	20	14	0	6
dataset_model	ImageNet	ImageNet- resnet18	quality	4	best_individual							
dataset_model	ImageNet	ImageNet- resnet18	quality	4	simpleavg		1	0	3			
dataset_model	ImageNet	ImageNet- resnet18	quality	4	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet-robustness	all	16	best_individual							
dataset_model	ImageNet	ImageNet-robustness	all	16	simpleavg		0	0	16			
dataset_model	ImageNet	ImageNet-robustness	all	16	borda	0	0	0	16	9	1	6
dataset_model	ImageNet	ImageNet-robustness	all	16	kemeny	0	0	0	16	11	0	5
dataset_model	ImageNet	ImageNet-robustness	all	16	rrf	0	0	0	16	11	0	5
dataset_model	ImageNet	ImageNet-robustness	all	16	schulze	0	0	0	16	12	0	4
dataset_model	ImageNet	ImageNet-gaussian	4	4	best_individual							
dataset_model	ImageNet	ImageNet-gaussian	4	4	simpleavg		0	0	4			
dataset_model	ImageNet	ImageNet-gaussian	4	4	borda	0	0	0	4	2	1	1
dataset_model	ImageNet	ImageNet-gaussian	4	4	kemeny	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet-gaussian	4	4	rrf	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet-gaussian	4	4	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet-salt_pepper	4	4	best_individual							
dataset_model	ImageNet	ImageNet-salt_pepper	4	4	simpleavg		0	0	4			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	best_individual							
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	rrf	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual							
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	adversarial	1	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	0	0	4	3	0	1
overall			all	80	best_individual							
overall			all	80	simpleavg	5	10	0	70			
overall			all	80	borda	4	10	0	70	41	3	36
overall			all	80	kemeny	1	9	0	71	40	0	40
overall			all	80	rrf	0	7	0	73	38	1	41
overall			all	80	schulze	3	9	0	71	37	4	39
overall			quality	16	best_individual							
overall			quality	16	simpleavg	5		0	11			
overall			quality	16	borda	1	4	0	12	5	1	10
overall			quality	16	kemeny	0	4	0	12	7	0	9
overall			quality	16	rrf	0	4	0	12	6	0	10
overall			quality	16	schulze	3	4	0	12	7	1	8
overall			robustness	64_all	best_individual							
overall			robustness	64_all	simpleavg	5		0	59			
overall			robustness	64_all	borda	3	6	0	58	36	2	26
overall			robustness	64_all	kemeny	1	5	0	59	33	0	31
overall			robustness	64_all	rrf	0	3	0	61	32	1	31
overall			robustness	64_all	schulze	0	5	0	59	30	3	31
overall			gaussian	16	best_individual							
overall			gaussian	16	simpleavg	2		0	14			
overall			gaussian	16	borda	1	2	0	14	9	1	6
overall			gaussian	16	kemeny	0	2	0	14	9	0	7

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16		rrf	0	1	0	15	9	0	7
overall			gaussian 16		schulze	0	2	0	14	8	1	7
overall			salt_pepper		best_individual	0	0	0	16	0	0	0
overall			salt_pepper		simpleavg	2	2	0	14	0	0	0
overall			salt_pepper		borda	1	3	0	13	8	1	7
overall			salt_pepper		kemeny	1	3	0	13	8	0	8
overall			salt_pepper		rrf	0	2	0	14	8	1	7
overall			salt_pepper		schulze	0	3	0	13	8	1	7
overall			speckle 16		best_individual	0	0	0	16	0	0	0
overall			speckle 16		simpleavg	1	1	0	15	0	0	0
overall			speckle 16		borda	1	1	0	15	10	0	6
overall			speckle 16		kemeny	0	0	0	16	9	0	7
overall			speckle 16		rrf	0	0	0	16	9	0	7
overall			speckle 16		schulze	0	0	0	16	7	1	8
overall			adversarial		best_individual	0	0	0	16	0	0	0
overall			adversarial		simpleavg	0	0	0	16	0	0	0
overall			adversarial		borda	0	0	0	16	9	0	7
overall			adversarial		kemeny	0	0	0	16	7	0	9
overall			adversarial		rrf	0	0	0	16	6	0	10
overall			adversarial		schulze	0	0	0	16	7	0	9

Table 44: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

k	method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
10	best_indiv	0.1122	0.3446	0.214	0.4816	0.0456	0.0008	0.172	0.1204	0.023	0.013	0.145	0.12	0.0174	0.0022	0.0494	0.0386	0.0162	0.0036	0.0732	0.0008
10	simpleavg	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918	0.0826	0.0264	0.1712	0.0404
10	borda	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854	0.0794	0.0062	0.1706	0.0222
10	kemeny	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072	0.0754	0.0084	0.1612	0.0242
10	rrf	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832	0.0776	0.0014	0.1696	0.019
10	schulze	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752	0.0782	0.0136	0.169	0.033
20	best_indiv	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002
20	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
20	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
20	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
20	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
20	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506
40	best_indiv	0.3116	0.0644	0.4418	0.1518	0.1276	0.026	0.3098	0.2212	0.0958	0.0002	0.2612	0.1856	0.0446	0.0074	0.0926	0.0592	0.0602	0.002	0.1326	0.0426
40	simpleavg	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036	0.0978	0.0406	0.1674	0.1034
40	borda	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093	0.111	0.03	0.1924	0.09
40	kemeny	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902	0.1158	0.0282	0.1944	0.086
40	rrf	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868	0.1108	0.0292	0.1876	0.0894
40	schulze	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922	0.112	0.029	0.195	0.086
80	best_indiv	0.5071	0.0174	0.6444	0.0812	0.0352	0.0076	0.2358	0.1812	0.0382	0.0008	0.2284	0.1602	0.0586	0.0012	0.1048	0.0522	0.0534	0.0136	0.0786	0.0704
80	simpleavg	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796	0.0686	0.0196	0.1024	0.083
80	borda	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718	0.0848	0.0132	0.1292	0.072
80	kemeny	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544	0.0876	0.0156	0.1366	0.0792
80	rrf	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064	0.0864	0.0138	0.128	0.0778
80	schulze	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648	0.0858	0.012	0.1314	0.0748

Table 45: main comparison results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

p	method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
8	best_individual	0.6522	0.1998	0.8118	0.0278	0.1396	0.1358	0.0008	0.011	0.128	0.1194	0.0088	0.0124	0.026	0.0378	0.0006	0.011	0.0018	0.061	0.0002	
8	simpleavg	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102	0.078	0.0104	0.163	0.0144
8	borda	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122	0.0698	0.005	0.1558	0.0056
8	kemeny	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026	0.0612	0.0038	0.1486	0.0024
8	rrf	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068	0.0656	0.0034	0.1516	0.0006
8	schulze	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568	0.0032
14	best_individual	0.2664	0.2706	0.4014	0.0642	0.0028	0.2026	0.1434	0.0382	0.0004	0.1822	0.1268	0.0212	0.0002	0.0514	0.0344	0.0286	0.0016	0.0992	0.002	
14	simpleavg	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792	0.0946	0.0316	0.1798	0.0594
14	borda	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768	0.0932	0.0114	0.1886	0.0356
14	kemeny	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754	0.0874	0.0042	0.1818	0.0266
14	rrf	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082	0.09	0.003	0.1848	0.0266
14	schulze	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716	0.0892	0.0044	0.1838	0.0242
16	best_individual	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	
16	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
16	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
16	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
16	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
16	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506

Table 46: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

fill	method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
						Fbar	Cbar	Fbar	Cbar	Fbar	Cbar	Fbar	Cbar	Cbar							
dataset_mean	best_individual	0.1761	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002
dataset_mean	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
dataset_mean	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
dataset_mean	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
dataset_mean	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
dataset_mean	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506
class_mean	best_individual	0.1761	0.2618	0.2952	0.393	0.078	0.009	0.2378	0.1562	0.0494	0.0018	0.2108	0.1596	0.0274	0.0074	0.066	0.0454	0.0354	0.0006	0.1044	0.0004
class_mean	simpleavg	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178	0.0914	0.0284	0.1768	0.0506
class_mean	borda	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096	0.0982	0.0146	0.1896	0.034
class_mean	kemeny	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922	0.0968	0.0072	0.1838	0.0282
class_mean	rrf	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964	0.1006	0.021	0.1912	0.039
class_mean	schulze	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102	0.0986	0.0124	0.1878	0.0278

Table 47: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

noise	severity	method	F	Fbar	C	Cbar
gaussian	0.1	best_index	0.1221	0.026	0.1186	0.1168
gaussian	0.1	simpleavg	0.126	0.1134	0.2092	0.208
gaussian	0.1	borda	0.1268	0.086	0.1942	0.1824
gaussian	0.1	kemeny	0.125	0.0674	0.1962	0.1608
gaussian	0.1	rrf	0.128	0.07	0.1914	0.1646
gaussian	0.1	schulze	0.131	0.072	0.1986	0.17
gaussian	0.15	best_index	0.1781	0.0108	0.2344	0.184
gaussian	0.15	simpleavg	0.1564	0.1118	0.3474	0.3208
gaussian	0.15	borda	0.1692	0.0996	0.3384	0.3208
gaussian	0.15	kemeny	0.1668	0.0684	0.3296	0.2774
gaussian	0.15	rrf	0.1648	0.0776	0.3286	0.2944
gaussian	0.15	schulze	0.1662	0.0762	0.3296	0.288
gaussian	0.2	best_index	0.1761	0.0026	0.3448	0.2622
gaussian	0.2	simpleavg	0.1322	0.0644	0.4402	0.4126
gaussian	0.2	borda	0.146	0.0626	0.4378	0.4094
gaussian	0.2	kemeny	0.141	0.03	0.4282	0.3796
gaussian	0.2	rrf	0.1416	0.045	0.4236	0.392
gaussian	0.2	schulze	0.139	0.0404	0.421	0.3896
salt_pepper	0.03	best_index	0.1341	0.0048	0.1324	0.1074
salt_pepper	0.03	simpleavg	0.1292	0.0856	0.238	0.2146
salt_pepper	0.03	borda	0.1378	0.0582	0.2336	0.1856
salt_pepper	0.03	kemeny	0.1376	0.031	0.2304	0.1586
salt_pepper	0.03	rrf	0.135	0.0468	0.224	0.1702
salt_pepper	0.03	schulze	0.135	0.0392	0.2252	0.1632
salt_pepper	0.05	best_index	0.1421	0.0086	0.2042	0.1848
salt_pepper	0.05	simpleavg	0.1376	0.0916	0.3152	0.2946
salt_pepper	0.05	borda	0.1624	0.0788	0.3208	0.2822
salt_pepper	0.05	kemeny	0.1614	0.045	0.317	0.2522
salt_pepper	0.05	rrf	0.1624	0.066	0.3134	0.2654
salt_pepper	0.05	schulze	0.1592	0.0656	0.3124	0.2696
salt_pepper	0.08	best_index	0.1741	0.0068	0.295	0.2616
salt_pepper	0.08	simpleavg	0.1552	0.0854	0.4236	0.3858
salt_pepper	0.08	borda	0.169	0.0868	0.4158	0.3892
salt_pepper	0.08	kemeny	0.1664	0.0566	0.4058	0.3596
salt_pepper	0.08	rrf	0.1614	0.0642	0.4042	0.3746
salt_pepper	0.08	schulze	0.168	0.064	0.4058	0.3656
speckle	0.1	best_index	0.1281	0.0008	0.0358	0.024
speckle	0.1	simpleavg	0.0488	0.0428	0.0722	0.0678
speckle	0.1	borda	0.0492	0.0226	0.061	0.0538
speckle	0.1	kemeny	0.0466	0.0226	0.0574	0.0502
speckle	0.1	rrf	0.0482	0.0202	0.059	0.047
speckle	0.1	schulze	0.0496	0.022	0.0578	0.0484
speckle	0.15	best_index	0.1281	0.0004	0.0644	0.047
speckle	0.15	simpleavg	0.0734	0.0636	0.1192	0.1196
speckle	0.15	borda	0.0748	0.0428	0.1142	0.103
speckle	0.15	kemeny	0.0748	0.0362	0.1136	0.0994
speckle	0.15	rrf	0.0742	0.0342	0.1126	0.0958
speckle	0.15	schulze	0.077	0.035	0.112	0.0958
speckle	0.2	best_index	0.1281	0.004	0.102	0.082
speckle	0.2	simpleavg	0.093	0.0746	0.1746	0.1636
speckle	0.2	borda	0.101	0.0602	0.1726	0.1596

noise	severity	method	F	Fbar	C	Cbar
speckle	0.2	kemeny	0.1016	0.0408	0.169	0.1292
speckle	0.2	rrf	0.1008	0.0514	0.165	0.1482
speckle	0.2	schulze	0.0992	0.053	0.1686	0.1468
adversarial	0.003922	best_index	0.0341	0.0014	0.0964	0.0002
adversarial	0.003922	simpleavg	0.0914	0.0448	0.1676	0.082
adversarial	0.003922	borda	0.0888	0.0232	0.1752	0.0476
adversarial	0.003922	kemeny	0.087	0.02	0.1704	0.0448
adversarial	0.003922	rrf	0.087	0.0228	0.174	0.0484
adversarial	0.003922	schulze	0.0866	0.0202	0.1734	0.045
adversarial	0.007843	best_index	0.0361	0.0026	0.1048	0.002
adversarial	0.007843	simpleavg	0.0944	0.0338	0.1768	0.0754
adversarial	0.007843	borda	0.095	0.019	0.1882	0.0532
adversarial	0.007843	kemeny	0.0904	0.015	0.179	0.0492
adversarial	0.007843	rrf	0.0956	0.0246	0.1914	0.0608
adversarial	0.007843	schulze	0.0926	0.017	0.1864	0.0506
adversarial	0.015686	best_index	0.03161	0.0052	0.1006	0.002
adversarial	0.015686	simpleavg	0.095	0.0232	0.1788	0.067
adversarial	0.015686	borda	0.0998	0.0002	0.1936	0.0366
adversarial	0.015686	kemeny	0.0928	0.0094	0.1842	0.0386
adversarial	0.015686	rrf	0.099	0	0.1946	0.0354
adversarial	0.015686	schulze	0.0938	0.0128	0.1888	0.0446

Table 48: main comparison results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet- resnet18	nn	test	5000	best_individual	0.17161	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096	0.17161
ImageNet	ImageNet- resnet18	nn	test	5000	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.1726
ImageNet	ImageNet- resnet18	nn	test	5000	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.158
ImageNet	ImageNet- resnet18	nn	test	5000	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.1556
ImageNet	ImageNet- resnet18	nn	test	5000	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.1612
ImageNet	ImageNet- resnet18	nn	test	5000	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.1576

Table 49: main comparison analysis results for ImageNet-ResNet-18. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet- resnet18	all	20	best_individual							
dataset_model	ImageNet	ImageNet- resnet18	all	20	simpleavg	5	0	15				
dataset_model	ImageNet	ImageNet- resnet18	all	20	borda	0	7	0	13	11	1	8
dataset_model	ImageNet	ImageNet- resnet18	all	20	kemeny	7	11	0	9	13	0	7
dataset_model	ImageNet	ImageNet- resnet18	all	20	rrf	1	9	0	11	13	0	7
dataset_model	ImageNet	ImageNet- resnet18	all	20	schulze	2	11	0	9	14	0	6
dataset_model	ImageNet	ImageNet- resnet18	quality	4	best_individual							
dataset_model	ImageNet	ImageNet- resnet18	quality	4	simpleavg	1	0	3				
dataset_model	ImageNet	ImageNet- resnet18	quality	4	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet-robustness	all	16	best_individual							
dataset_model	ImageNet	ImageNet-robustness	all	16	simpleavg	2	4	0	12			
dataset_model	ImageNet	ImageNet-robustness	all	16	borda	0	7	0	9	9	1	6
dataset_model	ImageNet	ImageNet-robustness	all	16	kemeny	7	11	0	5	11	0	5
dataset_model	ImageNet	ImageNet-robustness	all	16	rrf	1	9	0	7	11	0	5
dataset_model	ImageNet	ImageNet-robustness	all	16	schulze	2	11	0	5	12	0	4
dataset_model	ImageNet	ImageNet-gaussian	4	2	best_individual							
dataset_model	ImageNet	ImageNet-gaussian	4	2	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet-gaussian	4	2	borda	0	1	0	3	2	1	1
dataset_model	ImageNet	ImageNet-gaussian	4	2	kemeny	2	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet-gaussian	4	2	rrf	0	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet-gaussian	4	2	schulze	0	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet-salt_pepper	4	10	best_individual							
dataset_model	ImageNet	ImageNet-salt_pepper	4	10	simpleavg	2	0	2				

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	1	0	3	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	2	3	0	1	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	0	3	0	1	3	0	1
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	1	3	0	1	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	best_individual	2						
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	1	0	3	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	0	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	rrf	1	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	schulze	1	2	0	2	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual	0						
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	2	2	0	2			
dataset_model	ImageNet	ImageNet	adversarial	1	borda	0	4	0	0	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	3	4	0	0	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	4	0	0	3	0	1
overall			all	80	best_individual	32						
overall			all	80	simpleavg	6	28	1	51			
overall			all	80	borda	11	33	2	45	41	3	36
overall			all	80	kemeny	17	39	0	41	40	0	40
overall			all	80	rrf	1	29	1	50	38	1	41
overall			all	80	schulze	6	35	0	45	37	4	39
overall			quality	16	best_individual	1						
overall			quality	16	simpleavg	5	5	0	11			
overall			quality	16	borda	1	4	0	12	5	1	10
overall			quality	16	kemeny	0	4	0	12	7	0	9
overall			quality	16	rrf	0	4	0	12	6	0	10
overall			quality	16	schulze	3	4	0	12	7	1	8
overall			robustness	64	best_individual	2						
overall			robustness	64	simpleavg	5	23	1	40			
overall			robustness	64	borda	10	29	2	33	36	2	26
overall			robustness	64	kemeny	17	35	0	29	33	0	31
overall			robustness	64	rrf	1	25	1	38	32	1	31
overall			robustness	64	schulze	3	31	0	33	30	3	31
overall			gaussian	16	best_individual	6						
overall			gaussian	16	simpleavg	2	5	0	11			
overall			gaussian	16	borda	3	8	0	8	9	1	6
overall			gaussian	16	kemeny	5	8	0	8	9	0	7

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16	rrf	0	7	0	9	9	0	7	
overall			gaussian 16	schulze	0	8	0	8	8	1	7	
overall			salt_pepper	best_individual								
overall			salt_pepper	simpleavg	8		1	7				
overall			salt_pepper	borda	3	9	0	7	8	1	7	
overall			salt_pepper	kemeny	5	11	0	5	8	0	8	
overall			salt_pepper	rrf	0	9	1	6	8	1	7	
overall			salt_pepper	schulze	2	11	0	5	8	1	7	
overall			speckle 16	best_individual								
overall			speckle 16	simpleavg	3		0	13				
overall			speckle 16	borda	2	5	0	11	10	0	6	
overall			speckle 16	kemeny	2	6	0	10	9	0	7	
overall			speckle 16	rrf	1	3	0	13	9	0	7	
overall			speckle 16	schulze	1	4	0	12	7	1	8	
overall			adversarial	best_individual								
overall			adversarial	simpleavg	5	7	0	9				
overall			adversarial	borda	2	7	2	7	9	0	7	
overall			adversarial	kemeny	5	10	0	6	7	0	9	
overall			adversarial	rrf	0	6	0	10	6	0	10	
overall			adversarial	schulze	0	8	0	8	7	0	9	

Table 50: relative robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	condition	metric	seed count	mean	standard devia- tion	standard error	minimum	maximum	range	first half mean	second half mean	half bank abso- lute differ- ence
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	F	8	0.0230250	0.0032890	0.0011630	0.0186	0.0274	0.0088	0.0224	0.02365	0.00125
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	Fbar	8	0.6855	0.0042530	0.0015040	0.6778	0.6922	0.0144	0.6844	0.6866	0.0022
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	C	8	0.0937	0.00224	0.0007920	0.0906	0.0972	0.0066	0.09435	0.09305	0.0013
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	clean	Cbar	8	0.8434750	0.00452	0.0015980	0.8344	0.8502	0.0158	0.84255	0.8444	0.00185
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	neg	F	8	0.09815	0.0045310	0.0016020	0.0902	0.1058	0.0156	0.0992	0.0971	0.0021
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	neg	Fbar	8	0.585	0.0032530	0.00115	0.579	0.5902	0.0112	0.58695	0.58305	0.0039
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	neg	C	8	0.3562750	0.0036690	0.0012970	0.3516	0.362	0.0104	0.35675	0.3558	0.00095
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	neg	Cbar	8	0.9461750	0.0029030	0.0010260	0.94	0.9506	0.0106	0.94755	0.9448	0.00275
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	pt	F	8	0.0752750	0.0033650	0.00119	0.0716	0.0818	0.0102	0.07585	0.0747	0.00115
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	pt	Fbar	8	0.5949250	0.0020370	0.00072	0.591	0.5972	0.0062	0.5955	0.59435	0.00115
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	pt	C	8	0.32605	0.00305	0.0010780	0.3222	0.331	0.0088	0.3253	0.3268	0.0015
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	pt	Cbar	8	0.9436	0.0029530	0.0010440	0.9388	0.9462	0.0074	0.944	0.9432	0.0008
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	ts	F	8	0.0501750	0.0032850	0.0011620	0.0462	0.055	0.0088	0.051	0.04935	0.00165
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	ts	Fbar	8	0.6785250	0.0044660	0.0015790	0.6732	0.6874	0.0142	0.6791	0.67795	0.00115
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	ts	C	8	0.1735750	0.0036130	0.0012780	0.1694	0.1788	0.0094	0.17275	0.1744	0.00165
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	ts	Cbar	8	0.8890750	0.0028880	0.0010210	0.8868	0.8958	0.009	0.88955	0.8886	0.00095
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	ts	F	8	0.0013250	0.0005010	0.0001770	0.0006	0.002	0.0014	0.0012	0.00145	0.00025

cell	dataset	model	condition	metric	seed count	mean	standard devia- tion	standard error	minimum	maximum	range	first half mean	second half mean	half bank abso- lute differ- ence
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	Fbar		8	0.68745	0.003505	0.001239	0.6828	0.694	0.0112	0.68805	0.68685	0.0012
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	C		8	0.00515	0.000573	0.000203	0.0044	0.006	0.0016	0.005	0.0053	0.0003
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	Cbar		8	0.84365	0.003479	0.00123	0.8392	0.8494	0.0102	0.8442	0.8431	0.0011

Table 51: relative robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows p

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci g h
d3b85905d8df7eca83164156b0861b0159e1d5000ae66b064563a0c815b040	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	gaussian F	F	max		0.0230250.09815	0.1495750.23085	-0.543373	0.1573750.23545	-0.4961080.047265	0.0046	0.043509-	0.133349	0			
e0336d9443ba510c3f11441N9B0a21f67f6a1243ef1009d5a5401773250163634	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	gaussian Fbar	Fbar	min		0.6855	0.585	0.4345	0.2222	0.4886080.4475	0.2292	0.4878210.0007860.007	0.011209-	0.021158	0		
2818f69e225457b9161a261N560850N516009025000c8fb5266f8d40013414	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	gaussian C	C	max		0.0937	0.3562750.1923	0.277125-	0.441108	0.2087	0.283325-	-0.3575710.083537	0.0062	0.034388-	0.151340	-	
fda276c6beaa6e92e80a01N81b0837f15a0243N15000e5d4757061f8a0c180544	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	gaussian Cbar	Cbar	min		0.8434750.9461750.4572750.2391750.4769560.4728750.2473750.47687	8.5671e-05	0.0082	0.011168-	0.021913	0						
60c8085cb7b9e9f85f14a2N90022a2c1ed08b1N35000h0719c0f299a0c014914	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	salt_pepper		max		0.0230250.0752750.1495750.234925-	0.1573750.243725-	-0.570617	0.5486890.021927	0.0088	0.044348-	0.108929	0				
03d558ef2203266795da2N81b0837f15a0243N15000e5d4757061f8a0c180544	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	salt_pepperbar	Fbar	min		0.6855	0.5949250.4345	0.2523250.4192750.4475	0.2535250.433464-	0.014189	0.0012	0.011425-	0.036446	0			
e911aace35fedae46557N90182591f58041N35000e27a563b514fa0c180574	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	salt_pepper	C	max		0.0937	0.32605	0.1923	0.27515	-0.430837	0.2087	0.28495	-0.3653570.06548	0.0098	0.033756-	0.1326180	-
c000ee9eee389da4f31a47N90018a7N18efc2b755006c2368949eada0c18154	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	salt_pepperbar	Cbar	min		0.8434750.9436	0.4572750.2628	0.4252910.4728750.2632	0.443405-	0.018114	0.0004	0.010777-	0.039334	0			
abe5f0a0825d3b7f1b25b8N7f10kgeY496a24N15000eada3f8bb557N0143254	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	speckle F	F	max		0.0230250.0501750.1495750.195825-	0.1573750.210225-	0.309209	0.335822	0.0266130.0144	0.039803-	0.05224	0				
ed9986b6c5898feec110c45602412eN1561a2N1500018fe5f0fa4ba0c180584	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	speckle Fbar	Fbar	min		0.6855	0.6785250.4345	0.3639250.1624280.4475	0.3717250.16933	-0.006902	0.0078	0.013224-	0.032858	0			
41161c243ec75b981a2b12641mb07N02b08N05000506aspe8896fN01432594	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	speckle C	C	max		0.0937	0.1735750.1923	0.231625-	0.204498	0.2087	0.249825-	-0.1970530.007445	0.0182	0.030027-	0.066947	0	
b5ad68e29b6bb4b6566521b1b37b166c285009e744sp3530a2N7189F03b	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	speckle Cbar	Cbar	min		0.8434750.8890750.4572750.3832750.1618280.4728750.3950750.164526-	0.002697	0.0118	0.012884-	0.027806	0						
58184c2740b45b94607a0N81b0837f15a0243N15000e6791ba4217a0c180584c	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	adversarial	F	max		0.0230250.0013250.1495750.0768750.4860440.1573750.0820750.4784750.0075690.0052	0.020407-	0.032217	0								
38c874e077bc233e9173da2N1561a2N15000e254819c0f299a0c180584c	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	adversarialbar	Fbar	min		0.6855	0.68745	0.4345	0.47025	-0.082278	0.4475	0.48345	-0.0803350.001943	0.0132	0.014124-	0.030052	0
15087130dedfa21003b1edN1561a2N15000e062a9fN50003ca28p479fa0c180534	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	adversarial	C	max		0.0937	0.00515	0.1923	0.10405	0.4589180.2087	0.10905	0.47748	-0.018561	0.005	0.017002-	0.052498	0
b717c903c25ef54bb102f2N1561a2N15000e6703da341ba0c180584c	ImageNet-resnet18	ImageNet-resnet18	resnet18	50000	S	S	simpleavg	adversarialbar	Cbar	min		0.8434750.84365	0.4572750.53285	-0.165273	0.4728750.55185	-0.16701	0.0017380.019	0.015007-	0.028009	0			

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high
b6d446f1230fcade97764d81baf8f8eb1a7f335f00cf3024eac8ab0c61c86	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	gaussian	F	borda	g	gaussian F	max		0.0230250.09815	0.1349750.22905	-0.696981	0.1625750.25905	-0.5934180.103563	-0.03	0.058753-	0.220598	0				
b18325ac31b428f567213b472b062b0d598092521961875e57412b17f0d63204	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	gaussian	Fbar	borda	g	gaussian Fbar	min		0.68550.585	0.46690.2668	0.4285710.5053	0.29140.4233130.0052590.0246	0.012872-	0.020087	0						
7d251f911e469ae6f30a35005b0e1005df0a6044680826046743007c82139574	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	gaussian	C	borda	g	gaussian C	max		0.09370.3562750.1819	0.257725-0.41685	0.21790.289125-	-0.326870.08998	0.03140.041578-	-0.1737420	-						
d99e80e55c0b1f755df542e1904fe0d9439c395f0037465392c927f0c15f884	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	gaussian	Cbar	borda	g	gaussian Cbar	min		0.8434750.9461750.4970750.2789750.4387670.5410750.3175750.4130670.0257	0.03860.0125470.0010210	-	-	-	-	-						
506aa1a6e290fb38ba3d3751e0ff4e1a1baf6e55075f01f23e88b8f0c0165e	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	salt_pepper	F	borda	p	salt_pepper F	max		0.0230250.0752750.1349750.245125-	0.1625750.271525-	-0.816077	0.6701520.145925	-0.02640.061101-	-0.2686120	-						
ae125a0c6c52f8a372639e0650344b04e128f37Ne530013aff33017e17c078e	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	salt_pepper	Fbar	borda	p	salt_pepper Fbar	min		0.68550.5949250.4669	0.2975250.3627650.5053	0.3219250.362903-	0.000138	0.02440.013648-	0.026583	0						
74e59fc8ace8a274a6f99bd1b006d1e61a05528f51300566c922f0c066f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	salt_pepper	F	borda	p	salt_pepper F	max		0.09370.326050.1819	0.27035-0.486256	0.21790.30255-	-0.3884810.097775	0.03220.042678-	-0.184030	-						
6425c13e10ae3b5fe8f935341e49604e1a663Ne5000152d5p1a079c038e	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	salt_pepper	Fbar	borda	p	salt_pepper Fbar	min		0.8434750.94360.4970750.315	0.3662930.5410750.3414	0.369034-	0.002741	0.013034-	0.028365	0						
55c5d11b81604b8a4b49e1114481e0756c2f205f0009f60c3992049c015f4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	speckle	F	borda	s	speckle F	max		0.0230250.0501750.1349750.182625-	0.1625750.215225-	-0.353028	0.3238510.029178	-0.03260.050352-	-0.130081	0						
9328e2b7a3c7906688ad1b3e6f4836f32e9057f01625f621c205085f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	speckle	Fbar	borda	s	speckle Fbar	min		0.68550.6785250.4669	0.4171250.1066070.5053	0.4581250.09336	0.0132470.041	0.014981-	0.016302	0						
6d0014e93aeb0b713616f1e3768e8e12eae25230558esp0655a5c7b8704	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	speckle	C	borda	s	speckle C	max		0.09370.1735750.1819	0.216225-0.188703	0.21790.255625-	-0.173130.015573	0.03940.036696-	0.089217	0						
0698a814635df7325701458d74010N5977fgh0c5180203asp436ed00c0136ed4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	speckle	Cbar	borda	s	speckle Cbar	min		0.8434750.8890750.4970750.4396750.1154760.5410750.4842750.1049760.0104990.0446	0.014574-	0.01831	0									
5c6d1c677a1001c76522e6b305b5d15b1e12478c50907bc1992a10ddN015f7e3	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	adversarial	F	borda	a	adversarial F	max		0.0230250.0013250.1349750.0616750.5430640.1625750.0742750.543134-	0.01260.022562-	7.0408e-05	0.044831	0								
25c37716b470cc5fb5ec93Ndd0a094Nimg1a55007b5b950d13b206489e11	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	adversarial	Fbar	borda	a	adversarial Fbar	min		0.68550.687450.4669	0.48785-0.04487	0.50530.53745-	-0.063626	0.015182-	0.010822	0						
b1b47771a58d5e3855e7881img000f6img189875920dca4f4e0c0c0153f6	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	adversarial	C	borda	a	adversarial C	max		0.09370.005150.1819	0.082250.5478280.2179	0.100450.5390090.00882	0.01820.018422-	0.027328	0							
72c92af38f8d0dae00img19247c248c24Nff5900279dpe20554N010818	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	adversarial	Cbar	borda	a	adversarial Cbar	min		0.8434750.843650.4970750.55045-	0.5410750.61245-	-0.107378	0.131913	0.0245350.062	0.015702-	0.006179	0					
4f10365c67d4e7bf6b33634068378Nc1fa23840500027489024f98bN0153d	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	172138	gaussian	F	rrf	g	gaussian F	max		0.0230250.098150.1381750.22785-	0.648996	0.1603750.26085	-0.6265-	0.0330.058348-	0.140527	0						

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain low	rrel gain ci g h
09d015d42459516d7b01f1f60b66021e859Ne5000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	g	gaussian Fbar	min	0.6855	0.585	0.4679	0.2898	0.3806370.5249	0.326	0.3789290.0017080.0362	0.012828-0.023702	0						
258d405b08e0fb06dd4142f9043270c65745eN059861bf4406e556a03508Ea	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	g	gaussian C	max	0.0937	0.3562750.1875	0.253525-0.352133	0.2129	0.283325-0.3307890.021344	-	0.0298	0.040309-0.101177	0						
a3d041ef7c90886157dd679681e10345451d2085000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	g	gaussian Cbar	min	0.8434750.9461750.5010750.3093750.3825770.5686750.3511750.3824680.0001090.0418	0.012349-0.0243	0												
5aecead4ec2baa2cc0f016a9c948b0c752f53a850e51801e919c5569e4d1c0357c	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	p	salt_pepper	max	0.0230250.0752750.1381750.248325-0.797177	0.1603750.273125-0.70304	-	0.0248	0.060451-0.216904	0									
93aafba9293d4d4a31d10c0870c412b4712233Ne5000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	p	salt_pepper	min	0.6855	0.5949250.4679	0.3113250.3346330.5249	0.3623250.3097260.0249080.051	0.013458-0.001229	0									
17b8fb2edb46f9973ee13e1f502b1c71957Ne5000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	p	salt_pepper	max	0.0937	0.32605	0.1875	0.26855 - 0.432267	0.2129	0.30015 - 0.4098170.02245	-	0.0316	0.041813-0.104171	0					
ac40b525b57c34520a25f2b68726Ne4764997c5000b0a3e500d75507C45Pc4	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	p	salt_pepper	min	0.8434750.9436	0.5010750.3358	0.3298410.5686750.3848	0.3233390.0065020.049	0.012985-0.018944	0									
48090662a4215af812b04Ne78721e11a3f2Ne5000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	s	speckle F	max	0.0230250.0501750.1381750.185225-0.34051	0.1603750.216025-0.346999	0.0064890.0308	0.048964-0.090423	0										
e3a96ac0344207a856352d3343c55Ne9954b5502076e64834d778N0131Ea01	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	s	speckle Fbar	min	0.6855	0.6785250.4679	0.4267250.088	0.5249	0.4793250.0868260.0011740.0526	0.014422-0.026701	0								
b5bf77bbdd5ce07ed61e35Ne1239071e11a3f2Ne5000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	s	speckle C	max	0.0937	0.1735750.1875	0.220225-0.174533	0.2129	0.252425-0.185651	0.0111170.0322	0.036139-0.06056	0							
273ced020dce5dee318e87N6183ag25c7f1a7N750003df5a692984N0131Ea83	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	s	speckle Cbar	min	0.8434750.8890750.5010750.4508750.1001850.5686750.5122750.0991780.0010070.0614	0.013856-0.026287	0												
389cec5f843e12c136f97dNe10b8e8b1850073be49e144b3a3N035E9d	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	a	adversarial	max	0.0230250.0013250.1381750.0642750.5348290.1603750.0716750.553079-0.01825	0.0074	0.021699-0.061009	0											
0ddf6725ea34b993318e79N58637c7f1a7N61000d17b1420b3N035Ea	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	a	adversarial	min	0.6855	0.68745	0.4679	0.49445 - 0.056743	0.5249	0.55285 - 0.0532480.003495	-	0.0584	0.014401-0.032016	0					
91b3dfab32eea754d23428N247430441f50075000345b9848fca7N035Ea821	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	a	adversarial	max	0.0937	0.00515	0.1875	0.08465	0.5485330.2129	0.09665	0.5460310.0025020.012	0.017761-0.032445	0						
1a4c4ec61e4ecbcdcd1b08e23828038N7139440Ne5000	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	rrf	a	adversarial	min	0.8434750.84365	0.5010750.56205	- 0.121688	0.5686750.63265	- 0.1124980.00919	-	0.0706	0.01483 - 0.038437	0						
5c8bac115d4546f27c057a2a0660gaNf15e12562400ef5558pde22730801819	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	kemeny	g	gaussian F	max	0.0230250.09815	0.1325750.22425	- 0.691495	0.1519750.24745	- 0.6282280.063267	-	0.0232	0.059325-0.181215	0						
bb93958461c1c7c30c14267N44imageNet0d6bcdN950801fc57e5853a8N025Ea	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	5291404910	S	kemeny	g	gaussian Fbar	min	0.6855	0.585	0.4621	0.2932	0.3655050.5205	0.334	0.3583090.0071960.0408	0.012897-0.018099	0						

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain low	rrel gain ci	rrel gain high
08148b4d6db0f80547f9e2b1f53d25c18949f5f00845355527f049f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	gaussian	C	kemeny	g	gaussian C	max		0.0937	0.3562750.1773	0.244325-0.378032			0.2041	0.270525-0.3254530.052578	-	0.0262	0.04279	-	0.136877	0.0262	
1bb43c458793b6e7102a08b0b2486604f1540036f9e5738754f00832f4	ImageNet-resnet18	ImageNet	resnet18	1000	gaussian	Cbar	kemeny	g	gaussian Cbar	min		0.8434750.9461750.4942750.3195750.3534470.5662750.3603750.363604-						0.010157	0.0408	0.012819-	0.035177	0.0408			
dfa1aea9ac3c077cd1d46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	salt_pepper	C	kemeny	p	salt_pepper C	max		0.0230250.0752750.1325750.241725-0.823308					0.1519750.260925-0.7168940.106413	-	0.0192	0.063726-	0.234641	0.0192			
29040b86c6615ca631d46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	salt_pepper	Cbar	kemeny	p	salt_pepper Cbar	min		0.6855	0.5949250.4621	0.3265250.2933890.5205	0.3693250.2904420.0029470.0428					0.01383	-	0.024363	0.01383		
7467125ffed9620001b3627c6f0768909f1a325b550091bcs5peachman70459d4	ImageNet-resnet18	ImageNet	resnet18	1000	salt_pepper	C	kemeny	p	salt_pepper C	max		0.0937	0.32605	0.1773	0.26195	-0.477439	0.2041	0.28255	-0.38437	0.093069	0.0206	0.045152-	-	0.0206	
e127377a2413fb9851efab97b22a9a91b4720e500834c223664d00187e34	ImageNet-resnet18	ImageNet	resnet18	1000	salt_pepper	Cbar	kemeny	p	salt_pepper Cbar	min		0.8434750.9436	0.4942750.3422	0.3076730.5662750.3908	0.309876-0.002203					0.0486	0.013327-	0.028745	0.0486		
1d6e542b4ac6235c11d46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	speckle	F	kemeny	s	speckle F	max		0.0230250.0501750.1325750.180225-0.359419					0.1519750.205425-0.3517030.007717	-	0.0252	0.051638-	0.11007	0.0252			
df842c769a384f27e693217c6f0768909f1a325b550091bcs5peachman70459d4	ImageNet-resnet18	ImageNet	resnet18	1000	speckle	Fbar	kemeny	s	speckle Fbar	min		0.6855	0.6785250.4621	0.4189250.0934320.5205	0.4783250.0810280.0124040.0594					0.014775-	0.016329	0.014775-			
5264d279afaf02cf630f43b16ad49e116ad902500f9315pec9554b016b7	ImageNet-resnet18	ImageNet	resnet18	1000	speckle	C	kemeny	s	speckle C	max		0.0937	0.1735750.1773	0.211025-0.190214		0.2041	0.237825-0.1652380.024977	-	0.0268	0.038508-	0.100983	0.0268			
c294462b61d165fe31d46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	speckle	Cbar	kemeny	s	speckle Cbar	min		0.8434750.8890750.4942750.4404750.1088460.5662750.5102750.0988920.0099540.0698								0.01428	-	0.017908	0.01428		
001e85bf5b79b1bf70f46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	adversarial	F	kemeny	a	adversarial F	max		0.0230250.0013250.1325750.0638750.5181970.1519750.0670750.558645-							0.040447	0.0032	0.021835-	0.08357	0.0032		
0d1d2af274aa2c1bdf88a9b1f8d6e8d13c7fa006000a23467a19b58c708af	ImageNet-resnet18	ImageNet	resnet18	1000	adversarial	Fbar	kemeny	a	adversarial Fbar	min		0.6855	0.68745	0.4621	0.47905	-0.03668	0.5205	0.53125	-0.0206530.016027	-	0.0522	0.014906-	0.045137	0.0522	
3d6988468074b4f631c7485b0bdf69f0e1d4627250009592a243d166a0435f3	ImageNet-resnet18	ImageNet	resnet18	1000	adversarial	G	kemeny	a	adversarial G	max		0.0937	0.00515	0.1773	0.08685	0.5101520.2041	0.08805	0.568594-0.058442		0.0012	0.018295-	-	0.0948910	0.0012	
55flaee6f0614141a189f6353106ed9d147125000861d5f51378f0152e-4	ImageNet-resnet18	ImageNet	resnet18	1000	adversarial	Cbar	kemeny	a	adversarial Cbar	min		0.8434750.84365	0.4942750.54365	-0.099894			0.5662750.60665	-0.0712990.028595	-	0.063	0.015037-	0.05816	0.063		
f9bf4913f1e9161d8836b4b41140b1f8d6e8d13c7fa006000a23467a19b58c708af	ImageNet-resnet18	ImageNet	resnet18	1000	gaussian	F	schulze	g	gaussian F	max		0.0230250.09815	0.1345750.22565	-0.67676			0.1473750.24825	-0.684478		0.0077180.0226	0.06117	-	0.11366	0.007718	
282ccc7fcd5c23a1d1d46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	gaussian	Fbar	schulze	g	gaussian Fbar	min		0.6855	0.585	0.4673	0.2906	0.37813	0.5129	0.3306	0.35543	0.0227	0.04	0.01304	-	0.002982	0.01304
0aebc45029dd644e1d46b3345b4f75469f290585f00059b589a707a7f019b94	ImageNet-resnet18	ImageNet	resnet18	1000	gaussian	C	schulze	g	gaussian C	max		0.0937	0.3562750.1823	0.249325-0.367663			0.2037	0.264925-0.3005650.067099	-	0.0156	0.042372-	0.15046	0.0156		

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain low	rrel gain ci	rrel gain high
b4fe542476ba315076372432100098	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	g	gaussian Cbar	min	0.8434750.9461750.4990750.3137750.3712870.5562750.3585750.3554	0.0158870.0448	0.012901-	0.009472	0										
672ac244a76328480433728244	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	p	salt_pepper	max	0.0230250.0752750.1345750.241525-0.794724	0.1473750.264525-0.794911	0.0001870.023	0.065541-	0.129283	0									
f65af12073b0ad99a8ff880a78e574f0a75985f800581e6	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	p	salt_pepper	min	0.6855	0.5949250.4673	0.3111250.3342070.5129	0.3711250.2764180.0577890.06	0.0136420.0308830	0									
586966e367c490479f0a4d188a6d1666242363902	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	p	salt_pepper	max	0.0937	0.32605	0.1823	0.26235	-0.439111	0.2037	0.28915	-0.4194890.019622	0.0268	0.044345-	0.107013	0			
5028285416b7a5861a1b18d74a460dd147227e5f00b7c23c	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	p	salt_pepper	min	0.8434750.9436	0.4990750.3296	0.3395780.5562750.3892	0.3003460.0392320.0596	0.0130010.01373	0									
3e31242e98b876f7b1cd386a100a53b1c1a479d5d00	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	s	speckle F	max	0.0230250.0501750.1345750.184425-0.370425	0.1473750.207825-0.410178	0.0397530.0234	0.052511-	0.063179	0									
6464406b811910191f0a67e18a4d726a42365400	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	s	speckle Fbar	min	0.6855	0.6785250.4673	0.4253250.0898250.5129	0.4779250.0681910.0216340.0526	0.015152-	0.007963	0								
14d3678d62e4a7221f0a590496624a1c81b4905d00	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	s	speckle C	max	0.0937	0.1735750.1823	0.214425-0.176221	0.2037	0.239425-	0.17538	0.00084	0.025	0.037043-	0.07275	0				
ee95fafa0f61f77f8b1f0f1940b16c65d9f8127e55d0b	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	s	speckle Cbar	min	0.8434750.8890750.4990750.4488750.1005860.5562750.5102750.0826930.0178930.0614	0.014544-	0.010538	0											
6cde685b0f2bad4415844d181b527d6c12f824d57902	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	a	adversarial	max	0.0230250.0013250.1345750.0636750.5268440.1473750.0644750.562511-	0.035667	0.0008	0.022831-	0.080131	0									
533dcfa824234adb0e26cb28b156609f155f0f22d39p63	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	a	adversarial	min	0.6855	0.68745	0.4673	0.48625	-0.040552	0.5129	0.52905	-0.0314880.009064	0.0428	0.014791-	0.038389	0			
c799cb1a066e0fee81b1b5f4d5013b61e5a9359597b	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	a	adversarial	max	0.0937	0.00515	0.1823	0.08445	0.5367530.2037	0.08625	0.576583-	0.039831	0.0018	0.018364-	0.0759460	-			
f5df9cc9b5c38248800a9b1094057e4656570e59001	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	S	S	schulze	a	adversarial	min	0.8434750.84365	0.4990750.54985	-0.101738	0.5562750.60725	-0.0916360.010102	-0.0574	0.015181-	0.040129	0						
8abed4a7482a7ad11b052286f86095a0c11b19015200	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	K	K	simpleavg	g	gaussian F	max	0.0230250.09815	0.1495750.23085	-0.543373	0.1495750.23045	-0.5406990.002674	-0.0004	0.047033-	0.0953	0						
edd4a5b88f5b6ac43f1a44015b791268a7295650032ce	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	K	K	simpleavg	g	gaussian Fbar	min	0.6855	0.585	0.4345	0.2222	0.4886080.4157	0.189	0.545345-	0.056738	-0.0332	0.012084-	0.0805440	-			
9f9e981cdcb8cfe3b17eb2ad181a623f614245f175704	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	K	K	simpleavg	g	gaussian C	max	0.0937	0.3562750.1923	0.277125-0.441108	0.1935	0.277925-	-0.4363050.004803	0.0008	0.038009-	0.078807	0					
ab0896cc2855ec6320b05e2015a28918a1b16094024b5a7a	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	50000	K	K	simpleavg	g	gaussian Cbar	min	0.8434750.9461750.4572750.2391750.4769560.4430750.2031750.541443-	0.064487	-0.036	0.012131-	0.0887780	-									

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain low	rrel gain ci g h
b69b8b9956c7014f1e99c87112787c25568250150701a03a21f64327028B43	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	p	salt_pepper	F	max	0.0937	0.32605	0.1875	0.26855	-0.432267	0.2215	0.30455	-0.3749440	0.057323	0.036	0.04383	-0.144318	0
f9a43095dcd3e1f9a953145b4d828b450002b643659bb3018B72	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	p	salt_pepper	F	min	0.8434750	0.9436	0.5010750	0.3358	0.3298410	0.5340750	0.327	0.387726	-0.057886	-0.0088	0.013755	-0.0848610	-
9347927cbb9f082ad200b6e2110e27c16556a5c500ab86dd82c27a50453ad9	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	s	speckle	F	max	0.0230250	0.0501750	0.1381750	0.185225	-0.34051	0.1655750	0.220625	-0.3324780	0.008032	0.0354	0.050931	-0.109384	0
a2413a0b03a207b21f4a269f4439b17740934666ddcd42a674b5N015B3c5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	s	speckle	Fbar	min	0.6855	0.6785250	0.4679	0.4267250	0.088	0.4987	0.4449250	0.10783	-0.019831	0.0182	0.015203	-0.049405	0
912faa3836bf0116ef0399c88b1b044914a41082500081a5448d73078715F2c5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	s	speckle	C	max	0.0937	0.1735750	0.1875	0.220225	-0.174533	0.2215	0.256225	-0.1567720	0.017761	0.036	0.037392	-0.092648	0
db808ed962cbabd21f68ff490cd9335Ned328c5500dd1dddbdd51c8N6715B777	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	s	speckle	Cbar	min	0.8434750	0.8890750	0.5010750	0.4508750	0.1001850	0.5340750	0.4716750	0.116838	-0.016653	0.0208	0.014864	-0.045604	0
edc7b6ac7a5e9f597b33e8761b185e2f1596c54008573f9ad4673N015B2E5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	a	adversarial	F	max	0.0230250	0.0013250	0.1381750	0.0642750	0.5348290	0.1655750	0.0770750	0.5345010	0.0003280	0.0128	0.022793	-0.044275	0
70c4235c75803c731f93b62ef1b06c5d116b7599012c2k2c0b1017015B395	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	a	adversarial	Fbar	min	0.6855	0.68745	0.4679	0.49445	-0.056743	0.4987	0.53265	-0.068077	0.0113340	0.0382	0.015379	-0.019089	0
dc1a22a6a1845e1b445d14c0d00c311b04a85580767aa08f085abN015B1E15	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	a	adversarial	C	max	0.0937	0.00515	0.1875	0.08465	0.5485330	0.2215	0.10505	0.5257340	0.0228	0.0204	0.018601	-0.013463	0
7b0b711c980d1e604a4635cd0068e88490009c95927f8139d6b11a2N015B5c5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	rrf	a	adversarial	Cbar	min	0.8434750	0.84365	0.5010750	0.56205	-0.121688	0.5340750	0.60965	-0.141506	0.0198180	0.0476	0.016022	-0.011714	0
bb87e33602e166cd5642b547f1a42941819cN64082be2e8323d62N015B5E5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	g	gaussian	F	max	0.0230250	0.09815	0.1325750	0.22425	-0.691495	0.1643750	0.25965	-0.57962	0.111876	0.0354	0.061173	-0.234449	0
a20d85e2f7ee179301b30f8007a515c5eacgeN050003c6920d5d1d4N015B4e5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	g	gaussian	Fbar	min	0.6855	0.585	0.4621	0.2932	0.3655050	0.5197	0.3232	0.378103	-0.012597	0.03	0.013122	-0.038571	0
b3eac8615409db04190d9c8d86639b161a0d0164807822559c1251ecN025E5c5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	g	gaussian	C	max	0.0937	0.3562750	0.1773	0.244325	-0.378032	0.2191	0.288525	-0.3168640	0.061167	0.0442	0.044158	-0.149097	0
1e6f841ce6717cf28d1a07044b4b4b0b3c29550073ba352d44b33N015B795	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	g	gaussian	Cbar	min	0.8434750	0.9461750	0.4942750	0.3195750	0.3534470	0.5562750	0.3527750	0.365826	-0.012379	0.0332	0.012996	-0.037676	0
9a3c4db0da9548760830356f1a35e94b0037d6c30215B39N015B0a5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	p	salt_pepper	F	max	0.0230250	0.0752750	0.1325750	0.241725	-0.823308	0.1643750	0.274925	-0.6725480	0.15076	0.0332	0.064505	-0.2801550	-
4a1f25de099816d17b092c36fd2990717a1a1e2c599a043b32a6f0d863N015B605	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	p	salt_pepper	Fbar	min	0.6855	0.5949250	0.4621	0.3265250	0.2933890	0.5197	0.3607250	0.305898	-0.012509	0.0342	0.014111	-0.040626	0
0fdac57d30e064c821a6287a624f8521408bN0500077269b4d8N015B845	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	resnet18	kemeny	p	salt_pepper	F	max	0.0937	0.32605	0.1773	0.26195	-0.477439	0.2191	0.30235	-0.3799630	0.097476	0.0404	0.045865	-0.1880290	-

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain low	rrel gain ci	rrel gain high	
52b027aea0d93d250a4d3d0714887711049277c5000e85f90397837701687a5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny p	salt_pepper	Cbar	min		0.8434750	0.9436	0.4942750	0.3422	0.3076730	0.5562750	0.379	0.318682-	0.011009	0.0368	0.013606-	-	0.038325	0	
0bb12dbe644ba2e61f05d25964a012961b0a94586500d15f612139d010308827c	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny s	speckle	F	max		0.0230250	0.0501750	0.1325750	0.180225-	-	0.1643750	0.221825-	-	0.0416	0.051747-	-	0.112815	0		
815f168ffb5da62bc01b1e76b66476577a72c50006a81c3bda95c4016514	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny s	speckle	Fbar	min		0.6855	0.6785250	0.4621	0.4189250	0.0934320	0.5197	0.4681250	0.09924	-	0.0492	0.015315-	-	0.035543	0	
0dfb8edecd320ee481b0b670245c5885d4105afce16f5003e011cd1da79a9c0205f65	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny s	speckle	C	max		0.0937	0.1735750	0.1773	0.211025-	0.2191	0.259425-	-	0.0484	0.038714-	-	0.082684	0			
a8b36eb7d92cd9a31b0a5c3e98b51f4562141415f007821b2e44b913205f4d5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny s	speckle	Cbar	min		0.8434750	0.8890750	0.4942750	0.4404750	0.1088460	0.5562750	0.4984750	0.1039050	0.0049410	0.058	0.014771-	-	0.023743	0	
4b22d936f3bcabf70725gd4381b0a423b3ing4Ne59002362krc0bal0NOU50b5l	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny a	adversarial	F	max		0.0230250	0.0013250	0.1325750	0.0638750	0.5181970	0.1643750	0.0754750	0.540837-	0.022639	0.0116	0.023245-	-	0.068219	0	
62533bc3bd8270602c7f09c74414202565119ad6Ne5900b97d1b0dda11b05d53b957	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny a	adversarial	Fbar	min		0.6855	0.68745	0.4621	0.47905	-	0.5197	0.54885	-	0.01941	0.0698	0.015167-	-	0.010724	0	
a524852a49d697124ff8ag4Ne153aga7b6978c015f07a2b091cd38963c07528158	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny a	adversarial	F	max		0.0937	0.00515	0.1773	0.08685	0.5101520	0.2191	0.10225	0.533318-	0.023166	0.0154	0.019432-	-	0.061454	0	
439e19aa58583ba157622Ne4067gca23633g7302500859ak2800h119613012f	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	kemeny a	adversarial	Cbar	min		0.8434750	0.84365	0.4942750	0.54365	-	0.5562750	0.63105	-	0.0345270	0.0874	0.0154820	0.0040180	-	0	
1b9756fde220804d18adg7Ne450g2Ne45f9g3Ne500059eknd4180N025E395	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze g	gaussian	F	max		0.0230250	0.09815	0.1345750	0.22565	-	0.1645750	0.25805	-	-	0.0324	0.062939-	-	0.235828	0	
7d9ad4194e531af6d0194e223f9759gN36fimg4Ne50004cfdR0003bN04f5E445	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze g	gaussian	Fbar	min		0.6855	0.585	0.4673	0.2906	0.37813	0.4837	0.2656	0.450899-	0.07277	-0.025	0.01393	-	-	0.0999030	-
05a1a1c0545c4b94d10682706b56g16474319N06050d665227md134N015Eef5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze g	gaussian	C	max		0.0937	0.3562750	0.1823	0.249325-	0.2183	0.292725-	-	0.0434	0.04401	-	-	-	0.114087	0	
8ecc11f5f73a108d13img4Ne4366gNe432g654500d1511kf7b915N038af5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze g	gaussian	Cbar	min		0.8434750	0.9461750	0.4990750	0.3137750	0.3712870	0.5176750	0.2867750	0.446033-	-0.027	0.013895-	-	0.1017330	-	-	
309723c0f8c205526106ge523ffag207ffimg4Ne50004272f8448265e01018B65	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze p	salt_pepper	Fer	max		0.0230250	0.0752750	0.1345750	0.241525-	-	0.1645750	0.270125-	-	0.0286	0.067006-	-	0.2857350	-	-	
21c199897d31f77cf0098207f4364dN1img24N5000790ck652d1bN015E-5	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze p	salt_pepper	Fbar	min		0.6855	0.5949250	0.4673	0.3111250	0.3342070	0.4837	0.2935250	0.393167-	-0.05896	-0.0176	0.014461-	-	0.0874750	-	
1b715125134ef90c7d46ge20fag72Ne7174g382500d0b7c8104682N038E95	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze p	salt_pepper	Fer	max		0.0937	0.32605	0.1823	0.26235	-	0.2183	0.30695	-	-	0.0446	0.046571-	-	0.125532	0	
8e6dd7f71e0b09318d8ag2Ne4img4Ne56000b2cbknd44f2N015E905	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	ImageNet	schulze p	salt_pepper	Cbar	min		0.8434750	0.9436	0.4990750	0.3296	0.3395780	0.5176750	0.3106	0.40001	-	-0.019	0.014081-	-	0.0885160	-	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain naive minus noise	rrel gain standard error	rrel gain low	rrel gain high			
1ebd69c52530be6c8187076Nfd059Nf1B346Nf5008d875cda1f41408510b7	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	s	speckle	F	max	0.0230250.0501750.1345750.184425-	0.0230250.0501750.1345750.184425-	0.0230250.0501750.1345750.184425-	0.0230250.0501750.1345750.184425-	0.0230250.0501750.1345750.184425-	0.1645750.216225-	0.1645750.216225-	-	0.0318	0.054617-	0.165402	0.054617-	0.165402			
cec22fd0535125381776c7Nf17460Nf1440Nf2005f4c428a159Nf01336-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	s	speckle	Fbar	min	0.6855	0.6785250.4673	0.4253250.0898250.4837	0.4253250.0898250.4837	0.4253250.0898250.4837	0.4277250.115723-	0.4277250.115723-	0.025898	0.0024	0.016495-	0.058343	0.016495-	0.058343			
b4eb4d0b3f0fa495d17a2bNf06132Nf15849Nf5007c1ff0254da11Nf0835-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	s	speckle	C	max	0.0937	0.1735750.1823	0.214425-	0.214425-	0.214425-	0.2183	0.253425-	0.253425-	-	0.039	0.039296-	0.093492	0.039296-	0.093492		
f8c6da88ae94039de17a2bNf06132Nf15849Nf5007c1ff0254da11Nf0835-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	s	speckle	Cbar	min	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.8434750.8890750.4990750.4488750.1005860.5176750.4522750.126334-	0.0034	0.015767-	0.056752	0.015767-	0.056752	
b61a3b2e8fdee35fa67b2bNf14460Nf16655Nf5007c1ff0254da11Nf0835-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	a	adversarial	l	max	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0230250.0013250.1345750.0636750.5268440.1645750.0770750.531672-	0.0134	0.024602-	0.05371	0.024602-	0.05371
a54feaa11ddb314ed77a4076Nf14517Nf1889Nf500006c1ee0733f64Nf033685-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	a	adversarial	lbar	min	0.6855	0.68745	0.4673	0.48625	-	0.4837	0.52085	-	0.0362520.0346	0.0160650.00447	0.0160650.00447	0.0160650.00447	0.0160650.00447			
a789b37e5142d37c28759Nf18826Nf58mdNf2587aeb0b1cd36c100018316-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	a	adversarial	l	max	0.0937	0.00515	0.1823	0.08445	0.5367530.2183	0.10525	0.5178650.0188870.0208	0.5178650.0188870.0208	0.018870.0208	0.01987	-	0.020461	0.01987	-	0.020461	
fadc4fabbd1b02e715d0dNf16849Nf3617925Nf5000lab9k4587d1Nf0159905-	ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	1000	ImageNet	K	schulze	a	adversarial	lbar	min	0.8434750.84365	0.4990750.54985	-	-	-	0.5176750.59765	-	-	0.0527510.0478	0.0164950.0203180	0.0164950.0203180	0.0164950.0203180	0.0164950.0203180			

Table 52: relative robustness results for ImageNet–ResNet-18. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	condition	condition kind	status	sample count	k	F	Fbar	C	Cbar
imagenet	resnet18	adversarial	adversarial	complete	5000	20	0.0013250	0.68745	0.00515	0.84365
		sara-2-255								
imagenet	resnet18	clean	clean	complete	5000	20	0.0230250	0.6855	0.0937	0.843475
imagenet	resnet18	gaussian-0.15	factory	complete	5000	20	0.09815	0.585	0.3562750	0.946175
imagenet	resnet18	salt-pepper-0.05	factory	complete	5000	20	0.0752750	0.5949250	0.32605	0.9436
imagenet	resnet18	speckle-0.15	factory	complete	5000	20	0.0501750	0.6785250	0.1735750	0.889075

2 ViT-B/16

cell	dataset	model	architecture	split	sample count	method	setting	q	source count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a									
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Best Indi- vidual	best- individual	1	3	0.018	0.2399	0.330	0.0384	0.3076	0.0246	0.0147	0.330	0.0079	0.330	0.0439	0.330	0.0398	0.0344	0.0124	0.0542	0.267	-	-	-	-				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	SimpleAvg	NAIVE	11	3	0.0117	0.330	0.2901	0.330	0.0286	0.359	0.02	0.0085	0.330	0.0072	0.0416	0.0414	0.670	0.0308	0.670	0.0154	0.0544	0.67	-	-0.1152	-	0			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	SimpleAvg	ind	11	11	0.0156	0.3034	0.0364	0.3704	0.0188	0.0092	0.0068	0.0414	0.035	0.027	0.012	0.0512	-0.2936	-0.2504	-0.1004	-	-	-	-	-	-				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Borda	NAIVE	11	3	0.0158	0.670	0.2634	0.670	0.0334	0.670	0.3294	0.0205	0.330	0.0118	0.670	0.0081	0.330	0.0416	0.0418	0.0338	0.0171	0.330	0.0543	0.33	-	-	-		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Borda	ind	11	11	0.0168	0.2804	0.0382	0.3494	0.0222	0.0132	0.009	0.0446	0.0412	0.0364	0.0136	0.0534	-0.2848	-0.2488	-0.1004	-	-	-	-	-	-				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	RRF	NAIVE	11	3	0.0168	0.670	0.2554	0.670	0.0351	0.330	0.3220	0.670	0.0258	0.0146	0.670	0.0091	0.330	0.0444	0.670	0.0476	0.670	0.0393	0.330	0.0192	0.0572	-0.2852	-	-	-
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	RRF	ind	11	11	0.0176	0.272	0.0374	0.338	0.0268	0.0178	0.0126	0.0478	0.0524	0.0412	0.0196	0.0582	-0.2892	-0.2442	-0.1002	-	-	-	-	-	-	-			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Kemeny	NAIVE	11	3	0.0182	0.670	0.2527	0.330	0.0377	0.330	0.3200	0.670	0.0236	0.0116	0.008	0.0442	0.670	0.0472	0.0367	0.330	0.0167	0.330	0.0564	-	-0.2436	-	-		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Kemeny	ind	11	11	0.0188	0.2692	0.0386	0.3404	0.027	0.0144	0.0112	0.0466	0.0508	0.0388	0.019	0.0596	-0.283	-0.2474	-0.0996	-	-	-	-	-	-	-			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Schulze	NAIVE	11	3	0.0188	0.2555	0.330	0.0364	0.3226	0.670	0.0224	0.670	0.0108	0.670	0.0082	0.0421	0.330	0.0458	0.0381	0.330	0.0182	0.0550	0.67	-	-	-	-		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	Schulze	ind	11	11	0.0176	0.273	0.0358	0.3416	0.025	0.0154	0.012	0.046	0.0474	0.0418	0.019	0.0564	-0.2908	-0.2502	-0.0988	-	-	-	-	-	-	-			

Table 55: NOISE results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source

cell	dataset	model	architecture	split	sample count	distance method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	best_individual	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104	0.002	0.013	0.0078	0.0198
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	simpleavg	naive	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	simpleavg	NOISE	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	borda	naive	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	borda	NOISE	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	kemeny	naive	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	kemeny	NOISE	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	rrf	naive	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	rrf	NOISE	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	schulze	naive	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	spearman	schulze	NOISE	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	best_individual	0.0838	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104	0.002	0.013	0.0078	0.0198
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	simpleavg	naive	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	simpleavg	NOISE	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	borda	naive	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	borda	NOISE	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	kemeny	naive	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	vit	test	5000	kendall	kemeny	NOISE	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04

cell	dataset	model	architecture	split	sample count	distance model	method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	F
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	rrf	naive	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	rrf	NOISE	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	schulze	naive	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	schulze	NOISE	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0

Table 56: NOISE results for ImageNet–ViT-B/16. This table is the current released snapshot; it re

cell	dataset	model	architecture	split	sample count	distance model	method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	F
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	best_individual	best_individual	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234	0.0262	-0.0506	0.0186	-0.0772	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	simpleavg	naive	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	simpleavg	NOISE	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	borda	naive	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	borda	NOISE	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	kemeny	naive	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	kemeny	NOISE	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	rrf	naive	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	rrf	NOISE	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	schulze	naive	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	spearman	schulze	NOISE	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	best_individual	best_individual	0.0838	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234	0.0262	-0.0506	0.0186	-0.0772	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	simpleavg	naive	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	simpleavg	NOISE	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	borda	naive	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	borda	NOISE	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	kemeny	naive	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	vit	test	5000	kendall	kemeny	NOISE	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0

cell	dataset	model	architecture	split	sample count	distance model	method	setting	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	F
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit- b16	vit	test	5000	kendall	rrf	naive	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit- b16	vit	test	5000	kendall	rrf	NOISE	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit- b16	vit	test	5000	kendall	schulze	naive	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit- b16	vit	test	5000	kendall	schulze	NOISE	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0

Table 57: NOISE diagnostics results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedvalue	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	F	quality	clean	F	0.0852	clean_selection	0.0838	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	clean_selection	0.0951	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	C	quality	clean	C	0.132	clean_selection	0.1335	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	clean_selection	0.1426	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	clean_selection	0.0722	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	0.2204	clean_selection	0.2274	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	clean_selection	0.0822	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	0.2718	clean_selection	0.2841	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	clean_selection	0.0546	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1706	clean_selection	0.1718	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	clean_selection	0.0664	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2192	clean_selection	0.2234	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	clean_selection	0.0262	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	0.0636	clean_selection	0.0505	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	clean_selection	0.0185	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Cbar_s	robustness	speckle	Cbar	0.0818	clean_selection	0.0772	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	clean_selection	0.0792	basin	indivictal
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_a	robustness	adversarial	Fbar	0.198	clean_selection	0.2328	basin	indivictal

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	clean_selection	0.0932	baseline	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar	robustness	adversarial	Cbar	0.2052	clean_selection	0.2044	baseline	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	F	quality	clean	F	0.0852	naive_q1	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	naive_q1	0.1174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	C	quality	clean	C	0.132	naive_q1	0.1032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	naive_q1	0.1744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	naive_q1	0.0774	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	0.2204	naive_q1	0.2488	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	naive_q1	0.1104	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	0.2718	naive_q1	0.2906	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	naive_q1	0.0672	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1706	naive_q1	0.1808	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	naive_q1	0.096	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2192	naive_q1	0.2214	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	naive_q1	0.024	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	0.0636	naive_q1	0.066	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	naive_q1	0.0322	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_s	robustness	speckle	Cbar	0.0818	naive_q1	0.0812	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	naive_q1	0.0632	min	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar	robustness	adversarial	Fbar	0.198	naive_q1	0.2696	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	naive_q1	0.0788	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar	robustness	adversarial	Cbar	0.2052	naive_q1	0.2848	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	F	quality	clean	F	0.0852	NOISE_0p10	0.0642	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	NOISE_0p11	0.074	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	C	quality	clean	C	0.132	NOISE_0p10	0.092	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	NOISE_0p11	0.074	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	NOISE_0p07	0.074	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	0.2204	NOISE_0p24	0.038	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	NOISE_0p10	0.04	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	0.2718	NOISE_0p29	0.06	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	NOISE_0p06	0.072	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1706	NOISE_0p18	0.08	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	NOISE_0p09	0.06	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2192	NOISE_0p22	0.14	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	NOISE_0p02	0.024	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	0.0636	NOISE_0p06	0.06	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	NOISE_0p03	0.022	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_s	robustness	speckle	Cbar	0.0818	NOISE_0p08	0.12	min	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	NOISE_0p0632	0.0632	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_a	robustness	adversarial	Fbar	0.198	NOISE_0p1269	0.1269	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	NOISE_0p0758	0.0758	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_a	robustness	adversarial	Cbar	0.2052	NOISE_0p2848	0.2848	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	F	quality	clean	F	0.0852	NOISE_0p0642	0.0642	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	NOISE_0p1174	0.1174	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	C	quality	clean	C	0.132	NOISE_0p1032	0.1032	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	NOISE_0p1741	0.1741	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	NOISE_0p0774	0.0774	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	0.2204	NOISE_0p2488	0.2488	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	NOISE_0p1104	0.1104	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	0.2718	NOISE_0p2906	0.2906	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	NOISE_0p0672	0.0672	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1706	NOISE_0p1808	0.1808	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	NOISE_0p0906	0.0906	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2192	NOISE_0p2244	0.2244	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	NOISE_0p0241	0.0241	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	0.0636	NOISE_0p0661	0.0661	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	NOISE_0p0322	0.0322	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar	robustness	speckle	Cbar	0.0818	NOISE_0.0814	0.0814	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	NOISE_0.0634	0.0634	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar	robustness	adversarial	Fbar	0.198	NOISE_0.2696	0.2696	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	NOISE_0.0788	0.0788	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar	robustness	adversarial	Cbar	0.2052	NOISE_0.2818	0.2818	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	F	quality	clean	F	0.0864	clean_selected	0.0638	basex	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	Fbar	quality	clean	Fbar	0.0928	clean_selected	0.0651	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	C	quality	clean	C	0.1352	clean_selected	0.0336	basex	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	Cbar	quality	clean	Cbar	0.146	clean_selected	0.0426	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_g	robustness	gaussian	F	0.073	clean_selected	0.0722	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	gaussian	Fbar	0.223	clean_selected	0.2274	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_g	robustness	gaussian	C	0.0846	clean_selected	0.0822	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	gaussian	Cbar	0.272	clean_selected	0.2831	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_p	robustness	salt_pepper	F	0.0544	clean_selected	0.0546	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	salt_pepper	Fbar	0.1684	clean_selected	0.1738	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_p	robustness	salt_pepper	C	0.0684	clean_selected	0.0664	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	salt_pepper	Cbar	0.2136	clean_selected	0.2234	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_s	robustness	speckle	F	0.0288	clean_selected	0.0262	basin	indivictat
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	speckle	Fbar	0.0616	clean_selected	0.0506	basin	indivictat

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome	
					group					value	value			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_s	robustness	speckle	C	0.0252	clean_selection	0.0186	basin	indiv	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar	robustness	speckle	Cbar	0.081	clean_selection	0.0772	basin	indiv	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_a	robustness	adversarial	F	0.076	clean_selection	0.0792	basin	indiv	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar	robustness	adversarial	Fbar	0.2034	clean_selection	0.2328	basin	indiv	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_a	robustness	adversarial	C	0.091	clean_selection	0.0932	basin	indiv	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar	robustness	adversarial	Cbar	0.2096	clean_selection	0.2444	basin	indiv	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	F	quality	clean	F	0.0864	naive_q1	0.0478	max		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Fbar	quality	clean	Fbar	0.0928	naive_q1	0.2256	min		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	C	quality	clean	C	0.1352	naive_q1	0.0802	max		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Cbar	quality	clean	Cbar	0.146	naive_q1	0.2866	min		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_g	robustness	gaussian	F	0.073	naive_q1	0.0786	min		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar	robustness	gaussian	Fbar	0.223	naive_q1	0.1832	min		worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_g	robustness	gaussian	C	0.0846	naive_q1	0.1126	min		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar	robustness	gaussian	Cbar	0.272	naive_q1	0.2226	min		worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_p	robustness	salt_pepper	F	0.0544	naive_q1	0.0692	min		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar	robustness	salt_pepper	Fbar	0.1684	naive_q1	0.1228	min		worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_p	robustness	salt_pepper	C	0.0684	naive_q1	0.1014	min		better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar	robustness	salt_pepper	Cbar	0.2136	naive_q1	0.1616	min		worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_s	robustness	speckle	F	0.0288	naive_q1	0.0266	min		worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar	robustness	speckle	Fbar	0.0616	naive_q10.04	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_s	robustness	speckle	C	0.0252	naive_q10.0368	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar	robustness	speckle	Cbar	0.081	naive_q10.0544	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_a	robustness	adversarial	F	0.076	naive_q10.0736	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	naive_q10.2438	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_a	robustness	adversarial	C	0.091	naive_q10.095	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_a	robustness	adversarial	Cbar	0.2096	naive_q10.2556	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	F	quality	clean	F	0.0864	NOISE_9p0478	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Fbar	quality	clean	Fbar	0.0928	NOISE_9p2256	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	C	quality	clean	C	0.1352	NOISE_9p0802	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Cbar	quality	clean	Cbar	0.146	NOISE_9p2866	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_g	robustness	gaussian	F	0.073	NOISE_9p0756	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	NOISE_9p1832	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_9p1126	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_g	robustness	gaussian	Cbar	0.272	NOISE_9p2226	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_9p0692	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1684	NOISE_9p1228	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_9p1014	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2136	NOISE_9p1616	min	worse	

cell	dataset	model	rule	q	column group	endpointconditionmetric	value	reference value	referencedirectionoutcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_s	robustnessspeckle F	0.0288	NOISE_0p0266	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_s	robustnessspeckle Fbar	0.0616	NOISE_0p0616	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_s	robustnessspeckle C	0.0252	NOISE_0p0252	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_s	robustnessspeckle Cbar	0.081	NOISE_0p081	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_a	robustnessadversarial F	0.076	NOISE_0p0736	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_a	robustnessadversarial Fbar	0.2034	NOISE_0p2034	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_a	robustnessadversarial C	0.091	NOISE_0p091	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_a	robustnessadversarial Cbar	0.2096	NOISE_0p2096	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	F	quality clean F	0.0864	NOISE_0p0864	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Fbar	quality clean Fbar	0.0928	NOISE_0p0928	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	C	quality clean C	0.1352	NOISE_0p1352	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Cbar	quality clean Cbar	0.146	NOISE_0p146	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_g	robustnessgaussian F	0.073	NOISE_0p073	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_g	robustnessgaussian Fbar	0.223	NOISE_0p223	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_g	robustnessgaussian C	0.0846	NOISE_0p0846	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_g	robustnessgaussian Cbar	0.272	NOISE_0p272	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_p	robustnesssalt_pepper F	0.0544	NOISE_0p0544	maxmin better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_p	robustnesssalt_pepper Fbar	0.1684	NOISE_0p1684	maxmin worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_p	robustnesssalt_pepper C	0.0684	NOISE_0p0684	maxmin better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	salt_pepper	Cbar	0.2136	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	speckle	Fbar	0.0616	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0.001	0.001	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	speckle	Cbar	0.081	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0.001	0.001	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	adversarial	Fbar	0.2034	NOISE_0.001	0.001	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_a	robustness	adversarial	C	0.091	NOISE_0.001	0.001	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	adversarial	Cbar	0.2096	NOISE_0.001	0.001	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	gaussian	Fbar	0.223	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	gaussian	Cbar	0.272	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	F	0.0544	clean_selected	0.001	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	salt_pepper	Fbar	0.1684	clean_selected	0.001	bsinx	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	F	0.0684	clean_selection	0.0661	basin_individual	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_p	robustness	salt_pepper	Fbar	0.2136	clean_selection	0.2231	basin_individual	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	clean_selection	0.0262	basin_individual	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_s	robustness	speckle	Fbar	0.0616	clean_selection	0.0506	basin_individual	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	clean_selection	0.0185	basin_individual	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_s	robustness	speckle	Cbar	0.081	clean_selection	0.0772	basin_individual	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	clean_selection	0.0792	basin_individual	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	clean_selection	0.2028	basin_individual	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	clean_selection	0.0932	basin_individual	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_a	robustness	adversarial	Cbar	0.2096	clean_selection	0.2111	basin_individual	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	naive_quality	1.005	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	naive_quality	1.2684	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	naive_quality	1.0856	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	naive_quality	1.3318	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	naive_quality	1.0846	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	naive_quality	1.161	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	naive_quality	1.1174	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_g	robustness	gaussian	Cbar	0.272	naive_quality	1.1992	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	F	0.0544	naive_quality	1.0764	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	salt_pepper	Fbar	0.1684	naive_q10.1096	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	Cp	0.0684	naive_q10.1036	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	salt_pepper	Cbar	0.2136	naive_q10.1464	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	naive_q10.0324	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	speckle	Fbar	0.0616	naive_q10.0378	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	naive_q10.04	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	speckle	Cbar	0.081	naive_q10.048	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	naive_q10.0714	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	adversarial	Fbar	0.2034	naive_q10.2106	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	naive_q10.0926	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	adversarial	Cbar	0.2096	naive_q10.2166	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	NOISE_0p05	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0p2634	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	NOISE_0p0856	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	NOISE_0p2318	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0p0846	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	gaussian	Fbar	0.223	NOISE_0p161	min	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0p1174	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	gaussian	Cbar	0.272	NOISE_0p1992	min	worse	

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_0p0764	0.0764	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1684	NOISE_0p1684	0.1684	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_0p0684	0.0684	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2136	NOISE_0p2136	0.2136	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0p0288	0.0288	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_s	robustness	speckle	Fbar	0.0616	NOISE_0p0616	0.0616	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0p0252	0.0252	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_s	robustness	speckle	Cbar	0.081	NOISE_0p081	0.081	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0p0764	0.0764	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	NOISE_0p2034	0.2034	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	NOISE_0p091	0.091	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_a	robustness	adversarial	Cbar	0.2096	NOISE_0p2096	0.2096	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	NOISE_0p0864	0.0864	all	max
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0p0928	0.0928	all	min
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	NOISE_0p1352	0.1352	all	max
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	NOISE_0p146	0.146	all	min
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0p073	0.073	all	min
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	NOISE_0p223	0.223	all	min
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0p0846	0.0846	all	min

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	gaussian	Cbar	0.272	NOISE_0c100d1	0c100d1	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	Fper	0.0544	NOISE_0c076d1	0c076d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	salt_pepper	Fbar	0.1684	NOISE_0c100d1	0c100d1	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	Cper	0.0684	NOISE_0c100d1	0c100d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	salt_pepper	Cbar	0.2136	NOISE_0c146d1	0c146d1	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0c032d1	0c032d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	speckle	Fbar	0.0616	NOISE_0c037d1	0c037d1	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0c041d1	0c041d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	speckle	Cbar	0.081	NOISE_0c047d1	0c047d1	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0c071d1	0c071d1	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	adversarial	Fbar	0.2034	NOISE_0c210d1	0c210d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	NOISE_0c092d1	0c092d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	adversarial	Cbar	0.2096	NOISE_0c216d1	0c216d1	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	F	quality	clean	F	0.0872	clean_selected	0c083d1	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	Fbar	quality	clean	Fbar	0.092	clean_selected	0c095d1	bsn_min	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	C	quality	clean	C	0.1356	clean_selected	0c136d1	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	Cbar	quality	clean	Cbar	0.1442	clean_selected	0c142d1	bsn_min	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	R_F_g	robustness	gaussian	F	0.0736	clean_selected	0c072d1	bsn_min	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	R_Fbar	robustness	gaussian	Fbar	0.2246	clean_selected	0c227d1	bsn_min	indivictal

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_g	robustness	gaussian	C	0.0862	clean_selected	0.0822	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar_g	robustness	gaussian	Cbar	0.2736	clean_selected	0.2841	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_p	robustness	salt_pepper	F	0.0526	clean_selected	0.0546	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1692	clean_selected	0.1748	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_p	robustness	salt_pepper	C	0.0676	clean_selected	0.0661	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2162	clean_selected	0.2231	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_s	robustness	speckle	F	0.026	clean_selected	0.0262	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar_s	robustness	speckle	Fbar	0.0642	clean_selected	0.0606	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_s	robustness	speckle	C	0.0224	clean_selected	0.0185	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar_s	robustness	speckle	Cbar	0.0828	clean_selected	0.0772	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_a	robustness	adversarial	F	0.0764	clean_selected	0.0792	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar_a	robustness	adversarial	Fbar	0.204	clean_selected	0.2028	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_a	robustness	adversarial	C	0.0902	clean_selected	0.0932	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar_a	robustness	adversarial	Cbar	0.2102	clean_selected	0.2141	basin	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	F	quality	clean	F	0.0872	naive_q1	0.0538	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	Fbar	quality	clean	Fbar	0.092	naive_q1	0.12172	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	C	quality	clean	C	0.1356	naive_q1	0.0892	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	Cbar	quality	clean	Cbar	0.1442	naive_q1	0.2798	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_g	robustness	gaussian	F	0.0736	naive_q1	0.0834	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar	robustness	gaussian	Fbar	0.2246	naive_q1	0.1912	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_g	robustness	gaussian	C	0.0862	naive_q1	0.1182	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar	robustness	gaussian	Cbar	0.2736	naive_q1	0.2304	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_p	robustness	salt_pepper	F	0.0526	naive_q1	0.0744	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar	robustness	salt_pepper	Fbar	0.1692	naive_q1	0.132	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_p	robustness	salt_pepper	C	0.0676	naive_q1	0.1036	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar	robustness	salt_pepper	Cbar	0.2162	naive_q1	0.172	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_s	robustness	speckle	F	0.026	naive_q1	0.0308	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar	robustness	speckle	Fbar	0.0642	naive_q1	0.0516	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_s	robustness	speckle	C	0.0224	naive_q1	0.04	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar	robustness	speckle	Cbar	0.0828	naive_q1	0.066	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_F_a	robustness	adversarial	F	0.0764	naive_q1	0.0696	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Fbar	robustness	adversarial	Fbar	0.204	naive_q1	0.238	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_C_a	robustness	adversarial	C	0.0902	naive_q1	0.0886	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	R_Cbar	robustness	adversarial	Cbar	0.2102	naive_q1	0.2434	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	F	quality	clean	F	0.0872	NOISE_9p2538	0.0538	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	Fbar	quality	clean	Fbar	0.092	NOISE_9p2572	0.2172	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	C	quality	clean	C	0.1356	NOISE_9p0892	0.0892	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16		2	Cbar	quality	clean	Cbar	0.1442	NOISE_9p2798	0.2798	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_g	robustness	gaussian	F	0.0736	NOISE_0p0834	0p0834	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_g	robustness	gaussian	Fbar	0.2246	NOISE_0p1912	0p1912	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_g	robustness	gaussian	C	0.0862	NOISE_0p1582	0p1582	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_g	robustness	gaussian	Cbar	0.2736	NOISE_0p2304	0p2304	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_p	robustness	salt_pepper	F	0.0526	NOISE_0p0744	0p0744	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1692	NOISE_0p1332	0p1332	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_p	robustness	salt_pepper	C	0.0676	NOISE_0p1036	0p1036	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2162	NOISE_0p1752	0p1752	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_s	robustness	speckle	F	0.026	NOISE_0p0308	0p0308	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_s	robustness	speckle	Fbar	0.0642	NOISE_0p0516	0p0516	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_s	robustness	speckle	C	0.0224	NOISE_0p04	0p04	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_s	robustness	speckle	Cbar	0.0828	NOISE_0p066	0p066	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_a	robustness	adversarial	F	0.0764	NOISE_0p0696	0p0696	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_a	robustness	adversarial	Fbar	0.204	NOISE_0p238	0p238	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_a	robustness	adversarial	C	0.0902	NOISE_0p0886	0p0886	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_a	robustness	adversarial	Cbar	0.2102	NOISE_0p2434	0p2434	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	F	quality	clean	F	0.0872	NOISE_0p0588	0p0588	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	Fbar	quality	clean	Fbar	0.092	NOISE_0p0612	0p0612	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	C	quality	clean	C	0.1356	NOISE_0p0892	0p0892	min	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	Cbar	quality	clean	Cbar	0.1442	NOISE_0c27081	0c27081	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_g	robustness	gaussian	F	0.0736	NOISE_0c08341	0c08341	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_g	robustness	gaussian	Fbar	0.2246	NOISE_0c19141	0c19141	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_g	robustness	gaussian	C	0.0862	NOISE_0c11821	0c11821	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_g	robustness	gaussian	Cbar	0.2736	NOISE_0c23041	0c23041	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_p	robustness	salt_pepper	F	0.0526	NOISE_0c07141	0c07141	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1692	NOISE_0c13211	0c13211	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_p	robustness	salt_pepper	C	0.0676	NOISE_0c10361	0c10361	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2162	NOISE_0c17211	0c17211	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_s	robustness	speckle	F	0.026	NOISE_0c03081	0c03081	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_s	robustness	speckle	Fbar	0.0642	NOISE_0c05161	0c05161	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_s	robustness	speckle	C	0.0224	NOISE_0c04111	0c04111	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_s	robustness	speckle	Cbar	0.0828	NOISE_0c06611	0c06611	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_a	robustness	adversarial	F	0.0764	NOISE_0c06061	0c06061	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_a	robustness	adversarial	Fbar	0.204	NOISE_0c23811	0c23811	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_a	robustness	adversarial	C	0.0902	NOISE_0c08861	0c08861	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_a	robustness	adversarial	Cbar	0.2102	NOISE_0c24341	0c24341	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	F	quality	clean	F	0.0864	clean_sel0c0838	0c0838	max	indivictable
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Fbar	quality	clean	Fbar	0.0928	clean_sel0c0951	0c0951	max	indivictable

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	C	quality	clean	C	0.1352	clean_selected_0336	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	Cbar	quality	clean	Cbar	0.146	clean_selected_0426	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_F_g	robustness	gaussian	F	0.073	clean_selected_0732	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	clean_selected_0223	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_C_g	robustness	gaussian	C	0.0846	clean_selected_0846	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Cbar_g	robustness	gaussian	Cbar	0.272	clean_selected_0272	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	clean_selected_0544	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1684	clean_selected_0168	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	clean_selected_0684	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2136	clean_selected_0213	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_F_s	robustness	speckle	F	0.0288	clean_selected_0288	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Fbar_s	robustness	speckle	Fbar	0.0616	clean_selected_0616	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_C_s	robustness	speckle	C	0.0252	clean_selected_0252	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Cbar_s	robustness	speckle	Cbar	0.081	clean_selected_0072	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_F_a	robustness	adversarial	F	0.076	clean_selected_0792	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	clean_selected_0203	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_C_a	robustness	adversarial	C	0.091	clean_selected_0091	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	R_Cbar_a	robustness	adversarial	Cbar	0.2096	clean_selected_0209	basin	indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	2	F	quality	clean	F	0.0864	naive_q10.0488	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	Fbar	quality	clean	Fbar	0.0928	naive_q10.2336	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	C	quality	clean	C	0.1352	naive_q10.0848	max	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	Cbar	quality	clean	Cbar	0.146	naive_q10.2966	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_F_g	robustness	gaussian	F	0.073	naive_q10.0862	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	naive_q10.1718	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_C_g	robustness	gaussian	C	0.0846	naive_q10.1186	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Cbar_g	robustness	gaussian	Cbar	0.272	naive_q10.2112	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	naive_q10.0756	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1684	naive_q10.1222	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	naive_q10.1018	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2136	naive_q10.1586	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_F_s	robustness	speckle	F	0.0288	naive_q10.0342	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Fbar_s	robustness	speckle	Fbar	0.0616	naive_q10.0466	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_C_s	robustness	speckle	C	0.0252	naive_q10.041	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Cbar_s	robustness	speckle	Cbar	0.081	naive_q10.056	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_F_a	robustness	adversarial	F	0.076	naive_q10.072	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	naive_q10.2358	min	better	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_C_a	robustness	adversarial	C	0.091	naive_q10.0904	min	worse	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Schulze	2	R_Cbar_a	robustness	adversarial	Cbar	0.2096	naive_q10.2418	min	better	

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	F	quality	clean	F	0.0864	NOISE_0p0488	0p0488	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0p2336	0p2336	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	C	quality	clean	C	0.1352	NOISE_0p0848	0p0848	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Cbar	quality	clean	Cbar	0.146	NOISE_0p2966	0p2966	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0p0862	0p0862	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	NOISE_0p5718	0p5718	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0p1836	0p1836	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_g	robustness	gaussian	Cbar	0.272	NOISE_0p2112	0p2112	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_0p0756	0p0756	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1684	NOISE_0p1222	0p1222	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_0p1018	0p1018	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2136	NOISE_0p1586	0p1586	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0p0342	0p0342	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_s	robustness	speckle	Fbar	0.0616	NOISE_0p0466	0p0466	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0p041	0p041	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_s	robustness	speckle	Cbar	0.081	NOISE_0p056	0p056	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0p072	0p072	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	NOISE_0p2358	0p2358	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_a	robustness	adversarial	C	0.091	NOISE_0p0904	0p0904	min	worse

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedvalue	direction	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Cbar	robustness	adversarial	Cbar	0.2096	NOISE_0p2418	0.2418	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	F	quality	clean	F	0.0864	NOISE_0c0488	0.0488	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0c2386	0.2386	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	C	quality	clean	C	0.1352	NOISE_0c0848	0.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	Cbar	quality	clean	Cbar	0.146	NOISE_0c2966	0.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0c0862	0.0862	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Fbar_g	robustness	gaussian	Fbar	0.223	NOISE_0c1748	0.1748	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0c1186	0.1186	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Cbar_g	robustness	gaussian	Cbar	0.272	NOISE_0c2142	0.2142	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_0c0756	0.0756	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	0.1684	NOISE_0c1222	0.1222	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_0c1048	0.1048	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	0.2136	NOISE_0c1586	0.1586	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0c0342	0.0342	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Fbar_s	robustness	speckle	Fbar	0.0616	NOISE_0c0466	0.0466	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0c0444	0.0444	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Cbar_s	robustness	speckle	Cbar	0.081	NOISE_0c0566	0.0566	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0c0722	0.0722	min	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	schulze	2	R_Fbar_a	robustness	adversarial	Fbar	0.2034	NOISE_0c2358	0.2358	min	better

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedvalue	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	schulze	2	R_C_a	robustness	adversarial	C1	0.091	NOISE_0.091	0.091	min	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	schulze	2	R_Cbar_a	robustness	adversarial	Cbar	0.2096	NOISE_0.2096	0.2096	min	better

Table 58: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R Fbar F		
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	simpleavg	dual_geo	2	metry_ri	0.9852	0.9868	0.132	0.148	0.0672	0.0673	0.2204	0.2204	0.0826	0.2718	0.0548	0.1706	0.0714	0.2192	0.0234	0.0636	0.0214	0.0818	0.0772	0.198	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	borda	dual_geo	2	metry_ri	0.9864	0.988	0.1352	0.146	0.078	0.078	0.223	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	kemeny	dual_geo	2	metry_ri	0.9864	0.988	0.1352	0.146	0.078	0.078	0.223	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	trf	dual_geo	2	metry_ri	0.9872	0.989	0.1356	0.142	0.0786	0.0786	0.2246	0.2246	0.0862	0.2736	0.0526	0.1692	0.0676	0.2162	0.026	0.0642	0.0224	0.0828	0.0764	0.204	0
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	schulze	dual_geo	2	metry_ri	0.9864	0.988	0.1352	0.146	0.078	0.078	0.223	0.223	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0

Table 59: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

group	dimension	group value	measure	endpoint	excluded zero clean boundaries	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
overall		all	A	640	0	469	39	132	0.732812	0.452892	0.426762	0.02613	0.013929
overall		all	Q	640	0	127	310	203	0.198437	0.843397	0.846121	-0.002724	0
overall		all	G	640	0	425	30	185	0.664062	0.590378	0.572137	0.018241	0.012502
geometry		NOISE-K	A	320	0	214	23	83	0.66875	0.447236	0.426762	0.020475	0.011605
geometry		NOISE-K	Q	320	0	49	155	116	0.153125	0.839543	0.846121	-0.006578	0
geometry		NOISE-K	G	320	0	192	16	112	0.6	0.585161	0.572137	0.013024	0.008906
geometry		NOISE-S	A	320	0	255	16	49	0.796875	0.458548	0.426762	0.031786	0.016326
geometry		NOISE-S	Q	320	0	78	155	87	0.24375	0.847252	0.846121	0.001131	0
geometry		NOISE-S	G	320	0	233	14	73	0.728125	0.595595	0.572137	0.023458	0.01612
cell		dermamnist-resnet18	A	160	0	104	18	38	0.65	0.413823	0.406371	0.007452	0.006916
cell		dermamnist-resnet18	Q	160	0	22	90	48	0.1375	0.793295	0.803071	-0.009776	0
cell		dermamnist-resnet18	G	160	0	84	16	60	0.525	0.558124	0.552566	0.005558	0.00359
cell		dermamnist-vit-b16	A	160	0	70	20	70	0.4375	0.470379	0.469939	0.00044	0
cell		dermamnist-vit-b16	Q	160	0	27	60	73	0.16875	0.877105	0.884256	-0.007151	0
cell		dermamnist-vit-b16	G	160	0	55	13	92	0.34375	0.599925	0.600957	-0.001032	0.000538
cell		ImageNet-resnet18	A	160	0	137	0	23	0.85625	0.496722	0.469438	0.027284	0.031843
cell		ImageNet-resnet18	Q	160	0	39	80	41	0.24375	0.812409	0.814995	-0.002586	0
cell		ImageNet-resnet18	G	160	0	128	0	32	0.8	0.628333	0.611403	0.016929	0.022846
cell		ImageNet-vit-b16	A	160	0	158	1	1	0.9875	0.430644	0.43613	0.069345	0.044877
cell		ImageNet-vit-b16	Q	160	0	39	80	41	0.24375	0.890781	0.882162	0.008618	0
cell		ImageNet-vit-b16	G	160	0	158	1	1	0.9875	0.575131	0.523623	0.051508	0.046306

group	dimension	group value	measure	endpoints	excluded	wins	ties	losses	win rate	mean NOISE	mean NAIVE	mean difference	median difference
					zero clean boundaries								
rule		borda	A	128	0	93	8	27	0.7265620.4532640.4253750.0278890.016037				
rule		borda	Q	128	0	25	62	41	0.1953120.8457770.848649-			0	
												0.002873	
rule		borda	G	128	0	85	8	35	0.6640620.5900260.5708340.0191920.015577				
rule		kemeny	A	128	0	104	8	16	0.8125 0.4610850.4250410.0360440.021968				
rule		kemeny	Q	128	0	20	62	46	0.15625 0.8482480.852649-			0	
												0.004401	
rule		kemeny	G	128	0	94	7	27	0.7343750.5979920.5737770.0242150.018785				
rule		rrf	A	128	0	95	9	24	0.7421880.4590290.4304320.0285980.019214				
rule		rrf	Q	128	0	27	62	39	0.2109380.8458350.848603-			0	
												0.002768	
rule		rrf	G	128	0	87	7	34	0.6796880.5957530.5755790.0201740.016809				
rule		schulze	A	128	0	99	6	23	0.7734380.4575970.4277350.0298620.015907				
rule		schulze	Q	128	0	24	62	42	0.1875 0.8449680.848161-			0	
												0.003193	
rule		schulze	G	128	0	86	5	37	0.6718750.5942910.57383 0.0204610.019537				
rule		simpleavg	A	128	0	78	8	42	0.6093750.4334840.4252260.0082570.001855				
rule		simpleavg	Q	128	0	31	62	35	0.2421880.83216 0.832543-			0	
												0.000383	
rule		simpleavg	G	128	0	73	3	52	0.5703120.5738290.5666660.0071620.001469				
metric		C	A	160	0	130	5	25	0.8125 0.2353970.2202970.0151010.011985				
metric		C	Q	160	0	26	80	54	0.1625 0.7669510.77309 -			0	
												0.006139	
metric		C	G	160	0	107	1	52	0.66875 0.4117910.3989470.0128450.012893				
metric		Cbar	A	160	0	120	8	32	0.75 0.5729490.5317610.0411880.0281				
metric		Cbar	Q	160	0	43	50	67	0.26875 0.8454680.849271-			0	
												0.003803	
metric		Cbar	G	160	0	109	6	45	0.68125 0.6863050.6612840.0250210.01781				
metric		F	A	160	0	120	5	35	0.75 0.2439220.2274010.0165220.01198				
metric		F	Q	160	0	21	100	39	0.13125 0.8579960.862183-			0	
												0.004187	
metric		F	G	160	0	113	2	45	0.70625 0.4368680.4210130.0158560.013696				
metric		Fbar	A	160	0	99	21	40	0.61875 0.7593 0.72759 0.03171 0.004836				
metric		Fbar	Q	160	0	37	80	43	0.23125 0.9031750.89994 0.0032340				
metric		Fbar	G	160	0	96	21	43	0.6 0.8265480.8073060.0192420.003817				
noise		a	A	160	0	143	3	14	0.89375 0.3918450.3521730.0396720.019188				
noise		a	Q	160	0	65	60	35	0.40625 0.7638420.7477250.0161170				
noise		a	G	160	0	132	0	28	0.825 0.5218810.4871990.0346820.023838				
noise		g	A	160	0	106	13	41	0.6625 0.4589240.4391540.01977 0.007812				
noise		g	Q	160	0	22	80	58	0.1375 0.8076180.81805 -			0	
												0.010431	
noise		g	G	160	0	94	11	55	0.5875 0.5842330.5736490.0105840.00565				
noise		p	A	160	0	106	16	38	0.6625 0.4654490.4450130.0204360.004444				
noise		p	Q	160	0	20	80	60	0.125 0.8475720.856296-			0	
												0.008724	
noise		p	G	160	0	90	13	57	0.5625 0.5999360.5885990.0113370.001782				
noise		s	A	160	0	114	7	39	0.7125 0.4953490.4707070.0246420.0181				
noise		s	Q	160	0	20	90	50	0.125 0.9545570.962414-			0	
												0.007856	
noise		s	G	160	0	109	6	45	0.68125 0.6554620.6391010.0163610.01453				

Table 60: NOISE diagnostics results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

comparison id	candidate end-point id	baseline end-point id	dataset	model	setting	geometry	geometry label	rule	noise	condition	metric	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	outcome Q	NOISE G	NAIVE G	delta G	outcome G
0d64a1606814863f57d7b10370633287056919936632707c11b9904790264161335d483f80183969b861e50			ImageNet	vit-b16	S		S		simpleavg	gaussian	F	0.1724760	0.1602540	0.012223	win	1	1	0	tie	0.4153030	0.4003170	0.014986	win
567067e0dd69f65bd2f827c40869587374027637264466981177261740608911968497021b1018129214			ImageNet	vit-b16	S		S		simpleavg	gaussian	Fbar	0.64124	0.5855590	0.055681	win	0.7170590	0.6719	0.045159	win	0.6780910	0.6272460	0.050845	win
ed7a2d3bd8f0eb533c615e2701d1b6c07199115709c05d41a99d1b4c931f0636d6ac04f830f55b99			ImageNet	vit-b16	S		S		simpleavg	gaussian	C	0.2146	0.2136	0.001	win	1	1	0	tie	0.4632490	0.4621690	0.001081	win
730f052db5300fd83f534934576092f3114592045185362003779122863949096917f6cc860755412c			ImageNet	vit-b16	S		S		simpleavg	gaussian	Cbar	0.5798	0.535	0.0448	win	0.6808360	0.6480140	0.032823	win	0.62829	0.5888020	0.039489	win
a6af76bec9661d8247183777c099301400761376c125919755100583630918347f4f5690161d			ImageNet	vit-b16	S		S		simpleavg	salt_pepper	F	0.1580140	0.1483070	0.009707	win	1	1	0	tie	0.3975090	0.3851060	0.012403	win
2432e3c014d54a3750927633654b57657f0c1492f5665321a9c7027301819789e24de6a0f85b7e2			ImageNet	vit-b16	S		S		simpleavg	salt_pepper	Fbar	0.69842	0.6634310	0.034989	win	0.7809990	0.7612540	0.019745	win	0.7385560	0.7106620	0.027895	win
1e016111cfa60fa233a8034f9cc7b145c10056044831663700752490285020114535738a1260811502			ImageNet	vit-b16	S		S		simpleavg	salt_pepper	F	0.2034	0.1992	0.0042	win	1	1	0	tie	0.4509990	0.4463180	0.004681	win
aeaeb7106a4267e9b7312834006209340a536000			ImageNet	vit-b16	S		S		simpleavg	salt_pepper	Fbar	0.6324	0.6042	0.0282	win	0.7426020	0.7318310	0.010771	win	0.6852890	0.6649610	0.020329	win
d866d4c4b209c7c1605a107fa280a6582914490b7454073152410000000000000000000000000000			ImageNet	vit-b16	S		S		simpleavg	speckle	F	0.1197090	0.0972220	0.022487	win	1	1	0	tie	0.34599	0.3118050	0.034185	win
d20decc4288d6acf060773691670015807069700			ImageNet	vit-b16	S		S		simpleavg	speckle	Fbar	0.8234130	0.79784	0.025573	win	0.9207710	0.9154810	0.00529	win	0.8707320	0.8546390	0.016094	win
75d1874a8e65ad3a63830795623771899067500			ImageNet	vit-b16	S		S		simpleavg	speckle	C	0.1534	0.1354	0.018	win	1	1	0	tie	0.3916630	0.3679670	0.023696	win
dcc3cb61e73e0c4dd0812781a0205581b06a700			ImageNet	vit-b16	S		S		simpleavg	speckle	Cbar	0.7698	0.7444	0.0254	win	0.9039460	0.9016470	0.002298	win	0.8341810	0.81926	0.014921	win
e874e200aeb5794fb17621861b60044000			ImageNet	vit-b16	S		S		simpleavg	adversarial	F	0.1777580	0.1394480	0.03831	win	1	1	0	tie	0.4216140	0.3734280	0.048186	win
ad8742b1f6165d470957624567375057224900			ImageNet	vit-b16	S		S		simpleavg	adversarial	Fbar	0.6775390	0.5764010	0.101138	win	0.75765	0.6613920	0.096258	win	0.7164760	0.6174360	0.09904	win
9fb1d70c4211fa6c49a0f58792766a13f91894744a627f2b20000000000000000000000000000			ImageNet	vit-b16	S		S		simpleavg	adversarial	G	0.2254	0.182	0.0434	win	1	1	0	tie	0.4747630	0.4266150	0.048149	win
be0218609c78e53810779101ed76c0721249000			ImageNet	vit-b16	S		S		simpleavg	adversarial	Gbar	0.6464	0.5408	0.1056	win	0.7590420	0.6550390	0.104003	win	0.70046	0.5951850	0.105275	win
ad66b3d1339985ef93972727882007600			ImageNet	vit-b16	S		S		borda	gaussian	F	0.1803980	0.1430510	0.037347	win	1	1	0	tie	0.4247330	0.3782210	0.046512	win
26bbf9dcea16eeb3fa26fb0240b7580f000			ImageNet	vit-b16	S		S		borda	gaussian	Fbar	0.6425980	0.5373470	0.105251	win	0.7152510	0.7135470	0.001704	win	0.6779520	0.6192110	0.058741	win

comparison id	candidate end-point id	baseline cell end-point id	dataset	model	setting	geometry label	geometryq	rule	noise	condition	metric	NOISE A	NAIVE A	delta A	outcome A	NOISE Q	NAIVE Q	delta Q	outcome Q	NOISE G	NAIVE G	delta G	outcome G
0f0b3b123bba14556f7207f18399722054499b67741433ff27a910f6f0481934970b1555950b88594d			ImageNet-vit-b16	vit-b16	S	S			meny	p	salt_pepper	0.1589160.1426640.016253	win	1	1	0	tie	0.3986430.3777080.020935	win				
508083df6dc5fd3ebc25ff2107d9f1425f18866355f0097eb387a29b1a037408f327b88498810f5f272638813k			ImageNet-vit-b16	vit-b16	S	S			meny	p	salt_pepper	0.7051920.5733630.131828	win	0.7849210.81188-0.026959	loss	0.7439890.6822770.061712	win						
ca23fd2ed61638a3862a21f5033f0658975914039a97092ff5998980005ff1f107f02f6f18582f08a3bak			ImageNet-vit-b16	vit-b16	S	S			meny	p	salt_pepper	0.20360.18920.0144	win	1	1	0	tie	0.4512210.4349710.016249	win				
652d660d8648d72edf467701d81bd404583137082403248107424d9f0014014585870404135307220a02k			ImageNet-vit-b16	vit-b16	S	S			meny	p	salt_pepper	0.64040.52180.1186	win	0.7498830.780904-0.031021	loss	0.6929830.6383380.054644	win						
7cbfab2e1109b50db27548ec37a220b8f06a90101659b1a8a951040701b924bda0f6d6793a8908dd6a7hk			ImageNet-vit-b16	vit-b16	S	S			meny	s	speckle	F	0.1269840.0908290.036155	win	1	1	0	tie	0.3563480.3013780.05497	win			
f83a8d4139a6e049983046183499f69110452777470907f8b609170445003854559161b1907b975602393f49hk			ImageNet-vit-b16	vit-b16	S	S			meny	s	speckle	Fbar	0.8298060.6624780.167328	win	0.9236240.938065-0.014441	loss	0.8754590.788320.08714	win					
2c16bafb679ecfe27d93c787830724ff523694220197a28d65091851301f218401336c7604071005b472fc16e9hk			ImageNet-vit-b16	vit-b16	S	S			meny	s	speckle	C	0.16040.12560.0348	win	1	1	0	tie	0.40050.3544010.046099	win			
e5d7dd3b9f19752262278e0076887f0831409104659651010632961269193939a06600331829339f08345k			ImageNet-vit-b16	vit-b16	S	S			meny	s	speckle	Cbar	0.7730.62020.1528	win	0.9051520.928165-0.023013	loss	0.836470.7587150.077756	win					
c2a210eec5dcac4cd023d765939bd49870456006c7ff159373b53gd1740337085436e38nd35048901247287dk			ImageNet-vit-b16	vit-b16	S	S			meny	a	adversarial	0.1777580.1328810.044877	win	1	1	0	tie	0.4216140.3645280.057086	win				
a3da73cc86c070859769032839497495f79910076a2d007985820831e631dd1600951919252ab84ck			ImageNet-vit-b16	vit-b16	S	S			meny	a	adversarial	0.6757880.4757010.200088	win	0.7521930.673590.078603	win	0.7129680.5660630.146905	win						
c3d3beba6b4ab3878eb5cd5717b60047104909154520142310721458102001409714305001524725a8826k			ImageNet-vit-b16	vit-b16	S	S			meny	a	adversarial	0.22620.17820.048	win	1	1	0	tie	0.4756050.4221370.053467	win				
f50be0a1348f45f832573ff0e877ff120439ff2859f2202a50d4b0070601517b76924726f280058872847c58hk			ImageNet-vit-b16	vit-b16	S	S			meny	a	adversarial	0.64440.45160.1928	win	0.7545670.6758460.078721	win	0.6973110.552460.144851	win						
cd92f4063449bef6497071495d87fb127602145f0405e490ac6073136048102089681798079015b122268abfcrf			ImageNet-vit-b16	vit-b16	S	S			g		gaussian	F	0.1819830.1552740.026709	win	1	1	0	tie	0.4265940.3940480.032546	win			
b392e7891eec8d9a347d5f00ce67f00ff04002310403992c361a99706a9031100e960550a2891022f8b8512c7rf			ImageNet-vit-b16	vit-b16	S	S			g		gaussian	Fbar	0.6416930.53780.103893	win	0.7135480.7055340.008014	win	0.6766670.6159840.060683	win					
241183fa4c8ec1402560d89651890616710590b040969021c3502f8b37b124393c9366160189082556bfad0f			ImageNet-vit-b16	vit-b16	S	S			g		gaussian	C	0.22180.20740.0144	win	1	1	0	tie	0.4709560.4554120.015545	win			
32649804fa91917c67a00603981b749b557023f030b5691a705626040335167302f233040200832ab047cf90f			ImageNet-vit-b16	vit-b16	S	S			g		gaussian	Cbar	0.58220.48980.0924	win	0.6802990.6800890.00021	win	0.6293410.5771550.052186	win					
c6eb78bd55765a0480851e4cfba0093230e6a208a0998907c099090942ff4532a0a17a0025ff82fc3937rrf			ImageNet-vit-b16	vit-b16	S	S			p		salt_pepper	0.1577880.1446950.013093	win	1	1	0	tie	0.3972250.3803880.016837	win				
fc1e8a2ea0551db11d1329e83842099f054752920152040500a1302568f05506570d801674375ecd0rf			ImageNet-vit-b16	vit-b16	S	S			p		salt_pepper	0.7051920.6058690.099323	win	0.7841570.794833-0.010677	loss	0.7436270.6939490.049678	win						

Table 61: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the

endpoint id	source kind	cell	dataset	model	setting	geometry	geometry label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	Q norm
c7d7be9190133c8530055d22d69a983b14a90751e0e828f815d2c60	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Russian	Chefer	1.0852	0.521	0.136	0.8836	0.0932570	1.724760	0.0932570	1.724760	1.724761			1.849463
b2b877cc8b18fd91b2c1f52987c0e2914b5617f222b1e49025e3400b1492a	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Russian	Chefer	1.0936	0.6	0.136	0.8836	0.8942640	0.64124	0.8942640	0.64124	0.64124	0.7170590	0.7170590	
a8188879dbabcadfa8635eb58955cde50de9241a3b0c6b0d5e9d89e5f0e9	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Russian	Chefer	1.082	0.2146	0.136	0.8836	0.132	0.2146	0.132	0.2146	0.2146	1		1.625758
015448e5f56021f441509951f1b14239d76db7d6a6e0d6b76828f095e6da	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Russian	Chefer	1.085	0.202	0.136	0.8836	0.8516	0.5798	0.8516	0.5798	0.5798	0.6808360	0.6808360	
71827748aec9de92d16015b3c1a7594b54e934ff6629e8f0d5f689d4039a	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Hollnipp	Chefer	1.0852	0.4	0.136	0.886	0.0932570	1.580140	0.0932570	1.580140	1.580141			1.69438
5b2763e35a2b769418015f683767527493a952761a949547abf5c5d13b4a	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Hollnipp	Chefer	1.0936	0.2672	0.136	0.886	0.8942640	0.69842	0.8942640	0.69842	0.69842	0.7809990	0.7809990	
ac8934f9ce7c1dded10534e10b1d7502f53398391f123b1c08e185280560	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Hollnipp	Chefer	1.082	0.2094	0.136	0.886	0.132	0.2034	0.132	0.2034	0.2034	1		1.540909
f72413040ea2951fd140d9e791b0c6b0d5e9d89e5f0e9	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Hollnipp	Chefer	1.085	0.1676	0.136	0.886	0.8516	0.6324	0.8516	0.6324	0.6324	0.7426020	0.7426020	
7351700f2887adfc82c015d17b6e7315b161e0d0f0c93f14c85b98421a	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradients	Attention	Rednet	Chefer	1.0852	0.1086	0.136	0.9072	0.0932570	1.197090	0.0932570	1.197090	1.197091			1.28364
3a39dfe910766bc985613693052952f4439f7345d1e45b01350275360da	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradients	Attention	Rednet	Chefer	1.0936	0.1602	0.136	0.9072	0.8942640	0.8234130	0.8942640	0.8234130	0.8234130	0.9207710	0.9207710	
83ac9725a272e7d92907815904e103d41300037697e54740357d3a91a506	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradients	Attention	Rednet	Chefer	1.082	0.1584	0.136	0.9072	0.132	0.1534	0.132	0.1534	0.1534	1		1.162121
0edb78b0f2553f1e080768e4c02e0581b0d96f6622b14065e22561191d5	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradients	Attention	Rednet	Chefer	1.085	0.2302	0.136	0.9072	0.8516	0.7698	0.8516	0.7698	0.7698	0.9039460	0.9039460	
da6218e1ca914dab21074950bf3571882a2805171e891028b081e72b0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Robust	Chefer	1.0852	0.1624	0.136	0.9136	0.0932570	1.777580	0.0932570	1.777580	1.777581			1.906103
09c76a75f783cb0577215f423908e104a7e79555632e0d068a9f9e9b	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Robust	Chefer	1.0936	0.294	0.136	0.9136	0.8942640	0.6775390	0.8942640	0.6775390	0.6775390	0.75765	0.75765	
4d9fa841276bc44b31083f1d1b2e9b3129a2e51155e191e01352c89e4da02a	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Robust	Chefer	1.082	0.225	0.136	0.9136	0.132	0.2254	0.132	0.2254	0.2254	1		1.707576
c6779e21cde8d2b2b2075d81098210081b67ed309e5b70d65976005d00	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	simpleav	Gradient	Attention	Robust	Chefer	1.085	0.1586	0.136	0.9136	0.8516	0.6464	0.8516	0.6464	0.6464	0.7590420	0.7590420	
3397272788f9b736d00361b37b0bb871e2487824b7e22a5708103281b7	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	borda	Gradient	Attention	Russian	Chefer	1.085	0.1504	0.136	0.8836	0.0945710	1.803980	0.0945710	1.803980	1.803981			1.907546
b126fb6a84b2a821f508823d14091b5f31926f19164f3e02015e5f5cdabba	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet	ViT	vit-b16	S	NOISE-2	borda	Gradient	Attention	Russian	Chefer	1.0928	0.1156	0.136	0.8836	0.8984240	0.6425980	0.8984240	0.6425980	0.6425980	0.7152510	0.7152510	

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C	
5801c1d681c68f4631015E877ad77c1b3d431b383a50852b93b144d	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.1352	0.2198	0.136	0.8836	0.1352	0.2198	0.1352	0.2198	0.2198	1	1.62574	0
6352a8d2338040191015E2961a436081b43296f459143d7015f7b1305082b	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.146	0.582	0.136	0.8836	0.854	0.582	0.854	0.582	0.582	0.6814990	0.6814990	0
bcbdbfc282743397e2015E957f59e8ed1b3616c943a1e052fbc35ed273a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.086	0.1589160	0.136	0.886	0.0945710	0.1589160	0.0945710	0.1589160	0.1589161		1.6803950	0
f9e78417506636f278015E881bb32f210d43e5f430404549843e2554d	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.062	0.2612	0.136	0.886	0.8984240	0.7051920	0.8984240	0.7051920	0.7051920	0.7849210	0.7849210	0
40156990b01387617015E20153687b1f6621618d8e1312075bdf3e0011d	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.152	0.2036	0.136	0.886	0.1352	0.2036	0.1352	0.2036	0.2036	1	1.5059170	0
5b97145b6901e9504015E161c37e083a848191d45676049435569522445	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.146	0.3506	0.136	0.886	0.854	0.6404	0.854	0.6404	0.6404	0.7498830	0.7498830	0
7318db32612e33b01015E287008481421e081f280944015f54e3ea7ad3	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.086	0.152	0.136	0.9072	0.0945710	0.1269840	0.0945710	0.1269840	0.1269841		1.34274	0
4ab126104f134ab15015E381b37e083a848191d45676049435569522445	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.062	0.154	0.136	0.9072	0.8984240	0.8298060	0.8984240	0.8298060	0.8298060	0.9236240	0.9236240	0
757180e733e4419ed2015E3376f3a3e01f18954e1d04747e4015531b3e4ffba	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.152	0.1604	0.136	0.9072	0.1352	0.1604	0.1352	0.1604	0.1604	1	1.1863910	0
95007c2b9fa516173015E984577ad77c1b3d431b383a50852b93b144d	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.146	0.227	0.136	0.9072	0.854	0.773	0.854	0.773	0.773	0.9051520	0.9051520	0
1d0574c3afd981391b015E3376f3a3e01f18954e1d04747e4015531b3e4ffba	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.086	0.1624	0.136	0.9136	0.0945710	0.1777580	0.0945710	0.1777580	0.1777581		1.87963	0
7fd782cb699d43b1b015E287008481421e081f280944015f54e3ea7ad3	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.062	0.2962	0.136	0.9136	0.8984240	0.6757880	0.8984240	0.6757880	0.6757880	0.7521930	0.7521930	0
fc39f6852550f9b0722015E1c17d43e5f430404549843e2554d	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.152	0.2262	0.136	0.9136	0.1352	0.2262	0.1352	0.2262	0.2262	1	1.6730770	0
22acd5bed7c851062015E94012834455027081b43296f459143d7015f7b1305082b	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	borda	Gradient	Attention	Robust	Chefer	Transf	0.146	0.3556	0.136	0.9136	0.854	0.6444	0.854	0.6444	0.6444	0.7545670	0.7545670	0
f500c956b161e75bf2d015E1107d43e5f430404549843e2554d	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	kemeny	Gradient	Attention	Robust	Chefer	Transf	0.086	0.1594	0.136	0.8836	0.0945710	0.1803980	0.0945710	0.1803980	0.1803981		1.9075460	0
293cf4e0e58bcdfad82015E4776344b081b43296f459143d7015f7b1305082b	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	kemeny	Gradient	Attention	Robust	Chefer	Transf	0.062	0.1158	0.136	0.8836	0.8984240	0.6425980	0.8984240	0.6425980	0.6425980	0.7152510	0.7152510	0
2b64b4a56e88236c6015E957f59e8ed1b3616c943a1e052fbc35ed273a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	kemeny	Gradient	Attention	Robust	Chefer	Transf	0.152	0.2198	0.136	0.8836	0.1352	0.2198	0.1352	0.2198	0.2198	1	1.62574	0
ac92ad147cac50cca015E957f59e8ed1b3616c943a1e052fbc35ed273a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	NOISE-2	NOISE-2	kemeny	Gradient	Attention	Robust	Chefer	Transf	0.146	0.18	0.136	0.8836	0.854	0.582	0.854	0.582	0.582	0.6814990	0.6814990	0

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
e26d8d3e79852063ac08f6613e913a37840d00c4324bf00318f318d3f0ca	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.886	0.1356	0.2032	0.1356	0.2032	0.2032	1	1.4985250	
0f41252ff7fa3a66485015f1576a44bdf10b425b108d170c9750f3d3eb5da	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.886	0.8558	0.6396	0.8558	0.6396	0.6396	0.7473710	0.7473710	
c9140cf49c905da10715ed366f9c708d9990c1b4b54b4c016725b0dfb436	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9072	0.0954470	0.12478	0.0954470	0.12478	0.12478	1	1.3073230	
63909013a3081eaad0065e13ba618750052501c338d198f015b633281a045	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9072	0.8992990	0.8278220	0.8992990	0.8278220	0.8278220	0.9205190	0.9205190	
fe22e9e44104852c28a15f1b41a0b7b1b631eb58376b016e983a541a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9072	0.1356	0.158	0.1356	0.158	0.158	1	1.1651920	
6d5067486610a858a8093ed396f9c708d9990c1b4b54b4c016725b0dfb436	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9072	0.8558	0.773	0.8558	0.773	0.773	0.9032480	0.9032480	
6fb4ef7bfc718a68fd1063e87b5b55616209122c015f1576a44bdf10b425b108d170c9750f3d3eb5da	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9136	0.0954470	0.1790720	0.0954470	0.1790720	0.1790721		1.8761470	
acflfcec31c18378851063e87b5b55616209122c015f1576a44bdf10b425b108d170c9750f3d3eb5da	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9136	0.8992990	0.6760070	0.8992990	0.6760070	0.6760070	0.7517040	0.7517040	
1746ab939aa5e04a015f1b41a0b7b1b631eb58376b016e983a541a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9136	0.1356	0.2258	0.1356	0.2258	0.2258	1	1.6651920	
0c819a0229bbf0445001250b1b41a0b7b1b631eb58376b016e983a541a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	rrf	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.9136	0.8558	0.6456	0.8558	0.6456	0.6456	0.7543820	0.7543820	
497e61291d20f24bb60138051104017717a322c015f1576a44bdf10b425b108d170c9750f3d3eb5da	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.8836	0.0945710	0.1803980	0.0945710	0.1803980	0.1803981		1.9075460	
591f85f2ebe7778e9b3019296dd2365906a1c322f1a22871c015f1576a44bdf10b425b108d170c9750f3d3eb5da	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.8836	0.8984240	0.6425980	0.8984240	0.6425980	0.6425980	0.7152510	0.7152510	
10343dead2bcd9317c006e23bf644288027695901c338d198f015b633281a045	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.8836	0.1352	0.2198	0.1352	0.2198	0.2198	1	1.62574	0
cc4fd84be0027bf838f075e8bd63dfe182c830cdm71c1e014b397500c1b4b54b4c016725b0dfb436	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.8836	0.854	0.582	0.854	0.582	0.582	0.6814990	0.6814990	
dcb83cb62fb0afb919015f1b41a0b7b1b631eb58376b016e983a541a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.886	0.0945710	0.1589160	0.0945710	0.1589160	0.1589161		1.6803950	
486ab259e2086d8a3015f1b41a0b7b1b631eb58376b016e983a541a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.886	0.8984240	0.7051920	0.8984240	0.7051920	0.7051920	0.7849210	0.7849210	
969e66547125c68428015f1b41a0b7b1b631eb58376b016e983a541a	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.886	0.1352	0.2036	0.1352	0.2036	0.2036	1	1.5059170	
5e8c2d5596b6e4cb82635e185419c0f8167228f54845f1c015f1576a44bdf10b425b108d170c9750f3d3eb5da	NOISE	ImageNet-vit-b16	ImageNet	vit-b16	S	ImageNet	NOISE-2	schulze	Gradient	Attention	self-attention	Chefer	0.1356	0.2032	0.1356	0.886	0.854	0.6404	0.854	0.6404	0.6404	0.7498830	0.7498830	

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
165c4f22c52be5eb840782f677474036b6bgeN00e7c046C055F5k6234h	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	kemeny	Gradient	Attention	Robust	Chefer	Transf	0.1362	0.2288	0.1362	0.2288	0.1362	0.2288	0.2288	0.2288	1	1.6798830	
64734a346645bb34a7095250f0a6b96bf343b3e0d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	kemeny	Gradient	Attention	Robust	Chefer	Transf	0.1362	0.2288	0.1362	0.2288	0.1362	0.2288	0.6372	0.6372	0.7464850	0.7464850	
93e19059db0201508015E77f4e6b0e0f47e5709d7c0b17015E-8Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0726	0.1745130	0.0726	0.1745130	0.0726	0.1745130	0.1745130	0.1745130		2.19608	0
a5aafeb6c87d5451e1015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0966	0.21745130	0.0966	0.21745130	0.0966	0.21745130	0.6378450	0.6378450	0.7127390	0.7127390	
0596c3b0245457a890045E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.123	0.2258	0.123	0.2258	0.123	0.2258	0.2258	0.2258	1	1.8357720	
ddc3b9af02da58dd015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.1362	0.2288	0.1362	0.2288	0.1362	0.2288	0.5802	0.5802	0.6800280	0.6800280	
ec61d7e2ea8d29d427015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0726	0.1586910	0.0726	0.1586910	0.0726	0.1586910	0.1586910	0.1586910		1.9969680	
9f42a211bb5a8142b015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0966	0.21745130	0.0966	0.21745130	0.0966	0.21745130	0.7158010	0.7158010	0.7998480	0.7998480	
0628c6fe69a30db510045E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.123	0.2088	0.123	0.2088	0.123	0.2088	0.2088	0.2088	1	1.6975610	
0c3f5df229a8256453006E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.1362	0.2288	0.1362	0.2288	0.1362	0.2288	0.6482	0.6482	0.7597280	0.7597280	
f0231a11d1509c1220015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0726	0.1139770	0.0726	0.1139770	0.0726	0.1139770	0.1139770	0.1139770		1.43429	0
f7fb31005d1208d687015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0966	0.21745130	0.0966	0.21745130	0.0966	0.21745130	0.9383250	0.9383250		0.9383250	
6181820e186e0e0740015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.123	0.151	0.123	0.151	0.123	0.151	0.151	0.151	1	1.2276420	
36291d92a2545813a0015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.1362	0.2288	0.1362	0.2288	0.1362	0.2288	0.7824	0.7824	0.9170180	0.9170180	
431f6eb709d2001320015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0726	0.1735990	0.0726	0.1735990	0.0726	0.1735990	0.1735990	0.1735990		2.1845730	
8611675f13ae3adc80015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.0966	0.21745130	0.0966	0.21745130	0.0966	0.21745130	0.7526910	0.7526910	0.7526910	0.7526910	
9103f731ec6e4686d0015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.123	0.2254	0.123	0.2254	0.123	0.2254	0.2254	0.2254	1	1.83252	0
8ee35b42a07cbb390015E77f4e6b0e0f47e5709d7c0b17015E-7Feb2338	ImageNet-vit-b16	NOISE-3	ImageNet-vit-b16	vit-b16	K	NOISE-3	K	rrf	Gradient	Attention	Robust	Chefer	Transf	0.1362	0.2288	0.1362	0.2288	0.1362	0.2288	0.6468	0.6468	0.7580870	0.7580870	

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
6192d0b9ecd8436fa215f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.506	0.101	0.0836	0.0836	0.250	0.1704	0.0836	0.250	0.1704	0.391	2.0381310
5ffbcd78c3bb32745f015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.957	0.386	0.101	0.0836	0.0836	0.8929	0.6224	0.8929	0.6224	0.540	0.6970	0.750
7d4f265acdadeefb59025f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.955	0.212	0.101	0.0836	0.0836	0.125	0.2212	0.125	0.2212	0.2212	1	1.7696
0c36baed43ba42e820015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.348	0.101	0.0836	0.0836	0.8516	0.5652	0.8516	0.5652	0.5652	0.6636	0.920
05a10bcce72be4042f015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.384	0.101	0.0836	0.0836	0.0836	0.1562	0.0836	0.1562	0.1562	0.81	1.8679490
e4135943b09044ed7015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.957	0.278	0.101	0.0836	0.0836	0.8929	0.6920	0.8929	0.6920	0.990	0.7750	0.750
69efc626c770c6f3b07015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.955	0.207	0.101	0.0836	0.0836	0.125	0.2078	0.125	0.2078	0.2078	1	1.6624
29e89aa0917934ade8015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.372	0.101	0.0836	0.0836	0.8516	0.6276	0.8516	0.6276	0.6276	0.7369	0.660
94020fa1c30700f538f015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.990	0.101	0.0836	0.0836	0.0836	0.1093	0.0836	0.1093	0.1093	0.3471	1.3075890
f344df1b73f186dfd2015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.957	0.502	0.101	0.0836	0.0836	0.8929	0.8245	0.8929	0.8245	0.150	0.9233	0.9236
aa0cdd8e0a7ca6c7d8015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.955	0.448	0.101	0.0836	0.0836	0.125	0.1484	0.125	0.1484	0.1484	1	1.1872
8cb06dc618a1b50b915f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.274	0.101	0.0836	0.0836	0.8516	0.7726	0.8516	0.7726	0.7726	0.9072	0.330
f3d0e5c98a6dabaf40015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.554	0.101	0.0836	0.0836	0.0836	0.1700	0.0836	0.1700	0.0961	2.0340	0.310
9a415db675bd1b49f015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.957	0.388	0.101	0.0836	0.0836	0.8929	0.6838	0.8929	0.6838	0.880	0.7658	0.740
81bd1b94a49c4c50d015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.955	0.218	0.101	0.0836	0.0836	0.125	0.2218	0.125	0.2218	0.2218	1	1.7744
0816c1dd7814fe5b2d015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	K	NOISE-3	K	schulze	Gradient	Attention	Robust	Chefer	0.956	0.476	0.101	0.0836	0.0836	0.8516	0.6524	0.8516	0.6524	0.6524	0.7660	0.870
7464bbdd7a81f09cda115f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	q=11	11		simpleav	Galiency	Input	XG	grad	int	integrated	0.064	0.130	0.0836	0.0702	0.0836	0.0702	0.1602	0.1602	0.1602	0.1602
6fe9787b3078c3520d015f	NOISE	ImageNet-vit-b16	ImageNet	ViT-b16	q=11	11		simpleav	Galiency	Input	XG	grad	int	integrated	0.171	0.362	0.0836	0.1447	0.0836	0.1447	0.5855	0.5855	0.5855	0.5855

endpoint id	source kind	cell	dataset	model	setting	geometry	geometryq label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
370c34ac7d262ea499a000e42c86geNt1d1af20049d872N8N50V6S6955ab62f	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	spckit	Integrated	0.0538	0.1840	0.1130	0.0721	0.0388	0.0525	0.0588	0.0925	0.0925	0.0925	0.0925	0.0925
50a6732e7bde22442AAV7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	spckit	Integrated	0.2172	0.2688	0.1130	0.0721	0.0732	0.0704	0.0722	0.0704	0.0704	0.0704	0.0704	0.0704
93ab0897b2e24f16fNA4VE73a2bSN0674e30CB13g9N6NA4VE7b6b92682168	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	spckit	Integrated	0.0891	0.1292	0.1130	0.0721	0.0392	0.0925	0.0892	0.1292	0.0892	0.1292	0.0892	0.1292
fe4572d326d461224A18FE44ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	spckit	Integrated	0.2798	0.4458	0.1130	0.0721	0.0732	0.0652	0.0722	0.0652	0.0652	0.0652	0.0652	0.0652
54b56f6744a6893f0N7AV45d16ag9Ncm0a2Nd67ag9N2B0AV4E173514637e	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	gradiant	Integrated	0.0538	0.1240	0.1130	0.0361	0.0388	0.0507	0.0588	0.0357	0.0588	0.0357	0.0588	0.0357
55dcc2a2eca5a0b385A1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	gradiant	Integrated	0.2172	0.2552	0.1130	0.0361	0.0732	0.0504	0.0722	0.0504	0.0504	0.0504	0.0504	0.0504
5afdfc429fba77060283V7E0d16ag9Ncm0a2Nd67ag9N2B0AV4E173514637e	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	gradiant	Integrated	0.0891	0.1758	0.1130	0.0361	0.0392	0.0925	0.0892	0.1758	0.0892	0.1758	0.0892	0.1758
cbd633a269fc428efN3FV50f0269N36f856Nmd1Q06N6N5V8E13cee453be	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	rrf	Saliency	InputXC	gradiant	Integrated	0.2798	0.4232	0.1130	0.0361	0.0732	0.0652	0.0722	0.0652	0.0652	0.0652	0.0652	0.0652
effd3bace10c7d84e9Nc4E3Ecdm0geN3a34g9N85b6g7N6Nc4V4E945ba6a9	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.0488	0.1350	0.1130	0.0836	0.0343	0.0527	0.0474	0.0527	0.0474	0.0527	0.0474	0.0527
3aae126b10e92190c3A1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.2331	0.4054	0.1130	0.0836	0.0732	0.0504	0.0722	0.0504	0.0504	0.0504	0.0504	0.0504
65958bb02e4c5e52NA4VE73a2bSN0674e30CB13g9N6NA4VE7b6b92682168	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.0848	0.2034	0.1130	0.0836	0.0343	0.0203	0.0848	0.2034	0.0848	0.2034	0.0848	0.2034
91c964f0d5c4ee019N3FV50f0269N36f856Nmd1Q06N6N5V8E13cee453be	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.2961	0.4058	0.1130	0.0836	0.0732	0.0504	0.0722	0.0504	0.0504	0.0504	0.0504	0.0504
ca6a22bfaebc3cfcbNA1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.0488	0.1240	0.1130	0.0836	0.0343	0.0504	0.0474	0.0504	0.0474	0.0504	0.0474	0.0504
5658f3ba9dc9b21dd2A1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.2331	0.3558	0.1130	0.0836	0.0732	0.0504	0.0722	0.0504	0.0504	0.0504	0.0504	0.0504
58dd951a54e6de6cNA1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.0848	0.1860	0.1130	0.0836	0.0343	0.0203	0.0848	0.1860	0.0848	0.1860	0.0848	0.1860
097a74c67506516c36A1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	gradiant	Integrated	0.2961	0.4552	0.1130	0.0836	0.0732	0.0504	0.0722	0.0504	0.0504	0.0504	0.0504	0.0504
fb93df84d87648b975A1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	spckit	Integrated	0.0488	0.1350	0.1130	0.0721	0.0343	0.0504	0.0474	0.0504	0.0474	0.0504	0.0474	0.0504
a0e417f5ad1fc3d25NA1V7E1f6448590B87e19c2d85Nc07AEV65f9dbe1574	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	q=11	schulze	Saliency	InputXC	spckit	Integrated	0.2331	0.2802	0.1130	0.0721	0.0732	0.0652	0.0722	0.0652	0.0652	0.0652	0.0652	0.0652

endpoint id	source kind	cell	dataset	model	setting	geometry	geometry label	rule	methods	noise	condition	metric	clean quality raw	perturbed quality raw	A0 clean	A0 per-turbed	normalized clean raw	normalized per-turbed raw	Qnorm clean	Qnorm per-turbed	A	Q	Q raw	C
1a8b28cadce8a7bad5141b2e1d46e7841668a5322	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	ImageNet-vit-b16	11	schulze	Saliency	InputXCGradient	Integrated	0.948	0.848	0.913	0.810	0.972	0.848	0.913	0.810	0.972	0.848	0.913	0.810
51b42a0a608250d892443e8d467150c6b106671c5a1141b2e1d46e7841668a5322	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	ImageNet-vit-b16	11	schulze	Saliency	InputXCGradient	Integrated	0.948	0.848	0.913	0.810	0.972	0.848	0.913	0.810	0.972	0.848	0.913	0.810
12b75fd2abf63c1ccf2123e4191a692d17a67150c6b106671c5a1141b2e1d46e7841668a5322	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	ImageNet-vit-b16	11	schulze	Saliency	InputXCGradient	Integrated	0.948	0.848	0.913	0.810	0.972	0.848	0.913	0.810	0.972	0.848	0.913	0.810
919e8c8a6e67c247e5a1141b2e1d46e7841668a5322	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	ImageNet-vit-b16	11	schulze	Saliency	InputXCGradient	Integrated	0.948	0.848	0.913	0.810	0.972	0.848	0.913	0.810	0.972	0.848	0.913	0.810
4df417d9dd3611447041b2e1d46e7841668a5322	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	ImageNet-vit-b16	11	schulze	Saliency	InputXCGradient	Integrated	0.948	0.848	0.913	0.810	0.972	0.848	0.913	0.810	0.972	0.848	0.913	0.810
cc0f049be02b0fe4506ad1b2e1d46e7841668a5322	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	q=11	ImageNet-vit-b16	ImageNet-vit-b16	11	schulze	Saliency	InputXCGradient	Integrated	0.948	0.848	0.913	0.810	0.972	0.848	0.913	0.810	0.972	0.848	0.913	0.810

Table 62: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	setting	geometry	geometryq label	rule	endpoint count	NOISE A mean	NAIVE A mean	delta mean	A wins	A ties	A losses	NOISE Q mean	NAIVE Q mean	delta mean	Q wins	Q ties	Q losses	NOISE G mean	NAIVE G mean	delta mean	G wins	G ties	G losses
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- K	kendall	NOISE- K	borda	16	0.4110990	0.3533470	0.05775214	1	1	1	0.8836140	0.8831860	0.0004282	8	6	6	0.55286	0.5167920	0.03606814	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- K	kendall	NOISE- K	kemeny	16	0.4354450	0.34393	0.09151516	0	0	0	0.8915590	0.8898880	0.0016712	8	6	6	0.5806830	0.5167230	0.06395916	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- K	kendall	NOISE- K	rrf	16	0.4347720	0.3596010	0.07517116	0	0	0	0.8949040	0.8808410	0.0140636	8	2	2	0.5796020	0.5230880	0.05651316	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- K	kendall	NOISE- K	schulze	16	0.4278780	0.3544290	0.07344916	0	0	0	0.88971	0.8852380	0.0044722	8	6	6	0.5723530	0.5207670	0.05158616	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- K	kendall	NOISE- K	simpleavg	16	0.42981	0.3951910	0.03461916	0	0	0	0.8905580	0.87166	0.0188988	8	0	0	0.5744840	0.5407450	0.03374	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- S	spearman	NOISE- S	borda	16	0.4342030	0.3533470	0.08085516	0	0	0	0.8916930	0.8831860	0.0085073	8	5	5	0.5790260	0.5167920	0.06223316	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- S	spearman	NOISE- S	kemeny	16	0.4342030	0.34393	0.09027316	0	0	0	0.8916930	0.8898880	0.0018052	8	6	6	0.5790260	0.5167230	0.06230316	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- S	spearman	NOISE- S	rrf	16	0.4339710	0.3596010	0.07437	16	0	0	0.8909520	0.8808410	0.0101114	8	4	4	0.5784330	0.5230880	0.05534416	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- S	spearman	NOISE- S	schulze	16	0.4342030	0.3544290	0.07977316	0	0	0	0.8916930	0.8852380	0.0064562	8	6	6	0.5790260	0.5207670	0.05825916	16	16	16
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	NOISE- S	spearman	NOISE- S	simpleavg	16	0.4308610	0.3951910	0.03566916	0	0	0	0.8914320	0.87166	0.0197728	8	0	0	0.5758230	0.5407450	0.03507816	16	16	16

Table 63: NOISE diagnostics results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	F	quality	clean	F	0.0852	clean_selected	0.0838	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	clean_selected	0.0951	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	C	quality	clean	C	0.132	clean_selected	0.1335	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	clean_selected	0.1426	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	clean_selected	0.0722	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	-0.2204	clean_selected	0.2274	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	clean_selected	0.0822	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	-0.2718	clean_selected	0.281	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	clean_selected	0.0546	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1706	clean_selected	0.1718	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	clean_selected	0.0661	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2192	clean_selected	0.2234	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	clean_selected	0.0262	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	-0.0636	clean_selected	0.0506	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	clean_selected	0.0186	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Cbar_s	robustness	speckle	Cbar	-0.0818	clean_selected	0.0772	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	clean_selected	0.0792	bsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	2	R_Fbar_a	robustness	adversarial	Fbar	-0.198	clean_selected	0.2228	bsa_x_indivictat

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	clean_selection	0.0932	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar	robustness	adversarial	Cbar	-0.2052	clean_selection	0.2044	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	F	quality	clean	F	0.0852	naive_q1	0.0642	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	naive_q1	0.1174	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	C	quality	clean	C	0.132	naive_q1	0.1032	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	naive_q1	0.1744	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	naive_q1	0.0774	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	-0.2204	naive_q1	0.2488	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	naive_q1	0.1104	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	-0.2718	naive_q1	0.2906	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	naive_q1	0.0672	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1706	naive_q1	0.1808	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	naive_q1	0.096	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2192	naive_q1	0.2214	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	naive_q1	0.024	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	-0.0636	naive_q1	0.066	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	naive_q1	0.0322	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_s	robustness	speckle	Cbar	-0.0818	naive_q1	0.0812	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	naive_q1	0.0632	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar	robustness	adversarial	Fbar	-0.198	naive_q1	0.2696	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	naive_q1	0.0788	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar	robustness	adversarial	Cbar	-0.2052	naive_q1	0.2848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	F	quality	clean	F	0.0852	NOISE_sp1	0.0642	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	NOISE_sp1	0.174	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	C	quality	clean	C	0.132	NOISE_sp1	0.032	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	NOISE_sp1	0.744	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	NOISE_sp1	0.0774	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	-0.2204	NOISE_sp1	0.2458	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	NOISE_sp1	0.104	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	-0.2718	NOISE_sp1	0.2906	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	NOISE_sp1	0.0672	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1706	NOISE_sp1	0.4808	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	NOISE_sp1	0.096	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2192	NOISE_sp1	0.2914	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	NOISE_sp1	0.024	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	-0.0636	NOISE_sp1	0.066	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	NOISE_sp1	0.0322	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_s	robustness	speckle	Cbar	-0.0818	NOISE_sp1	0.0812	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_a	robustness	adversarial	F	0.0772	NOISE_0.0632	0.0632	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_a	robustness	adversarial	Fbar	-0.198	NOISE_0.2696	0.2696	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_a	robustness	adversarial	C	0.0934	NOISE_0.0758	0.0758	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2052	NOISE_0.2848	0.2848	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	F	quality	clean	F	0.0852	NOISE_0.0642	0.0642	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Fbar	quality	clean	Fbar	0.0966	NOISE_0.1741	0.1741	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	C	quality	clean	C	0.132	NOISE_0.1032	0.1032	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	Cbar	quality	clean	Cbar	0.1484	NOISE_0.1741	0.1741	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_g	robustness	gaussian	F	0.0672	NOISE_0.0774	0.0774	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_g	robustness	gaussian	Fbar	-0.2204	NOISE_0.2488	0.2488	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_g	robustness	gaussian	C	0.0826	NOISE_0.1141	0.1141	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_g	robustness	gaussian	Cbar	-0.2718	NOISE_0.2903	0.2903	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_p	robustness	salt_pepper	F	0.0548	NOISE_0.0672	0.0672	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1706	NOISE_0.1808	0.1808	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_p	robustness	salt_pepper	C	0.0714	NOISE_0.0966	0.0966	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2192	NOISE_0.2244	0.2244	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_F_s	robustness	speckle	F	0.0234	NOISE_0.0241	0.0241	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_Fbar_s	robustness	speckle	Fbar	-0.0636	NOISE_0.0661	0.0661	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	simpleavg	2	R_C_s	robustness	speckle	C	0.0214	NOISE_0.0322	0.0322	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-simpleavg	vit-b16	2	R_Cbar	robustness	speckle	Cbar	-0.0818	NOISE_10.00412	10.00412	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-simpleavg	vit-b16	2	R_F_a	robustness	adversarial	F	0.0772	NOISE_0.006321	0.006321	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-simpleavg	vit-b16	2	R_Fbar	robustness	adversarial	Fbar	-0.198	NOISE_10.20693	10.20693	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-simpleavg	vit-b16	2	R_C_a	robustness	adversarial	C	0.0934	NOISE_0.007881	0.007881	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-simpleavg	vit-b16	2	R_Cbar	robustness	adversarial	Cbar	-0.2052	NOISE_10.20448	10.20448	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	F	quality	clean	F	0.0864	clean_selected	0.0638	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	Fbar	quality	clean	Fbar	0.0928	clean_selected	0.0651	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	C	quality	clean	C	0.1352	clean_selected	0.0336	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	Cbar	quality	clean	Cbar	0.146	clean_selected	0.0426	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_F_g	robustness	gaussian	F	0.073	clean_selected	0.0722	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_Fbar	robustness	gaussian	Fbar	-0.223	clean_selected	0.2274	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_C_g	robustness	gaussian	C	0.0846	clean_selected	0.0822	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_Cbar	robustness	gaussian	Cbar	-0.272	clean_selected	0.281	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_F_p	robustness	salt_pepper	F	0.0544	clean_selected	0.0546	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_Fbar	robustness	salt_pepper	Fbar	-0.1684	clean_selected	0.1718	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_C_p	robustness	salt_pepper	C	0.0684	clean_selected	0.0661	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_Cbar	robustness	salt_pepper	Cbar	-0.2136	clean_selected	0.2234	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_F_s	robustness	speckle	F	0.0288	clean_selected	0.0262	bsa_x	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-borda	vit-b16	2	R_Fbar	robustness	speckle	Fbar	-0.0616	clean_selected	0.0506	bsa_x	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_s	robustness	speckle	C	0.0252	clean_sel	0.0186	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	speckle	Cbar	-0.081	clean_sel	0.0772	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_a	robustness	adversarial	F	0.076	clean_sel	0.0792	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	adversarial	Fbar	-0.2034	clean_sel	0.2328	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_a	robustness	adversarial	C	0.091	clean_sel	0.0932	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	adversarial	Cbar	-0.2096	clean_sel	0.2414	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	F	quality	clean	F	0.0864	naive_q	1.0478	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	Fbar	quality	clean	Fbar	0.0928	naive_q	1.2256	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	C	quality	clean	C	0.1352	naive_q	1.0802	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	Cbar	quality	clean	Cbar	0.146	naive_q	1.2866	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_g	robustness	gaussian	F	0.073	naive_q	1.0786	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	gaussian	Fbar	-0.223	naive_q	1.1832	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_g	robustness	gaussian	C	0.0846	naive_q	1.1126	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	gaussian	Cbar	-0.272	naive_q	1.2226	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_p	robustness	salt_pepper	F	0.0544	naive_q	1.0692	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	salt_pepper	Fbar	-0.1684	naive_q	1.1228	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_p	robustness	salt_pepper	C	0.0684	naive_q	1.1014	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	salt_pepper	Cbar	-0.2136	naive_q	1.1616	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_s	robustness	speckle	F	0.0288	naive_q	1.0266	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	speckle	Fbar	-0.0616	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_s	robustness	speckle	C	0.0252	naive_q1	0.0368	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	speckle	Cbar	-0.081	naive_q1	0.0544	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_a	robustness	adversarial	F	0.076	naive_q1	0.0736	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar_a	robustness	adversarial	Fbar	-0.2034	naive_q1	0.2438	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_a	robustness	adversarial	C	0.091	naive_q1	0.095	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2096	naive_q1	0.2556	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	F	quality	clean	F	0.0864	NOISE_q1	0.0478	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	Fbar	quality	clean	Fbar	0.0928	NOISE_q1	0.2256	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	C	quality	clean	C	0.1352	NOISE_q1	0.0802	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	Cbar	quality	clean	Cbar	0.146	NOISE_q1	0.2866	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_g	robustness	gaussian	F	0.073	NOISE_q1	0.0786	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar_g	robustness	gaussian	Fbar	-0.223	NOISE_q1	0.4832	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_q1	0.126	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar_g	robustness	gaussian	Cbar	-0.272	NOISE_q1	0.2226	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_q1	0.0692	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1684	NOISE_q1	0.4228	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_q1	0.1014	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2136	NOISE_q1	0.4016	max	worse

cell	dataset	model	rule	q	column group	endpointconditionmetric	value	reference value	referencedirection	outcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_s	robustnessspeckle F	0.0288	NOISE_0.0266	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar	robustnessspeckle Fbar	-0.0616	NOISE_0.041	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_s	robustnessspeckle C	0.0252	NOISE_0.0368	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar	robustnessspeckle Cbar	-0.081	NOISE_0.0744	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_a	robustnessadversarial	0.076	NOISE_0.0736	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_a	robustnessadversarial	-0.2034	NOISE_0.2438	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_a	robustnessadversarial	0.091	NOISE_0.095	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_a	robustnessadversarial	-0.2096	NOISE_0.2556	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	F	quality clean F	0.0864	NOISE_0.0478	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Fbar	quality clean Fbar	0.0928	NOISE_0.2250	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	C	quality clean C	0.1352	NOISE_0.0801	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	Cbar	quality clean Cbar	0.146	NOISE_0.2860	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_g	robustnessgaussian F	0.073	NOISE_0.0780	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_g	robustnessgaussian Fbar	-0.223	NOISE_0.1830	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_g	robustnessgaussian C	0.0846	NOISE_0.1120	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Cbar_g	robustnessgaussian Cbar	-0.272	NOISE_0.2220	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_F_p	robustnesssalt_pepper	0.0544	NOISE_0.0601	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_Fbar_p	robustnesssalt_pepper	-0.1684	NOISE_0.1228	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	2	R_C_p	robustnesssalt_pepper	0.0684	NOISE_0.1014	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	salt_pepper	Cbar	-0.2136	NOISE_40.1641	40.1641	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_s	robustness	speckle	F	0.0288	NOISE_40.0256	40.0256	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	speckle	Fbar	-0.0616	NOISE_40.0616	40.0616	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_s	robustness	speckle	C	0.0252	NOISE_40.0252	40.0252	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	speckle	Cbar	-0.081	NOISE_40.081	40.081	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_F_a	robustness	adversarial	F	0.076	NOISE_40.076	40.076	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Fbar	robustness	adversarial	Fbar	-0.2034	NOISE_40.2034	40.2034	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_C_a	robustness	adversarial	C	0.091	NOISE_40.091	40.091	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	borda	2	R_Cbar	robustness	adversarial	Cbar	-0.2096	NOISE_40.2096	40.2096	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	clean_selected	0.0838	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	clean_selected	0.0951	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	clean_selected	0.1336	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	clean_selected	0.1426	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	clean_selected	0.0722	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	gaussian	Fbar	-0.223	clean_selected	0.2274	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	clean_selected	0.0822	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	gaussian	Cbar	-0.272	clean_selected	0.281	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	F	0.0544	clean_selected	0.0546	bsinx	individual
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	salt_pepper	Fbar	-0.1684	clean_selected	0.1718	bsinx	individual

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	F	0.0684	clean_sel0.0661	0.0661	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_p	robustness	salt_pepper	Fbar	-0.2136	clean_sel0.2234	0.2234	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	clean_sel0.0262	0.0262	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_s	robustness	speckle	Fbar	-0.0616	clean_sel0.0506	0.0506	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	clean_sel0.0185	0.0185	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_s	robustness	speckle	Cbar	-0.081	clean_sel0.0772	0.0772	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	clean_sel0.0792	0.0792	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_a	robustness	adversarial	Fbar	-0.2034	clean_sel0.2028	0.2028	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	clean_sel0.0932	0.0932	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2096	clean_sel0.2114	0.2114	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	naive_q10.05	10.05	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	naive_q10.2684	10.2684	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	naive_q10.0856	10.0856	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	naive_q10.3318	10.3318	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	naive_q10.0846	10.0846	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_g	robustness	gaussian	Fbar	-0.223	naive_q10.161	10.161	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	naive_q10.1174	10.1174	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_g	robustness	gaussian	Cbar	-0.272	naive_q10.1992	10.1992	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	F	0.0544	naive_q10.0764	10.0764	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	salt_pepper	Fbar	-0.1684	naive_q1	0.1096	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	Cp	0.0684	naive_q1	0.1036	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	salt_pepper	Cbar	-0.2136	naive_q1	0.1464	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	naive_q1	0.0324	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	speckle	Fbar	-0.0616	naive_q1	0.0378	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	speckle	Cbar	-0.081	naive_q1	0.048	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	naive_q1	0.0714	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	adversarial	Fbar	-0.2034	naive_q1	0.2106	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	naive_q1	0.0926	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	adversarial	Cbar	-0.2096	naive_q1	0.2166	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	NOISE_0p05	0.05	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0p26	0.26	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	NOISE_0p08	0.08	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	NOISE_0p33	0.33	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0p08	0.08	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	gaussian	Fbar	-0.223	NOISE_0p44	0.44	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0p17	0.17	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	gaussian	Cbar	-0.272	NOISE_0p44	0.44	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome	
					group					value	value			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_0.0761	0.0761	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1684	NOISE_0.0409	0.0409	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_0.0436	0.0436	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2136	NOISE_0.0464	0.0464	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0.0324	0.0324	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_s	robustness	speckle	Fbar	-0.0616	NOISE_0.0378	0.0378	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0.04	0.04	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_s	robustness	speckle	Cbar	-0.081	NOISE_0.048	0.048	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0.0714	0.0714	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_a	robustness	adversarial	Fbar	-0.2034	NOISE_0.2106	0.2106	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	NOISE_0.0926	0.0926	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2096	NOISE_0.2106	0.2106	max	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	F	quality	clean	F	0.0864	NOISE_0.091	0.091	all	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0.0684	0.0684	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	C	quality	clean	C	0.1352	NOISE_0.0856	0.0856	all	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	Cbar	quality	clean	Cbar	0.146	NOISE_0.0338	0.0338	min	better	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0.0846	0.0846	all	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar_g	robustness	gaussian	Fbar	-0.223	NOISE_0.1641	0.1641	all	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0.0846	0.0846	all	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	gaussian	Cbar	-0.272	NOISE_4011092	4011092	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_p	robustness	salt_pepper	Fper	0.0544	NOISE_4007641	4007641	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	salt_pepper	Fbar	-0.1684	NOISE_4011093	4011093	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_p	robustness	salt_pepper	Cper	0.0684	NOISE_4010361	4010361	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	salt_pepper	Cbar	-0.2136	NOISE_4011464	4011464	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_s	robustness	speckle	F	0.0288	NOISE_4003241	4003241	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	speckle	Fbar	-0.0616	NOISE_4003473	4003473	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_s	robustness	speckle	C	0.0252	NOISE_4004111	4004111	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	speckle	Cbar	-0.081	NOISE_4004181	4004181	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_F_a	robustness	adversarial	F	0.076	NOISE_4007141	4007141	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Fbar	robustness	adversarial	Fbar	-0.2034	NOISE_4021103	4021103	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_C_a	robustness	adversarial	C	0.091	NOISE_4009261	4009261	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	kemeny	2	R_Cbar	robustness	adversarial	Cbar	-0.2096	NOISE_4021163	4021163	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	F	quality	clean	F	0.0872	clean_selected_0038	0038	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	Fbar	quality	clean	Fbar	0.092	clean_selected_0051	0051	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	C	quality	clean	C	0.1356	clean_selected_0036	0036	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	Cbar	quality	clean	Cbar	0.1442	clean_selected_00426	00426	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	R_F_g	robustness	gaussian	F	0.0736	clean_selected_00722	00722	bsn_max	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	trf	2	R_Fbar	robustness	gaussian	Fbar	-0.2246	clean_selected_00274	00274	bsn_max	indivictal

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_g	robustness	gaussian	C	0.0862	clean_sel	0.0822	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_g	robustness	gaussian	Cbar	-0.2736	clean_sel	0.281	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_p	robustness	salt_pepper	F	0.0526	clean_sel	0.0546	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1692	clean_sel	0.1718	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_p	robustness	salt_pepper	C	0.0676	clean_sel	0.0661	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2162	clean_sel	0.2234	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_s	robustness	speckle	F	0.026	clean_sel	0.0262	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_s	robustness	speckle	Fbar	-0.0642	clean_sel	0.0606	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_s	robustness	speckle	C	0.0224	clean_sel	0.0185	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_s	robustness	speckle	Cbar	-0.0828	clean_sel	0.0772	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_a	robustness	adversarial	F	0.0764	clean_sel	0.0792	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_a	robustness	adversarial	Fbar	-0.204	clean_sel	0.2328	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_a	robustness	adversarial	C	0.0902	clean_sel	0.0932	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_a	robustness	adversarial	Cbar	-0.2102	clean_sel	0.2414	bsa_x	indivictal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	F	quality	clean	F	0.0872	naive_q	10.0538	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	Fbar	quality	clean	Fbar	0.092	naive_q	10.2172	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	C	quality	clean	C	0.1356	naive_q	10.0892	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	Cbar	quality	clean	Cbar	0.1442	naive_q	10.2798	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_g	robustness	gaussian	F	0.0736	naive_q	10.0834	max	worse

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Fbar	robustness	gaussian	Fbar	-0.2246	naive_q1	-0.1912	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_C_g	robustness	gaussian	C	0.0862	naive_q1	0.1182	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Cbar	robustness	gaussian	Cbar	-0.2736	naive_q1	-0.2304	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_F_p	robustness	salt_pepper	F	0.0526	naive_q1	0.0744	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1692	naive_q1	-0.132	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_C_p	robustness	salt_pepper	C	0.0676	naive_q1	0.1036	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2162	naive_q1	-0.172	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_F_s	robustness	speckle	F	0.026	naive_q1	0.0308	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Fbar_s	robustness	speckle	Fbar	-0.0642	naive_q1	-0.0516	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_C_s	robustness	speckle	C	0.0224	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Cbar_s	robustness	speckle	Cbar	-0.0828	naive_q1	-0.066	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_F_a	robustness	adversarial	F	0.0764	naive_q1	0.0696	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Fbar_a	robustness	adversarial	Fbar	-0.204	naive_q1	-0.238	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_C_a	robustness	adversarial	C	0.0902	naive_q1	0.0886	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2102	naive_q1	-0.2434	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	F	quality	clean	F	0.0872	NOISE_0p0538	0.0538	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	Fbar	quality	clean	Fbar	0.092	NOISE_0p2172	0.2172	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	C	quality	clean	C	0.1356	NOISE_0p0892	0.0892	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-rf	vit-b16	2	Cbar	quality	clean	Cbar	0.1442	NOISE_0p2798	0.2798	max	better

cell	dataset	model	rule	q	column group	endpoint	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_g	robustness	gaussian	F	0.0736	NOISE_0.0834	0.0834	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_g	robustness	gaussian	Fbar	-0.2246	NOISE_0.0412	0.0412	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_g	robustness	gaussian	C	0.0862	NOISE_0.1582	0.1582	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_g	robustness	gaussian	Cbar	-0.2736	NOISE_0.2304	0.2304	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_p	robustness	salt_pepper	F	0.0526	NOISE_0.0744	0.0744	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1692	NOISE_0.0432	0.0432	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_p	robustness	salt_pepper	C	0.0676	NOISE_0.1636	0.1636	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2162	NOISE_0.0472	0.0472	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_s	robustness	speckle	F	0.026	NOISE_0.0308	0.0308	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_s	robustness	speckle	Fbar	-0.0642	NOISE_0.0516	0.0516	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_s	robustness	speckle	C	0.0224	NOISE_0.04	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_s	robustness	speckle	Cbar	-0.0828	NOISE_0.0066	0.0066	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_F_a	robustness	adversarial	F	0.0764	NOISE_0.0696	0.0696	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Fbar_a	robustness	adversarial	Fbar	-0.204	NOISE_0.0238	0.0238	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_C_a	robustness	adversarial	C	0.0902	NOISE_0.0886	0.0886	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	R_Cbar_a	robustness	adversarial	Cbar	-0.2102	NOISE_0.0234	0.0234	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	F	quality	clean	F	0.0872	NOISE_0.0588	0.0588	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	Fbar	quality	clean	Fbar	0.092	NOISE_0.0172	0.0172	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		2	C	quality	clean	C	0.1356	NOISE_0.0892	0.0892	max	better

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	Cbar	quality	clean	Cbar	0.1442	NOISE_0.0708	0.0708	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_g	robustness	gaussian	F	0.0736	NOISE_0.0834	0.0834	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_g	robustness	gaussian	Fbar	-0.2246	NOISE_0.1041	0.1041	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_g	robustness	gaussian	C	0.0862	NOISE_0.0821	0.0821	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_g	robustness	gaussian	Cbar	-0.2736	NOISE_0.2304	0.2304	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_p	robustness	salt_pepper	F	0.0526	NOISE_0.0744	0.0744	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1692	NOISE_0.1321	0.1321	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_p	robustness	salt_pepper	C	0.0676	NOISE_0.0861	0.0861	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2162	NOISE_0.1721	0.1721	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_s	robustness	speckle	F	0.026	NOISE_0.0308	0.0308	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_s	robustness	speckle	Fbar	-0.0642	NOISE_0.0543	0.0543	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_s	robustness	speckle	C	0.0224	NOISE_0.0411	0.0411	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_s	robustness	speckle	Cbar	-0.0828	NOISE_0.0661	0.0661	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_F_a	robustness	adversarial	F	0.0764	NOISE_0.0691	0.0691	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Fbar_a	robustness	adversarial	Fbar	-0.204	NOISE_0.2381	0.2381	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_C_a	robustness	adversarial	C	0.0902	NOISE_0.0881	0.0881	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNetrf	vit-b16	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2102	NOISE_0.2434	0.2434	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	F	quality	clean	F	0.0864	clean_selection	0.0838	max	indivictable
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Fbar	quality	clean	Fbar	0.0928	clean_selection	0.0951	max	indivictable

cell	dataset	model	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
					group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	C	quality	clean	C	0.1352	clean_selected	0.336	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Cbar	quality	clean	Cbar	0.146	clean_selected	0.426	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_g	robustness	gaussian	F	0.073	clean_selected	0.072	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_g	robustness	gaussian	Fbar	-0.223	clean_selected	0.274	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_g	robustness	gaussian	C	0.0846	clean_selected	0.082	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_g	robustness	gaussian	Cbar	-0.272	clean_selected	0.281	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	clean_selected	0.0546	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1684	clean_selected	0.1718	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	clean_selected	0.0661	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2136	clean_selected	0.234	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_s	robustness	speckle	F	0.0288	clean_selected	0.0262	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_s	robustness	speckle	Fbar	-0.0616	clean_selected	0.0506	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_s	robustness	speckle	C	0.0252	clean_selected	0.0236	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_s	robustness	speckle	Cbar	-0.081	clean_selected	0.0772	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_a	robustness	adversarial	F	0.076	clean_selected	0.0792	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar_a	robustness	adversarial	Fbar	-0.2034	clean_selected	0.2328	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_a	robustness	adversarial	C	0.091	clean_selected	0.0932	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2096	clean_selected	0.2414	bsax	indiv
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	F	quality	clean	F	0.0864	naive_q	1.0488	max	better

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	Fbar	quality	clean	Fbar	0.0928	naive_q10.2336	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	C	quality	clean	C	0.1352	naive_q10.0848	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	Cbar	quality	clean	Cbar	0.146	naive_q10.2966	min	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_g	robustness	gaussian	F	0.073	naive_q10.0862	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_g	robustness	gaussian	Fbar	-0.223	naive_q10.1718	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_g	robustness	gaussian	C	0.0846	naive_q10.1186	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_g	robustness	gaussian	Cbar	-0.272	naive_q10.2112	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	naive_q10.0756	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1684	naive_q10.1222	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	naive_q10.1018	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2136	naive_q10.1586	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_s	robustness	speckle	F	0.0288	naive_q10.0342	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_s	robustness	speckle	Fbar	-0.0616	naive_q10.0466	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_s	robustness	speckle	C	0.0252	naive_q10.041	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_s	robustness	speckle	Cbar	-0.081	naive_q10.056	max	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_a	robustness	adversarial	F	0.076	naive_q10.072	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_a	robustness	adversarial	Fbar	-0.2034	naive_q10.2358	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_a	robustness	adversarial	C	0.091	naive_q10.0904	max	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2096	naive_q10.2418	max	better

cell	dataset	model	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	F	quality	clean	F	0.0864	NOISE_0p0488	amax	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0p2336	amin	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	C	quality	clean	C	0.1352	NOISE_0p0848	amax	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	Cbar	quality	clean	Cbar	0.146	NOISE_0p2966	amin	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0p0862	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_g	robustness	gaussian	Fbar	-0.223	NOISE_0p4718	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0p1836	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_g	robustness	gaussian	Cbar	-0.272	NOISE_0p2112	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_0p0756	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_p	robustness	salt_pepper	Fbar	-0.1684	NOISE_0p4222	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_0p1018	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_p	robustness	salt_pepper	Cbar	-0.2136	NOISE_0p4586	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0p0342	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_s	robustness	speckle	Fbar	-0.0616	NOISE_0p0466	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0p041	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Cbar_s	robustness	speckle	Cbar	-0.081	NOISE_0p056	amax	worse
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0p072	amax	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_Fbar_a	robustness	adversarial	Fbar	-0.2034	NOISE_0p2358	amax	better
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet	Schulze	2	R_C_a	robustness	adversarial	C	0.091	NOISE_0p0904	amax	better

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar	robustness	adversarial	Cbar	-0.2096	NOISE_0.2418	0.2418	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	F	quality	clean	F	0.0864	NOISE_0.0488	0.0488	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Fbar	quality	clean	Fbar	0.0928	NOISE_0.2386	0.2386	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	C	quality	clean	C	0.1352	NOISE_0.0848	0.0848	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	Cbar	quality	clean	Cbar	0.146	NOISE_0.2966	0.2966	min	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_g	robustness	gaussian	F	0.073	NOISE_0.0862	0.0862	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar	robustness	gaussian	Fbar	-0.223	NOISE_0.1174	0.1174	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_g	robustness	gaussian	C	0.0846	NOISE_0.2186	0.2186	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar	robustness	gaussian	Cbar	-0.272	NOISE_0.2142	0.2142	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_p	robustness	salt_pepper	F	0.0544	NOISE_0.0756	0.0756	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar	robustness	salt_pepper	Fbar	-0.1684	NOISE_0.1222	0.1222	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_p	robustness	salt_pepper	C	0.0684	NOISE_0.2181	0.2181	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar	robustness	salt_pepper	Cbar	-0.2136	NOISE_0.1583	0.1583	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_s	robustness	speckle	F	0.0288	NOISE_0.0342	0.0342	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar	robustness	speckle	Fbar	-0.0616	NOISE_0.0463	0.0463	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_C_s	robustness	speckle	C	0.0252	NOISE_0.0441	0.0441	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Cbar	robustness	speckle	Cbar	-0.081	NOISE_0.0561	0.0561	max	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_F_a	robustness	adversarial	F	0.076	NOISE_0.0721	0.0721	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet	schulze	2	R_Fbar	robustness	adversarial	Fbar	-0.2034	NOISE_0.2358	0.2358	max	better

cell	dataset	model	rule	q	column	endpoint group	condition	metric	value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	schulze	2	R_C_a	robustness	adversarial	C1	0.091	NOISE_0.09041	max	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	schulze	2	R_Cbar_a	robustness	adversarial	Cbar	-0.2096	NOISE_-0.2118	max	better

Table 64: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	geometry	selected q	NOISE q	q error	absolute exact q error	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie pol- icy	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	borda	2	2	0	0	True	True	True	0.0864	0.0864	0	[2]	smallest_q_within_absolute_1e-12
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet vit-b16	kemeny	2	3	-1	1	False	True	False	0.0864	0.0874	0.001	[3]	smallest_q_within_absolute_1e-12

Table 65: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports

cell	dataset	model	method	setting	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R Fbar F	
ImageNet– ImageNet-vit-b16	ImageNet	ImageNet-simple	avg	dual_geo	2	metry_ri	0.0852	0.0852	0.0968	0.132	0.0748	0.0673	0.0204	0.0826	-0.2718	0.0548	-0.1706	0.0714	-0.2192	0.0234	-0.0636	0.0214	-0.0818	0.0772	-0.198	0
ImageNet– ImageNet-vit-b16	ImageNet	ImageNet-borda		dual_geo	2	metry_ri	0.0864	0.0864	0.0988	0.1352	0.0746	0.073	0.0233	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0
ImageNet– ImageNet-vit-b16	ImageNet	ImageNet-kemeny		dual_geo	2	metry_ri	0.0864	0.0864	0.0988	0.1352	0.0746	0.073	0.0233	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0
ImageNet– ImageNet-vit-b16	ImageNet	ImageNet-rrf		dual_geo	2	metry_ri	0.0872	0.0872	0.093	0.1356	0.0742	0.0736	0.0246	0.0862	-0.2736	0.0526	-0.1692	0.0676	-0.2162	0.026	-0.0642	0.0224	-0.0828	0.0764	-0.204	0
ImageNet– ImageNet-vit-b16	ImageNet	ImageNet-schulze		dual_geo	2	metry_ri	0.0864	0.0864	0.0988	0.1352	0.0746	0.073	0.0233	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-0.081	0.076	-0.2034	0

Table 66: NOISE diagnostics results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	geometrylabel	geometrycenter rule	rule	q	column	endpointgroup	condition	metric	value	referencevalue	referencedirection	outcome
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	F	quality	clean	F	0.0852	clean_selected	0.0838	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	Fbar	quality	clean	Fbar	0.0966	clean_selected	0.0951	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	C	quality	clean	C	0.132	clean_selected	0.1336	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	Cbar	quality	clean	Cbar	0.1484	clean_selected	0.1426	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_F_g	robustness		F	0.0672	clean_selected	0.0722	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Fbar_g	robustness		Fbar	-0.2204	clean_selected	0.2274	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_C_g	robustness		C	0.0826	clean_selected	0.0822	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Cbar_g	robustness		Cbar	-0.2718	clean_selected	0.281	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_F_p	robustness		F	0.0548	clean_selected	0.0546	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Fbar_p	robustness		Fbar	-0.1706	clean_selected	0.1718	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_C_p	robustness		C	0.0714	clean_selected	0.0661	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Cbar_p	robustness		Cbar	-0.2192	clean_selected	0.2234	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_F_s	robustness		F	0.0234	clean_selected	0.0262	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Fbar_s	robustness		Fbar	-0.0636	clean_selected	0.06506	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_C_s	robustness		C	0.0214	clean_selected	0.0186	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Cbar_s	robustness		Cbar	-0.0818	clean_selected	0.0772	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_F_a	robustness		F	0.0772	clean_selected	0.0792	bnsa_x_indivictat
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	NOISE-S	borda	simpleavg	R_Fbar_a	robustness		Fbar	-0.198	clean_selected	0.2328	bnsa_x_indivictat

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_a	robustness		C	0.0934	clean_set0.0932	best	indifferent
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_a	robustness		Cbar	-0.2052	clean_set0.2044	best	indifferent
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	F	quality	clean	F	0.0852	naive_q10.0642	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	Fbar	quality	clean	Fbar	0.0966	naive_q10.1174	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	C	quality	clean	C	0.132	naive_q10.1032	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	Cbar	quality	clean	Cbar	0.1484	naive_q10.1744	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_g	robustness		F	0.0672	naive_q10.0774	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_g	robustness		Fbar	-0.2204	naive_q10.2488	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_g	robustness		C	0.0826	naive_q10.1104	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_g	robustness		Cbar	-0.2718	naive_q10.2906	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_p	robustness		F	0.0548	naive_q10.0672	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_p	robustness		Fbar	-0.1706	naive_q10.1808	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_p	robustness		C	0.0714	naive_q10.096	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_p	robustness		Cbar	-0.2192	naive_q10.2214	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_s	robustness		F	0.0234	naive_q10.024	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_s	robustness		Fbar	-0.0636	naive_q10.066	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_s	robustness		C	0.0214	naive_q10.0322	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_s	robustness		Cbar	-0.0818	naive_q10.0812	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_a	robustness		F	0.0772	naive_q10.0632	max	better

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_r	robustness		Fbar	-0.198	naive_q1	0.2696	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_a	robustness		C	0.0934	naive_q1	0.10788	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_r	robustness		Cbar	-0.2052	naive_q1	0.2848	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	F	quality	clean	F	0.0852	NOISE_0.0064	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	Fbar	quality	clean	Fbar	0.0966	NOISE_0.01174	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	C	quality	clean	C	0.132	NOISE_0.01032	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	Cbar	quality	clean	Cbar	0.1484	NOISE_0.01744	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_g	robustness		F	0.0672	NOISE_0.00774	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_g	robustness		Fbar	-0.2204	NOISE_0.02488	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_g	robustness		C	0.0826	NOISE_0.01164	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_g	robustness		Cbar	-0.2718	NOISE_0.02906	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_p	robustness		F	0.0548	NOISE_0.00672	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_p	robustness		Fbar	-0.1706	NOISE_0.01808	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_p	robustness		C	0.0714	NOISE_0.0096	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_p	robustness		Cbar	-0.2192	NOISE_0.02214	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_F_s	robustness		F	0.0234	NOISE_0.0024	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Fbar_s	robustness		Fbar	-0.0636	NOISE_0.0066	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_C_s	robustness		C	0.0214	NOISE_0.00322	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	R_Cbar_s	robustness		Cbar	-0.0818	NOISE_0.00812	gemmetry		worse

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_F_a	robustness		F	0.0772	NOISE_0.0632	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Fbar_a	robustness		Fbar	-0.198	NOISE_0.2696	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_C_a	robustness		C	0.0934	NOISE_0.0788	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Cbar_a	robustness		Cbar	-0.2052	NOISE_0.2848	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	F	quality	clean	F	0.0852	dual_geo0.0852	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	Fbar	quality	clean	Fbar	0.0966	dual_geo0.0966	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	C	quality	clean	C	0.132	dual_geo0.132	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	Cbar	quality	clean	Cbar	0.1484	dual_geo0.1484	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_F_g	robustness		F	0.0672	dual_geo0.0672	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Fbar_g	robustness		Fbar	-0.2204	dual_geo0.2204	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_C_g	robustness		C	0.0826	dual_geo0.0826	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Cbar_g	robustness		Cbar	-0.2718	dual_geo0.2718	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_F_p	robustness		F	0.0548	dual_geo0.0548	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Fbar_p	robustness		Fbar	-0.1706	dual_geo0.1706	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_C_p	robustness		C	0.0714	dual_geo0.0714	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Cbar_p	robustness		Cbar	-0.2192	dual_geo0.2192	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_F_s	robustness		F	0.0234	dual_geo0.0234	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Fbar_s	robustness		Fbar	-0.0636	dual_geo0.0636	shared_	qequal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_C_s	robustness		C	0.0214	dual_geo0.0214	shared_	qequal	

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Cbar_r	robustness		Cbar	-0.0818	dual_geometric	0.0818	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_F_a	robustness		F	0.0772	dual_geometric	0.0772	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Fbar_r	robustness		Fbar	-0.198	dual_geometric	0.198	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_C_a	robustness		C	0.0934	dual_geometric	0.0934	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleav2	2	R_Cbar_r	robustness		Cbar	-0.2052	dual_geometric	0.2052	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	F	quality	clean	F	0.0864	clean_selection	0.0864	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	Fbar	quality	clean	Fbar	0.0928	clean_selection	0.0928	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	C	quality	clean	C	0.1352	clean_selection	0.1352	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	Cbar	quality	clean	Cbar	0.146	clean_selection	0.146	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_g	robustness		F	0.073	clean_selection	0.073	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_g	robustness		Fbar	-0.223	clean_selection	0.223	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_g	robustness		C	0.0846	clean_selection	0.0846	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_g	robustness		Cbar	-0.272	clean_selection	0.272	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_p	robustness		F	0.0544	clean_selection	0.0544	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_p	robustness		Fbar	-0.1684	clean_selection	0.1684	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_p	robustness		C	0.0684	clean_selection	0.0684	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_p	robustness		Cbar	-0.2136	clean_selection	0.2136	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_s	robustness		F	0.0288	clean_selection	0.0288	borda	indivictal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_s	robustness		Fbar	-0.0616	clean_selection	0.0616	borda	indivictal

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_C_s	robustness	C	0.0252	clean_sel	0.0186	best	max	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.081	clean_sel	0.0772	best	max	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_F_a	robustness	F	0.076	clean_sel	0.0792	best	max	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.2034	clean_sel	0.2328	best	max	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_C_a	robustness	C	0.091	clean_sel	0.0932	best	max	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.2096	clean_sel	0.2444	best	max	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	F	quality	clean	F	0.0864	naive_q1	0.0478	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	Fbar	quality	clean	Fbar	0.0928	naive_q1	0.2256	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	C	quality	clean	C	0.1352	naive_q1	0.0802	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	Cbar	quality	clean	Cbar	0.146	naive_q1	0.2866	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_F_g	robustness	F	0.073	naive_q1	0.0786	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.223	naive_q1	0.1832	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_C_g	robustness	C	0.0846	naive_q1	0.1126	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.272	naive_q1	0.2226	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_F_p	robustness	F	0.0544	naive_q1	0.0692	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.1684	naive_q1	0.1228	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_C_p	robustness	C	0.0684	naive_q1	0.1014	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.2136	naive_q1	0.1616	max	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman S	NOISE- S	borda	borda	2	R_F_s	robustness	F	0.0288	naive_q1	0.0266	max	better	

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.0616	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_s	robustness	C	0.0252	naive_q1	0.0368	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.081	naive_q1	0.0544	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_a	robustness	F	0.076	naive_q1	0.0736	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.2034	naive_q1	0.2438	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_a	robustness	C	0.091	naive_q1	0.095	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.2096	naive_q1	0.2556	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	F	quality clean	F	0.0864	NOISE_0.00478	0.00478	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	Fbar	quality clean	Fbar	0.0928	NOISE_0.02256	0.02256	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	C	quality clean	C	0.1352	NOISE_0.00802	0.00802	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	Cbar	quality clean	Cbar	0.146	NOISE_0.02866	0.02866	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_g	robustness	F	0.073	NOISE_0.00786	0.00786	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.223	NOISE_0.01832	0.01832	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_g	robustness	C	0.0846	NOISE_0.01126	0.01126	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.272	NOISE_0.02226	0.02226	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_p	robustness	F	0.0544	NOISE_0.00602	0.00602	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.1684	NOISE_0.01228	0.01228	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_p	robustness	C	0.0684	NOISE_0.01014	0.01014	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.2136	NOISE_0.01616	0.01616	geometry	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_s	robustness	F	0.0288	NOISE_0.0266	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_r	robustness	Fbar	-0.0616	NOISE_0.104	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_s	robustness	C	0.0252	NOISE_0.0368	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_r	robustness	Cbar	-0.081	NOISE_0.1054	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_a	robustness	F	0.076	NOISE_0.0736	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_a	robustness	Fbar	-0.2034	NOISE_0.2438	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_a	robustness	C	0.091	NOISE_0.096	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_a	robustness	Cbar	-0.2096	NOISE_0.2556	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	F	quality clean	F	0.0864	dual_geo0.0864	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	Fbar	quality clean	Fbar	0.0928	dual_geo0.0928	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	C	quality clean	C	0.1352	dual_geo0.1352	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	Cbar	quality clean	Cbar	0.146	dual_geo0.146	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_g	robustness	F	0.073	dual_geo0.073	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_g	robustness	Fbar	-0.223	dual_geo0.223	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_g	robustness	C	0.0846	dual_geo0.0846	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_g	robustness	Cbar	-0.272	dual_geo0.272	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_p	robustness	F	0.0544	dual_geo0.0544	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_p	robustness	Fbar	-0.1684	dual_geo0.1684	shared_	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_p	robustness	C	0.0684	dual_geo0.0684	shared_	equal	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_robustness	robustness		Cbar	-0.2136	dual_geometric	0.2136	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_s_robustness	robustness		F	0.0288	dual_geometric	0.0288	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_robustness	robustness		Fbar	-0.0616	dual_geometric	0.0616	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_s_robustness	robustness		C	0.0252	dual_geometric	0.0252	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_robustness	robustness		Cbar	-0.081	dual_geometric	0.081	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_F_a_robustness	robustness		F	0.076	dual_geometric	0.076	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Fbar_robustness	robustness		Fbar	-0.2034	dual_geometric	0.2034	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_C_a_robustness	robustness		C	0.091	dual_geometric	0.091	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	2	R_Cbar_robustness	robustness		Cbar	-0.2096	dual_geometric	0.2096	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	F_quality_clean	quality	clean	F	0.0864	clean_selected	0.0864	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Fbar_quality_clean	quality	clean	Fbar	0.0928	clean_selected	0.0928	best	sin-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	C_quality_clean	quality	clean	C	0.1352	clean_selected	0.1352	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Cbar_quality_clean	quality	clean	Cbar	0.146	clean_selected	0.146	best	sin-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_g_robustness	robustness		F	0.073	clean_selected	0.073	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_g_robustness	robustness		Fbar	-0.223	clean_selected	0.223	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_g_robustness	robustness		C	0.0846	clean_selected	0.0846	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_g_robustness	robustness		Cbar	-0.272	clean_selected	0.272	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_p_robustness	robustness		F	0.0544	clean_selected	0.0544	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_p_robustness	robustness		Fbar	-0.1684	clean_selected	0.1684	best	ax-individual

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_p	robustness	ps	C	0.0684	clean_sel0.0664	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_r	robustness	ps	Cbar	-0.2136	clean_sel0.2234	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_s	robustness	ps	F	0.0288	clean_sel0.0262	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_r	robustness	ps	Fbar	-0.0616	clean_sel0.0506	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_s	robustness	ps	C	0.0252	clean_sel0.0186	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_r	robustness	ps	Cbar	-0.081	clean_sel0.0772	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_a	robustness	ps	F	0.076	clean_sel0.0792	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_r	robustness	ps	Fbar	-0.2034	clean_sel0.2328	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_a	robustness	ps	C	0.091	clean_sel0.0932	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_r	robustness	ps	Cbar	-0.2096	clean_sel0.2414	bsta	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	F	quality	clean	F	0.0864	naive_q10.05	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Fbar	quality	clean	Fbar	0.0928	naive_q10.2684	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	C	quality	clean	C	0.1352	naive_q10.0856	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Cbar	quality	clean	Cbar	0.146	naive_q10.3318	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_g	robustness	ps	F	0.073	naive_q10.0846	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_r	robustness	ps	Fbar	-0.223	naive_q10.161	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_g	robustness	ps	C	0.0846	naive_q10.1174	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_r	robustness	ps	Cbar	-0.272	naive_q10.1992	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_p	robustness	ps	F	0.0544	naive_q10.0764	max	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar	robustness	Fbar	-0.1684	naive_q1	0.1096	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_p	robustness	C	0.0684	naive_q1	0.1036	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar	robustness	Cbar	-0.2136	naive_q1	0.1464	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_s	robustness	F	0.0288	naive_q1	0.0324	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar	robustness	Fbar	-0.0616	naive_q1	0.0378	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_s	robustness	C	0.0252	naive_q1	0.104	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar	robustness	Cbar	-0.081	naive_q1	0.048	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_a	robustness	F	0.076	naive_q1	0.0714	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar	robustness	Fbar	-0.2034	naive_q1	0.2106	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_a	robustness	C	0.091	naive_q1	0.0926	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar	robustness	Cbar	-0.2096	naive_q1	0.2166	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	F	quality clean	F	0.0864	NOISE_0.005	0.005	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Fbar	quality clean	Fbar	0.0928	NOISE_0.005	0.005	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	C	quality clean	C	0.1352	NOISE_0.005	0.005	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Cbar	quality clean	Cbar	0.146	NOISE_0.005	0.005	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_g	robustness	F	0.073	NOISE_0.005	0.005	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar	robustness	Fbar	-0.223	NOISE_0.005	0.005	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_g	robustness	C	0.0846	NOISE_0.005	0.005	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar	robustness	Cbar	-0.272	NOISE_0.005	0.005	geometry	worse

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_p	robustness		F	0.0544	NOISE_0.0764	0.0764	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_p	robustness		Fbar	-0.1684	NOISE_0.1096	0.1096	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_p	robustness		C	0.0684	NOISE_0.1036	0.1036	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_p	robustness		Cbar	-0.2136	NOISE_0.1464	0.1464	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_s	robustness		F	0.0288	NOISE_0.0324	0.0324	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_s	robustness		Fbar	-0.0616	NOISE_0.0278	0.0278	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_s	robustness		C	0.0252	NOISE_0.04	0.04	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_s	robustness		Cbar	-0.081	NOISE_0.048	0.048	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_a	robustness		F	0.076	NOISE_0.0764	0.0764	gemastry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_a	robustness		Fbar	-0.2034	NOISE_0.2106	0.2106	gemastry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_a	robustness		C	0.091	NOISE_0.0926	0.0926	gemastry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_a	robustness		Cbar	-0.2096	NOISE_0.2166	0.2166	gemastry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	F	quality	clean	F	0.0864	dual_geo0.0864	0.0864	shared_	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Fbar	quality	clean	Fbar	0.0928	dual_geo0.0928	0.0928	shared_	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	C	quality	clean	C	0.1352	dual_geo0.1352	0.1352	shared_	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	Cbar	quality	clean	Cbar	0.146	dual_geo0.146	0.146	shared_	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_g	robustness		F	0.073	dual_geo0.073	0.073	shared_	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_g	robustness		Fbar	-0.223	dual_geo0.223	0.223	shared_	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_g	robustness		C	0.0846	dual_geo0.0846	0.0846	shared_	equal

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_robustness	robustness		Cbar	-0.272	dual_geometry	0.272	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_p_robustness	robustness		F	0.0544	dual_geometry	0.0544	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_robustness	robustness		Fbar	-0.1684	dual_geometry	0.1684	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_p_robustness	robustness		C	0.0684	dual_geometry	0.0684	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_robustness	robustness		Cbar	-0.2136	dual_geometry	0.2136	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_s_robustness	robustness		F	0.0288	dual_geometry	0.0288	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_robustness	robustness		Fbar	-0.0616	dual_geometry	0.0616	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_s_robustness	robustness		C	0.0252	dual_geometry	0.0252	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_robustness	robustness		Cbar	-0.081	dual_geometry	0.081	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_F_a_robustness	robustness		F	0.076	dual_geometry	0.076	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Fbar_robustness	robustness		Fbar	-0.2034	dual_geometry	0.2034	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_C_a_robustness	robustness		C	0.091	dual_geometry	0.091	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	2	R_Cbar_robustness	robustness		Cbar	-0.2096	dual_geometry	0.2096	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	F_quality_clean	quality	clean	F	0.0872	clean_selection	0.0838	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Fbar_quality_clean	quality	clean	Fbar	0.092	clean_selection	0.0951	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	C_quality_clean	quality	clean	C	0.1356	clean_selection	0.1336	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Cbar_quality_clean	quality	clean	Cbar	0.1442	clean_selection	0.1426	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_g_robustness	robustness		F	0.0736	clean_selection	0.0722	best	ax-individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_robustness	robustness		Fbar	-0.2246	clean_selection	0.2274	best	ax-individual

cell	dataset	model	geometry	geometry label	geometry center rule	rule	q	column	endpoint	condition	metric	value	reference	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_g	robustness	S	C	0.0862	clean_sel0.0822	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_g	robustness	S	Cbar	-0.2736	clean_sel0.0841	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_p	robustness	S	F	0.0526	clean_sel0.0546	borda	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_p	robustness	S	Fbar	-0.1692	clean_sel0.1718	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_p	robustness	S	C	0.0676	clean_sel0.0664	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_p	robustness	S	Cbar	-0.2162	clean_sel0.2234	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_s	robustness	S	F	0.026	clean_sel0.0262	borda	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_s	robustness	S	Fbar	-0.0642	clean_sel0.0506	borda	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_s	robustness	S	C	0.0224	clean_sel0.0186	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_s	robustness	S	Cbar	-0.0828	clean_sel0.0772	borda	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_a	robustness	S	F	0.0764	clean_sel0.0792	borda	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_a	robustness	S	Fbar	-0.204	clean_sel0.2328	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_a	robustness	S	C	0.0902	clean_sel0.0932	borda	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_a	robustness	S	Cbar	-0.2102	clean_sel0.2414	borda	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	F	quality	clean	F	0.0872	naive_q10.0538	max	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Fbar	quality	clean	Fbar	0.092	naive_q10.2172	min	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	C	quality	clean	C	0.1356	naive_q10.0892	max	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Cbar	quality	clean	Cbar	0.1442	naive_q10.2798	min	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_g	robustness	S	F	0.0736	naive_q10.0834	max	worse	

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar	robustness	Fbar	-0.2246	naive_q1	0.1912	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_g	robustness	C	0.0862	naive_q1	0.1182	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar	robustness	Cbar	-0.2736	naive_q1	0.2304	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_p	robustness	F	0.0526	naive_q1	0.0744	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar	robustness	Fbar	-0.1692	naive_q1	0.132	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_p	robustness	C	0.0676	naive_q1	0.1036	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar	robustness	Cbar	-0.2162	naive_q1	0.172	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_s	robustness	F	0.026	naive_q1	0.0308	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar	robustness	Fbar	-0.0642	naive_q1	0.0516	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_s	robustness	C	0.0224	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar	robustness	Cbar	-0.0828	naive_q1	0.066	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_a	robustness	F	0.0764	naive_q1	0.0696	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar	robustness	Fbar	-0.204	naive_q1	0.238	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_a	robustness	C	0.0902	naive_q1	0.0886	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar	robustness	Cbar	-0.2102	naive_q1	0.2434	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	F	quality clean	F	0.0872	NOISE_0.0538	geometry	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Fbar	quality clean	Fbar	0.092	NOISE_0.2172	geometry	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	C	quality clean	C	0.1356	NOISE_0.0892	geometry	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Cbar	quality clean	Cbar	0.1442	NOISE_0.2798	geometry	max	better

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_g	robustness		F	0.0736	NOISE_0.0834	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_g	robustness		Fbar	-0.2246	NOISE_0.1012	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_g	robustness		C	0.0862	NOISE_0.1182	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_g	robustness		Cbar	-0.2736	NOISE_0.2304	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_p	robustness		F	0.0526	NOISE_0.0744	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_p	robustness		Fbar	-0.1692	NOISE_0.1122	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_p	robustness		C	0.0676	NOISE_0.1036	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_p	robustness		Cbar	-0.2162	NOISE_0.1772	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_s	robustness		F	0.026	NOISE_0.0308	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_s	robustness		Fbar	-0.0642	NOISE_0.0516	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_s	robustness		C	0.0224	NOISE_0.044	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_s	robustness		Cbar	-0.0828	NOISE_0.1066	gemastry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_a	robustness		F	0.0764	NOISE_0.0696	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_a	robustness		Fbar	-0.204	NOISE_0.1228	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_a	robustness		C	0.0902	NOISE_0.0886	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_a	robustness		Cbar	-0.2102	NOISE_0.2434	gemastry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	F	quality	clean	F	0.0872	dual_ge0.0872	shared_qequal		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Fbar	quality	clean	Fbar	0.092	dual_ge0.092	y_shared_qequal		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	C	quality	clean	C	0.1356	dual_ge0.1356	shared_qequal		

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	Cbar	quality	clean	Cbar	0.1442	dual_geo	0.1442	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_g	robustness		F	0.0736	dual_geo	0.0736	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_g	robustness		Fbar	-0.2246	dual_geo	0.2246	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_g	robustness		C	0.0862	dual_geo	0.0862	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_g	robustness		Cbar	-0.2736	dual_geo	0.2736	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_p	robustness		F	0.0526	dual_geo	0.0526	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_p	robustness		Fbar	-0.1692	dual_geo	0.1692	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_p	robustness		C	0.0676	dual_geo	0.0676	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_p	robustness		Cbar	-0.2162	dual_geo	0.2162	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_s	robustness		F	0.026	dual_geo	0.026	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_s	robustness		Fbar	-0.0642	dual_geo	0.0642	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_s	robustness		C	0.0224	dual_geo	0.0224	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_s	robustness		Cbar	-0.0828	dual_geo	0.0828	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_F_a	robustness		F	0.0764	dual_geo	0.0764	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Fbar_a	robustness		Fbar	-0.204	dual_geo	0.204	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_C_a	robustness		C	0.0902	dual_geo	0.0902	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	2	R_Cbar_a	robustness		Cbar	-0.2102	dual_geo	0.2102	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	F	quality	clean	F	0.0864	clean_sel	0.0864	best	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Fbar	quality	clean	Fbar	0.0928	clean_sel	0.0928	best	individual

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule					group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	C	quality	clean	C	0.1352	clean_sel	0.0336	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Cbar	quality	clean	Cbar	0.146	clean_sel	0.0426	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_g	robustness		F	0.073	clean_sel	0.0722	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_g	robustness		Fbar	-0.223	clean_sel	0.0274	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_g	robustness		C	0.0846	clean_sel	0.0822	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_g	robustness		Cbar	-0.272	clean_sel	0.0281	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_p	robustness		F	0.0544	clean_sel	0.0546	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_p	robustness		Fbar	-0.1684	clean_sel	0.0178	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_p	robustness		C	0.0684	clean_sel	0.0661	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_p	robustness		Cbar	-0.2136	clean_sel	0.0234	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_s	robustness		F	0.0288	clean_sel	0.0262	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_s	robustness		Fbar	-0.0616	clean_sel	0.0506	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_s	robustness		C	0.0252	clean_sel	0.0186	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_s	robustness		Cbar	-0.081	clean_sel	0.0572	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_a	robustness		F	0.076	clean_sel	0.0792	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_a	robustness		Fbar	-0.2034	clean_sel	0.0228	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_a	robustness		C	0.091	clean_sel	0.0932	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_a	robustness		Cbar	-0.2096	clean_sel	0.0244	best	max
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	F	quality	clean	F	0.0864	naive_q	0.0488	max	better

cell	dataset	model	geometry label	geometry rule	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Fbar	quality	clean	Fbar	0.0928	naive_q1	0.2336	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	C	quality	clean	C	0.1352	naive_q1	0.0848	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Cbar	quality	clean	Cbar	0.146	naive_q1	0.2966	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_g	robustness		F	0.073	naive_q1	0.0862	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_g	robustness		Fbar	-0.223	naive_q1	0.1718	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_g	robustness		C	0.0846	naive_q1	0.1186	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_g	robustness		Cbar	-0.272	naive_q1	0.2112	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_p	robustness		F	0.0544	naive_q1	0.0756	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_p	robustness		Fbar	-0.1684	naive_q1	0.1222	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_p	robustness		C	0.0684	naive_q1	0.1018	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_p	robustness		Cbar	-0.2136	naive_q1	0.1586	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_s	robustness		F	0.0288	naive_q1	0.0342	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_s	robustness		Fbar	-0.0616	naive_q1	0.0466	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_s	robustness		C	0.0252	naive_q1	0.041	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_s	robustness		Cbar	-0.081	naive_q1	0.056	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_a	robustness		F	0.076	naive_q1	0.072	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_a	robustness		Fbar	-0.2034	naive_q1	0.2358	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_a	robustness		C	0.091	naive_q1	0.0904	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_a	robustness		Cbar	-0.2096	naive_q1	0.2418	max	better

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	F	quality	clean	F	0.0864	NOISE_00048	gemastry	better	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Fbar	quality	clean	Fbar	0.0928	NOISE_00236	gemmetry	better	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	C	quality	clean	C	0.1352	NOISE_00054	gemastry	better	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Cbar	quality	clean	Cbar	0.146	NOISE_00296	gemmetry	better	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_g	robustness		F	0.073	NOISE_00062	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_g	robustness		Fbar	-0.223	NOISE_00171	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_g	robustness		C	0.0846	NOISE_00116	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_g	robustness		Cbar	-0.272	NOISE_00211	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_p	robustness		F	0.0544	NOISE_00076	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_p	robustness		Fbar	-0.1684	NOISE_00122	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_p	robustness		C	0.0684	NOISE_00104	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_p	robustness		Cbar	-0.2136	NOISE_00158	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_s	robustness		F	0.0288	NOISE_00034	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_s	robustness		Fbar	-0.0616	NOISE_00046	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_s	robustness		C	0.0252	NOISE_00044	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_s	robustness		Cbar	-0.081	NOISE_00056	gemastry	worse	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_a	robustness		F	0.076	NOISE_00072	gemastry	better	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_a	robustness		Fbar	-0.2034	NOISE_00235	gemastry	better	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_a	robustness		C	0.091	NOISE_00094	gemastry	better	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	rule				group					value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_r	robustness		Cbar	-0.2096	NOISE_s	0.2418	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	F	quality	clean	F	0.0864	dual_geo	0.0864	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Fbar	quality	clean	Fbar	0.0928	dual_geo	0.0928	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	C	quality	clean	C	0.1352	dual_geo	0.1352	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	Cbar	quality	clean	Cbar	0.146	dual_geo	0.146	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_g	robustness		F	0.073	dual_geo	0.073	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_g	robustness		Fbar	-0.223	dual_geo	0.223	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_g	robustness		C	0.0846	dual_geo	0.0846	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_g	robustness		Cbar	-0.272	dual_geo	0.272	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_p	robustness		F	0.0544	dual_geo	0.0544	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_p	robustness		Fbar	-0.1684	dual_geo	0.1684	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_p	robustness		C	0.0684	dual_geo	0.0684	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_p	robustness		Cbar	-0.2136	dual_geo	0.2136	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_s	robustness		F	0.0288	dual_geo	0.0288	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_s	robustness		Fbar	-0.0616	dual_geo	0.0616	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_s	robustness		C	0.0252	dual_geo	0.0252	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_s	robustness		Cbar	-0.081	dual_geo	0.081	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_F_a	robustness		F	0.076	dual_geo	0.076	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Fbar_a	robustness		Fbar	-0.2034	dual_geo	0.2034	shared	equal

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_C_a	robustness		C	0.091	dual_geometric	0.091	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	2	R_Cbar_a	robustness		Cbar	-0.2096	dual_geometric	-0.2096	shared	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	F	quality	clean	F	0.0734	clean_selection	0.0638	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	Fbar	quality	clean	Fbar	0.097	clean_selection	0.0951	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	C	quality	clean	C	0.1198	clean_selection	0.1336	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	Cbar	quality	clean	Cbar	0.1478	clean_selection	0.1426	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_g	robustness		F	0.0828	clean_selection	0.0722	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_g	robustness		Fbar	-0.2322	clean_selection	0.2274	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_g	robustness		C	0.108	clean_selection	0.0822	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_g	robustness		Cbar	-0.2798	clean_selection	0.281	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_p	robustness		F	0.0684	clean_selection	0.0546	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_p	robustness		Fbar	-0.1738	clean_selection	0.1718	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_p	robustness		C	0.0936	clean_selection	0.0661	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_p	robustness		Cbar	-0.22	clean_selection	0.2234	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_s	robustness		F	0.0306	clean_selection	0.0262	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_s	robustness		Fbar	-0.0568	clean_selection	0.0506	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_s	robustness		C	0.0322	clean_selection	0.0186	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_s	robustness		Cbar	-0.0762	clean_selection	0.0772	bbox	individed
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_a	robustness		F	0.0752	clean_selection	0.0792	bbox	individed

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_r	robustness		Fbar	-0.1992	clean_sel	10.2328	best	indivictar
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_a	robustness		C	0.0928	clean_sel	10.0932	best	indivictar
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_r	robustness		Cbar	-0.2038	clean_sel	10.2414	best	indivictar
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	F	quality	clean	F	0.0734	naive_q1	10.0642	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	Fbar	quality	clean	Fbar	0.097	naive_q1	10.1174	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	C	quality	clean	C	0.1198	naive_q1	10.1032	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	Cbar	quality	clean	Cbar	0.1478	naive_q1	10.1744	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_g	robustness		F	0.0828	naive_q1	10.0774	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_rg	robustness		Fbar	-0.2322	naive_q1	10.2488	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_g	robustness		C	0.108	naive_q1	10.1104	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_rg	robustness		Cbar	-0.2798	naive_q1	10.2906	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_p	robustness		F	0.0684	naive_q1	10.0672	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_rp	robustness		Fbar	-0.1738	naive_q1	10.1808	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_p	robustness		C	0.0936	naive_q1	10.096	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_rp	robustness		Cbar	-0.22	naive_q1	10.2214	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_s	robustness		F	0.0306	naive_q1	10.024	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_rs	robustness		Fbar	-0.0568	naive_q1	10.066	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_s	robustness		C	0.0322	naive_q1	10.0322	max	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_rs	robustness		Cbar	-0.0762	naive_q1	10.0812	max	better

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_a	robustness		F	0.0752	naive_q1	0.0632	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_a	robustness		Fbar	-0.1992	naive_q1	0.2696	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_a	robustness		C	0.0928	naive_q1	0.0788	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_a	robustness		Cbar	-0.2038	naive_q1	0.2848	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	F	quality	clean	F	0.0734	NOISE_0.0642	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	Fbar	quality	clean	Fbar	0.097	NOISE_0.1174	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	C	quality	clean	C	0.1198	NOISE_0.1032	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	Cbar	quality	clean	Cbar	0.1478	NOISE_0.1744	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_g	robustness		F	0.0828	NOISE_0.0774	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_g	robustness		Fbar	-0.2322	NOISE_0.2488	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_g	robustness		C	0.108	NOISE_0.1104	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_g	robustness		Cbar	-0.2798	NOISE_0.2906	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_p	robustness		F	0.0684	NOISE_0.0672	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_p	robustness		Fbar	-0.1738	NOISE_0.1803	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_p	robustness		C	0.0936	NOISE_0.096	gemmetry		worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_p	robustness		Cbar	-0.22	NOISE_0.2214	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_s	robustness		F	0.0306	NOISE_0.024	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_s	robustness		Fbar	-0.0568	NOISE_0.066	gemmetry		better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_s	robustness		C	0.0322	NOISE_0.0322	gemmetry		equal

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_r	robustness		Cbar	-0.0762	NOISE_0.0812	0.0051	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_a	robustness		F	0.0752	NOISE_0.0682	0.0068	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_r	robustness		Fbar	-0.1992	NOISE_0.2696	0.0009	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_a	robustness		C	0.0928	NOISE_0.0768	0.0078	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_r	robustness		Cbar	-0.2038	NOISE_0.2848	0.0018	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	F	quality	clean	F	0.0734	dual_geometry	0.0852	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	Fbar	quality	clean	Fbar	0.097	dual_geometry	0.0966	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	C	quality	clean	C	0.1198	dual_geometry	0.1322	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	Cbar	quality	clean	Cbar	0.1478	dual_geometry	0.1484	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_g	robustness		F	0.0828	dual_geometry	0.0672	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_g	robustness		Fbar	-0.2322	dual_geometry	0.2094	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_g	robustness		C	0.108	dual_geometry	0.0826	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_g	robustness		Cbar	-0.2798	dual_geometry	0.2718	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_p	robustness		F	0.0684	dual_geometry	0.0548	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_p	robustness		Fbar	-0.1738	dual_geometry	0.1706	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_C_p	robustness		C	0.0936	dual_geometry	0.0714	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Cbar_p	robustness		Cbar	-0.22	dual_geometry	0.2192	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_F_s	robustness		F	0.0306	dual_geometry	0.0234	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- ImageNet- vit-b16	ImageNet- ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	R_Fbar_s	robustness		Fbar	-0.0568	dual_geometry	0.0636	shared_q	better

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome	
								group					value	value			
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_s	robustness		C	0.0322	dual_geometric	0.0214	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_r	robustness		Cbar	-0.0762	dual_geometric	0.0618	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_F_a	robustness		F	0.0752	dual_geometric	0.0772	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Fbar_r	robustness		Fbar	-0.1992	dual_geometric	0.1095	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_C_a	robustness		C	0.0928	dual_geometric	0.0934	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	3	R_Cbar_r	robustness		Cbar	-0.2038	dual_geometric	0.2052	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	F	quality	clean	F	0.0506	clean_selection	0.0638	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	Fbar	quality	clean	Fbar	0.1026	clean_selection	0.0951	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	C	quality	clean	C	0.0956	clean_selection	0.1336	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	Cbar	quality	clean	Cbar	0.1508	clean_selection	0.1426	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_g	robustness		F	0.0796	clean_selection	0.0732	bnsa_x	indiv	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.2524	clean_selection	0.2274	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_g	robustness		C	0.1022	clean_selection	0.0822	bnsa_x	indiv	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.3032	clean_selection	0.284	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_p	robustness		F	0.0636	clean_selection	0.0546	bnsa_x	indiv	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.1874	clean_selection	0.1748	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_p	robustness		C	0.0904	clean_selection	0.0661	bnsa_x	indiv	unchanged
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.2354	clean_selection	0.2234	bnsa_x	indiv	widened
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_s	robustness		F	0.0238	clean_selection	0.0262	bnsa_x	indiv	widened

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Fbar_robustness			Fbar	-0.0666	clean_sel0.0506	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_C_s_robustness			C	0.0236	clean_sel0.0186	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Cbar_robustness			Cbar	-0.0886	clean_sel0.0772	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_F_a_robustness			F	0.1022	clean_sel0.0792	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Fbar_robustness			Fbar	-0.1906	clean_sel0.2328	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_C_a_robustness			C	0.1214	clean_sel0.0932	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Cbar_robustness			Cbar	-0.201	clean_sel0.2614	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	F	quality	clean	F	0.0506	naive_q10.0478	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	Fbar	quality	clean	Fbar	0.1026	naive_q11.2256	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	C	quality	clean	C	0.0956	naive_q11.0802	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	Cbar	quality	clean	Cbar	0.1508	naive_q11.2866	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_F_g_robustness			F	0.0796	naive_q11.0786	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Fbar_robustness			Fbar	-0.2524	naive_q11.1832	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_C_g_robustness			C	0.1022	naive_q11.1126	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Cbar_robustness			Cbar	-0.3032	naive_q11.2226	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_F_p_robustness			F	0.0636	naive_q11.0692	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Fbar_robustness			Fbar	-0.1874	naive_q11.1228	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_C_p_robustness			C	0.0904	naive_q11.1014	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	borda	3	R_Cbar_robustness			Cbar	-0.2354	naive_q11.1616	max	worse

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	label	rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_s	robustness		F	0.0238	naive_q1	0.0266	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.0666	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_s	robustness		C	0.0236	naive_q1	0.0368	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.0886	naive_q1	0.0544	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_a	robustness		F	0.1022	naive_q1	0.0736	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_a	robustness		Fbar	-0.1906	naive_q1	0.2438	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_a	robustness		C	0.1214	naive_q1	0.095	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_a	robustness		Cbar	-0.201	naive_q1	0.2556	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	F	quality	clean	F	0.0506	NOISE_0.00478	gemmetry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	Fbar	quality	clean	Fbar	0.1026	NOISE_0.02256	gemmetry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	C	quality	clean	C	0.0956	NOISE_0.00802	gemmetry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	Cbar	quality	clean	Cbar	0.1508	NOISE_0.02866	gemmetry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_g	robustness		F	0.0796	NOISE_0.00786	gemmetry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_g	robustness		Fbar	-0.2524	NOISE_0.01832	gemmetry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_g	robustness		C	0.1022	NOISE_0.01126	gemmetry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_g	robustness		Cbar	-0.3032	NOISE_0.02226	gemmetry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_p	robustness		F	0.0636	NOISE_0.00602	gemmetry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_p	robustness		Fbar	-0.1874	NOISE_0.01123	gemmetry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_p	robustness		C	0.0904	NOISE_0.01014	gemmetry	worse	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label		rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.2354	NOISE_0.1616	0.1616	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_s	robustness		F	0.0238	NOISE_0.0266	0.0266	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.0666	NOISE_0.104	0.104	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_s	robustness		C	0.0236	NOISE_0.0368	0.0368	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.0886	NOISE_0.10544	0.10544	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_a	robustness		F	0.1022	NOISE_0.0786	0.0786	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.1906	NOISE_0.12438	0.12438	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_a	robustness		C	0.1214	NOISE_0.096	0.096	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.201	NOISE_0.12556	0.12556	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	F	quality	clean	F	0.0506	dual_geo0.0864	0.0864	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	Fbar	quality	clean	Fbar	0.1026	dual_geo0.0928	0.0928	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	C	quality	clean	C	0.0956	dual_geo0.1352	0.1352	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	Cbar	quality	clean	Cbar	0.1508	dual_geo0.146	0.146	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_g	robustness		F	0.0796	dual_geo0.073	0.073	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.2524	dual_geo0.223	0.223	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_g	robustness		C	0.1022	dual_geo0.0846	0.0846	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_r	robustness		Cbar	-0.3032	dual_geo0.273	0.273	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_p	robustness		F	0.0636	dual_geo0.0544	0.0544	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_r	robustness		Fbar	-0.1874	dual_geo0.1684	0.1684	shared_q	worse

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label	label	rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_p	robustness		C	0.0904	dual_geom	0.0884	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_p	robustness		Cbar	-0.2354	dual_geom	0.2136	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_s	robustness		F	0.0238	dual_geom	0.0238	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_s	robustness		Fbar	-0.0666	dual_geom	0.0616	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_s	robustness		C	0.0236	dual_geom	0.0252	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_s	robustness		Cbar	-0.0886	dual_geom	0.0814	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_F_a	robustness		F	0.1022	dual_geom	0.0764	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Fbar_a	robustness		Fbar	-0.1906	dual_geom	0.2034	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_C_a	robustness		C	0.1214	dual_geom	0.0914	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	3	R_Cbar_a	robustness		Cbar	-0.201	dual_geom	0.2096	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	F	quality	clean	F	0.0874	clean_sel	0.0838	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	Fbar	quality	clean	Fbar	0.0946	clean_sel	0.0951	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	C	quality	clean	C	0.1362	clean_sel	0.1336	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	Cbar	quality	clean	Cbar	0.1464	clean_sel	0.1426	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_g	robustness		F	0.0716	clean_sel	0.0722	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_g	robustness		Fbar	-0.2204	clean_sel	0.2274	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_g	robustness		C	0.0906	clean_sel	0.0822	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_g	robustness		Cbar	-0.2712	clean_sel	0.281	bsn	individual
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_p	robustness		F	0.0576	clean_sel	0.0546	bsn	individual

cell	dataset	model	geometry	geometry label	center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness	ess	Fbar	-0.1678	clean_sel	0.1718	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_p	robustness	ess	C	0.079	clean_sel	0.0661	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness	ess	Cbar	-0.2136	clean_sel	0.2234	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_s	robustness	ess	F	0.0268	clean_sel	0.0262	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness	ess	Fbar	-0.0592	clean_sel	0.0506	best	indiv worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_s	robustness	ess	C	0.0268	clean_sel	0.0186	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness	ess	Cbar	-0.077	clean_sel	0.0772	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_a	robustness	ess	F	0.077	clean_sel	0.0792	best	indiv worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness	ess	Fbar	-0.207	clean_sel	0.2328	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_a	robustness	ess	C	0.0926	clean_sel	0.0932	best	indiv worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness	ess	Cbar	-0.2164	clean_sel	0.2414	best	indiv better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	F	quality	clean	F	0.0874	naive_q	10.05	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	Fbar	quality	clean	Fbar	0.0946	naive_q	10.2684	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	C	quality	clean	C	0.1362	naive_q	10.0856	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	Cbar	quality	clean	Cbar	0.1464	naive_q	10.13318	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_g	robustness	ess	F	0.0716	naive_q	10.0846	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness	ess	Fbar	-0.2204	naive_q	10.161	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_g	robustness	ess	C	0.0906	naive_q	10.1174	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness	ess	Cbar	-0.2712	naive_q	10.1992	max	worse

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label		rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_p	robustness	F	F	0.0576	naive_q1	0.0764	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_p	robustness	Fbar	Fbar	-0.1678	naive_q1	0.1096	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_p	robustness	C	C	0.079	naive_q1	0.1036	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_p	robustness	Cbar	Cbar	-0.2136	naive_q1	0.1464	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_s	robustness	F	F	0.0268	naive_q1	0.0324	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_s	robustness	Fbar	Fbar	-0.0592	naive_q1	0.0378	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_s	robustness	C	C	0.0268	naive_q1	0.04	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_s	robustness	Cbar	Cbar	-0.077	naive_q1	0.048	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_a	robustness	F	F	0.077	naive_q1	0.0714	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_a	robustness	Fbar	Fbar	-0.207	naive_q1	0.2106	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_a	robustness	C	C	0.0926	naive_q1	0.0926	max	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_a	robustness	Cbar	Cbar	-0.2164	naive_q1	0.2166	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	F	quality	clean	F	0.0874	NOISE_0.005	geometry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	Fbar	quality	clean	Fbar	0.0946	NOISE_0.02684	geometry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	C	quality	clean	C	0.1362	NOISE_0.00856	geometry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	Cbar	quality	clean	Cbar	0.1464	NOISE_0.03348	geometry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_F_g	robustness	F	F	0.0716	NOISE_0.00856	geometry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_g	robustness	Fbar	Fbar	-0.2204	NOISE_0.01161	geometry	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	Kendall	NOISE- K	kemeny	kemeny	3	R_C_g	robustness	C	C	0.0906	NOISE_0.01174	geometry	worse	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label		rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness		Cbar	-0.2712	NOISE_0.1092	0.1092	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_p	robustness		F	0.0576	NOISE_0.0076	0.0076	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness		Fbar	-0.1678	NOISE_0.1096	0.1096	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_p	robustness		C	0.079	NOISE_0.1086	0.1086	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness		Cbar	-0.2136	NOISE_0.1146	0.1146	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_s	robustness		F	0.0268	NOISE_0.0024	0.0024	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness		Fbar	-0.0592	NOISE_0.1027	0.1027	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_s	robustness		C	0.0268	NOISE_0.004	0.004	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness		Cbar	-0.077	NOISE_0.1048	0.1048	gemmetry	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_a	robustness		F	0.077	NOISE_0.0074	0.0074	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness		Fbar	-0.207	NOISE_0.1210	0.1210	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_a	robustness		C	0.0926	NOISE_0.0092	0.0092	gemmetry	equal
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar	robustness		Cbar	-0.2164	NOISE_0.1216	0.1216	gemmetry	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	F	quality	clean	F	0.0874	dual_geometry_0.0864	0.0864	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	Fbar	quality	clean	Fbar	0.0946	dual_geometry_0.0928	0.0928	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	C	quality	clean	C	0.1362	dual_geometry_0.1352	0.1352	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	Cbar	quality	clean	Cbar	0.1464	dual_geometry_0.146	0.146	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_g	robustness		F	0.0716	dual_geometry_0.073	0.073	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar	robustness		Fbar	-0.2204	dual_geometry_0.223	0.223	shared_q	better

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome	
			label	rule				group					value	value			
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_g	robustness		C	0.0906	dual_geo	0.0846	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_g	robustness		Cbar	-0.2712	dual_geo	0.2737	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_p	robustness		F	0.0576	dual_geo	0.0544	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_p	robustness		Fbar	-0.1678	dual_geo	0.1634	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_p	robustness		C	0.079	dual_geo	0.0684	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_p	robustness		Cbar	-0.2136	dual_geo	0.2136	shared_q	equal	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_s	robustness		F	0.0268	dual_geo	0.0258	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_s	robustness		Fbar	-0.0592	dual_geo	0.0616	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_s	robustness		C	0.0268	dual_geo	0.0252	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_s	robustness		Cbar	-0.077	dual_geo	0.081	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_F_a	robustness		F	0.077	dual_geo	0.0767	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Fbar_a	robustness		Fbar	-0.207	dual_geo	0.2034	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_C_a	robustness		C	0.0926	dual_geo	0.0917	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	3	R_Cbar_a	robustness		Cbar	-0.2164	dual_geo	0.2096	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	rrf	3	F	quality	clean	F	0.0726	clean_sel	0.0638	best_x	indiv	nsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	rrf	3	Fbar	quality	clean	Fbar	0.096	clean_sel	0.0951	best_x	indiv	nsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	rrf	3	C	quality	clean	C	0.123	clean_sel	0.1336	best_x	indiv	nsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	rrf	3	Cbar	quality	clean	Cbar	0.1468	clean_sel	0.1426	best_x	indiv	nsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	rrf	3	R_F_g	robustness		F	0.0816	clean_sel	0.0722	best_x	indiv	nsd

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar	robustness		Fbar	-0.224	clean_sel0.2274	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_g	robustness		C	0.1028	clean_sel0.0932	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar	robustness		Cbar	-0.273	clean_sel0.281	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_p	robustness		F	0.068	clean_sel0.0546	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar	robustness		Fbar	-0.1558	clean_sel0.1718	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_p	robustness		C	0.0858	clean_sel0.0664	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar	robustness		Cbar	-0.205	clean_sel0.2234	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_s	robustness		F	0.0308	clean_sel0.0262	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar	robustness		Fbar	-0.0494	clean_sel0.0506	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_s	robustness		C	0.028	clean_sel0.0186	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar	robustness		Cbar	-0.0708	clean_sel0.0772	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_a	robustness		F	0.086	clean_sel0.0792	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar	robustness		Fbar	-0.2022	clean_sel0.2328	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_a	robustness		C	0.1024	clean_sel0.0932	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar	robustness		Cbar	-0.2064	clean_sel0.2414	bnsa_x	indivicta
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	F	quality	clean	F	0.0726	naive_q11.0538	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	Fbar	quality	clean	Fbar	0.096	naive_q11.2172	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	C	quality	clean	C	0.123	naive_q11.0892	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	Cbar	quality	clean	Cbar	0.1468	naive_q11.2798	min	better

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	Cbar	quality	clean	Cbar	0.1468	NOISE_0.2798	0.2798	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_F_g	robustness		F	0.0816	NOISE_0.0884	0.0884	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Fbar_g	robustness		Fbar	-0.224	NOISE_0.1712	0.1712	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_C_g	robustness		C	0.1028	NOISE_0.1182	0.1182	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Cbar_g	robustness		Cbar	-0.273	NOISE_0.1234	0.1234	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_F_p	robustness		F	0.068	NOISE_0.0744	0.0744	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Fbar_p	robustness		Fbar	-0.1558	NOISE_0.1132	0.1132	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_C_p	robustness		C	0.0858	NOISE_0.1036	0.1036	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Cbar_p	robustness		Cbar	-0.205	NOISE_0.1172	0.1172	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_F_s	robustness		F	0.0308	NOISE_0.0308	0.0308	geometry	equal
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Fbar_s	robustness		Fbar	-0.0494	NOISE_0.0516	0.0516	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_C_s	robustness		C	0.028	NOISE_0.04	0.04	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Cbar_s	robustness		Cbar	-0.0708	NOISE_0.1066	0.1066	geometry	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_F_a	robustness		F	0.086	NOISE_0.0696	0.0696	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Fbar_a	robustness		Fbar	-0.2022	NOISE_0.1238	0.1238	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_C_a	robustness		C	0.1024	NOISE_0.0886	0.0886	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	R_Cbar_a	robustness		Cbar	-0.2064	NOISE_0.1243	0.1243	geometry	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	F	quality	clean	F	0.0726	dual_geometry_0.0879	0.0879	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny rrf	3	Fbar	quality	clean	Fbar	0.096	dual_geometry_0.0927	0.0927	shared_q	worse

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	C	quality	clean	C	0.123	dual_geo-0.1356	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	Cbar	quality	clean	Cbar	0.1468	dual_geo-0.1442	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_g	robustness		F	0.0816	dual_geo-0.0736	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar_g	robustness		Fbar	-0.224	dual_geo-0.2246	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_g	robustness		C	0.1028	dual_geo-0.0862	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar_g	robustness		Cbar	-0.273	dual_geo-0.2736	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_p	robustness		F	0.068	dual_geo-0.0526	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar_p	robustness		Fbar	-0.1558	dual_geo-0.1662	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_p	robustness		C	0.0858	dual_geo-0.0676	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar_p	robustness		Cbar	-0.205	dual_geo-0.2162	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_s	robustness		F	0.0308	dual_geo-0.0264	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar_s	robustness		Fbar	-0.0494	dual_geo-0.0642	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_s	robustness		C	0.028	dual_geo-0.0224	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar_s	robustness		Cbar	-0.0708	dual_geo-0.0838	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_F_a	robustness		F	0.086	dual_geo-0.0764	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Fbar_a	robustness		Fbar	-0.2022	dual_geo-0.2044	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_C_a	robustness		C	0.1024	dual_geo-0.0902	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	rrf	3	R_Cbar_a	robustness		Cbar	-0.2064	dual_geo-0.2102	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	F	quality	clean	F	0.0764	clean_sel-0.0838	best_x	individed

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	reference direction	outcome
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	Fbar	quality	clean	Fbar	0.0978	clean_sel-0.0971	bsn_indiv	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	C	quality	clean	C	0.125	clean_sel-0.1336	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	Cbar	quality	clean	Cbar	0.1484	clean_sel-0.1426	bsn_indiv	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_F_g	robustness		F	0.0742	clean_sel-0.0722	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Fbar_g	robustness		Fbar	-0.2358	clean_sel-0.2274	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_C_g	robustness		C	0.0962	clean_sel-0.0922	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Cbar_g	robustness		Cbar	-0.2864	clean_sel-0.281	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_F_p	robustness		F	0.062	clean_sel-0.0546	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Fbar_p	robustness		Fbar	-0.175	clean_sel-0.1718	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_C_p	robustness		C	0.0828	clean_sel-0.0664	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Cbar_p	robustness		Cbar	-0.224	clean_sel-0.2234	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_F_s	robustness		F	0.0228	clean_sel-0.0262	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Fbar_s	robustness		Fbar	-0.0614	clean_sel-0.0506	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_C_s	robustness		C	0.0234	clean_sel-0.0186	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Cbar_s	robustness		Cbar	-0.079	clean_sel-0.0772	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_F_a	robustness		F	0.079	clean_sel-0.0792	bsn_ax	widnsd
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Fbar_a	robustness		Fbar	-0.191	clean_sel-0.2328	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_C_a	robustness		C	0.0968	clean_sel-0.0932	bsn_ax	vichtat
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- kendall	NOISE- K	kemeny	schulze	3	R_Cbar_a	robustness		Cbar	-0.1992	clean_sel-0.2414	bsn_ax	vichtat

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	reference	direction	outcome
			label		rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_r	robustness	Cbar		-0.1992	naive_q1	0.2418	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	F	quality	clean	F	0.0764	NOISE_0.0148	geometry	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	Fbar	quality	clean	Fbar	0.0978	NOISE_0.2336	geometry	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	C	quality	clean	C	0.125	NOISE_0.0064	geometry	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	Cbar	quality	clean	Cbar	0.1484	NOISE_0.2296	geometry	min	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_g	robustness	F		0.0742	NOISE_0.0062	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_r	robustness	Fbar		-0.2358	NOISE_0.0171	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_g	robustness	C		0.0962	NOISE_0.0186	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_r	robustness	Cbar		-0.2864	NOISE_0.0212	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_p	robustness	F		0.062	NOISE_0.0076	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_r	robustness	Fbar		-0.175	NOISE_0.0122	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_p	robustness	C		0.0828	NOISE_0.0108	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_r	robustness	Cbar		-0.224	NOISE_0.0158	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_s	robustness	F		0.0228	NOISE_0.0034	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_r	robustness	Fbar		-0.0614	NOISE_0.0146	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_s	robustness	C		0.0234	NOISE_0.0044	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_r	robustness	Cbar		-0.079	NOISE_0.0056	geometry	max	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_a	robustness	F		0.079	NOISE_0.0072	geometry	max	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_r	robustness	Fbar		-0.191	NOISE_0.0235	geometry	max	better

cell	dataset	model	geometry label	geometry center rule	rule	q	column	endpoint group	condition	metric	value	reference value	referenced value	direction	outcome	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_a	robustness	C	0.0968	NOISE_0.0964	0.0964	geometry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_a	robustness	Cbar	-0.1992	NOISE_0.2418	0.2418	geometry	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	F	quality	clean	F	0.0764	dual_geo_0.0864	0.0864	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	Fbar	quality	clean	Fbar	0.0978	dual_geo_0.0928	0.0928	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	C	quality	clean	C	0.125	dual_geo_0.1352	0.1352	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	Cbar	quality	clean	Cbar	0.1484	dual_geo_0.1464	0.1464	shared_q	worse
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_g	robustness	F	0.0742	dual_geo_0.0734	0.0734	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_g	robustness	Fbar	-0.2358	dual_geo_0.2234	0.2234	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_g	robustness	C	0.0962	dual_geo_0.0846	0.0846	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_g	robustness	Cbar	-0.2864	dual_geo_0.2734	0.2734	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_p	robustness	F	0.062	dual_geo_0.0544	0.0544	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_p	robustness	Fbar	-0.175	dual_geo_0.1654	0.1654	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_p	robustness	C	0.0828	dual_geo_0.0684	0.0684	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_p	robustness	Cbar	-0.224	dual_geo_0.2136	0.2136	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_s	robustness	F	0.0228	dual_geo_0.0288	0.0288	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_s	robustness	Fbar	-0.0614	dual_geo_0.0616	0.0616	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_s	robustness	C	0.0234	dual_geo_0.0252	0.0252	shared_q	worse	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_s	robustness	Cbar	-0.079	dual_geo_0.0684	0.0684	shared_q	better	
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_F_a	robustness	F	0.079	dual_geo_0.0764	0.0764	shared_q	better	

cell	dataset	model	geometry	geometry	center	rule	q	column	endpoint	condition	metric	value	reference	referenced	direction	outcome
			label		rule				group				value	value		
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Fbar_r	robustness		Fbar	-0.191	dual_geom	2034	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_C_a	robustness		C	0.0968	dual_geom	1091	shared_q	better
ImageNet- ImageNet-vit- b16	ImageNet- vit-b16	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	3	R_Cbar_r	robustness		Cbar	-0.1992	dual_geom	2096	shared_q	better

Table 67: NOISE diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	geometrycenter rule	selected q	NOISE q	q error	absolute exact q error	within one	selected is NOISE tied	selected fidelity	NOISE fidelity	fidelity regret	NOISE tied q	tie pol- icy
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetvit-b16	spearmanborda	2	2	0	0	True	True	True	0.0864	0.0864	0	[2] smallest_q_within_absolute_1e-12
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetvit-b16	kendall kemeny	3	3	0	0	True	True	True	0.0874	0.0874	0	[3] smallest_q_within_absolute_1e-12

Table 68: NOISE diagnostics results for ImageNet-ViT-B/16. This table is the current released snapshot

cell	dataset	model	geometry	geometry label	center rule	method	setting	q	methods	F	Fbar	C	Cbar	R	F	g	R	Fbar	R	C	g	R	Cbar	R	F	p	R	Fbar	R	C	p	R	Cbar	R	F	s	R	Fbar	R	C	s	F	s
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	simpleavg	NOISE- S	2	["Gradient	0.1852	0.0961	0.132	0.1484	0.0672	0.2204"]	0.0826	-0.2718	0.0548	-0.1706	0.0714	-0.2192	0.0234	-0.0636	0.0214	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	borda	NOISE- S	2	["Gradient	0.186	0.0928	0.1352	0.146	0.078	0.223n"]	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	kemeny	NOISE- S	2	["Gradient	0.186	0.0928	0.1352	0.146	0.078	0.223n"]	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	rrf	NOISE- S	2	["Gradient	0.1872	0.0938	0.1356	0.142	0.0786	0.2246"]	0.0862	-0.2736	0.0526	-0.1692	0.0676	-0.2162	0.026	-0.0642	0.0224	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	NOISE- S	borda	schulze	NOISE- S	2	["Gradient	0.186	0.0928	0.1352	0.146	0.078	0.223n"]	0.0846	-0.272	0.0544	-0.1684	0.0684	-0.2136	0.0288	-0.0616	0.0252	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	simpleavg	NOISE- K	3	["Gradient	0.173	0.097	0.1198	0.1478	0.082	0.2322"]	0.068	-0.2798	0.0684	-0.1738	0.0936	-0.22	0.0306	-0.0568	0.0322	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	borda	NOISE- K	3	["Gradient	0.1506	0.0926	0.095	0.1508	0.0796	0.2524"]	0.0622	-0.3032	0.0636	-0.1874	0.0904	-0.2354	0.0238	-0.0666	0.0236	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	kemeny	NOISE- K	3	["Gradient	0.137	0.0946	0.1362	0.1464	0.0716	0.2204"]	0.0606	-0.2712	0.0576	-0.1678	0.079	-0.2136	0.0268	-0.0592	0.0268	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	rrf	NOISE- K	3	["Gradient	0.1726	0.096	0.123	0.1468	0.0816	0.224n"]	0.0628	-0.273	0.068	-0.1558	0.0858	-0.205	0.0308	-0.0494	0.028	-																		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	NOISE- K	kemeny	schulze	NOISE- K	3	["Gradient	0.176	0.0978	0.125	0.1484	0.0742	0.2358"]	0.0662	-0.2864	0.062	-0.175	0.0828	-0.224	0.0228	-0.0614	0.0234	-																		

Table 69: NOISE q-sweep results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance aggregation	n	mean distance	n distances	fit model	fit statistic	fit value	p fit theta	selected q	selected by noise	forced fall-back	methods	selection task id	selection task digest	of json
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	2	1301.6	10000	kendall_0.311001s_0.002t_ds13167	0.311001	0.002	13167	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	3	3573	15000	kendall_0.656867s_0.002t_ds04416711	0.656867	0.002	4416711	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	4	4662	20000	kendall_0.496375s_0.002t_ds02984111	0.496375	0.002	2984111	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	5	4759.3	25000	kendall_0.458933s_0.002t_ds02880311	0.458933	0.002	2880311	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	6	5098.7	30000	kendall_0.395705s_0.002t_ds02586311	0.395705	0.002	2586311	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	7	5036.4	35000	kendall_0.423565s_0.002t_ds02638911	0.423565	0.002	2638911	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	8	5469.8	40000	kendall_0.404683s_0.002t_ds02286211	0.404683	0.002	2286211	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall kemeny	9	5646.5	45000	kendall_0.387434s_0.002t_ds02152411	0.387434	0.002	2152411	11	False	True	["GradientAttention"]	8f42b59618c44061f5604874999e4138bbd6052601b016	d8f42b59618c44061f5604874999e4138bbd6052601b016	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961

cell	dataset	model	distance aggregation model	pn	mean distance	n distances	fit model	fit statistic	fit value	p fit theta	selected q	selected by noise	forced fall-back	methods	selection id	selection task	selection of task digest	json
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny	10	5641.2	50000	kendall	0.3892120002	0.021156311		False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny	11	5940.5	55000	kendall	0.3997790002	0.01948711		True	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-kendall-d8f42b5961	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	borda	2	40627	10000	spearman	0.5860080000	0.00209411	import	False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-spearman-80045daad3	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	borda	3	3.1086e+15	50000	spearman	0.4704660000	0.00019611	import	False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-spearman-80045daad3	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	borda	4	4.3612e+20	50000	spearman	0.4703530000	0.00015911	import	False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-spearman-80045daad3	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	borda	5	4.5228e+25	50000	spearman	0.4693630000	0.00015911	import	False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-spearman-80045daad3	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	borda	6	4.8013e+30	50000	spearman	0.4122660000	0.00013911	import	False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-spearman-80045daad3	13C4409c11B044574969c14138b4005260801	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearman	borda	7	4.8111e+35	50000	spearman	0.4122660000	0.00013911	import	False	True	["GradientDescent"]	8f42b5961	ImageNet-ImageNet-vit-b16-spearman-80045daad3	13C4409c11B044574969c14138b4005260801	

cell	dataset	model	distance aggregation model	n	mean distance	distances	fit model	fit statistic	fit value	p fit theta	selected q	selected by noise	forced fall-back	methods	task id	selection of json
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	8	5.4566e+05	50000	spearman	0.4136090	0.0010311	0.0010311	importance	False	True	sygnetics	180045daad3	ImageNet-ImageNet-vit-b16-spearman-80045daad3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	9	5.6729e+05	50000	spearman	0.3991490	0.0010311	0.0010311	importance	False	True	sygnetics	180045daad3	ImageNet-ImageNet-vit-b16-spearman-80045daad3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	10	5.606e+05	50000	spearman	0.4037530	0.0010311	0.0010311	importance	False	True	sygnetics	180045daad3	ImageNet-ImageNet-vit-b16-spearman-80045daad3
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	11	6.1235e+05	50000	spearman	0.4116020	0.0010311	0.0010311	importance	False	True	sygnetics	180045daad3	ImageNet-ImageNet-vit-b16-spearman-80045daad3

Table 70: NOISE q-sweep results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	C	max	2	0.1352	[2]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	Cbar	min	2	0.146	[2]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	F	max	2	0.0864	[2]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	Fbar	min	2	0.0928	[2]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	C	max	3	0.1214	[3]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	Cbar	max	3	-0.201	[3]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	F	max	3	0.1022	[3]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	Fbar	max	3	-0.1906	[3]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	C	max	10	0.119	[10]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	Cbar	max	11	-0.2226	[11]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	F	max	4	0.0838	[4]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	Fbar	max	11	-0.1832	[11]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	C	max	10	0.1044	[10]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	Cbar	max	11	-0.1616	[11]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	F	max	6	0.0752	[6]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	Fbar	max	11	-0.1228	[11]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle	C	max	11	0.0368	[11]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle	Cbar	max	11	-0.0544	[11]	smallest	[GrwDhBintAatsolDdeRdHout] , "CheferTransformerAttribution", "Occlu"

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	Cbar	max	11	-0.048	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	F	max	9	0.035	[9]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	Fbar	max	11	-0.0378	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	C	max	2	0.1356	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	Cbar	min	2	0.1442	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	F	max	2	0.0872	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	Fbar	min	2	0.092	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	C	max	3	0.1024	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	Cbar	max	3	-0.2064	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	F	max	3	0.086	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	Fbar	max	3	-0.2022	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	C	max	11	0.1182	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	Cbar	max	11	-0.2304	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	F	max	11	0.0834	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	Fbar	max	11	-0.1912	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	C	max	11	0.1036	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	Cbar	max	10	-0.1702	[10]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	F	max	11	0.0744	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	Fbar	max	10	-0.1296	[10]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	C	max	11	0.04	[11]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	Cbar	max	11	-0.066	[11]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	F	max	9	0.0312	[9]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	Fbar	max	3	-0.0494	[3]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	C	max	4	0.1368	[4]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	Cbar	min	4	0.1458	[4]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	F	max	4	0.0874	[4]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	Fbar	min	2	0.0928	[2]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	C	max	3	0.0968	[3]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	Cbar	max	3	-0.1992	[3]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	F	max	3	0.079	[3]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	Fbar	max	3	-0.191	[3]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	C	max	11	0.1186	[11]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	Cbar	max	10	-0.209	[10]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	F	max	11	0.0862	[11]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	Fbar	max	10	-0.1678	[10]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	C	max	11	0.1018	[11]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	Cbar	max	10	-0.1476	[10]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	F	max	11	0.0756	[11]		smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	salt- pepper- 0.05	F		max	6	0.0758	[6]	smallest	$\frac{1}{12} \frac{\text{GravNorm}(\text{AbsoluteRobust})}{\text{GravNorm}(\text{AbsoluteRobust})}$, "CheferTransformerAttribution", "Occlusion"
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	salt- pepper- 0.05	Fbar		max	2	-0.1706	[2]	smallest	$\frac{1}{12} \frac{\text{GravNorm}(\text{AbsoluteRobust})}{\text{GravNorm}(\text{AbsoluteRobust})}$, "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	C		max	5	0.0352	[5]	smallest	$\frac{1}{12} \frac{\text{GravNorm}(\text{AbsoluteRobust})}{\text{GravNorm}(\text{AbsoluteRobust})}$, "CheferTransformerAttribution", "Occlusion"
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	Cbar		max	3	-0.0762	[3]	smallest	$\frac{1}{12} \frac{\text{GravNorm}(\text{AbsoluteRobust})}{\text{GravNorm}(\text{AbsoluteRobust})}$, "CheferTransformerAttribution", "Occlusion"
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	F		max	6	0.0348	[6]	smallest	$\frac{1}{12} \frac{\text{GravNorm}(\text{AbsoluteRobust})}{\text{GravNorm}(\text{AbsoluteRobust})}$, "CheferTransformerAttribution", "Occlusion"
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	Fbar		max	3	-0.0568	[3]	smallest	$\frac{1}{12} \frac{\text{GravNorm}(\text{AbsoluteRobust})}{\text{GravNorm}(\text{AbsoluteRobust})}$, "CheferTransformerAttribution", "Occlusion"

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turb gaussian-0.15	Fbar per-turb gaussian-0.15	C per-turb gaussian-0.15	Cbar per-turb gaussian-0.15	F per-turb salt-pepper-0.05	Fbar per-turb salt-pepper-0.05	C per-turb salt-pepper-0.05	Cbar per-turb salt-pepper-0.05	F per-turb speckle-0.15	Fbar per-turb speckle-0.15	C per-turb speckle-0.15	Cbar per-turb speckle-0.15	F per-turb adversarial-255	Fbar per-turb adversarial-255	C per-turb adversarial-255	Cbar per-turb adversarial-255		
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	0	simpleavg	False	["GradientAttentionRef0.1722sf0m144Attr0.366n", "OCd6sion4606tegra164Gr0.2982", "P2018ILRP94Gr0.0896Shap1.79Atteft137Grad0.25AM", "F22reAb376n"]	0.6648	0.6648	0.361	0.361	0.1722	0.1722	0.361	0.361	0.2982	0.2982	0.0896	0.0896	1.79	1.79	0.25	0.25	AM	AM	F22re	F22re	Ab376n	Ab376n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	0	borda	False	["GradientAttentionRef0.222sf0m134Attr0.3616n", "OCd6sion4646tegra164Gr0.3014", "P1918ILRP95Gr0.0822Shap2.25Atteft124Grad0.29M", "F22reAb4204n"]	0.552	0.552	0.361	0.361	0.222	0.222	0.361	0.361	0.3014	0.3014	0.0822	0.0822	2.25	2.25	0.29	0.29	M	M	F22re	F22re	Ab4204n	Ab4204n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	0	rrf	False	["GradientAttentionRef0.2236sf0m145Attr0.364on", "OCd6sion4654tegra1638Gr0.3068", "P2012ILRP04Gr0.0944Shap2.34Atteft140Grad0.300M", "F22reAb4468n"]	0.668	0.668	0.364	0.364	0.2236	0.2236	0.364	0.364	0.3068	0.3068	0.0944	0.0944	2.34	2.34	0.30	0.30	M	M	F22re	F22re	Ab4468n	Ab4468n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	0	kemeny	False	["GradientAttentionRef0.2544sf0m147Attr0.382on", "OCd6sion485Integra166Gr0.3258", "P2024ILRP24Gr0.097Shap2.43Atteft141Grad0.3AM", "F22reAb436n"]	0.662	0.662	0.382	0.382	0.2544	0.2544	0.382	0.382	0.3258	0.3258	0.097	0.097	2.43	2.43	0.3	0.3	AM	AM	F22re	F22re	Ab436n	Ab436n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	0	schulze	False	["GradientAttentionRef0.224sf0m146Attr0.365on", "OCd6sion4638tegra162Gr0.3012", "PartialLRP96Gr0.094Shap2.31Atteft136Grad0.302M", "F22reAb482n"]	0.661	0.661	0.365	0.365	0.224	0.224	0.365	0.365	0.3012	0.3012	0.094	0.094	2.31	2.31	0.3	0.3	2M	2M	F22re	F22re	Ab482n	Ab482n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	simpleavg	False	["GradientAttentionRef0.1738sf0m142Attr0.366n", "OCd6sion4658tegra163Gr0.2974", "P2006ILRP95Gr0.089Shap1.83Atteft137Grad0.25AM", "F22reAb3874n"]	0.664	0.664	0.366	0.366	0.1738	0.1738	0.366	0.366	0.2974	0.2974	0.089	0.089	1.83	1.83	0.25	0.25	AM	AM	F22re	F22re	Ab3874n	Ab3874n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	borda	False	["GradientAttentionRef0.2628sf0m132Attr0.391on", "OCd6sion4938tegra123Gr0.3338", "P1888ILRP29Gr0.081Shap2.53Atteft149Grad0.326M", "F22reAb4562n"]	0.449	0.449	0.391	0.391	0.2628	0.2628	0.391	0.391	0.3338	0.3338	0.081	0.081	2.53	2.53	0.32	0.32	6M	6M	F22re	F22re	Ab4562n	Ab4562n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	rrf	False	["GradientAttentionRef0.275sf0m136Attr0.4022n", "OCd6sion5038tegra129Gr0.3382", "P1966ILRP40Gr0.087Shap2.53Atteft132Grad0.330M", "F22reAb4502n"]	0.557	0.557	0.402	0.402	0.275	0.275	0.402	0.402	0.3382	0.3382	0.087	0.087	2.53	2.53	0.32	0.32	0M	0M	F22re	F22re	Ab4502n	Ab4502n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	kemeny	False	["GradientAttentionRef0.284sf0m140Attr0.4182n", "OCd6sion5198tegra133Gr0.3588", "P1966ILRP58Gr0.087Shap2.97Atteft128Grad0.3AM", "F22reAb4808n"]	0.542	0.542	0.418	0.418	0.284	0.284	0.418	0.418	0.3588	0.3588	0.087	0.087	2.97	2.97	0.3	0.3	AM	AM	F22re	F22re	Ab4808n	Ab4808n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	10	schulze	False	["GradientAttentionRef0.2956sf0m139Attr0.402on", "OCd6sion5046tegra126Gr0.3464", "P1896ILRP13Gr0.087Shap2.78Atteft129Grad0.33AM", "F22reAb47on"]	0.552	0.552	0.402	0.402	0.2956	0.2956	0.402	0.402	0.3464	0.3464	0.087	0.087	2.78	2.78	0.32	0.32	3AM	3AM	F22re	F22re	Ab47on	Ab47on
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	1	simpleavg	True	["GradientAttentionRef0.1744sf0m141Attr0.3662n", "OCd6sion465Integra164Gr0.2982", "P1902ILRP95Gr0.0882Shap1.83Atteft135Grad0.25M", "F22reAb387on"]	0.662	0.662	0.362	0.362	0.1744	0.1744	0.362	0.362	0.2982	0.2982	0.088	0.088	1.83	1.83	0.25	0.25	M	M	F22re	F22re	Ab387on	Ab387on
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	1	borda	True	["GradientAttentionRef0.2866sf0m126Attr0.4088n", "OCd6sion5099tegra157Gr0.3484", "P1816ILRP15Gr0.084Shap2.53Atteft147Grad0.3AM", "F22reAb4604n"]	0.478	0.478	0.408	0.408	0.2866	0.2866	0.408	0.408	0.3484	0.3484	0.084	0.084	2.53	2.53	0.3	0.3	AM	AM	F22re	F22re	Ab4604n	Ab4604n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	1	rrf	True	["GradientAttentionRef0.2798sf0m137Attr0.4084n", "OCd6sion5108tegra128Gr0.3492", "P1928ILRP18Gr0.0846Shap2.58Atteft129Grad0.34M", "F22reAb4562n"]	0.558	0.558	0.408	0.408	0.2798	0.2798	0.408	0.408	0.3492	0.3492	0.084	0.084	2.58	2.58	0.34	0.34	M	M	F22re	F22re	Ab4562n	Ab4562n
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	1	kemeny	True	["GradientAttentionRef0.2938sf0m134Attr0.4294n", "OCd6sion53Integra126Gr0.378ts", "P1892ILRP78Gr0.082Shap3.02Atteft125Grad0.37AM", "F22reAb47on"]	0.55	0.55	0.429	0.429	0.2938	0.2938	0.429	0.429	0.378ts	0.378ts	0.082	0.082	3.02	3.02	0.37	0.37	AM	AM	F22re	F22re	Ab47on	Ab47on
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	1	schulze	True	["GradientAttentionRef0.2966sf0m135Attr0.4054n", "OCd6sion5078tegra124Gr0.3558", "P1866ILRP57Gr0.083Shap2.83Atteft125Grad0.332M", "F22reAb4604n"]	0.488	0.488	0.405	0.405	0.2966	0.2966	0.405	0.405	0.3558	0.3558	0.083	0.083	2.83	2.83	0.32	0.32	2M	2M	F22re	F22re	Ab4604n	Ab4604n

Table 72: NOISE selector diagnostics results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	rule	q	predicted score	delta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95	dual geom- etry score	dual geom- etry pre- dicted q	dual geom- etry actual regret	dual geom- etry actual near opti- mal 95
ImageNet– ImageNet-vit- b16	borda	2	0.0822976	1.161312	3.547	0.0864	2	2	0	True	0.0822972	0	True	
ImageNet– ImageNet-vit- b16	borda	3	0.0737512	8.168569	8.73	0.0506	2	2	0	False	0.0786132	0	True	
ImageNet– ImageNet-vit- b16	borda	4	0.0779822	4.251381	1.1934	0.0572	2	2	0	False	0.0807262	0	True	
ImageNet– ImageNet-vit- b16	borda	5	0.0808812	3.35586	11.429640	0.0634	2	2	0	False	0.0812252	0	True	
ImageNet– ImageNet-vit- b16	borda	6	0.07856	2.238705	11.829467	0.0604	2	2	0	False	0.0783122	0	True	
ImageNet– ImageNet-vit- b16	borda	7	0.0783462	2.255003	11.773857	0.066	2	2	0	False	0.0788162	0	True	
ImageNet– ImageNet-vit- b16	borda	8	0.07437	2.114551	12.2524	0.0582	2	2	0	False	0.07611	2	0	True
ImageNet– ImageNet-vit- b16	borda	9	0.0719	2.059727	12.438517	0.0552	2	2	0	False	0.0728132	0	True	
ImageNet– ImageNet-vit- b16	borda	10	0.0657062	0.726641	2.394640	0.0494	2	2	0	False	0.0633682	0	True	
ImageNet– ImageNet-vit- b16	borda	11	0.0633291	9.221941	2.902497	0.0478	2	2	0	False	0.0599642	0	True	
ImageNet– ImageNet-vit- b16	kemeny	2	0.0822976	1.161312	3.547	0.0864	3	3	0	True	0.0822972	0.001	True	
ImageNet– ImageNet-vit- b16	kemeny	3	0.0834763	8.135246	8.206	0.0874	3	3	0	True	0.0786132	0.001	True	
ImageNet– ImageNet-vit- b16	kemeny	4	0.0834692	9.745669	3.5465	0.087	3	3	0	True	0.0807262	0.001	True	
ImageNet– ImageNet-vit- b16	kemeny	5	0.0815692	7.749214	10.098160	0.0796	3	3	0	False	0.0812252	0.001	True	
ImageNet– ImageNet-vit- b16	kemeny	6	0.0780642	5.1624	10.883467	0.0728	3	3	0	False	0.0783122	0.001	True	
ImageNet– ImageNet-vit- b16	kemeny	7	0.0792862	5.683941	10.7066	0.0716	3	3	0	False	0.0788162	0.001	True	

cell	rule	q	predicted score	theta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95	dual geom- etry score	dual geom- etry pre- dicted q	dual geom- etry actual regret	dual geom- etry actual near opti- mal 95
ImageNet– ImageNet-vit- b16	kemeny	8	0.0778492	3.90244	11.31235	0.0738	3	3	0	False	0.07611	2	0.001	True
ImageNet– ImageNet-vit- b16	kemeny	9	0.0737252	3.04354	11.60542	0.0624	3	3	0	False	0.07281	32	0.001	True
ImageNet– ImageNet-vit- b16	kemeny	10	0.06103	2.31326	711.575	0.0542	3	3	0	False	0.06336	82	0.001	True
ImageNet– ImageNet-vit- b16	kemeny	11	0.0565992	1.15098	12.12847	0.05	3	3	0	False	0.05996	42	0.001	True

Table 73: NOISE stability archive results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	noise	condition id	metric	robustness	selected method
ImageNet	ImageNet	vit	test	5000	gaussian	gaussian-R_F	0.0106	FullLRP	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	gaussian	gaussian-R_Fbar	0.1072	Saliency	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	gaussian	gaussian-R_C	0.0264	FullLRP	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	gaussian	gaussian-R_Cbar	0.133	Saliency	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	salt_pepper	salt-pepper-R_F	0.0058	FullLRP	
	vit-b16				0.05				
ImageNet	ImageNet	vit	test	5000	salt_pepper	salt-pepper-R_Fbar	0.0742	Saliency	
	vit-b16				0.05				
ImageNet	ImageNet	vit	test	5000	salt_pepper	salt-pepper-R_C	0.0232	FullLRP	
	vit-b16				0.05				
ImageNet	ImageNet	vit	test	5000	salt_pepper	salt-pepper-R_Cbar	0.104	Saliency	
	vit-b16				0.05				
ImageNet	ImageNet	vit	test	5000	speckle	speckle-R_F	0.002	FullLRP	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	speckle	speckle-R_Fbar	0.013	InputXGradient	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	speckle	speckle-R_C	0.0078	AttentionGradCAM	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	speckle	speckle-R_Cbar	0.0198	InputXGradient	
	vit-b16				0.15				
ImageNet	ImageNet	vit	test	5000	adversarial	adversarial-R_F	0.0224	FullLRP	
	vit-b16				sara-2-255				
ImageNet	ImageNet	vit	test	5000	adversarial	adversarial-R_Fbar	0.0758	Saliency	
	vit-b16				sara-2-255				
ImageNet	ImageNet	vit	test	5000	adversarial	adversarial-R_C	0.0334	FullLRP	
	vit-b16				sara-2-255				
ImageNet	ImageNet	vit	test	5000	adversarial	adversarial-R_Cbar	0.0766	Saliency	
	vit-b16				sara-2-255				

Table 74: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbid quality oriented	reference curve id	reference pool policy	reference enforce method	excluded
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	g	F	max	-	0.02078	0.018	0.0426	0.018	0.0426	0.06338	6e360779044ba0b1c48b1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	g	Fbar	min	-	0.010602	0.2399330.509333-		-	-		ed794fcc68ace94b1c148b1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	g	C	max	-	0.034987	0.0384670.0782670.0384670.0782670.113254e17701c2f6a00b0c80b1c038								
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	g	Cbar	min	-	0.008255	0.3076	0.6156	-0.3076	-0.6156	-	98f866d8497eb0c0c30b1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	p	F	max	-	0.021542	0.018	0.0327330.018	0.0327330.05427557576a840a102d4d10c00002						
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	p	Fbar	min	-	0.024173	0.2399330.472067-		-	-		eba644a7ba6048m179b1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	p	C	max	-	0.030373	0.0384670.0728670.0384670.0728670.10324				deb4fef56730b5730100b1c038				
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	p	Cbar	min	-	0.020209	0.3076	0.574733-0.3076	-	-		83f9ce294b30a20b62adb1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	s	F	max	-	0.006685	0.018	0.0259330.018	0.0259330.032618f40a2d4d3a783878e18b1c038						
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	s	Fbar	min	-	0.010575	0.2399330.338867-		-	-		3891e1211ef5e400b04adb1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	s	C	max	-	0.012501	0.0384670.0508670.0384670.0508670.063368e4b7aded1d441dc0743871b								
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	s	Cbar	min	-	0.006252	0.3076	0.4148	-0.3076	-0.4148	-	1ba424655890915c1fadb1c038			
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	a	F	max	-	0.010462	0.018	0.0619330.018	0.0619330.072396d3b763caad816bf1408f958						
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	a	Fbar	min	0.0400610.2399330.343933-			-	-		06cb9fc8eb7ee187061adb1c038				
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	a	C	max	-	0.012542	0.0384670.0927330.0384670.0927330.105276e48a13770881c2060dc0571b								
71c08f05cdaf2cc960b09dN64lmhgr06cm58fn2et12b	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	Best				1	a	Cbar	min	0.0398620.3076	0.4154	-0.3076	-0.4154	-		9cf3e64087916a30c7adb1c038				
53959d11f4065480e73387N0476188YbHm2ANtcs0	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	70c6d1000a8546cs87b1e	individual	SimpleAvg				11	g	F	max	-	0.023958	0.0117330.0317330.0117330.0317330.05569232aadaa1f2d1ad1d5bc5852f2f								

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	g	Fbar	min	-0.065983	0.2901330.587933-	0.2901330.5879330.52195	-	-	-	71870e37782e52267a45ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	71870e37782e52267a45ag1d5	71870e37782e52267a45ag1d5	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	g	C	max	-0.031555	0.02860.0700670.0286	0.0700670.101621ca0f8e136d1b5f15ac819d2ag1d5	0.0286	0.0700670.101621ca0f8e136d1b5f15ac819d2ag1d5	0.0700670.101621ca0f8e136d1b5f15ac819d2ag1d5	0.0700670.101621ca0f8e136d1b5f15ac819d2ag1d5	0.0700670.101621ca0f8e136d1b5f15ac819d2ag1d5	0.0700670.101621ca0f8e136d1b5f15ac819d2ag1d5		
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	g	Cbar	min	-0.063614	0.3590.694533-0.359	-0.6945330.630919	-	-	-	8b7e3d0c3d1b3211v2a95ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	8b7e3d0c3d1b3211v2a95ag1d5	8b7e3d0c3d1b3211v2a95ag1d5	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	p	F	max	-0.027524	0.0117330.0202670.0117330.0202670.04779	0.0117330.0202670.04779	0.0117330.0202670.04779	0.0117330.0202670.04779	0.0117330.0202670.04779	10d6906cd17b38d16141f6ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	10d6906cd17b38d16141f6ag1d5	10d6906cd17b38d16141f6ag1d5	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	p	Fbar	min	-0.073063	0.2901330.546467-	0.2901330.5464670.473404	-	-	-	cacale144b1070990a34d1ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	cacale144b1070990a34d1ag1d5	cacale144b1070990a34d1ag1d5	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	p	C	max	-0.032786	0.02860.0594670.0286	0.0594670.0922539a811f1bf687b6cava08ag1d5	0.0286	0.0594670.0922539a811f1bf687b6cava08ag1d5	0.0594670.0922539a811f1bf687b6cava08ag1d5	0.0594670.0922539a811f1bf687b6cava08ag1d5	0.0594670.0922539a811f1bf687b6cava08ag1d5	0.0594670.0922539a811f1bf687b6cava08ag1d5		
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	p	Cbar	min	-0.07142	0.3590.652333-0.359	-0.6523330.580914	-	-	-	309e2d799d38dra1vb5m6ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	309e2d799d38dra1vb5m6ag1d5	309e2d799d38dra1vb5m6ag1d5	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	s	F	max	-0.007236	0.0117330.0189330.0117330.0189330.02616939839bb6f14091ab85ag1d5	0.0117330.0189330.02616939839bb6f14091ab85ag1d5	0.0117330.0189330.02616939839bb6f14091ab85ag1d5	0.0117330.0189330.02616939839bb6f14091ab85ag1d5	0.0117330.0189330.02616939839bb6f14091ab85ag1d5	0.0117330.0189330.02616939839bb6f14091ab85ag1d5	0.0117330.0189330.02616939839bb6f14091ab85ag1d5			
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	s	Fbar	min	-0.04312	0.2901330.405333-	0.2901330.4053330.362214	-	-	-	7d4b88bf080c1b7621628f1b7	ca0f8e136d1b5f15ac819d2ag1d5	7d4b88bf080c1b7621628f1b7	7d4b88bf080c1b7621628f1b7	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	s	C	max	-0.00948	0.02860.0440.0286	0.0440.053480.0597e52cd06af0240b906f5ag1d5	0.0286	0.0440.053480.0597e52cd06af0240b906f5ag1d5	0.0440.053480.0597e52cd06af0240b906f5ag1d5	0.0440.053480.0597e52cd06af0240b906f5ag1d5	0.0440.053480.0597e52cd06af0240b906f5ag1d5	0.0440.053480.0597e52cd06af0240b906f5ag1d5		
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	s	Cbar	min	-0.04005	0.3590.4848-0.359	-0.4848-0.44475	-	-	-	5a59f1540235420a08cd7d6ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	5a59f1540235420a08cd7d6ag1d5	5a59f1540235420a08cd7d6ag1d5	
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	a	F	max	-0.009605	0.0117330.0533330.0117330.0533330.06293818440113a87696655784ag1d5	0.0117330.0533330.06293818440113a87696655784ag1d5	0.0117330.0533330.06293818440113a87696655784ag1d5	0.0117330.0533330.06293818440113a87696655784ag1d5	0.0117330.0533330.06293818440113a87696655784ag1d5	0.0117330.0533330.06293818440113a87696655784ag1d5	0.0117330.0533330.06293818440113a87696655784ag1d5			
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	a	Fbar	min	0.0435660.2901330.391667-	-0.3916670.435233	-	-	-	0479bd94d1b5b677ed23421ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	0479bd94d1b5b677ed23421ag1d5	0479bd94d1b5b677ed23421ag1d5		
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	a	C	max	-0.008717	0.02860.0830670.0286	0.0830670.091784e005ed939f1ee7599695ag1d5	0.0286	0.0830670.091784e005ed939f1ee7599695ag1d5	0.0830670.091784e005ed939f1ee7599695ag1d5	0.0830670.091784e005ed939f1ee7599695ag1d5	0.0830670.091784e005ed939f1ee7599695ag1d5	0.0830670.091784e005ed939f1ee7599695ag1d5		
53959d11f4065480e7b38g7N94761g8NbfHfag29dN7es0	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	5000	7fb5A4462S	SimpleAvg			11	a	Cbar	min	0.0417280.359	0.465867-0.359	-0.4658670.507595	-	-	-	e2b95ce2158f9f470a462d1ff	ca0f8e136d1b5f15ac819d2ag1d5	e2b95ce2158f9f470a462d1ff	e2b95ce2158f9f470a462d1ff	
c7e5daf417f8aae9548b1g4N91463gdN5f6a424N76es9	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	7343359966891b1d07d5ee	SimpleAvg				11	g	F	max	-0.026976	0.01560.03440.0156	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	0.0156	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	0.03440.06137632aadaa1f2d1da1dbcb85ag1d5	
c7e5daf417f8aae9548b1g4N91463gdN5f6a424N76es9	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	7343359966891b1d07d5ee	SimpleAvg				11	g	Fbar	min	-0.064888	0.30340.597-0.3034	-0.597-0.532112	-	-	-	71870e37782e52267a45ag1d5	ca0f8e136d1b5f15ac819d2ag1d5	71870e37782e52267a45ag1d5	71870e37782e52267a45ag1d5	
c7e5daf417f8aae9548b1g4N91463gdN5f6a424N76es9	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	7343359966891b1d07d5ee	SimpleAvg				11	g	C	max	-0.039731	0.03640.07140.0364	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	0.0364	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	0.07140.111131ca0f8e136d1b5f15ac819d2ag1d5	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	g	Cbar	min	-0.063058	-	0.3704	0.7024	-0.3704	-0.7024	-0.639342	8b7e3d0cf8832d1v2a95n9t1c	8b7e3d0cf8832d1v2a95n9t1c	8b7e3d0cf8832d1v2a95n9t1c	8b7e3d0cf8832d1v2a95n9t1c
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	p	F	max	-0.028186	-	0.0156	0.0248	0.0156	0.0248	0.05298610d6906cf17b38d164f1f69c2	0.05298610d6906cf17b38d164f1f69c2	0.05298610d6906cf17b38d164f1f69c2	0.05298610d6906cf17b38d164f1f69c2	
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	p	Fbar	min	-0.069698	-	0.3034	0.5538	-0.3034	-0.5538	-0.484102	cacale14f11070990a34f1d14d	0.484102	0.484102	0.484102
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	p	C	max	-0.037767	-	0.0364	0.0634	0.0364	0.0634	0.1011679a811f1bf87b6d1a08a227f	0.1011679a811f1bf87b6d1a08a227f	0.1011679a811f1bf87b6d1a08a227f	0.1011679a811f1bf87b6d1a08a227f	
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	p	Cbar	min	-0.071165	-	0.3704	0.661	-0.3704	-0.661	-0.589835	309e2d79f58dca1b55a62bf	0.589835	0.589835	0.589835
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	s	F	max	-0.008301	-	0.0156	0.0224	0.0156	0.0224	0.03070139839bb6f1f409dab85mg7c4	0.03070139839bb6f1f409dab85mg7c4	0.03070139839bb6f1f409dab85mg7c4	0.03070139839bb6f1f409dab85mg7c4	
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	s	Fbar	min	-0.0295	-0.0295	0.3034	0.4038	-0.3034	-0.4038	-0.3743	7d4b88b0f8806b76216282b7	0.3743	0.3743	0.3743
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	s	C	max	-0.012891	-	0.0364	0.0484	0.0364	0.0484	0.0612910597e52d1b6ba0240b906f5af	0.0612910597e52d1b6ba0240b906f5af	0.0612910597e52d1b6ba0240b906f5af	0.0612910597e52d1b6ba0240b906f5af	
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	s	Cbar	min	-0.031077	-	0.3704	0.486	-0.3704	-0.486	-0.454923	5a59f1542235429a08d4d7d1c5	0.454923	0.454923	0.454923
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	a	F	max	-0.011678	-	0.0156	0.057	0.0156	0.057	0.06867818440113a87c9a665f584d83f5	0.06867818440113a87c9a665f584d83f5	0.06867818440113a87c9a665f584d83f5	0.06867818440113a87c9a665f584d83f5	
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	a	Fbar	min	0.0417960	0.0417960	0.3034	0.4036	-0.3034	-0.4036	-0.445396	0479bd94fd55b677cd3342b8	0.445396	0.445396	0.445396
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	a	C	max	-0.015206	-	0.0364	0.0876	0.0364	0.0876	0.102806e005ed93911ce7599e95fmd13b5	0.102806e005ed93911ce7599e95fmd13b5	0.102806e005ed93911ce7599e95fmd13b5	0.102806e005ed93911ce7599e95fmd13b5	
c7e5daf417f8aae9548b9d791463gdN5Fm424N76cs	ImageNet-vit-b16				734335006891	h107d5ec	SimpleAvg			11	a	Cbar	min	0.0387430	0.0387430	0.3704	0.4776	-0.3704	-0.4776	-0.516343	e2b95c2158f9fbd17e9462d1ff	0.516343	0.516343	0.516343
50f9cc693f52618a011us87f91dmg8fbNe4hg27Nats7	ImageNet-vit-b16				77f46e38006aa2NA	ME8Borda				11	g	F	max	-0.025369	-	0.0158670	0.0364	0.0158670	0.0364	0.06176932aadaa1f2d1dada8bc8552f2f	0.06176932aadaa1f2d1dada8bc8552f2f	0.06176932aadaa1f2d1dada8bc8552f2f	0.06176932aadaa1f2d1dada8bc8552f2f	
50f9cc693f52618a011us87f91dmg8fbNe4hg27Nats7	ImageNet-vit-b16				77f46e38006aa2NA	ME8Borda				11	g	Fbar	min	-0.051341	-	0.2634670	0.552867-	-	-	-	71870e3782e5d267a45a61d	0.552867-	0.552867-	0.552867-
50f9cc693f52618a011us87f91dmg8fbNe4hg27Nats7	ImageNet-vit-b16				77f46e38006aa2NA	ME8Borda				11	g	C	max	-0.032288	-	0.0334670	0.0752670	0.0334670	0.0752670	0.107555ca0f8e136d15f151c819d9e26	0.107555ca0f8e136d15f151c819d9e26	0.107555ca0f8e136d15f151c819d9e26	0.107555ca0f8e136d15f151c819d9e26	
50f9cc693f52618a011us87f91dmg8fbNe4hg27Nats7	ImageNet-vit-b16				77f46e38006aa2NA	ME8Borda				11	g	Cbar	min	-0.050085	-	0.3294	0.659133-	0.3294	-	-	8b7e3d0cf8832d1v2a95n9t1c	0.659133-	0.659133-	0.659133-
50f9cc693f52618a011us87f91dmg8fbNe4hg27Nats7	ImageNet-vit-b16				77f46e38006aa2NA	ME8Borda				11	p	F	max	-0.025611	-	0.0158670	0.0277330	0.0158670	0.0277330	0.05334410d6906cf17b38d164f1f69c2	0.05334410d6906cf17b38d164f1f69c2	0.05334410d6906cf17b38d164f1f69c2	0.05334410d6906cf17b38d164f1f69c2	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded method
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	p	Fbar	min	-0.0611	0.2634670.513	-0.263467	-0.513	-0.4519	cacale14fH070990a340ig4d	14fH070990a340ig4d	0.088237			
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	p	C	max	-0.030548	0.0334670.0672670.0334670.0672670.0978159a811fbf87b6ave088e237									
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	p	Cbar	min	-0.061651	0.32940.6194	-0.3294	-0.6194	-0.557749	309e2d79f458dca1vb5sm69bf					
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	s	F	max	-0.007013	0.0158670.024	0.0158670.024	0.03101339839bb66f140ad1vb85mgleF							
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	s	Fbar	min	-0.03328	0.2634670.3712	-0.263467	-0.3712	-0.33792	7d4b88b00806b176216285b7					
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	s	C	max	-0.007753	0.0334670.0506	0.0334670.0506	0.0583530597e52d7b6a6a240900fha5							
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	s	Cbar	min	-0.032531	0.32940.450867-0.3294	-0.4508670.418335	-	-	5a59f1542235420a08ad7d6f					
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	a	F	max	-0.011607	0.0158670.0574670.0158670.0574670.06907418440113									
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	a	Fbar	min	0.0540050.2634670.3608	-0.263467	-0.3608	-0.414805	0479bd94d55b677e234218f						
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	a	C	max	-0.010861	0.0334670.0878	0.0334670.0878	0.098661e005ed939ille7599f95mgl3B5							
50f9cc693f52618a011us37f6limgfBNebhg27Nats77f46e38006aa2NA	ME8	Borda	ImageNet-vit-b16							11	a	Cbar	min	0.0510820.3294	0.4338	-0.3294	-0.4338	-0.484882	e2b95c2158f9bd7a9462d4f					
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	g	F	max	-0.024141	0.01680.039	0.0168	0.039	0.06314132aadaa1f2kldad18c552f2f						
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	g	Fbar	min	-0.050704	0.28040.5652	-0.2804	-0.5652	-0.514496	71870e37b82e52267a45ag1d5					
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	g	C	max	-0.033926	0.03820.0794	0.0382	0.0794	0.113326ca0f8e136d5f548e19d9gl26						
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	g	Cbar	min	-0.049174	0.34940.673	-0.3494	-0.673	-0.623826	8b7e3d0d3d8832b1b2a95ag1d5					
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	p	F	max	-0.024598	0.01680.03	0.0168	0.03	0.05459810d6906cad7b38d1c41ff9ce2						
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	p	Fbar	min	-0.063645	0.28040.5292	-0.2804	-0.5292	-0.465555	cacale14fH070990a340ig4d					
8cfd67ab1b3fbd1d1a88b5e44099b56f10e41Nc104112131300d079b63a72ab3	Borda		ImageNet-vit-b16							11	p	C	max	-0.028625	0.03820.0746	0.0382	0.0746	0.1032259a811fbf87b6ave088e237						

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	p	Cbar	min	-0.063199	0.3494	0.6366	-0.3494	-0.6366	-0.573401	309e2d79f9d58cnaive5single	66f1409ab85single		
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	s	F	max	-0.006307	0.0168	0.0258	0.0168	0.0258	0.03210739839bbb	66f1409ab85single			
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	s	Fbar	min	-0.027453	0.2804	0.3808	-0.2804	-0.3808	-0.353347	7d4b88b0f8006b76216285bf	66f1409ab85single		
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	s	C	max	-0.011293	0.0382	0.0518	0.0382	0.0518	0.0630930597e52d4b6af24eb906f5af	66f1409ab85single			
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	s	Cbar	min	-0.022417	0.3494	0.4586	-0.3494	-0.4586	-0.436183	5a59f1542235429a084d7d1c6	66f1409ab85single		
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	a	F	max	-0.00906	0.0168	0.0614	0.0168	0.0614	0.07046	18440113a87696655784d93f	66f1409ab85single		
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	a	Fbar	min	0.0439770	0.2804	0.3838	-0.2804	-0.3838	-0.427777	0479bd94fd5b677cd34218f	66f1409ab85single		
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	a	C	max	-0.01375	0.0382	0.0916	0.0382	0.0916	0.10535	e005ed930b1e7599e95c6d35	66f1409ab85single		
8cfd67ab1b3fbd1d0a89b5e44099b56f10e41Ne10s1	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	21313000	079b63a72ab3	Borda				11	a	Cbar	min	0.0402290	0.3494	0.46	-0.3494	-0.46	-0.500229	e2b95c21f58f9b47e9462d1ff	66f1409ab85single		
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	g	F	max	-0.020572	0.0168670	0.0426670	0.0168670	0.0426670	0.06323932aadaa	12d1da1d8bc5522f2f			
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	g	Fbar	min	-0.045268	0.2554670	0.540667-	-0.2554670	-0.5406670	-0.495399	71870e37b82e52267a45a60d	66f1409ab85single		
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	g	C	max	-0.026787	0.0351330	0.0828	0.0351330	0.0828	0.109587ca0f8e136d15f151c819d9e2f	66f1409ab85single			
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	g	Cbar	min	-0.04437	0.3220670	0.648	-0.322067	-0.648	-0.60363	8b7e3d0cd883241v2a959b1e	66f1409ab85single		
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	p	F	max	-0.023154	0.0168670	0.0315330	0.0168670	0.0315330	0.05468810d6906d47b38dd644f169e2	66f1409ab85single			
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	p	Fbar	min	-0.053285	0.2554670	0.498733-	-0.2554670	-0.4987330	0.445448	cacale14f8b070990a3401d4d	66f1409ab85single		
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	p	C	max	-0.025253	0.0351330	0.0744670	0.0351330	0.0744670	0.09972	9a81f1bf87b60a1e088e27f	66f1409ab85single		
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	p	Cbar	min	-0.053257	0.3220670	0.605267-	-0.3220670	-0.6052670	0.55201	309e2d79f9d58cnaive5single	66f1409ab85single		
7c52b5df6a616775f005270a8b78af82d359bNb2c91fb3000	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	3000	817a574d0e73	RRF				11	s	F	max	-0.006185	0.0168670	0.026	0.0168670	0.026	0.03218539839bbb	66f1409ab85single			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
c636cc503250dba5f700802e414a38e584mf8jaN8250c1c4f5b3000167da20bd062	Kemeny	ImageNet	vit-b16	test	50000	167	max				11	a	Cbar	min	0.0471230.3404	0.4462	-0.3404	-0.4462	-	e2b95c2158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	g	F	max	-0.024815	0.0188	0.0412670.0188	0.0412670.06608132aadaa12d1daa18bc5852f2f	0.06608132aadaa12d1daa18bc5852f2f	0.06608132aadaa12d1daa18bc5852f2f	0.06608132aadaa12d1daa18bc5852f2f	0.06608132aadaa12d1daa18bc5852f2f		
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	g	Fbar	min	-0.044684	0.2555330.540133-	-	-	-	71870e37782e52267a45a60e	782e52267a45a60e	782e52267a45a60e	782e52267a45a60e	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	g	C	max	-0.028931	0.0364	0.0822	0.0364	0.0822	0.111131ca0f8e136dd5f151e819Dug12f	ca0f8e136dd5f151e819Dug12f	ca0f8e136dd5f151e819Dug12f	ca0f8e136dd5f151e819Dug12f	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	g	Cbar	min	-0.043393	0.3226670.647467-	-	-	-	8b7e3d0d3d1832b1v2a95ngt1e	3d1832b1v2a95ngt1e	3d1832b1v2a95ngt1e	3d1832b1v2a95ngt1e	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	p	F	max	-0.027619	0.0188	0.0296670.0188	0.0296670.05728510d6906c4b7b385d6c41f6g9e2	0.05728510d6906c4b7b385d6c41f6g9e2	0.05728510d6906c4b7b385d6c41f6g9e2	0.05728510d6906c4b7b385d6c41f6g9e2	0.05728510d6906c4b7b385d6c41f6g9e2		
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	p	Fbar	min	-0.057498	0.2555330.503	-	-0.503	-	cacale14f0070990c340d1d4d	0070990c340d1d4d	0070990c340d1d4d	0070990c340d1d4d	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	p	C	max	-0.026634	0.0364	0.0745330.0364	0.0745330.1011679a811f1bf87b6a1ve088e2b7	0.1011679a811f1bf87b6a1ve088e2b7	0.1011679a811f1bf87b6a1ve088e2b7	0.1011679a811f1bf87b6a1ve088e2b7	0.1011679a811f1bf87b6a1ve088e2b7		
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	p	Cbar	min	-0.05612	0.3226670.6086	-	-0.6086	-	309e2d79f3d3dra1vb5a600b	f3d3dra1vb5a600b	f3d3dra1vb5a600b	f3d3dra1vb5a600b	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	s	F	max	-0.007451	0.0188	0.027	0.0188	0.027	0.03445139839bb6f6f140adab85mg7e4	03445139839bb6f6f140adab85mg7e4	03445139839bb6f6f140adab85mg7e4	03445139839bb6f6f140adab85mg7e4	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	s	Fbar	min	-0.028773	0.2555330.359467-	-	-	-	7d4b88b00806f76216285b7	00806f76216285b7	00806f76216285b7	00806f76216285b7	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	s	C	max	-0.006691	0.0364	0.0546	0.0364	0.0546	0.0612910597e52d1b6a0246b906f5a5	0612910597e52d1b6a0246b906f5a5	0612910597e52d1b6a0246b906f5a5	0612910597e52d1b6a0246b906f5a5	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	s	Cbar	min	-0.02434	0.3226670.436667-	-	-	-	5a59f1540235409x08cd7d1d5	0235409x08cd7d1d5	0235409x08cd7d1d5	0235409x08cd7d1d5	
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	a	F	max	-0.012495	0.0188	0.0609330.0188	0.0609330.07342818440113a87696655784g93E	0.07342818440113a87696655784g93E	0.07342818440113a87696655784g93E	0.07342818440113a87696655784g93E	0.07342818440113a87696655784g93E		
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	a	Fbar	min	0.0573280.2555330.3514	-	-0.3514	-	0479bd49d4f5b677c2342b8f	0479bd49d4f5b677c2342b8f	0479bd49d4f5b677c2342b8f	0479bd49d4f5b677c2342b8f		
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	max				11	a	C	max	-0.01134	0.0364	0.0914670.0364	0.0914670.102806e005ed939b1e7599e95fmd13b5	0.102806e005ed939b1e7599e95fmd13b5	0.102806e005ed939b1e7599e95fmd13b5	0.102806e005ed939b1e7599e95fmd13b5	0.102806e005ed939b1e7599e95fmd13b5		
81c76e8c426cf34795937eNell784d6N24b9gfdN22Pstdd75600038e4N5ALVH	Schulze	ImageNet	vit-b16	test	50000	38e4	min				11	a	Cbar	min	0.0558490.3226670.423867-	-	-	-	e2b95c2158f9b47e9462d4d1ff	e2b95c2158f9b47e9462d4d1ff	e2b95c2158f9b47e9462d4d1ff	e2b95c2158f9b47e9462d4d1ff		
28f69ab4d409f2412f4ed7b0d4d65N5Dz8g1N79826f6b20009315a407cbe5	Schulze	ImageNet	vit-b16	test	50000	315a407	max				11	g	F	max	-0.021717	0.0176	0.0426	0.0176	0.0426	0.06431732aadaa12d1daa18bc5852f2f	06431732aadaa12d1daa18bc5852f2f	06431732aadaa12d1daa18bc5852f2f	06431732aadaa12d1daa18bc5852f2f	

Table 75: effective robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
71c08f05cdaf2cc960b009d3441b1b6c06f4d58f62423b70c6d300ca85a46a87b1e	Best	ImageNet	vit-b16	test	70c6d300ca85a46a87b1e	individual	Individual				1	{'C': 'Chefer-Trans-former-At-tribution', 'Cbar': 'GradientAttention-Roll-out', 'F': 'IntegratedGradients', 'Fbar': 'GradientAttention-Roll-out'}		-	-	-	-	-	-	-	-	-	-	-	-
														0.02078	0.01060	0.03498	0.00825	0.02154	0.02417	0.03037	0.02020	0.00668	0.01057	0.00570	0.00570
53959d11f4065480e773387594761a387bffa29d7a7e0b59ac500be7fb5144625	SimpleAvg	ImageNet	vit-b16	test	500be7fb5144625						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.02395	0.06598	0.03155	0.06361	0.02752	0.07306	0.03278	0.07142	0.00723	0.04312	0.00431	0.00431
c7e5daf417f8aae9548b2bf701463d4d5f6a4247c76a9734330066891b1d07d5e	SimpleAvg	ImageNet	vit-b16	test	734330066891b1d07d5e						11			-	-	-	-	-	-	-	-	-0.0295	-	-	-
														0.02697	0.06488	0.03973	0.06305	0.02818	0.06969	0.03776	0.07116	0.00830	0.00830	0.00830	0.00830
50f9cc693f52618a011a827f61a8fb1b0c271e1b877f46e39006aa2NA4ME8	Borda	ImageNet	vit-b16	test	77f46e39006aa2NA4ME8						11			-	-	-	-	-0.0611	-	-	-	-	-	-	-
														0.02536	0.05134	0.03228	0.05008	0.02561		0.03054	0.06165	0.00701	0.03328	0.00328	0.00328
8cfd67ab1b3fbd1d15a8b5e44099b56f10a411e104d12131200d079b63a72ab3	Borda	ImageNet	vit-b16	test	12131200d079b63a72ab3						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.02414	0.05070	0.03392	0.04917	0.02459	0.06364	0.02862	0.05063	0.00630	0.02745	0.00274	0.00274
7c52b5df6a616775fb06270c8b784f82d359b1b2c1c91fb3000817a17440E73	RRF	ImageNet	vit-b16	test	3000817a17440E73						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.02057	0.04526	0.02678	0.04437	0.02315	0.04053	0.02850	0.02525	0.00618	0.02970	0.00297	0.00297
7cf5de91675761ff31533bd3e4525495611a9d11a695740da150067e5315d229c4	RRF	ImageNet	vit-b16	test	150067e5315d229c4						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.01991	0.05313	0.02255	0.05339	0.02027	0.05741	0.02371	0.05772	0.00284	0.02650	0.00265	0.00265
f4b40892c69284754609g2f8d1f8f626ff1a9d11a695740da150067e5315d229c4	Kemeny	ImageNet	vit-b16	test	150067e5315d229c4						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.02343	0.04216	0.02782	0.03998	0.02670	0.05308	0.02822	0.05248	0.00755	0.02845	0.00284	0.00284
c636cc503250dba5ff00892e44a33b1811f81a382501c4f5bb3009167ca2D	Kemeny	ImageNet	vit-b16	test	3009167ca2D						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.02028	0.04628	0.02441	0.04222	0.02408	0.06007	0.02628	0.05844	0.00445	0.02565	0.00256	0.00256
81c76e8c426cf34795537e1e07734d65224b09d522b1cdd756f0038e4N5A2VH	Schulze	ImageNet	vit-b16	test	150038e4N5A2VH						11			-	-	-	-	-	-	-	-	-	-	-	-
														0.02481	0.04468	0.02893	0.04339	0.02761	0.05749	0.02663	0.05612	0.00745	0.02877	0.00287	0.00287
28f69ab4d409f2412f1e0b1b0d1c750a284b179826f6bE2009315a4d07cbe5	Schulze	ImageNet	vit-b16	test	15009315a4d07cbe5						11			-	-	-0.0272	-	-	-	-	-	-	-	-	-
														0.02171	0.05497		0.05293	0.02267	0.06361	0.02288	0.06310	0.00344	0.02519	0.00251	0.00251

Table 76: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
0479bd94d55b6777f1a3a2289f5b365243b2954e7ab81c7bfc656379008383047660450_7660450_7660450_False	ImageNet-vit-b16	0.006349	1c56355395e172468625684117b85369a1e91e013071e001d372f		1	0.006349	0.006349	0.006349	False	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerA
0597e52db66af02400063b491c56355395e172468625684117b85369a1e91e013071e001d372f	ImageNet-vit-b16	0.006349	1c56355395e172468625684117b85369a1e91e013071e001d372f		1	0.006349	0.006349	0.006349	False	0.011511	0.035763	0.932338	-0.601	-0.095	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerA
06cb9fc8eb7ed872f11a701fba29623a30cc0b66f903e40f9058a488B50b61d0e827d6p0.827d6p0.827d6p	ImageNet-vit-b16	0.008833	0.033228	0.938289	-0.601	-0.1014	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerA								
10d6906cd7b38fd61a1a6902f1bb0a349a453728fa7d8c2309470aaef4e0d2f7a1v4362p1.3436224f	ImageNet-vit-b16	0.002577	0.016921	0.826658	0.0008	0.0838	0.0066	0.1386	AttentionGradCAM;CheferTransformerA								
18440113e8769665f584d934f5ca7a310fcd851702d4f5991329e37c59af1e66t1v4843p1.484338f	ImageNet-vit-b16	0.003508	0.019744	0.810454	0.0008	0.0838	0.0232	0.163	AttentionGradCAM;CheferTransformerA								
1ba424655890915c11a9a1c036af16b9a85231f6ad452010f0fambB0b6a01v47310p0.847d6p0.847d6p	ImageNet-vit-b16	0.016425	0.045312	0.904425	-0.6802	-0.1534	-0.7142	-0.2438	AttentionGradCAM;CheferTransformerA								
309e2d79b58dca1a1b5a600f079b29df3ef71ad4e6ca15061f04eb6c189dcb7d0v782588p0.782588f	ImageNet-vit-b16	0.046077	0.071552	0.801055	-0.6802	-0.1426	-0.8032	-0.366	AttentionGradCAM;CheferTransformerA								
32aadaa12ddabd81c8522f6f28247b4991b2618eaa18b804a4a42458af42p01v47039p1.470339f	ImageNet-vit-b16	0.003515	0.019761	0.807202	0.0008	0.0838	0.0114	0.156	AttentionGradCAM;CheferTransformerA								
3891e121fd5b4cdc1a1a2e3533e0f9bdef00e766061cb18c89d0308f1e6a0v85453p0.854533f	ImageNet-vit-b16	0.016471	0.045374	0.896935	-0.601	-0.1014	-0.6238	-0.173	AttentionGradCAM;CheferTransformerA								
39839bb66f1409dab55a784f73d5d6272ab445b18a1303edfb75285e01b5901471888p1.701888f	ImageNet-vit-b16	0.000719	0.008936	0.928616	0.0008	0.0838	0.0028	0.11	AttentionGradCAM;CheferTransformerA								
57576a8401192ded10160002570a7d9e054130022700f7d302db79a476dga1034683p1.346834f	ImageNet-vit-b16	0.002187	0.016533	0.849534	0.0008	0.0838	0.0066	0.1386	AttentionGradCAM;CheferTransformerA								
5a59f1542235429a5b1a7c865254db6298682c2222b5a6521f6f05e20281a9f0v89230p0.892397f	ImageNet-vit-b16	0.017985	0.044702	0.930624	-0.6802	-0.1426	-0.7142	-0.2198	AttentionGradCAM;CheferTransformerA								
6e360779044ba0bee1a21e0385a12671eg8f573b8B1a25a0810c5d6a4a806329v47256p1.472768f	ImageNet-vit-b16	0.003272	0.020225	0.818562	0.0008	0.0838	0.0114	0.156	AttentionGradCAM;CheferTransformerA								
71870e37c82e52267a456Ne4fba1650hg178adcd01114bf002cdf9014a356g10v76594p0.765916f	ImageNet-vit-b16	0.039445	0.066203	0.800786	-0.601	-0.095	-0.7268	-0.3224	AttentionGradCAM;CheferTransformerA								
7d4b88b02806fb762162b557f1e1c6b03232d115412d337809b3c0cf0e325d0v810906p0.910996f	ImageNet-vit-b16	0.018756	0.045651	0.922836	-0.601	-0.095	-0.6238	-0.1456	AttentionGradCAM;CheferTransformerA								
83f9ce294b30a2e16d30e7c1d7e19eb56063d1b0d1e2140395cd8f50360v71756p0.747760f	ImageNet-vit-b16	0.042884	0.073215	0.722395	-0.6802	-0.1534	-0.8032	-0.3814	AttentionGradCAM;CheferTransformerA								
8b7e3d0d3b832bb2a050N0f53889c3aa6f7757676995d85104a31aaab3d0v73886p0.738862f	ImageNet-vit-b16	0.040854	0.067375	0.801901	-0.6802	-0.1426	-0.8402	-0.4236	AttentionGradCAM;CheferTransformerA								

Table 77: effective robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

[illegible]

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	reference excluded	excluded method
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				g	Cbar	min	0.0295250.1744	0.465	-0.1744	-0.465	-	8b7e3d0cf88324iv2a95n9t1c	8b7e3d0cf88324iv2a95n9t1c	8b7e3d0cf88324iv2a95n9t1c	8b7e3d0cf88324iv2a95n9t1c		
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				p	F	max	0.0131140.0642	0.1314	0.0642	0.1314	0.11828610d6906cf87b38d1644f169e2	0.11828610d6906cf87b38d1644f169e2	0.11828610d6906cf87b38d1644f169e2	0.11828610d6906cf87b38d1644f169e2			
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				p	Fbar	min	0.03591 0.1174	0.2982	-0.1174	-0.2982	-	cacale14f8070290a34m144d	0.03591 0.1174	0.2982	-0.1174	-0.2982	
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				p	C	max	0.0216860.1032	0.1992	0.1032	0.1992	0.1775149a811f1bf87b60a1e088e2b7f	0.1775149a811f1bf87b60a1e088e2b7f	0.1775149a811f1bf87b60a1e088e2b7f	0.1775149a811f1bf87b60a1e088e2b7f			
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				p	Cbar	min	0.0406480.1744	0.3958	-0.1744	-0.3958	-	309e2d79f58dca1b5a606bf	0.0406480.1744	0.3958	-0.1744	-0.3958	
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				s	F	max	0.0005460.0642	0.0882	0.0642	0.0882	0.08765439839bb6f1f140adab85sm7e4	0.08765439839bb6f1f140adab85sm7e4	0.08765439839bb6f1f140adab85sm7e4	0.08765439839bb6f1f140adab85sm7e4			
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				s	Fbar	min	0.0214540.1174	0.1834	-0.1174	-0.1834	-	7d4b88b6f880cfb76216285bf	0.0214540.1174	0.1834	-0.1174	-0.1834	
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				s	C	max	0.0072170.1032	0.1354	0.1032	0.1354	0.1281830597e52d4b6af240b906f5af	0.1281830597e52d4b6af240b906f5af	0.1281830597e52d4b6af240b906f5af	0.1281830597e52d4b6af240b906f5af			
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				s	Cbar	min	0.0244140.1744	0.2556	-0.1744	-0.2556	-	5a59f1549235429e08c4d7de5	0.0244140.1744	0.2556	-0.1744	-0.2556	
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				a	F	max	- 0.013422	0.0642	0.1274	0.0642	0.1274	0.14082218440113a87696655784d93f5	- 0.013422	0.0642	0.1274	0.0642	
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				a	Fbar	min	- 0.084088	0.1174	0.387	-0.1174	-0.387	-	0479bd94fd55b677cd342b8f	- 0.084088	0.1174	0.387	-0.1174
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				a	C	max	- 0.015202	0.1032	0.182	0.1032	0.182	0.197202e005ed939f1ce7599e95fmd3b5	- 0.015202	0.1032	0.182	0.1032	
9d43349d8a8fdb13	1a57gdN5f869Ne4c31a5500X1a2ecN0H5T1c	ImageNet-vit-b16	NeuralNet	ImageNet	31a5500X1a2ecN0H5T1c	simpleavg	spearman				a	Cbar	min	- 0.093254	0.1744	0.4592	-0.1744	-0.4592	-	e2b95c2158f9fbd17e9462d1ff	- 0.093254	0.1744	0.4592	-0.1744
95bfe0f53576a316d4bb2a5419mag4Nf0mag490321stb31f13000ddeca78e25743borda	ImageNet-vit-b16	NeuralNet	ImageNet	31f13000ddeca78e25743borda	spearman						g	F	max	0.0176820.0478	0.1264	0.0478	0.1264	0.10871832aadaa1f2d4dand5bc8552f2f	0.0176820.0478	0.1264	0.0478	0.1264		
95bfe0f53576a316d4bb2a5419mag4Nf0mag490321stb31f13000ddeca78e25743borda	ImageNet-vit-b16	NeuralNet	ImageNet	31f13000ddeca78e25743borda	spearman						g	Fbar	min	0.0637230.2256	0.4088	-0.2256	-0.4088	-	71870e37f82e5d267a45a61d	0.0637230.2256	0.4088	-0.2256	-0.4088	
95bfe0f53576a316d4bb2a5419mag4Nf0mag490321stb31f13000ddeca78e25743borda	ImageNet-vit-b16	NeuralNet	ImageNet	31f13000ddeca78e25743borda	spearman						g	C	max	0.0282660.0802	0.1928	0.0802	0.1928	0.164534ca0f8e136cd85f5a1ce819d9d26	0.0282660.0802	0.1928	0.0802	0.1928		
95bfe0f53576a316d4bb2a5419mag4Nf0mag490321stb31f13000ddeca78e25743borda	ImageNet-vit-b16	NeuralNet	ImageNet	31f13000ddeca78e25743borda	spearman						g	Cbar	min	0.0682260.2866	0.5092	-0.2866	-0.5092	-	8b7e3d0cf88324iv2a95n9t1c	0.0682260.2866	0.5092	-0.2866	-0.5092	
95bfe0f53576a316d4bb2a5419mag4Nf0mag490321stb31f13000ddeca78e25743borda	ImageNet-vit-b16	NeuralNet	ImageNet	31f13000ddeca78e25743borda	spearman						p	F	max	0.0207490.0478	0.117	0.0478	0.117	0.09625110d6906cf87b38d1644f169e2	0.0207490.0478	0.117	0.0478	0.117		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded method
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				p	Fbar	min	0.0729630.2256	0.3484	-0.2256	-0.3484	-	0.421363	cacale14bb070990a340144d	14bb070990a340144d	14bb070990a340144d	14bb070990a340144d	
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				p	C	max	0.0303730.0802	0.1816	0.0802	0.1816	0.1512279a811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f		
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				p	Cbar	min	0.0760540.2866	0.4482	-0.2866	-0.4482	-	0.524254	309e2d79f4d5dca1b556696bf	309e2d79f4d5dca1b556696bf	309e2d79f4d5dca1b556696bf	309e2d79f4d5dca1b556696bf	
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				s	F	max	0.0059650.0478	0.0744	0.0478	0.0744	0.06843539839bb661409ad1b8557e1f	39839bb661409ad1b8557e1f	39839bb661409ad1b8557e1f	39839bb661409ad1b8557e1f	39839bb661409ad1b8557e1f		
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				s	Fbar	min	0.0378240.2256	0.2656	-0.2256	-0.2656	-	0.303424	7d4b88b008006b76216285b57	7d4b88b008006b76216285b57	7d4b88b008006b76216285b57	7d4b88b008006b76216285b57	
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				s	C	max	0.0118490.0802	0.117	0.0802	0.117	0.1051510597e52d4b6a6240b900f5a5	1051510597e52d4b6a6240b900f5a5	1051510597e52d4b6a6240b900f5a5	1051510597e52d4b6a6240b900f5a5	1051510597e52d4b6a6240b900f5a5		
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				s	Cbar	min	0.0391410.2866	0.341	-0.2866	-0.341	-	0.380141	5a59f1542235422a08c4d7dcf	5a59f1542235422a08c4d7dcf	5a59f1542235422a08c4d7dcf	5a59f1542235422a08c4d7dcf	
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				a	F	max	0.0049230.0478	0.1214	0.0478	0.1214	0.1164771844011358769665578493f	1844011358769665578493f	1844011358769665578493f	1844011358769665578493f	1844011358769665578493f		
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				a	Fbar	min	-0.083602	0.2256	0.4694	-0.2256	-0.4694	-0.385798	0479bd94d85b677e2342b8f	0479bd94d85b677e2342b8f	0479bd94d85b677e2342b8f	0479bd94d85b677e2342b8f	
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				a	C	max	0.0105	0.0802	0.1752	0.0802	0.1752	0.1647	e005ed9395e7599f95f6d3b5	e005ed9395e7599f95f6d3b5	e005ed9395e7599f95f6d3b5	e005ed9395e7599f95f6d3b5	
95bfe0f53576a316ddbb2a5419c0a490301c	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				a	Cbar	min	-0.09016	0.2866	0.5422	-0.2866	-0.5422	-0.45204	e2b95c2158f9bd7a9462d4ff	e2b95c2158f9bd7a9462d4ff	e2b95c2158f9bd7a9462d4ff	e2b95c2158f9bd7a9462d4ff	
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				g	F	max	0.0176820.0478	0.1264	0.0478	0.1264	0.10871832aadaa1f2ddad18bc552f2f	1832aadaa1f2ddad18bc552f2f	1832aadaa1f2ddad18bc552f2f	1832aadaa1f2ddad18bc552f2f	1832aadaa1f2ddad18bc552f2f		
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				g	Fbar	min	0.0637230.2256	0.4088	-0.2256	-0.4088	-0.472523	71870e37b82e52267a45a61d5	71870e37b82e52267a45a61d5	71870e37b82e52267a45a61d5	71870e37b82e52267a45a61d5		
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				g	C	max	0.0282660.0802	0.1928	0.0802	0.1928	0.164534ca0f8e136d85f543c19d9a26	164534ca0f8e136d85f543c19d9a26	164534ca0f8e136d85f543c19d9a26	164534ca0f8e136d85f543c19d9a26	164534ca0f8e136d85f543c19d9a26		
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				g	Cbar	min	0.0682260.2866	0.5092	-0.2866	-0.5092	-0.577426	8b7e3d0d888321b2a95a9b1d5	8b7e3d0d888321b2a95a9b1d5	8b7e3d0d888321b2a95a9b1d5	8b7e3d0d888321b2a95a9b1d5		
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				p	F	max	0.0207490.0478	0.117	0.0478	0.117	0.09625110d6906c4b7b38516c46169ce2	10d6906c4b7b38516c46169ce2	10d6906c4b7b38516c46169ce2	10d6906c4b7b38516c46169ce2	10d6906c4b7b38516c46169ce2		
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				p	Fbar	min	0.0729630.2256	0.3484	-0.2256	-0.3484	-0.421363	cacale14bb070990a340144d	14bb070990a340144d	14bb070990a340144d	14bb070990a340144d		
b8034ad787e71f5bae496d874f63375c60ea79N751	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	31f13000ddec78c25743	borda	spearman				p	C	max	0.0303730.0802	0.1816	0.0802	0.1816	0.1512279a811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f	811fb687b6a1e088e2b7f		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	reference excluded	excluded method o
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	p	Cbar	min	0.0760540.2866	0.4482	-0.2866	-0.4482	-0.524254	309e2d79f9d3dca1b56696bf	full	naive	56696bf		
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	s	F	max	0.0059650.0478	0.0744	0.0478	0.0744	0.06843539839bbbf140adab8557e1e	full	naive	8557e1e			
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	s	Fbar	min	0.0378240.2256	0.2656	-0.2256	-0.2656	-0.303424	7d4b88b0f8061b76216285bf	full	naive	6216285bf		
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	s	C	max	0.0118490.0802	0.117	0.0802	0.117	0.1051510597e52d1b06a6246b906f5bf	full	naive	6246b906f5bf			
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	s	Cbar	min	0.0391410.2866	0.341	-0.2866	-0.341	-0.380141	5a59f1542215429a084d7dcf	full	naive	4d7dcf		
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	a	F	max	0.0049230.0478	0.1214	0.0478	0.1214	0.11647718440113a87696654578498f	full	naive	4578498f			
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	a	Fbar	min	-0.083602	0.2256	0.4694	-0.2256	-0.4694	-0.385798	0479bd94d4f5b677cd3421bf	full	naive	7cd3421bf	
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	a	C	max	0.0105	0.0802	0.1752	0.0802	0.1752	0.1647	e005ed93b01ce7599f95fcd635	full	naive	95fcd635	
b8034ad787e71f5ba4e96d874f63375c6f9a79c75170c545200542e920f594	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	a	Cbar	min	-0.09016	0.2866	0.5422	-0.2866	-0.5422	-0.45204	e2b95c2158f9b47e9462d1ff	full	naive	9462d1ff	
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	g	F	max	0.0226470.05	0.1346	0.05	0.1346	0.11195332aadaa1f2ddad8bc852f2f	full	naive	8bc852f2f			
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	g	Fbar	min	0.0759050.2684	0.4294	-0.2684	-0.4294	-0.505305	71870e37b82e52367a45a60d	full	naive	52367a45a60d		
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	g	C	max	0.0318820.0856	0.203	0.0856	0.203	0.171118ca0f8e136d15f15bc19d9a25	full	naive	15f15bc19d9a25			
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	g	Cbar	min	0.0798220.3318	0.531	-0.3318	-0.531	-0.610822	8b7e3d0cd1b8321iv2a959b1bf	full	naive	321iv2a959b1bf		
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	p	F	max	0.0271930.05	0.1264	0.05	0.1264	0.09920710d6906c471738dd64461690e2	full	naive	38dd64461690e2			
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	p	Fbar	min	0.0778780.2684	0.378	-0.2684	-0.378	-0.455878	caca1e14f1b070990a3401d4d	full	naive	70990a3401d4d		
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	p	C	max	0.0318010.0856	0.1892	0.0856	0.1892	0.1573999a81f1bf87b60a1e088e27	full	naive	60a1e088e27			
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	p	Cbar	min	0.0814270.3318	0.4782	-0.3318	-0.4782	-0.559627	309e2d79f9d3dca1b56696bf	full	naive	56696bf		
e70f5e8f6d48ab825d8mg533d2h897Nd77047dN664s330b75000b0b71aiv2a8bk	ImageNet-vit-b16	ImageNet	vit-b16	test	50000	50000	50000	50000	50000	50000	s	F	max	0.0113860.05	0.0824	0.05	0.0824	0.07101439839bbbf140adab8557e1e	full	naive	8557e1e			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
36d031ec65acb086d89d6c5b1f453e41b522366d7b34ba500f8809280235bde	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	s	Cbar	min	0.040677	0.3318	0.3798	-0.3318	-0.3798	-	5a59f1542235420x084d7dcd	5a59f1542235420x084d7dcd	5a59f1542235420x084d7dcd	5a59f1542235420x084d7dcd
36d031ec65acb086d89d6c5b1f453e41b522366d7b34ba500f8809280235bde	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	a	F	max	0.001657	0.05	0.1214	0.05	0.1214	0.119743	18440113a8769a6655784d93f	18440113a8769a6655784d93f	18440113a8769a6655784d93f	18440113a8769a6655784d93f
36d031ec65acb086d89d6c5b1f453e41b522366d7b34ba500f8809280235bde	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	a	Fbar	min	-0.060416	0.2684	0.479	-0.2684	-0.479	-	0479bd94d5b6577d334218f	0479bd94d5b6577d334218f	0479bd94d5b6577d334218f	0479bd94d5b6577d334218f
36d031ec65acb086d89d6c5b1f453e41b522366d7b34ba500f8809280235bde	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	a	C	max	0.005869	0.0856	0.1782	0.0856	0.1782	0.172331	e005ed939f1ee7509e95fcd63b5	e005ed939f1ee7509e95fcd63b5	e005ed939f1ee7509e95fcd63b5	e005ed939f1ee7509e95fcd63b5
36d031ec65acb086d89d6c5b1f453e41b522366d7b34ba500f8809280235bde	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	a	Cbar	min	-0.061676	0.3318	0.5484	-0.3318	-0.5484	-	e2b95c2158f9f47e9462d4ff	e2b95c2158f9f47e9462d4ff	e2b95c2158f9f47e9462d4ff	e2b95c2158f9f47e9462d4ff
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	g	F	max	0.01966	0.0538	0.1372	0.0538	0.1372	0.11754	32aadaa12d1da1d5bc5852f1f	32aadaa12d1da1d5bc5852f1f	32aadaa12d1da1d5bc5852f1f	32aadaa12d1da1d5bc5852f1f
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	g	Fbar	min	0.05769	0.2172	0.4084	-0.2172	-0.4084	-	71870e3782e52267a45a61d	71870e3782e52267a45a61d	71870e3782e52267a45a61d	71870e3782e52267a45a61d
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	g	C	max	0.031893	0.0892	0.2074	0.0892	0.2074	0.175507	ca0f8e136d15f154c819d2e125	ca0f8e136d15f154c819d2e125	ca0f8e136d15f154c819d2e125	ca0f8e136d15f154c819d2e125
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	g	Cbar	min	0.062201	0.2798	0.5102	-0.2798	-0.5102	-	8b7e3d0f31832d1b2a95ngt1e	8b7e3d0f31832d1b2a95ngt1e	8b7e3d0f31832d1b2a95ngt1e	8b7e3d0f31832d1b2a95ngt1e
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	p	F	max	0.023888	0.0538	0.1282	0.0538	0.1282	0.104312	10d6906cdf7b384d644f16g9c2	10d6906cdf7b384d644f16g9c2	10d6906cdf7b384d644f16g9c2	10d6906cdf7b384d644f16g9c2
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	p	Fbar	min	0.06539	0.2172	0.3492	-0.2172	-0.3492	-	cacale14f1070090a34d1g14d	cacale14f1070090a34d1g14d	cacale14f1070090a34d1g14d	cacale14f1070090a34d1g14d
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	p	C	max	0.031287	0.0892	0.1928	0.0892	0.1928	0.161513	9a811f1bf87b66a1a088e2b7f	9a811f1bf87b66a1a088e2b7f	9a811f1bf87b66a1a088e2b7f	9a811f1bf87b66a1a088e2b7f
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	p	Cbar	min	0.067133	0.2798	0.4518	-0.2798	-0.4518	-	309e2d79d38c1a1b5a660bf	309e2d79d38c1a1b5a660bf	309e2d79d38c1a1b5a660bf	309e2d79d38c1a1b5a660bf
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	s	F	max	0.009133	0.0538	0.0846	0.0538	0.0846	0.075467	39839bb6f1140adab85mg7ef	39839bb6f1140adab85mg7ef	39839bb6f1140adab85mg7ef	39839bb6f1140adab85mg7ef
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	s	Fbar	min	0.026972	0.2172	0.2688	-0.2172	-0.2688	-	7d4b88b0f806f1b7621628b5f	7d4b88b0f806f1b7621628b5f	7d4b88b0f806f1b7621628b5f	7d4b88b0f806f1b7621628b5f
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	s	C	max	0.015036	0.0892	0.1292	0.0892	0.1292	0.114164	0597e52cd1b6aaf246b906fta	0597e52cd1b6aaf246b906fta	0597e52cd1b6aaf246b906fta	0597e52cd1b6aaf246b906fta
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	s	Cbar	min	0.028272	0.2798	0.3458	-0.2798	-0.3458	-	5a59f1542235420x084d7dcd	5a59f1542235420x084d7dcd	5a59f1542235420x084d7dcd	5a59f1542235420x084d7dcd
19cdec8ca49f7b612f76c475b380d2493ade7a808a8aea9008aa50a53c9f61rrf	ImageNet-vit-b16	ImageNet	vit-b16	train	5000	1000	1000	1000	1000	1000	1000	a	F	max	-0.001984	0.0538	0.1234	0.0538	0.1234	0.125384	18440113a8769a6655784d93f	18440113a8769a6655784d93f	18440113a8769a6655784d93f	18440113a8769a6655784d93f

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				g	Fbar	min	0.0732510.2336	0.4054	-0.2336	-0.4054	-0.478651	71870e377b82e52267a45a61d4	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				g	C	max	0.0332570.0848	0.2034	0.0848	0.2034	0.170143	ca0f8e136d85f151c819d826				
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				g	Cbar	min	0.0770140.2966	0.5078	-0.2966	-0.5078	-0.584814	8b7e3d0c3ab83241v2a9591c1e	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				p	F	max	0.0268060.0488	0.1244	0.0488	0.1244	0.097594	10d6906c417b385d61461690e2				
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				p	Fbar	min	0.0720150.2336	0.3558	-0.2336	-0.3558	-0.427815	caca1e146b070990a3401d14d4	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				p	C	max	0.0301160.0848	0.1866	0.0848	0.1866	0.156484	9a811fb687b60a1a088e2977	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				p	Cbar	min	0.07688 0.2966	0.4552	-0.2966	-0.4552	-0.53208	309e2d790438c4a1v51609b1	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				s	F	max	0.0133930.0488	0.083	0.0488	0.083	0.069607	39839bb60114091ab85147e1	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				s	Fbar	min	0.0305120.2336	0.2802	-0.2336	-0.2802	-0.310712	7d4b88b0f280c1b762162851b7	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				s	C	max	0.0160420.0848	0.1258	0.0848	0.1258	0.109758	0597e52d4036af0240b906f5a5	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				s	Cbar	min	0.0364650.2966	0.3526	-0.2966	-0.3526	-0.389065	5a59f1540235420a08c4d7d6c6	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				a	F	max	0.0028390.0488	0.1208	0.0488	0.1208	0.117961	18440113a87696655784938f	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				a	Fbar	min	-0.077474	0.2336	0.4694	-0.2336	-0.4694	-0.391926	0479bd94d85b677ed234218f	ca0f8e136d85f151c819d826		
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				a	C	max	0.0039990.0848	0.1752	0.0848	0.1752	0.171201	e005ed93901ee7599f95461d3b5	ca0f8e136d85f151c819d826			
46bb8e332afd52718dec500b53b0026f16	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				a	Cbar	min	-0.078686	0.2966	0.5384	-0.2966	-0.5384	-0.459714	e2b95c2158f9f47de9462d1ff	ca0f8e136d85f151c819d826		
6f71280ab763c10278049488096358761edeb2500012dcb128712	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				g	F	max	-0.01035	0.0838	0.156	0.0838	0.156	0.16635	20f8c53a40989b067700b1ff	ca0f8e136d85f151c819d826		
6f71280ab763c10278049488096358761edeb2500012dcb128712	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				g	Fbar	min	0.0758770.095	0.3224	-0.095	-0.3224	-0.398277	ed794fcc68ace94b161c1411e687	ca0f8e136d85f151c819d826			
6f71280ab763c10278049488096358761edeb2500012dcb128712	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	18dec500b53b0026f16	schulze	spearman				g	C	max	-0.025429	0.1336	0.2158	0.1336	0.2158	0.241229	21fb4b94e0a0351b0f80a5	ca0f8e136d85f151c819d826		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			g	Cbar	min		0.0729660	0.1426	0.4236	-0.1426	-0.4236	-	98f866d84a7cbe0c0730b0766f	98f866d84a7cbe0c0730b0766f		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			p	F	max		-0.011403	0.0838	0.1384	0.0838	0.1384	0.149803	aae516c61b7e1d0c6a0011d1	aae516c61b7e1d0c6a0011d1		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			p	Fbar	min		0.0745920	0.095	0.2668	-0.095	-0.2668	-	eba644a7ba6048m178b0b12c0	eba644a7ba6048m178b0b12c0		0.341392
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			p	C	max		-0.022521	0.1336	0.2	0.1336	0.2	0.222521	c661ee4fd4070efad6cadd0242d	c661ee4fd4070efad6cadd0242d		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			p	Cbar	min		0.0700920	0.1426	0.366	-0.1426	-0.366	-	83f9ce294b80a20162add031d1	83f9ce294b80a20162add031d1		0.436092
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			s	F	max		-0.001143	0.0838	0.11	0.0838	0.11	0.111143	e13faf2f1ef40c1ca9990df7f0d	e13faf2f1ef40c1ca9990df7f0d		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			s	Fbar	min		0.0588420	0.095	0.1456	-0.095	-0.1456	-	3891e1211ef51400c9ad0f07d	3891e1211ef51400c9ad0f07d		0.204442
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			s	C	max		-0.011803	0.1336	0.1522	0.1336	0.1522	0.164003	f1b59caaf91ebbc6a011c61d	f1b59caaf91ebbc6a011c61d		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			s	Cbar	min		0.0489760	0.1426	0.2198	-0.1426	-0.2198	-	1ba424651890915c1f0d011d1	1ba424651890915c1f0d011d1		0.268776
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			a	F	max		-0.012677	0.0838	0.163	0.0838	0.163	0.175677	83e2949bd4d1248405c001061d	83e2949bd4d1248405c001061d		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			a	Fbar	min		-0.063689	0.095	0.3278	-0.095	-0.3278	-	06cb9fc8eb7ee187061b01766f	06cb9fc8eb7ee187061b01766f		0.264111
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			a	C	max		-0.024544	0.1336	0.2268	0.1336	0.2268	0.251344	d0c93e011de441430c1f501230f	d0c93e011de441430c1f501230f		0.496566
6f71280ab763c10278049a88096358764e1dfe2d6722	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	25000	2dcb128712abest_individual	best_individual			a	Cbar	min		-0.065314	0.1426	0.384	-0.1426	-0.384	-	9cf3e64087916a30c67a1b697	9cf3e64087916a30c67a1b697		0.318686
b00d5b9efe592289677428cnd1701hg394bf14898f0c56	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	8ba75000f223b93d17073	simpleavg	gendall			g	F	max		0.00877	0.0642	0.1416	0.0642	0.1416	0.13283	32aadaa1f2d1d4d5bc5852f2f	32aadaa1f2d1d4d5bc5852f2f		0.496566
b00d5b9efe592289677428cnd1701hg394bf14898f0c56	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	8ba75000f223b93d17073	simpleavg	gendall			g	Fbar	min		0.0234510	0.1174	0.3662	-0.1174	-0.3662	-	71870e3782e50267a45a61d	71870e3782e50267a45a61d		0.389651
b00d5b9efe592289677428cnd1701hg394bf14898f0c56	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	8ba75000f223b93d17073	simpleavg	gendall			g	C	max		0.0210230	0.1032	0.2136	0.1032	0.2136	0.192577	ca0f8e136d1b5f1510c819d912d	ca0f8e136d1b5f1510c819d912d		0.496566
b00d5b9efe592289677428cnd1701hg394bf14898f0c56	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	8ba75000f223b93d17073	simpleavg	gendall			g	Cbar	min		0.0295250	0.1744	0.465	-0.1744	-0.465	-	8b7e3d0cf1183211v2a95n91e	8b7e3d0cf1183211v2a95n91e		0.494525
b00d5b9efe592289677428cnd1701hg394bf14898f0c56	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	8ba75000f223b93d17073	simpleavg	gendall			p	F	max		0.0131140	0.0642	0.1314	0.0642	0.1314	0.118286	10d6906c117b38d1641f169e2	10d6906c117b38d1641f169e2		0.496566

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		p	Fbar	min	0.03591	0.1174	0.2982	-0.1174	-0.2982	-0.33411	cacale14f8070990a340d14d4	4f8070990a340d14d4	4f8070990a340d14d4	4f8070990a340d14d4
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		p	C	max	0.0216860	0.1032	0.1992	0.1032	0.1992	0.1775149a811fb687b6dave088e297	811fb687b6dave088e297	811fb687b6dave088e297	811fb687b6dave088e297	
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		p	Cbar	min	0.0406480	0.1744	0.3958	-0.1744	-0.3958	-0.436448	309e2d79d58dca1b556696bf	58dca1b5566696bf	58dca1b5566696bf	58dca1b5566696bf
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		s	F	max	0.0005460	0.0642	0.0882	0.0642	0.0882	0.08765439839bb66140adab85md7ef	439839bb66140adab85md7ef	439839bb66140adab85md7ef	439839bb66140adab85md7ef	
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		s	Fbar	min	0.0214540	0.1174	0.1834	-0.1174	-0.1834	-0.204854	7d4b88b00806db7621628db57	0806db7621628db57	0806db7621628db57	0806db7621628db57
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		s	C	max	0.0072170	0.1032	0.1354	0.1032	0.1354	0.1281830597e52d006af240b906f5a	1830597e52d006af240b906f5a	1830597e52d006af240b906f5a	1830597e52d006af240b906f5a	
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		s	Cbar	min	0.0244140	0.1744	0.2556	-0.1744	-0.2556	-0.280014	5a59f1542235420a08dd7dc6f	542235420a08dd7dc6f	542235420a08dd7dc6f	542235420a08dd7dc6f
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		a	F	max	-0.013422	0.0642	0.1274	0.0642	0.1274	0.14082218440113e87696656578493E	218440113e87696656578493E	218440113e87696656578493E	218440113e87696656578493E	
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		a	Fbar	min	-0.084088	0.1174	0.387	-0.1174	-0.387	-0.302912	0479bd94d85b677e2342b8f	4d85b677e2342b8f	4d85b677e2342b8f	4d85b677e2342b8f
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		a	C	max	-0.015202	0.1032	0.182	0.1032	0.182	0.197202e005ed939dlee7599f95md63b5	202e005ed939dlee7599f95md63b5	202e005ed939dlee7599f95md63b5	202e005ed939dlee7599f95md63b5	
b00d5b9efe59228907428eNd170hg39d4ff4898N0t56da8ba75000f223b93M7073simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		a	Cbar	min	-0.093254	0.1744	0.4592	-0.1744	-0.4592	-0.365946	e2b95c2158f9bd7e9462d4ff	2b95c2158f9bd7e9462d4ff	2b95c2158f9bd7e9462d4ff	2b95c2158f9bd7e9462d4ff
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		g	F	max	0.00877	0.0642	0.1416	0.0642	0.1416	0.13283	32aadaa1f2ddad18bc5852f2f	adaa1f2ddad18bc5852f2f	adaa1f2ddad18bc5852f2f	adaa1f2ddad18bc5852f2f
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		g	Fbar	min	0.0234510	0.1174	0.3662	-0.1174	-0.3662	-0.389651	71870e37b82e52267a45a61d5	1870e37b82e52267a45a61d5	1870e37b82e52267a45a61d5	1870e37b82e52267a45a61d5
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		g	C	max	0.0210230	0.1032	0.2136	0.1032	0.2136	0.192577ca0f8e136d8f5f54bc19d9ad26	20f8e136d8f5f54bc19d9ad26	20f8e136d8f5f54bc19d9ad26	20f8e136d8f5f54bc19d9ad26	
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		g	Cbar	min	0.0295250	0.1744	0.465	-0.1744	-0.465	-0.494525	8b7e3d0d88832b1b2a95a9b1d5	7e3d0d88832b1b2a95a9b1d5	7e3d0d88832b1b2a95a9b1d5	7e3d0d88832b1b2a95a9b1d5
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		p	F	max	0.0131140	0.0642	0.1314	0.0642	0.1314	0.11828610d6906cad7b385d64161f69c2	28610d6906cad7b385d64161f69c2	28610d6906cad7b385d64161f69c2	28610d6906cad7b385d64161f69c2	
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		p	Fbar	min	0.03591	0.1174	0.2982	-0.1174	-0.2982	-0.33411	cacale14f8070990a340d14d4	4f8070990a340d14d4	4f8070990a340d14d4	4f8070990a340d14d4
6e210511bef5664f39d79eNd14efg983B77z0eN5b30f4db8570001512N221F33b simpleav	g	ImageNet-vit-b16	vit-b16	test	5000	8ba75000f223b93M7073	simpleav	g	g	g		p	C	max	0.0216860	0.1032	0.1992	0.1032	0.1992	0.1775149a811fb687b6dave088e297	811fb687b6dave088e297	811fb687b6dave088e297	811fb687b6dave088e297	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	reference excluded	excluded method
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			p	Cbar	min	0.0406480.1744	0.3958	-0.1744	-0.3958	-	0.436448	309e2d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	5-simple	5-simple	5-simple	
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			s	F	max	0.0005460.0642	0.0882	0.0642	0.0882	0.08765439839bbb6f140adab855m7e1	6f140adab855m7e1	6f140adab855m7e1	6f140adab855m7e1	6f140adab855m7e1		
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			s	Fbar	min	0.0214540.1174	0.1834	-0.1174	-0.1834	-	0.204854	7d4b88b0b806b76216285bf	0b806b76216285bf	0b806b76216285bf	0b806b76216285bf	
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			s	C	max	0.0072170.1032	0.1354	0.1032	0.1354	0.1281830597e52db06a0240b906f5a5	06a0240b906f5a5	06a0240b906f5a5	06a0240b906f5a5	06a0240b906f5a5		
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			s	Cbar	min	0.0244140.1744	0.2556	-0.1744	-0.2556	-	0.280014	5a59f1542235429a084d7d1c6	2235429a084d7d1c6	2235429a084d7d1c6	2235429a084d7d1c6	
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			a	F	max	-0.013422	0.0642	0.1274	0.0642	0.1274	0.14082218440113a87696654578493f5	87696654578493f5	87696654578493f5	87696654578493f5		
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			a	Fbar	min	-0.084088	0.1174	0.387	-0.1174	-0.387	-	0.302912	0479bd94d45b677cd334218f	45b677cd334218f	45b677cd334218f	45b677cd334218f
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			a	C	max	-0.015202	0.1032	0.182	0.1032	0.182	0.197202e005ed930b1ee7509f95fcd1d35	005ed930b1ee7509f95fcd1d35	005ed930b1ee7509f95fcd1d35	005ed930b1ee7509f95fcd1d35		
6e210511bef5664f39d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	ImageNet-vit-b16	ImageNet	vit-b16	dev	85700	15125722f53b	simpleavg	kendall			a	Cbar	min	-0.093254	0.1744	0.4592	-0.1744	-0.4592	-	0.365946	e2b95c2158f9b47e9462d4ff	58f9b47e9462d4ff	58f9b47e9462d4ff	58f9b47e9462d4ff
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			g	F	max	0.0176820.0478	0.1264	0.0478	0.1264	0.10871832aadaa12d1daad8bc8852f2f	adaa12d1daad8bc8852f2f	adaa12d1daad8bc8852f2f	adaa12d1daad8bc8852f2f	adaa12d1daad8bc8852f2f		
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			g	Fbar	min	0.0637230.2256	0.4088	-0.2256	-0.4088	-	0.472523	71870e37b82e52367a45a60d	82e52367a45a60d	82e52367a45a60d	82e52367a45a60d	
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			g	C	max	0.0282660.0802	0.1928	0.0802	0.1928	0.164534ca0f8e136db5f151bc190e9d25	ca0f8e136db5f151bc190e9d25	ca0f8e136db5f151bc190e9d25	ca0f8e136db5f151bc190e9d25	ca0f8e136db5f151bc190e9d25		
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			g	Cbar	min	0.0682260.2866	0.5092	-0.2866	-0.5092	-	0.577426	8b7e3d0c1b832241v2a95n9tbf	832241v2a95n9tbf	832241v2a95n9tbf	832241v2a95n9tbf	
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			p	F	max	0.0207490.0478	0.117	0.0478	0.117	0.09625110d6906c47b38dd64461690e2	10d6906c47b38dd64461690e2	10d6906c47b38dd64461690e2	10d6906c47b38dd64461690e2	10d6906c47b38dd64461690e2		
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			p	Fbar	min	0.0729630.2256	0.3484	-0.2256	-0.3484	-	0.421363	caca1e14fb070990a3401g4d	fb070990a3401g4d	fb070990a3401g4d	fb070990a3401g4d	
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			p	C	max	0.0303730.0802	0.1816	0.0802	0.1816	0.1512279a811fb687b60a1e088e27	9a811fb687b60a1e088e27	9a811fb687b60a1e088e27	9a811fb687b60a1e088e27	9a811fb687b60a1e088e27		
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			p	Cbar	min	0.0760540.2866	0.4482	-0.2866	-0.4482	-	0.524254	309e2d79c9c1b4ef9838b7a70e5b30f4db8570015125722f53b	5-simple	5-simple	5-simple	
652aefdb390d8a0921404dNb812f6Ne149370N836c10be0320033990669ceba93	ImageNet-vit-b16	ImageNet	vit-b16	dev	320033990669ceba93	0320033990669ceba93	borda	kendall			s	F	max	0.0059650.0478	0.0744	0.0478	0.0744	0.06843539839bbb6f140adab855m7e1	6f140adab855m7e1	6f140adab855m7e1	6f140adab855m7e1	6f140adab855m7e1		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
e03011dac36ef5ca8b111f8584010ag70ef1105gaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Cbar	min	-	0.061676	0.3318	0.5484	-0.3318	-0.5484	-	e2b95c2158f9f47e9462d4d1ff	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	F	max	0.01966	0.0538	0.1372	0.0538	0.1372	0.11754	32aadaa1f21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	Fbar	min	0.05769	0.2172	0.4084	-0.2172	-0.4084	-	71870e37782e52267a45a61d5	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	C	max	0.0318930	0.0892	0.2074	0.0892	0.2074	0.175507	ca0f8e136d1b5f154e819d9d25	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	Cbar	min	0.0622010	0.2798	0.5102	-0.2798	-0.5102	-	8b7e3d0d31b8321iv2a95ngt1r	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	F	max	0.0238880	0.0538	0.1282	0.0538	0.1282	0.104312	10d6906c417b384d6c46169c2	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Fbar	min	0.06539	0.2172	0.3492	-0.2172	-0.3492	-	cacale14f070990a3401d4d4	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	C	max	0.0312870	0.0892	0.1928	0.0892	0.1928	0.161513	9a811f1bf87b6a1e088e2b7f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Cbar	min	0.0671330	0.2798	0.4518	-0.2798	-0.4518	-	309e2d79f3d3dra1vb5a600bf	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	F	max	0.0091330	0.0538	0.0846	0.0538	0.0846	0.075467	39839bb6f1f140adab55mg7ef	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	Fbar	min	0.0269720	0.2172	0.2688	-0.2172	-0.2688	-	7d4b88b00806f76216285bf7	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	C	max	0.0150360	0.0892	0.1292	0.0892	0.1292	0.114164	0597e52d1b06a0246b906f5ef	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	Cbar	min	0.0282720	0.2798	0.3458	-0.2798	-0.3458	-	5a59f1542235429a08cd7d7d5	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	F	max	-	0.001984	0.0538	0.1234	0.0538	0.1234	0.125384	18440113a87696655784893f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Fbar	min	-	0.075837	0.2172	0.4552	-0.2172	-0.4552	-	0479bd94d1b5b677c234218f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	C	max	0.0003820	0.0892	0.1778	0.0892	0.1778	0.177418	e005ed9395ille7599f95fmd13b5	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	
a3681472a07051780850gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Cbar	min	-	0.076378	0.2798	0.5232	-0.2798	-0.5232	-	e2b95c2158f9f47e9462d4d1ff	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f
c25bf7afae8410e2d30a1gaN50da9e27Nf113algaN76624	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	F	max	0.01966	0.0538	0.1372	0.0538	0.1372	0.11754	32aadaa1f21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	21b1da1d8bc5852f2f	

candidate id	cell	dataset	model	split	sample count	setting	method	distance geometry model	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			g	Fbar	min	0.05769	0.2172	0.4084	-0.2172	-0.4084	-0.46609	71870e377d82e52267a45a61d4	ca0f8e136dd5f1540c819d9a125	71870e377d82e52267a45a61d4	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			g	C	max	0.0318930	0.0892	0.2074	0.0892	0.2074	0.175507	ca0f8e136dd5f1540c819d9a125	ca0f8e136dd5f1540c819d9a125	ca0f8e136dd5f1540c819d9a125	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			g	Cbar	min	0.0622010	0.2798	0.5102	-0.2798	-0.5102	-0.572401	8b7e3d0c3d183211v2a95n9t1e	ca0f8e136dd5f1540c819d9a125	8b7e3d0c3d183211v2a95n9t1e	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			p	F	max	0.0238880	0.0538	0.1282	0.0538	0.1282	0.104312	10d6906cd17b385d614f169ce2	ca0f8e136dd5f1540c819d9a125	10d6906cd17b385d614f169ce2	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			p	Fbar	min	0.06539	0.2172	0.3492	-0.2172	-0.3492	-0.41459	caca1e146d070990e34d1d14d	ca0f8e136dd5f1540c819d9a125	caca1e146d070990e34d1d14d	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			p	C	max	0.0312870	0.0892	0.1928	0.0892	0.1928	0.161513	9a811fb687b6a1va088e297	ca0f8e136dd5f1540c819d9a125	9a811fb687b6a1va088e297	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			p	Cbar	min	0.0671330	0.2798	0.4518	-0.2798	-0.4518	-0.518933	309e2d799d38dra1vb5m6g9bf	ca0f8e136dd5f1540c819d9a125	309e2d799d38dra1vb5m6g9bf	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			s	F	max	0.0091330	0.0538	0.0846	0.0538	0.0846	0.075467	39839bb6d1409ab85m47e1	ca0f8e136dd5f1540c819d9a125	39839bb6d1409ab85m47e1	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			s	Fbar	min	0.0269720	0.2172	0.2688	-0.2172	-0.2688	-0.295772	7d4b88bf08806b762162851bf	ca0f8e136dd5f1540c819d9a125	7d4b88bf08806b762162851bf	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			s	C	max	0.0150360	0.0892	0.1292	0.0892	0.1292	0.114164	0597e52cd036af0240b906f5e5	ca0f8e136dd5f1540c819d9a125	0597e52cd036af0240b906f5e5	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			s	Cbar	min	0.0282720	0.2798	0.3458	-0.2798	-0.3458	-0.374072	5a59f1540235420a08cd7dcd6	ca0f8e136dd5f1540c819d9a125	5a59f1540235420a08cd7dcd6	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			a	F	max	-0.001984	0.0538	0.1234	0.0538	0.1234	0.125384	18440113a87696655784d93e	ca0f8e136dd5f1540c819d9a125	18440113a87696655784d93e	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			a	Fbar	min	-0.075837	0.2172	0.4552	-0.2172	-0.4552	-0.379363	0479bd94d85b677ed234218f	ca0f8e136dd5f1540c819d9a125	0479bd94d85b677ed234218f	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			a	C	max	0.0003820	0.0892	0.1778	0.0892	0.1778	0.177418	e005ed939d1ee7599f95m4d3b5	ca0f8e136dd5f1540c819d9a125	e005ed939d1ee7599f95m4d3b5	ca0f8e136dd5f1540c819d9a125	
c25bf7afae8410e2d50a19a9d1f6b9Ne477agaN469h	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			a	Cbar	min	-0.076378	0.2798	0.5232	-0.2798	-0.5232	-0.446822	e2b95c2158f9f4d7e9462d1ff	ca0f8e136dd5f1540c819d9a125	e2b95c2158f9f4d7e9462d1ff	ca0f8e136dd5f1540c819d9a125	
add2f28e3e4bef3abbf87f0N34236g5N82agaN895f8	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			g	F	max	0.0248120	0.0488	0.135	0.0488	0.135	0.110188	32aadaaf2d1d1ad18bc85521f	ca0f8e136dd5f1540c819d9a125	32aadaaf2d1d1ad18bc85521f	ca0f8e136dd5f1540c819d9a125	
add2f28e3e4bef3abbf87f0N34236g5N82agaN895f8	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			g	Fbar	min	0.0732510	0.2336	0.4054	-0.2336	-0.4054	-0.478651	71870e377d82e52267a45a61d4	ca0f8e136dd5f1540c819d9a125	71870e377d82e52267a45a61d4	ca0f8e136dd5f1540c819d9a125	
add2f28e3e4bef3abbf87f0N34236g5N82agaN895f8	50a19a9d1f6b9Ne477agaN469h	ImageNet-vit-b16	vit-b16	50a19a9d1f6b9Ne477agaN469h	607405390	837cN0T5E4drf	kendall			g	C	max	0.0332570	0.0848	0.2034	0.0848	0.2034	0.170143	ca0f8e136dd5f1540c819d9a125	ca0f8e136dd5f1540c819d9a125	ca0f8e136dd5f1540c819d9a125	ca0f8e136dd5f1540c819d9a125	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded reference method	
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Fbar	min	0.0720150.2336	0.3558	-0.2336	-0.3558	-	0.427815	caca1e14f8b070990a34014d4d	0.070990a34014d4d	0.070990a34014d4d	0.070990a34014d4d	
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	C	max	0.0301160.0848	0.1866	0.0848	0.1866	0.1564849a811fb687b60a1e088e2b7f	0.1564849a811fb687b60a1e088e2b7f	0.1564849a811fb687b60a1e088e2b7f	0.1564849a811fb687b60a1e088e2b7f	0.1564849a811fb687b60a1e088e2b7f		
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Cbar	min	0.07688 0.2966	0.4552	-0.2966	-0.4552	-	0.53208	309e2d79f4d3dca1b556696bf	309e2d79f4d3dca1b556696bf	309e2d79f4d3dca1b556696bf	309e2d79f4d3dca1b556696bf	
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	F	max	0.0133930.0488	0.083	0.0488	0.083	0.06960739839bb6f140adab85547e1f	0.06960739839bb6f140adab85547e1f	0.06960739839bb6f140adab85547e1f	0.06960739839bb6f140adab85547e1f	0.06960739839bb6f140adab85547e1f		
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	Fbar	min	0.0305120.2336	0.2802	-0.2336	-0.2802	-	0.310712	7d4b88b0f8060b762162851b7f	7d4b88b0f8060b762162851b7f	7d4b88b0f8060b762162851b7f	7d4b88b0f8060b762162851b7f	
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	C	max	0.0160420.0848	0.1258	0.0848	0.1258	0.1097580597e52d0d36af240b906f5af	0.1097580597e52d0d36af240b906f5af	0.1097580597e52d0d36af240b906f5af	0.1097580597e52d0d36af240b906f5af	0.1097580597e52d0d36af240b906f5af		
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	Cbar	min	0.0364650.2966	0.3526	-0.2966	-0.3526	-	0.389065	5a59f154223542a0e8c4d7dcf	5a59f154223542a0e8c4d7dcf	5a59f154223542a0e8c4d7dcf	5a59f154223542a0e8c4d7dcf	
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	F	max	0.0028390.0488	0.1208	0.0488	0.1208	0.11796118440113587f96655784d93f5	0.11796118440113587f96655784d93f5	0.11796118440113587f96655784d93f5	0.11796118440113587f96655784d93f5	0.11796118440113587f96655784d93f5		
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Fbar	min	- 0.077474	0.2336	0.4694	-0.2336	-0.4694	-	0.391926	0479bd94d85b677ed234218f	0479bd94d85b677ed234218f	0479bd94d85b677ed234218f	0479bd94d85b677ed234218f
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	C	max	0.0039990.0848	0.1752	0.0848	0.1752	0.171201e005ed9395ille7599f95f6d3b5	0.171201e005ed9395ille7599f95f6d3b5	0.171201e005ed9395ille7599f95f6d3b5	0.171201e005ed9395ille7599f95f6d3b5	0.171201e005ed9395ille7599f95f6d3b5		
84a29d8aeb4b70ea770a98140b9a657796947d1e5106ff3800695a210c16e17	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Cbar	min	- 0.078686	0.2966	0.5384	-0.2966	-0.5384	-	0.459714	e2b95c2158f9bd47a9462d4ff	e2b95c2158f9bd47a9462d4ff	e2b95c2158f9bd47a9462d4ff	e2b95c2158f9bd47a9462d4ff

Table 78: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
8e8c7aa187ee59c09f0b11040b792063759468Nchest03f77300883e702def32	best_individual	ImageNet-vit-b16	vit-b16	individual	3000	83e702def32	best_individual	spiralan						-0.01035	0.075877-	0.025429	0.072966-	0.011403	0.074592-	0.022521	0.070092-	0.001143	0.058842-	0.000000	
c5deb39505fba05d002947466989Ne1206e1Nof4185474500084ea27c6944	simpleavg	ImageNet-vit-b16	vit-b16	giscardall	3000	84ea27c6944	simpleavg	spearman						0.00877	0.0234510.	0.0210230.	0.0295250.	0.0131140.	0.03591	0.0216860.	0.0406480.	0.0005460.	0.0214540.	0.000000	
9d43349d8a8fdb131a57gdNf5869Ne10a3geNf0c31a550dX1a2edN01851	simpleavg	ImageNet-vit-b16	vit-b16	giscardall	3000	81a2edN01851	simpleavg	spearman						0.00877	0.0234510.	0.0210230.	0.0295250.	0.0131140.	0.03591	0.0216860.	0.0406480.	0.0005460.	0.0214540.	0.000000	
95bfe0f53576a316d0bb2e5419cag4Nf03031cb31f13000ddec78c25743	borda	ImageNet-vit-b16	vit-b16	giscardall	3000	78c25743	borda	spearman						0.0176820.	0.0637230.	0.0282660.	0.0682260.	0.0207490.	0.0729630.	0.0303730.	0.0760540.	0.0059650.	0.0378240.	0.000000	
b8034ad787e71f5ba4964N74f6337Ne60ag4Nf05170c54000542e920b594	borda	ImageNet-vit-b16	vit-b16	giscardall	3000	920b594	borda	spearman						0.0176820.	0.0637230.	0.0282660.	0.0682260.	0.0207490.	0.0729630.	0.0303730.	0.0760540.	0.0059650.	0.0378240.	0.000000	
e70f5e8fd48ab82505a533dDhag4Nf070a471N66a330b7500b0b7aiv2a8bk	kemeny	ImageNet-vit-b16	vit-b16	giscardall	3000	7aiv2a8bk	kemeny	spearman						0.0226470.	0.0759050.	0.0318820.	0.0798220.	0.0271930.	0.0778780.	0.0318010.	0.0814270.	0.0113860.	0.0362150.	0.000000	
36d031ec65acb086d80a6Nf07452N415523366a7b34ba400f880928025B	kemeny	ImageNet-vit-b16	vit-b16	giscardall	3000	8025B	kemeny	spearman						0.0226470.	0.0759050.	0.0318820.	0.0798220.	0.0271930.	0.0778780.	0.0318010.	0.0814270.	0.0113860.	0.0362150.	0.000000	
19cdec8ca49f7b612f7f0N751b380bD2493a7a808a8aea9008aa50c53c	rrf	ImageNet-vit-b16	vit-b16	giscardall	3000	aa50c53c	rrf	spearman						0.01966	0.05769	0.0318930.	0.0622010.	0.0238880.	0.06539	0.0312870.	0.0671330.	0.0091330.	0.0269720.	0.000000	
5ac90e31bd42cf0a51m83eNd476440N06az7geNef63tc119c50807d0a8025B	rrf	ImageNet-vit-b16	vit-b16	giscardall	3000	8025B	rrf	spearman						0.01966	0.05769	0.0318930.	0.0622010.	0.0238880.	0.06539	0.0312870.	0.0671330.	0.0091330.	0.0269720.	0.000000	
d9f315a708c665a9155b6N351b2a270Nbf8geN4b29406a300031aen51v4a3	schulze	ImageNet-vit-b16	vit-b16	giscardall	3000	51v4a3	schulze	spearman						0.0248120.	0.0732510.	0.0332570.	0.0770140.	0.0268060.	0.0720150.	0.0301160.	0.07688	0.0133930.	0.0305120.	0.000000	
46bb8e332afd1521bb7Nff0463Ne565473b3a718dec5003f53b0016F	schulze	ImageNet-vit-b16	vit-b16	giscardall	3000	0016F	schulze	spearman						0.0248120.	0.0732510.	0.0332570.	0.0770140.	0.0268060.	0.0720150.	0.0301160.	0.07688	0.0133930.	0.0305120.	0.000000	
6f71280ab763c10278049dN8963587Ne1mge2Nf722ebbb2500012dcb128712a	best_individual	ImageNet-vit-b16	vit-b16	individual	3000	12dcb128712a	best_individual	kendall						-0.01035	0.075877-	0.025429	0.072966-	0.011403	0.074592-	0.022521	0.070092-	0.001143	0.058842-	0.000000	
b00d5b9efe59228907428cNd170hg4Nf0f189Nf0c56a8ba75000f223b93M	simpleavg	ImageNet-vit-b16	vit-b16	giscardall	3000	93M	simpleavg	kendall						0.00877	0.0234510.	0.0210230.	0.0295250.	0.0131140.	0.03591	0.0216860.	0.0406480.	0.0005460.	0.0214540.	0.000000	
6e210511bef5664f30m79geN614ag4Nf08877geN5b30f4db8570001512522153b	simpleavg	ImageNet-vit-b16	vit-b16	giscardall	3000	22153b	simpleavg	kendall						0.00877	0.0234510.	0.0210230.	0.0295250.	0.0131140.	0.03591	0.0216860.	0.0406480.	0.0005460.	0.0214540.	0.000000	
652aefdb390d8a0921404dN8b12geN49370N816a10be032003990669ceba93	borda	ImageNet-vit-b16	vit-b16	giscardall	3000	669ceba93	borda	kendall						0.0176820.	0.0637230.	0.0282660.	0.0682260.	0.0207490.	0.0729630.	0.0303730.	0.0760540.	0.0059650.	0.0378240.	0.000000	
6d518a18be05075a1m90020H89geN72297deNf0c6f54b590006114N87183d5	borda	ImageNet-vit-b16	vit-b16	giscardall	3000	87183d5	borda	kendall						0.0176820.	0.0637230.	0.0282660.	0.0682260.	0.0207490.	0.0729630.	0.0303730.	0.0760540.	0.0059650.	0.0378240.	0.000000	
6b0f2bc47256753785a9bNef0m73N3470149Nde79e4505024746f0c120224	kemeny	ImageNet-vit-b16	vit-b16	giscardall	3000	120224	kemeny	kendall						0.0226470.	0.0759050.	0.0318820.	0.0798220.	0.0271930.	0.0778780.	0.0318010.	0.0814270.	0.0113860.	0.0362150.	0.000000	
e03011dac36ef5ca81m1f85840ag7Nef10agaNf48a964a2500013f1a5005F2a	kemeny	ImageNet-vit-b16	vit-b16	giscardall	3000	005F2a	kemeny	kendall						0.0226470.	0.0759050.	0.0318820.	0.0798220.	0.0271930.	0.0778780.	0.0318010.	0.0814270.	0.0113860.	0.0362150.	0.000000	

candidate id	cell	dataset	model	split	sample count	setting	method	distance geometry model	geometry label	source id	methods selected	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
a3681472a07051780850geN50m9e2Nf1kgeN76f2	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	5000	cbf6c5002d0e5f48ac16arf	kendall					0.01966	0.05769	0.0318930.0622	0.0318930.0622	0.0238880.06539	0.0238880.06539	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720
c25bf7afae8410e2d50m9e2Nf1kgeN76f2	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	5000	cbf6c5002d0e5f48ac16arf	kendall					0.01966	0.05769	0.0318930.0622	0.0318930.0622	0.0238880.06539	0.0238880.06539	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720	0.0312870.0671330.0091330.0269720
add2f28e3e4bef3abff85f0N34936e5f1B250N895f89501d500376f91n175305	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	5000	cbf6c5002d0e5f48ac16arf	kendall					0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688
84a29d8aeb4b70ea770ag840b9agm6579694Nf1kgeN76f2	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	5000	cbf6c5002d0e5f48ac16arf	kendall					0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688	0.0248120.0732510.0332570.0770140.0268060.0720150.0301160.07688

Table 79: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	slope was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
0479bd94d55b67771d342289f5b365243b2954e7ab81c71fc656378008383047660450_7660451_False	ImageNet-vit-b16	0.006349	1c56355395e172468625684117b85369a1e91e013071e001d377f	ImageNet-vit-b16	1	ImageNet-vit-b16	0.0115110.0357630.932338	-0.601	-0.095	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerA					
0597e52db66af024000663d491c56355395e172468625684117b85369a1e91e013071e001d377f	ImageNet-vit-b16	0.006349	1c56355395e172468625684117b85369a1e91e013071e001d377f	ImageNet-vit-b16	1	ImageNet-vit-b16	0.0115110.0357630.932338	-0.601	-0.095	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerA					
06cb9fc8eb7ed872f11a701fbb29623a30cc0b66f903e401095c4188B5046100_82736p0_82736p0_False	ImageNet-vit-b16	0.008833	0.0332280.938289	-0.601	-0.1014	-0.6768	-0.2932	AttentionGradCAM;CheferTransformerA									
10d6906cd7b38fd614f1699e2f1bb0a349453728fa7d8c2309470aaef4e0d2f7a1e34324e348624f	ImageNet-vit-b16	0.002577	0.0169210.8266580.0008	0.0838	0.0066	0.1386	AttentionGradCAM;CheferTransformerA										
18440113e8769665f5849348ca7a310fcd851702d4f5991329e37c59af1e66t1v48433p4_48433p4_False	ImageNet-vit-b16	0.003508	0.0197440.8104540.0008	0.0838	0.0232	0.163	AttentionGradCAM;CheferTransformerA										
1ba424655890915c11a9a1c036af16b9a85231f6ad452010c0fambB046g1v47310p0_84710p0_False	ImageNet-vit-b16	0.016425	0.0453120.904425	-0.6802	-0.1534	-0.7142	-0.2438	AttentionGradCAM;CheferTransformerA									
20f8c53a40989baf8f706f189099a5de51125facd12f710ff10c3601comB07bgt1v45873p1_545373p1_False	ImageNet-vit-b16	0.003456	0.0207850.7385460.0008	0.0824	0.0114	0.153	AttentionGradCAM;CheferTransformerA										
21fb4b9e9dcca03f11b1890e45ed190582bf58d3c09c070f18c37d187B8154b1v35031p1_35031p1_False	ImageNet-vit-b16	0.000826	0.0070170.0296160.6811110.0132	0.1282	0.0396	0.2136	AttentionGradCAM;CheferTransformerA										
309e2d79b58dca1a15a901c079b29d42ef71ad4e6ca1506ef04eb6c0890c470v782588p0_782588p0_False	ImageNet-vit-b16	0.046077	0.0715520.801055	-0.6802	-0.1426	-0.8032	-0.366	AttentionGradCAM;CheferTransformerA									
32aadaa12ddabd81c8522f6f28247b4991b2618eaa18b804a4a42458f43p01v470339p1_470339p1_False	ImageNet-vit-b16	0.003515	0.0197610.8072020.0008	0.0838	0.0114	0.156	AttentionGradCAM;CheferTransformerA										
3891e121fd5b4cdc511a9a1c036af16b9a85231f6ad452010c0fambB046g1v47310p0_84710p0_False	ImageNet-vit-b16	0.016471	0.0453740.896935	-0.601	-0.1014	-0.6238	-0.173	AttentionGradCAM;CheferTransformerA									
39839bb66f1409da1b594794f73d5d6272ab445b18a1303edfb752850015504471888p1_171888p1_False	ImageNet-vit-b16	0.000719	0.0089360.9286160.0008	0.0838	0.0028	0.11	AttentionGradCAM;CheferTransformerA										
5a59f1542235429a3b1a9e66254db6298682c2222b5a6521f6f05e2028a49f0v49230p0_80230p0_False	ImageNet-vit-b16	0.017985	0.0447020.930624	-0.6802	-0.1426	-0.7142	-0.2198	AttentionGradCAM;CheferTransformerA									
71870e37c82e52267ad56Ne4fba1650hg78adcd01114bf002cdf9014a356g1v765940p0_765940p0_False	ImageNet-vit-b16	0.039445	0.0662030.800786	-0.601	-0.095	-0.7268	-0.3224	AttentionGradCAM;CheferTransformerA									
7d4b88b02806fb7621629557f1e4c6b03232d115412d337809b3c0cf0e3250v910906p0_910906p0_False	ImageNet-vit-b16	0.018756	0.0456510.922836	-0.601	-0.095	-0.6238	-0.1456	AttentionGradCAM;CheferTransformerA									
83e2949bdbd24844f0a9001f506f2e82a1f5c3ff7301f585a1083a1f12f10b1e9t1v77073p1_57073p1_False	ImageNet-vit-b16	0.003421	0.0206780.7481460.0008	0.0824	0.0232	0.1578	AttentionGradCAM;CheferTransformerA										
83f9ce294b30a2e162adg3Ne7dhef19e3bb56063d19d142140395cd8F006f0v717369p0_73769p0_False	ImageNet-vit-b16	0.042884	0.0732150.722395	-0.6802	-0.1534	-0.8032	-0.3814	AttentionGradCAM;CheferTransformerA									

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	aligned was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
8b7e3d0d3b832bb2a5590b0b53889e3aa6f7757676993d85104a31baa1g2d7388620.738862False	ImageNet-vit-b16	0.365668	least_squares		0.0408540.0673750.801901-0.6802	-0.1426	-0.8402	-0.4236	AttentionGradCAM;CheferTransformerA								
98f866d8407cbcd6730a760243b4b8f9d882ebf243fada577f749f1d08b090106713850.671385False	ImageNet-vit-b16	0.400826	least_squares		0.0373940.0683680.723073-0.6802	-0.1534	-0.8402	-0.436	AttentionGradCAM;CheferTransformerA								
9a811f1bc87b60a14088e287cd1804b61b3929e5b2603ceb6312ff5f7ea82d485011b4290pt.142911False	ImageNet-vit-b16	0.656565	least_squares		0.004590.0225820.7962130.0132	0.1336	0.0364	0.2	AttentionGradCAM;CheferTransformerA								
9cf3e640879d6a32517ab63762baf50d3c6cc1c3fcd5571016c0d3a80f000e275320.837320False	ImageNet-vit-b16	0.200651	least_squares		0.0097390.0348910.938416-0.6802	-0.1534	-0.7568	-0.3522	AttentionGradCAM;CheferTransformerA								
aae516c6dc7delbcad1629d18ffed351223b7ecccc82ad6ed5501494cdd841b6a1042694pt.426949False	ImageNet-vit-b16	0.830234	least_squares		0.0025060.0176990.7684840.0008	0.0824	0.0066	0.1386	AttentionGradCAM;CheferTransformerA								
c661ee4fc1070efa24da242e0bd78557821be504b7d1c1130f58034a85b01d7125900pt.259000False	ImageNet-vit-b16	0.954318	least_squares		0.0043140.0232210.7512710.0132	0.1282	0.0364	0.1992	AttentionGradCAM;CheferTransformerA								
ca0f8e136de5f154c3109a366225b443107e0ce9a13cdc68f1af6c6cf509negative121933pt.219339False	ImageNet-vit-b16	0.967554	least_squares		0.0073690.0286140.7347040.0132	0.1336	0.0396	0.2158	AttentionGradCAM;CheferTransformerA								
caca1e14db07099043403cd1ff1b120d7e3b1ef054fce6c129e60ad1000530e8064d20.806412False	ImageNet-vit-b16	0.239437	least_squares		0.0442390.0701110.798919-0.601	-0.095	-0.6902	-0.2668	AttentionGradCAM;CheferTransformerA								
d0c93e01dc441430d1ff6f231c621bd72c2c08b46c640d12b23069e550b54421153902pt.539025False	ImageNet-vit-b16	0.945655	least_squares		0.0035160.0209640.847130.0132	0.1282	0.0466	0.2218	AttentionGradCAM;CheferTransformerA								
e005ed9391ee7599f05fcd63b6db9e86847dc1f0e2805ff0632b86b8e782285511v413105pt.418105False	ImageNet-vit-b16	0.951369	least_squares		0.0038440.0206660.877020.0132	0.1336	0.0466	0.2268	AttentionGradCAM;CheferTransformerA								
e13faf2fle10d91a899a77eef12416473a9509186692c311404ca135b9107aativ80337pt.180237False	ImageNet-vit-b16	0.912289	least_squares		0.0007180.0094730.8879740.0008	0.0824	0.0028	0.1068	AttentionGradCAM;CheferTransformerA								
e2b95c2158f9b47bd462ed17d75147200f1307cd4453969a7105631855016307673320.767332False	ImageNet-vit-b16	0.232123	least_squares		0.0125120.0372860.93445-0.6802	-0.1426	-0.7568	-0.3522	AttentionGradCAM;CheferTransformerA								
eba644a7be6948a17b1a2e0ff6b65aqp34636bfd35ad62443f4c87408b109060v7348350.734835False	ImageNet-vit-b16	0.271582	least_squares		0.0405660.0712090.723212-0.601	-0.1014	-0.6902	-0.2814	AttentionGradCAM;CheferTransformerA								
ed794fcc68ae94b111b1e8e95a85e4faeced86074d1e5633a652ab003d6a106931050.698105False	ImageNet-vit-b16	0.332432	least_squares		0.0356440.066750.725692-0.601	-0.1014	-0.7268	-0.3328	AttentionGradCAM;CheferTransformerA								
f1b59caaf91ebbe61a2ed0e9cd17a40c5c868d0c12f74682cc081a6b22d490v06292pt.062922False	ImageNet-vit-b16	0.922094	least_squares		0.0013310.0129010.874460.0132	0.1282	0.0218	0.1534	AttentionGradCAM;CheferTransformerA								

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbid	reference curve id	reference pool policy	reference excluded	excluded method
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	g	Cbar	min	0.0682260	0.2866	0.5092	-0.2866	-0.5092	-0.577426	8b7e3d0cf8b83241v2a95n9t1e	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	p	F	max	0.0207490	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	all	5n9t1e		
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	p	Fbar	min	0.0729630	0.2256	0.3484	-0.2256	-0.3484	-0.421363	cacale14f11070990a34f1d4d	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	p	C	max	0.0303730	0.0802	0.1816	0.0802	0.1816	0.1512279a811f1bf87b60a1e08e2b7	all	5n9t1e		
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	p	Cbar	min	0.0760540	0.2866	0.4482	-0.2866	-0.4482	-0.524254	309e2d79f58c9a1b55a60b1f	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	s	F	max	0.0059650	0.0478	0.0744	0.0478	0.0744	0.06843539839bb6f1f4094ab855m7e1	all	5n9t1e		
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	s	Fbar	min	0.0378240	0.2256	0.2656	-0.2256	-0.2656	-0.303424	7d4b88b0f8806fb7621628f5b1	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	s	C	max	0.0118490	0.0802	0.117	0.0802	0.117	0.1051510597e52d1106a0240b906f5a1	all	5n9t1e		
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	s	Cbar	min	0.0391410	0.2866	0.341	-0.2866	-0.341	-0.380141	5a59f1542215429e08cd47d1c5	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	a	F	max	0.0049230	0.0478	0.1214	0.0478	0.1214	0.11647718440113a87696655784d93f5	all	5n9t1e		
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	a	Fbar	min	-0.083602	0.2256	0.4694	-0.2256	-0.4694	-0.385798	0479bd94fd55b677cd342b18	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	a	C	max	0.0105	0.0802	0.1752	0.0802	0.1752	0.1647	e005ed93911e7599f95fmd13b5	all	5n9t1e	
808f40d5edcc5e75d1b0897N0479132N08a2050923f33e46100d28f4879de842	borda	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	a	Cbar	min	-0.09016	0.2866	0.5422	-0.2866	-0.5422	-0.45204	e2b95c2158f9fbd17e9462d1ff	all	5n9t1e	
ac097f5436d465def21b127c1f8642N87d58f0097b24f542500055f524f8806c	kemeny	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	g	F	max	0.0226470	0.05	0.1346	0.05	0.1346	0.11195332aadaa1f2d1dand5bc8552f2f	all	5n9t1e		
ac097f5436d465def21b127c1f8642N87d58f0097b24f542500055f524f8806c	kemeny	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	g	Fbar	min	0.0759050	0.2684	0.4294	-0.2684	-0.4294	-0.505305	71870e3782e5d267a45a61d1	all	5n9t1e	
ac097f5436d465def21b127c1f8642N87d58f0097b24f542500055f524f8806c	kemeny	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	g	C	max	0.0318820	0.0856	0.203	0.0856	0.203	0.171118ca0f8e136cd5f51a1e1819d9d26	all	5n9t1e		
ac097f5436d465def21b127c1f8642N87d58f0097b24f542500055f524f8806c	kemeny	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	g	Cbar	min	0.0798220	0.3318	0.531	-0.3318	-0.531	-0.610822	8b7e3d0cf8b83241v2a95n9t1e	all	5n9t1e	
ac097f5436d465def21b127c1f8642N87d58f0097b24f542500055f524f8806c	kemeny	ImageNet-vit-b16	ImageNet-vit-b16	dev	20000	0.2866	0.0478	0.117	0.0478	0.117	0.09625110d6906cfa7b385164461f69e2	p	F	max	0.0271930	0.05	0.1264	0.05	0.1264	0.09920710d6906cfa7b385164461f69e2	all	5n9t1e		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	pool policy	reference excluded	excluded method
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Cbar	min	0.0671330.2798	0.4518	-0.2798	-0.4518	-	0.518933	309e2d79f9d58draive56696bf	full40adab85single1			
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	F	max	0.0091330.0538	0.0846	0.0538	0.0846	0.07546739839bbb6f140adab85single1						
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	Fbar	min	0.0269720.2172	0.2688	-0.2172	-0.2688	-	0.295772	7d4b88b0f8061b76216285bf				
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	C	max	0.0150360.0892	0.1292	0.0892	0.1292	0.1141640597e52d4b6af24eb006f5bf						
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	Cbar	min	0.0282720.2798	0.3458	-0.2798	-0.3458	-	0.374072	5a59f1542215429e084d7d1bf				
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	F	max	-0.001984	0.0538	0.1234	0.0538	0.1234	0.12538418440113a87696654578493bf					
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Fbar	min	-0.075837	0.2172	0.4552	-0.2172	-0.4552	-	0.379363	0479bd94d55b677cd3421bf			
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	C	max	0.0003820.0892	0.1778	0.0892	0.1778	0.177418e005ed93b011e7599f95fcd12bf						
aeb5f3e1dff3cf2abaf787geN6n26geN2176geN3heHic24e050001da070006d7rrf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	a	Cbar	min	-0.076378	0.2798	0.5232	-0.2798	-0.5232	-	0.446822	e2b95c2158f9fb47e9462d1bf			
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	F	max	0.0248120.0488	0.135	0.0488	0.135	0.11018832aadaa1f2ddand8bc852f2bf						
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	Fbar	min	0.0732510.2336	0.4054	-0.2336	-0.4054	-	0.478651	71870e37b82e52367a45a60bf				
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	C	max	0.0332570.0848	0.2034	0.0848	0.2034	0.170143ca0f8e136d15f15bc190a2bf						
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	g	Cbar	min	0.0770140.2966	0.5078	-0.2966	-0.5078	-	0.584814	8b7e3d0cf8832d1v2a959bf				
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	F	max	0.0268060.0488	0.1244	0.0488	0.1244	0.09759410d6906c477b38d164461699bf						
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Fbar	min	0.0720150.2336	0.3558	-0.2336	-0.3558	-	0.427815	caca1e14fb070990a34014bf				
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	C	max	0.0301160.0848	0.1866	0.0848	0.1866	0.1564849a81f1bf87b60a1e088e2bf						
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	p	Cbar	min	0.07688	0.2966	0.4552	-0.2966	-0.4552	-	0.53208	309e2d79f9d58draive56696bf			
c4c26b616449eea019a990N81img132d80fgea674124400708608888668302	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	s	F	max	0.0133930.0488	0.083	0.0488	0.083	0.06960739839bbb6f140adab85single1						

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	reference exclusion method	excluded candidate
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					s	Fbar	min	0.0305120.2336	0.2802	-0.2336	-0.2802	-0.310712	7d4b88b0f88061b762162851b7	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7	
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					s	C	max	0.0160420.0848	0.1258	0.0848	0.1258	0.1097580597e52d1b65aff246b906f5a5	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7		
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					s	Cbar	min	0.0364650.2966	0.3526	-0.2966	-0.3526	-0.389065	5a59f15492b5429a0834d7dcf	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7	
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					a	F	max	0.0028390.0488	0.1208	0.0488	0.1208	0.11796118440113a87c9665578493f	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7		
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					a	Fbar	min	-0.0774740.2336	0.4694	-0.2336	-0.4694	-0.391926	0479bd94d1b5b6777d23421a9	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7	
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					a	C	max	0.0039990.0848	0.1752	0.0848	0.1752	0.171201e005ed939illee7599e95a063b5	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7		
c4c26b616449eea019a990981m	High	ImageNet	vit-b16	train	124400708608883638	302	schulze					a	Cbar	min	-0.0786860.2966	0.5384	-0.2966	-0.5384	-0.459714	e2b95c2158f9bd47a9462d1ff	0.8061b762162851b7	0.8061b762162851b7	0.8061b762162851b7	

Table 81: effective robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	methods	selected individual	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
e247146c47e662c141b3e001a9d49521b14e55d137d70e36985b7c181693c61	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	-	0.075877	-	0.072966	-	0.074592	-	0.070092	-	0.058842	-	0.058842
c0db6195a524239e1b7347b17a92678b57161415e76ab6051003a023a32c71311	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	0.00877	0.023451	0.021023	0.029525	0.013114	0.03591	0.021686	0.040648	0.000546	0.021454	0.000546	0.021454
808f40d5edcc5e75d1b897f0479132808a2050223f63e4610d428f4879de8421	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	0.017682	0.063723	0.028266	0.068226	0.020749	0.072963	0.030373	0.076054	0.005965	0.037824	0.005965	0.037824
ac097f5436d465def21a4127c11f8642b177d154f097b24f542508a55f524f8806c	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	0.022647	0.075905	0.031882	0.079822	0.027193	0.077878	0.031801	0.081427	0.011386	0.036215	0.011386	0.036215
aeb5f3e1dff3cf2abaf7a7e6f6a26e1211768c5b1c24e051da021006d7rrf	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	0.01966	0.05769	0.031893	0.062201	0.023888	0.06539	0.031287	0.067133	0.009133	0.026972	0.009133	0.026972
c4c26b616449eea019990881a1a13280f6fe612124400708608888668302a	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	ImageNet- vit-b16	0.024812	0.073251	0.033257	0.077014	0.026806	0.072015	0.030116	0.07688	0.013393	0.030512	0.013393	0.030512

Table 82: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbid quality oriented	reference curve id	reference pool policy	reference enforce method	excluded
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		g	F	max	-0.011305	0.0852	0.1524	0.0852	0.1524	0.16370532	aaadaa1b2d1daa18bc5852f2ff			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		g	Fbar	min	0.05672	0.0966	0.317	-0.0966	-0.317	-0.37372	71870e37782e52267a45ag1de			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		g	C	max	-0.013091	0.132	0.2146	0.132	0.2146	0.227691ca0f8e136d1b5f154ac19d1a2f5				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		g	Cbar	min	0.0551150	0.1484	0.4202	-0.1484	-0.4202	-0.475315	8b7e3d0d88332412a95ag1de			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		p	F	max	-0.006502	0.0852	0.14	0.0852	0.14	0.14650210d6906c17b38516c461f69e2				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		p	Fbar	min	0.0501360	0.0966	0.2672	-0.0966	-0.2672	-0.317336	cacale14f1b070990a34d1a4d			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		p	C	max	-0.00703	0.132	0.2034	0.132	0.2034	0.210439a811f1bf87b6dave08a227f				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		p	Cbar	min	0.0485010	0.1484	0.3676	-0.1484	-0.3676	-0.416101	309e2d79f58dca1b5a620b1			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		s	F	max	-0.003664	0.0852	0.1086	0.0852	0.1086	0.11226439839bb6f1f1409dab85img1e1				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		s	Fbar	min	0.0257060	0.0966	0.1602	-0.0966	-0.1602	-0.185906	7d4b88b002806f1b76216285bf			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		s	C	max	-0.003623	0.132	0.1534	0.132	0.1534	0.1570230597e52d1b06aaf24eb906f5af				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		s	Cbar	min	0.0266110	0.1484	0.2302	-0.1484	-0.2302	-0.256811	5a59f1540235409ae08cd17de5			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		a	F	max	-0.009595	0.0852	0.1624	0.0852	0.1624	0.17199518440113a8769a66557848381				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		a	Fbar	min	-0.007622	0.0966	0.2946	-0.0966	-0.2946	-0.286978	0479bd94055b677cd23421b8			
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		a	C	max	-0.012499	0.132	0.2254	0.132	0.2254	0.237899e005ed9391bce750995f6d13b5				
ale1c32dle3728316290gaN14375gdN2444869Vthes69ae1e500630527cah0g7bimplyavgoise	ImageNet-vit-b16			vit-b16						2		a	Cbar	min	-0.007605	0.1484	0.3536	-0.1484	-0.3536	-0.345995	e2b95c2158f9fbd17e9462d1ff			
3ab12bec1eb4d4287b7d96c1d892dN04c4987706732f50f85002550B853agshoedry_noise	ImageNet-vit-b16			vit-b16						2		g	F	max	-0.006069	0.0864	0.1594	0.0864	0.1594	0.16546932aadaa1b2d1daa18bc5852f2ff				

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry geometryq label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	g	Cbar	min	0.0555420.146	0.418	-0.146	-0.418	-	0.473542	8b7e3d0cf8832d1v2a95n9t1e	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	p	F	max	-0.007314	0.0864	0.1408	0.0864	0.1408	0.14811410d6906cf17b385d64f1f69e2	ca	8b7e3d0cf8832d1v2a95n9t1e	ca		
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	p	Fbar	min	0.0530720.0928	0.2612	-0.0928	-0.2612	-	0.314272	cacale14f11070990a34m14d	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	p	C	max	-0.010487	0.1352	0.2036	0.1352	0.2036	0.2140879a811f1bf87b6d1a08e2b7	ca	8b7e3d0cf8832d1v2a95n9t1e	ca		
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	p	Cbar	min	0.0546220.146	0.3596	-0.146	-0.3596	-	0.414222	309e2d79f58dca1b5a60bfb	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	s	F	max	0.00153	0.0864	0.1152	0.0864	0.1152	0.11367	39839bbcf1f1409db85m7e1	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	s	Fbar	min	0.0280440.0928	0.1544	-0.0928	-0.1544	-	0.182444	7d4b88b0f880cfb76216285b1	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	s	C	max	0.0001730.1352	0.1604	0.1352	0.1604	0.1602270597e52d1b6a0240b906f5d	ca	8b7e3d0cf8832d1v2a95n9t1e	ca			
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	s	Cbar	min	0.02767	0.146	0.227	-0.146	-0.227	-	0.25467	5a59f1542235429a08d17d1e5	ca	8b7e3d0cf8832d1v2a95n9t1e	ca
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	a	F	max	-0.011376	0.0864	0.1624	0.0864	0.1624	0.17377618440113a8769a655784d931	ca	8b7e3d0cf8832d1v2a95n9t1e	ca		
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	a	Fbar	min	-0.012133	0.0928	0.2962	-0.0928	-0.2962	-	0.284067	0479bd94fd55b677cd342b89	ca	8b7e3d0cf8832d1v2a95n9t1e	ca
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	a	C	max	-0.016221	0.1352	0.2262	0.1352	0.2262	0.242421e005ed93911e7599e5fmd63b5	ca	8b7e3d0cf8832d1v2a95n9t1e	ca		
64983b4f12f077cca	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	a	Cbar	min	-0.011447	0.146	0.3556	-0.146	-0.3556	-	0.344153	e2b95c2158f9fbd17e9462d1ff	ca	8b7e3d0cf8832d1v2a95n9t1e	ca
f269f68578e41350ed	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	g	F	max	-0.005846	0.0872	0.1608	0.0872	0.1608	0.16664632aadaa15d1d1ad1bcb852f2ff	ca	8b7e3d0cf8832d1v2a95n9t1e	ca		
f269f68578e41350ed	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	g	Fbar	min	0.0535970.092	0.3166	-0.092	-0.3166	-	0.370197	71870e37f82e5d267a45a61e9	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
f269f68578e41350ed	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	g	C	max	-0.01028	0.1356	0.2218	0.1356	0.2218	0.23208	ca0f8e136d85f151e819d9e2d	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
f269f68578e41350ed	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	g	Cbar	min	0.0544120.1442	0.4178	-0.1442	-0.4178	-	0.472212	8b7e3d0cf8832d1v2a95n9t1e	ca	8b7e3d0cf8832d1v2a95n9t1e	ca	
f269f68578e41350ed	link	ImageNet-vit-b16	vit-b16	train	256	6d77500896ad7552898d	center	noise	2	p	F	max	-0.009389	0.0872	0.1398	0.0872	0.1398	0.14918910d6906cf17b385d64f1f69e2	ca	8b7e3d0cf8832d1v2a95n9t1e	ca		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	Fbar	min	0.0524270.092	0.2612	-0.092	-0.2612	-0.313627	cacale14f8070990a3401g4d	4f8070990a3401g4d	4f8070990a3401g4d	4f8070990a3401g4d	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	C	max	-0.011344	0.1356	0.2032	0.1356	0.2032	0.2145449a811fbf87b6aive088e2b7	811fbf87b6aive088e2b7	811fbf87b6aive088e2b7	811fbf87b6aive088e2b7	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	Cbar	min	0.0524140.1442	0.3604	-0.1442	-0.3604	-0.412814	309e2d79f458dcaive5sm69bf	458dcaive5sm69bf	458dcaive5sm69bf	458dcaive5sm69bf	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	F	max	-0.001408	0.0872	0.1132	0.0872	0.1132	0.11460839839bb6f140adab85sm7e1	39839bb6f140adab85sm7e1	39839bb6f140adab85sm7e1	39839bb6f140adab85sm7e1	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	Fbar	min	0.0255150.092	0.1562	-0.092	-0.1562	-0.181715	7d4b88b0f8006b76216285b7	0f8006b76216285b7	0f8006b76216285b7	0f8006b76216285b7	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	C	max	-0.002627	0.1356	0.158	0.1356	0.158	0.1606270597e52d4b3a6a240b900f5a1	0597e52d4b3a6a240b900f5a1	0597e52d4b3a6a240b900f5a1	0597e52d4b3a6a240b900f5a1	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	Cbar	min	0.0260630.1442	0.227	-0.1442	-0.227	-0.253063	5a59f1542235420a08ad7dcf	42235420a08ad7dcf	42235420a08ad7dcf	42235420a08ad7dcf	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	F	max	-0.011364	0.0872	0.1636	0.0872	0.1636	0.17496418440113a87696655784931	418440113a87696655784931	418440113a87696655784931	418440113a87696655784931	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	Fbar	min	-0.012546	0.092	0.296	-0.092	-0.296	-0.0479bd94d85b677e2342b8	bd94d85b677e2342b8	bd94d85b677e2342b8	bd94d85b677e2342b8	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	C	max	-0.017186	0.1356	0.2258	0.1356	0.2258	0.242986e005ed939flee7599f95sm69bf	005ed939flee7599f95sm69bf	005ed939flee7599f95sm69bf	005ed939flee7599f95sm69bf	
f269f68578e41350ed4f3gbN5b0994N4d8748652ek6	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	Cbar	min	-0.011628	0.1442	0.3544	-0.1442	-0.3544	-0.0e2b95c2158f9bd7a9462dHF	2158f9bd7a9462dHF	2158f9bd7a9462dHF	2158f9bd7a9462dHF	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	g	F	max	-0.006069	0.0864	0.1594	0.0864	0.1594	0.16546932aadaa1f2ddadab8c8552f2f	32aadaa1f2ddadab8c8552f2f	32aadaa1f2ddadab8c8552f2f	32aadaa1f2ddadab8c8552f2f	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	g	Fbar	min	0.05501	0.0928	0.3158	-0.0928	-0.3158	-0.071870e37b82e52267a45a61d	37b82e52267a45a61d	37b82e52267a45a61d	37b82e52267a45a61d	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	g	C	max	-0.011792	0.1352	0.2198	0.1352	0.2198	0.231592ca0f8e136d85f5a4e19d9a126	0f8e136d85f5a4e19d9a126	0f8e136d85f5a4e19d9a126	0f8e136d85f5a4e19d9a126	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	g	Cbar	min	0.0555420.146	0.418	-0.146	-0.418	-0.473542	8b7e3d0d88832b2a95a9b1d	32b2a95a9b1d	32b2a95a9b1d	32b2a95a9b1d	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	F	max	-0.007314	0.0864	0.1408	0.0864	0.1408	0.14811410d6906cd7b38516414f69c2	10d6906cd7b38516414f69c2	10d6906cd7b38516414f69c2	10d6906cd7b38516414f69c2	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	Fbar	min	0.0530720.0928	0.2612	-0.0928	-0.2612	-0.314272	cacale14f8070990a3401g4d	4f8070990a3401g4d	4f8070990a3401g4d	4f8070990a3401g4d	
6fa4f7668fbad5c507a18g5Ndm7g8N2xb2g5Nf026c4b9aa5000e232a2f49b88scdnlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	730032cd5b971636mf	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	C	max	-0.010487	0.1352	0.2036	0.1352	0.2036	0.2140879a811fbf87b6aive088e2b7	811fbf87b6aive088e2b7	811fbf87b6aive088e2b7	811fbf87b6aive088e2b7	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference	excluded qe method o
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	p	Cbar	min	0.0546220.146	0.3596	-0.146	-0.3596	-0.414222	309e2d79f0d3dca1ab5a6090bf	0.0546220.146	0.3596	-0.146	-0.3596
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	F	max	0.00153 0.0864	0.1152	0.0864	0.1152	0.11367	39839bb6f14091ab8547e1	0.00153 0.0864	0.1152	0.0864	0.1152
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	Fbar	min	0.0280440.0928	0.1544	-0.0928	-0.1544	-0.182444	7d4b88b0f8061b76216285b7	0.0280440.0928	0.1544	-0.0928	-0.1544
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	C	max	0.0001730.1352	0.1604	0.1352	0.1604	0.1602270597e52d1b06af0240b9065f1	0.0001730.1352	0.1604	0.1352	0.1604	
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	s	Cbar	min	0.02767 0.146	0.227	-0.146	-0.227	-0.25467	5a59f1542235429a084d79c6	0.02767 0.146	0.227	-0.146	-0.227
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	F	max	-0.011376 0.0864	0.1624	0.0864	0.1624	0.17377618440113a87696655784931	-0.011376 0.0864	0.1624	0.0864	0.1624	
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	Fbar	min	-0.012133 0.0928	0.2962	-0.0928	-0.2962	-0.284067	0479bd94d55b677cd33421a9	-0.012133 0.0928	0.2962	-0.0928	-0.2962
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	C	max	-0.016221 0.1352	0.2262	0.1352	0.2262	0.242421e005ed93011be7509f95fcd635	-0.016221 0.1352	0.2262	0.1352	0.2262	
6fa4f7668fbad5c5071a8c5Ndm7g8N2fb2g5Nf026c4b9aa5000e232a2f40b88scritlze_noise	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	2	a	Cbar	min	-0.011447 0.146	0.3556	-0.146	-0.3556	-0.344153	e2b95c2158f9b47e9462d1ff	-0.011447 0.146	0.3556	-0.146	-0.3556

Table 83: effective robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry geometryq label	source id	methodsselected	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
a1e1c32d1e3728316290geN1d1375gdN2d1448697dces69ae1c500630527cah0g5bimply		ImageNet-vit-b16	vit-b16		5000	Real_057bimply	noise			2	GradientAttentionRollout;C0550Transforme0.9551b2tion	0.011305		0.013091		0.006502		0.050136-	0.048501-	0.003664		0.025706-	0.025706-
3ab12bec1eb4d4281744d06d1892dN04c4987706792f50f85007c2550B8d3ag8hmedn_		ImageNet-vit-b16	vit-b16		5000	Real_057bimply	noise			2	GradientAttentionRollout;C0550Transforme0.9551b2tion	0.006069		0.011792		0.007314		0.053072-	0.0546220.00153	0.0280440		0.0280440	0.0280440
64983b4f12f077cca110geN1d1375gdN2d1448697dces69ae1c500630527cah0g5bimply		ImageNet-vit-b16	vit-b16		5000	Real_057bimply	noise			2	GradientAttentionRollout;C0550Transforme0.9551b2tion	0.006069		0.011792		0.007314		0.053072-	0.0546220.00153	0.0280440		0.0280440	0.0280440
f269f68578e41350ed1f3geN5b099dN4d1748652ceh6c6ea7a0032cd5b071686mfetry_		ImageNet-vit-b16	vit-b16		5000	Real_057bimply	noise			2	GradientAttentionRollout;C0550Transforme0.9551b2tion	0.005846		0.01028		0.009389		0.052427-	0.052414-	0.001408		0.025515-	0.025515-
6fa4f7668fbad5c5071d85N1d1375gdN2d1448697dces69ae1c500630527cah0g5bimply		ImageNet-vit-b16	vit-b16		5000	Real_057bimply	noise			2	GradientAttentionRollout;C0550Transforme0.9551b2tion	0.006069		0.011792		0.007314		0.053072-	0.0546220.00153	0.0280440		0.0280440	0.0280440

Table 84: effective robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

curve id	cell	metric	condition	excluded method	reference count	fit model	slope	unconstrained slope	slapped was con- strained	intercept	residual sum squares	residual r stan- dard devia- tion	clean min	clean max	perturbed min	perturbed max	reference meth- ods
0479bd94d55b67771234218955ab365243b2954e7ab81c7bfc6563780083830147660450_7660450_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
0597e52db66af024000635491c56355395e172468625684117b85369a1e91e0183771_0013771_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
10d6906cd7b38fd614f69062fb0a349453728fa7d8c2309470aaef400d2f7a11e436324f348624f_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
18440113e87696655758499345ca7a310fcd851702d4f5991329e37c59f1e6671e484433e1484433_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
309e2d79b58dca1a1b0635491c56355395e172468625684117b85369a1e91e0183771_0013771_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
32aadaa12ddabd81b8522f6f28247b4991b2618eaa18b804a4a42458f43b01e470339e1470239f_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
39839bb66f1409da1b55c6734f73d5d6272ab445b18a13031d1fb752850115501471888e1714888_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
5a59f1542235429a5b3a7e166525adb6298682c2222b5a6521f6f05e2028ba9cf0e89239f0_89239f0_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
71870e37c82e52267ad56Ne4fba1650hg78adcd01114bf002cdf9014a0b5e5d10v7654d06_7654d06_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
7d4b88b02806fb7621628557f4ed1c6b03232d115412d337809b3c0cf05e25d0e109060_906060_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
8b7e3d0d3b832bb21959Nbd0ba53889e3aa6f7757676995d85104a31aamb3d0v7388626_7388626_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
9a811f1bc87b60a1a088e2N7cd1804b61b3929e5b2603ceb65f2ff5f7ea88248501iv42944e1429114_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
ca0f8e136de5f154c3192a36C25b4431g7e0ce9a13cdc68f1af6c6cf509dfcga11v219339e1470239f_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
caca1e14db0709901340g4Ndf7m120dp7e3b1ef054fce6c129e60adi0cd5ga30v8064d06_8064d06_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
e005ed9391ee7599Dmfc6Nbc6db9e86847dc1f0e2805ff0632b86b8e78283571iv413105e1448105_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA
e2b95c2158f9b47b0462dN7275a147200f1307cd4453969b71056318550g30v7673326_7673326_False	ImageNet- vit-b16	0.0063549	1c56355395e172468625684117b85369a1e91e0183771_0013771_False		1	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	0.0063549	AttentionGradCAM;CheferTransformerA

Table 85: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	q	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected per-turbed quality oriented	reference curve id	reference pool policy	reference exclusion method	excluded q
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	g	F	max	-0.011305	0.0852	0.1524	0.0852	0.1524	0.16370532	aadaa1b11dand8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	g	Fbar	min	0.05672	0.0966	0.317	-0.0966	-0.317	-0.37372	71870e37782e52267a45a61d4	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	g	C	max	-0.013091	0.132	0.2146	0.132	0.2146	0.227691ca0f8e136dd5f15a8e19d9e2f	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	g	Cbar	min	0.0551150	0.1484	0.4202	-0.1484	-0.4202	-0.475315	8b7e3d0c3d8832d1b2a959b1e1	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	p	F	max	-0.006502	0.0852	0.14	0.0852	0.14	0.14650210d6906c47b384d644f169e2	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	p	Fbar	min	0.0501360	0.0966	0.2672	-0.0966	-0.2672	-0.317336	caca1e14f8b070a90a3401d14d	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	p	C	max	-0.00703	0.132	0.2034	0.132	0.2034	0.210439a811f1bf87b60a1a08e297	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	p	Cbar	min	0.0485010	0.1484	0.3676	-0.1484	-0.3676	-0.416101	309e2d79b58d9a1ab5e606b1	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	s	F	max	-0.003664	0.0852	0.1086	0.0852	0.1086	0.11226439839bb6f11409adb85m1e1	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	s	Fbar	min	0.0257060	0.0966	0.1602	-0.0966	-0.1602	-0.185906	7d4b88b0080c6bf6216285b7	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	s	C	max	-0.003623	0.132	0.1534	0.132	0.1534	0.1570230597e52c4b06af3240b906f5f5	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	s	Cbar	min	0.0266110	0.1484	0.2302	-0.1484	-0.2302	-0.256811	5a59f154d223542b08d47d1c5	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	a	F	max	-0.009595	0.0852	0.1624	0.0852	0.1624	0.17199518440113a87c96655784d981	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	a	Fbar	min	-0.007622	0.0966	0.2946	-0.0966	-0.2946	-0.286978	0479bd94d4b5b677c2342b8f	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	a	C	max	-0.012499	0.132	0.2254	0.132	0.2254	0.237899e005ed935f1ee7509e5fmg63b	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f		
be1d1979e7552fb51d8e91261b36f73eff77a68044e10a4fe3f0005be88c0b519	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	a	Cbar	min	-0.007605	0.1484	0.3536	-0.1484	-0.3536	-0.345995	e2b95c2158f9b4709462d4ff	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	
b54b8513e4774bb8a40554f7876N428f603898f039d0048907039E198	ImageNet-vit-b16	ImageNet	vit-b16	train	50000	S	simpleavg		spearman	NOISE-2	g	F	max	-0.006069	0.0864	0.1594	0.0864	0.1594	0.16546932	aadaa1b11dand8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	Fulland8bc68552f2f	

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	comment
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	g	Fbar	min	0.05501	0.0928	0.3158	-0.0928	-0.3158	-	0.37081	71870e377b82e52267a45a9d9c	71870e377b82e52267a45a9d9c	71870e377b82e52267a45a9d9c	71870e377b82e52267a45a9d9c	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	g	C	max	-0.011792	0.1352	0.2198	0.1352	0.2198	0.231592	ca0f8e136dd5f514c819d9d2d	ca0f8e136dd5f514c819d9d2d	ca0f8e136dd5f514c819d9d2d	ca0f8e136dd5f514c819d9d2d		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	g	Cbar	min	0.0555420	0.146	0.418	-0.146	-0.418	-	0.473542	8b7e3d0cfab832d1v2a959d1e1	8b7e3d0cfab832d1v2a959d1e1	8b7e3d0cfab832d1v2a959d1e1	8b7e3d0cfab832d1v2a959d1e1	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	p	F	max	-0.007314	0.0864	0.1408	0.0864	0.1408	0.148114	10d6906cd17b38fd641f69e2	10d6906cd17b38fd641f69e2	10d6906cd17b38fd641f69e2	10d6906cd17b38fd641f69e2		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	p	Fbar	min	0.0530720	0.0928	0.2612	-0.0928	-0.2612	-	0.314272	cacale14f0070990e34d1d4d	cacale14f0070990e34d1d4d	cacale14f0070990e34d1d4d	cacale14f0070990e34d1d4d	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	p	C	max	-0.010487	0.1352	0.2036	0.1352	0.2036	0.214087	9a811fb687b6d4ava088e297	9a811fb687b6d4ava088e297	9a811fb687b6d4ava088e297	9a811fb687b6d4ava088e297		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	p	Cbar	min	0.0546220	0.146	0.3596	-0.146	-0.3596	-	0.414222	309e2d79d38draivb5m696bf	309e2d79d38draivb5m696bf	309e2d79d38draivb5m696bf	309e2d79d38draivb5m696bf	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	s	F	max	0.00153	0.0864	0.1152	0.0864	0.1152	0.11367	39839bb6f14091ab85m47e1	39839bb6f14091ab85m47e1	39839bb6f14091ab85m47e1	39839bb6f14091ab85m47e1		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	s	Fbar	min	0.0280440	0.0928	0.1544	-0.0928	-0.1544	-	0.182444	7d4b88bf0806fb76216285b7	7d4b88bf0806fb76216285b7	7d4b88bf0806fb76216285b7	7d4b88bf0806fb76216285b7	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	s	C	max	0.0001730	0.1352	0.1604	0.1352	0.1604	0.160227	0597e52d1d06af0240b906f5d	0597e52d1d06af0240b906f5d	0597e52d1d06af0240b906f5d	0597e52d1d06af0240b906f5d		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	s	Cbar	min	0.02767	0.146	0.227	-0.146	-0.227	-	0.25467	5a59f1540235420a08cd7dcd6	5a59f1540235420a08cd7dcd6	5a59f1540235420a08cd7dcd6	5a59f1540235420a08cd7dcd6	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	a	F	max	-0.011376	0.0864	0.1624	0.0864	0.1624	0.173776	18440113a87696655784931	18440113a87696655784931	18440113a87696655784931	18440113a87696655784931		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	a	Fbar	min	-0.012133	0.0928	0.2962	-0.0928	-0.2962	-	0.284067	0479bd94d55b677ed234218	0479bd94d55b677ed234218	0479bd94d55b677ed234218	0479bd94d55b677ed234218	
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	a	C	max	-0.016221	0.1352	0.2262	0.1352	0.2262	0.242421	e005ed939f1ee7599f95fmd1b	e005ed939f1ee7599f95fmd1b	e005ed939f1ee7599f95fmd1b	e005ed939f1ee7599f95fmd1b		
b54b8513e4774bb8fba4055467876bNe-286g058087fb039dH00489N0139E198	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	a	Cbar	min	-0.011447	0.146	0.3556	-0.146	-0.3556	-	0.344153	e2b95ce158f9f47de9462d1ff	e2b95ce158f9f47de9462d1ff	e2b95ce158f9f47de9462d1ff	e2b95ce158f9f47de9462d1ff	
566157ea61b51f24alb73g9N444m03208B051g1074858	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	g	F	max	-0.006069	0.0864	0.1594	0.0864	0.1594	0.165469	32aadaa1f2ddadab5bc8552f2f	32aadaa1f2ddadab5bc8552f2f	32aadaa1f2ddadab5bc8552f2f	32aadaa1f2ddadab5bc8552f2f		
566157ea61b51f24alb73g9N444m03208B051g1074858	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	g	Fbar	min	0.05501	0.0928	0.3158	-0.0928	-0.3158	-	0.37081	71870e377b82e52267a45a9d9c	71870e377b82e52267a45a9d9c	71870e377b82e52267a45a9d9c	71870e377b82e52267a45a9d9c	
566157ea61b51f24alb73g9N444m03208B051g1074858	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	S	spearman	NOISE-S	-2	g	C	max	-0.011792	0.1352	0.2198	0.1352	0.2198	0.231592	ca0f8e136dd5f514c819d9d2d	ca0f8e136dd5f514c819d9d2d	ca0f8e136dd5f514c819d9d2d	ca0f8e136dd5f514c819d9d2d		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	g	Cbar	min	0.0555420.146	0.418	-0.146	-0.418	-	0.473542	8b7e3d0cf883221v2a95n9t1e	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	p	F	max	-0.007314	0.0864	0.1408	0.0864	0.1408	0.14811410d6906cf17b38d164f1f69e2	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	p	Fbar	min	0.0530720.0928	0.2612	-0.0928	-0.2612	-	0.314272	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	p	C	max	-0.010487	0.1352	0.2036	0.1352	0.2036	0.2140879a811f1bf87b6d1e08e227	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	p	Cbar	min	0.0546220.146	0.3596	-0.146	-0.3596	-	0.414222	309e2d79f58dca1b55609bf	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	s	F	max	0.00153	0.0864	0.1152	0.0864	0.1152	0.11367	39839bb6f14091ab85m7e1	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	s	Fbar	min	0.0280440.0928	0.1544	-0.0928	-0.1544	-	0.182444	7d4b88b0f880cfb7621628f1	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	s	C	max	0.0001730.1352	0.1604	0.1352	0.1604	0.1602270597e52d1b6af2240b906f5d1	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d			
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	s	Cbar	min	0.02767	0.146	0.227	-0.146	-0.227	-	0.25467	5a59f1542235429e08d47d1c5	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	a	F	max	-0.011376	0.0864	0.1624	0.0864	0.1624	0.17377618440113a87696655784931	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	a	Fbar	min	-0.012133	0.0928	0.2962	-0.0928	-0.2962	-	0.284067	0479bd94fd55b677cd342b9	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	a	C	max	-0.016221	0.1352	0.2262	0.1352	0.2262	0.242421e005ed93911e7599e95fmd1315	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
566157ea61b51f24a1b73g9Y441n032088051g107d858	ImageNet-vit-b16	ImageNet	vit-b16	dev	23000	S	NOISE-2	spearman	NOISE-2	S	a	Cbar	min	-0.011447	0.146	0.3556	-0.146	-0.3556	-	0.344153	e2b95c2158f9fbd17e9462d1ff	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	
436e38ef68e3dbda76647aN291imgfNbD964eNc1758b34859004c4efN0188901rf	ImageNet-vit-b16	ImageNet	vit-b16	dev	3485900	S	NOISE-2	spearman	NOISE-2	S	g	F	max	-0.005846	0.0872	0.1608	0.0872	0.1608	0.16664632aadaa1f2ddadab5bc8522f1f	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
436e38ef68e3dbda76647aN291imgfNbD964eNc1758b34859004c4efN0188901rf	ImageNet-vit-b16	ImageNet	vit-b16	dev	3485900	S	NOISE-2	spearman	NOISE-2	S	g	Fbar	min	0.0535970.092	0.3166	-0.092	-0.3166	-	0.370197	71870e3782e5d267a45a61e9	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
436e38ef68e3dbda76647aN291imgfNbD964eNc1758b34859004c4efN0188901rf	ImageNet-vit-b16	ImageNet	vit-b16	dev	3485900	S	NOISE-2	spearman	NOISE-2	S	g	C	max	-0.01028	0.1356	0.2218	0.1356	0.2218	0.23208	ca0f8e136d85f151c819d9e120	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
436e38ef68e3dbda76647aN291imgfNbD964eNc1758b34859004c4efN0188901rf	ImageNet-vit-b16	ImageNet	vit-b16	dev	3485900	S	NOISE-2	spearman	NOISE-2	S	g	Cbar	min	0.0544120.1442	0.4178	-0.1442	-0.4178	-	0.472212	8b7e3d0cf883221v2a95n9t1e	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d		
436e38ef68e3dbda76647aN291imgfNbD964eNc1758b34859004c4efN0188901rf	ImageNet-vit-b16	ImageNet	vit-b16	dev	3485900	S	NOISE-2	spearman	NOISE-2	S	p	F	max	-0.009389	0.0872	0.1398	0.0872	0.1398	0.14918910d6906cf17b38d164f1f69e2	ca1e14f11070990a34f1d14d	ca1e14f11070990a34f1d14d			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	p	Fbar	min	0.0524270.092	0.2612	-0.092	-0.2612	-0.313627	cacale14H070990a3401g4d	4B070990a3401g4d			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	p	C	max	-0.011344	0.1356	0.2032	0.1356	0.2032	0.2145449a811fbf87b6a1e088e2b7	811fbf87b6a1e088e2b7			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	p	Cbar	min	0.0524140.1442	0.3604	-0.1442	-0.3604	-0.412814	309e2d79f458dca1eb56096bf	458dca1eb56096bf			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	s	F	max	-0.001408	0.0872	0.1132	0.0872	0.1132	0.11460839839bb661f40ad1eb855m7e1	39839bb661f40ad1eb855m7e1			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	s	Fbar	min	0.0255150.092	0.1562	-0.092	-0.1562	-0.181715	7d4b88b008006b76216285b7	08006b76216285b7			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	s	C	max	-0.002627	0.1356	0.158	0.1356	0.158	0.1606270597e52d4b36af240b900f5a1	0597e52d4b36af240b900f5a1			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	s	Cbar	min	0.0260630.1442	0.227	-0.1442	-0.227	-0.253063	5a59f1542235420a08cdd7dcf	0235420a08cdd7dcf			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	a	F	max	-0.011364	0.0872	0.1636	0.0872	0.1636	0.17496418440113587696655784931	18440113587696655784931			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	a	Fbar	min	-0.012546	0.092	0.296	-0.092	-0.296	-0.0479bd94d55b677e23421e8	bd94d55b677e23421e8			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	a	C	max	-0.017186	0.1356	0.2258	0.1356	0.2258	0.242986e005ed939ille7599f95m6d39	005ed939ille7599f95m6d39			
436e38ef68e3dbda76647aN241imgfNb0964eN1758b34859001c4efN0188901rf	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	a	Cbar	min	-0.011628	0.1442	0.3544	-0.1442	-0.3544	-0.0e2b95c2158f9bd7e9462d4ff	02158f9bd7e9462d4ff			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	g	F	max	-0.006069	0.0864	0.1594	0.0864	0.1594	0.16546932aadaa1f2ddad18bc58522ff	032aadaa1f2ddad18bc58522ff			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	g	Fbar	min	0.05501	0.0928	0.3158	-0.0928	-0.3158	-0.71870e37b82e52267a45a61d	037b82e52267a45a61d			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	g	C	max	-0.011792	0.1352	0.2198	0.1352	0.2198	0.231592ca0f8e136d85f514e19d9a126	0231592ca0f8e136d85f514e19d9a126			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	g	Cbar	min	0.0555420.146	0.418	-0.146	-0.418	-0.473542	8b7e3d0d3d88321b2a95a91d	03d88321b2a95a91d			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	p	F	max	-0.007314	0.0864	0.1408	0.0864	0.1408	0.14811410d6906c4b7b385164141f69e2	010d6906c4b7b385164141f69e2			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	p	Fbar	min	0.0530720.0928	0.2612	-0.0928	-0.2612	-0.314272	cacale14H070990a3401g4d	4B070990a3401g4d			
9bd043f476f91a45b54e2bNc106dgenN8620e9233782fe3a59002e5d70015fE84chulze	ImageNet-vit-b16		vit-b16			S			spearman	NOISE-S	-2	p	C	max	-0.010487	0.1352	0.2036	0.1352	0.2036	0.2140879a811fbf87b6a1e088e2b7	0811fbf87b6a1e088e2b7			

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry label	geometryq	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	excluded quality
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	p	Cbar	min	0.0546220.146	0.3596	-0.146	-0.3596	-	0.414222	309e2d79f9d5d3a1b55696bf	309e2d79f9d5d3a1b55696bf	309e2d79f9d5d3a1b55696bf	309e2d79f9d5d3a1b55696bf	
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	s	F	max	0.00153 0.0864	0.1152	0.0864	0.1152	0.11367	39839bbb6f14094b8557e1	39839bbb6f14094b8557e1	39839bbb6f14094b8557e1	39839bbb6f14094b8557e1		
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	s	Fbar	min	0.0280440.0928	0.1544	-0.0928	-0.1544	-	0.182444	7d4b88b0806b762162851b7	7d4b88b0806b762162851b7	7d4b88b0806b762162851b7	7d4b88b0806b762162851b7	
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	s	C	max	0.0001730.1352	0.1604	0.1352	0.1604	0.1602270597e52d70015f8e84	0.1602270597e52d70015f8e84	0.1602270597e52d70015f8e84	0.1602270597e52d70015f8e84	0.1602270597e52d70015f8e84		
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	s	Cbar	min	0.02767 0.146	0.227	-0.146	-0.227	-	0.25467	5a59f1542215429e084d7dc6	5a59f1542215429e084d7dc6	5a59f1542215429e084d7dc6	5a59f1542215429e084d7dc6	
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	a	F	max	- 0.011376	0.0864	0.1624	0.0864	0.1624	0.17377618440113e87696655784981	0.17377618440113e87696655784981	0.17377618440113e87696655784981	0.17377618440113e87696655784981		
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	a	Fbar	min	- 0.012133	0.0928	0.2962	-0.0928	-0.2962	-	0.284067	0479bd94d5b677cd3421e9	0479bd94d5b677cd3421e9	0479bd94d5b677cd3421e9	0479bd94d5b677cd3421e9
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	a	C	max	- 0.016221	0.1352	0.2262	0.1352	0.2262	0.242421e005ed930b1e7599f956cd3d5	0.242421e005ed930b1e7599f956cd3d5	0.242421e005ed930b1e7599f956cd3d5	0.242421e005ed930b1e7599f956cd3d5		
9bd043f476f91a45b54e2b106d9e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	S	spearman	NOISE-S	-2	70015f8e84	a	Cbar	min	- 0.011447	0.146	0.3556	-0.146	-0.3556	-	0.344153	e2b95c2158f9b47e9462d7ff	e2b95c2158f9b47e9462d7ff	e2b95c2158f9b47e9462d7ff	e2b95c2158f9b47e9462d7ff
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	g	F	max	0.0098440.0734	0.1562	0.0734	0.1562	0.14635632aadaa1f2ddad8bc5852f2f	0.14635632aadaa1f2ddad8bc5852f2f	0.14635632aadaa1f2ddad8bc5852f2f	0.14635632aadaa1f2ddad8bc5852f2f	0.14635632aadaa1f2ddad8bc5852f2f		
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	g	Fbar	min	0.0448270.097	0.3292	-0.097	-0.3292	-	0.374027	71870e3782e52267a45a60d	71870e3782e52267a45a60d	71870e3782e52267a45a60d	71870e3782e52267a45a60d	
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	g	C	max	0.0149840.1198	0.2278	0.1198	0.2278	0.212816ca0f8e136d15f151e819d9e2f	0.212816ca0f8e136d15f151e819d9e2f	0.212816ca0f8e136d15f151e819d9e2f	0.212816ca0f8e136d15f151e819d9e2f	0.212816ca0f8e136d15f151e819d9e2f		
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	g	Cbar	min	0.0472720.1478	0.4276	-0.1478	-0.4276	-	0.474872	8b7e3d0cd8832412a959b1e	8b7e3d0cd8832412a959b1e	8b7e3d0cd8832412a959b1e	8b7e3d0cd8832412a959b1e	
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	p	F	max	0.0111530.0734	0.1418	0.0734	0.1418	0.13064710d6906d47b384d6446f69e2	0.13064710d6906d47b384d6446f69e2	0.13064710d6906d47b384d6446f69e2	0.13064710d6906d47b384d6446f69e2	0.13064710d6906d47b384d6446f69e2		
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	p	Fbar	min	0.0468590.097	0.2708	-0.097	-0.2708	-	0.317659	caca1e14f8070990e340144d	caca1e14f8070990e340144d	caca1e14f8070990e340144d	caca1e14f8070990e340144d	
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	p	C	max	0.0169140.1198	0.2134	0.1198	0.2134	0.1964869a811fb587b60a1e088e2b7	0.1964869a811fb587b60a1e088e2b7	0.1964869a811fb587b60a1e088e2b7	0.1964869a811fb587b60a1e088e2b7	0.1964869a811fb587b60a1e088e2b7		
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	p	Cbar	min	0.0478310.1478	0.3678	-0.1478	-0.3678	-	0.415631	309e2d79f9d5d3a1b55696bf	309e2d79f9d5d3a1b55696bf	309e2d79f9d5d3a1b55696bf	309e2d79f9d5d3a1b55696bf	
d1196f72e05190d95933f9e01b52e18620e9233782fe3a5900e5d70015f8e84	ImageNet-vit-b16	ImageNet	vit-b16	ImageNet	5000	K	kendall	NOISE-K	-3	70015f8e84	s	F	max	0.0055640.0734	0.104	0.0734	0.104	0.09843639839bbb6f14094b8557e1	0.09843639839bbb6f14094b8557e1	0.09843639839bbb6f14094b8557e1	0.09843639839bbb6f14094b8557e1	0.09843639839bbb6f14094b8557e1		

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometry label	source id	condition	metric	raw metric direction	ER	clean quality raw	perturbed quality raw	clean quality oriented	perturbed quality oriented	expected perturbed quality oriented	reference curve id	reference pool policy	excluded reference method	clean quality oriented
f0cdc5dfe60de7d48b0d4e81d77554d0255d0db60067590c0434e27f	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	a	Cbar	min	-0.008433	0.1468	0.3532	-0.1468	-0.3532	-0.344767	e2b95c2158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	g	F	max	-0.000167	0.0764	0.1506	0.0764	0.1506	0.15076732aadaa12d1da1b1bc552f2f	12d1da1b1bc552f2f	12d1da1b1bc552f2f	12d1da1b1bc552f2f		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	g	Fbar	min	0.0410390	0.0978	0.3336	-0.0978	-0.3336	-0.374639	71870e37782e52267a45a60e	782e52267a45a60e	782e52267a45a60e	782e52267a45a60e	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	g	C	max	0.0020440	0.125	0.2212	0.125	0.2212	0.219156ca0f8e136d15f151e0819d9e2f	ca0f8e136d15f151e0819d9e2f	ca0f8e136d15f151e0819d9e2f	ca0f8e136d15f151e0819d9e2f		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	g	Cbar	min	0.0405150	0.1484	0.4348	-0.1484	-0.4348	-0.475315	8b7e3d0d3d1832d12a95d91e	3d1832d12a95d91e	3d1832d12a95d91e	3d1832d12a95d91e	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	p	F	max	0.0037220	0.0764	0.1384	0.0764	0.1384	0.13467810d6906c47b385d6c4516f9c2	10d6906c47b385d6c4516f9c2	10d6906c47b385d6c4516f9c2	10d6906c47b385d6c4516f9c2		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	p	Fbar	min	0.0455040	0.0978	0.2728	-0.0978	-0.2728	-0.318304	cacale14f0070990a340d1d4d	0070990a340d1d4d	0070990a340d1d4d	0070990a340d1d4d	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	p	C	max	0.00537	0.125	0.2078	0.125	0.2078	0.20243	9a811fb1b87b6a1e088e2b7f	1b1b87b6a1e088e2b7f	1b1b87b6a1e088e2b7f	1b1b87b6a1e088e2b7f	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	p	Cbar	min	0.0437010	0.1484	0.3724	-0.1484	-0.3724	-0.416101	309e2d79f0d53d1a1b5a60b1f	0d53d1a1b5a60b1f	0d53d1a1b5a60b1f	0d53d1a1b5a60b1f	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	s	F	max	-0.002751	0.0764	0.0992	0.0764	0.0992	0.10195139839bb6f1f4094db55a17e4f	39839bb6f1f4094db55a17e4f	39839bb6f1f4094db55a17e4f	39839bb6f1f4094db55a17e4f		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	s	Fbar	min	0.0277990	0.0978	0.1592	-0.0978	-0.1592	-0.186999	7d4b88b00806f176216285b7f	00806f176216285b7f	00806f176216285b7f	00806f176216285b7f	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	s	C	max	-0.001613	0.125	0.1484	0.125	0.1484	0.1500130597e52d1d6baf2246b906f5af	130597e52d1d6baf2246b906f5af	130597e52d1d6baf2246b906f5af	130597e52d1d6baf2246b906f5af		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	s	Cbar	min	0.0294110	0.1484	0.2274	-0.1484	-0.2274	-0.256811	5a59f1542235429a08cd17d1d5f	1542235429a08cd17d1d5f	1542235429a08cd17d1d5f	1542235429a08cd17d1d5f	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	a	F	max	-0.003532	0.0764	0.1554	0.0764	0.1554	0.15893218440113a87696655784d93f	18440113a87696655784d93f	18440113a87696655784d93f	18440113a87696655784d93f		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	a	Fbar	min	-0.000903	0.0978	0.2888	-0.0978	-0.2888	-0.287897	0479bd94fd15b677cd2342b8f	94fd15b677cd2342b8f	94fd15b677cd2342b8f	94fd15b677cd2342b8f	
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	a	C	max	-0.006207	0.125	0.2218	0.125	0.2218	0.228007e005ed939011e7599f95f6d1b5	005ed939011e7599f95f6d1b5	005ed939011e7599f95f6d1b5	005ed939011e7599f95f6d1b5		
91ea6f68caf34287f3c6883b6c028b74N2fhh0geN3t5cf	ImageNet-vit-b16	ImageNet	vit-b16	train	1000	K	NOISE	kendall	NOISE-K	-3	a	Cbar	min	-0.001605	0.1484	0.3476	-0.1484	-0.3476	-0.345995	e2b95c2158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	158f9b47e9462d4d1ff	

Table 86: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in

candidate id	cell	dataset	model	split	sample count	setting	method	distance model	geometry	geometryq label	source id	methodsselected	ER F g	ER Fbar g	ER C g	ER Cbar g	ER F p	ER Fbar p	ER C p	ER Cbar p	ER F s	ER Fbar s	ER C s	ER Cbar s
be1d1979e7552fb518a9126166672ef77668044940a4fe3d005be830159a	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
b54b8513e4774abb8f8a053467876b1e286a038857b039d00048907039198	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
566157ea61b51f24a1b73e9141a032088051b070558eeca23000318b02496a7k	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
436e38ef68e3dbda76647a1291b1b6f5b0964ee1758b34859601c4ef10188901rf	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
9bd043f476f91a45b54a929c06d6d0e8620e9933782fe3a59002e5d7002f5e84	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
d1196f72e05190d939369e01b592e1836f0652b9c2500c6b19015f58	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
33e4fb51ac61634321a0c33cd0d383c89517f1e2a769e070003f4bb7015fa	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
038fb812ca8e245687e2e7f6c2370f1a589f0e09e61700094f4960183e4	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
f0cdc5dfe60de7d48bada4861d73d0e7757549c255d0dbe60067590163454e27rf	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16
91ea6f68caf34287f31c683b6028b74f2f1b09e38c5feea6f30004945560159e	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16	ImageNet-ViT-B/16

Table 87: effective robustness results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

comparison id	cell	dataset	model	sample count	geometry	geometryq label	rule	condition	condition label	metric	naive er	noise er	er gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome	
4ff74e67fa6a12ebcd11b695Ne47img30d085g100500012c2b6d3541N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	gaussian	S	simpleavg	gaussian	F	0.00877	-	-	0.0113050	0.020075	0.005904	-	0.008297	0.95	0.99995	1	False	0.99935	worse
dbc30b656bfb6c9d11619N50Bb69f63f419287f58a2a356a2569N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	gaussian	S	simpleavg	gaussian	Fbar	0.02345	10.05672	0.033269	0.0069970	0.0196750	0.0470580	0.95	5e-05	0.032	True	5e-05	better		
401aa700876448aed6559dN2010geN2Himg30d085g100500012c2b6d3541N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	gaussian	S	simpleavg	gaussian	C	0.021023	-	-	0.0130910	0.034114	0.005788	-	0.0453990	0.95	1	1	False	1	worse
f526d2f42a39ca58d8a6972N1b0d93N6f0569dN05070611f3401b0euc52013B902	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	gaussian	S	simpleavg	gaussian	Cbar	0.02952	50.0551150	0.02559	0.0070290	0.0119390	0.0395950	0.95	0.0001	0.0615	False	0.00025	better		
accafb2182290a6b420a7179f1d7890N3d1973geN955001a275pea910e9N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	salt_pepper	S	simpleavg	salt_pepper	F	0.013114	-	-	0.0065020	0.019616	0.005425	-	0.0299870	0.95	0.99985	1	False	0.99975	worse
d1472d67907098b68f126N1315geN741815B15500320d989850f3N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	salt_pepper	S	simpleavg	salt_pepper	Fbar	0.03591	0.0501360	0.0142270	0.007860	0.0003750	0.0281590	0.95	0.02235	1	False	0.0221	better		
1aac44519251277ff3a4d99N81ff93Nf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	salt_pepper	S	simpleavg	salt_pepper	F	0.021686	-	-	0.00703	0.028716	0.00528	-	0.0389160	0.95	1	1	False	1	worse
71d7bb878b07cf70dd243N01f2agbNf109geN0550003c6a264738N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	salt_pepper	S	simpleavg	salt_pepper	Cbar	0.0406480	0.0485010	0.0078530	0.007174	-	0.0218260	0.95	0.1389	1	False	0.13645	better		
755148373d42ff5080m9136075agNf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	speckle	S	simpleavg	speckle	F	0.000546	-	-	0.0036640	0.00421	0.004615	-	0.0051690	0.95	0.8278	1	False	0.8111	worse
2e778525955f36ad0f1a13N515img30d085g100500012c2b6d3541N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	speckle	S	simpleavg	speckle	Fbar	0.0214540	0.0257060	0.0042510	0.006887	-	0.0177990	0.95	0.26875	1	False	0.2662	better		
ec824db68d5409979f1252N41f420aN2010geN2Himg30d085g100500012c2b6d3541N015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	speckle	S	simpleavg	speckle	C	0.007217	-	-	0.0036230	0.01084	0.004592	-	0.0196660	0.95	0.9922	1	False	0.99055	worse
e6b1dcd47f8b945f506678N7d155geNf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	speckle	S	simpleavg	speckle	Cbar	0.0244140	0.0266110	0.0021980	0.006975	-	0.0157750	0.95	0.37995	1	False	0.37365	better		
551ffa96462136f753448732Nf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	adversarial	S	simpleavg	adversarial	F	-	-	0.0038270	0.005501	-	0.0148240	0.95	0.2548	1	False	0.232	better		
877b38e31c7c55d7f1a99Nf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	adversarial	S	simpleavg	adversarial	Fbar	-	-	0.0764660	0.0077450	0.0611970	0.0917830	0.95	5e-05	0.032	True	5e-05	better		
b0290488a4568ecc43b0b743617agNf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	adversarial	S	simpleavg	adversarial	C	-	-	0.0027030	0.005667	-	0.0139860	0.95	0.32455	1	False	0.3104	better		
b17ff3d678b1b1357799geN1985geNf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	adversarial	S	simpleavg	adversarial	Cbar	-	-	0.0856490	0.0079160	0.07011	0.1011730	0.95	5e-05	0.032	True	5e-05	better		
fe15ae0fc15d94ccb1069N91f032082N25geNf0b94025007e7a0575f7dN015B4	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	gaussian	S	borda	gaussian	F	0.017682	-	-	0.0060690	0.023751	0.005947	-	0.0350760	0.95	0.99995	1	False	0.99995	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm-adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
696c727a331753bcb	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	g	gaussian Fbar	0.0637230.05501	-	0.008714	0.007359-	0.0057920.95	0.88555	1	False	0.8787	worse			
22b4883f5b675006	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	g	gaussian C	0.028266-	-	0.005716-	0.0509070.028535	1	1	False	1	worse				
d2065fca19fbc551b	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	g	gaussian Cbar	0.0682260.055542-	0.012684	0.007375-	0.0018770.95	0.95995	1	False	0.95575	worse				
caacdae8f4b10c821	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	p	salt_pepper	0.020749-	-	0.005612-	0.0387960.016799	1	1	False	1	worse				
133332c4fd794cebdc	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	p	salt_pepper	0.0729630.053072-	0.019891	0.007803-	0.0352490.004601	0.99455	1	False	0.9948	worse				
4cd655e36d9792ad	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	p	salt_pepper	0.030373-	-	0.005458-	0.0513730.029999	1	1	False	1	worse				
5a5dcd835dc246c4	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	p	salt_pepper	0.0760540.054622-	0.021432	0.007855-	0.0367940.00596	0.99685	1	False	0.9971	worse				
fbe18064adfdda9a	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	s	speckle F	0.0059650.00153	-	0.004435	0.0048790.95	0.846	1	False	0.81935	worse				
9b7a140376f472cb	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	s	speckle Fbar	0.0378240.028044-	0.00978	0.007605-	0.0049540.95	0.90485	1	False	0.8958	worse				
6928a341b9100103	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	s	speckle C	0.0118490.000173-	0.011676	0.004587-	0.0205170.002481	0.9948	1	False	0.9924	worse				
eb527987abb92212	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	s	speckle Cbar	0.0391410.02767	-	0.011471	0.0037720.95	0.9341	1	False	0.9287	worse				
bb994a29a287730d	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	a	adversarial	0.004923-	-	0.005508-	0.0267220.005218	0.99935	1	False	0.9978	worse				
86bcb17954195e70	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	a	adversarial	-	-	0.0714690.0078670.05622	0.0870340.95	5e-05	0.032	True	5e-05	better				
8b49eec48b1a747cd	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	a	adversarial	0.0105	-	0.005582-	0.0374150.015566	1	1	False	1	worse				
0219353d9a591e8d	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	borda	a	adversarial	-	-	0.0787130.0080590.0631780.0946170.95	5e-05	0.032	True	5e-05	better					
7aed27c20ed892cfd	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	rrf	g	gaussian F	0.01966	-	0.0058460.025506	0.0364840.014125	1	1	False	1	worse				
63c2d3b1aa305dd5	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	rrf	g	gaussian Fbar	0.05769	0.053597-	0.004093	0.0105020.95	0.7112	1	False	0.7078	worse				
cb745cd0a6fc717a3	ImageNet-vit-b16	ImageNet	vit-b16	100000	ImageNet	S	rrf	g	gaussian C	0.031893-	-	0.005447-	0.0527030.031219	1	1	False	1	worse				

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
c41003c1cbl	a59a2244	ImageNet	vit-b16	50000	gaussian	S	rrf	g	gaussian Cbar	0.0622010.054412-0.00779	0.007466-0.02255	0.0068870.95	0.85485	1	False	0.84895	worse					
77526897a909	ae1413	ImageNet	vit-b16	50000	salt_pepper	S	rrf	p	salt_pepper	0.023888-0.0093890.033277	0.005332-0.0435030.022584	0.95	1	1	False	1	worse					
b6c9c9582191799	c3490b	ImageNet	vit-b16	50000	salt_pepper	S	rrf	p	salt_pepper	0.065390.052427-0.012963	0.007578-0.027815	0.0022290.95	0.9588	1	False	0.95415	worse					
bafb75e8a3ec2b2d	711f	ImageNet	vit-b16	50000	salt_pepper	S	rrf	p	salt_pepper	0.031287-0.0113440.042631	0.005261-0.0527950.032125	0.95	1	1	False	1	worse					
1d59ae	d64e063220	ImageNet	vit-b16	50000	salt_pepper	S	rrf	p	salt_pepper	0.0671330.052414-0.014719	0.007698-0.0298	0.0007390.95	0.9726	1	False	0.9697	worse					
3b26c9593046548	1549	ImageNet	vit-b16	50000	speckle	S	rrf	s	speckle F	0.009133-0.0014080.010541	0.004518-0.0192180.001438	0.95	0.9913	1	False	0.98875	worse					
392aef5ac57cde88	e61a103	ImageNet	vit-b16	50000	speckle	S	rrf	s	speckle Fbar	0.0269720.025515-0.001457	0.00734-0.015833	0.0128080.95	0.5863	1	False	0.5689	worse					
cd1bbde3bb1da3c6	9734	ImageNet	vit-b16	50000	speckle	S	rrf	s	speckle C	0.015036-0.0026270.017664	0.004538-0.02646	0.008637	0.95	0.99995	1	False	1	worse				
934e9eef34a9a4153	76f	ImageNet	vit-b16	50000	speckle	S	rrf	s	speckle Cbar	0.0282720.026063-0.002209	0.007485-0.016796	0.0126110.95	0.62605	1	False	0.60595	worse					
8facc2f11c93fc7d1c	b99b	ImageNet	vit-b16	50000	adversarial	S	rrf	a	adversarial	-0.0019840.0113640.00938	0.005266-0.019471	0.0012670.95	0.96785	1	False	0.95715	worse					
c2d7ced9b062a19b	b07	ImageNet	vit-b16	50000	adversarial	S	rrf	a	adversarial	-0.0758370.012546	0.0632910.00776	0.0482090.0786570.95	5e-05	0.032	True	5e-05	better					
05a9f998d4567283	71a9d	ImageNet	vit-b16	50000	adversarial	S	rrf	a	adversarial	0.000382-0.0171860.017568	0.005357-0.0278430.006863	0.95	0.9997	1	False	0.9994	worse					
d85a44c3fe34f4b91	11d86	ImageNet	vit-b16	50000	adversarial	S	rrf	a	adversarial	-0.0763780.011628	0.06475	0.0079740.0491650.0803950.95	5e-05	0.032	True	5e-05	better					
2c9b06891b56b4a7	1e635	ImageNet	vit-b16	50000	gaussian	S	kemeny	g	gaussian F	0.022647-0.0060690.028717	0.005638-0.0395510.017365	0.95	1	1	False	1	worse					
90d5fbc04aab5da2	386f	ImageNet	vit-b16	50000	gaussian	S	kemeny	g	gaussian Fbar	0.0759050.05501-0.020895	0.007572-0.0356510.005852	0.95	0.9963	1	False	0.9972	worse					
cd8478eb4a6de513	1b328	ImageNet	vit-b16	50000	gaussian	S	kemeny	g	gaussian C	0.031882-0.0117920.043674	0.005304-0.0538510.032978	0.95	1	1	False	1	worse					
3eeaa737933879733	1c74	ImageNet	vit-b16	50000	gaussian	S	kemeny	g	gaussian Cbar	0.0798220.055542-0.024281	0.00756-0.0391040.009223	0.95	0.9994	1	False	0.99925	worse					
974587cad7484a0c	b273	ImageNet	vit-b16	50000	salt_pepper	S	kemeny	p	salt_pepper	0.027193-0.0073140.034508	0.005427-0.0449520.023602	0.95	1	1	False	1	worse					

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome	
9a067e88b3805a4d15f1e9e90f0c5683e11746f6c60062bd692ef7072a20134f- 2	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	p	salt_pepper	Fbar	0.0778780	0.053072-	0.024806	0.007783-	-	0.0399250	0.009612	0.95	0.99895	1	False	0.9996	worse
2d0c107da48ddb56b5042d6f15b8a5e830a35e50174378a2c44618301517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	p	salt_pepper	F	0.031801-	-	0.0104870	0.005208-	-	0.0523360	0.031884	0.95	1	1	False	1	worse
8db5d1acd74c755a108734N8f8929Nc1738gs22d5409a5653242b15f01517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	p	salt_pepper	Fbar	0.0814270	0.054622-	0.026805	0.007813-	-	0.0420860	0.01164	0.95	0.99955	1	False	0.9998	worse
2d99c74980f025862306g8N13ba6b6591img7C65000f5236980a125Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	s	speckle	F	0.0113860	0.00153 -	0.009857	0.004478-	-	0.0183430	0.000799	0.95	0.9886	1	False	0.98325	worse
f04fd2defcd3f6f52f06469eN5450gs5N0b3277e6900cdcd57e2a01f08301517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	s	speckle	Fbar	0.0362150	0.028044-	0.008171	0.007738-	0.0071680	0.95	0.85765	1	False	0.85285	worse		
0b196f0d319ec12e31m3g9N1b1iaf0Nc17b097N750001b0080a7b00Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	s	speckle	C	0.0150410	0.000173-	0.014868	0.004407-	-	0.0233160	0.006088	0.95	0.99965	1	False	0.9995	worse
06da50d579d75ee5c0f19002f1imgd3N4Trifa345957009bce792d8ff21801517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	s	speckle	Cbar	0.0406770	0.02767 -	0.013007	0.007869-	0.0024810	0.95	0.95315	1	False	0.9493	worse		
48169f0a4d3ea555e11b490N3Cimg555659251201e51003cf23435d1b60001517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	a	adversarial	F	0.001657-	-	0.0113760	0.005358-	-	0.0230910	0.002241	0.95	0.99335	1	False	0.9914	worse
976c728c2ba4c4ac1md47N189440Nc1faa12N540001a54544d988N7C1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	a	adversarial	Fbar	-	-	0.0604160	0.0482820	0.0078120	0.0330590	0.06371	0.95	5e-05	0.032	True	5e-05	better
170fd2e20211e681d1b5f6eN08f00ga75fimg4e0N54001dbb6563a9f68N8C9517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	a	adversarial	G	0.005869-	-	0.0162210	0.005429-	-	0.0324920	0.011159	0.95	1	1	False	1	worse
298bcfe49f6ec9c6a04img7N0b2076b3f9cNf5000f85b88054d6N081517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	kemeny	a	adversarial	Gbar	-	-	0.0616760	0.05023	0.0079690	0.0346850	0.0661650	0.95	5e-05	0.032	True	5e-05	better
3b485fb1649d1b051img12N183d2bNc177429545001038c9dca57N7C1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	g	gaussian	F	0.024812-	-	0.0060690	0.005808-	-	0.0418590	0.019159	0.95	1	1	False	1	worse
eeba420a89f5b924ab808gFN6182cgN75c8033N759906343b9a1744Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	g	gaussian	Fbar	0.0732510	0.05501 -	0.018241	0.007443-	-	0.0326490	0.003452	0.95	0.99315	1	False	0.99145	worse
f0fc12ed480a8f84bdimg7N2B20gaN45img75895000a897398N76501517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	g	gaussian	C	0.033257-	-	0.0117920	0.005403-	-	0.0553970	0.034177	0.95	1	1	False	1	worse
121fde8e3543c40df17m96FNc18imgd9N17ag9N855001829bpd5233Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	g	gaussian	Cbar	0.0770140	0.055542-	0.021473	0.007519-	-	0.0360760	0.006674	0.95	0.998	1	False	0.99755	worse
2d741a42eb5a6f782ed65gN13img962b152Nc150008fc7c685017Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	p	salt_pepper	F	0.026806-	-	0.0073140	0.005508-	-	0.0446980	0.023063	0.95	1	1	False	1	worse
93f5e25ddcbe4cb0d9a44N36d930N77b1414N35700625a9c1d644Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	p	salt_pepper	Fbar	0.0720150	0.053072-	0.018943	0.00773	-	0.0338560	0.003612	0.95	0.99365	1	False	0.99235	worse
9e5a8db978ae8f4d2177ag17N8018ag37718b08N05000737e6226c8b8Nc1517439	ImageNet-vit-b16	ImageNet	vit-b16	1000	ImageNet	S	schulze	p	salt_pepper	F	0.030116-	-	0.0104870	0.005282-	-	0.0507380	0.030031	0.95	1	1	False	1	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm-adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
4f1b76b4a27a9ea271d44658364648a7e411b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	sea	sea	schulze	p	salt_pepper	Cbar	0.07688	0.054622-	0.022258	0.007744-	-	0.0372610.006938	0.95	0.99795	1	False	0.99785	worse
25d7b7b375cbe80477b0290311599aNe16f691f985005	ImageNet-vit-b16	ImageNet	vit-b16	10000	bc	speckle	schulze	s	speckle	F	0.0133930.00153	-	0.011863	0.004581-	-	0.02067 0.00259	0.95	0.9962	1	False	0.9943	worse
a0155fbf97f85413141f0290311599aNe16f691f985005	ImageNet-vit-b16	ImageNet	vit-b16	10000	cc	speckle	schulze	s	speckle	Fbar	0.0305120.028044-	-	0.002468	0.007608-	0.0123050.95	0.017227	0.6308	1	False	0.62205	worse	
f95fa55f664aeb04511b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	14fe	speckle	schulze	s	speckle	C	0.0160420.000173-	-	0.015869	0.004552-	-	0.0246090.00669	0.95	0.99975	1	False	0.99965	worse
bdc51dcc0365987f0a592152f7b6d7e50025cfb09a2c99aNe01270c4	ImageNet-vit-b16	ImageNet	vit-b16	10000	9p	speckle	schulze	s	speckle	Cbar	0.0364650.02767	-	0.008795	0.007696-	0.0061450.95	0.023901	0.87625	1	False	0.87215	worse	
2d04baf4f3e9548731b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	6a	adversarial	schulze	a	adversarial	Fl	0.002839-	-	0.0113760.014215	0.005575-	-	0.0248310.002828	0.95	0.99625	1	False	0.99345	worse
adb4cadb79595fd161510N8307962567b563Ne5000	ImageNet-vit-b16	ImageNet	vit-b16	10000	2692	adversarial	schulze	a	adversarial	Fbar	-	-	0.0653410.012133	0.0078420.04997	0.0806930.95	5e-05	0.032	True	5e-05	better		
5d53b6bb5d5f39dc804323e1227f9N040e1b127200706753242c55790167c2	ImageNet-vit-b16	ImageNet	vit-b16	10000	70	adversarial	schulze	a	adversarial	Cl	0.003999-	-	0.0162210.02022	0.005621-	-	0.0309790.008879	0.95	0.99995	1	False	0.99995	worse
7b96e8daeeddff9c711b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	8352	adversarial	schulze	a	adversarial	Cbar	-	-	0.06724 0.0786860.011447	0.0079880.0515230.0830320.95	5e-05	0.032	True	5e-05	better			
629a356fee89543f321059a38145b42Ne7739a2850005b42Kend443cNe0415E703	ImageNet-vit-b16	ImageNet	vit-b16	10000	5b	gaussian	simpleavg		gaussian	F	0.00877	0.0098440.0010740.005305-	-	0.009269	0.0114350.95	0.41775	1	False	0.4224	better		
97f448b70ae899c071b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	2b08	gaussian	simpleavg		gaussian	Fbar	0.0234510.0448270.0213750.0064220.0087660.0338740.95	-	-	-	-	0.00035	0.21455	False	0.00045	better		
a0b93996540fcaec18861fNe1b6f6d7e41a669265300e94d48267d1D6N009E	ImageNet-vit-b16	ImageNet	vit-b16	10000	94d	gaussian	simpleavg		gaussian	C	0.0210230.014984-	-	0.006039	0.00512	0.0040130.95	0.016052	0.88165	1	False	0.87875	worse	
54f031d600f0fc13d11b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	cf84	gaussian	simpleavg		gaussian	Cbar	0.0295250.0472720.0177460.0064870.0050860.03039	0.95	-	-	-	0.00225	1	False	0.0032	better		
35f37b9d68090c79f0b3c847f9675Ne09646e2650021764e13371dN018E7f33	ImageNet-vit-b16	ImageNet	vit-b16	10000	4e13	salt_pepper	simpleavg		salt_pepper	F	0.0131140.011153-	-	0.001961	0.004864-	0.0074710.95	0.011539	0.66325	1	False	0.64935	worse	
43f1c7a4f30e68c7cd348eN411b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	50ce	salt_pepper	simpleavg		salt_pepper	Fbar	0.03591	0.0468590.0109490.006471-	-	0.001588	0.0237220.95	0.04595	1	False	0.0439	better		
0eab41dd5656f61711b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	20ca	salt_pepper	simpleavg		salt_pepper	F	0.0216860.016914-	-	0.004772	0.004742-	0.00464 0.95	0.014022	0.8489	1	False	0.83935	worse	
d82bc007c475482711b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	70ab	salt_pepper	simpleavg		salt_pepper	Cbar	0.0406480.0478310.0071830.006554-	-	0.005543	0.0203240.95	0.13735	1	False	0.1338	better			
ee410cc485c1ce5fa01748e5311b3d1e6000	ImageNet-vit-b16	ImageNet	vit-b16	10000	36c	speckle	simpleavg		speckle	F	0.0005460.0055640.0050190.004473-	-	0.003846	0.0137430.95	0.1293	1	False	0.1312	better			

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
4ddfdb425f37ee8f44359d852f27560938f1659701c8e4ed21d0e94c61980	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	speckle	Fbar		0.0214540	0.03247	0.0110160	0.00635	-0.001446	0.0234620	0.95	0.04205	1	False	0.04095	better
c2c2dd8ac647f303ab5e3149b554c2f11ab70f650281d7e3061a3370191403	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	speckle	C		0.0072170	0.007194	-2.2865e-05	0.004326	-0.008482	0.0084090	0.95	0.5078	1	False	0.49665	worse
b5cedd43cf7f17cfa377dd333457a6f76124847955000e503b6d61b080719e63	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	speckle	Cbar		0.0244140	0.0322760	0.0078620	0.006528	-0.004853	0.0207690	0.95	0.11485	1	False	0.11475	better
3cd40ecf5f4f29f1bc22f0a59f7193a1e6088a9c1e500de5e677dd11d1103158	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	adversarial	F		-0.0134220	-0.005878	0.0075430	0.005428	-0.002937	0.01814	0.95	0.08205	1	False	0.0834	better
c363f6e9ac2b97cddb0557293d15a32f630449d03e5500bd3371cd3301515243	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	adversarial	Fbar		-0.0840880	-0.008916	0.0751730	0.0072	0.0610680	0.08928	0.95	5e-05	0.032	True	5e-05	better
9d13fdac3808d40390a0b19a09e956bab90f543322f206ad3d558003e343	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	adversarial	G		-0.0152020	-0.008059	0.0071420	0.005482	-0.003513	0.0179480	0.95	0.09415	1	False	0.0976	better
98d6939265d2e3930266535c6f09d21a222ag02d16000e5f71e4ad3f33078e9c3	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	simpleavg	adversarial	Gbar		-0.0932540	-0.006065	0.0871890	0.0073790	0.0726550	0.1017390	0.95	5e-05	0.032	True	5e-05	better
fe55f167444fdde4d112af388d11a62f1415754e50904b533a1d3bec68033e83	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	gaussian	F		0.0176820	0.017365	-0.000317	0.00619	-0.012649	0.0117140	0.95	0.51705	1	False	0.5215	worse
633d4b97c1ebeb1f1288d077e7af2f11a244f65008df464d43172680165b3	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	gaussian	Fbar		0.0637230	0.023316	-0.040408	0.007924	-0.0558940	-0.024897	0.95	1	1	False	1	worse
11c8f6a3ff74284a7944f46367fdd8c30f151e4945390ec6f3k09d30373750357	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	gaussian	C		0.0282660	0.01449	-0.013776	0.006064	-0.0257470	0.001984	0.95	0.98745	1	False	0.9883	worse
b7659fae30d9cd732f49912ddcaga18199d6c55930620b10d1b154301b1e	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	gaussian	Cbar		0.0682260	0.023088	-0.045137	0.008021	-0.0608550	0.02953	0.95	1	1	False	1	worse
96c7ef0109b4fd70db621fcd06583050eag74d500072705583ab10785e83	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	salt_pepper	F		0.0207490	0.014187	-0.006562	0.005788	-0.017883	0.0048	0.95	0.87305	1	False	0.8667	worse
fa397bc7ef0db151bf1f62a267075407ef19925225060018ccfacc7ab350433803	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	salt_pepper	Fbar		0.0729630	0.032175	-0.040789	0.007956	-0.0566520	0.025406	0.95	1	1	False	1	worse
bca964b138ca7fe214a23a17b1b1a2706e208538e13a215c1010452973	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	salt_pepper	F		0.0303730	0.017172	-0.013201	0.00568	-0.0242050	0.002016	0.95	0.991	1	False	0.9886	worse
4d65d110932654cf1155e0a140421e5677a54e5000b9470d7731376088e83	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	salt_pepper	Cbar		0.0760540	0.031779	-0.044275	0.007975	-0.0600050	0.028798	0.95	1	1	False	1	worse
91507eccd8000e8df162e1601086037057487550008037476383b204158	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	speckle	F		0.0059650	0.002683	-0.003281	0.00495	-0.013039	0.0063610	0.95	0.74865	1	False	0.73915	worse
4633c96f809fc33ab11b6e8f115a2e160d88055700721c4047ab31201502	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	speckle	Fbar		0.0378240	0.022172	-0.015653	0.008026	-0.031248	0.0002310	0.95	0.97515	1	False	0.97255	worse
a4129508912b56da554a771da272Ne12244e50507c05f6073bf1694257893	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	1000	ImageNet	K	borda	speckle	C		0.011849	-0.0013720	0.013221	0.00487	-0.0226580	0.003687	0.95	0.99635	1	False	0.99695	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
39aab21014bdb25ab724e8119a10f4b1b949e1f55004a638ke4f01f0c45f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	borda	s	speckle	Cbar	0.0391410	0.019553-	0.019588	0.008153-	-	0.0353730	0.95	0.993	1	False	0.9908	worse
3fede71cefba704baa126f6d168576e3c814992e600b5bb2efcd91551c045f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	borda	a	adversarial	F	0.0049230	0.0321670	0.0272440	0.0057970	0.0158760	0.0385950	0.95	5e-05	0.032	True	5e-05	better
40196ccdee439d8513882e661b3376c50a181b5000178b14e6a85580018f2d3	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	borda	a	adversarial	Fbar	-	-	0.0819760	0.0081650	0.0659590	0.0980570	0.95	5e-05	0.032	True	5e-05	better
62e365d41926c451799c575161f1233e16809a86500b89271ef407310c075f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	borda	a	adversarial	G	0.0105	0.0305380	0.0200380	0.00589	0.0085690	0.0316040	0.95	0.00045	0.2754	False	0.00045	better
3f5135a805fe7169cd397c981b10e10c1358b9e5600f62f1a5c0211c703482d3	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	borda	a	adversarial	Gbar	-	-	0.0861960	0.0083940	0.0697770	0.1028720	0.95	5e-05	0.032	True	5e-05	better
544a932c87d54a3ed32e98101f49c1e1f3d63e5500b42f1a98cd1d4675f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	gaussian	K	rrf	g	gaussian	F	0.01966	0.00902	-	0.006068-	0.01064	0.0013050	0.95	0.96125	1	False	0.9596	worse
027412ae26ecb3144a8577e16f2e79196097835001d9b741d4f11104582d3	ImageNet-vit-b16	ImageNet	vit-b16	10000	gaussian	K	rrf	g	gaussian	Fbar	0.05769	0.053261-	0.004429	0.007511-	0.0103180	0.95	0.7255	1	False	0.72285	worse	
7d81d0a3526ab2751769ca0823111cd1559e23950001ded9c511e03015f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	gaussian	K	rrf	g	gaussian	C	0.0318930	0.009083-	0.02281	0.005913-	0.0343	-	0.95	0.9999	1	False	1	worse
802afba10e5d84ec52a7e77e1b329f1e18803765500e1d2a1e0d800c0218f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	gaussian	K	rrf	g	gaussian	Cbar	0.0622010	0.054333-	0.007869	0.007515-	0.0068520	0.95	0.8539	1	False	0.8514	worse	
169d7dd092d1584ef1a171cd0e2a1b669531e500024d00582d7680f892482	ImageNet-vit-b16	ImageNet	vit-b16	10000	salt_pepper	K	rrf	p	salt_pepper	F	0.0238880	0.011028-	0.01286	0.005829-	-	0.0242160	0.95	0.98585	1	False	0.98685	worse
1df1d87055cdd9171cc8721914b5013110062e64082fbaak2mch0153018f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	salt_pepper	K	rrf	p	salt_pepper	Fbar	0.06539	0.065053-	0.000337	0.007429-	0.0142660	0.95	0.52305	1	False	0.5116	worse	
150ee4572279a6c3d154273481b36d1554560c5590b4e31356d11467c015f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	salt_pepper	K	rrf	p	salt_pepper	F	0.0312870	0.008656-	0.022631	0.005766-	-	0.0338210	0.95	0.9999	1	False	0.99985	worse
870023d366d8e5e318c9e7215579b004488270935009ea2a0c9a11d0018f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	salt_pepper	K	rrf	p	salt_pepper	Gbar	0.0671330	0.063048-	0.004084	0.007538-	0.01093	0.95	0.71265	1	False	0.70255	worse	
847c98e0b8e300091f49346131679510850ca51508017dd5c1ad1a60057d3	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	rrf	s	speckle	F	0.0091330	0.005902-	0.003231	0.004876-	0.0062850	0.95	0.7524	1	False	0.7411	worse	
9bb34e303a351e7337f8e51b1665d1e10a75959f50008d1ef286d1b30413f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	rrf	s	speckle	Fbar	0.0269720	0.0399590	0.0129870	0.007361-	0.0275770	0.95	0.03965	1	False	0.03705	better	
ef043ee2889b9db8799a493561b9751e18970e75000e83c6891117018f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	rrf	s	speckle	C	0.0150360	0.00299	-	0.004811-	-	0.0213850	0.95	0.9937	1	False	0.9939	worse
5a0abd3b02afcdc61804802188ag4501b7926105900e7eed8e1d1141045f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	rrf	s	speckle	Cbar	0.0282720	0.0377830	0.0095110	0.007533-	0.0242540	0.95	0.1064	1	False	0.0985	better	
5f0cbd29bc835523619530615b15d4709f19727515007a751463adfc0045f263	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	rrf	a	adversarial	F	-	0.0053090	0.0072930	0.005599-	0.0183850	0.95	0.1005	1	False	0.09355	better	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive error	noise error	gain	standard error	ci low	ci high	confidence	one-sided positive gain p value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
5def189f5cc7e5b15f08e97980b954Nc4f6f63Nc5000bb73cend31b6N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	rrf	a	adversarial	Fbar	-0.0758370	-0.011682	0.0641550	0.0077510	0.0492290	0.0794120	0.95	5e-05	0.032	True	5e-05	better
82cd29dba010373e21729N0f7m86dNc4f6f63Nc5000ba4e60817BfN01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	rrf	a	adversarial	F	0.0003820	0.000219-	0.000163	0.005781-	0.0112240	0.95	0.51855	1	False	0.50345	worse	
351bf54eb9ef01bf5f08e97980b954Nc4f6f63Nc5000f02a3b615519N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	rrf	a	adversarial	Fbar	-0.0763780	0.008433	0.0679450	0.0079750	0.0524570	0.0836530	0.95	5e-05	0.032	True	5e-05	better
e6753462d36da3327f08e97980b954Nc4f6f63Nc5000ac38d9b122N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	g	gaussian	F	0.022647-	0.00794	0.030587	0.005737-	-0.0414750	0.18882	0.95	1	1	False	1	worse
df5090f39cf3fdc20a5f08e97980b954Nc4f6f63Nc50009bad88c717N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	g	gaussian	Fbar	0.0759050	0.057188-	0.018716	0.007562-	-0.03329	0.003701	0.95	0.99325	1	False	0.99275	worse
279f8397a0ea4effd9f08e97980b954Nc4f6f63Nc5000cf4eb48362a2N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	g	gaussian	C	0.031882-	0.0060110	0.037893	0.005474-	-0.0484280	0.27087	0.95	1	1	False	1	worse
9f4e004c04244a33c7f08e97980b954Nc4f6f63Nc50001c480c6961bcN01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	g	gaussian	Cbar	0.0798220	0.056237-	0.023585	0.007635-	-0.03846	0.008593	0.95	0.99905	1	False	0.9989	worse
3e6dda0a1ced783e9f08e97980b954Nc4f6f63Nc500098a975a2a152N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	p	salt_pepper	F	0.027193-	0.0044580	0.031652	0.005437-	-0.04201	0.020819	0.95	1	1	False	1	worse
3fbc60f2eb0113c85f08e97980b954Nc4f6f63Nc5000222fcd71h1dN01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	p	salt_pepper	Fbar	0.0778780	0.053324-	0.024554	0.007667-	-0.03951	0.00948	0.95	0.999	1	False	0.99935	worse
039ee357e61a6565d7f08e97980b954Nc4f6f63Nc50008755f0c8a6c1d03411fN01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	p	salt_pepper	F	0.031801-	3.0163e-05	0.031831	0.005292-	-0.042054	0.95	1	1	False	1	worse	
38b79afabe715d012f08e97980b954Nc4f6f63Nc50009f0c58eNc500025e9c2a3992BfN01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	p	salt_pepper	Fbar	0.0814270	0.054535-	0.026892	0.00771	-0.0420280	0.11767	0.95	0.99955	1	False	0.99995	worse
8b57cb84f444efdb1f08e97980b954Nc4f6f63Nc50001f8257Nc5000d49462f13a1N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	s	speckle	F	0.011386-	0.0006420	0.012029	0.004446-	-0.0204680	0.003086	0.95	0.9978	1	False	0.9958	worse
3cad6cbc08aa7c40ff08e97980b954Nc4f6f63Nc5000554e863d14N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	s	speckle	Fbar	0.0362150	0.030284-	0.005931	0.007691-	0.0094580	0.95	0.7834	1	False	0.77405	worse	
8c3b85b823a44111f08e97980b954Nc4f6f63Nc5000c1340c1b1F9N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	s	speckle	C	0.0150410	0.001772-	0.01327	0.004411-	-0.0218410	0.004369	0.95	0.99885	1	False	0.9987	worse
3a850a13c666d2f55f08e97980b954Nc4f6f63Nc500000537Nc50004e0af6d1d1N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	s	speckle	Cbar	0.0406770	0.031627-	0.00905	0.007828-	0.0064070	0.95	0.8789	1	False	0.8696	worse	
dd67176c651f737cf08e97980b954Nc4f6f63Nc50002493Nc5000873738f0a4h5N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	a	adversarial	F	0.001657-	0.01086	0.012518	0.005414-	-0.0229130	0.001586	0.95	0.9902	1	False	0.98815	worse
d9c8e469032d24aff08e97980b954Nc4f6f63Nc500090fad728h16N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	a	adversarial	Fbar	-0.0604160	0.016154	0.0442610	0.0078370	0.0290960	0.0598630	0.95	5e-05	0.032	True	5e-05	better
a9baf8add7af6ee4af08e97980b954Nc4f6f63Nc50007582eNc5000707838d3d88b156N01SE- 3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	kemeny	a	adversarial	F	0.005869-	0.0150340	0.020903	0.005446-	-0.0314270	0.10041	0.95	0.9999	1	False	0.99995	worse

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	naive er	noise er	gain	standard error	ci low	ci high	confidence	one-sided positive gain value	holm adjusted p value	holm reject positive gain null	bootstrap non-positive probability	point outcome
8ac6420b36a587f6d3dd96575472d909f11d4e04550027fc6ca224997c312f43	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	kemeny	a	adversarial	Cbar	-0.0616760	-0.01834	0.0433370	0.0079990	0.0279210	0.0591820	0.95	5e-05	0.032	True	5e-05	better
e274c2065bc961b7d61734156b6a37804a375854560008053b5c3a339704992429	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	g	gaussian	F	0.024812-	-0.0001670	-0.024979	0.0063	-0.03707	-0.012567	0.95	0.99995	1	False	0.99985	worse
0a313cef938ee9285126a201c447ef554d466d1e5459c02d046d71905015f423	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	g	gaussian	Fbar	0.0732510	0.041039-	-0.032211	0.007833-	-0.0474630	-0.016991	0.95	0.99995	1	False	0.9998	worse
b695a0db9456138b1da9837d1a7e3b177a24b1e550004820aada91390f5f70d	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	g	gaussian	C	0.0332570	0.002044-	-0.031213	0.006063-	-0.04303	-0.019196	0.95	1	1	False	1	worse
962902be2f53e24a91c85c1f6a5026700a58565900214eb6da1a1f088d73	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	g	gaussian	Cbar	0.0770140	0.040515-	-0.036499	0.007918-	-0.0519910	-0.02107	0.95	1	1	False	1	worse
a57d67b1e6fc135613f42e1e0f875d9976d9c85600a3b39mldac78608fd3	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	p	salt_pepper		0.0268060	0.003722-	-0.023084	0.006103-	-0.0349210	-0.011077	0.95	1	1	False	0.99995	worse
d7f476ec5b3cbadb12a2917f19a155246175e165000dc6dmda5311c763ce3	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	p	salt_pepper	Fbar	0.0720150	0.045504-	-0.026511	0.007961-	-0.0419940	-0.01079	0.95	0.9992	1	False	0.99935	worse
09156cf7fd2bbdaf12c95g23e87a74b1b21063cf28500805ca145d53010804829	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	p	salt_pepper	C	0.0301160	0.00537	-0.024745	0.005889-	-0.0359810	-0.012829	0.95	1	1	False	1	worse
51ac61aa7048cec9084c487243ad4917img4N950963750383252f63f013823	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	p	salt_pepper	Cbar	0.07688	0.043701-	-0.03318	0.007901-	-0.0485650	-0.017504	0.95	1	1	False	0.9999	worse
30523688ad04c100410a3616a05a9e00691885170142dksndaa11a149033a32	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	s	speckle	F	0.013393-	-0.0027510	-0.016144	0.005009-	-0.02581	-0.006256	0.95	0.9995	1	False	0.99945	worse
3af436a8cf622d7b91b04b132972c9f1img2N750044ba2315d549f2157962	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	s	speckle	Fbar	0.0305120	0.027799-	-0.002713	0.007975-	-0.018539	-0.0128250	0.95	0.6359	1	False	0.62875	worse
86916bc3fd482f42a1b54c9f1img7N25imgdN5000a19837f1a3551275f43	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	s	speckle	C	0.016042-	-0.0016130	-0.017655	0.004982-	-0.0272970	-0.007924	0.95	0.99995	1	False	0.99985	worse
27211ad85175a62a07img3N2407img3N16701b855000be5d8d2743b14015f496	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	s	speckle	Cbar	0.0364650	0.029411-	-0.007053	0.008148-	-0.023131	-0.0090350	0.95	0.81145	1	False	0.80745	worse
d919fabd9ecf923d18d5gaf6644g18img52N52000517c56090Ha10033643	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	a	adversarial	F	0.002839-	-0.0035320	-0.00637	0.005763-	-0.017667	-0.0050890	0.95	0.87435	1	False	0.8609	worse
b884eeac9fa4fa6829701c900977e86172a92N520004592E9a34352N0735f53	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	a	adversarial	Fbar	-0.0774740	-0.000903	0.0765710	0.008	0.0610060	0.0922520	0.95	5e-05	0.032	True	5e-05	better
ed543fa4d475732b51e0g1Nc2f3g12b188g0N5008990f2ddaf084001503c3	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	a	adversarial	C	0.003999-	-0.0062070	-0.010207	0.005882-	-0.021606	-0.0014510	0.95	0.9602	1	False	0.9565	worse
18e6fdd591a11e494106g1b3546g2NafimgbN500078204a9f33ad003183c3	ImageNet-vit-b16	ImageNet-vit-b16	vit-b16	100000	ImageNet	K	schulze	a	adversarial	Cbar	-0.0786860	-0.001605	0.0770810	0.0082150	0.0611870	0.0932590	0.95	5e-05	0.032	True	5e-05	better

Table 88: main comparison results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet	vit	test	5000	best_ind	0.0881	0.095	0.1336	0.1426	0.0722	-0.2274	0.0822	-0.281	0.0546	-0.1718	0.0664	-0.2234	0.0262	-0.0506	0.0186	-0.0772	0.0792	-0.2328	0.0932	-0.281
ImageNet	ImageNet	vit	test	5000	simpleavg	0.0642	0.1174	0.1032	0.1744	0.0774	-0.2488	0.1104	-0.2906	0.0672	-0.1808	0.096	-0.2214	0.024	-0.066	0.0322	-0.0812	0.0632	-0.2696	0.0788	-0.281
ImageNet	ImageNet	vit	test	5000	borda	0.0478	0.2256	0.0802	0.2866	0.0786	-0.1832	0.1126	-0.2226	0.0692	-0.1228	0.1014	-0.1616	0.0266	-0.04	0.0368	-0.0544	0.0736	-0.2438	0.095	-0.281
ImageNet	ImageNet	vit	test	5000	kemeny	0.05	0.2684	0.0856	0.3318	0.0846	-0.161	0.1174	-0.1992	0.0764	-0.1096	0.1036	-0.1464	0.0324	-0.0378	0.04	-0.048	0.0714	-0.2106	0.0926	-0.281
ImageNet	ImageNet	vit	test	5000	rrf	0.0538	0.2172	0.0892	0.2798	0.0834	-0.1912	0.1182	-0.2304	0.0744	-0.132	0.1036	-0.172	0.0308	-0.0516	0.04	-0.066	0.0696	-0.238	0.0886	-0.281
ImageNet	ImageNet	vit	test	5000	schulze	0.0488	0.2336	0.0848	0.2966	0.0862	-0.1718	0.1186	-0.2112	0.0756	-0.1222	0.1018	-0.1586	0.0342	-0.0466	0.041	-0.056	0.072	-0.2358	0.0904	-0.281

Table 89: main comparison results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	all	20	best_individual							
dataset_model	ImageNet	vit-b16	all	20	simpleavg	9	6	0	14			
dataset_model	ImageNet	vit-b16	all	20	borda	1	13	0	7	16	0	4
dataset_model	ImageNet	vit-b16	all	20	kemeny	10	14	0	6	16	0	4
dataset_model	ImageNet	vit-b16	all	20	rrf	1	11	0	9	16	0	4
dataset_model	ImageNet	vit-b16	all	20	schulze	4	12	0	8	16	0	4
dataset_model	ImageNet	vit-b16	quality	4	best_individual							
dataset_model	ImageNet	vit-b16	quality	4	simpleavg	9	0	0	4			
dataset_model	ImageNet	vit-b16	quality	4	borda	0	0	0	4	0	0	4
dataset_model	ImageNet	vit-b16	quality	4	kemeny	0	0	0	4	0	0	4
dataset_model	ImageNet	vit-b16	quality	4	rrf	0	0	0	4	0	0	4
dataset_model	ImageNet	vit-b16	quality	4	schulze	0	0	0	4	0	0	4
dataset_model	ImageNet	vit-b16	robustness	16	best_individual							
dataset_model	ImageNet	vit-b16	robustness	16	simpleavg	9	6	0	10			
dataset_model	ImageNet	vit-b16	robustness	16	borda	1	13	0	3	16	0	0
dataset_model	ImageNet	vit-b16	robustness	16	kemeny	10	14	0	2	16	0	0
dataset_model	ImageNet	vit-b16	robustness	16	rrf	1	11	0	5	16	0	0
dataset_model	ImageNet	vit-b16	robustness	16	schulze	4	12	0	4	16	0	0
dataset_model	ImageNet	vit-b16	gaussian	4	best_individual							
dataset_model	ImageNet	vit-b16	gaussian	4	simpleavg	9	2	0	2			
dataset_model	ImageNet	vit-b16	gaussian	4	borda	0	4	0	0	4	0	0
dataset_model	ImageNet	vit-b16	gaussian	4	kemeny	2	4	0	0	4	0	0
dataset_model	ImageNet	vit-b16	gaussian	4	rrf	0	4	0	0	4	0	0
dataset_model	ImageNet	vit-b16	gaussian	4	schulze	2	4	0	0	4	0	0
dataset_model	ImageNet	vit-b16	salt_pepper	4	best_individual							
dataset_model	ImageNet	vit-b16	salt_pepper	4	simpleavg	9	3	0	1			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	4	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	1	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	0	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	speckle	4	best_individual	0						
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	0	1	0	3			
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	2	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	speckle	4	rrf	0	3	0	1	4	0	0
dataset_model	ImageNet	ImageNet	speckle	4	schulze	2	4	0	0	4	0	0
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual	0						
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	0	0	0	4			
dataset_model	ImageNet	ImageNet	adversarial	1	borda	1	1	0	3	4	0	0
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	2	2	0	2	4	0	0
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	0	0	4	4	0	0
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	0	0	4	4	0	0
overall			all	80	best_individual	0						
overall			all	80	simpleavg	2	34	1	45			
overall			all	80	borda	14	46	2	32	52	3	25
overall			all	80	kemeny	18	48	0	32	56	0	24
overall			all	80	rrf	9	48	1	31	52	1	27
overall			all	80	schulze	9	46	0	34	50	3	27
overall			quality	16	best_individual	0						
overall			quality	16	simpleavg	1	5	0	11			
overall			quality	16	borda	1	4	0	12	5	1	10
overall			quality	16	kemeny	0	4	0	12	7	0	9
overall			quality	16	rrf	0	4	0	12	6	0	10
overall			quality	16	schulze	3	4	0	12	7	1	8
overall			robustness	64_all	best_individual	0						
overall			robustness	64_all	simpleavg	1	29	1	34			
overall			robustness	64_all	borda	13	42	2	20	47	2	15
overall			robustness	64_all	kemeny	18	44	0	20	49	0	15
overall			robustness	64_all	rrf	9	44	1	19	46	1	17
overall			robustness	64_all	schulze	6	42	0	22	43	2	19
overall			gaussian	16	best_individual	0						
overall			gaussian	16	simpleavg	1	7	0	9			
overall			gaussian	16	borda	4	12	0	4	13	1	2
overall			gaussian	16	kemeny	6	12	0	4	15	0	1

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16	rrf	1	13	0	3	15	0	1	
overall			gaussian 16	schulze	2	12	0	4	14	1	1	
overall			salt_pepper	best_individual								
overall			salt_pepper	simpleavg	9	5	1	10				
overall			salt_pepper	borda	5	12	0	4	15	1	0	
overall			salt_pepper	kemeny	7	12	0	4	16	0	0	
overall			salt_pepper	rrf	3	12	1	3	14	1	1	
overall			salt_pepper	schulze	1	12	0	4	14	0	2	
overall			speckle 16	best_individual								
overall			speckle 16	simpleavg	8	8	0	8				
overall			speckle 16	borda	1	11	0	5	12	0	4	
overall			speckle 16	kemeny	2	12	0	4	13	0	3	
overall			speckle 16	rrf	5	11	0	5	13	0	3	
overall			speckle 16	schulze	3	12	0	4	10	1	5	
overall			adversarial	best_individual								
overall			adversarial	simpleavg	7	9	0	7				
overall			adversarial	borda	3	7	2	7	7	0	9	
overall			adversarial	kemeny	3	8	0	8	5	0	11	
overall			adversarial	rrf	0	8	0	8	4	0	12	
overall			adversarial	schulze	0	6	0	10	5	0	11	

Table 90: main comparison results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet vit-b16		test	5000	best_index	0.0881	0.095	0.1336	0.1426	0.0106	0.1072	0.0264	0.133	0.0058	0.0742	0.0232	0.104	0.002	0.013	0.0078	0.0198	0.0224	0.0758	0.0334	0.0881
ImageNet	ImageNet vit-b16		test	5000	simpleavg	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.0642
ImageNet	ImageNet vit-b16		test	5000	borda	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.0478
ImageNet	ImageNet vit-b16		test	5000	kemeny	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.05
ImageNet	ImageNet vit-b16		test	5000	rrf	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.0538
ImageNet	ImageNet vit-b16		test	5000	schulze	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.0488

Table 91: main comparison results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet vit-b16	all	20	best_individual	20						
dataset_model	ImageNet	ImageNet vit-b16	all	20	simpleavg	0	0	0	20			
dataset_model	ImageNet	ImageNet vit-b16	all	20	borda	0	0	0	20	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	20	kemeny	0	0	0	20	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	20	rrf	0	0	0	20	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	20	schulze	0	0	0	20	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	quality	4	best_individual	4						
dataset_model	ImageNet	ImageNet vit-b16	quality	4	simpleavg	0	0	0	4			
dataset_model	ImageNet	ImageNet vit-b16	quality	4	borda	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	4	kemeny	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	4	rrf	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	4	schulze	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	robustness	16	best_individual	16						
dataset_model	ImageNet	ImageNet vit-b16	robustness	16	simpleavg	0	0	0	16			
dataset_model	ImageNet	ImageNet vit-b16	robustness	16	borda	0	0	0	16	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness	16	kemeny	0	0	0	16	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness	16	rrf	0	0	0	16	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness	16	schulze	0	0	0	16	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	best_individual	4						
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	simpleavg	0	0	0	4			
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	salt_pepper	4	best_individual	4						
dataset_model	ImageNet	ImageNet vit-b16	salt_pepper	4	simpleavg	0	0	0	4			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	best_individual							
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual							
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	adversarial	1	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	0	0	4	2	0	2
overall			all	80	best_individual							
overall			all	80	simpleavg	5	10	0	70			
overall			all	80	borda	4	10	0	70	41	3	36
overall			all	80	kemeny	1	9	0	71	40	0	40
overall			all	80	rrf	0	7	0	73	38	1	41
overall			all	80	schulze	3	9	0	71	37	4	39
overall			quality	16	best_individual							
overall			quality	16	simpleavg	5	0	11				
overall			quality	16	borda	1	4	0	12	5	1	10
overall			quality	16	kemeny	0	4	0	12	7	0	9
overall			quality	16	rrf	0	4	0	12	6	0	10
overall			quality	16	schulze	3	4	0	12	7	1	8
overall			robustness	64	best_individual							
overall			robustness	64	simpleavg	5	0	59				
overall			robustness	64	borda	3	6	0	58	36	2	26
overall			robustness	64	kemeny	1	5	0	59	33	0	31
overall			robustness	64	rrf	0	3	0	61	32	1	31
overall			robustness	64	schulze	0	5	0	59	30	3	31
overall			gaussian	16	best_individual							
overall			gaussian	16	simpleavg	2	0	14				
overall			gaussian	16	borda	1	2	0	14	9	1	6
overall			gaussian	16	kemeny	0	2	0	14	9	0	7

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16		rrf	0	1	0	15	9	0	7
overall			gaussian 16		schulze	0	2	0	14	8	1	7
overall			salt_pepper		best_individual							
overall			salt_pepper		simpleavg	2	2	0	14			
overall			salt_pepper		borda	1	3	0	13	8	1	7
overall			salt_pepper		kemeny	1	3	0	13	8	0	8
overall			salt_pepper		rrf	0	2	0	14	8	1	7
overall			salt_pepper		schulze	0	3	0	13	8	1	7
overall			speckle 16		best_individual							
overall			speckle 16		simpleavg	1	1	0	15			
overall			speckle 16		borda	1	1	0	15	10	0	6
overall			speckle 16		kemeny	0	0	0	16	9	0	7
overall			speckle 16		rrf	0	0	0	16	9	0	7
overall			speckle 16		schulze	0	0	0	16	7	1	8
overall			adversarial		best_individual							
overall			adversarial		simpleavg	0	0	0	16			
overall			adversarial		borda	0	0	0	16	9	0	7
overall			adversarial		kemeny	0	0	0	16	7	0	9
overall			adversarial		rrf	0	0	0	16	6	0	10
overall			adversarial		schulze	0	0	0	16	7	0	9

Table 92: main comparison results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet vit-b16		test	5000	best_ind	0.0881	0.095	0.1336	0.1426	0.0722	0.2274	0.0822	0.281	0.0546	0.1718	0.0664	0.2234	0.0262	0.0506	0.0186	0.0772	0.0792	0.2328	0.0932	0.2328
ImageNet	ImageNet vit-b16		test	5000	simpleavg	0.0642	0.1174	0.1032	0.1744	0.0774	0.2488	0.1104	0.2906	0.0672	0.1808	0.096	0.2214	0.024	0.066	0.0322	0.0812	0.0632	0.2696	0.0788	0.2696
ImageNet	ImageNet vit-b16		test	5000	borda	0.0478	0.2256	0.0802	0.2866	0.0786	0.1832	0.1126	0.2226	0.0692	0.1228	0.1014	0.1616	0.0266	0.04	0.0368	0.0544	0.0736	0.2438	0.095	0.2438
ImageNet	ImageNet vit-b16		test	5000	kemeny	0.05	0.2684	0.0856	0.3318	0.0846	0.161	0.1174	0.1992	0.0764	0.1096	0.1036	0.1464	0.0324	0.0378	0.04	0.048	0.0714	0.2106	0.0926	0.2106
ImageNet	ImageNet vit-b16		test	5000	rrf	0.0538	0.2172	0.0892	0.2798	0.0834	0.1912	0.1182	0.2304	0.0744	0.132	0.1036	0.172	0.0308	0.0516	0.04	0.066	0.0696	0.238	0.0886	0.238
ImageNet	ImageNet vit-b16		test	5000	schulze	0.0488	0.2336	0.0848	0.2966	0.0862	0.1718	0.1186	0.2112	0.0756	0.1222	0.1018	0.1586	0.0342	0.0466	0.041	0.056	0.072	0.2358	0.0904	0.2358

Table 93: main comparison analysis results for ImageNet-ViT-B/16. This table is the current released snapshot; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet vit-b16	all	20	best_individual							
dataset_model	ImageNet	ImageNet vit-b16	all	20	simpleavg	9	4	0	16			
dataset_model	ImageNet	ImageNet vit-b16	all	20	borda	0	7	0	13	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	20	kemeny	8	10	0	10	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	20	rrf	0	7	0	13	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	20	schulze	0	8	0	12	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	quality	4	best_individual							
dataset_model	ImageNet	ImageNet vit-b16	quality	4	simpleavg	9	0	0	4			
dataset_model	ImageNet	ImageNet vit-b16	quality	4	borda	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	4	kemeny	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	4	rrf	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	4	schulze	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	robustness	16_all	best_individual							
dataset_model	ImageNet	ImageNet vit-b16	robustness	16_all	simpleavg	8	4	0	12			
dataset_model	ImageNet	ImageNet vit-b16	robustness	16_all	borda	0	7	0	9	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness	16_all	kemeny	8	10	0	6	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness	16_all	rrf	0	7	0	9	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness	16_all	schulze	0	8	0	8	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	best_individual							
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	simpleavg	9	0	0	4			
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	borda	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	kemeny	2	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	rrf	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	4	schulze	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	salt_pepper	4	best_individual							
dataset_model	ImageNet	ImageNet vit-b16	salt_pepper	4	simpleavg	9	1	0	3			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	2	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	best_individual							
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	6	1	0	3			
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	2	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	rrf	0	1	0	3	2	0	2
dataset_model	ImageNet	ImageNet	speckle	4	schulze	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual							
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	2	2	0	2			
dataset_model	ImageNet	ImageNet	adversarial	1	borda	0	1	0	3	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	2	4	0	0	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	2	0	2	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	2	0	2	2	0	2
overall			all	80	best_individual	32						
overall			all	80	simpleavg	6	28	1	51			
overall			all	80	borda	11	33	2	45	41	3	36
overall			all	80	kemeny	17	39	0	41	40	0	40
overall			all	80	rrf	1	29	1	50	38	1	41
overall			all	80	schulze	6	35	0	45	37	4	39
overall			quality	16	best_individual	16						
overall			quality	16	simpleavg	4	5	0	11			
overall			quality	16	borda	1	4	0	12	5	1	10
overall			quality	16	kemeny	0	4	0	12	7	0	9
overall			quality	16	rrf	0	4	0	12	6	0	10
overall			quality	16	schulze	3	4	0	12	7	1	8
overall			robustness	64	best_individual	21						
overall			robustness	64	simpleavg	5	23	1	40			
overall			robustness	64	borda	10	29	2	33	36	2	26
overall			robustness	64	kemeny	17	35	0	29	33	0	31
overall			robustness	64	rrf	1	25	1	38	32	1	31
overall			robustness	64	schulze	3	31	0	33	30	3	31
overall			gaussian	16	best_individual	16						
overall			gaussian	16	simpleavg	2	5	0	11			
overall			gaussian	16	borda	3	8	0	8	9	1	6
overall			gaussian	16	kemeny	5	8	0	8	9	0	7

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16	rrf	0	7	0	9	9	0	7	
overall			gaussian 16	schulze	0	8	0	8	8	1	7	
overall			salt_pepper	best_individual								
overall			salt_pepper	simpleavg	5	8	1	7				
overall			salt_pepper	borda	3	9	0	7	8	1	7	
overall			salt_pepper	kemeny	5	11	0	5	8	0	8	
overall			salt_pepper	rrf	0	9	1	6	8	1	7	
overall			salt_pepper	schulze	2	11	0	5	8	1	7	
overall			speckle 16	best_individual								
overall			speckle 16	simpleavg	3	3	0	13				
overall			speckle 16	borda	2	5	0	11	10	0	6	
overall			speckle 16	kemeny	2	6	0	10	9	0	7	
overall			speckle 16	rrf	1	3	0	13	9	0	7	
overall			speckle 16	schulze	1	4	0	12	7	1	8	
overall			adversarial	best_individual								
overall			adversarial	simpleavg	5	7	0	9				
overall			adversarial	borda	2	7	2	7	9	0	7	
overall			adversarial	kemeny	5	10	0	6	7	0	9	
overall			adversarial	rrf	0	6	0	10	6	0	10	
overall			adversarial	schulze	0	8	0	8	7	0	9	

Table 94: relative robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

cell	dataset	model	condition	metric	seed count	mean	standard deviation	standard error	minimum	maximum	range	first half mean	second half mean	half bank absolute difference
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-clean vit-b16	F		8	0.0017	0.0013	270.0004	0.0008	0.0034	0.0042	0.00195	0.00145	0.0005
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-clean vit-b16	Fbar		8	0.38645	0.0043	680.0015	440.38	0.3928	0.0128	0.38435	0.38855	0.0042
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-clean vit-b16	C		8	0.0148	750.0010	020.0003	540.0126	0.016	0.0034	0.01545	0.0143	0.00115
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-clean vit-b16	Cbar		8	0.4613	250.0048	180.0017	030.455	0.4688	0.0138	0.4605	0.46215	0.00165
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	F		8	0.0118	0.0016	0.0005	660.0104	0.0154	0.005	0.011	0.0126	0.0016
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Fbar		8	0.7228	0.00372	0.0013	150.7186	0.7282	0.0096	0.72315	0.72245	0.0007
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	C		8	0.0443	250.0011	0.0003	890.0428	0.0458	0.003	0.0438	0.04485	0.00105
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Cbar		8	0.8361	0.0033	530.0011	860.8324	0.841	0.0086	0.83675	0.83545	0.0013
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	F		8	0.0072	250.0011	340.0004	010.0058	0.0088	0.003	0.0074	0.00705	0.00035
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Fbar		8	0.69455	0.0013	260.0004	690.692	0.6966	0.0046	0.6948	0.6943	0.0005
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	C		8	0.0395	750.0015	840.0005	60.0372	0.0418	0.0046	0.03975	0.0394	0.00035
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Cbar		8	0.8053	750.0012	120.0004	280.803	0.8068	0.0038	0.8054	0.80535	5e-05
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	F		8	0.00455	0.0010	840.0003	830.0028	0.0062	0.0034	0.00455	0.00455	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Fbar		8	0.5363	0.0036	240.0012	810.5326	0.5438	0.0112	0.5377	0.5349	0.0028
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	C		8	0.0238	0.0015	120.0005	350.0214	0.0256	0.0042	0.02355	0.02405	0.0005
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	Cbar		8	0.62185	0.0033	380.0011	80.6188	0.6284	0.0096	0.62265	0.62105	0.0016
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	F		8	0.02595	0.0025	270.0008	930.0228	0.0298	0.007	0.02545	0.02645	0.001

cell	dataset	model	condition	metric	seed count	mean	standard devia- tion	standard error	minimum	maximum	range	first half mean	second half mean	half bank abso- lute differ- ence
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	Fbar		8	0.47095	0.00577	40.0020	410.4624	0.4792	0.0168	0.4717	0.4702	0.0015
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	C		8	0.04757	50.0024	080.0008	510.0436	0.0508	0.0072	0.04705	0.0481	0.00105
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	Cbar		8	0.54847	50.0054	020.0019	10.542	0.5562	0.0142	0.55015	0.5468	0.00335

Table 95: relative robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows p

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci g h	
ae47d623e963974818c16c2b42927477	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	S	simpleavg	gaussian F	F	max		0.0017	0.0118	0.0625	0.1298	-1.0768	0.0835	0.1406	-0.6838320.392968	0.0108	0.11019	-0.6222090	-	
7e509dbc3f11dfa7770f3d339b9b1fbb64e7c75490a46e97ae6a40c0f5b72	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	S	simpleavg	gaussian Fbar	Fbar	min		0.38645	0.7228	0.26905	0.3566	-0.325404	0.28985	0.4058	-0.400035	0.07463	0.0492	0.0320370.0126580	-	
981d55ddf51440f1619f50604f5cag1241108895Ne60088abes5aeefabN015Ea2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	S	simpleavg	gaussian C	C	max		0.0148750.0443250.0883250.169275-				0.916502	0.1171250.170275-		-0.4537890.462713	0.001	0.078545-	-0.6213250	-	
bdc9647bdc92b3dd1bb238b1b84gbN109232Ne5050d8741e7883a17045E34277	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	S	simpleavg	gaussian Cbar	Cbar	min		0.4613250.8361	0.2869250.3711			-0.293369	0.3129250.4159		-0.329072	0.0357030.0448	0.0298	-0.022938	0	
8ec0a65b74c1fd684184geN11img1472426640088b39ealh355N045E6d2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	S	simpleavg	salt_pepper		max		0.0017	0.0072250.0625	0.124175-0.9868	0.0835	0.132775-		-0.59012	0.39668	0.0086	0.103285-	-0.6078860	-	
a499e2c1ea039b4619659b95f1049N1bb5e2Ne56931b138933d1a5N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	S	simpleavg	salt_pepper Fbar	Fbar	min		0.38645	0.69455	0.26905	0.39635	-0.473146	0.28985	0.42735	-0.474383	0.0012370.031	0.03331	-0.06436	0	
b351aafdeb7fa299326d57N1img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	S	simpleavg	salt_pepper C	C	max		0.0148750.0395750.0883250.159625-				0.807246	0.1171250.163825-		-0.3987190.408527	0.0042	0.072077-	0.5565120	-	
7253e30fd4c7b1419104geN11img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	S	simpleavg	salt_pepper Cbar	Cbar	min		0.4613250.8053750.2869250.409575-				0.427464	0.3129250.437775-		-0.3989770.028486	0.0282	0.031112-	0.089725	0	
450b4e551e6bf480800674N1img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	S	simpleavg	speckle F	F	max		0.0017	0.00455	0.0625	0.08365	-0.3384	0.0835	0.10405	-0.2461080.092292	0.0204	0.075211-	0.244727	0	
46bda2f6b8e7512e2109bN11img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	S	simpleavg	speckle Fbar	Fbar	min		0.38645	0.5363	0.26905	0.3529	-0.311652	0.28985	0.3761	-0.2975680.014084	0.0232	0.029818-	0.072699	0	
87ea27aeb9096b002ff0b4N11img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	S	simpleavg	speckle C	C	max		0.0148750.0238	0.0883250.1116			-0.263515	0.1171250.1296		-0.10651	0.157005	0.018	0.054134-	-0.2671350	-
be5ef254120af8be310img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	S	simpleavg	speckle Cbar	Cbar	min		0.4613250.62185	0.2869250.36625			-0.276466	0.3129250.39165		-0.2515780.024888	0.0254	0.027988-	0.079972	0	
32ab414aa0a064e31img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	S	simpleavg	adversarial	I	max		0.0017	0.02595	0.0625	0.10145	-0.6232	0.0835	0.13645	-0.634132	0.0109320.035	0.092861-	0.173971	0	
691413d1647d54b910c09N11img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	S	simpleavg	adversarial Fbar	Fbar	min		0.38645	0.47095	0.26905	0.08395	0.6879760.28985	0.17635	0.3915820.2963940.0924		0.0266680.2448970				
440cb156510bf9de0img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	S	simpleavg	adversarial C	C	max		0.0148750.0475750.0883250.134425-				0.521936	0.1171250.177825-		-0.51825	0.003686	0.0434	0.065716-	0.13765	0
03bcb488ca467b141img1472426640088b39ealh355N045E3e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	S	simpleavg	adversarial Cbar	Cbar	min		0.4613250.5484750.2869250.0892750.6888560.3129250.1948750.3772470.3116090.1056												

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	
3f8c42c7bed71ff1671d1e81f55e0c09d6d626540067a845549166N022B7 2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	g	gaussian F	max		0.0017	0.0118	0.0461	0.1146	-1.4859	0.0847	0.1476	-0.7426210.743279	-0.033	0.165243-	-1.0984370	-	-	
c1fe9caf727611ffc8455068e490633N01eabN02779eb149783384N04357 2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	g	gaussian Fbar	min		0.38645	0.7228	0.16085	0.314	-0.952129	0.29365	0.407	-0.3860040.566126	-0.093	0.075139-	-0.7223240	-	-	
6d8cf2867d299175003196N546img78Nc115650Nc5098181e96b99f0cN0318B902	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	g	gaussian C	max		0.0148750.0443250.0653250.148475-	-1.272866	0.1203250.175475-	-0.4583420.814524	-0.027	0.11515	-1.0526270	-	-	-	-	-		
ebc7d088d0e92b9009b13dN714ns14N14img09N5100753b890510c7N018B12	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	g	gaussian Cbar	min		0.4613250.8361	0.1747250.3269	-0.87094	0.3153250.4181	-0.3259340.545006	-0.0912	0.068028-	-0.6860830	-	-	-	-		
c198773c00c864dc358892N8c1img4Nafimg8N564909f91677acfdN0035E 2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	p	salt_pepper	max		0.0017	0.0072250.0461	0.109775-	1.381236	0.0847	0.133575-	-0.577037	-0.8042	0.0238	0.157776-	-1.1459770	-	-	
cd8f814244e2a8b287b89Nc1103e3462img71N35000718f932b1463N0218E7 2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	p	salt_pepper	min		0.38645	0.69455	0.16085	0.34615	-1.152005	0.29365	0.43335	-0.4757360.676269	-0.0872	0.082868-	-0.8485770	-	-	
ff668036dea65d2ea272agN50img29Nc114897N5600096b9pddr84470257E12	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	p	salt_pepper	max		0.0148750.0395750.0653250.142025-	1.174129	0.1203250.164025-	-0.3631830.810946	-0.022	0.109886-	-1.0407740	-	-	-	-	-		
0c59f115c8951a46f31b139N7c1img4N46688g790f50004bds25h02aa5013E2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	p	salt_pepper	min		0.4613250.8053750.1747250.357175-	1.044212	0.3153250.445775-	-0.4137	-0.630512	0.0886	0.074418-	-0.7843770	-	-	-	-		
aa1ba7219f58310d8642gN38f1img4N37251b0fN51007802e932392N018E42	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	s	speckle F	max		0.0017	0.00455	0.0461	0.06985	-0.515184	0.0847	0.11065	-0.3063750.208809	-0.0408	0.103343-	-0.42415	0	-	
9b5ad67e0b8c855c3067c039525ag4N48989c0N51000f42asped5650N018E52	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	s	speckle Fbar	min		0.38645	0.5363	0.16085	0.2707	-0.682934	0.29365	0.3819	-0.3005280.382407	-0.1112	0.062534-	-0.5116310	-	-	
ad890be61fe007cd30img03N38f1img4N00dag7309230065ela9551426N0308E2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	s	speckle C	max		0.0148750.0238	0.0653250.0932	-0.426713	0.1203250.1366	-0.1352590.291454	-0.0434	0.075489-	-0.4448390	-	-	-	-		
9aa7fad93595793fd60imgN8img8cNc114897N560006734pmd06063N018E32	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	s	speckle Cbar	min		0.4613250.62185	0.1747250.28085	-0.607383	0.3153250.39485	-0.2522	-0.355183	0.114	0.056912-	-0.4741280	-	-	-		
2df5965c64143895f8264cN3241img4N41f991234500045a630c8dmdN0605E2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	a	adversarial	max		0.0017	0.02595	0.0461	0.09545	-1.070499	0.0847	0.13645	-0.61098	0.459519	0.135714-	-0.7454310	-	-	
fc8f936a7909bc5e0483fbc9264f8dN41img7Nc50000343b1340bN018E4 2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	a	adversarial	min		0.38645	0.47095	0.16085	0.00155	0.9903640.29365	0.17475	0.4049040.58546	0.1732	0.04179	0.5058710	-	-		
107ba004b398daf185e0dN38f1img7N61img4N00c0004947498c6adN018E52	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	a	adversarial	max		0.0148750.0475750.0653250.127625-	0.953693	0.1203250.178625-	-0.4845210.469172	-0.051	0.095919-	-0.6671070	-	-	-	-	-		
6683d6fdad073647188gN2b350N74b856Nc5000601889f1572N0098E07	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	borda	a	adversarial	min		0.4613250.5484750.1747250.0062750.9640860.3153250.1928750.38833	0.5757570.1866	0.0388660.50194	0	-	-	-	-	-	-	-	-		
90a54f36e8531dbe1img03N757692Nc114897N56002f93fpa43b8dN0318E 2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	155068	ImageNet-vit-b16	ImageNet-vit-b16	rrf	g	gaussian F	max		0.0017	0.0118	0.0521	0.1254	-1.40691	0.0855	0.149	-0.74269	0.66422	0.0236	0.14204	-0.9691340	-	-

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci g h
000209a0fb9ae806e1f0374763892e2316c4b9c65a9006551471a92070133e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	Fbar	rrf	g	gaussian	Fbar	min	0.38645	0.7228	0.16925	0.3144	-0.857607	0.29445	0.4062	-0.3795210.478086	0.0918	0.066997-	-0.6164040	
20664a461b4127fc85255e20447e79b41a087570b07c37e46770f08188d13	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	C	rrf	g	gaussian	C	max	0.0148750.0443250.0743250.163075-	1.19408	0.1207250.177475-	0.4700770.724003	-0.0144	0.097396-	-0.9251850					
fc0163018d024a2469a0b673ef0691982b066b05700515ff46f30c58a02535-	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	Cbar	rrf	g	gaussian	Cbar	min	0.4613250.8361	0.1815250.3259	-0.795345	0.3171250.4183	-0.3190380.476307	0.0924	0.061871-	-0.6037130				
45c73b2b0f2f2a2b0767a571a3889b1a1fgeN5005c5e79104d26N015Bf2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	F	rrf	p	salt_pepper	F	max	0.0017	0.0072250.0521	0.120975-	1.321977	0.0855	0.132575-	-0.5505850.771392	0.0116	0.134922-	-1.0592470		
ae79b2e5ce6d99c524a6e880d1583a0c2341d7e5026319a4ae22efc00135e52	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	Fbar	rrf	p	salt_pepper	Fbar	min	0.38645	0.69455	0.16925	0.34535	-1.040473	0.29445	0.43335	-0.4717270.568746	0.088	0.072521-	-0.7188580	
1c6c68f6215f611831f093dN11a39eNc14a1ghN54050628f5f8d24007800-	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	F	rrf	p	salt_pepper	F	max	0.0148750.0395750.0743250.153225-	1.061554	0.1207250.163625-	0.3553530.706201	-0.0104	0.091227-	-0.8955420					
6cdc1370f0a2d199d5b4657915fugeN755b56N96002e073420a70da00135d42	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	salt_pepper	Cbar	rrf	p	salt_pepper	Cbar	min	0.4613250.8053750.1815250.353575-	0.947803	0.3171250.444975-	0.4031530.54465	-0.0914	0.066727-	-0.6820580					
0fc26f5e084b2ba22f0092854f8d9c55008117696a44682N015B52	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	F	rrf	s	speckle	F	max	0.0017	0.00455	0.0521	0.08005	-0.536468	0.0855	0.10865	-0.27076	0.265708	0.0286	0.091973-	-0.45692
7478c6510clac1705267502014b53f241775dN5007d39964e4d88N015B29	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	Fbar	rrf	s	speckle	Fbar	min	0.38645	0.5363	0.16925	0.2675	-0.580502	0.29445	0.3801	-0.2908810.289621	0.1126	0.054275-	-0.4021120	
f10da049128aecc3c0f01129f82a624449a2985000ab3cf58e0ccN015B3-	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	C	rrf	s	speckle	C	max	0.0148750.0238	0.0743250.1054	-0.418096	0.1207250.1342	-0.1116170.306479	0.0288	0.06519	-0.4388380				
92a9ec6d84e39257a187geN3602507N1ImageN754973a4d618585hN015B1d72a	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	speckle	Cbar	rrf	s	speckle	Cbar	min	0.4613250.62185	0.1815250.27605	-0.520727	0.3171250.39485	-0.2450930.275635	0.1188	0.050241-	-0.3791950				
4120370f81f47c9d11a661N814b7236408dN000002fe53ba000a3N015B32	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	F	rrf	a	adversarial	F	max	0.0017	0.02595	0.0521	0.09745	-0.870441	0.0855	0.13765	-0.609942	-0.2605	0.0402	0.110009-	-0.4878130
d9e3610ea49ed920d0f0125NedgedN45ba5Nc5006876a90a6770N015B212	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	Fbar	rrf	a	adversarial	Fbar	min	0.38645	0.47095	0.16925	0.01575	0.9069420.29445	0.17495	0.4058410.5011010.1592	0.0384310.4273960				
b836bacc39fab2a904405e85442462b0f1594533650002885926ef56fN015B-	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	C	rrf	a	adversarial	C	max	0.0148750.0475750.0743250.130225-	0.752102	0.1207250.178225-	0.4762890.275813	-0.048	0.076425-	-0.4318640					
458c242aaab6d9e9989e8387f1a35Nc157a6N9500016f190k037a9N015B7a2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	adversarial	Cbar	rrf	a	adversarial	Cbar	min	0.4613250.5484750.1815250.0252750.8607630.3171250.1940750.3880170.4727460.1688	0.0364090.4035880										
2ca6303cce29c15c9b10ab57492a98N0251fgeN500001da99980a74N015B155	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	F	kemeny	g	gaussian	F	max	0.0017	0.0118	0.0483	0.1228	-1.542443	0.0847	0.1476	-0.7426210.799822	0.0248	0.157768-	-1.1369060	
72928c2f70dac7d43301geNc5542Nc080geN50000eaeesph00a1N015B6e2	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	gaussian	Fbar	kemeny	g	gaussian	Fbar	min	0.38645	0.7228	0.11805	0.2934	-1.485388	0.29365	0.407	-0.3860041.099384	0.1136	0.137975-	-1.3976860	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high
1f03d5aca8f13aa73b2d2e1c2d3dd3a1400c6d000f184b5f56250a0143f72	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	g	gaussian Cbar	min	0.4613250.8361	0.1647250.3283	-0.993019	0.3153250.4181	-0.3259340.667085	0.0898	0.077455-	-	0.8283780	-				
99738007b8a504f4265e22035f585432fcb98af1bf50008f1e3b7000a38018b52	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	p	salt_pepper	max	0.0017	0.0072250.0471	0.117175-1.487792	0.0847	0.133575-	-0.5770370.910755	0.0164	0.158304-	-	1.2512460	-			
f3c3dc2e7afd958471302370d1b3156Ne0a190c5f020624bdc68d8608370532	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	p	salt_pepper	min	0.38645	0.69455	0.15285	0.33875	-1.216225	0.29365	0.43335	-0.4757360.740489	0.0946	0.090586-	-	0.9309940	-	
d0ba50c4e3d8c92900c4e1d1f83g85Nc19f0e38Nc5070659312a29050Nc0859ab2	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	p	salt_pepper	max	0.0148750.0395750.0699250.147025-	1.10261	0.1203250.164025-	-0.3631830.739427	0.017	0.097141-	-	0.9422490	-					
010a11902cf28b894972cd90145f8bN1400267Nc5007c1fd9f417b780482c2	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	p	salt_pepper	min	0.4613250.8053750.1647250.350175-	1.125816	0.3153250.445775-	-0.4137	-0.712116	0.0956	0.082513-	-	0.8833090	-				
d5bca804724dfad7777a9e24584d01f069gdn45008f2da95ca158N0718E382	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	s	speckle F	max	0.0017	0.00455	0.0471	0.07845	-0.665605	0.0847	0.11065	-0.3063750.35923	0.0322	0.108077-	-	0.5865880	-	
d421f0e4f2b34fe969d08af59310fageN128d3g25c500002a13pba187060752c2	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	s	speckle Fbar	min	0.38645	0.5363	0.15285	0.2561	-0.675499	0.29365	0.3819	-0.3005280.374971	0.1258	0.066817-	-	0.5158030	-	
7e92604f284c649f9188037d1bbagdn31638gNc5400552csp02cma4N03E252	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	s	speckle C	max	0.0148750.0238	0.0699250.102	-0.458706	0.1203250.1366	-0.1352590.323447	0.0346	0.070789-	-	0.4715840	-				
d6531c5e7bdefca98445007150ng95N0044b2Nc530040e2sp40a4bN215E682	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	s	speckle Cbar	min	0.4613250.62185	0.1647250.26925	-0.634542	0.3153250.39485	-0.2522	-0.382342	0.1256	0.06208	-0.51139	0	-			
f1f4e05c584d699c067f4g4N1f355fN00e592805480c79c3p2ab780C15E-2	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	a	adversarial	max	0.0017	0.02595	0.0471	0.09485	-1.0138	0.0847	0.13645	-0.61098	0.40282	0.0416	0.131641-	-	0.6833410	-
e7d9a7ebc6f3d952a2aa263e1B3bdcN06f1qg279d5000b2848paf86aaN071Ee2	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	a	adversarial	min	0.38645	0.47095	0.15285	0.00155	0.9898590.29365	0.17475	0.4049040.5849560.1732	0.0440060.5009980	-	-	-	-		
a767b06427e9d769d0b47930eb56g490415fbgNc55200522c3p3cma260C005E3c2	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	a	adversarial	max	0.0148750.0475750.0699250.127625-	0.82517	0.1203250.178625-	-0.4845210.340649	0.051	0.085312-	-	0.5143510	-					
301d7b351e73e7168a16285569922b01986g2Nc550058ced4p21674Nc063E882	ImageNet-vit-b16	ImageNet	vit-b16	100000	S	S	schulze	a	adversarial	min	0.4613250.5484750.1647250.0100750.9388370.3153250.1928750.38833	0.5505080.1828	0.0411420.4717720	-	-	-	-	-	-	-	-			
8d5dc683d27a95c81651d707b143g2N168g2970000811194681833Nc018E82f	ImageNet-vit-b16	ImageNet	vit-b16	100000	K	K	simpleavg	g	gaussian F	max	0.0017	0.0118	0.0625	0.1298	-1.0768	0.0717	0.1444	-1.0139470.062853	0.0146	0.100648-	-	0.265126	0	
41792d2e15819ccaaf8844N7055g7708b345Nc650707c100e83180b063E46-3	ImageNet-vit-b16	ImageNet	vit-b16	100000	K	K	simpleavg	g	gaussian Fbar	min	0.38645	0.7228	0.26905	0.3566	-0.325404	0.28945	0.3936	-0.35982	0.0344160.037	0.028914-	-	0.022628	0	
aa0e9214f59caabb1a3335N6003g12Nc22973gN7600099de0a22ad3N015E8d3	ImageNet-vit-b16	ImageNet	vit-b16	100000	K	K	simpleavg	g	gaussian C	max	0.0148750.0443250.0883250.169275-	0.916502	0.1049250.183475-	-0.74863	0.167872	0.0142	0.069124-	-	0.3077390	-				
62acee686d709821b65d75N012g02N00a385N56006848d8701118N028E2f3	ImageNet-vit-b16	ImageNet	vit-b16	100000	K	K	simpleavg	g	gaussian Cbar	min	0.4613250.8361	0.2869250.3711	-0.293369	0.3135250.4085	-0.302926	0.0095570.0374	0.027188-	-	0.043719	0				

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high
55ad8fb6b2c9bbce3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	ImageNet	K	simpleavg		salt_pepper	F	max	0.0017	0.007225	0.0625	0.124175	-0.9868	0.0717	0.134575	-0.876918	-0.109882	0.0104	0.094541	-0.29787	0
71cddeebcd78719b046c9e314931c50033059d4d4540403195313	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	ImageNet	K	simpleavg		salt_pepper	Fbar	min	0.38645	0.69455	0.26905	0.39635	-0.473146	0.28945	0.42375	-0.463983	0.009163	0.0274	0.030067	-0.068761	0
82d309c1bbdb2a360a197f064b689c19a397f5400f3497f481d0640725f4a3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	ImageNet	K	simpleavg		salt_pepper	F	max	0.014875	0.039575	0.088325	0.159625	-0.807246	0.104925	0.173825	-0.65666	0.150586	0.0142	0.064686	-0.280115	-
3ebdc01e0cc6f5b477d32501b313a3e207f6f06500da90bce2f51281603f3b30	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	ImageNet	K	simpleavg		salt_pepper	Fbar	min	0.461325	0.805375	0.286925	0.409575	-0.427464	0.313525	0.437575	-0.395662	0.031801	0.028	0.028217	-0.087714	0
db0075e3dab5ff71f1329f615b3a32245f1a3e16f00e22846f02d0201832-3	ImageNet-vit-b16	ImageNet-vit-b16	ImageNet-vit-b16	50000	ImageNet	K	simpleavg		speckle	F	max	0.0017	0.00455	0.0625	0.08365	-0.3384	0.0717	0.09945	-0.387029	0.048629	0.0158	0.074419	-0.099402	0
15fa9f33508e7e2483a24f43a24f																								

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random per-turbed quality	naive clean excess	naive per-turbed excess	naive rrel	noise clean excess	noise per-turbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high
68aa7ddb21d5fe107b3a238bf3187b1a90c15e88076c2e1d35498623e353	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	p	salt_pepper	Fbar	min	0.38645	0.69455	0.16085	0.34615	-1.152005	0.28385	0.40455	-0.4252250.72678	0.0584	0.082027-	-0.8976660	-	
27e96162a66d23cc154823edf770986fa7e985400127ee719af2977031572-3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	p	salt_pepper	F	max	0.0148750.0395750.0653250.142025-	1.174129	0.0807250.146425-	0.8138740.360255	-	0.0044	0.111435-	-0.5842080	-				
5e85c74d9741b8b6688d0c1188e91b5da1a658007034629d3876920f8e3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	p	salt_pepper	Fbar	min	0.4613250.8053750.1747250.357175-	1.044212	0.3105250.419175-	0.3498910.694321	-	0.062	0.073732-	-0.8450150	-				
ad44c95a236430f31059885414c0e1197246353908876c0d3009280159ac8	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	s	speckle	F	max	0.0017	0.00455	0.0461	0.06985	-0.515184	0.0489	0.06985	-0.4284250.086759	0	0.119667-	-0.321988	0	
5e9fe7447fb505a11422a25e11d3814250e500097e3f0b1d1d0c04572-3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	s	speckle	Fbar	min	0.38645	0.5363	0.16085	0.2707	-0.682934	0.28385	0.3671	-0.2932890.389646	0.0964	0.062709-	-0.5196360	-	
3500b1a8b3b65e844b42a25e11d3814250e500097e3f0b1d1d0c04572-3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	s	speckle	C	max	0.0148750.0238	0.0653250.0932	-0.426713	0.0807250.0954	-0.18179	0.244923	0.0022	0.079173-	-0.4043410	-			
1075916c48fb5c3000308148b5e7b6a281561000a051e0d781f366752e64	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	s	speckle	Cbar	min	0.4613250.62185	0.1747250.28085	-0.607383	0.3105250.38245	-0.2316240.375759	-	0.1016	0.056944-	-0.4929710	-			
f61ecf876bcb764fd31e3d2541b2924b178acd7050004acf8e5a517b0190e3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	a	adversarial	F	max	0.0017	0.02595	0.0461	0.09545	-1.070499	0.0489	0.12685	-0.5235710.0314	0.1757990.1983250	-			
6ae249aff39bc4f80298568810a6340900435750023e0d9ac8741dd70165b3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	a	adversarial	Fbar	min	0.38645	0.47095	0.16085	0.00155	0.9903640.28385	0.17775	0.3737890.6165750.1762	0.0427950.5353150	-				
4924bd85be6f8ac0b1100c109875a4e410b1a9c15000aaaa60c41571b0158b6f8	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	a	adversarial	G	max	0.0148750.0475750.0653250.127625-	0.953693	0.0807250.169425-	1.098792	0.1450990.0418	0.105091-	0.062148	0					
67deb91714eba9451e3bcb2627d5b11c9c9255000a18949f1a27b80487888	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	borda	a	adversarial	Gbar	min	0.4613250.5484750.1747250.0062750.9640860.3105250.1966750.3666370.5974490.1904	0.0396880.5216690	-										
9389c81e5ebd995af377a90819e0c051a94fa286000581f832cd4174903157ec3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	rrf	g	gaussian	F	max	0.0017	0.0118	0.0521	0.1254	-1.40691	0.0709	0.1424	-1.0084630.398447	0.017	0.140511-	-0.6920570	-	
956f1354a626295aa448910821633472c8a002e5000fea24a020f11b0437f-3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	rrf	g	gaussian	Fbar	min	0.38645	0.7228	0.16925	0.3144	-0.857607	0.29045	0.4028	-0.3868140.470794	0.0884	0.065751-	-0.6061790	-	
84cd7bd443fc92bf919a9fb3605f75f5e065927b45bba1c3b205e3-3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	rrf	g	gaussian	C	max	0.0148750.0443250.0743250.163075-	1.19408	0.1081250.181475-	0.6783820.515699	-	0.0184	0.095369-	-0.7128940	-				
80591474f579ce339De7ed1300632a20188905c20702ff44d1dc361910458963	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	rrf	g	gaussian	Cbar	min	0.4613250.8361	0.1815250.3259	-0.795345	0.3145250.4163	-0.3235830.471762	-	0.0904	0.06095	-0.5974030	-			
95d19d89a4c834b781a22N94d587eN04044ce1c5100ca5d85600e25701554e7	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	rrf	p	salt_pepper	F	max	0.0017	0.0072250.0521	0.120975-	1.321977	0.0709	0.133375-	-0.8811710.440806	0.0124	0.135361-	-0.7231550	-		
fee61e85b3f9c13c178473e2ed61a9f201b521be1c5000ccda442001b3015854a3	ImageNet-vit-b16	ImageNet	vit-b16	15000	ImageNet	vit-b16	rrf	p	salt_pepper	Fbar	min	0.38645	0.69455	0.16925	0.34535	-1.040473	0.29045	0.44275	-0.5243590.516114	0.0974	0.070504-	-0.6595930	-	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random perturbed quality	naive clean excess	naive perturbed excess	naive rrel	noise clean excess	noise perturbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high	
e5b484c7c00db42a1e6745745f66f862a0f11b0b5f100aba61952341fca603185b58	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	p	salt_pepper	F	max	0.0148750.0395750.0743250.153225-	0.0395750.0743250.153225-	0.0743250.153225-	0.153225-	1.061554	0.1081250.169225-	0.169225-	0.5650870.496467	-	0.016	0.090649-	-	-	
85f998abe7039ab7d11a97506df8d9e5ad7b1e540065f634515461a1f071253	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	p	salt_pepper	C	min	0.4613250.8053750.1815250.353575-	0.8053750.1815250.353575-	0.1815250.353575-	0.353575-	0.947803	0.3145250.453575-	0.453575-	0.4420950.505708	-	0.1	0.065009-	-	-	
a09b21ceceaffa689d0d6783e9d3geNetfm92f5f5659007ab8d381bd804d923	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	s	speckle	F	max	0.0017 0.00455 0.0521 0.08005 -	0.00455 0.0521 0.08005 -	0.0521 0.08005 -	0.08005 -	0.536468	0.0709 0.09885 -	0.09885 -	0.3942170.142251	-	0.0188	0.094762-	0	0	
97b2d9b50b0479e984a9d9e1e07995d1e5006cf834663539f9c0185b33	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	s	speckle	Fbar	min	0.38645 0.5363 0.16925 0.2675 -	0.5363 0.16925 0.2675 -	0.16925 0.2675 -	0.2675 -	0.580502	0.29045 0.3909 -	0.3909 -	0.3458430.23466	-	0.1234	0.05356 -	-	-	
495011cccdcf6b2ed77d3682f1a963111d41f75093844d19d4d41c00185e3	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	s	speckle	C	max	0.0148750.0238 0.0743250.1054 -	0.0238 0.0743250.1054 -	0.0743250.1054 -	0.1054 -	0.418096	0.1081250.1272 -	0.1272 -	0.1764160.24168	-	0.0218	0.064599-	-	-	
c73217949cff3522010b44d2f1274901d22455N7500364585ad210N31576-3	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	s	speckle	Cbar	min	0.4613250.62185 0.1815250.27605 -	0.62185 0.1815250.27605 -	0.1815250.27605 -	0.27605 -	0.520727	0.3145250.40425 -	0.40425 -	0.2852710.235456	-	0.1282	0.049776-	-	-	
e2c7adc98dbb08b863a5d9f1855f6e1f6a32N5000dfe1e39b39a50182483	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	a	adversarial	F	max	0.0017 0.02595 0.0521 0.09745 -	0.02595 0.0521 0.09745 -	0.0521 0.09745 -	0.09745 -	0.870441	0.0709 0.13265 -	0.13265 -	0.870945	0.0005040.0352	0.0352	0.112157-	0	0	
759330717dd8260bb1a759b1d7c4d463a49250012ac30d6d140001551133	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	a	adversarial	Fbar	min	0.38645 0.47095 0.16925 0.01575 0.9069420.29045 0.17275 0.4052330.5017090.157	0.47095 0.16925 0.01575 0.9069420.29045 0.17275 0.4052330.5017090.157	0.16925 0.01575 0.9069420.29045 0.17275 0.4052330.5017090.157	0.01575 0.9069420.29045 0.17275 0.4052330.5017090.157	0.01575 0.9069420.29045 0.17275 0.4052330.5017090.157	0.9069420.29045 0.17275 0.4052330.5017090.157	0.29045 0.17275 0.4052330.5017090.157	0.17275 0.4052330.5017090.157	0.4052330.5017090.157	0.5017090.157	0.0382450.4281540	0.4281540	0	0
e4664573fcec2708a9299d1d37d258N706cag759505019c67edd115N0151003	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	a	adversarial	C	max	0.0148750.0475750.0743250.130225-	0.0475750.0743250.130225-	0.0743250.130225-	0.130225-	0.752102	0.1081250.177825-	0.177825-	0.6446240.107478	-	0.0476	0.076087-	0	0	
93d0c2eaba4cd658383a99801f52dN106322N2500095a6d53731N2757607	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	rrf	a	adversarial	Cbar	min	0.4613250.5484750.1815250.0252750.8607630.3145250.1952750.3791430.48162 0.17	0.5484750.1815250.0252750.8607630.3145250.1952750.3791430.48162 0.17	0.1815250.0252750.8607630.3145250.1952750.3791430.48162 0.17	0.0252750.8607630.3145250.1952750.3791430.48162 0.17	0.0252750.8607630.3145250.1952750.3791430.48162 0.17	0.8607630.3145250.1952750.3791430.48162 0.17	0.3145250.1952750.3791430.48162 0.17	0.1952750.3791430.48162 0.17	0.3791430.48162 0.17	0.48162 0.17	0.0363190.4115280	0.4115280	0	0
8db23bacbd306b085a8d78cd222Nc18a5d25f5000421a995f1984N31551e3	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	g	gaussian	F	max	0.0017 0.0118 0.0483 0.1228 -	0.0118 0.0483 0.1228 -	0.0483 0.1228 -	0.1228 -	1.542443	0.0857 0.1472 -	0.1472 -	0.71762 0.824823	-	0.0244	0.157674-	-	-	
b3edaec96fbcd525d2479e234130geNetfm92f5f565900eb86cb39b14N01515d07	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	g	gaussian	Fbar	min	0.38645 0.7228 0.11805 0.2934 -	0.7228 0.11805 0.2934 -	0.11805 0.2934 -	0.2934 -	1.485388	0.29185 0.4078 -	0.4078 -	0.3972931.088094	-	0.1144	0.137821-	-	-	
53067341896370471f83b9c454h5fNetfm92f5f565900724d1149da0090N30151473	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	g	gaussian	C	max	0.0148750.0443250.0707250.158675-	0.0443250.0707250.158675-	0.0707250.158675-	0.158675-	1.243549	0.1213250.182475-	0.182475-	0.5040180.739531	-	0.0238	0.101561-	-	-	
7015b8da0536542c788499286322501b2geNetfm92f5f565900ed8a5f17ac70024573	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	g	gaussian	Cbar	min	0.4613250.8361 0.1295250.3051 -	0.8361 0.1295250.3051 -	0.1295250.3051 -	0.3051 -	1.35553	0.3149250.4185 -	0.4185 -	0.3288881.026642	-	0.1134	0.12136 -	-	-	
d57f40dde8e4ed2917b50N57fb269N2558820N5000f6a3k80d3d7N01515e3	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	p	salt_pepper	F	max	0.0017 0.0072250.0483 0.119175-	0.0072250.0483 0.119175-	0.0483 0.119175-	0.119175-	1.467391	0.0857 0.137775-	0.137775-	0.6076430.859748	-	0.0186	0.151623-	-	-	
557e5ac61514d20da0a5871a83geNetfm92f5f565900635133idd8b2N0715243	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	p	salt_pepper	C	min	0.38645 0.69455 0.11805 0.31655 -	0.69455 0.11805 0.31655 -	0.11805 0.31655 -	0.31655 -	1.681491	0.29185 0.43215 -	0.43215 -	0.4807261.200764	-	0.1156	0.147225-	-	-	
894ca02af1d90851da90863e1a340b90b17dN45008f3db8ed1b11N01515e3	ImageNet-vit-b16	ImageNet	vit-b16	5000	ImageNet	K	kemeny	p	salt_pepper	F	max	0.0148750.0395750.0707250.149625-	0.0395750.0707250.149625-	0.0707250.149625-	0.149625-	1.115589	0.1213250.175625-	0.175625-	0.4475580.66803	-	0.026	0.097645-	-	-	

comparison id	cell	dataset	model	sample count	geometry	geometry label	rule	condition	condition label	metric	metric direction	random clean quality	random per-turbed quality	naive clean excess	naive per-turbed excess	naive rrel	noise clean excess	noise per-turbed excess	noise rrel	rrel gain naive minus noise	perturbed excess gain noise minus naive	rrel gain standard error	rrel gain ci low	rrel gain ci high
1179908d31ed24d402a0602d0678f724138b745000e2a2bb07950b016552f	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	schulze	s	speckle	F	max	0.0017	0.00455	0.0471	0.07845	-0.665605	0.0747	0.09465	-0.267068	-0.398537	0.0162	0.106758	-0.621053	-0.000000
dd50927f7ebe9a3e21b253a4405568411b46f00e400b6ffcb8db254c0191e03	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	schulze	s	speckle	Fbar	min	0.38645	0.5363	0.15285	0.2561	-0.675499	0.28865	0.3771	-0.306426	-0.369072	0.121	0.067169	-0.509413	-0.000000
681aa00868178b57109481a1f21g3384bdc574c5f00d935e2f8311b981b3265	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	schulze	s	speckle	C	max	0.014875	0.0238	0.069925	0.102	-0.458706	0.110125	0.1246	-0.131442	-0.327264	0.0226	0.071148	-0.472922	-0.000000
e86fbf1894448167d0a34b0c779c0c7eb7e38dc5909e6895651ad91f0783833	ImageNet-vit-b16	ImageNet	vit-b16	10000	speckle	K	schulze	s	speckle	Cbar	min	0.461325	0.62185	0.164725	0.26925	-0.634542	0.312925	0.39445	-0.260526	-0.374017	0.1252	0.062696	-0.504516	-0.000000
d24b0efa7f804e5f401921d4b7f2290e7f7534b524500733ab4f7505dc03f392	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	schulze	a	adversarial	F	max	0.0017	0.02595	0.0471	0.09485	-1.0138	0.0747	0.12945	-0.732932	-0.280869	0.0346	0.126949	-0.547104	-0.000000
fa096f8fcbb40fe0c2bd27589d1a0e9475f05c7a2c41eb248f046f1-3	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	schulze	a	adversarial	Fbar	min	0.38645	0.47095	0.15285	0.00155	0.989859	0.28865	0.18215	0.368959	0.6209	0.1806	0.04462	0.536462	0.000000
bc4c8c26de090b26d554g1c1a778f14g25e50220471f0f914041b0631f63	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	schulze	a	adversarial	G	max	0.014875	0.047575	0.069925	0.127625	-0.82517	0.110125	0.174225	-0.582066	-0.243104	0.0466	0.083501	-0.414635	-0.000000
663fbc3259d57316d110af550951g2f60a54f5500ab3e4809322a72818f1-3	ImageNet-vit-b16	ImageNet	vit-b16	10000	adversarial	K	schulze	a	adversarial	Gbar	min	0.461325	0.548475	0.164725	0.010075	0.938837	0.312925	0.200875	0.358073	0.580764	0.1908	0.041721	0.501188	0.000000

Table 96: relative robustness results for ImageNet–ViT-B/16. This table is the current released snapshot; it reports only the dataset–model rows present in the source file.

dataset	model	condition	condition kind	status	sample count	k	F	Fbar	C	Cbar
imagenet	vit-b16	adversarial	adversarial	complete	5000	20	0.02595	0.47095	0.047575	0.548475
		sara-2-255								
imagenet	vit-b16	clean	clean	complete	5000	20	0.0017	0.38645	0.014875	0.461325
imagenet	vit-b16	gaussian-0.15	factory	complete	5000	20	0.0118	0.7228	0.044325	0.8361
imagenet	vit-b16	salt-pepper-0.05	factory	complete	5000	20	0.007225	0.69455	0.039575	0.805375
imagenet	vit-b16	speckle-0.15	factory	complete	5000	20	0.00455	0.5363	0.0238	0.62185

Historical and superseded result tables

A DenseNet-121 (archived)

Table 97: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.5234	0.7068	0.5824	0.8924	0.15	0.1374	0.4036	0.215	0.0572	0.0462
SimpleAvg	0.5334	0.6972	0.5982	0.846	0.1638	0.1676	0.4234	0.274	0.0738	0.0646
Borda (NAIVE)	0.5336	0.7044	0.5954	0.8866	0.1636	0.161	0.4154	0.2692	0.063	0.0548
Borda (THEORY)	0.5192	0.7076	0.5706	0.8858	0.165	0.15	0.4072	0.279	0.0608	0.0458
RRF (NAIVE)	0.5356	0.7082	0.6014	0.9018	0.1632	0.1512	0.4124	0.2732	0.0568	0.0476
RRF (THEORY)	0.5152	0.7074	0.5676	0.8858	0.157	0.1492	0.402	0.2716	0.0694	0.0578
Schulze (NAIVE)	0.5452	0.7068	0.613	0.8924	0.1606	0.1476	0.428	0.2798	0.065	0.0552
Schulze (THEORY)	0.524	0.7092	0.5816	0.8878	0.1674	0.1596	0.4042	0.2716	0.0668	0.06
Kemeny-Young (NAIVE)	0.5304	0.7046	0.5892	0.8882	0.165	0.1566	0.4148	0.2682	0.0594	0.054
Kemeny-Young (THEORY)	0.52	0.7048	0.5744	0.8856	0.1574	0.1516	0.411	0.2826	0.0636	0.0528

Table 98: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.52	0.5744	0.7048	0.8856
Borda (n=3)	Ensemble	0.5192	0.5706	0.7076	0.8858
Borda (n=4)	Ensemble	0.5266	0.5808	0.7084	0.8836
Borda (n=5)	Ensemble	0.5248	0.582	0.7066	0.8872
Borda (n=6)	Ensemble	0.5258	0.5844	0.707	0.8902
Borda (n=7)	Ensemble	0.5304	0.5892	0.7046	0.8882
Borda (n=8)	Ensemble	0.5336	0.5954	0.7044	0.8866
Kemeny-Young (n=2)	Ensemble	0.52	0.5744	0.7048	0.8856
Kemeny-Young (n=3)	Ensemble	0.5192	0.5706	0.7076	0.8858
Kemeny-Young (n=4)	Ensemble	0.5266	0.5808	0.7084	0.8836
Kemeny-Young (n=5)	Ensemble	0.5248	0.582	0.7066	0.8872
Kemeny-Young (n=6)	Ensemble	0.5258	0.5844	0.707	0.8902
Kemeny-Young (n=7)	Ensemble	0.5304	0.5892	0.7046	0.8882
Kemeny-Young (n=8)	Ensemble	0.5336	0.5954	0.7044	0.8866
RRF (n=2)	Ensemble	0.5162	0.5736	0.7068	0.8902
RRF (n=3)	Ensemble	0.5152	0.5676	0.7074	0.8858
RRF (n=4)	Ensemble	0.5166	0.5746	0.7084	0.884
RRF (n=5)	Ensemble	0.5292	0.5912	0.7122	0.905
RRF (n=6)	Ensemble	0.5364	0.6008	0.7122	0.9044
RRF (n=7)	Ensemble	0.534	0.5942	0.7096	0.9032
RRF (n=8)	Ensemble	0.5356	0.6014	0.7082	0.9018
Schulze (n=2)	Ensemble	0.525	0.5792	0.7058	0.8882
Schulze (n=3)	Ensemble	0.524	0.5816	0.7092	0.8878
Schulze (n=4)	Ensemble	0.5358	0.6018	0.7072	0.8856
Schulze (n=5)	Ensemble	0.5448	0.6128	0.7078	0.8886
Schulze (n=6)	Ensemble	0.5484	0.6234	0.7064	0.8884
Schulze (n=7)	Ensemble	0.551	0.6228	0.7078	0.8926
Schulze (n=8)	Ensemble	0.5452	0.613	0.7068	0.8924
norm_ensemble (n=2)	Ensemble	0.5468	0.6124	0.7078	0.8882
norm_ensemble (n=3)	Ensemble	0.536	0.5994	0.7072	0.8828
norm_ensemble (n=4)	Ensemble	0.524	0.5862	0.7076	0.8838
norm_ensemble (n=5)	Ensemble	0.5256	0.5854	0.7052	0.8718
norm_ensemble (n=6)	Ensemble	0.5284	0.5934	0.703	0.8734
norm_ensemble (n=7)	Ensemble	0.5318	0.593	0.699	0.844
norm_ensemble (n=8)	Ensemble	0.5334	0.5982	0.6972	0.846

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.5794	0.6586	0.7022	0.874
Deconvolution	Single	0.5794	0.6586	0.7022	0.874
DeepLIFT_SHAP	baseline	0.5888	0.6794	0.7008	0.879
DeepLIFT_SHAP	baseline	0.5888	0.6794	0.7008	0.879
DeepLIFT_SHAP	baseline	0.5888	0.6794	0.7008	0.879
DeepLIFT_SHAP	baseline	0.5888	0.6794	0.7008	0.879
DeepLIFT_baseline	global	0.5944	0.6874	0.6984	0.8778
DeepLIFT_baseline	global	0.5944	0.6874	0.6984	0.8778
FeatureAblation	Single size	0.5234	0.5824	0.6906	0.8256
FeatureAblation	Single size	0.5234	0.5824	0.6906	0.8256
GradientShap	baseline	0.5516	0.6622	0.7068	0.8924
GradientShap	baseline	0.5516	0.6622	0.7068	0.8924
GradientShap	baseline	0.5516	0.66278	0.7068	0.891
GradientShap	baseline	0.5516	0.66278	0.7068	0.891
GuidedBackprop	Single	0.5794	0.6586	0.7022	0.874
GuidedBackprop	Single	0.5794	0.6586	0.7022	0.874
InputXGradient	Single	0.5922	0.6876	0.7024	0.874
InputXGradient	Single	0.5922	0.6876	0.7024	0.874
IntegratedGradient	baseline	0.5534	0.6336	0.7060	0.8818
IntegratedGradient	baseline	0.5534	0.6336	0.7060	0.8818
IntegratedGradient	baseline	0.552	0.6314	0.7062	0.883
IntegratedGradient	baseline	0.552	0.6314	0.7062	0.883
Occlusion_baseline	global	0.5876	0.5926	0.7004	0.8692
Occlusion_baseline	global	0.5876	0.5926	0.7004	0.8692
Saliency	Single	0.5794	0.6586	0.7022	0.874
Saliency	Single	0.5794	0.6586	0.7022	0.874

Table 99: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom speckle std 0.15		
Borda (n=2)	Ensemble	0.1574	0.1516	0.411	0.2826	0.0636	0.0528	0.0948	0.045	0.4522	0.1196	0.0316	0.0156
Borda (n=3)	Ensemble	0.165	0.15	0.4072	0.279	0.0608	0.0458	0.1004	0.0388	0.4552	0.1196	0.0372	0.0206
Borda (n=4)	Ensemble	0.1726	0.163	0.4134	0.2814	0.0608	0.0524	0.1004	0.038	0.4538	0.1172	0.0368	0.0158
Borda (n=5)	Ensemble	0.1652	0.1546	0.411	0.273	0.0624	0.0558	0.0958	0.0408	0.4558	0.1216	0.038	0.0224
Borda (n=6)	Ensemble	0.1638	0.1556	0.4088	0.2658	0.0552	0.05	0.0984	0.0432	0.456	0.1252	0.0394	0.0278
Borda (n=7)	Ensemble	0.165	0.1566	0.4148	0.2682	0.0594	0.054	0.0986	0.0472	0.452	0.1264	0.034	0.0244
Borda (n=8)	Ensemble	0.1636	0.161	0.4154	0.2692	0.063	0.0548	0.0946	0.0514	0.4546	0.128	0.0348	0.0282
Kemeny-Young (n=2)	Ensemble	0.1574	0.1516	0.411	0.2826	0.0636	0.0528	0.0948	0.045	0.4522	0.1196	0.0316	0.0156
Kemeny-Young (n=3)	Ensemble	0.165	0.15	0.4072	0.279	0.0608	0.0458	0.1004	0.0388	0.4552	0.1196	0.0372	0.0206
Kemeny-Young (n=4)	Ensemble	0.1726	0.163	0.4134	0.2814	0.0608	0.0524	0.1004	0.038	0.4538	0.1172	0.0368	0.0158
Kemeny-Young (n=5)	Ensemble	0.1652	0.1546	0.411	0.273	0.0624	0.0558	0.0958	0.0408	0.4558	0.1216	0.038	0.0224
Kemeny-Young (n=6)	Ensemble	0.1638	0.1556	0.4088	0.2658	0.0552	0.05	0.0984	0.0432	0.456	0.1252	0.0394	0.0278
Kemeny-Young (n=7)	Ensemble	0.165	0.1566	0.4148	0.2682	0.0594	0.054	0.0986	0.0472	0.452	0.1264	0.034	0.0244
Kemeny-Young (n=8)	Ensemble	0.1636	0.161	0.4154	0.2692	0.063	0.0548	0.0946	0.0514	0.4546	0.128	0.0348	0.0282
RRF (n=2)	Ensemble	0.156	0.1522	0.4078	0.2804	0.0596	0.0484	0.0964	0.048	0.4562	0.1274	0.0332	0.0216
RRF (n=3)	Ensemble	0.157	0.1492	0.402	0.2716	0.0694	0.0578	0.1008	0.0396	0.4556	0.118	0.0352	0.0244
RRF (n=4)	Ensemble	0.1544	0.1526	0.4016	0.266	0.0594	0.051	0.1	0.0394	0.455	0.1154	0.0372	0.0218
RRF (n=5)	Ensemble	0.162	0.153	0.4102	0.2778	0.061	0.0482	0.1034	0.0572	0.4612	0.1366	0.0438	0.0448
RRF (n=6)	Ensemble	0.167	0.1614	0.4218	0.2854	0.06	0.0494	0.1048	0.0674	0.4604	0.1414	0.0432	0.045
RRF (n=7)	Ensemble	0.1616	0.1478	0.415	0.2698	0.0576	0.042	0.104	0.067	0.4562	0.1434	0.0398	0.045
RRF (n=8)	Ensemble	0.1632	0.1512	0.4124	0.2732	0.0568	0.0476	0.101	0.0686	0.4576	0.1474	0.036	0.025
Schulze (n=2)	Ensemble	0.1602	0.1516	0.4154	0.2856	0.0664	0.0506	0.0938	0.047	0.455	0.1264	0.0336	0.0184
Schulze (n=3)	Ensemble	0.1674	0.1596	0.4042	0.2716	0.0668	0.06	0.0972	0.0478	0.4604	0.1258	0.036	0.0204
Schulze (n=4)	Ensemble	0.1604	0.1562	0.415	0.2882	0.0566	0.047	0.0986	0.0368	0.4532	0.12	0.0368	0.0316
Schulze (n=5)	Ensemble	0.166	0.1612	0.4246	0.2894	0.0622	0.054	0.0978	0.0416	0.4536	0.1228	0.0406	0.0372
Schulze (n=6)	Ensemble	0.1696	0.1698	0.4308	0.3084	0.063	0.0626	0.0968	0.045	0.4554	0.1254	0.038	0.0364
Schulze (n=7)	Ensemble	0.1666	0.1622	0.4318	0.2968	0.0694	0.0636	0.101	0.05	0.458	0.1384	0.0382	0.0356
Schulze (n=8)	Ensemble	0.1606	0.1476	0.428	0.2798	0.065	0.0552	0.103	0.0642	0.4566	0.1388	0.0378	0.0316
norm_ensemble (n=2)	Ensemble	0.1634	0.1512	0.4322	0.3008	0.062	0.0506	0.0972	0.0524	0.4576	0.1272	0.0364	0.0206
norm_ensemble (n=3)	Ensemble	0.1564	0.1468	0.428	0.3042	0.0596	0.0446	0.0988	0.0408	0.4566	0.1176	0.0362	0.022
norm_ensemble (n=4)	Ensemble	0.154	0.1448	0.4146	0.2836	0.0564	0.0412	0.1004	0.0396	0.4572	0.1262	0.0418	0.028
norm_ensemble (n=5)	Ensemble	0.1564	0.1468	0.4112	0.2718	0.0604	0.0478	0.097	0.033	0.4562	0.1104	0.0358	0.0198
norm_ensemble (n=6)	Ensemble	0.1612	0.165	0.4166	0.2768	0.0692	0.0646	0.0956	0.0348	0.4508	0.1148	0.0352	0.0214

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1648	0.1624	0.42	0.2718	0.0706	0.0592	0.0954	0.0108	0.4482	0.0916	0.028	0.0192
norm_ensemble (n=8)	Ensemble	0.1638	0.1676	0.4234	0.274	0.0738	0.0646	0.0886	0.0122	0.4482	0.0936	0.0386	0.0194
Deconvolution	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
Deconvolution	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_SHAP	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_SHAP	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_SHAP	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_SHAP	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_SHAP	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
DeepLIFT_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
FeatureAblation	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
FeatureAblation	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GradientShap_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GradientShap_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GradientShap_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GradientShap_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GradientShap_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GuidedBackprop	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
GuidedBackprop	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
InputXGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
InputXGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
IntegratedGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
IntegratedGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
IntegratedGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
IntegratedGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
IntegratedGradient	Single	0.1802	0.1776	0.454	0.3238	0.0846	0.088	0.0998	0.0502	0.4538	0.1432	0.0364	0.0264
Occlusion_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
Occlusion_baseline	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
Saliency	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226
Saliency	Single	0.1856	0.1734	0.4442	0.2636	0.0748	0.0652	0.1028	0.0646	0.456	0.1688	0.035	0.0226

Table 100: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.6	0.7162	0.679	0.9238	0.1294	0.1066	0.43	0.192	0.0496	0.0342
SimpleAvg	0.6034	0.7092	0.6918	0.8846	0.1498	0.1408	0.4478	0.2478	0.0632	0.0584
Borda (NAIVE)	0.6092	0.715	0.6944	0.931	0.1338	0.1122	0.445	0.2464	0.0464	0.0314
Borda (THEORY)	0.5932	0.7132	0.6684	0.9198	0.1444	0.115	0.4278	0.2308	0.0514	0.0374
RRF (NAIVE)	0.621	0.7172	0.7118	0.9322	0.146	0.1238	0.458	0.2574	0.0588	0.0456
RRF (THEORY)	0.5886	0.7128	0.6654	0.923	0.1372	0.1152	0.4292	0.243	0.053	0.0398
Schulze (NAIVE)	0.6294	0.7154	0.7258	0.9268	0.1542	0.1316	0.458	0.2658	0.057	0.0458
Schulze (THEORY)	0.5924	0.7146	0.6708	0.9268	0.148	0.126	0.4268	0.2326	0.052	0.038
Kemeny-Young (NAIVE)	0.6068	0.7156	0.6904	0.9308	0.1358	0.1208	0.4454	0.2482	0.047	0.0316
Kemeny-Young (THEORY)	0.5932	0.7144	0.671	0.9196	0.1432	0.1154	0.4336	0.2476	0.054	0.0384

Table 101: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.3764	0.689	0.411	0.8408	0.1552	0.1492	0.3096	0.2114	0.053	0.0512
SimpleAvg	0.409	0.6778	0.4528	0.795	0.174	0.1766	0.343	0.2474	0.068	0.0686
Borda (NAIVE)	0.4198	0.6916	0.4574	0.8488	0.165	0.1602	0.3526	0.2494	0.074	0.0684
Borda (THEORY)	0.392	0.6894	0.4274	0.8456	0.1698	0.171	0.3314	0.2434	0.0648	0.0604
RRF (NAIVE)	0.4186	0.6944	0.4584	0.8548	0.1702	0.168	0.3538	0.2578	0.0664	0.0604
RRF (THEORY)	0.3892	0.6902	0.4282	0.846	0.156	0.1566	0.3272	0.246	0.067	0.062
Schulze (NAIVE)	0.4276	0.6846	0.4722	0.8334	0.1734	0.1724	0.3634	0.2662	0.0682	0.065
Schulze (THEORY)	0.3916	0.6894	0.4254	0.8392	0.1648	0.1608	0.3214	0.2322	0.0648	0.0554
Kemeny-Young (NAIVE)	0.41	0.6922	0.4494	0.8498	0.155	0.1544	0.3446	0.247	0.0658	0.0622
Kemeny-Young (THEORY)	0.3922	0.6896	0.4262	0.8438	0.161	0.157	0.3312	0.2346	0.0624	0.0574

Table 102: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.6424	0.7204	0.7462	0.947	0.11	0.0764	0.441	0.1452	0.0362	0.0172
SimpleAvg	0.6536	0.7152	0.7704	0.9144	0.1362	0.1158	0.463	0.2046	0.0496	0.0476
Borda (NAIVE)	0.6564	0.7226	0.7674	0.9472	0.126	0.0976	0.456	0.1924	0.0444	0.0312
Borda (THEORY)	0.6444	0.7202	0.7372	0.9486	0.1274	0.0922	0.4414	0.1386	0.039	0.0208
RRF (NAIVE)	0.661	0.7212	0.78	0.9542	0.1268	0.0976	0.4594	0.1978	0.048	0.0364
RRF (THEORY)	0.6442	0.7178	0.7408	0.9474	0.123	0.0878	0.4446	0.1856	0.0416	0.0212
Schulze (NAIVE)	0.672	0.7198	0.8034	0.9498	0.129	0.1034	0.469	0.2162	0.049	0.0502
Schulze (THEORY)	0.6442	0.7206	0.7372	0.9446	0.1272	0.0928	0.4396	0.1834	0.0364	0.0196
Kemeny-Young (NAIVE)	0.6612	0.722	0.7664	0.9472	0.1276	0.0996	0.4612	0.1998	0.0512	0.0314
Kemeny-Young (THEORY)	0.6454	0.7194	0.7452	0.948	0.1214	0.0916	0.4446	0.1854	0.041	0.0248

Table 103: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.2694	0.667	0.293	0.8	0.1276	0.1258	0.2298	0.1604	0.0442	0.0434
SimpleAvg	0.3194	0.6478	0.3532	0.7512	0.1598	0.1648	0.276	0.2032	0.0658	0.0682
Borda (NAIVE)	0.327	0.6698	0.3538	0.8072	0.154	0.147	0.2824	0.2094	0.063	0.058
Borda (THEORY)	0.278	0.6656	0.2998	0.8024	0.1388	0.1386	0.2408	0.1806	0.054	0.0514
RRF (NAIVE)	0.3292	0.6764	0.3564	0.8176	0.1556	0.1546	0.2876	0.2088	0.0716	0.066
RRF (THEORY)	0.2914	0.6658	0.321	0.7988	0.1408	0.1406	0.2512	0.1888	0.0532	0.0556
Schulze (NAIVE)	0.3356	0.6594	0.367	0.787	0.159	0.1644	0.2944	0.2218	0.0646	0.0634
Schulze (THEORY)	0.2852	0.664	0.3084	0.7946	0.143	0.143	0.2442	0.1772	0.0502	0.0516
Kemeny-Young (NAIVE)	0.3256	0.6722	0.353	0.8104	0.1538	0.149	0.282	0.2098	0.0674	0.0654
Kemeny-Young (THEORY)	0.3	0.6648	0.3262	0.7976	0.1516	0.154	0.2602	0.2014	0.0554	0.054

Table 104: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.6104	0.7134	0.709	0.9164	0.147	0.1374	0.4486	0.243	0.0476	0.0454
SimpleAvg	0.5878	0.7074	0.6712	0.8828	0.157	0.1538	0.4408	0.2594	0.068	0.0634
Borda (NAIVE)	0.5918	0.7152	0.679	0.9244	0.1512	0.1324	0.4396	0.2632	0.053	0.043
Borda (THEORY)	0.5802	0.7162	0.6444	0.9164	0.149	0.1248	0.4326	0.244	0.057	0.0426
RRF (NAIVE)	0.5988	0.7176	0.684	0.9236	0.1594	0.1402	0.4476	0.26	0.062	0.0576
RRF (THEORY)	0.577	0.7138	0.6472	0.9188	0.1528	0.1374	0.431	0.2552	0.0548	0.045
Schulze (NAIVE)	0.6072	0.7108	0.7004	0.9168	0.155	0.1464	0.4546	0.274	0.0604	0.0538
Schulze (THEORY)	0.5808	0.712	0.6468	0.916	0.1478	0.1254	0.4324	0.2442	0.0584	0.044
Kemeny-Young (NAIVE)	0.5936	0.717	0.6714	0.9262	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416
Kemeny-Young (THEORY)	0.5802	0.7166	0.6536	0.9262	0.151	0.1356	0.4336	0.253	0.0528	0.0392

Table 105: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.5266	0.7052	0.5916	0.8866	0.171	0.1626	0.4196	0.2766	0.0598	0.0532
SimpleAvg	0.5032	0.6952	0.5624	0.8394	0.174	0.1786	0.4036	0.2704	0.0728	0.073
Borda (NAIVE)	0.5082	0.7044	0.5598	0.8848	0.1856	0.1784	0.4058	0.268	0.068	0.0596
Borda (THEORY)	0.4908	0.7028	0.5398	0.886	0.175	0.1694	0.3918	0.2558	0.0584	0.048
RRF (NAIVE)	0.5176	0.705	0.5766	0.8932	0.1796	0.1764	0.4168	0.2854	0.0692	0.0658
RRF (THEORY)	0.4912	0.7038	0.5382	0.8836	0.1686	0.1658	0.396	0.2696	0.0708	0.0632
Schulze (NAIVE)	0.532	0.704	0.593	0.8796	0.1834	0.1798	0.4312	0.2986	0.0812	0.0776
Schulze (THEORY)	0.4942	0.7022	0.5436	0.8872	0.173	0.1684	0.3872	0.2672	0.065	0.0592
Kemeny-Young (NAIVE)	0.5064	0.7044	0.5586	0.888	0.179	0.1706	0.4036	0.2686	0.0698	0.064
Kemeny-Young (THEORY)	0.4924	0.703	0.5472	0.885	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546

Table 106: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.3918	0.6792	0.4332	0.824	0.176	0.1772	0.3414	0.2512	0.0686	0.07
SimpleAvg	0.3688	0.6604	0.4048	0.7866	0.168	0.1738	0.3156	0.2262	0.073	0.0744
Borda (NAIVE)	0.374	0.6798	0.411	0.8318	0.1602	0.1614	0.3202	0.2308	0.06	0.0596
Borda (THEORY)	0.3334	0.6788	0.3626	0.8108	0.1498	0.1528	0.282	0.1808	0.0584	0.0532
RRF (NAIVE)	0.3724	0.6846	0.4108	0.838	0.1626	0.1682	0.3194	0.2344	0.069	0.0672
RRF (THEORY)	0.3466	0.6776	0.378	0.8178	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564
Schulze (NAIVE)	0.3852	0.6806	0.4286	0.8192	0.1732	0.1788	0.3344	0.2532	0.0704	0.0724
Schulze (THEORY)	0.3424	0.6794	0.3704	0.8178	0.1536	0.152	0.2896	0.2068	0.0584	0.0532
Kemeny-Young (NAIVE)	0.3678	0.6874	0.402	0.8376	0.156	0.1598	0.3162	0.2272	0.0602	0.056
Kemeny-Young (THEORY)	0.352	0.6886	0.3844	0.8408	0.15	0.1462	0.303	0.2186	0.0494	0.045

Table 107: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.662	0.719	0.786	0.9412	0.1282	0.096	0.4584	0.1766	0.046	0.035
SimpleAvg	0.6422	0.714	0.7478	0.9134	0.1394	0.12	0.463	0.2246	0.0542	0.0478
Borda (NAIVE)	0.6492	0.7182	0.7546	0.945	0.134	0.0966	0.4594	0.2152	0.0472	0.0338
Borda (THEORY)	0.6382	0.7184	0.7248	0.9402	0.1356	0.0984	0.448	0.2038	0.0508	0.0348
RRF (NAIVE)	0.6556	0.7172	0.7626	0.9462	0.1384	0.1024	0.4634	0.2244	0.051	0.033
RRF (THEORY)	0.6372	0.7164	0.725	0.9394	0.1382	0.0992	0.4484	0.205	0.0522	0.0358
Schulze (NAIVE)	0.6594	0.7148	0.7832	0.942	0.1376	0.1138	0.4604	0.2332	0.0492	0.0446
Schulze (THEORY)	0.6358	0.7154	0.7316	0.938	0.133	0.105	0.4408	0.1982	0.0456	0.026
Kemeny-Young (NAIVE)	0.6498	0.718	0.7536	0.9462	0.1404	0.1032	0.4624	0.2224	0.047	0.033
Kemeny-Young (THEORY)	0.6404	0.7214	0.7332	0.9446	0.1356	0.1052	0.4496	0.2086	0.0524	0.035

Table 108: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.2866	0.6456	0.3162	0.7648	0.1452	0.146	0.257	0.1848	0.0562	0.055
SimpleAvg	0.275	0.6232	0.303	0.7292	0.1438	0.1452	0.2424	0.1726	0.0636	0.0636
Borda (NAIVE)	0.2736	0.6498	0.2968	0.777	0.1372	0.1392	0.241	0.169	0.0544	0.0486
Borda (THEORY)	0.2258	0.646	0.242	0.7678	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368
RRF (NAIVE)	0.279	0.6536	0.3022	0.7816	0.1476	0.1474	0.2502	0.171	0.0664	0.064
RRF (THEORY)	0.2454	0.6456	0.2656	0.763	0.1218	0.1218	0.218	0.15	0.0518	0.048
Schulze (NAIVE)	0.2846	0.6382	0.3138	0.7614	0.1472	0.1552	0.2524	0.1826	0.0644	0.064
Schulze (THEORY)	0.2358	0.642	0.252	0.7624	0.117	0.1158	0.2068	0.134	0.0462	0.043
Kemeny-Young (NAIVE)	0.268	0.6532	0.293	0.7804	0.1332	0.137	0.238	0.1672	0.0534	0.0536
Kemeny-Young (THEORY)	0.2548	0.6684	0.2736	0.8004	0.1316	0.1322	0.2266	0.1558	0.047	0.0408

Table 109: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.5802	0.6444	0.7162	0.9164
Borda (n=3)	Ensemble	0.5802	0.6536	0.7166	0.9262
Borda (n=4)	Ensemble	0.5864	0.6596	0.7168	0.9282
Borda (n=5)	Ensemble	0.5894	0.6634	0.7168	0.9294
Borda (n=6)	Ensemble	0.5946	0.6718	0.7178	0.9258
Borda (n=7)	Ensemble	0.5936	0.6714	0.717	0.9262
Borda (n=8)	Ensemble	0.5918	0.679	0.7152	0.9244
Kemeny-Young (n=2)	Ensemble	0.5802	0.6444	0.7162	0.9164
Kemeny-Young (n=3)	Ensemble	0.5802	0.6536	0.7166	0.9262
Kemeny-Young (n=4)	Ensemble	0.5864	0.6596	0.7168	0.9282
Kemeny-Young (n=5)	Ensemble	0.5894	0.6634	0.7168	0.9294
Kemeny-Young (n=6)	Ensemble	0.5946	0.6718	0.7178	0.9258
Kemeny-Young (n=7)	Ensemble	0.5936	0.6714	0.717	0.9262
Kemeny-Young (n=8)	Ensemble	0.5918	0.679	0.7152	0.9244
RRF (n=2)	Ensemble	0.5786	0.642	0.7132	0.919
RRF (n=3)	Ensemble	0.577	0.6472	0.7138	0.9188
RRF (n=4)	Ensemble	0.582	0.6584	0.7126	0.9158
RRF (n=5)	Ensemble	0.5902	0.6702	0.7194	0.928
RRF (n=6)	Ensemble	0.5978	0.6786	0.7164	0.9274
RRF (n=7)	Ensemble	0.5976	0.678	0.7164	0.9256
RRF (n=8)	Ensemble	0.5988	0.684	0.7176	0.9236
Schulze (n=2)	Ensemble	0.5808	0.6468	0.712	0.916
Schulze (n=3)	Ensemble	0.5844	0.6582	0.712	0.9168
Schulze (n=4)	Ensemble	0.6006	0.6824	0.7088	0.9142
Schulze (n=5)	Ensemble	0.6046	0.696	0.7104	0.9146
Schulze (n=6)	Ensemble	0.609	0.7058	0.7132	0.9164
Schulze (n=7)	Ensemble	0.6108	0.7052	0.711	0.9176
Schulze (n=8)	Ensemble	0.6072	0.7004	0.7108	0.9168
norm_ensemble (n=2)	Ensemble	0.5962	0.6768	0.7122	0.9148
norm_ensemble (n=3)	Ensemble	0.5914	0.6722	0.7102	0.9168
norm_ensemble (n=4)	Ensemble	0.5902	0.6672	0.7102	0.9162
norm_ensemble (n=5)	Ensemble	0.5866	0.6622	0.7124	0.8974
norm_ensemble (n=6)	Ensemble	0.5904	0.673	0.7084	0.8976
norm_ensemble (n=7)	Ensemble	0.5934	0.6754	0.704	0.8784
norm_ensemble (n=8)	Ensemble	0.5878	0.6712	0.7074	0.8828

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.631	0.7342	0.7104	0.9046
Deconvolution	Single	0.631	0.7342	0.7104	0.9046
DeepLIFT_SHAPSHap	baseline	0.6432	0.7552	0.7102	0.907
DeepLIFT_SHAPSHap	baseline	0.6432	0.7552	0.7102	0.907
DeepLIFT_SHAPSHap	baseline	0.6432	0.7552	0.7102	0.907
DeepLIFT_SHAPSHap	baseline	0.6432	0.7552	0.7102	0.907
DeepLIFT_baseline	global	0.6444	0.756	0.7106	0.9056
DeepLIFT_baseline	global	0.6444	0.756	0.7106	0.9056
FeatureAblation_single	size	0.5862	0.6582	0.713	0.8778
FeatureAblation_single	size	0.5862	0.6582	0.713	0.8778
GradientShap_baseline	combined	0.7094	0.7134	0.7134	0.9164
GradientShap_baseline	combined	0.7094	0.7134	0.7134	0.9164
GradientShap_baseline	combined	0.7094	0.7134	0.7134	0.9162
GradientShap_baseline	combined	0.7094	0.7134	0.7134	0.9162
GuidedBackprop	Single	0.631	0.7342	0.7104	0.9046
GuidedBackprop	Single	0.631	0.7342	0.7104	0.9046
InputXGradient	Single	0.6422	0.7546	0.7086	0.9052
InputXGradient	Single	0.6422	0.7546	0.7086	0.9052
IntegratedGradientSingle	baseline	0.6104	0.7093	0.7200	0.9118
IntegratedGradientSingle	baseline	0.6104	0.7093	0.7200	0.9118
IntegratedGradientSingle	baseline	0.6104	0.7114	0.7506	0.911
IntegratedGradientSingle	baseline	0.6104	0.7114	0.7506	0.911
Occlusion_baseline	global	0.5962	0.6644	0.7136	0.8956
Occlusion_baseline	global	0.5962	0.6644	0.7136	0.8956
Saliency	Single	0.631	0.7342	0.7104	0.9046
Saliency	Single	0.631	0.7342	0.7104	0.9046

Table 110: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob		
Borda (n=2)	Ensemble	0.149	0.1248	0.4326	0.244	0.057	0.0426	0.0992	0.0396	0.4588	0.116	0.0372	0.0178
Borda (n=3)	Ensemble	0.151	0.1356	0.4336	0.253	0.0528	0.0392	0.1002	0.0472	0.4582	0.1148	0.0388	0.0242
Borda (n=4)	Ensemble	0.1512	0.133	0.4366	0.2606	0.061	0.0444	0.0998	0.052	0.458	0.12	0.0392	0.0282
Borda (n=5)	Ensemble	0.1534	0.134	0.4438	0.2636	0.0594	0.0458	0.0988	0.055	0.4592	0.1214	0.038	0.032
Borda (n=6)	Ensemble	0.164	0.1452	0.4474	0.2694	0.0626	0.0496	0.1022	0.0544	0.4594	0.1134	0.0404	0.0292
Borda (n=7)	Ensemble	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416	0.101	0.0528	0.4564	0.1174	0.0416	0.0322
Borda (n=8)	Ensemble	0.1512	0.1324	0.4396	0.2632	0.053	0.043	0.0926	0.0474	0.4564	0.1218	0.0392	0.0284
Kemeny-Young (n=2)	Ensemble	0.149	0.1248	0.4326	0.244	0.057	0.0426	0.0992	0.0396	0.4588	0.116	0.0372	0.0178
Kemeny-Young (n=3)	Ensemble	0.151	0.1356	0.4336	0.253	0.0528	0.0392	0.1002	0.0472	0.4582	0.1148	0.0388	0.0242
Kemeny-Young (n=4)	Ensemble	0.1512	0.133	0.4366	0.2606	0.061	0.0444	0.0998	0.052	0.458	0.12	0.0392	0.0282
Kemeny-Young (n=5)	Ensemble	0.1534	0.134	0.4438	0.2636	0.0594	0.0458	0.0988	0.055	0.4592	0.1214	0.038	0.032
Kemeny-Young (n=6)	Ensemble	0.164	0.1452	0.4474	0.2694	0.0626	0.0496	0.1022	0.0544	0.4594	0.1134	0.0404	0.0292
Kemeny-Young (n=7)	Ensemble	0.1598	0.1358	0.4428	0.2634	0.0586	0.0416	0.101	0.0528	0.4564	0.1174	0.0416	0.0322
Kemeny-Young (n=8)	Ensemble	0.1512	0.1324	0.4396	0.2632	0.053	0.043	0.0926	0.0474	0.4564	0.1218	0.0392	0.0284
RRF (n=2)	Ensemble	0.148	0.1228	0.4332	0.2438	0.0564	0.0384	0.0946	0.051	0.4554	0.1022	0.036	0.0254
RRF (n=3)	Ensemble	0.1528	0.1374	0.431	0.2552	0.0548	0.045	0.0958	0.0446	0.459	0.0996	0.037	0.023
RRF (n=4)	Ensemble	0.1436	0.13	0.435	0.2628	0.05	0.0352	0.096	0.0398	0.4568	0.0932	0.0368	0.0198
RRF (n=5)	Ensemble	0.156	0.1378	0.442	0.2626	0.0536	0.0426	0.1028	0.0578	0.463	0.106	0.0434	0.0342
RRF (n=6)	Ensemble	0.1618	0.1424	0.4476	0.2762	0.0592	0.049	0.0994	0.0586	0.4562	0.1116	0.0394	0.0294
RRF (n=7)	Ensemble	0.161	0.1382	0.4438	0.2626	0.0594	0.0468	0.1018	0.0562	0.4574	0.1094	0.0392	0.0298
RRF (n=8)	Ensemble	0.1594	0.1402	0.4476	0.26	0.062	0.0576	0.1016	0.0596	0.457	0.1126	0.0402	0.0276
Schulze (n=2)	Ensemble	0.1478	0.1254	0.4324	0.2442	0.0584	0.044	0.0946	0.0516	0.4538	0.0986	0.0352	0.0232
Schulze (n=3)	Ensemble	0.1556	0.1372	0.425	0.2468	0.0594	0.0454	0.094	0.0436	0.4546	0.099	0.033	0.02
Schulze (n=4)	Ensemble	0.152	0.13	0.4412	0.2708	0.0546	0.0432	0.0886	0.036	0.45	0.0944	0.0306	0.0278
Schulze (n=5)	Ensemble	0.1556	0.1426	0.4464	0.2768	0.0598	0.0552	0.0934	0.0388	0.4512	0.0992	0.0328	0.029
Schulze (n=6)	Ensemble	0.1574	0.151	0.4554	0.2962	0.0566	0.0566	0.096	0.0444	0.4556	0.0956	0.034	0.0294
Schulze (n=7)	Ensemble	0.1646	0.1538	0.4546	0.2808	0.0618	0.0572	0.0958	0.0558	0.4544	0.101	0.0324	0.0272
Schulze (n=8)	Ensemble	0.155	0.1464	0.4546	0.274	0.0604	0.0538	0.0942	0.0466	0.4522	0.1114	0.0312	0.0206
norm_ensemble (n=2)	Ensemble	0.1468	0.1292	0.4496	0.2528	0.058	0.0464	0.0934	0.0458	0.4552	0.0986	0.0338	0.0228
norm_ensemble (n=3)	Ensemble	0.142	0.1304	0.4466	0.2778	0.0556	0.0458	0.0942	0.0436	0.4544	0.0982	0.0322	0.021
norm_ensemble (n=4)	Ensemble	0.1468	0.1322	0.4438	0.2744	0.066	0.0564	0.0922	0.0378	0.4526	0.0944	0.0276	0.0288
norm_ensemble (n=5)	Ensemble	0.1478	0.1368	0.4394	0.2618	0.0654	0.053	0.0946	0.0234	0.455	0.085	0.0318	0.015
norm_ensemble (n=6)	Ensemble	0.1574	0.1462	0.4414	0.261	0.0616	0.0542	0.0922	0.0294	0.4502	0.0802	0.0304	0.0108

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1566	0.1488	0.447	0.2602	0.0702	0.0632	0.0926	0.018	0.4494	0.0684	0.0264	0.013
norm_ensemble (n=8)	Ensemble	0.157	0.1538	0.4408	0.2594	0.068	0.0634	0.093	0.0154	0.4496	0.0828	0.0276	0.0112
Deconvolution	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
Deconvolution	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
DeepLIFT_SHAP	Single	0.1724	0.1612	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
DeepLIFT_SHAP	Single	0.1724	0.1612	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
DeepLIFT_SHAP	Single	0.1724	0.1612	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
DeepLIFT_SHAP	Single	0.1724	0.1612	0.4694	0.2866	0.0746	0.074	0.0966	0.048	0.4516	0.1144	0.0332	0.0144
DeepLIFT_baseline	Single	0.1746	0.1612	0.4692	0.2894	0.0786	0.0744	0.0978	0.0486	0.4522	0.1168	0.0362	0.0196
DeepLIFT_baseline	Single	0.1746	0.1612	0.4692	0.2894	0.0786	0.0744	0.0978	0.0486	0.4522	0.1168	0.0362	0.0196
FeatureAblation	Single	0.1564	0.1422	0.4288	0.2204	0.0592	0.0454	0.116	0.0798	0.4668	0.177	0.0406	0.0362
FeatureAblation	Single	0.1564	0.1422	0.4288	0.2204	0.0592	0.0454	0.116	0.0798	0.4668	0.177	0.0406	0.0362
GradientShap_baseline	Single	0.1508	0.1388	0.4486	0.22538	0.063	0.0496	0.0932	0.0466	0.4586	0.1116	0.0356	0.0214
GradientShap_baseline	Single	0.1508	0.1388	0.4486	0.22538	0.063	0.0496	0.0932	0.0466	0.4586	0.1116	0.0356	0.0214
GradientShap_baseline	Single	0.1508	0.1374	0.44536	0.22596	0.055	0.0506	0.094	0.0488	0.4566	0.1064	0.0328	0.0236
GradientShap_baseline	Single	0.1508	0.1374	0.44536	0.22596	0.055	0.0506	0.094	0.0488	0.4566	0.1064	0.0328	0.0236
GuidedBackprop	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
GuidedBackprop	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
InputXGradient	Single	0.1646	0.1492	0.466	0.2756	0.075	0.0642	0.0962	0.0474	0.4518	0.1124	0.0334	0.02
InputXGradient	Single	0.1646	0.1492	0.466	0.2756	0.075	0.0642	0.0962	0.0474	0.4518	0.1124	0.0334	0.02
IntegratedGradient	Single	0.1724	0.1612	0.4694	0.3004	0.048	0.0454	0.0924	0.0342	0.4536	0.0956	0.0344	0.0178
IntegratedGradient	Single	0.1724	0.1612	0.4694	0.3004	0.048	0.0454	0.0924	0.0342	0.4536	0.0956	0.0344	0.0178
IntegratedGradient	Single	0.1724	0.1612	0.4694	0.3004	0.0476	0.0482	0.0912	0.033	0.4532	0.0918	0.0322	0.019
IntegratedGradient	Single	0.1724	0.1612	0.4694	0.3004	0.0476	0.0482	0.0912	0.033	0.4532	0.0918	0.0322	0.019
Occlusion_baseline	Single	0.1424	0.1424	0.4276	0.1988	0.0564	0.0432	0.1018	0.0732	0.4602	0.171	0.0406	0.0322
Occlusion_baseline	Single	0.1424	0.1424	0.4276	0.1988	0.0564	0.0432	0.1018	0.0732	0.4602	0.171	0.0406	0.0322
Saliency	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019
Saliency	Single	0.1608	0.1498	0.452	0.243	0.062	0.05	0.1004	0.0524	0.4538	0.1292	0.0328	0.019

Table 111: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.4908	0.5398	0.7028	0.886
Borda (n=3)	Ensemble	0.493	0.5398	0.7038	0.8848
Borda (n=4)	Ensemble	0.4924	0.5472	0.703	0.885
Borda (n=5)	Ensemble	0.4976	0.5518	0.7072	0.8922
Borda (n=6)	Ensemble	0.5	0.5482	0.7044	0.8884
Borda (n=7)	Ensemble	0.5064	0.5586	0.7044	0.888
Borda (n=8)	Ensemble	0.5082	0.5598	0.7044	0.8848
Kemeny-Young (n=2)	Ensemble	0.4908	0.5398	0.7028	0.886
Kemeny-Young (n=3)	Ensemble	0.493	0.5398	0.7038	0.8848
Kemeny-Young (n=4)	Ensemble	0.4924	0.5472	0.703	0.885
Kemeny-Young (n=5)	Ensemble	0.4976	0.5518	0.7072	0.8922
Kemeny-Young (n=6)	Ensemble	0.5	0.5482	0.7044	0.8884
Kemeny-Young (n=7)	Ensemble	0.5064	0.5586	0.7044	0.888
Kemeny-Young (n=8)	Ensemble	0.5082	0.5598	0.7044	0.8848
RRF (n=2)	Ensemble	0.4934	0.544	0.7036	0.8868
RRF (n=3)	Ensemble	0.4912	0.5382	0.7038	0.8836
RRF (n=4)	Ensemble	0.4974	0.5436	0.7028	0.8836
RRF (n=5)	Ensemble	0.5076	0.5592	0.709	0.8946
RRF (n=6)	Ensemble	0.511	0.563	0.7064	0.89
RRF (n=7)	Ensemble	0.5148	0.5698	0.705	0.8908
RRF (n=8)	Ensemble	0.5176	0.5766	0.705	0.8932
Schulze (n=2)	Ensemble	0.495	0.5448	0.7016	0.885
Schulze (n=3)	Ensemble	0.4942	0.5436	0.7022	0.8872
Schulze (n=4)	Ensemble	0.518	0.5722	0.7026	0.8806
Schulze (n=5)	Ensemble	0.5254	0.5854	0.704	0.8876
Schulze (n=6)	Ensemble	0.5278	0.5904	0.7062	0.8886
Schulze (n=7)	Ensemble	0.529	0.5906	0.7046	0.8864
Schulze (n=8)	Ensemble	0.532	0.593	0.704	0.8796
norm_ensemble (n=2)	Ensemble	0.5152	0.5794	0.704	0.8838
norm_ensemble (n=3)	Ensemble	0.5074	0.5712	0.7028	0.8838
norm_ensemble (n=4)	Ensemble	0.4986	0.5572	0.7022	0.88
norm_ensemble (n=5)	Ensemble	0.4996	0.5564	0.704	0.8636
norm_ensemble (n=6)	Ensemble	0.5048	0.5644	0.7026	0.866
norm_ensemble (n=7)	Ensemble	0.5088	0.5642	0.696	0.8428
norm_ensemble (n=8)	Ensemble	0.5032	0.5624	0.6952	0.8394

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.5494	0.6278	0.6978	0.8644
Deconvolution	Single	0.5494	0.6278	0.6978	0.8644
DeepLIFT_SHAP	baseline	0.566mb	0.648zng	0.6982	0.8582
DeepLIFT_SHAP	baseline	0.566mb	0.648zng	0.6982	0.8582
DeepLIFT_SHAP	baseline	0.566mb	0.648zng	0.6982	0.8582
DeepLIFT_SHAP	baseline	0.566mb	0.648zng	0.6982	0.8582
DeepLIFT_baseline	Single	0.569	0.6442	0.6974	0.8646
DeepLIFT_baseline	Single	0.569	0.6442	0.6974	0.8646
FeatureAblation	Single	0.4332	0.5374	0.6844	0.8162
FeatureAblation	Single	0.4332	0.5374	0.6844	0.8162
GradientShap	baseline	0.536med	0.593n	0.7030es	0.8866
GradientShap	baseline	0.536med	0.593n	0.7030es	0.8866
GradientShap	baseline	0.536med	0.5916n	0.7052es	0.8842
GradientShap	baseline	0.536med	0.5916n	0.7052es	0.8842
GuidedBackprop	Single	0.5494	0.6278	0.6978	0.8644
GuidedBackprop	Single	0.5494	0.6278	0.6978	0.8644
InputXGradient	Single	0.5702	0.6506	0.6922	0.8626
InputXGradient	Single	0.5702	0.6506	0.6922	0.8626
IntegratedGradient	baseline	0.5328	0.5996	0.7006	0.8774
IntegratedGradient	baseline	0.5328	0.5996	0.7006	0.8774
IntegratedGradient	baseline	0.5326	0.5984	0.7002	0.8752
IntegratedGradient	baseline	0.5326	0.5984	0.7002	0.8752
Occlusion_baseline	Single	0.5108n	0.5646	0.6938	0.856
Occlusion_baseline	Single	0.5108n	0.5646	0.6938	0.856
Saliency	Single	0.5494	0.6278	0.6978	0.8644
Saliency	Single	0.5494	0.6278	0.6978	0.8644

Table 112: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom speckle std 0.15				
Borda (n=2)	Ensemble	0.175	0.1694	0.3918	0.2558	0.0584	0.048	0.0984	0.0698	0.4524	0.144	0.0336	0.0274
Borda (n=3)	Ensemble	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558	0.103	0.0574	0.4524	0.1458	0.0398	0.0356
Borda (n=4)	Ensemble	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546	0.1022	0.0624	0.4512	0.141	0.0322	0.036
Borda (n=5)	Ensemble	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568	0.1034	0.0682	0.458	0.1498	0.039	0.0454
Borda (n=6)	Ensemble	0.1776	0.1688	0.3996	0.2616	0.07	0.0574	0.1042	0.0706	0.4498	0.1438	0.0372	0.043
Borda (n=7)	Ensemble	0.179	0.1706	0.4036	0.2686	0.0698	0.064	0.1034	0.0704	0.4552	0.158	0.0328	0.0402
Borda (n=8)	Ensemble	0.1856	0.1784	0.4058	0.268	0.068	0.0596	0.102	0.071	0.4538	0.1508	0.0352	0.0404
Kemeny-Young (n=2)	Ensemble	0.175	0.1694	0.3918	0.2558	0.0584	0.048	0.0984	0.0698	0.4524	0.144	0.0336	0.0274
Kemeny-Young (n=3)	Ensemble	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558	0.103	0.0574	0.4524	0.1458	0.0398	0.0356
Kemeny-Young (n=4)	Ensemble	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546	0.1022	0.0624	0.4512	0.141	0.0322	0.036
Kemeny-Young (n=5)	Ensemble	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568	0.1034	0.0682	0.458	0.1498	0.039	0.0454
Kemeny-Young (n=6)	Ensemble	0.1776	0.1688	0.3996	0.2616	0.07	0.0574	0.1042	0.0706	0.4498	0.1438	0.0372	0.043
Kemeny-Young (n=7)	Ensemble	0.179	0.1706	0.4036	0.2686	0.0698	0.064	0.1034	0.0704	0.4552	0.158	0.0328	0.0402
Kemeny-Young (n=8)	Ensemble	0.1856	0.1784	0.4058	0.268	0.068	0.0596	0.102	0.071	0.4538	0.1508	0.0352	0.0404
RRF (n=2)	Ensemble	0.1578	0.1534	0.4006	0.2774	0.0612	0.0502	0.0994	0.068	0.4566	0.1452	0.0344	0.0294
RRF (n=3)	Ensemble	0.1686	0.1658	0.396	0.2696	0.0708	0.0632	0.103	0.0582	0.4542	0.1368	0.0346	0.0356
RRF (n=4)	Ensemble	0.1766	0.1632	0.3958	0.2704	0.072	0.06	0.101	0.0602	0.453	0.1382	0.0358	0.0364
RRF (n=5)	Ensemble	0.1808	0.1726	0.4032	0.2794	0.072	0.0652	0.1032	0.0734	0.4596	0.1522	0.042	0.0504
RRF (n=6)	Ensemble	0.1748	0.1698	0.409	0.2792	0.0706	0.059	0.1056	0.072	0.4536	0.1496	0.0384	0.0422
RRF (n=7)	Ensemble	0.1798	0.1752	0.4092	0.2766	0.0704	0.0676	0.1056	0.0762	0.4548	0.1612	0.0372	0.0402
RRF (n=8)	Ensemble	0.1796	0.1764	0.4168	0.2854	0.0692	0.0658	0.1026	0.079	0.455	0.1612	0.0362	0.0408
Schulze (n=2)	Ensemble	0.1676	0.161	0.3978	0.278	0.0622	0.0536	0.0966	0.0682	0.4546	0.1442	0.0344	0.0312
Schulze (n=3)	Ensemble	0.173	0.1684	0.3872	0.2672	0.065	0.0592	0.0986	0.0616	0.4546	0.1454	0.035	0.0356
Schulze (n=4)	Ensemble	0.1814	0.1704	0.4152	0.2974	0.0682	0.0634	0.1006	0.0546	0.453	0.1338	0.035	0.0372
Schulze (n=5)	Ensemble	0.1858	0.184	0.4202	0.3016	0.0726	0.068	0.1032	0.0614	0.4532	0.1388	0.0416	0.053
Schulze (n=6)	Ensemble	0.1848	0.1858	0.4252	0.3036	0.0726	0.0714	0.108	0.0732	0.4556	0.15	0.0386	0.0396
Schulze (n=7)	Ensemble	0.1838	0.1788	0.4262	0.2954	0.0728	0.0666	0.1086	0.0794	0.4536	0.153	0.0378	0.0388
Schulze (n=8)	Ensemble	0.1834	0.1798	0.4312	0.2986	0.0812	0.0776	0.1054	0.0666	0.4578	0.1634	0.038	0.0294
norm_ensemble (n=2)	Ensemble	0.1592	0.1554	0.4192	0.2952	0.0568	0.0538	0.102	0.0696	0.4568	0.1418	0.0398	0.0322
norm_ensemble (n=3)	Ensemble	0.156	0.1572	0.411	0.304	0.0558	0.0546	0.101	0.0626	0.454	0.1394	0.036	0.035
norm_ensemble (n=4)	Ensemble	0.1626	0.158	0.404	0.2894	0.0584	0.0516	0.1006	0.0546	0.454	0.1346	0.0368	0.033
norm_ensemble (n=5)	Ensemble	0.1712	0.1702	0.4006	0.2846	0.063	0.0568	0.1006	0.0392	0.4546	0.1236	0.0358	0.0194
norm_ensemble (n=6)	Ensemble	0.1794	0.1816	0.4064	0.2782	0.073	0.0704	0.1012	0.0502	0.4526	0.133	0.037	0.02

Table 113: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.3334	0.3626	0.6788	0.8108
Borda (n=3)	Ensemble	0.3548	0.3884	0.6792	0.8126
Borda (n=4)	Ensemble	0.364	0.401	0.68	0.8154
Borda (n=5)	Ensemble	0.352	0.3844	0.6886	0.8408
Borda (n=6)	Ensemble	0.3632	0.3952	0.6872	0.8362
Borda (n=7)	Ensemble	0.3678	0.402	0.6874	0.8376
Borda (n=8)	Ensemble	0.374	0.411	0.6798	0.8318
Kemeny-Young (n=2)	Ensemble	0.3334	0.3626	0.6788	0.8108
Kemeny-Young (n=3)	Ensemble	0.3548	0.3884	0.6792	0.8126
Kemeny-Young (n=4)	Ensemble	0.364	0.401	0.68	0.8154
Kemeny-Young (n=5)	Ensemble	0.352	0.3844	0.6886	0.8408
Kemeny-Young (n=6)	Ensemble	0.3632	0.3952	0.6872	0.8362
Kemeny-Young (n=7)	Ensemble	0.3678	0.402	0.6874	0.8376
Kemeny-Young (n=8)	Ensemble	0.374	0.411	0.6798	0.8318
RRF (n=2)	Ensemble	0.3486	0.3844	0.6788	0.819
RRF (n=3)	Ensemble	0.3466	0.378	0.6776	0.8178
RRF (n=4)	Ensemble	0.3534	0.385	0.6806	0.8162
RRF (n=5)	Ensemble	0.3624	0.3956	0.6916	0.8474
RRF (n=6)	Ensemble	0.3698	0.405	0.6866	0.8408
RRF (n=7)	Ensemble	0.3698	0.4098	0.6878	0.8426
RRF (n=8)	Ensemble	0.3724	0.4108	0.6846	0.838
Schulze (n=2)	Ensemble	0.3624	0.3942	0.6764	0.8148
Schulze (n=3)	Ensemble	0.3424	0.3704	0.6794	0.8178
Schulze (n=4)	Ensemble	0.3734	0.4086	0.6792	0.812
Schulze (n=5)	Ensemble	0.38	0.42	0.6814	0.8156
Schulze (n=6)	Ensemble	0.3914	0.4286	0.6832	0.8202
Schulze (n=7)	Ensemble	0.385	0.424	0.6816	0.8228
Schulze (n=8)	Ensemble	0.3852	0.4286	0.6806	0.8192
norm_ensemble (n=2)	Ensemble	0.396	0.4324	0.6766	0.8178
norm_ensemble (n=3)	Ensemble	0.3822	0.4178	0.6782	0.8184
norm_ensemble (n=4)	Ensemble	0.3646	0.4	0.678	0.8168
norm_ensemble (n=5)	Ensemble	0.368	0.4002	0.673	0.809
norm_ensemble (n=6)	Ensemble	0.365	0.402	0.6712	0.8082
norm_ensemble (n=7)	Ensemble	0.3646	0.4	0.6596	0.7802
norm_ensemble (n=8)	Ensemble	0.3688	0.4048	0.6604	0.7866

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.4186	0.4678	0.6636	0.7906
Deconvolution	Single	0.4186	0.4678	0.6636	0.7906
DeepLIFT_SHAP	baseline	0.4398	0.4498	0.66	0.7906
DeepLIFT_SHAP	baseline	0.4398	0.4498	0.66	0.7906
DeepLIFT_SHAP	baseline	0.4398	0.4498	0.66	0.7906
DeepLIFT_SHAP	baseline	0.4398	0.4498	0.66	0.7906
DeepLIFT_baseline	Single	0.4522	0.5066	0.662	0.7858
DeepLIFT_baseline	Single	0.4522	0.5066	0.662	0.7858
FeatureAblation	Single size	0.3382	0.3692	0.624	0.7104
FeatureAblation	Single size	0.3382	0.3692	0.624	0.7104
GradientShap	baseline	0.3918	0.4372	0.6782	0.8186
GradientShap	baseline	0.3918	0.4372	0.6782	0.8186
GradientShap	baseline	0.3918	0.4372	0.6782	0.8186
GradientShap	baseline	0.3918	0.4372	0.6782	0.8186
GuidedBackprop	Single	0.4186	0.4678	0.6636	0.7906
GuidedBackprop	Single	0.4186	0.4678	0.6636	0.7906
InputXGradient	Single	0.451	0.504	0.6574	0.789
InputXGradient	Single	0.451	0.504	0.6574	0.789
IntegratedGradient	baseline	0.399	0.4424	0.6782	0.8098
IntegratedGradient	baseline	0.399	0.4424	0.6782	0.8098
IntegratedGradient	baseline	0.3954	0.4406	0.6792	0.8116
IntegratedGradient	baseline	0.3954	0.4406	0.6792	0.8116
Occlusion_baseline	Single	0.3954	0.4406	0.6792	0.8116
Occlusion_baseline	Single	0.3954	0.4406	0.6792	0.8116
Occlusion_baseline	Single	0.3954	0.4406	0.6792	0.8116
Occlusion_baseline	Single	0.3954	0.4406	0.6792	0.8116
Saliency	Single	0.4186	0.4678	0.6636	0.7906
Saliency	Single	0.4186	0.4678	0.6636	0.7906

Table 114: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom speckle std 0.15	ConsRob		
Borda (n=2)	Ensemble	0.1498	0.1528	0.282	0.1808	0.0584	0.0532	0.115	0.0904	0.4438	0.1792	0.0434	0.0416
Borda (n=3)	Ensemble	0.1712	0.175	0.3044	0.2178	0.0684	0.0696	0.1154	0.0922	0.4484	0.1836	0.0432	0.0362
Borda (n=4)	Ensemble	0.1584	0.1662	0.3126	0.2312	0.064	0.06	0.1126	0.0884	0.4428	0.178	0.0448	0.0394
Borda (n=5)	Ensemble	0.15	0.1462	0.303	0.2186	0.0494	0.045	0.1218	0.1048	0.4548	0.1984	0.054	0.0568
Borda (n=6)	Ensemble	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524	0.1172	0.096	0.4534	0.204	0.0486	0.0538
Borda (n=7)	Ensemble	0.156	0.1598	0.3162	0.2272	0.0602	0.056	0.1166	0.099	0.4578	0.2072	0.0514	0.055
Borda (n=8)	Ensemble	0.1602	0.1614	0.3202	0.2308	0.06	0.0596	0.1072	0.0904	0.4502	0.2088	0.038	0.0396
Kemeny-Young (n=2)	Ensemble	0.1498	0.1528	0.282	0.1808	0.0584	0.0532	0.115	0.0904	0.4438	0.1792	0.0434	0.0416
Kemeny-Young (n=3)	Ensemble	0.1712	0.175	0.3044	0.2178	0.0684	0.0696	0.1154	0.0922	0.4484	0.1836	0.0432	0.0362
Kemeny-Young (n=4)	Ensemble	0.1584	0.1662	0.3126	0.2312	0.064	0.06	0.1126	0.0884	0.4428	0.178	0.0448	0.0394
Kemeny-Young (n=5)	Ensemble	0.15	0.1462	0.303	0.2186	0.0494	0.045	0.1218	0.1048	0.4548	0.1984	0.054	0.0568
Kemeny-Young (n=6)	Ensemble	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524	0.1172	0.096	0.4534	0.204	0.0486	0.0538
Kemeny-Young (n=7)	Ensemble	0.156	0.1598	0.3162	0.2272	0.0602	0.056	0.1166	0.099	0.4578	0.2072	0.0514	0.055
Kemeny-Young (n=8)	Ensemble	0.1602	0.1614	0.3202	0.2308	0.06	0.0596	0.1072	0.0904	0.4502	0.2088	0.038	0.0396
RRF (n=2)	Ensemble	0.1446	0.146	0.3018	0.2316	0.0472	0.0486	0.1114	0.0794	0.4498	0.1936	0.0468	0.0432
RRF (n=3)	Ensemble	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564	0.109	0.07	0.4434	0.1868	0.0406	0.0386
RRF (n=4)	Ensemble	0.1596	0.1584	0.3022	0.217	0.0642	0.058	0.1148	0.0724	0.4454	0.1828	0.0456	0.0416
RRF (n=5)	Ensemble	0.1618	0.162	0.3144	0.2242	0.0704	0.0644	0.122	0.0992	0.4572	0.2162	0.0576	0.0692
RRF (n=6)	Ensemble	0.1684	0.1708	0.3208	0.2382	0.0666	0.0604	0.118	0.0992	0.4534	0.2066	0.0538	0.064
RRF (n=7)	Ensemble	0.1688	0.1734	0.317	0.2398	0.065	0.0654	0.1166	0.1038	0.4554	0.2152	0.0534	0.0642
RRF (n=8)	Ensemble	0.1626	0.1682	0.3194	0.2344	0.069	0.0672	0.1126	0.0994	0.4552	0.2144	0.0516	0.0608
Schulze (n=2)	Ensemble	0.1554	0.1544	0.3166	0.244	0.0512	0.0462	0.1116	0.0726	0.4472	0.1902	0.0474	0.0406
Schulze (n=3)	Ensemble	0.1536	0.152	0.2896	0.2068	0.0584	0.0532	0.1104	0.0722	0.4492	0.1926	0.0492	0.0442
Schulze (n=4)	Ensemble	0.1664	0.1662	0.3226	0.247	0.0688	0.0646	0.111	0.069	0.4436	0.1796	0.0472	0.0374
Schulze (n=5)	Ensemble	0.1722	0.1754	0.3296	0.2494	0.071	0.0676	0.1118	0.0676	0.4488	0.183	0.0518	0.0516
Schulze (n=6)	Ensemble	0.184	0.1852	0.3414	0.2598	0.0784	0.0776	0.1144	0.0816	0.4502	0.1858	0.0492	0.047
Schulze (n=7)	Ensemble	0.1746	0.1788	0.3332	0.248	0.0708	0.0664	0.116	0.0964	0.4458	0.1962	0.0498	0.0506
Schulze (n=8)	Ensemble	0.1732	0.1788	0.3344	0.2532	0.0704	0.0724	0.1108	0.0854	0.4488	0.2164	0.0518	0.044
norm_ensemble (n=2)	Ensemble	0.1636	0.1654	0.3474	0.2708	0.0648	0.0644	0.1146	0.084	0.448	0.1928	0.0424	0.0452
norm_ensemble (n=3)	Ensemble	0.1644	0.1666	0.3296	0.2552	0.0634	0.0612	0.112	0.0818	0.4442	0.1852	0.0438	0.0388
norm_ensemble (n=4)	Ensemble	0.1608	0.1614	0.3132	0.2382	0.0594	0.061	0.11	0.0756	0.4416	0.1868	0.0452	0.042
norm_ensemble (n=5)	Ensemble	0.172	0.172	0.3198	0.2358	0.0702	0.0648	0.1002	0.0578	0.437	0.182	0.037	0.0344
norm_ensemble (n=6)	Ensemble	0.1668	0.172	0.3136	0.231	0.0718	0.0742	0.1012	0.0616	0.4388	0.1784	0.0362	0.0264

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1676	0.1772	0.316	0.2278	0.0736	0.0726	0.0854	0.033	0.4278	0.1554	0.0256	0.0016
norm_ensemble (n=8)	Ensemble	0.168	0.1738	0.3156	0.2262	0.073	0.0744	0.0918	0.0452	0.426	0.1668	0.0214	0.0018
Deconvolution	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
Deconvolution	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT_SHAP	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT_SHAP	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT_SHAP	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT_SHAP	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT_baseline	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
DeepLIFT_baseline	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
FeatureAblation	Single	0.1452	0.1498	0.2852	0.1988	0.056	0.0584	0.147	0.144	0.4478	0.3234	0.0638	0.0558
FeatureAblation	Single	0.1452	0.1498	0.2852	0.1988	0.056	0.0584	0.147	0.144	0.4478	0.3234	0.0638	0.0558
GradientShap_baseline	Single	0.175	0.1808	0.3416	0.2756	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientShap_baseline	Single	0.175	0.1808	0.3416	0.2756	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientShap_baseline	Single	0.175	0.1808	0.3416	0.2756	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientShap_baseline	Single	0.175	0.1808	0.3416	0.2756	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GradientShap_baseline	Single	0.175	0.1808	0.3416	0.2756	0.0732	0.0718	0.1142	0.0842	0.445	0.2034	0.044	0.0422
GuidedBackprop	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
GuidedBackprop	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
InputXGradient	Single	0.206	0.2102	0.3842	0.3054	0.0892	0.0942	0.1054	0.0796	0.4364	0.2154	0.043	0.0494
InputXGradient	Single	0.206	0.2102	0.3842	0.3054	0.0892	0.0942	0.1054	0.0796	0.4364	0.2154	0.043	0.0494
IntegratedGradient	Single	0.4812	0.4858	0.9370	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradient	Single	0.4812	0.4858	0.9370	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradient	Single	0.4812	0.4858	0.9370	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradient	Single	0.4812	0.4858	0.9370	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
IntegratedGradient	Single	0.4812	0.4858	0.9370	0.2802	0.072	0.0732	0.1178	0.0766	0.4486	0.1856	0.0438	0.039
Occlusion_baseline	Single	0.1646	0.1684	0.3263	0.2036	0.0676	0.0596	0.1154	0.1124	0.46	0.3084	0.046	0.0468
Occlusion_baseline	Single	0.1646	0.1684	0.3263	0.2036	0.0676	0.0596	0.1154	0.1124	0.46	0.3084	0.046	0.0468
Saliency	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266
Saliency	Single	0.2004	0.2126	0.3576	0.2604	0.0916	0.0952	0.0998	0.0702	0.4388	0.223	0.034	0.0266

Table 115: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.6382	0.7248	0.7184	0.9402
Borda (n=3)	Ensemble	0.6404	0.7332	0.7214	0.9446
Borda (n=4)	Ensemble	0.642	0.7354	0.7194	0.9432
Borda (n=5)	Ensemble	0.6444	0.7428	0.7208	0.9438
Borda (n=6)	Ensemble	0.6454	0.7476	0.7188	0.944
Borda (n=7)	Ensemble	0.6498	0.7536	0.718	0.9462
Borda (n=8)	Ensemble	0.6492	0.7546	0.7182	0.945
Kemeny-Young (n=2)	Ensemble	0.6382	0.7248	0.7184	0.9402
Kemeny-Young (n=3)	Ensemble	0.6404	0.7332	0.7214	0.9446
Kemeny-Young (n=4)	Ensemble	0.642	0.7354	0.7194	0.9432
Kemeny-Young (n=5)	Ensemble	0.6444	0.7428	0.7208	0.9438
Kemeny-Young (n=6)	Ensemble	0.6454	0.7476	0.7188	0.944
Kemeny-Young (n=7)	Ensemble	0.6498	0.7536	0.718	0.9462
Kemeny-Young (n=8)	Ensemble	0.6492	0.7546	0.7182	0.945
RRF (n=2)	Ensemble	0.6372	0.725	0.7164	0.9394
RRF (n=3)	Ensemble	0.6388	0.7298	0.7158	0.9394
RRF (n=4)	Ensemble	0.6416	0.7368	0.716	0.9386
RRF (n=5)	Ensemble	0.6482	0.7514	0.7198	0.9436
RRF (n=6)	Ensemble	0.6474	0.7576	0.7192	0.9482
RRF (n=7)	Ensemble	0.6492	0.76	0.7172	0.9488
RRF (n=8)	Ensemble	0.6556	0.7626	0.7172	0.9462
Schulze (n=2)	Ensemble	0.637	0.724	0.7156	0.9402
Schulze (n=3)	Ensemble	0.6358	0.7316	0.7154	0.938
Schulze (n=4)	Ensemble	0.6482	0.766	0.7168	0.9402
Schulze (n=5)	Ensemble	0.657	0.778	0.7148	0.9408
Schulze (n=6)	Ensemble	0.6562	0.7822	0.7166	0.9406
Schulze (n=7)	Ensemble	0.6574	0.7836	0.7166	0.942
Schulze (n=8)	Ensemble	0.6594	0.7832	0.7148	0.942
norm_ensemble (n=2)	Ensemble	0.6328	0.7388	0.717	0.9368
norm_ensemble (n=3)	Ensemble	0.6366	0.7406	0.7166	0.9378
norm_ensemble (n=4)	Ensemble	0.6342	0.7364	0.7162	0.9386
norm_ensemble (n=5)	Ensemble	0.6378	0.7418	0.7166	0.9282
norm_ensemble (n=6)	Ensemble	0.6466	0.7538	0.717	0.9268
norm_ensemble (n=7)	Ensemble	0.6468	0.7536	0.7176	0.9158
norm_ensemble (n=8)	Ensemble	0.6422	0.7478	0.714	0.9134

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.674	0.808	0.7154	0.9316
Deconvolution	Single	0.674	0.808	0.7154	0.9316
DeepLIFT_SHAPSHapline	Single	0.6752	0.8184	0.7152	0.9336
DeepLIFT_SHAPSHapline	Single	0.6752	0.8184	0.7152	0.9336
DeepLIFT_SHAPSHapline	Single	0.6752	0.8184	0.7152	0.9336
DeepLIFT_SHAPSHapline	Single	0.6752	0.8184	0.7152	0.9336
DeepLIFT_baseline	Single	0.6802	0.8208	0.7178	0.9304
DeepLIFT_baseline	Single	0.6802	0.8208	0.7178	0.9304
FeatureAblation_single	Single	0.6366	0.7308	0.7152	0.9134
FeatureAblation_single	Single	0.6366	0.7308	0.7152	0.9134
GradientShap_baseline	Single	0.6612	0.7914	0.7168	0.9012
GradientShap_baseline	Single	0.6612	0.7914	0.7168	0.9012
GradientShap_baseline	Single	0.6612	0.786	0.7158	0.908
GradientShap_baseline	Single	0.6612	0.786	0.7158	0.908
GuidedBackprop	Single	0.674	0.808	0.7154	0.9316
GuidedBackprop	Single	0.674	0.808	0.7154	0.9316
InputXGradient	Single	0.676	0.817	0.7136	0.929
InputXGradient	Single	0.676	0.817	0.7136	0.929
IntegratedGradient	Single	0.664	0.792	0.7200	0.94
IntegratedGradient	Single	0.664	0.792	0.7200	0.94
IntegratedGradient	Single	0.6624	0.7924	0.7584	0.9394
IntegratedGradient	Single	0.6624	0.7924	0.7584	0.9394
Occlusion_baseline	Single	0.6404	0.7812	0.7186	0.9238
Occlusion_baseline	Single	0.6404	0.7812	0.7186	0.9238
Saliency	Single	0.674	0.808	0.7154	0.9316
Saliency	Single	0.674	0.808	0.7154	0.9316

Table 116: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom speckle std 0.15				
Borda (n=2)	Ensemble	0.1356	0.0984	0.448	0.2038	0.0508	0.0348	0.0922	0.0306	0.4558	0.0666	0.032	0.0214
Borda (n=3)	Ensemble	0.1356	0.1052	0.4496	0.2086	0.0524	0.035	0.0984	0.038	0.4598	0.068	0.035	0.0258
Borda (n=4)	Ensemble	0.1372	0.1066	0.4518	0.2072	0.0444	0.029	0.096	0.032	0.4604	0.0704	0.0322	0.02
Borda (n=5)	Ensemble	0.135	0.1028	0.4564	0.2178	0.0442	0.0274	0.0962	0.0358	0.4608	0.0778	0.0352	0.0164
Borda (n=6)	Ensemble	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284	0.0932	0.0374	0.4598	0.0826	0.0344	0.0156
Borda (n=7)	Ensemble	0.1404	0.1032	0.4624	0.2224	0.047	0.033	0.0918	0.0418	0.4572	0.0854	0.0344	0.0172
Borda (n=8)	Ensemble	0.134	0.0966	0.4594	0.2152	0.0472	0.0338	0.0912	0.0412	0.4564	0.0742	0.0336	0.0146
Kemeny-Young (n=2)	Ensemble	0.1356	0.0984	0.448	0.2038	0.0508	0.0348	0.0922	0.0306	0.4558	0.0666	0.032	0.0214
Kemeny-Young (n=3)	Ensemble	0.1356	0.1052	0.4496	0.2086	0.0524	0.035	0.0984	0.038	0.4598	0.068	0.035	0.0258
Kemeny-Young (n=4)	Ensemble	0.1372	0.1066	0.4518	0.2072	0.0444	0.029	0.096	0.032	0.4604	0.0704	0.0322	0.02
Kemeny-Young (n=5)	Ensemble	0.135	0.1028	0.4564	0.2178	0.0442	0.0274	0.0962	0.0358	0.4608	0.0778	0.0352	0.0164
Kemeny-Young (n=6)	Ensemble	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284	0.0932	0.0374	0.4598	0.0826	0.0344	0.0156
Kemeny-Young (n=7)	Ensemble	0.1404	0.1032	0.4624	0.2224	0.047	0.033	0.0918	0.0418	0.4572	0.0854	0.0344	0.0172
Kemeny-Young (n=8)	Ensemble	0.134	0.0966	0.4594	0.2152	0.0472	0.0338	0.0912	0.0412	0.4564	0.0742	0.0336	0.0146
RRF (n=2)	Ensemble	0.1382	0.0992	0.4484	0.205	0.0522	0.0358	0.0892	0.03	0.454	0.0642	0.0334	0.0124
RRF (n=3)	Ensemble	0.1328	0.1052	0.4472	0.211	0.053	0.032	0.0898	0.0272	0.4556	0.0654	0.0316	0.0112
RRF (n=4)	Ensemble	0.1362	0.1032	0.4488	0.2094	0.0492	0.0292	0.0924	0.0278	0.454	0.0674	0.0318	0.0082
RRF (n=5)	Ensemble	0.1434	0.112	0.4552	0.2164	0.051	0.036	0.0944	0.0356	0.4568	0.0668	0.0348	0.0152
RRF (n=6)	Ensemble	0.1412	0.1128	0.4584	0.2344	0.0462	0.0356	0.0924	0.0454	0.4586	0.0734	0.0346	0.021
RRF (n=7)	Ensemble	0.1374	0.104	0.4578	0.2274	0.0462	0.036	0.091	0.045	0.4574	0.0778	0.033	0.0196
RRF (n=8)	Ensemble	0.1384	0.1024	0.4634	0.2244	0.051	0.033	0.0908	0.0446	0.4578	0.0782	0.0326	0.018
Schulze (n=2)	Ensemble	0.1334	0.0956	0.4452	0.2056	0.0506	0.035	0.0884	0.0324	0.4538	0.065	0.0312	0.0148
Schulze (n=3)	Ensemble	0.133	0.105	0.4408	0.1982	0.0456	0.026	0.0882	0.0298	0.4542	0.0632	0.0304	0.0098
Schulze (n=4)	Ensemble	0.1316	0.1044	0.457	0.235	0.0454	0.038	0.0916	0.0318	0.4556	0.0682	0.0318	0.0174
Schulze (n=5)	Ensemble	0.1376	0.116	0.4618	0.2348	0.0482	0.0424	0.0878	0.0314	0.4532	0.0714	0.0284	0.022
Schulze (n=6)	Ensemble	0.143	0.1204	0.4616	0.2448	0.0418	0.0414	0.0882	0.0302	0.4568	0.07	0.0314	0.0178
Schulze (n=7)	Ensemble	0.137	0.1152	0.4636	0.2376	0.047	0.043	0.0886	0.0386	0.4568	0.0756	0.0316	0.0174
Schulze (n=8)	Ensemble	0.1376	0.1138	0.4604	0.2332	0.0492	0.0446	0.0904	0.0378	0.4518	0.0798	0.0288	0.0126
norm_ensemble (n=2)	Ensemble	0.1192	0.0968	0.4412	0.1904	0.038	0.027	0.0902	0.0298	0.4552	0.0604	0.0316	0.0106
norm_ensemble (n=3)	Ensemble	0.1222	0.0966	0.4502	0.2258	0.0416	0.029	0.0892	0.0286	0.4552	0.0618	0.0332	0.0134
norm_ensemble (n=4)	Ensemble	0.1262	0.1012	0.447	0.2158	0.0436	0.027	0.0936	0.0318	0.457	0.0682	0.0318	0.0218
norm_ensemble (n=5)	Ensemble	0.1296	0.1046	0.4516	0.2098	0.0492	0.0388	0.0894	0.0196	0.4576	0.0566	0.0304	0.0088
norm_ensemble (n=6)	Ensemble	0.1464	0.1212	0.461	0.2246	0.0558	0.0462	0.0926	0.0238	0.4576	0.0576	0.0294	0.0062

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1438	0.122	0.4632	0.2248	0.0574	0.0466	0.0936	0.0144	0.458	0.0532	0.0326	0.0084
norm_ensemble (n=8)	Ensemble	0.1394	0.12	0.463	0.2246	0.0542	0.0478	0.0894	0.0108	0.4492	0.06	0.0292	0.011
Deconvolution	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
Deconvolution	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
DeepLIFT_SHAP	Single	0.1302	0.1078	0.4592	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
DeepLIFT_SHAP	Single	0.1302	0.1078	0.4592	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
DeepLIFT_SHAP	Single	0.1302	0.1078	0.4592	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
DeepLIFT_SHAP	Single	0.1302	0.1078	0.4592	0.2162	0.0526	0.05	0.0914	0.0322	0.4554	0.0806	0.0308	0.0144
DeepLIFT_baseline	Single	0.1334	0.1136	0.4648	0.2152	0.058	0.0518	0.098	0.0296	0.4568	0.0676	0.0326	0.0074
DeepLIFT_baseline	Single	0.1334	0.1136	0.4648	0.2152	0.058	0.0518	0.098	0.0296	0.4568	0.0676	0.0326	0.0074
FeatureAblation	Single	0.1362	0.1082	0.4478	0.1756	0.0456	0.026	0.0974	0.057	0.4544	0.1158	0.0298	0.0144
FeatureAblation	Single	0.1362	0.1082	0.4478	0.1756	0.0456	0.026	0.0974	0.057	0.4544	0.1158	0.0298	0.0144
GradientShap_baseline	Single	0.1392	0.104n	0.4584	0.22126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
GradientShap_baseline	Single	0.1392	0.104n	0.4584	0.22126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
GradientShap_baseline	Single	0.1392	0.104n	0.4584	0.22126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
GradientShap_baseline	Single	0.1392	0.104n	0.4584	0.22126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
GradientShap_baseline	Single	0.1392	0.104n	0.4584	0.22126	0.0474	0.0394	0.0912	0.0332	0.4526	0.0798	0.0342	0.0174
GuidedBackprop	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
GuidedBackprop	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
InputXGradient	Single	0.1302	0.1078	0.4592	0.2092	0.051	0.0444	0.0908	0.0264	0.4522	0.073	0.032	0.0088
InputXGradient	Single	0.1302	0.1078	0.4592	0.2092	0.051	0.0444	0.0908	0.0264	0.4522	0.073	0.032	0.0088
IntegratedGradient	Single	0.1344	0.1146	0.4608	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
IntegratedGradient	Single	0.1344	0.1146	0.4608	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
IntegratedGradient	Single	0.1344	0.1146	0.4608	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
IntegratedGradient	Single	0.1344	0.1146	0.4608	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
IntegratedGradient	Single	0.1344	0.1146	0.4608	0.2584	0.0486	0.043	0.0922	0.0284	0.457	0.065	0.0346	0.0146
Occlusion_baseline	Single	0.1448	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Occlusion_baseline	Single	0.1448	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Occlusion_baseline	Single	0.1448	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Occlusion_baseline	Single	0.1448	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Occlusion_baseline	Single	0.1448	0.0832	0.4386	0.1536	0.0448	0.0206	0.0972	0.055	0.4566	0.1246	0.0336	0.0232
Saliency	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128
Saliency	Single	0.1282	0.1066	0.4602	0.1766	0.05	0.0372	0.0916	0.0412	0.4538	0.0878	0.029	0.0128

Table 117: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.2258	0.242	0.646	0.7678
Borda (n=3)	Ensemble	0.2548	0.2736	0.6684	0.8004
Borda (n=4)	Ensemble	0.2714	0.2942	0.6614	0.79
Borda (n=5)	Ensemble	0.2592	0.2812	0.658	0.7876
Borda (n=6)	Ensemble	0.2696	0.2932	0.657	0.786
Borda (n=7)	Ensemble	0.268	0.293	0.6532	0.7804
Borda (n=8)	Ensemble	0.2736	0.2968	0.6498	0.777
Kemeny-Young (n=2)	Ensemble	0.2258	0.242	0.646	0.7678
Kemeny-Young (n=3)	Ensemble	0.2548	0.2736	0.6684	0.8004
Kemeny-Young (n=4)	Ensemble	0.2714	0.2942	0.6614	0.79
Kemeny-Young (n=5)	Ensemble	0.2592	0.2812	0.658	0.7876
Kemeny-Young (n=6)	Ensemble	0.2696	0.2932	0.657	0.786
Kemeny-Young (n=7)	Ensemble	0.268	0.293	0.6532	0.7804
Kemeny-Young (n=8)	Ensemble	0.2736	0.2968	0.6498	0.777
RRF (n=2)	Ensemble	0.2482	0.2716	0.647	0.77
RRF (n=3)	Ensemble	0.2454	0.2656	0.6456	0.763
RRF (n=4)	Ensemble	0.2554	0.2788	0.644	0.763
RRF (n=5)	Ensemble	0.2588	0.284	0.6614	0.7942
RRF (n=6)	Ensemble	0.2676	0.2904	0.6596	0.789
RRF (n=7)	Ensemble	0.2694	0.2934	0.6552	0.7844
RRF (n=8)	Ensemble	0.279	0.3022	0.6536	0.7816
Schulze (n=2)	Ensemble	0.256	0.2758	0.647	0.7644
Schulze (n=3)	Ensemble	0.2358	0.252	0.642	0.7624
Schulze (n=4)	Ensemble	0.266	0.2918	0.641	0.7588
Schulze (n=5)	Ensemble	0.275	0.3022	0.6436	0.7606
Schulze (n=6)	Ensemble	0.2872	0.3158	0.645	0.7688
Schulze (n=7)	Ensemble	0.2836	0.3112	0.646	0.7688
Schulze (n=8)	Ensemble	0.2846	0.3138	0.6382	0.7614
norm_ensemble (n=2)	Ensemble	0.274	0.2976	0.642	0.7622
norm_ensemble (n=3)	Ensemble	0.2654	0.2884	0.6418	0.762
norm_ensemble (n=4)	Ensemble	0.2606	0.2826	0.6398	0.7586
norm_ensemble (n=5)	Ensemble	0.2654	0.2922	0.6426	0.7548
norm_ensemble (n=6)	Ensemble	0.2742	0.297	0.6464	0.765
norm_ensemble (n=7)	Ensemble	0.2602	0.286	0.6284	0.731
norm_ensemble (n=8)	Ensemble	0.275	0.303	0.6232	0.7292

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.3216	0.3602	0.6172	0.7214
Deconvolution	Single	0.3216	0.3602	0.6172	0.7214
DeepLIFT_SHAP	baseline	0.3474	0.3846	0.615	0.7138
DeepLIFT_SHAP	baseline	0.3474	0.3846	0.615	0.7138
DeepLIFT_SHAP	baseline	0.3474	0.3846	0.615	0.7138
DeepLIFT_SHAP	baseline	0.3474	0.3846	0.615	0.7138
DeepLIFT_baseline	global	0.3542	0.391	0.61	0.7116
DeepLIFT_baseline	global	0.3542	0.391	0.61	0.7116
FeatureAblation	Single size 2282	0.242	0.242	0.5478	0.6064
FeatureAblation	Single size 2282	0.242	0.242	0.5478	0.6064
GradientShap_baseline	single covered 0.3162n samples	0.288	0.3162n	0.6450es	0.7628
GradientShap_baseline	single covered 0.3162n samples	0.288	0.3162n	0.6450es	0.7628
GradientShap_baseline	single covered 0.3162n samples	0.288	0.3162n	0.6450es	0.7648
GradientShap_baseline	single covered 0.3162n samples	0.288	0.3162n	0.6450es	0.7648
GuidedBackprop	Single	0.3216	0.3602	0.6172	0.7214
GuidedBackprop	Single	0.3216	0.3602	0.6172	0.7214
InputXGradient	Single	0.3534	0.3916	0.6064	0.7042
InputXGradient	Single	0.3534	0.3916	0.6064	0.7042
IntegratedGradient	baseline zero step	0.2956	0.3243	0.6300	0.7566
IntegratedGradient	baseline zero step	0.2956	0.3243	0.6300	0.7566
IntegratedGradient	baseline zero step	0.2956	0.3243	0.6300	0.7592
IntegratedGradient	baseline zero step	0.2956	0.3243	0.6300	0.7592
Occlusion_baseline	global size 2282	0.2066n	0.3243	0.6408	0.7488
Occlusion_baseline	global size 2282	0.2066n	0.3243	0.6408	0.7488
Saliency	Single	0.3216	0.3602	0.6172	0.7214
Saliency	Single	0.3216	0.3602	0.6172	0.7214

Table 118: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob		
Borda (n=2)	Ensemble	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368	0.1252	0.1204	0.4324	0.2306	0.0504	0.055
Borda (n=3)	Ensemble	0.1316	0.1322	0.2266	0.1558	0.047	0.0408	0.1476	0.153	0.456	0.2512	0.076	0.088
Borda (n=4)	Ensemble	0.139	0.1402	0.2424	0.1714	0.0498	0.0412	0.1354	0.1278	0.446	0.2368	0.0632	0.0754
Borda (n=5)	Ensemble	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356	0.1304	0.1278	0.4428	0.2394	0.0612	0.0708
Borda (n=6)	Ensemble	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522	0.1242	0.1152	0.4408	0.236	0.058	0.0666
Borda (n=7)	Ensemble	0.1332	0.137	0.238	0.1672	0.0534	0.0536	0.1216	0.1048	0.4384	0.242	0.0542	0.0604
Borda (n=8)	Ensemble	0.1372	0.1392	0.241	0.169	0.0544	0.0486	0.1124	0.0898	0.4372	0.2386	0.0404	0.043
Kemeny-Young (n=2)	Ensemble	0.1156	0.1152	0.1972	0.1222	0.0406	0.0368	0.1252	0.1204	0.4324	0.2306	0.0504	0.055
Kemeny-Young (n=3)	Ensemble	0.1316	0.1322	0.2266	0.1558	0.047	0.0408	0.1476	0.153	0.456	0.2512	0.076	0.088
Kemeny-Young (n=4)	Ensemble	0.139	0.1402	0.2424	0.1714	0.0498	0.0412	0.1354	0.1278	0.446	0.2368	0.0632	0.0754
Kemeny-Young (n=5)	Ensemble	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356	0.1304	0.1278	0.4428	0.2394	0.0612	0.0708
Kemeny-Young (n=6)	Ensemble	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522	0.1242	0.1152	0.4408	0.236	0.058	0.0666
Kemeny-Young (n=7)	Ensemble	0.1332	0.137	0.238	0.1672	0.0534	0.0536	0.1216	0.1048	0.4384	0.242	0.0542	0.0604
Kemeny-Young (n=8)	Ensemble	0.1372	0.1392	0.241	0.169	0.0544	0.0486	0.1124	0.0898	0.4372	0.2386	0.0404	0.043
RRF (n=2)	Ensemble	0.1198	0.1208	0.2246	0.1644	0.0448	0.0448	0.1302	0.108	0.4336	0.2326	0.0518	0.0572
RRF (n=3)	Ensemble	0.1218	0.1218	0.218	0.15	0.0518	0.048	0.1196	0.092	0.4278	0.2116	0.0476	0.049
RRF (n=4)	Ensemble	0.1324	0.1326	0.228	0.1582	0.0544	0.05	0.1202	0.0892	0.4294	0.2116	0.0506	0.0498
RRF (n=5)	Ensemble	0.1318	0.1352	0.2314	0.1642	0.0508	0.0484	0.1366	0.1242	0.4468	0.2468	0.0698	0.0862
RRF (n=6)	Ensemble	0.1386	0.1398	0.2372	0.166	0.0558	0.0482	0.1306	0.1184	0.446	0.241	0.0656	0.0762
RRF (n=7)	Ensemble	0.1364	0.1384	0.2396	0.1676	0.057	0.0546	0.1274	0.1126	0.4414	0.2474	0.0622	0.07
RRF (n=8)	Ensemble	0.1476	0.1474	0.2502	0.171	0.0664	0.064	0.1276	0.1134	0.4418	0.2546	0.0624	0.0682
Schulze (n=2)	Ensemble	0.128	0.1246	0.2296	0.1742	0.0422	0.043	0.1268	0.1022	0.4338	0.2286	0.055	0.0588
Schulze (n=3)	Ensemble	0.117	0.1158	0.2068	0.134	0.0462	0.043	0.1138	0.0906	0.4294	0.2256	0.0472	0.0458
Schulze (n=4)	Ensemble	0.1358	0.1384	0.2374	0.1754	0.0514	0.051	0.1184	0.0902	0.424	0.211	0.0444	0.0446
Schulze (n=5)	Ensemble	0.1386	0.142	0.246	0.1822	0.053	0.0508	0.1206	0.0928	0.4244	0.213	0.057	0.0652
Schulze (n=6)	Ensemble	0.1504	0.1558	0.2594	0.1934	0.0622	0.062	0.1148	0.0974	0.4262	0.2234	0.052	0.0638
Schulze (n=7)	Ensemble	0.1496	0.1542	0.2528	0.185	0.0578	0.0582	0.1202	0.1104	0.4316	0.228	0.0516	0.0614
Schulze (n=8)	Ensemble	0.1472	0.1552	0.2524	0.1826	0.0644	0.064	0.112	0.1032	0.4308	0.2512	0.0422	0.0486
norm_ensemble (n=2)	Ensemble	0.127	0.1268	0.2464	0.1912	0.0486	0.0514	0.1212	0.1048	0.4316	0.2252	0.0498	0.0546
norm_ensemble (n=3)	Ensemble	0.1246	0.125	0.2366	0.1754	0.0506	0.0526	0.1188	0.0896	0.4292	0.2206	0.0436	0.0496
norm_ensemble (n=4)	Ensemble	0.1288	0.1294	0.2322	0.1684	0.0542	0.0544	0.1132	0.0802	0.428	0.2144	0.048	0.0516
norm_ensemble (n=5)	Ensemble	0.1372	0.1436	0.2374	0.1742	0.0646	0.0654	0.1114	0.073	0.4296	0.2162	0.0484	0.0462
norm_ensemble (n=6)	Ensemble	0.1444	0.1452	0.2452	0.1746	0.0738	0.0704	0.1154	0.084	0.4336	0.2262	0.0482	0.0452

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.136	0.1388	0.2276	0.1556	0.0606	0.0622	0.0964	0.0578	0.4172	0.2008	0.031	0.0106
norm_ensemble (n=8)	Ensemble	0.1438	0.1452	0.2424	0.1726	0.0636	0.0636	0.0876	0.0564	0.4094	0.1914	0.0276	0.01
Deconvolution	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
Deconvolution	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
DeepLIFT_SHAP	Single	0.1864	0.1864	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_SHAP	Single	0.1864	0.1864	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_SHAP	Single	0.1864	0.1864	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_SHAP	Single	0.1864	0.1864	0.3098	0.2446	0.094	0.0992	0.116	0.0924	0.4114	0.2216	0.0524	0.042
DeepLIFT_baseline	Single	0.1864	0.1864	0.3154	0.2496	0.0902	0.096	0.1152	0.0966	0.4144	0.2356	0.048	0.0458
DeepLIFT_baseline	Single	0.1864	0.1864	0.3154	0.2496	0.0902	0.096	0.1152	0.0966	0.4144	0.2356	0.048	0.0458
FeatureAblation	Single	0.1076	0.1096	0.1924	0.1254	0.0398	0.0412	0.166	0.1648	0.4084	0.3266	0.0638	0.0568
FeatureAblation	Single	0.1076	0.1096	0.1924	0.1254	0.0398	0.0412	0.166	0.1648	0.4084	0.3266	0.0638	0.0568
GradientShap_baseline	Single	0.1452	0.1452	0.2184	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GradientShap_baseline	Single	0.1452	0.1452	0.2184	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GradientShap_baseline	Single	0.1452	0.1452	0.2184	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GradientShap_baseline	Single	0.1452	0.1452	0.2184	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GradientShap_baseline	Single	0.1452	0.1452	0.2184	0.0566	0.0574	0.1266	0.1	0.4358	0.2296	0.0492	0.048	0.048
GuidedBackprop	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
GuidedBackprop	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
InputXGradient	Single	0.1868	0.1972	0.3168	0.2548	0.0908	0.0922	0.1116	0.0896	0.4052	0.2184	0.0402	0.036
InputXGradient	Single	0.1868	0.1972	0.3168	0.2548	0.0908	0.0922	0.1116	0.0896	0.4052	0.2184	0.0402	0.036
IntegratedGradient	Single	0.4588	0.4588	0.2600	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
IntegratedGradient	Single	0.4588	0.4588	0.2600	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
IntegratedGradient	Single	0.4588	0.4588	0.2600	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
IntegratedGradient	Single	0.4588	0.4588	0.2600	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
IntegratedGradient	Single	0.4588	0.4588	0.2600	0.2074	0.0564	0.057	0.121	0.096	0.4258	0.2178	0.0498	0.0496
Occlusion_baseline	Single	0.1448	0.1448	0.2436	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Occlusion_baseline	Single	0.1448	0.1448	0.2436	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Occlusion_baseline	Single	0.1448	0.1448	0.2436	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Occlusion_baseline	Single	0.1448	0.1448	0.2436	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Occlusion_baseline	Single	0.1448	0.1448	0.2436	0.1446	0.0468	0.0456	0.1328	0.1256	0.4542	0.3278	0.0548	0.0508
Saliency	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026
Saliency	Single	0.1722	0.1864	0.2806	0.2096	0.0918	0.0998	0.0964	0.074	0.4144	0.244	0.0306	0.026

Table 119: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.6104	0.7134	0.709	0.9164	0.147	0.1374	0.4486	0.243	0.0476	0.0454
Borda	0.5802	0.7166	0.6536	0.9262	0.151	0.1356	0.4336	0.253	0.0528	0.0392
Kemeny-Young	0.5894	0.7168	0.6634	0.9294	0.1534	0.134	0.4438	0.2636	0.0594	0.0458
RRF	0.577	0.7138	0.6472	0.9188	0.1528	0.1374	0.431	0.2552	0.0548	0.045
Schulze	0.5844	0.712	0.6582	0.9168	0.1556	0.1372	0.425	0.2468	0.0594	0.0454
SimpleAvg	0.5914	0.7102	0.6722	0.9168	0.142	0.1304	0.4466	0.2778	0.0556	0.0458
Borda (Independence)	0.5864	0.7168	0.6596	0.9282	0.1512	0.133	0.4366	0.2606	0.061	0.0444
Kemeny-Young (Independence)	0.5946	0.7178	0.6718	0.9258	0.164	0.1452	0.4474	0.2694	0.0626	0.0496
RRF (Independence)	0.582	0.7126	0.6584	0.9158	0.1436	0.13	0.435	0.2628	0.05	0.0352
Schulze (Independence)	0.6006	0.7088	0.6824	0.9142	0.152	0.13	0.4412	0.2708	0.0546	0.0432
SimpleAvg (Independence)	0.5902	0.7102	0.6672	0.9162	0.1468	0.1322	0.4438	0.2744	0.066	0.0564

Table 120: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.5266	0.7052	0.5916	0.8866	0.171	0.1626	0.4196	0.2766	0.0598	0.0532
Borda	0.493	0.7038	0.5398	0.8848	0.1738	0.1654	0.3922	0.2624	0.0636	0.0558
Kemeny-Young	0.4976	0.7072	0.5518	0.8922	0.1808	0.1808	0.3972	0.2716	0.0674	0.0568
RRF	0.4912	0.7038	0.5382	0.8836	0.1686	0.1658	0.396	0.2696	0.0708	0.0632
Schulze	0.4942	0.7022	0.5436	0.8872	0.173	0.1684	0.3872	0.2672	0.065	0.0592
SimpleAvg	0.5074	0.7028	0.5712	0.8838	0.156	0.1572	0.411	0.304	0.0558	0.0546
Borda (Independence)	0.4924	0.703	0.5472	0.885	0.1768	0.1774	0.3952	0.2758	0.0604	0.0546
Kemeny-Young (Independence)	0.5	0.7044	0.5482	0.8884	0.1776	0.1688	0.3996	0.2616	0.07	0.0574
RRF (Independence)	0.4974	0.7028	0.5436	0.8836	0.1766	0.1632	0.3958	0.2704	0.072	0.06
Schulze (Independence)	0.518	0.7026	0.5722	0.8806	0.1814	0.1704	0.4152	0.2974	0.0682	0.0634
SimpleAvg (Independence)	0.4986	0.7022	0.5572	0.88	0.1626	0.158	0.404	0.2894	0.0584	0.0516

Table 121: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.3918	0.6792	0.4332	0.824	0.176	0.1772	0.3414	0.2512	0.0686	0.07
Borda	0.3548	0.6792	0.3884	0.8126	0.1712	0.175	0.3044	0.2178	0.0684	0.0696
Kemeny-Young	0.352	0.6886	0.3844	0.8408	0.15	0.1462	0.303	0.2186	0.0494	0.045
RRF	0.3466	0.6776	0.378	0.8178	0.1596	0.1598	0.2976	0.2182	0.0596	0.0564
Schulze	0.3424	0.6794	0.3704	0.8178	0.1536	0.152	0.2896	0.2068	0.0584	0.0532
SimpleAvg	0.3822	0.6782	0.4178	0.8184	0.1644	0.1666	0.3296	0.2552	0.0634	0.0612
Borda (Independence)	0.364	0.68	0.401	0.8154	0.1584	0.1662	0.3126	0.2312	0.064	0.06
Kemeny-Young (Independence)	0.3632	0.6872	0.3952	0.8362	0.1568	0.1564	0.3116	0.2238	0.0604	0.0524
RRF (Independence)	0.3534	0.6806	0.385	0.8162	0.1596	0.1584	0.3022	0.217	0.0642	0.058
Schulze (Independence)	0.3734	0.6792	0.4086	0.812	0.1664	0.1662	0.3226	0.247	0.0688	0.0646
SimpleAvg (Independence)	0.3646	0.678	0.4	0.8168	0.1608	0.1614	0.3132	0.2382	0.0594	0.061

Table 122: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.662	0.719	0.786	0.9412	0.1282	0.096	0.4584	0.1766	0.046	0.035
Borda	0.6404	0.7214	0.7332	0.9446	0.1356	0.1052	0.4496	0.2086	0.0524	0.035
Kemeny-Young	0.6444	0.7208	0.7428	0.9438	0.135	0.1028	0.4564	0.2178	0.0442	0.0274
RRF	0.6388	0.7158	0.7298	0.9394	0.1328	0.1052	0.4472	0.211	0.053	0.032
Schulze	0.6358	0.7154	0.7316	0.938	0.133	0.105	0.4408	0.1982	0.0456	0.026
SimpleAvg	0.6366	0.7166	0.7406	0.9378	0.1222	0.0966	0.4502	0.2258	0.0416	0.029
Borda (Independence)	0.642	0.7194	0.7354	0.9432	0.1372	0.1066	0.4518	0.2072	0.0444	0.029
Kemeny-Young (Independence)	0.6454	0.7188	0.7476	0.944	0.1402	0.1056	0.4568	0.2154	0.0428	0.0284
RRF (Independence)	0.6416	0.716	0.7368	0.9386	0.1362	0.1032	0.4488	0.2094	0.0492	0.0292
Schulze (Independence)	0.6482	0.7168	0.766	0.9402	0.1316	0.1044	0.457	0.235	0.0454	0.038
SimpleAvg (Independence)	0.6342	0.7162	0.7364	0.9386	0.1262	0.1012	0.447	0.2158	0.0436	0.027

Table 123: ESANN archive results for ImageNet–DenseNet-121. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.2866	0.6456	0.3162	0.7648	0.1452	0.146	0.257	0.1848	0.0562	0.055
Borda	0.2548	0.6684	0.2736	0.8004	0.1316	0.1322	0.2266	0.1558	0.047	0.0408
Kemeny-Young	0.2592	0.658	0.2812	0.7876	0.1268	0.1232	0.2302	0.1596	0.0398	0.0356
RRF	0.2454	0.6456	0.2656	0.763	0.1218	0.1218	0.218	0.15	0.0518	0.048
Schulze	0.2358	0.642	0.252	0.7624	0.117	0.1158	0.2068	0.134	0.0462	0.043
SimpleAvg	0.2654	0.6418	0.2884	0.762	0.1246	0.125	0.2366	0.1754	0.0506	0.0526
Borda (Independence)	0.2714	0.6614	0.2942	0.79	0.139	0.1402	0.2424	0.1714	0.0498	0.0412
Kemeny-Young (Independence)	0.2696	0.657	0.2932	0.786	0.1318	0.1306	0.2408	0.1684	0.0542	0.0522
RRF (Independence)	0.2554	0.644	0.2788	0.763	0.1324	0.1326	0.228	0.1582	0.0544	0.05
Schulze (Independence)	0.266	0.641	0.2918	0.7588	0.1358	0.1384	0.2374	0.1754	0.0514	0.051
SimpleAvg (Independence)	0.2606	0.6398	0.2826	0.7586	0.1288	0.1294	0.2322	0.1684	0.0542	0.0544

B ResNet-18 (archived)

Table 124: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.4608	0.6288	0.5712	0.9062	0.1896	0.1608	0.4486	0.002	0.0554	0.0382
SimpleAvg	0.4716	0.6232	0.5854	0.8692	0.203	0.1802	0.4544	0.0246	0.0664	0.0538
Borda (NAIVE)	0.464	0.6288	0.5772	0.9184	0.2034	0.1772	0.4488	0.0168	0.065	0.0594
Borda (THEORY)	0.4332	0.6316	0.5362	0.9184	0.1984	0.1778	0.4214	0.0236	0.064	0.0644
RRF (NAIVE)	0.4682	0.6304	0.5788	0.9188	0.1964	0.1658	0.4492	0.0126	0.0638	0.0416
RRF (THEORY)	0.4302	0.629	0.5316	0.9028	0.2032	0.1842	0.4182	0.0274	0.0696	0.0694
Schulze (NAIVE)	0.4902	0.626	0.618	0.905	0.198	0.165	0.4694	0.0502	0.0582	0.0442
Schulze (THEORY)	0.4306	0.6272	0.535	0.9022	0.194	0.174	0.419	0.0236	0.0634	0.0648
Kemeny-Young (NAIVE)	0.4586	0.6258	0.5704	0.9134	0.204	0.1786	0.4434	0.0086	0.065	0.054
Kemeny-Young (THEORY)	0.4426	0.631	0.542	0.9196	0.1934	0.1704	0.4294	0.0226	0.0728	0.0646

Table 125: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.4144	0.627	0.5086	0.8806	0.1906	0.1706	0.402	0.0082	0.0528	0.0418
SimpleAvg	0.4296	0.6174	0.5322	0.848	0.207	0.194	0.4166	0.0172	0.0668	0.0614
Borda (NAIVE)	0.4192	0.6258	0.5076	0.8958	0.2022	0.174	0.4074	0.0072	0.0624	0.0466
Borda (THEORY)	0.384	0.623	0.4674	0.8838	0.1946	0.176	0.3742	0.0474	0.0746	0.0724
RRF (NAIVE)	0.4248	0.6256	0.521	0.8998	0.2006	0.1774	0.412	0.004	0.0626	0.048
RRF (THEORY)	0.3792	0.6236	0.4622	0.883	0.1948	0.1792	0.3702	0.0516	0.0702	0.0688
Schulze (NAIVE)	0.4458	0.6252	0.5552	0.883	0.197	0.18	0.4328	0.0302	0.0618	0.0466
Schulze (THEORY)	0.3848	0.623	0.4674	0.8806	0.1944	0.1724	0.3748	0.0478	0.0742	0.073
Kemeny-Young (NAIVE)	0.4158	0.6278	0.5046	0.8998	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484
Kemeny-Young (THEORY)	0.3926	0.6242	0.481	0.8774	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588

Table 126: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.1628	0.5916	0.1926	0.7838	0.096	0.0906	0.1582	0.0068	0.041	0.0422
SimpleAvg	0.2304	0.5794	0.2786	0.7422	0.1404	0.1434	0.2256	0.1454	0.0496	0.0514
Borda (NAIVE)	0.2096	0.6028	0.2524	0.7982	0.1262	0.1226	0.2042	0.1728	0.0474	0.0432
Borda (THEORY)	0.142	0.5922	0.1722	0.7818	0.095	0.096	0.1384	0.2478	0.0384	0.0352
RRF (NAIVE)	0.2208	0.5984	0.2658	0.7972	0.1374	0.1374	0.2152	0.161	0.048	0.0492
RRF (THEORY)	0.1474	0.5928	0.1776	0.7822	0.1008	0.1024	0.1432	0.2448	0.036	0.037
Schulze (NAIVE)	0.2428	0.5914	0.2934	0.7802	0.141	0.1416	0.2372	0.1318	0.0418	0.0438
Schulze (THEORY)	0.1452	0.5942	0.1752	0.7788	0.0964	0.0966	0.1414	0.2436	0.0384	0.036
Kemeny-Young (NAIVE)	0.2068	0.5952	0.2448	0.789	0.1256	0.1202	0.2022	0.1794	0.0406	0.034
Kemeny-Young (THEORY)	0.1626	0.591	0.195	0.7814	0.1068	0.105	0.1586	0.2236	0.038	0.0332

Table 127: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.5204	0.6326	0.6676	0.934	0.1636	0.0974	0.4988	0.0014	0.0558	0.0346
SimpleAvg	0.5344	0.6308	0.6898	0.9064	0.1982	0.1642	0.5078	0.0322	0.0648	0.0534
Borda (NAIVE)	0.5318	0.6346	0.6806	0.9454	0.1912	0.155	0.5052	0.0232	0.0606	0.0456
Borda (THEORY)	0.518	0.634	0.6616	0.9366	0.197	0.1694	0.4934	0.0124	0.0668	0.0622
RRF (NAIVE)	0.5368	0.6338	0.6906	0.9448	0.195	0.1506	0.51	0.025	0.0608	0.0462
RRF (THEORY)	0.5142	0.6344	0.653	0.9328	0.1968	0.1642	0.4912	0.0004	0.0632	0.0594
Schulze (NAIVE)	0.5576	0.6332	0.726	0.9354	0.1918	0.1472	0.5272	0.0462	0.068	0.0474
Schulze (THEORY)	0.5156	0.6342	0.6544	0.9338	0.1982	0.1648	0.4926	0.0016	0.061	0.0538
Kemeny-Young (NAIVE)	0.529	0.6364	0.6738	0.9468	0.1922	0.1504	0.5036	0.0166	0.0618	0.0484
Kemeny-Young (THEORY)	0.5182	0.636	0.6596	0.938	0.1916	0.1596	0.4926	0.0044	0.062	0.0502

Table 128: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.0854	0.553	0.1038	0.7044	0.061	0.062	0.0824	0.0426	0.02	0.0228
SimpleAvg	0.1394	0.5398	0.1706	0.675	0.095	0.0978	0.1366	0.2398	0.0308	0.0332
Borda (NAIVE)	0.1292	0.5614	0.1578	0.7262	0.0874	0.0882	0.1262	0.254	0.0314	0.0314
Borda (THEORY)	0.07	0.5496	0.0866	0.7046	0.0526	0.055	0.0672	0.3214	0.0174	0.021
RRF (NAIVE)	0.133	0.5696	0.1626	0.7268	0.088	0.0892	0.13	0.2486	0.0298	0.0306
RRF (THEORY)	0.0762	0.5482	0.0922	0.7036	0.0578	0.0602	0.0738	0.316	0.0216	0.0232
Schulze (NAIVE)	0.142	0.5524	0.1762	0.7034	0.0894	0.0938	0.1388	0.2376	0.0244	0.0296
Schulze (THEORY)	0.0684	0.5528	0.0836	0.7048	0.0518	0.0542	0.0656	0.3254	0.0178	0.017
Kemeny-Young (NAIVE)	0.1268	0.5648	0.1582	0.7324	0.0878	0.0906	0.1234	0.2526	0.026	0.028
Kemeny-Young (THEORY)	0.086	0.5498	0.106	0.7044	0.0624	0.0652	0.0834	0.3004	0.021	0.0198

Table 129: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.4414	0.6258	0.5446	0.897	0.19	0.159	0.4278	0.0126	0.0548	0.04
SimpleAvg	0.439	0.6194	0.5482	0.8618	0.1962	0.182	0.4254	0.0174	0.0556	0.0518
Borda (NAIVE)	0.4324	0.627	0.5326	0.9084	0.193	0.1734	0.4188	0.0054	0.0572	0.0528
Borda (THEORY)	0.4098	0.6254	0.4996	0.8878	0.2052	0.1862	0.3986	0.034	0.07	0.0668
RRF (NAIVE)	0.44	0.6272	0.5422	0.9162	0.1948	0.1712	0.4254	0.0074	0.0568	0.0498
RRF (THEORY)	0.4032	0.6244	0.4908	0.8938	0.2002	0.1758	0.391	0.051	0.068	0.0606
Schulze (NAIVE)	0.4718	0.6232	0.5816	0.8952	0.2044	0.178	0.4554	0.0398	0.0622	0.0464
Schulze (THEORY)	0.4064	0.6248	0.4956	0.8952	0.2016	0.184	0.3944	0.048	0.063	0.0596
Kemeny-Young (NAIVE)	0.43	0.6286	0.5308	0.9118	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534
Kemeny-Young (THEORY)	0.4108	0.628	0.5028	0.9084	0.1882	0.1666	0.399	0.0238	0.0584	0.0582

Table 130: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.2954	0.6108	0.3486	0.84	0.1584	0.1454	0.2884	0.0126	0.0488	0.0352
SimpleAvg	0.3348	0.6078	0.3998	0.8068	0.1748	0.1634	0.3274	0.054	0.0624	0.0518
Borda (NAIVE)	0.3146	0.6168	0.376	0.8526	0.166	0.1586	0.3072	0.0834	0.0564	0.0472
Borda (THEORY)	0.2696	0.6066	0.3188	0.8298	0.1586	0.15	0.2622	0.142	0.0586	0.0538
RRF (NAIVE)	0.3296	0.6154	0.3956	0.86	0.1754	0.1722	0.322	0.0652	0.065	0.053
RRF (THEORY)	0.261	0.6112	0.3086	0.8408	0.1522	0.1414	0.2526	0.1634	0.0538	0.048
Schulze (NAIVE)	0.348	0.6112	0.4234	0.8404	0.178	0.1752	0.3406	0.0362	0.0562	0.0452
Schulze (THEORY)	0.2712	0.6122	0.3222	0.841	0.1594	0.1472	0.263	0.1512	0.0588	0.0564
Kemeny-Young (NAIVE)	0.3124	0.6156	0.3692	0.8554	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454
Kemeny-Young (THEORY)	0.2746	0.6146	0.3254	0.857	0.1542	0.139	0.2676	0.1284	0.0422	0.0326

Table 131: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.1214	0.5744	0.149	0.7492	0.0766	0.0806	0.1174	0.0626	0.0314	0.0276
SimpleAvg	0.1808	0.5704	0.2202	0.7286	0.1124	0.1148	0.177	0.1982	0.0408	0.0412
Borda (NAIVE)	0.165	0.5926	0.1998	0.7802	0.1002	0.095	0.1608	0.222	0.0368	0.0366
Borda (THEORY)	0.1028	0.5766	0.126	0.7462	0.0676	0.069	0.1008	0.2852	0.0236	0.0248
RRF (NAIVE)	0.172	0.5948	0.2044	0.7864	0.1042	0.0992	0.1682	0.217	0.0334	0.0312
RRF (THEORY)	0.1088	0.5762	0.134	0.745	0.0746	0.0762	0.1048	0.2858	0.0268	0.0294
Schulze (NAIVE)	0.1944	0.5766	0.2372	0.7536	0.117	0.1232	0.1894	0.1846	0.041	0.0394
Schulze (THEORY)	0.107	0.5758	0.1306	0.7494	0.0724	0.0746	0.1032	0.2912	0.026	0.0292
Kemeny-Young (NAIVE)	0.161	0.5902	0.1932	0.7718	0.0914	0.0894	0.1572	0.225	0.0342	0.033
Kemeny-Young (THEORY)	0.1198	0.5816	0.1442	0.7572	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162

Table 132: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.5278	0.6318	0.6832	0.9282	0.1684	0.1024	0.5024	0.0184	0.0578	0.026
SimpleAvg	0.5154	0.627	0.6518	0.9026	0.1976	0.1664	0.4954	0.044	0.0642	0.0504
Borda (NAIVE)	0.5128	0.634	0.6512	0.9402	0.1948	0.1664	0.4908	0.0342	0.062	0.0554
Borda (THEORY)	0.4942	0.6324	0.6206	0.9372	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616
RRF (NAIVE)	0.5166	0.6308	0.6574	0.9386	0.1904	0.1576	0.4956	0.034	0.0682	0.0552
RRF (THEORY)	0.4892	0.6316	0.6132	0.9276	0.2012	0.1754	0.4692	0.008	0.0602	0.0572
Schulze (NAIVE)	0.5414	0.633	0.7014	0.9316	0.1962	0.1588	0.5142	0.0672	0.0684	0.0486
Schulze (THEORY)	0.4958	0.6308	0.6242	0.9286	0.201	0.1732	0.4762	0	0.0658	0.0622
Kemeny-Young (NAIVE)	0.5092	0.6332	0.6468	0.9412	0.1946	0.1676	0.487	0.0288	0.0616	0.0574
Kemeny-Young (THEORY)	0.4962	0.6304	0.6228	0.9432	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566

Table 133: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.0548	0.5208	0.0674	0.653	0.037	0.0352	0.0522	0.0182	0.0156	0.0152
SimpleAvg	0.1008	0.5266	0.1244	0.6528	0.068	0.0718	0.0986	0.2826	0.0256	0.027
Borda (NAIVE)	0.0906	0.5388	0.1102	0.678	0.0606	0.0594	0.088	0.2998	0.0202	0.0166
Borda (THEORY)	0.048	0.527	0.0598	0.6584	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146
RRF (NAIVE)	0.0914	0.5576	0.1144	0.7088	0.0606	0.0616	0.0888	0.2948	0.0228	0.0206
RRF (THEORY)	0.0522	0.5266	0.0648	0.659	0.0384	0.04	0.0496	0.3448	0.0172	0.0168
Schulze (NAIVE)	0.1066	0.5244	0.1322	0.6608	0.0682	0.0718	0.1044	0.2774	0.0184	0.0192
Schulze (THEORY)	0.0474	0.523	0.06	0.6534	0.0362	0.035	0.0446	0.3492	0.0128	0.0148
Kemeny-Young (NAIVE)	0.0918	0.5452	0.114	0.6918	0.0586	0.0626	0.0888	0.2958	0.0232	0.026
Kemeny-Young (THEORY)	0.0612	0.5356	0.0756	0.6736	0.0424	0.0436	0.0596	0.329	0.016	0.0168

Table 134: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.4098	0.4996	0.6254	0.8878
Borda (n=3)	Ensemble	0.4136	0.5016	0.6282	0.9038
Borda (n=4)	Ensemble	0.4108	0.5028	0.628	0.9084
Borda (n=5)	Ensemble	0.4126	0.5108	0.6298	0.9094
Borda (n=6)	Ensemble	0.4224	0.5236	0.6284	0.9084
Borda (n=7)	Ensemble	0.43	0.5308	0.6286	0.9118
Borda (n=8)	Ensemble	0.4324	0.5326	0.627	0.9084
Kemeny-Young (n=2)	Ensemble	0.4098	0.4996	0.6254	0.8878
Kemeny-Young (n=3)	Ensemble	0.4136	0.5016	0.6282	0.9038
Kemeny-Young (n=4)	Ensemble	0.4108	0.5028	0.628	0.9084
Kemeny-Young (n=5)	Ensemble	0.4126	0.5108	0.6298	0.9094
Kemeny-Young (n=6)	Ensemble	0.4224	0.5236	0.6284	0.9084
Kemeny-Young (n=7)	Ensemble	0.43	0.5308	0.6286	0.9118
Kemeny-Young (n=8)	Ensemble	0.4324	0.5326	0.627	0.9084
RRF (n=2)	Ensemble	0.4032	0.4908	0.6244	0.8938
RRF (n=3)	Ensemble	0.4188	0.511	0.6256	0.893
RRF (n=4)	Ensemble	0.4154	0.5064	0.6248	0.8936
RRF (n=5)	Ensemble	0.4178	0.517	0.6234	0.8966
RRF (n=6)	Ensemble	0.4248	0.5244	0.6246	0.8936
RRF (n=7)	Ensemble	0.4352	0.5376	0.6306	0.912
RRF (n=8)	Ensemble	0.44	0.5422	0.6272	0.9162
Schulze (n=2)	Ensemble	0.4064	0.4956	0.6248	0.8952
Schulze (n=3)	Ensemble	0.4168	0.513	0.6244	0.8904
Schulze (n=4)	Ensemble	0.4176	0.5128	0.623	0.8898
Schulze (n=5)	Ensemble	0.437	0.5372	0.623	0.892
Schulze (n=6)	Ensemble	0.4612	0.571	0.625	0.8928
Schulze (n=7)	Ensemble	0.472	0.582	0.6256	0.8946
Schulze (n=8)	Ensemble	0.4718	0.5816	0.6232	0.8952
norm_ensemble (n=2)	Ensemble	0.4302	0.5332	0.6254	0.8934
norm_ensemble (n=3)	Ensemble	0.4516	0.57	0.6248	0.8924
norm_ensemble (n=4)	Ensemble	0.4498	0.5646	0.6244	0.8894
norm_ensemble (n=5)	Ensemble	0.4452	0.5586	0.6236	0.8944
norm_ensemble (n=6)	Ensemble	0.4416	0.5516	0.626	0.8918
norm_ensemble (n=7)	Ensemble	0.4422	0.5528	0.6194	0.8564
norm_ensemble (n=8)	Ensemble	0.439	0.5482	0.6194	0.8618

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.5312	0.6938	0.621	0.8674
Deconvolution	Single	0.5312	0.6938	0.621	0.8674
DeepLIFT_SHAPSHap	baseline	0.5026	0.7004	0.5802	0.773
DeepLIFT_SHAPSHap	baseline	0.5026	0.7004	0.5802	0.773
DeepLIFT_SHAPSHap	baseline	0.5026	0.7004	0.5802	0.773
DeepLIFT_SHAPSHap	baseline	0.5026	0.7004	0.5802	0.773
DeepLIFT_baseline	global	0.5026	0.7904	0.5802	0.773
DeepLIFT_baseline	global	0.5026	0.7904	0.5802	0.773
FeatureAblation_single	size 0.4264	0.5226	0.6158	0.8464	
FeatureAblation_single	size 0.4264	0.5226	0.6158	0.8464	
GradientShap_baseline	single	0.4714	0.5892	0.625	0.897
GradientShap_baseline	single	0.4714	0.5892	0.625	0.897
GradientShap_baseline	single	0.4714	0.5894	0.624	0.8904
GradientShap_baseline	single	0.4714	0.5894	0.624	0.8904
GuidedBackprop	Single	0.4414	0.5446	0.6176	0.8536
GuidedBackprop	Single	0.4414	0.5446	0.6176	0.8536
InputXGradient	Single	0.5056	0.6418	0.622	0.8804
InputXGradient	Single	0.5056	0.6418	0.622	0.8804
IntegratedGradient	Single	0.4772	0.5968	0.6268	0.8892
IntegratedGradient	Single	0.4772	0.5968	0.6268	0.8892
IntegratedGradient	Single	0.4772	0.5976	0.636	0.8882
IntegratedGradient	Single	0.4772	0.5976	0.636	0.8882
Occlusion_baseline	global	0.4594	0.5676	0.6236	0.8884
Occlusion_baseline	global	0.4594	0.5676	0.6236	0.8884
Saliency	Single	0.4866	0.6098	0.6206	0.8796
Saliency	Single	0.4866	0.6098	0.6206	0.8796

Table 135: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom speckle std 0.15		
Borda (n=2)	Ensemble	0.2052	0.1862	0.3986	0.034	0.07	0.0668	0.1562	0.0804	0.5822	0.145	0.0542	0.0266
Borda (n=3)	Ensemble	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672	0.1618	0.0942	0.5854	0.1566	0.0576	0.0432
Borda (n=4)	Ensemble	0.1882	0.1666	0.399	0.0238	0.0584	0.0582	0.1626	0.096	0.5846	0.1592	0.0588	0.0488
Borda (n=5)	Ensemble	0.1912	0.1726	0.399	0.0152	0.051	0.0508	0.1648	0.098	0.5864	0.1526	0.0564	0.0312
Borda (n=6)	Ensemble	0.194	0.1776	0.4092	0.0064	0.0532	0.055	0.1544	0.0728	0.585	0.1556	0.0556	0.0302
Borda (n=7)	Ensemble	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534	0.156	0.0784	0.584	0.1572	0.054	0.0298
Borda (n=8)	Ensemble	0.193	0.1734	0.4188	0.0054	0.0572	0.0528	0.1512	0.072	0.5818	0.1616	0.0526	0.0278
Kemeny-Young (n=2)	Ensemble	0.2052	0.1862	0.3986	0.034	0.07	0.0668	0.1562	0.0804	0.5822	0.145	0.0542	0.0266
Kemeny-Young (n=3)	Ensemble	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672	0.1618	0.0942	0.5854	0.1566	0.0576	0.0432
Kemeny-Young (n=4)	Ensemble	0.1882	0.1666	0.399	0.0238	0.0584	0.0582	0.1626	0.096	0.5846	0.1592	0.0588	0.0488
Kemeny-Young (n=5)	Ensemble	0.1912	0.1726	0.399	0.0152	0.051	0.0508	0.1648	0.098	0.5864	0.1526	0.0564	0.0312
Kemeny-Young (n=6)	Ensemble	0.194	0.1776	0.4092	0.0064	0.0532	0.055	0.1544	0.0728	0.585	0.1556	0.0556	0.0302
Kemeny-Young (n=7)	Ensemble	0.1934	0.1738	0.4166	0.0002	0.0562	0.0534	0.156	0.0784	0.584	0.1572	0.054	0.0298
Kemeny-Young (n=8)	Ensemble	0.193	0.1734	0.4188	0.0054	0.0572	0.0528	0.1512	0.072	0.5818	0.1616	0.0526	0.0278
RRF (n=2)	Ensemble	0.2002	0.1758	0.391	0.051	0.068	0.0606	0.1574	0.0842	0.5808	0.1494	0.0546	0.0318
RRF (n=3)	Ensemble	0.2046	0.1906	0.4068	0.0288	0.0698	0.0716	0.159	0.0812	0.5826	0.1474	0.0556	0.029
RRF (n=4)	Ensemble	0.1974	0.1872	0.4032	0.0234	0.066	0.061	0.1594	0.0836	0.582	0.1444	0.0576	0.0314
RRF (n=5)	Ensemble	0.1944	0.1822	0.4056	0.0156	0.0524	0.0524	0.1554	0.0834	0.5794	0.1458	0.0566	0.0324
RRF (n=6)	Ensemble	0.191	0.1754	0.4118	0.0094	0.0556	0.0502	0.1542	0.083	0.5814	0.1376	0.0546	0.0248
RRF (n=7)	Ensemble	0.198	0.1758	0.4204	0.0048	0.057	0.0486	0.1608	0.0982	0.5876	0.1674	0.0624	0.0382
RRF (n=8)	Ensemble	0.1948	0.1712	0.4254	0.0074	0.0568	0.0498	0.1504	0.083	0.5814	0.1686	0.0594	0.0404
Schulze (n=2)	Ensemble	0.2016	0.184	0.3944	0.048	0.063	0.0596	0.156	0.0848	0.5834	0.157	0.0536	0.0342
Schulze (n=3)	Ensemble	0.193	0.1794	0.4038	0.0248	0.064	0.0714	0.1562	0.08	0.5832	0.1428	0.0536	0.029
Schulze (n=4)	Ensemble	0.1932	0.181	0.405	0.0194	0.0594	0.0558	0.1538	0.0802	0.5806	0.1356	0.0538	0.0294
Schulze (n=5)	Ensemble	0.2044	0.1866	0.424	0.0062	0.0598	0.0544	0.156	0.0834	0.5794	0.1324	0.0544	0.0324
Schulze (n=6)	Ensemble	0.2252	0.214	0.4442	0.0316	0.0822	0.0884	0.1566	0.0834	0.582	0.1312	0.0566	0.0312
Schulze (n=7)	Ensemble	0.213	0.19	0.4558	0.043	0.073	0.0616	0.159	0.088	0.5822	0.1374	0.0562	0.0334
Schulze (n=8)	Ensemble	0.2044	0.178	0.4554	0.0398	0.0622	0.0464	0.1568	0.0864	0.5808	0.1424	0.0536	0.0354
norm_ensemble (n=2)	Ensemble	0.2138	0.197	0.414	0.0028	0.0702	0.0628	0.158	0.084	0.5836	0.1534	0.0556	0.036
norm_ensemble (n=3)	Ensemble	0.1984	0.1846	0.436	0.0356	0.0702	0.0606	0.1638	0.1152	0.5812	0.1508	0.054	0.0484
norm_ensemble (n=4)	Ensemble	0.199	0.1836	0.4348	0.0298	0.0672	0.0602	0.1614	0.0928	0.5822	0.1426	0.0542	0.043
norm_ensemble (n=5)	Ensemble	0.2034	0.1926	0.432	0.0326	0.0684	0.0552	0.158	0.0944	0.5804	0.145	0.0538	0.0434
norm_ensemble (n=6)	Ensemble	0.206	0.1936	0.4288	0.0208	0.0724	0.0684	0.1528	0.0788	0.5836	0.142	0.056	0.029

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.2032	0.1952	0.428	0.025	0.0694	0.0624	0.1478	0.0478	0.5772	0.1076	0.0508	0.0066
norm_ensemble (n=8)	Ensemble	0.1962	0.182	0.4254	0.0174	0.0556	0.0518	0.163	0.1132	0.5828	0.1546	0.0476	0.0026
Deconvolution	Single	0.2082	0.1938	0.5132	0.1264	0.0714	0.0748	0.1594	0.0912	0.5774	0.1324	0.0558	0.0258
Deconvolution	Single	0.2082	0.1938	0.5132	0.1264	0.0714	0.0748	0.1594	0.0912	0.5774	0.1324	0.0558	0.0258
DeepLIFT_SHAP	Single	0.1928	0.1928	0.445 zng	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063
DeepLIFT_SHAP	Single	0.1928	0.1928	0.445 zng	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063
DeepLIFT_SHAP	Single	0.1928	0.1928	0.445 zng	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063
DeepLIFT_SHAP	Single	0.1928	0.1928	0.445 zng	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063
DeepLIFT_baseline	Single	0.1928	0.1928	0.445 zng	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063
DeepLIFT_baseline	Single	0.1928	0.1928	0.445 zng	0.5578	0.102	0.0698	0.0514	0.1978	0.1664	0.543	0.0836	0.063
FeatureAblation	Single	0.2046	0.1904	0.414	0.0092	0.0736	0.0616	0.167	0.1024	0.5798	0.2294	0.0588	0.0286
FeatureAblation	Single	0.2046	0.1904	0.414	0.0092	0.0736	0.0616	0.167	0.1024	0.5798	0.2294	0.0588	0.0286
GradientShap_baseline	Single	0.1966	0.1966	0.4574	0.0456	0.0644	0.04	0.1564	0.0902	0.5818	0.1502	0.0524	0.0314
GradientShap_baseline	Single	0.1966	0.1966	0.4574	0.0456	0.0644	0.04	0.1564	0.0902	0.5818	0.1502	0.0524	0.0314
GradientShap_baseline	Single	0.1966	0.1966	0.4574	0.0456	0.0644	0.04	0.1564	0.0902	0.5818	0.1502	0.0524	0.0314
GradientShap_baseline	Single	0.1966	0.1966	0.4574	0.0456	0.0644	0.04	0.1564	0.0902	0.5818	0.1502	0.0524	0.0314
GuidedBackprop	Single	0.19	0.159	0.4278	0.0126	0.0686	0.058	0.1694	0.1002	0.5794	0.1688	0.058	0.0278
GuidedBackprop	Single	0.19	0.159	0.4278	0.0126	0.0686	0.058	0.1694	0.1002	0.5794	0.1688	0.058	0.0278
InputXGradient	Single	0.2122	0.203	0.4852	0.104	0.073	0.0682	0.1558	0.0728	0.5796	0.1324	0.0576	0.031
InputXGradient	Single	0.2122	0.203	0.4852	0.104	0.073	0.0682	0.1558	0.0728	0.5796	0.1324	0.0576	0.031
IntegratedGradient	Single	0.4982	0.4982	0.4800	0.0562	0.0564	0.0416	0.1612	0.0866	0.5836	0.1348	0.0574	0.0342
IntegratedGradient	Single	0.4982	0.4982	0.4800	0.0562	0.0564	0.0416	0.1612	0.0866	0.5836	0.1348	0.0574	0.0342
IntegratedGradient	Single	0.4982	0.4982	0.4800	0.0558	0.0548	0.04	0.1586	0.0848	0.582	0.1338	0.056	0.0312
IntegratedGradient	Single	0.4982	0.4982	0.4800	0.0558	0.0548	0.04	0.1586	0.0848	0.582	0.1338	0.056	0.0312
Occlusion_baseline	Single	0.2074	0.1938	0.4446	0.0108	0.074	0.0734	0.16	0.0894	0.584	0.2224	0.0584	0.0222
Occlusion_baseline	Single	0.2074	0.1938	0.4446	0.0108	0.074	0.0734	0.16	0.0894	0.584	0.2224	0.0584	0.0222
Saliency	Single	0.214	0.1948	0.4686	0.0364	0.066	0.056	0.1524	0.0854	0.581	0.186	0.0584	0.0316
Saliency	Single	0.214	0.1948	0.4686	0.0364	0.066	0.056	0.1524	0.0854	0.581	0.186	0.0584	0.0316

Table 136: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.384	0.4674	0.623	0.8838
Borda (n=3)	Ensemble	0.395	0.4786	0.6264	0.88
Borda (n=4)	Ensemble	0.3926	0.481	0.6242	0.8774
Borda (n=5)	Ensemble	0.405	0.4922	0.623	0.8808
Borda (n=6)	Ensemble	0.4146	0.5006	0.626	0.8942
Borda (n=7)	Ensemble	0.4158	0.5046	0.6278	0.8998
Borda (n=8)	Ensemble	0.4192	0.5076	0.6258	0.8958
Kemeny-Young (n=2)	Ensemble	0.384	0.4674	0.623	0.8838
Kemeny-Young (n=3)	Ensemble	0.395	0.4786	0.6264	0.88
Kemeny-Young (n=4)	Ensemble	0.3926	0.481	0.6242	0.8774
Kemeny-Young (n=5)	Ensemble	0.405	0.4922	0.623	0.8808
Kemeny-Young (n=6)	Ensemble	0.4146	0.5006	0.626	0.8942
Kemeny-Young (n=7)	Ensemble	0.4158	0.5046	0.6278	0.8998
Kemeny-Young (n=8)	Ensemble	0.4192	0.5076	0.6258	0.8958
RRF (n=2)	Ensemble	0.3792	0.4622	0.6236	0.883
RRF (n=3)	Ensemble	0.3982	0.483	0.625	0.882
RRF (n=4)	Ensemble	0.4032	0.4876	0.6242	0.8762
RRF (n=5)	Ensemble	0.408	0.4946	0.626	0.8892
RRF (n=6)	Ensemble	0.416	0.5072	0.6262	0.885
RRF (n=7)	Ensemble	0.4232	0.5166	0.6272	0.8844
RRF (n=8)	Ensemble	0.4248	0.521	0.6256	0.8998
Schulze (n=2)	Ensemble	0.3848	0.4674	0.623	0.8806
Schulze (n=3)	Ensemble	0.394	0.4822	0.6254	0.8782
Schulze (n=4)	Ensemble	0.4086	0.4936	0.6228	0.8766
Schulze (n=5)	Ensemble	0.4266	0.5186	0.6234	0.877
Schulze (n=6)	Ensemble	0.438	0.5436	0.6232	0.8796
Schulze (n=7)	Ensemble	0.443	0.554	0.624	0.8818
Schulze (n=8)	Ensemble	0.4458	0.5552	0.6252	0.883
norm_ensemble (n=2)	Ensemble	0.405	0.505	0.6248	0.8788
norm_ensemble (n=3)	Ensemble	0.4386	0.5472	0.623	0.8774
norm_ensemble (n=4)	Ensemble	0.4322	0.5408	0.622	0.8748
norm_ensemble (n=5)	Ensemble	0.4232	0.5266	0.6278	0.8844
norm_ensemble (n=6)	Ensemble	0.4262	0.5264	0.6216	0.8776
norm_ensemble (n=7)	Ensemble	0.4358	0.536	0.623	0.8796
norm_ensemble (n=8)	Ensemble	0.4296	0.5322	0.6174	0.848

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.5178	0.6658	0.6182	0.8616
Deconvolution	Single	0.5178	0.6658	0.6182	0.8616
DeepLIFT_SHAPSHap	baseline	0.5668	0.7514	0.5436	0.7106
DeepLIFT_SHAPSHap	baseline	0.5668	0.7514	0.5436	0.7106
DeepLIFT_SHAPSHap	baseline	0.5668	0.7514	0.5436	0.7106
DeepLIFT_SHAPSHap	baseline	0.5668	0.7514	0.5436	0.7106
DeepLIFT_baseline	global	0.5668	0.7514	0.5436	0.7106
DeepLIFT_baseline	global	0.5668	0.7514	0.5436	0.7106
FeatureAblation_single	size 0.417		0.5126	0.607	0.8242
FeatureAblation_single	size 0.417		0.5126	0.607	0.8242
GradientShap_baseline	single	0.4516	0.5928	0.6258	0.8806
GradientShap_baseline	single	0.4516	0.5928	0.6258	0.8806
GradientShap_baseline	single	0.4502	0.5941	0.6275	0.8798
GradientShap_baseline	single	0.4502	0.5941	0.6275	0.8798
GuidedBackprop	Single	0.4144	0.5086	0.6106	0.8386
GuidedBackprop	Single	0.4144	0.5086	0.6106	0.8386
InputXGradient	Single	0.4872	0.6128	0.6208	0.874
InputXGradient	Single	0.4872	0.6128	0.6208	0.874
IntegratedGradient	Single	0.4568	0.5706	0.6200	0.8758
IntegratedGradient	Single	0.4568	0.5706	0.6200	0.8758
IntegratedGradient	Single	0.4582	0.5738	0.6308	0.8752
IntegratedGradient	Single	0.4582	0.5738	0.6308	0.8752
Occlusion_baseline	global	0.4551	0.5551	0.6194	0.8754
Occlusion_baseline	global	0.4551	0.5551	0.6194	0.8754
Saliency	Single	0.477	0.5868	0.6158	0.8612
Saliency	Single	0.477	0.5868	0.6158	0.8612

Table 137: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob		
Borda (n=2)	Ensemble	0.1946	0.176	0.3742	0.0474	0.0746	0.0724	0.1562	0.0866	0.581	0.1368	0.0558	0.0338
Borda (n=3)	Ensemble	0.1982	0.1776	0.3838	0.0308	0.071	0.0682	0.1594	0.0842	0.585	0.137	0.0588	0.0306
Borda (n=4)	Ensemble	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588	0.157	0.0854	0.5832	0.1268	0.0542	0.0254
Borda (n=5)	Ensemble	0.2012	0.1832	0.3932	0.0196	0.0632	0.0546	0.157	0.0904	0.5804	0.131	0.0518	0.0254
Borda (n=6)	Ensemble	0.2038	0.1796	0.4048	0.0122	0.0692	0.0604	0.1618	0.1018	0.5838	0.1482	0.0536	0.041
Borda (n=7)	Ensemble	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484	0.1602	0.0974	0.5864	0.1566	0.0542	0.0364
Borda (n=8)	Ensemble	0.2022	0.174	0.4074	0.0072	0.0624	0.0466	0.1546	0.0916	0.5834	0.1472	0.054	0.032
Kemeny-Young (n=2)	Ensemble	0.1946	0.176	0.3742	0.0474	0.0746	0.0724	0.1562	0.0866	0.581	0.1368	0.0558	0.0338
Kemeny-Young (n=3)	Ensemble	0.1982	0.1776	0.3838	0.0308	0.071	0.0682	0.1594	0.0842	0.585	0.137	0.0588	0.0306
Kemeny-Young (n=4)	Ensemble	0.1862	0.1758	0.3804	0.0292	0.0632	0.0588	0.157	0.0854	0.5832	0.1268	0.0542	0.0254
Kemeny-Young (n=5)	Ensemble	0.2012	0.1832	0.3932	0.0196	0.0632	0.0546	0.157	0.0904	0.5804	0.131	0.0518	0.0254
Kemeny-Young (n=6)	Ensemble	0.2038	0.1796	0.4048	0.0122	0.0692	0.0604	0.1618	0.1018	0.5838	0.1482	0.0536	0.041
Kemeny-Young (n=7)	Ensemble	0.2012	0.1764	0.4042	0.0076	0.0622	0.0484	0.1602	0.0974	0.5864	0.1566	0.0542	0.0364
Kemeny-Young (n=8)	Ensemble	0.2022	0.174	0.4074	0.0072	0.0624	0.0466	0.1546	0.0916	0.5834	0.1472	0.054	0.032
RRF (n=2)	Ensemble	0.1948	0.1792	0.3702	0.0516	0.0702	0.0688	0.1554	0.0846	0.5806	0.1336	0.0556	0.0332
RRF (n=3)	Ensemble	0.1988	0.1788	0.3878	0.0364	0.0734	0.0658	0.16	0.0868	0.5824	0.1338	0.0576	0.0324
RRF (n=4)	Ensemble	0.1972	0.1824	0.3934	0.0262	0.0686	0.0626	0.1538	0.0788	0.5822	0.1292	0.056	0.0256
RRF (n=5)	Ensemble	0.1942	0.1768	0.3966	0.0234	0.0632	0.0548	0.1578	0.0916	0.5836	0.141	0.0574	0.0356
RRF (n=6)	Ensemble	0.1984	0.1764	0.4036	0.0094	0.0592	0.049	0.158	0.084	0.5836	0.1404	0.0588	0.0256
RRF (n=7)	Ensemble	0.1994	0.1732	0.41	0.0046	0.0598	0.0432	0.1574	0.0814	0.5844	0.1476	0.0598	0.0306
RRF (n=8)	Ensemble	0.2006	0.1774	0.412	0.004	0.0626	0.048	0.156	0.0896	0.583	0.1632	0.0596	0.0406
Schulze (n=2)	Ensemble	0.1944	0.1724	0.3748	0.0478	0.0742	0.073	0.1556	0.089	0.5812	0.1332	0.0564	0.0294
Schulze (n=3)	Ensemble	0.1954	0.1832	0.384	0.042	0.0702	0.0674	0.162	0.0862	0.5824	0.1298	0.0572	0.0272
Schulze (n=4)	Ensemble	0.2022	0.1832	0.3996	0.0192	0.0752	0.0688	0.158	0.0814	0.5814	0.1302	0.054	0.0282
Schulze (n=5)	Ensemble	0.2038	0.177	0.4136	0.0024	0.0702	0.0502	0.1604	0.0832	0.5814	0.128	0.0552	0.0302
Schulze (n=6)	Ensemble	0.1894	0.175	0.4254	0.0218	0.0608	0.0438	0.1584	0.0848	0.5816	0.1314	0.054	0.0296
Schulze (n=7)	Ensemble	0.1966	0.1804	0.4306	0.0304	0.0566	0.0424	0.1598	0.0914	0.5816	0.1328	0.0542	0.03
Schulze (n=8)	Ensemble	0.197	0.18	0.4328	0.0302	0.0618	0.0466	0.1574	0.087	0.5834	0.1368	0.0572	0.0312
norm_ensemble (n=2)	Ensemble	0.202	0.1922	0.3928	0.0092	0.0688	0.0718	0.1586	0.0832	0.5834	0.1314	0.055	0.031
norm_ensemble (n=3)	Ensemble	0.2052	0.1962	0.4248	0.0232	0.0654	0.0558	0.159	0.0846	0.581	0.131	0.0546	0.0298
norm_ensemble (n=4)	Ensemble	0.2026	0.1908	0.4186	0.0192	0.0622	0.058	0.1548	0.0802	0.5796	0.1258	0.0536	0.0242
norm_ensemble (n=5)	Ensemble	0.194	0.179	0.4102	0.0094	0.063	0.0588	0.16	0.0848	0.5868	0.1362	0.0596	0.0388
norm_ensemble (n=6)	Ensemble	0.1964	0.1862	0.413	0.0116	0.0618	0.055	0.152	0.0826	0.5788	0.1388	0.0546	0.0242

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.2062	0.1898	0.4222	0.0136	0.0698	0.0606	0.1534	0.0814	0.5812	0.1356	0.0544	0.0252
norm_ensemble (n=8)	Ensemble	0.207	0.194	0.4166	0.0172	0.0668	0.0614	0.1488	0.048	0.5766	0.1072	0.0518	0.011
Deconvolution	Single	0.2112	0.2032	0.5	0.1072	0.0774	0.0788	0.16	0.0972	0.5776	0.154	0.0568	0.0362
Deconvolution	Single	0.2112	0.2032	0.5	0.1072	0.0774	0.0788	0.16	0.0972	0.5776	0.154	0.0568	0.0362
DeepLIFT_SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
DeepLIFT_SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
DeepLIFT_SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
DeepLIFT_SHAP	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
DeepLIFT_baseline	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
DeepLIFT_baseline	Single	0.1978	0.1842	0.5306	0.0916	0.073	0.0642	0.201	0.189	0.512	0.0866	0.074	0.0648
FeatureAblation	Single	0.213	0.2034	0.4072	0.0082	0.0728	0.0694	0.1746	0.1232	0.5716	0.2086	0.0592	0.039
FeatureAblation	Single	0.213	0.2034	0.4072	0.0082	0.0728	0.0694	0.1746	0.1232	0.5716	0.2086	0.0592	0.039
GradientShap_baseline	Single	0.1998	0.1842	0.4436	0.2037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
GradientShap_baseline	Single	0.1998	0.1842	0.4436	0.2037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
GradientShap_baseline	Single	0.1998	0.1842	0.4436	0.2037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
GradientShap_baseline	Single	0.1998	0.1842	0.4436	0.2037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
GradientShap_baseline	Single	0.1998	0.1842	0.4436	0.2037	0.059	0.042	0.159	0.0846	0.5842	0.1308	0.0556	0.029
GuidedBackprop	Single	0.1906	0.1728	0.402	0.0372	0.061	0.0574	0.1676	0.1042	0.5724	0.1558	0.0518	0.0208
GuidedBackprop	Single	0.1906	0.1728	0.402	0.0372	0.061	0.0574	0.1676	0.1042	0.5724	0.1558	0.0518	0.0208
InputXGradient	Single	0.2198	0.2064	0.4694	0.0844	0.0726	0.0722	0.162	0.0826	0.5792	0.1294	0.0554	0.0336
InputXGradient	Single	0.2198	0.2064	0.4694	0.0844	0.0726	0.0722	0.162	0.0826	0.5792	0.1294	0.0554	0.0336
IntegratedGradient	Single	0.2046	0.1842	0.4200	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
IntegratedGradient	Single	0.2046	0.1842	0.4200	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
IntegratedGradient	Single	0.2046	0.1842	0.4200	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
IntegratedGradient	Single	0.2046	0.1842	0.4200	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
IntegratedGradient	Single	0.2046	0.1842	0.4200	0.0448	0.0528	0.0418	0.1624	0.084	0.5816	0.1296	0.0568	0.0272
Occlusion_baseline	Single	0.2022	0.1706	0.4364	0.0108	0.0728	0.0632	0.1648	0.13	0.582	0.2126	0.057	0.0516
Occlusion_baseline	Single	0.2022	0.1706	0.4364	0.0108	0.0728	0.0632	0.1648	0.13	0.582	0.2126	0.057	0.0516
Saliency	Single	0.2198	0.1934	0.4616	0.0214	0.0808	0.0628	0.1532	0.0836	0.5792	0.1894	0.0484	0.023
Saliency	Single	0.2198	0.1934	0.4616	0.0214	0.0808	0.0628	0.1532	0.0836	0.5792	0.1894	0.0484	0.023

Table 138: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.2696	0.3188	0.6066	0.8298
Borda (n=3)	Ensemble	0.2746	0.3254	0.6146	0.857
Borda (n=4)	Ensemble	0.2902	0.3462	0.6158	0.858
Borda (n=5)	Ensemble	0.2956	0.354	0.6122	0.8586
Borda (n=6)	Ensemble	0.3016	0.3582	0.6146	0.8548
Borda (n=7)	Ensemble	0.3124	0.3692	0.6156	0.8554
Borda (n=8)	Ensemble	0.3146	0.376	0.6168	0.8526
Kemeny-Young (n=2)	Ensemble	0.2696	0.3188	0.6066	0.8298
Kemeny-Young (n=3)	Ensemble	0.2746	0.3254	0.6146	0.857
Kemeny-Young (n=4)	Ensemble	0.2902	0.3462	0.6158	0.858
Kemeny-Young (n=5)	Ensemble	0.2956	0.354	0.6122	0.8586
Kemeny-Young (n=6)	Ensemble	0.3016	0.3582	0.6146	0.8548
Kemeny-Young (n=7)	Ensemble	0.3124	0.3692	0.6156	0.8554
Kemeny-Young (n=8)	Ensemble	0.3146	0.376	0.6168	0.8526
RRF (n=2)	Ensemble	0.261	0.3086	0.6112	0.8408
RRF (n=3)	Ensemble	0.2988	0.3566	0.6086	0.8368
RRF (n=4)	Ensemble	0.2928	0.346	0.6074	0.8348
RRF (n=5)	Ensemble	0.3036	0.36	0.6138	0.8448
RRF (n=6)	Ensemble	0.3152	0.3756	0.6132	0.8386
RRF (n=7)	Ensemble	0.3234	0.3864	0.6164	0.8556
RRF (n=8)	Ensemble	0.3296	0.3956	0.6154	0.86
Schulze (n=2)	Ensemble	0.2712	0.3222	0.6122	0.841
Schulze (n=3)	Ensemble	0.2886	0.3458	0.611	0.8356
Schulze (n=4)	Ensemble	0.303	0.3638	0.6104	0.8316
Schulze (n=5)	Ensemble	0.3212	0.3836	0.6118	0.8356
Schulze (n=6)	Ensemble	0.343	0.4132	0.61	0.8386
Schulze (n=7)	Ensemble	0.351	0.4262	0.6102	0.8434
Schulze (n=8)	Ensemble	0.348	0.4234	0.6112	0.8404
norm_ensemble (n=2)	Ensemble	0.2984	0.3658	0.6092	0.8386
norm_ensemble (n=3)	Ensemble	0.3372	0.4156	0.6118	0.8374
norm_ensemble (n=4)	Ensemble	0.3342	0.41	0.61	0.8348
norm_ensemble (n=5)	Ensemble	0.3292	0.4048	0.61	0.8416
norm_ensemble (n=6)	Ensemble	0.3288	0.3976	0.61	0.84
norm_ensemble (n=7)	Ensemble	0.335	0.4044	0.604	0.7982
norm_ensemble (n=8)	Ensemble	0.3348	0.3998	0.6078	0.8068

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.4416	0.5562	0.6054	0.8262
Deconvolution	Single	0.4416	0.5562	0.6054	0.8262
DeepLIFT_SHAP	baseline	0.5432	0.6972	0.5374	0.683
DeepLIFT_SHAP	baseline	0.5432	0.6972	0.5374	0.683
DeepLIFT_SHAP	baseline	0.5432	0.6972	0.5374	0.683
DeepLIFT_SHAP	baseline	0.5432	0.6972	0.5374	0.683
DeepLIFT_baseline	global	0.5432	0.6972	0.5374	0.683
DeepLIFT_baseline	global	0.5432	0.6972	0.5374	0.683
FeatureAblation	Single size	0.3188	0.382	0.5794	0.7702
FeatureAblation	Single size	0.3188	0.382	0.5794	0.7702
GradientShap	baseline	0.3554	0.4332	0.6096	0.804
GradientShap	baseline	0.3554	0.4332	0.6096	0.804
GradientShap	baseline	0.3554	0.4332	0.6096	0.804
GradientShap	baseline	0.3554	0.4332	0.6096	0.804
GuidedBackprop	Single	0.2954	0.3486	0.599	0.8014
GuidedBackprop	Single	0.2954	0.3486	0.599	0.8014
InputXGradient	Single	0.4072	0.5018	0.6108	0.8272
InputXGradient	Single	0.4072	0.5018	0.6108	0.8272
IntegratedGradient	baseline	0.3642	0.4478	0.6002	0.8286
IntegratedGradient	baseline	0.3642	0.4478	0.6002	0.8286
IntegratedGradient	baseline	0.3642	0.4478	0.6002	0.8286
IntegratedGradient	baseline	0.3642	0.4478	0.6002	0.8286
Occlusion_baseline	global	0.3564	0.4844	0.6108	0.83
Occlusion_baseline	global	0.3564	0.4844	0.6108	0.83
Saliency	Single	0.3732	0.4486	0.6086	0.822
Saliency	Single	0.3732	0.4486	0.6086	0.822

Table 139: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob		
Borda (n=2)	Ensemble	0.1586	0.15	0.2622	0.142	0.0586	0.0538	0.162	0.1054	0.5728	0.1922	0.0558	0.0306
Borda (n=3)	Ensemble	0.1542	0.139	0.2676	0.1284	0.0422	0.0326	0.1704	0.1314	0.5814	0.2174	0.0578	0.0416
Borda (n=4)	Ensemble	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466	0.1668	0.1306	0.581	0.2166	0.0588	0.0436
Borda (n=5)	Ensemble	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398	0.1628	0.1296	0.5782	0.2142	0.0588	0.0428
Borda (n=6)	Ensemble	0.1574	0.1468	0.294	0.102	0.0528	0.0406	0.1676	0.131	0.58	0.2076	0.0602	0.0422
Borda (n=7)	Ensemble	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454	0.1718	0.128	0.581	0.2156	0.0616	0.0452
Borda (n=8)	Ensemble	0.166	0.1586	0.3072	0.0834	0.0564	0.0472	0.1626	0.1028	0.5812	0.212	0.06	0.0346
Kemeny-Young (n=2)	Ensemble	0.1586	0.15	0.2622	0.142	0.0586	0.0538	0.162	0.1054	0.5728	0.1922	0.0558	0.0306
Kemeny-Young (n=3)	Ensemble	0.1542	0.139	0.2676	0.1284	0.0422	0.0326	0.1704	0.1314	0.5814	0.2174	0.0578	0.0416
Kemeny-Young (n=4)	Ensemble	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466	0.1668	0.1306	0.581	0.2166	0.0588	0.0436
Kemeny-Young (n=5)	Ensemble	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398	0.1628	0.1296	0.5782	0.2142	0.0588	0.0428
Kemeny-Young (n=6)	Ensemble	0.1574	0.1468	0.294	0.102	0.0528	0.0406	0.1676	0.131	0.58	0.2076	0.0602	0.0422
Kemeny-Young (n=7)	Ensemble	0.1664	0.1544	0.3042	0.0922	0.0574	0.0454	0.1718	0.128	0.581	0.2156	0.0616	0.0452
Kemeny-Young (n=8)	Ensemble	0.166	0.1586	0.3072	0.0834	0.0564	0.0472	0.1626	0.1028	0.5812	0.212	0.06	0.0346
RRF (n=2)	Ensemble	0.1522	0.1414	0.2526	0.1634	0.0538	0.048	0.1664	0.1156	0.5782	0.2016	0.0606	0.0428
RRF (n=3)	Ensemble	0.1676	0.1544	0.2918	0.107	0.058	0.0516	0.168	0.1178	0.5742	0.1986	0.0584	0.0394
RRF (n=4)	Ensemble	0.1628	0.1522	0.286	0.1116	0.0532	0.0424	0.167	0.1134	0.5728	0.1922	0.059	0.0396
RRF (n=5)	Ensemble	0.1644	0.1574	0.2964	0.0942	0.0534	0.042	0.1738	0.1234	0.58	0.2026	0.0624	0.051
RRF (n=6)	Ensemble	0.1708	0.165	0.3072	0.0852	0.0604	0.0522	0.1642	0.1118	0.578	0.1922	0.0614	0.033
RRF (n=7)	Ensemble	0.172	0.1672	0.3158	0.0732	0.0616	0.0462	0.1708	0.1306	0.5816	0.2162	0.0636	0.0422
RRF (n=8)	Ensemble	0.1754	0.1722	0.322	0.0652	0.065	0.053	0.1614	0.1072	0.579	0.2246	0.0642	0.0486
Schulze (n=2)	Ensemble	0.1594	0.1472	0.263	0.1512	0.0588	0.0564	0.1676	0.1176	0.5788	0.2132	0.0622	0.0382
Schulze (n=3)	Ensemble	0.1668	0.1584	0.2814	0.1178	0.0566	0.06	0.1664	0.1138	0.5776	0.194	0.062	0.038
Schulze (n=4)	Ensemble	0.1688	0.1608	0.296	0.094	0.058	0.0582	0.1682	0.108	0.5766	0.188	0.06	0.035
Schulze (n=5)	Ensemble	0.1676	0.16	0.3122	0.0756	0.0546	0.0436	0.1718	0.117	0.5772	0.1896	0.061	0.0424
Schulze (n=6)	Ensemble	0.1918	0.198	0.335	0.0494	0.0878	0.0814	0.1674	0.1124	0.5752	0.191	0.0598	0.0416
Schulze (n=7)	Ensemble	0.1848	0.182	0.3436	0.0352	0.068	0.059	0.1692	0.1216	0.5752	0.1966	0.0592	0.0448
Schulze (n=8)	Ensemble	0.178	0.1752	0.3406	0.0362	0.0562	0.0452	0.1674	0.1098	0.5758	0.1938	0.0616	0.0412
norm_ensemble (n=2)	Ensemble	0.1684	0.1706	0.2892	0.0962	0.0626	0.0594	0.1674	0.1192	0.5746	0.1996	0.0616	0.0398
norm_ensemble (n=3)	Ensemble	0.1756	0.1712	0.328	0.044	0.0568	0.0546	0.1786	0.1438	0.5772	0.2012	0.0638	0.0528
norm_ensemble (n=4)	Ensemble	0.1774	0.1754	0.3256	0.0468	0.0596	0.057	0.1728	0.1314	0.5754	0.1944	0.0648	0.0484
norm_ensemble (n=5)	Ensemble	0.1774	0.177	0.3216	0.0478	0.0624	0.063	0.1708	0.1338	0.5758	0.1986	0.0592	0.0528
norm_ensemble (n=6)	Ensemble	0.1762	0.1668	0.3216	0.0544	0.0606	0.0526	0.1628	0.1184	0.5762	0.1986	0.0588	0.041

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1812	0.1792	0.328	0.0464	0.0628	0.0578	0.1584	0.0776	0.5694	0.16	0.0518	0.0082
norm_ensemble (n=8)	Ensemble	0.1748	0.1634	0.3274	0.054	0.0624	0.0518	0.1824	0.1464	0.578	0.2006	0.0574	0.0052
Deconvolution	Single	0.219	0.2208	0.431	0.0766	0.0804	0.0842	0.167	0.1238	0.5696	0.1784	0.0618	0.0474
Deconvolution	Single	0.219	0.2208	0.431	0.0766	0.0804	0.0842	0.167	0.1238	0.5696	0.1784	0.0618	0.0474
DeepLIFT_SHAP	Single	0.1906	0.1906	0.4454	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754
DeepLIFT_SHAP	Single	0.1906	0.1906	0.4454	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754
DeepLIFT_SHAP	Single	0.1906	0.1906	0.4454	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754
DeepLIFT_SHAP	Single	0.1906	0.1906	0.4454	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754
DeepLIFT_baseline	Single	0.1916	0.1916	0.4454	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754
DeepLIFT_baseline	Single	0.1916	0.1916	0.4454	0.5106	0.098	0.0678	0.0514	0.214	0.1908	0.5118	0.0926	0.0754
FeatureAblation	Single	0.1788	0.169	0.3048	0.0756	0.0504	0.0502	0.1974	0.1762	0.5552	0.2654	0.0626	0.0624
FeatureAblation	Single	0.1788	0.169	0.3048	0.0756	0.0504	0.0502	0.1974	0.1762	0.5552	0.2654	0.0626	0.0624
GradientShap_baseline	Single	0.1776	0.1776	0.3472	0.3027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
GradientShap_baseline	Single	0.1776	0.1776	0.3472	0.3027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
GradientShap_baseline	Single	0.1776	0.1776	0.3472	0.3027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
GradientShap_baseline	Single	0.1776	0.1776	0.3472	0.3027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
GradientShap_baseline	Single	0.1776	0.1776	0.3472	0.3027	0.0488	0.0352	0.166	0.1196	0.5742	0.2004	0.0598	0.0424
GuidedBackprop	Single	0.1584	0.1454	0.2884	0.1298	0.069	0.0612	0.1796	0.1332	0.5678	0.2198	0.0612	0.037
GuidedBackprop	Single	0.1584	0.1454	0.2884	0.1298	0.069	0.0612	0.1796	0.1332	0.5678	0.2198	0.0612	0.037
InputXGradient	Single	0.2094	0.213	0.3978	0.0372	0.0814	0.0854	0.176	0.1208	0.5774	0.1834	0.0632	0.0528
InputXGradient	Single	0.2094	0.213	0.3978	0.0372	0.0814	0.0854	0.176	0.1208	0.5774	0.1834	0.0632	0.0528
IntegratedGradient	Single	0.4862	0.4862	0.3362	0.3562	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612
IntegratedGradient	Single	0.4862	0.4862	0.3362	0.3562	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612
IntegratedGradient	Single	0.4862	0.4862	0.3362	0.3562	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612
IntegratedGradient	Single	0.4862	0.4862	0.3362	0.3562	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612
IntegratedGradient	Single	0.4862	0.4862	0.3362	0.3562	0.0148	0.0536	0.0478	0.1688	0.1106	0.5728	0.1858	0.0612
Occlusion_baseline	Single	0.1844	0.1844	0.3476	0.3476	0.0522	0.0684	0.065	0.1784	0.1332	0.5798	0.286	0.0616
Occlusion_baseline	Single	0.1844	0.1844	0.3476	0.3476	0.0522	0.0684	0.065	0.1784	0.1332	0.5798	0.286	0.0616
Saliency	Single	0.1942	0.1814	0.3646	0.0324	0.0672	0.0614	0.1716	0.1196	0.5766	0.2362	0.0624	0.0476
Saliency	Single	0.1942	0.1814	0.3646	0.0324	0.0672	0.0614	0.1716	0.1196	0.5766	0.2362	0.0624	0.0476

Table 140: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.1028	0.126	0.5766	0.7462
Borda (n=3)	Ensemble	0.1198	0.1442	0.5816	0.7572
Borda (n=4)	Ensemble	0.1406	0.1692	0.5854	0.7534
Borda (n=5)	Ensemble	0.1544	0.1852	0.5784	0.748
Borda (n=6)	Ensemble	0.1564	0.1856	0.5794	0.7566
Borda (n=7)	Ensemble	0.161	0.1932	0.5902	0.7718
Borda (n=8)	Ensemble	0.165	0.1998	0.5926	0.7802
Kemeny-Young (n=2)	Ensemble	0.1028	0.126	0.5766	0.7462
Kemeny-Young (n=3)	Ensemble	0.1198	0.1442	0.5816	0.7572
Kemeny-Young (n=4)	Ensemble	0.1406	0.1692	0.5854	0.7534
Kemeny-Young (n=5)	Ensemble	0.1544	0.1852	0.5784	0.748
Kemeny-Young (n=6)	Ensemble	0.1564	0.1856	0.5794	0.7566
Kemeny-Young (n=7)	Ensemble	0.161	0.1932	0.5902	0.7718
Kemeny-Young (n=8)	Ensemble	0.165	0.1998	0.5926	0.7802
RRF (n=2)	Ensemble	0.1088	0.134	0.5762	0.745
RRF (n=3)	Ensemble	0.1416	0.1688	0.5736	0.745
RRF (n=4)	Ensemble	0.1442	0.1752	0.5708	0.7444
RRF (n=5)	Ensemble	0.1454	0.1774	0.5834	0.7558
RRF (n=6)	Ensemble	0.1586	0.1906	0.582	0.7606
RRF (n=7)	Ensemble	0.1632	0.1998	0.5894	0.7694
RRF (n=8)	Ensemble	0.172	0.2044	0.5948	0.7864
Schulze (n=2)	Ensemble	0.107	0.1306	0.5758	0.7494
Schulze (n=3)	Ensemble	0.1314	0.1586	0.575	0.7452
Schulze (n=4)	Ensemble	0.1426	0.1722	0.568	0.7408
Schulze (n=5)	Ensemble	0.1662	0.1974	0.572	0.74
Schulze (n=6)	Ensemble	0.1818	0.221	0.5758	0.7452
Schulze (n=7)	Ensemble	0.1988	0.2374	0.5752	0.7512
Schulze (n=8)	Ensemble	0.1944	0.2372	0.5766	0.7536
norm_ensemble (n=2)	Ensemble	0.1288	0.1524	0.5742	0.7472
norm_ensemble (n=3)	Ensemble	0.1776	0.2146	0.5708	0.7418
norm_ensemble (n=4)	Ensemble	0.1726	0.2066	0.5716	0.7382
norm_ensemble (n=5)	Ensemble	0.1696	0.2016	0.5818	0.7508
norm_ensemble (n=6)	Ensemble	0.174	0.2104	0.5794	0.749
norm_ensemble (n=7)	Ensemble	0.1764	0.2152	0.5626	0.7146
norm_ensemble (n=8)	Ensemble	0.1808	0.2202	0.5704	0.7286

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.296	0.3636	0.5698	0.7314
Deconvolution	Single	0.296	0.3636	0.5698	0.7314
DeepLIFT_SHAP	baseline	0.4178	0.5016	0.3848	0.465
DeepLIFT_SHAP	baseline	0.4178	0.5016	0.3848	0.465
DeepLIFT_SHAP	baseline	0.4178	0.5016	0.3848	0.465
DeepLIFT_SHAP	baseline	0.4178	0.5016	0.3848	0.465
DeepLIFT_baseline	global	0.4178	0.5016	0.3848	0.465
DeepLIFT_baseline	global	0.4178	0.5016	0.3848	0.465
FeatureAblation	Single size 16	0.1996	0.1996	0.4936	0.6146
FeatureAblation	Single size 16	0.1996	0.1996	0.4936	0.6146
GradientShap	baseline	0.2008	0.2374	0.5741	0.7092
GradientShap	baseline	0.2008	0.2374	0.5741	0.7092
GradientShap	baseline	0.2008	0.2374	0.5741	0.7092
GradientShap	baseline	0.2008	0.2374	0.5741	0.7092
GuidedBackprop	Single	0.1214	0.149	0.556	0.7154
GuidedBackprop	Single	0.1214	0.149	0.556	0.7154
InputXGradient	Single	0.2464	0.3008	0.5514	0.7072
InputXGradient	Single	0.2464	0.3008	0.5514	0.7072
IntegratedGradient	baseline	0.2062	0.2494	0.5880	0.7342
IntegratedGradient	baseline	0.2062	0.2494	0.5880	0.7342
IntegratedGradient	baseline	0.2082	0.2504	0.556	0.7342
IntegratedGradient	baseline	0.2082	0.2504	0.556	0.7342
Occlusion_baseline	global	0.208	0.2572	0.5518	0.7088
Occlusion_baseline	global	0.208	0.2572	0.5518	0.7088
Saliency	Single	0.214	0.2592	0.5616	0.7266
Saliency	Single	0.214	0.2592	0.5616	0.7266

Table 141: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob		
Borda (n=2)	Ensemble	0.0676	0.069	0.1008	0.2852	0.0236	0.0248	0.1872	0.1702	0.5536	0.2392	0.0628	0.0472
Borda (n=3)	Ensemble	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162	0.1894	0.1794	0.557	0.2386	0.067	0.0564
Borda (n=4)	Ensemble	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242	0.199	0.1812	0.5606	0.2266	0.0732	0.0514
Borda (n=5)	Ensemble	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274	0.1914	0.1748	0.5534	0.2176	0.0658	0.0472
Borda (n=6)	Ensemble	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314	0.1844	0.1674	0.555	0.2236	0.0722	0.0616
Borda (n=7)	Ensemble	0.0914	0.0894	0.1572	0.225	0.0342	0.033	0.1972	0.19	0.567	0.2372	0.0734	0.0676
Borda (n=8)	Ensemble	0.1002	0.095	0.1608	0.222	0.0368	0.0366	0.1922	0.1844	0.5674	0.2476	0.0792	0.0814
Kemeny-Young (n=2)	Ensemble	0.0676	0.069	0.1008	0.2852	0.0236	0.0248	0.1872	0.1702	0.5536	0.2392	0.0628	0.0472
Kemeny-Young (n=3)	Ensemble	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162	0.1894	0.1794	0.557	0.2386	0.067	0.0564
Kemeny-Young (n=4)	Ensemble	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242	0.199	0.1812	0.5606	0.2266	0.0732	0.0514
Kemeny-Young (n=5)	Ensemble	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274	0.1914	0.1748	0.5534	0.2176	0.0658	0.0472
Kemeny-Young (n=6)	Ensemble	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314	0.1844	0.1674	0.555	0.2236	0.0722	0.0616
Kemeny-Young (n=7)	Ensemble	0.0914	0.0894	0.1572	0.225	0.0342	0.033	0.1972	0.19	0.567	0.2372	0.0734	0.0676
Kemeny-Young (n=8)	Ensemble	0.1002	0.095	0.1608	0.222	0.0368	0.0366	0.1922	0.1844	0.5674	0.2476	0.0792	0.0814
RRF (n=2)	Ensemble	0.0746	0.0762	0.1048	0.2858	0.0268	0.0294	0.1866	0.1664	0.5504	0.215	0.0778	0.059
RRF (n=3)	Ensemble	0.0918	0.089	0.1378	0.2496	0.038	0.0332	0.184	0.1712	0.5488	0.2104	0.0708	0.0566
RRF (n=4)	Ensemble	0.0938	0.0932	0.1406	0.2428	0.0332	0.0342	0.186	0.177	0.5476	0.2126	0.0684	0.056
RRF (n=5)	Ensemble	0.0908	0.0884	0.1418	0.2402	0.0294	0.0254	0.1976	0.1806	0.5602	0.2218	0.0842	0.0728
RRF (n=6)	Ensemble	0.096	0.0956	0.1548	0.2274	0.0358	0.0346	0.185	0.1694	0.558	0.2252	0.0724	0.0678
RRF (n=7)	Ensemble	0.0966	0.0992	0.1594	0.2172	0.0326	0.034	0.1946	0.1792	0.5658	0.2412	0.0724	0.055
RRF (n=8)	Ensemble	0.1042	0.0992	0.1682	0.217	0.0334	0.0312	0.187	0.1686	0.5712	0.2598	0.0774	0.0754
Schulze (n=2)	Ensemble	0.0724	0.0746	0.1032	0.2912	0.026	0.0292	0.1884	0.1766	0.553	0.2246	0.078	0.0694
Schulze (n=3)	Ensemble	0.0896	0.0894	0.1282	0.2558	0.0348	0.0324	0.1792	0.1584	0.5508	0.2134	0.072	0.0586
Schulze (n=4)	Ensemble	0.0922	0.0918	0.139	0.2422	0.0304	0.031	0.179	0.1616	0.5452	0.2114	0.0682	0.0572
Schulze (n=5)	Ensemble	0.102	0.0946	0.1622	0.2216	0.0376	0.0298	0.189	0.1704	0.5506	0.21	0.0738	0.0636
Schulze (n=6)	Ensemble	0.1206	0.1236	0.1784	0.1978	0.0548	0.0562	0.1838	0.1658	0.554	0.2122	0.077	0.0658
Schulze (n=7)	Ensemble	0.1234	0.128	0.1946	0.183	0.0472	0.0446	0.1872	0.1734	0.5526	0.216	0.0706	0.0656
Schulze (n=8)	Ensemble	0.117	0.1232	0.1894	0.1846	0.041	0.0394	0.1868	0.171	0.5538	0.2208	0.0752	0.0694
norm_ensemble (n=2)	Ensemble	0.086	0.0868	0.1248	0.2626	0.0266	0.0224	0.1906	0.173	0.5496	0.223	0.0798	0.065
norm_ensemble (n=3)	Ensemble	0.1132	0.117	0.1736	0.2002	0.046	0.0458	0.1984	0.1846	0.5458	0.211	0.0828	0.078
norm_ensemble (n=4)	Ensemble	0.1114	0.1136	0.169	0.2082	0.0456	0.0458	0.19	0.1768	0.5476	0.2068	0.0774	0.0666
norm_ensemble (n=5)	Ensemble	0.1106	0.1098	0.166	0.2136	0.0422	0.0394	0.2024	0.1894	0.5598	0.2176	0.0886	0.0792
norm_ensemble (n=6)	Ensemble	0.11	0.1122	0.1704	0.2054	0.0418	0.0418	0.1852	0.1694	0.557	0.2198	0.0752	0.0612

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1106	0.1138	0.1734	0.2002	0.0386	0.0366	0.1742	0.1384	0.5402	0.1848	0.0516	0.017
norm_ensemble (n=8)	Ensemble	0.1124	0.1148	0.177	0.1982	0.0408	0.0412	0.2002	0.2058	0.5514	0.2184	0.0656	0.0384
Deconvolution	Single	0.1848	0.1946	0.2906	0.0626	0.0672	0.0674	0.1934	0.1642	0.545	0.2176	0.0674	0.0572
Deconvolution	Single	0.1848	0.1946	0.2906	0.0626	0.0672	0.0674	0.1934	0.1642	0.545	0.2176	0.0674	0.0572
DeepLIFT_SHAP	Single	0.1966	0.1966	0.404	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SHAP	Single	0.1966	0.1966	0.404	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SHAP	Single	0.1966	0.1966	0.404	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_SHAP	Single	0.1966	0.1966	0.404	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_baseline	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
DeepLIFT_baseline	Single	0.1966	0.194	0.401	0.0902	0.0688	0.0658	0.206	0.2114	0.3724	0.0392	0.0768	0.0724
FeatureAblation	Single	0.1078	0.1102	0.1588	0.2154	0.03	0.0312	0.2248	0.24	0.4814	0.185	0.076	0.0872
FeatureAblation	Single	0.1078	0.1102	0.1588	0.2154	0.03	0.0312	0.2248	0.24	0.4814	0.185	0.076	0.0872
GradientShap_baseline	Single	0.1222	0.1252	0.1966	0.20824	0.0378	0.0276	0.1852	0.1754	0.5508	0.2182	0.0766	0.0698
GradientShap_baseline	Single	0.1222	0.1252	0.1966	0.20824	0.0378	0.0276	0.1852	0.1754	0.5508	0.2182	0.0766	0.0698
GradientShap_baseline	Single	0.1222	0.1272	0.2002	0.40768	0.0404	0.0366	0.1866	0.1762	0.5524	0.2204	0.0778	0.0678
GradientShap_baseline	Single	0.1222	0.1272	0.2002	0.40768	0.0404	0.0366	0.1866	0.1762	0.5524	0.2204	0.0778	0.0678
GuidedBackprop	Single	0.0766	0.0806	0.1174	0.2712	0.0314	0.0332	0.1936	0.176	0.5354	0.222	0.0642	0.0524
GuidedBackprop	Single	0.0766	0.0806	0.1174	0.2712	0.0314	0.0332	0.1936	0.176	0.5354	0.222	0.0642	0.0524
InputXGradient	Single	0.156	0.1634	0.2424	0.1206	0.0566	0.0604	0.1822	0.163	0.5294	0.1826	0.0712	0.0618
InputXGradient	Single	0.156	0.1634	0.2424	0.1206	0.0566	0.0604	0.1822	0.163	0.5294	0.1826	0.0712	0.0618
IntegratedGradient	Single	0.429	0.4308	0.2004	0.1712	0.0358	0.0344	0.1872	0.1706	0.5464	0.2052	0.076	0.064
IntegratedGradient	Single	0.429	0.4308	0.2004	0.1712	0.0358	0.0344	0.1872	0.1706	0.5464	0.2052	0.076	0.064
IntegratedGradient	Single	0.4314	0.4323	0.2036	0.1702	0.0378	0.0346	0.1844	0.1688	0.546	0.2062	0.075	0.0634
IntegratedGradient	Single	0.4314	0.4323	0.2036	0.1702	0.0378	0.0346	0.1844	0.1688	0.546	0.2062	0.075	0.0634
Occlusion_baseline	Single	0.125	0.1274	0.2036	0.17	0.0396	0.0394	0.1992	0.1974	0.5332	0.2528	0.0744	0.0682
Occlusion_baseline	Single	0.125	0.1274	0.2036	0.17	0.0396	0.0394	0.1992	0.1974	0.5332	0.2528	0.0744	0.0682
Saliency	Single	0.1352	0.1438	0.2096	0.1652	0.0476	0.0508	0.1776	0.1618	0.5376	0.2346	0.0606	0.0516
Saliency	Single	0.1352	0.1438	0.2096	0.1652	0.0476	0.0508	0.1776	0.1618	0.5376	0.2346	0.0606	0.0516

Table 142: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.5118	0.6444	0.6322	0.9288
Borda (n=3)	Ensemble	0.4942	0.6206	0.6324	0.9372
Borda (n=4)	Ensemble	0.4962	0.6228	0.6304	0.9432
Borda (n=5)	Ensemble	0.5024	0.6344	0.6322	0.9414
Borda (n=6)	Ensemble	0.5022	0.6406	0.631	0.9422
Borda (n=7)	Ensemble	0.5092	0.6468	0.6332	0.9412
Borda (n=8)	Ensemble	0.5128	0.6512	0.634	0.9402
Kemeny-Young (n=2)	Ensemble	0.5118	0.6444	0.6322	0.9288
Kemeny-Young (n=3)	Ensemble	0.4942	0.6206	0.6324	0.9372
Kemeny-Young (n=4)	Ensemble	0.4962	0.6228	0.6304	0.9432
Kemeny-Young (n=5)	Ensemble	0.5024	0.6344	0.6322	0.9414
Kemeny-Young (n=6)	Ensemble	0.5022	0.6406	0.631	0.9422
Kemeny-Young (n=7)	Ensemble	0.5092	0.6468	0.6332	0.9412
Kemeny-Young (n=8)	Ensemble	0.5128	0.6512	0.634	0.9402
RRF (n=2)	Ensemble	0.4934	0.6178	0.6312	0.9296
RRF (n=3)	Ensemble	0.4892	0.6132	0.6316	0.9276
RRF (n=4)	Ensemble	0.498	0.624	0.6308	0.927
RRF (n=5)	Ensemble	0.5056	0.6348	0.6334	0.9334
RRF (n=6)	Ensemble	0.5116	0.6456	0.6346	0.932
RRF (n=7)	Ensemble	0.5188	0.6546	0.6326	0.9438
RRF (n=8)	Ensemble	0.5166	0.6574	0.6308	0.9386
Schulze (n=2)	Ensemble	0.4958	0.6242	0.6308	0.9286
Schulze (n=3)	Ensemble	0.5028	0.6252	0.6326	0.9278
Schulze (n=4)	Ensemble	0.4992	0.6268	0.63	0.9266
Schulze (n=5)	Ensemble	0.5154	0.6562	0.6322	0.9274
Schulze (n=6)	Ensemble	0.5344	0.6874	0.6324	0.9272
Schulze (n=7)	Ensemble	0.5446	0.7078	0.6332	0.93
Schulze (n=8)	Ensemble	0.5414	0.7014	0.633	0.9316
norm_ensemble (n=2)	Ensemble	0.505	0.6486	0.6292	0.9304
norm_ensemble (n=3)	Ensemble	0.5198	0.669	0.6306	0.9292
norm_ensemble (n=4)	Ensemble	0.5174	0.6636	0.6288	0.9286
norm_ensemble (n=5)	Ensemble	0.5154	0.658	0.632	0.9312
norm_ensemble (n=6)	Ensemble	0.5154	0.6596	0.6312	0.93
norm_ensemble (n=7)	Ensemble	0.5214	0.661	0.6276	0.8986
norm_ensemble (n=8)	Ensemble	0.5154	0.6518	0.627	0.9026

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.5864	0.7922	0.6306	0.916
Deconvolution	Single	0.5864	0.7922	0.6306	0.916
DeepLIFT_SHAP	baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT_SHAP	baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT_SHAP	baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT_SHAP	baseline	0.6182	0.8556	0.6254	0.8746
DeepLIFT_baseline	global	0.6182	0.8556	0.6254	0.8746
DeepLIFT_baseline	global	0.6182	0.8556	0.6254	0.8746
FeatureAblation	Single size	0.5066	0.6332	0.6264	0.8966
FeatureAblation	Single size	0.5066	0.6332	0.6264	0.8966
GradientShap	baseline	0.5438	0.7104	0.6318	0.9282
GradientShap	baseline	0.5438	0.7104	0.6318	0.9282
GradientShap	baseline	0.5438	0.7104	0.6318	0.9282
GradientShap	baseline	0.5438	0.7104	0.6318	0.9282
GuidedBackprop	Single	0.5278	0.6832	0.6286	0.8964
GuidedBackprop	Single	0.5278	0.6832	0.6286	0.8964
InputXGradient	Single	0.5602	0.7458	0.6318	0.922
InputXGradient	Single	0.5602	0.7458	0.6318	0.922
IntegratedGradient	baseline	0.549	0.7218	0.6290	0.924
IntegratedGradient	baseline	0.549	0.7218	0.6290	0.924
IntegratedGradient	baseline	0.549	0.7198	0.6308	0.9246
IntegratedGradient	baseline	0.549	0.7198	0.6308	0.9246
Occlusion_baseline	global	0.528	0.6596	0.6318	0.9244
Occlusion_baseline	global	0.528	0.6596	0.6318	0.9244
Saliency	Single	0.5558	0.7256	0.628	0.9186
Saliency	Single	0.5558	0.7256	0.628	0.9186

Table 143: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom speckle std 0.15		
Borda (n=2)	Ensemble	0.2064	0.1906	0.4926	0.0204	0.0716	0.0684	0.154	0.06	0.5818	0.1006	0.0584	0.0212
Borda (n=3)	Ensemble	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616	0.1522	0.0688	0.5828	0.1104	0.0582	0.0356
Borda (n=4)	Ensemble	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566	0.1496	0.0714	0.5784	0.1126	0.0482	0.026
Borda (n=5)	Ensemble	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558	0.1506	0.072	0.582	0.113	0.051	0.0228
Borda (n=6)	Ensemble	0.1936	0.1694	0.4804	0.0284	0.0556	0.056	0.149	0.0706	0.5804	0.109	0.0498	0.0214
Borda (n=7)	Ensemble	0.1946	0.1676	0.487	0.0288	0.0616	0.0574	0.1532	0.0678	0.5816	0.11	0.055	0.0216
Borda (n=8)	Ensemble	0.1948	0.1664	0.4908	0.0342	0.062	0.0554	0.1532	0.05	0.5826	0.1058	0.0556	0.0222
Kemeny-Young (n=2)	Ensemble	0.2064	0.1906	0.4926	0.0204	0.0716	0.0684	0.154	0.06	0.5818	0.1006	0.0584	0.0212
Kemeny-Young (n=3)	Ensemble	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616	0.1522	0.0688	0.5828	0.1104	0.0582	0.0356
Kemeny-Young (n=4)	Ensemble	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566	0.1496	0.0714	0.5784	0.1126	0.0482	0.026
Kemeny-Young (n=5)	Ensemble	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558	0.1506	0.072	0.582	0.113	0.051	0.0228
Kemeny-Young (n=6)	Ensemble	0.1936	0.1694	0.4804	0.0284	0.0556	0.056	0.149	0.0706	0.5804	0.109	0.0498	0.0214
Kemeny-Young (n=7)	Ensemble	0.1946	0.1676	0.487	0.0288	0.0616	0.0574	0.1532	0.0678	0.5816	0.11	0.055	0.0216
Kemeny-Young (n=8)	Ensemble	0.1948	0.1664	0.4908	0.0342	0.062	0.0554	0.1532	0.05	0.5826	0.1058	0.0556	0.0222
RRF (n=2)	Ensemble	0.2008	0.172	0.4744	0.008	0.0636	0.0564	0.1552	0.0602	0.5824	0.1054	0.057	0.0224
RRF (n=3)	Ensemble	0.2012	0.1754	0.4692	0.008	0.0602	0.0572	0.1532	0.0596	0.5824	0.1	0.0546	0.0262
RRF (n=4)	Ensemble	0.202	0.1794	0.4768	0.0046	0.0626	0.0592	0.152	0.062	0.5806	0.0984	0.0548	0.0222
RRF (n=5)	Ensemble	0.2038	0.1706	0.4858	0.0204	0.069	0.0662	0.1548	0.0698	0.5822	0.1062	0.058	0.0278
RRF (n=6)	Ensemble	0.201	0.1674	0.4908	0.0278	0.0664	0.0596	0.1548	0.061	0.583	0.1006	0.059	0.0268
RRF (n=7)	Ensemble	0.2006	0.1666	0.497	0.0336	0.0672	0.055	0.1524	0.0726	0.5816	0.1182	0.055	0.0366
RRF (n=8)	Ensemble	0.1904	0.1576	0.4956	0.034	0.0682	0.0552	0.15	0.0436	0.5788	0.1038	0.0548	0.0314
Schulze (n=2)	Ensemble	0.201	0.1732	0.4762	0	0.0658	0.0622	0.1542	0.0604	0.5814	0.107	0.0546	0.0208
Schulze (n=3)	Ensemble	0.2098	0.1878	0.4826	0.0006	0.069	0.0638	0.154	0.0564	0.5824	0.097	0.0562	0.0224
Schulze (n=4)	Ensemble	0.206	0.1882	0.4792	0.0082	0.0634	0.0554	0.1528	0.0632	0.5808	0.0988	0.0552	0.0156
Schulze (n=5)	Ensemble	0.2006	0.1768	0.4938	0.0304	0.065	0.0656	0.1534	0.0642	0.5826	0.0974	0.0582	0.0154
Schulze (n=6)	Ensemble	0.2142	0.1948	0.507	0.0538	0.0898	0.0906	0.154	0.0632	0.5834	0.0966	0.0572	0.0182
Schulze (n=7)	Ensemble	0.2098	0.181	0.518	0.0716	0.0798	0.0722	0.1552	0.0628	0.5842	0.1006	0.0574	0.0212
Schulze (n=8)	Ensemble	0.1962	0.1588	0.5142	0.0672	0.0684	0.0486	0.154	0.059	0.5826	0.0994	0.057	0.021
norm_ensemble (n=2)	Ensemble	0.204	0.177	0.4816	0.0276	0.0684	0.0624	0.152	0.0614	0.5798	0.1084	0.052	0.0226
norm_ensemble (n=3)	Ensemble	0.2	0.1796	0.4962	0.0482	0.0726	0.0686	0.1554	0.0814	0.5802	0.1038	0.055	0.0356
norm_ensemble (n=4)	Ensemble	0.2026	0.1808	0.4946	0.045	0.0732	0.063	0.1544	0.0764	0.5788	0.0978	0.0534	0.0308
norm_ensemble (n=5)	Ensemble	0.1982	0.1772	0.493	0.0432	0.0688	0.0596	0.1554	0.076	0.5814	0.0976	0.054	0.03
norm_ensemble (n=6)	Ensemble	0.2034	0.1968	0.4936	0.0472	0.0788	0.0772	0.1486	0.0566	0.58	0.1	0.0544	0.0234

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.209	0.1924	0.4998	0.0464	0.0776	0.0684	0.1484	0.0256	0.578	0.069	0.0524	0.0064
norm_ensemble (n=8)	Ensemble	0.1976	0.1664	0.4954	0.044	0.0642	0.0504	0.1582	0.089	0.582	0.1076	0.0492	0.0044
Deconvolution	Single	0.191	0.1622	0.5566	0.1194	0.0668	0.0622	0.1492	0.0556	0.5798	0.0924	0.0548	0.0216
Deconvolution	Single	0.191	0.1622	0.5566	0.1194	0.0668	0.0622	0.1492	0.0556	0.5798	0.0924	0.0548	0.0216
DeepLIFT_SHAP	Single	0.1684	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT_SHAP	Single	0.1684	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT_SHAP	Single	0.1684	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT_SHAP	Single	0.1684	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT_baseline	Single	0.1684	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
DeepLIFT_baseline	Single	0.1684	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
FeatureAblation	Single	0.208	0.1864	0.4876	0.0254	0.0716	0.0622	0.1502	0.066	0.5768	0.1556	0.0524	0.0174
FeatureAblation	Single	0.208	0.1864	0.4876	0.0254	0.0716	0.0622	0.1502	0.066	0.5768	0.1556	0.0524	0.0174
GradientShap_baseline	Single	0.1924	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
GradientShap_baseline	Single	0.1924	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
GradientShap_baseline	Single	0.1924	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
GradientShap_baseline	Single	0.1924	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
GradientShap_baseline	Single	0.1924	0.1684	0.5752	0.0974	0.0578	0.026	0.1694	0.0924	0.578	0.0786	0.0598	0.0276
GuidedBackprop	Single	0.1848	0.147	0.5024	0.0184	0.0648	0.0514	0.1622	0.0692	0.581	0.1108	0.0592	0.0236
GuidedBackprop	Single	0.1848	0.147	0.5024	0.0184	0.0648	0.0514	0.1622	0.0692	0.581	0.1108	0.0592	0.0236
InputXGradient	Single	0.1962	0.1636	0.5288	0.0962	0.0682	0.06	0.1538	0.0556	0.5838	0.0892	0.0544	0.0174
InputXGradient	Single	0.1962	0.1636	0.5288	0.0962	0.0682	0.06	0.1538	0.0556	0.5838	0.0892	0.0544	0.0174
IntegratedGradient	Single	0.4936	0.4936	0.5288	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
IntegratedGradient	Single	0.4936	0.4936	0.5288	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
IntegratedGradient	Single	0.4936	0.4936	0.5288	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
IntegratedGradient	Single	0.4936	0.4936	0.5288	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
IntegratedGradient	Single	0.4936	0.4936	0.5288	0.074	0.0696	0.0548	0.15	0.0612	0.5806	0.0928	0.0542	0.016
Occlusion_baseline	Single	0.2048	0.2048	0.5024	0.0222	0.071	0.0602	0.1556	0.0574	0.581	0.147	0.056	0.0168
Occlusion_baseline	Single	0.2048	0.2048	0.5024	0.0222	0.071	0.0602	0.1556	0.0574	0.581	0.147	0.056	0.0168
Saliency	Single	0.1964	0.1566	0.526	0.0496	0.0722	0.048	0.1518	0.055	0.5808	0.135	0.0536	0.0242
Saliency	Single	0.1964	0.1566	0.526	0.0496	0.0722	0.048	0.1518	0.055	0.5808	0.135	0.0536	0.0242

Table 144: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.048	0.0598	0.527	0.6584
Borda (n=3)	Ensemble	0.0612	0.0756	0.5356	0.6736
Borda (n=4)	Ensemble	0.074	0.0944	0.5344	0.6734
Borda (n=5)	Ensemble	0.0822	0.103	0.5292	0.6652
Borda (n=6)	Ensemble	0.0872	0.1082	0.5332	0.6664
Borda (n=7)	Ensemble	0.0918	0.114	0.5452	0.6918
Borda (n=8)	Ensemble	0.0906	0.1102	0.5388	0.678
Kemeny-Young (n=2)	Ensemble	0.048	0.0598	0.527	0.6584
Kemeny-Young (n=3)	Ensemble	0.0612	0.0756	0.5356	0.6736
Kemeny-Young (n=4)	Ensemble	0.074	0.0944	0.5344	0.6734
Kemeny-Young (n=5)	Ensemble	0.0822	0.103	0.5292	0.6652
Kemeny-Young (n=6)	Ensemble	0.0872	0.1082	0.5332	0.6664
Kemeny-Young (n=7)	Ensemble	0.0918	0.114	0.5452	0.6918
Kemeny-Young (n=8)	Ensemble	0.0906	0.1102	0.5388	0.678
RRF (n=2)	Ensemble	0.0522	0.0648	0.5266	0.659
RRF (n=3)	Ensemble	0.065	0.081	0.5206	0.653
RRF (n=4)	Ensemble	0.072	0.0872	0.5198	0.6466
RRF (n=5)	Ensemble	0.08	0.099	0.5328	0.6744
RRF (n=6)	Ensemble	0.0868	0.1076	0.5308	0.6718
RRF (n=7)	Ensemble	0.088	0.1102	0.5446	0.6912
RRF (n=8)	Ensemble	0.0914	0.1144	0.5576	0.7088
Schulze (n=2)	Ensemble	0.0474	0.06	0.523	0.6534
Schulze (n=3)	Ensemble	0.0634	0.075	0.521	0.6546
Schulze (n=4)	Ensemble	0.0648	0.08	0.513	0.6374
Schulze (n=5)	Ensemble	0.086	0.1094	0.5152	0.646
Schulze (n=6)	Ensemble	0.0988	0.1222	0.52	0.6506
Schulze (n=7)	Ensemble	0.106	0.1318	0.525	0.6562
Schulze (n=8)	Ensemble	0.1066	0.1322	0.5244	0.6608
norm_ensemble (n=2)	Ensemble	0.0614	0.0762	0.5174	0.6494
norm_ensemble (n=3)	Ensemble	0.0838	0.1018	0.517	0.644
norm_ensemble (n=4)	Ensemble	0.0836	0.1024	0.5184	0.6432
norm_ensemble (n=5)	Ensemble	0.0864	0.1034	0.5258	0.657
norm_ensemble (n=6)	Ensemble	0.0896	0.1084	0.5274	0.6616
norm_ensemble (n=7)	Ensemble	0.0966	0.1168	0.5156	0.6404
norm_ensemble (n=8)	Ensemble	0.1008	0.1244	0.5266	0.6528

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.196	0.2414	0.5152	0.632
Deconvolution	Single	0.196	0.2414	0.5152	0.632
DeepLIFT_SHAPSHap	baseline0.3644mbin0.43_zng	0.3038	0.3644	0.3038	0.3644
DeepLIFT_SHAPSHap	baseline0.3644mbin0.43_zng	0.3038	0.3644	0.3038	0.3644
DeepLIFT_SHAPSHap	baseline0.3644mbin0.43_zng	0.3038	0.3644	0.3038	0.3644
DeepLIFT_SHAPSHap	baseline0.3644mbin0.43_zng	0.3038	0.3644	0.3038	0.3644
DeepLIFT_baseline	Single	0.3644	0.43	0.3038	0.3644
DeepLIFT_baseline	Single	0.3644	0.43	0.3038	0.3644
FeatureAblation_size	0.0792	0.0984	0.3886	0.4626	
FeatureAblation_size	0.0792	0.0984	0.3886	0.4626	
GradientShap_baseline	Single	0.5152	0.632	0.5152	0.632
GradientShap_baseline	Single	0.5152	0.632	0.5152	0.632
GradientShap_baseline	Single	0.5152	0.632	0.5152	0.632
GradientShap_baseline	Single	0.5152	0.632	0.5152	0.632
GuidedBackprop	Single	0.0548	0.0674	0.5052	0.629
GuidedBackprop	Single	0.0548	0.0674	0.5052	0.629
InputXGradient	Single	0.1474	0.1824	0.4816	0.5984
InputXGradient	Single	0.1474	0.1824	0.4816	0.5984
IntegratedGradient	Single	0.4168	0.446	0.5206	0.6358
IntegratedGradient	Single	0.4168	0.446	0.5206	0.6358
IntegratedGradient	Single	0.4168	0.446	0.5206	0.6358
IntegratedGradient	Single	0.4168	0.446	0.5206	0.6358
Occlusion_baseline	Single	0.124	0.1486	0.54736	0.5854
Occlusion_baseline	Single	0.124	0.1486	0.54736	0.5854
Saliency	Single	0.1216	0.15	0.5094	0.6368
Saliency	Single	0.1216	0.15	0.5094	0.6368

Table 145: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top salt pepper amount 0.05	Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Top speckle std 0.15	Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
Borda (n=2)	Ensemble	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146	0.1976	0.1956	0.5082	0.1902	0.0516	0.0248
Borda (n=3)	Ensemble	0.0424	0.0436	0.0596	0.329	0.016	0.0168	0.208	0.2086	0.5156	0.1994	0.0446	0.0236
Borda (n=4)	Ensemble	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202	0.2064	0.2076	0.5148	0.1966	0.0486	0.0276
Borda (n=5)	Ensemble	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202	0.2056	0.2076	0.51	0.1868	0.0556	0.0384
Borda (n=6)	Ensemble	0.0554	0.057	0.0846	0.3012	0.025	0.0282	0.1958	0.1968	0.515	0.1868	0.0632	0.045
Borda (n=7)	Ensemble	0.0586	0.0626	0.0888	0.2958	0.0232	0.026	0.2034	0.201	0.5266	0.209	0.0792	0.0796
Borda (n=8)	Ensemble	0.0606	0.0594	0.088	0.2998	0.0202	0.0166	0.1954	0.192	0.52	0.1936	0.0772	0.0742
Kemeny-Young (n=2)	Ensemble	0.0358	0.0364	0.0464	0.3468	0.0152	0.0146	0.1976	0.1956	0.5082	0.1902	0.0516	0.0248
Kemeny-Young (n=3)	Ensemble	0.0424	0.0436	0.0596	0.329	0.016	0.0168	0.208	0.2086	0.5156	0.1994	0.0446	0.0236
Kemeny-Young (n=4)	Ensemble	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202	0.2064	0.2076	0.5148	0.1966	0.0486	0.0276
Kemeny-Young (n=5)	Ensemble	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202	0.2056	0.2076	0.51	0.1868	0.0556	0.0384
Kemeny-Young (n=6)	Ensemble	0.0554	0.057	0.0846	0.3012	0.025	0.0282	0.1958	0.1968	0.515	0.1868	0.0632	0.045
Kemeny-Young (n=7)	Ensemble	0.0586	0.0626	0.0888	0.2958	0.0232	0.026	0.2034	0.201	0.5266	0.209	0.0792	0.0796
Kemeny-Young (n=8)	Ensemble	0.0606	0.0594	0.088	0.2998	0.0202	0.0166	0.1954	0.192	0.52	0.1936	0.0772	0.0742
RRF (n=2)	Ensemble	0.0384	0.04	0.0496	0.3448	0.0172	0.0168	0.2122	0.205	0.508	0.1866	0.0898	0.0896
RRF (n=3)	Ensemble	0.044	0.0458	0.0626	0.3274	0.0176	0.0182	0.1926	0.1904	0.501	0.1738	0.0782	0.0726
RRF (n=4)	Ensemble	0.0512	0.0484	0.0702	0.3204	0.0192	0.016	0.1916	0.1842	0.5004	0.168	0.0758	0.0682
RRF (n=5)	Ensemble	0.0524	0.0522	0.0778	0.309	0.0198	0.0194	0.2086	0.2158	0.5138	0.195	0.094	0.0978
RRF (n=6)	Ensemble	0.0608	0.0622	0.0848	0.3008	0.0236	0.023	0.192	0.1898	0.512	0.1914	0.0748	0.0754
RRF (n=7)	Ensemble	0.0602	0.0598	0.0858	0.2996	0.0188	0.0198	0.2052	0.2148	0.5246	0.2134	0.0746	0.067
RRF (n=8)	Ensemble	0.0606	0.0616	0.0888	0.2948	0.0228	0.0206	0.2038	0.2148	0.5374	0.2342	0.0896	0.09
Schulze (n=2)	Ensemble	0.0362	0.035	0.0446	0.3492	0.0128	0.0148	0.207	0.2024	0.505	0.1804	0.0872	0.0854
Schulze (n=3)	Ensemble	0.0498	0.0466	0.0614	0.3314	0.0216	0.0174	0.1936	0.1928	0.5004	0.1736	0.0792	0.0778
Schulze (n=4)	Ensemble	0.0454	0.046	0.0628	0.3264	0.0166	0.0156	0.1922	0.1786	0.4948	0.1568	0.0758	0.0648
Schulze (n=5)	Ensemble	0.0552	0.0564	0.0832	0.2988	0.0134	0.0152	0.198	0.1888	0.4984	0.1698	0.0826	0.0808
Schulze (n=6)	Ensemble	0.0708	0.072	0.096	0.2882	0.0314	0.036	0.1996	0.1886	0.502	0.1734	0.0854	0.0848
Schulze (n=7)	Ensemble	0.0672	0.0704	0.103	0.277	0.0264	0.0254	0.2036	0.1974	0.5064	0.1768	0.0862	0.0822
Schulze (n=8)	Ensemble	0.0682	0.0718	0.1044	0.2774	0.0184	0.0192	0.2002	0.1942	0.5056	0.1826	0.086	0.085
norm_ensemble (n=2)	Ensemble	0.048	0.0508	0.0586	0.3304	0.019	0.0226	0.2024	0.1972	0.4978	0.176	0.0872	0.0858
norm_ensemble (n=3)	Ensemble	0.0602	0.0626	0.0814	0.3042	0.0206	0.0188	0.204	0.2012	0.4972	0.1696	0.0856	0.0834
norm_ensemble (n=4)	Ensemble	0.0586	0.0612	0.0812	0.3036	0.0226	0.0206	0.2006	0.1932	0.5008	0.1666	0.0892	0.0824
norm_ensemble (n=5)	Ensemble	0.0616	0.0604	0.0842	0.3032	0.0244	0.0246	0.2092	0.2074	0.5084	0.1804	0.097	0.092
norm_ensemble (n=6)	Ensemble	0.0614	0.0616	0.0872	0.2988	0.0186	0.0168	0.199	0.1964	0.5102	0.1824	0.0838	0.0822

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.0676	0.0664	0.0942	0.2894	0.0258	0.0226	0.1928	0.1828	0.4986	0.1644	0.0598	0.044
norm_ensemble (n=8)	Ensemble	0.068	0.0718	0.0986	0.2826	0.0256	0.027	0.2192	0.2276	0.5102	0.1856	0.0746	0.0612
Deconvolution	Single	0.1264	0.133	0.1916	0.1752	0.0506	0.0492	0.2032	0.1924	0.4976	0.171	0.0804	0.0728
Deconvolution	Single	0.1264	0.133	0.1916	0.1752	0.0506	0.0492	0.2032	0.1924	0.4976	0.171	0.0804	0.0728
DeepLIFT_SHAP	Single	0.1804	0.1804	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SHAP	Single	0.1804	0.1804	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SHAP	Single	0.1804	0.1804	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_SHAP	Single	0.1804	0.1804	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_baseline	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
DeepLIFT_baseline	Single	0.1804	0.1848	0.3494	0.0182	0.072	0.062	0.185	0.1956	0.293	0.0358	0.0682	0.0652
FeatureAblation	Single	0.0356	0.0576	0.0768	0.3096	0.0196	0.0194	0.2244	0.2444	0.3802	0.0498	0.0734	0.0758
FeatureAblation	Single	0.0356	0.0576	0.0768	0.3096	0.0196	0.0194	0.2244	0.2444	0.3802	0.0498	0.0734	0.0758
GradientShap_baseline	Single	0.0702	0.076n	0.064	0.02794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
GradientShap_baseline	Single	0.0702	0.076n	0.064	0.02794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
GradientShap_baseline	Single	0.0702	0.076n	0.064	0.02794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
GradientShap_baseline	Single	0.0702	0.076n	0.064	0.02794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
GradientShap_baseline	Single	0.0702	0.076n	0.064	0.02794	0.0212	0.0166	0.1982	0.1988	0.5018	0.1772	0.085	0.0844
GuidedBackprop	Single	0.037	0.0352	0.0522	0.3402	0.0156	0.0152	0.1972	0.184	0.4896	0.1788	0.0598	0.051
GuidedBackprop	Single	0.037	0.0352	0.0522	0.3402	0.0156	0.0152	0.1972	0.184	0.4896	0.1788	0.0598	0.051
InputXGradient	Single	0.0984	0.1038	0.145	0.2272	0.0358	0.0432	0.1852	0.1876	0.466	0.1258	0.082	0.0838
InputXGradient	Single	0.0984	0.1038	0.145	0.2272	0.0358	0.0432	0.1852	0.1876	0.466	0.1258	0.082	0.0838
IntegratedGradient	Single	0.079zero	0.0813ep	0.1200	0.265	0.0178	0.021	0.1988	0.1872	0.4954	0.1618	0.0866	0.0788
IntegratedGradient	Single	0.079zero	0.0813ep	0.1200	0.265	0.0178	0.021	0.1988	0.1872	0.4954	0.1618	0.0866	0.0788
IntegratedGradient	Single	0.0746zero	0.0778ep	0.130	0.2678	0.016	0.021	0.2004	0.1906	0.496	0.1638	0.0888	0.08
IntegratedGradient	Single	0.0746zero	0.0778ep	0.130	0.2678	0.016	0.021	0.2004	0.1906	0.496	0.1638	0.0888	0.08
IntegratedGradient	Single	0.0746zero	0.0778ep	0.130	0.2678	0.016	0.021	0.2004	0.1906	0.496	0.1638	0.0888	0.08
Occlusion_baseline	Single	0.0832n	0.0816	0.24208	0.2632	0.0298	0.0256	0.2112	0.2292	0.4606	0.1576	0.0742	0.0732
Occlusion_baseline	Single	0.0832n	0.0816	0.24208	0.2632	0.0298	0.0256	0.2112	0.2292	0.4606	0.1576	0.0742	0.0732
Saliency	Single	0.0834	0.0864	0.119	0.2606	0.0294	0.0356	0.183	0.1838	0.4914	0.1806	0.0722	0.0636
Saliency	Single	0.0834	0.0864	0.119	0.2606	0.0294	0.0356	0.183	0.1838	0.4914	0.1806	0.0722	0.0636

Table 146: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.4414	0.6258	0.5446	0.897	0.19	0.159	0.4278	0.0126	0.0548	0.04
Borda	0.4136	0.6282	0.5016	0.9038	0.1958	0.1752	0.4018	0.0356	0.0692	0.0672
Kemeny-Young	0.4126	0.6298	0.5108	0.9094	0.1912	0.1726	0.399	0.0152	0.051	0.0508
RRF	0.4188	0.6256	0.511	0.893	0.2046	0.1906	0.4068	0.0288	0.0698	0.0716
Schulze	0.4168	0.6244	0.513	0.8904	0.193	0.1794	0.4038	0.0248	0.064	0.0714
SimpleAvg	0.4516	0.6248	0.57	0.8924	0.1984	0.1846	0.436	0.0356	0.0702	0.0606
Borda (Independence)	0.4108	0.628	0.5028	0.9084	0.1882	0.1666	0.399	0.0238	0.0584	0.0582
Kemeny-Young (Independence)	0.4224	0.6284	0.5236	0.9084	0.194	0.1776	0.4092	0.0064	0.0532	0.055
RRF (Independence)	0.4154	0.6248	0.5064	0.8936	0.1974	0.1872	0.4032	0.0234	0.066	0.061
Schulze (Independence)	0.4176	0.623	0.5128	0.8898	0.1932	0.181	0.405	0.0194	0.0594	0.0558
SimpleAvg (Independence)	0.4498	0.6244	0.5646	0.8894	0.199	0.1836	0.4348	0.0298	0.0672	0.0602

Table 147: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.2954	0.6108	0.3486	0.84	0.1584	0.1454	0.2884	0.0126	0.0488	0.0352
Borda	0.2746	0.6146	0.3254	0.857	0.1542	0.139	0.2676	0.1284	0.0422	0.0326
Kemeny-Young	0.2956	0.6122	0.354	0.8586	0.1582	0.1502	0.2896	0.1044	0.0478	0.0398
RRF	0.2988	0.6086	0.3566	0.8368	0.1676	0.1544	0.2918	0.107	0.058	0.0516
Schulze	0.2886	0.611	0.3458	0.8356	0.1668	0.1584	0.2814	0.1178	0.0566	0.06
SimpleAvg	0.3372	0.6118	0.4156	0.8374	0.1756	0.1712	0.328	0.044	0.0568	0.0546
Borda (Independence)	0.2902	0.6158	0.3462	0.858	0.1588	0.1494	0.2832	0.1074	0.0548	0.0466
Kemeny-Young (Independence)	0.3016	0.6146	0.3582	0.8548	0.1574	0.1468	0.294	0.102	0.0528	0.0406
RRF (Independence)	0.2928	0.6074	0.346	0.8348	0.1628	0.1522	0.286	0.1116	0.0532	0.0424
Schulze (Independence)	0.303	0.6104	0.3638	0.8316	0.1688	0.1608	0.296	0.094	0.058	0.0582
SimpleAvg (Independence)	0.3342	0.61	0.41	0.8348	0.1774	0.1754	0.3256	0.0468	0.0596	0.057

Table 148: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.1214	0.5744	0.149	0.7492	0.0766	0.0806	0.1174	0.0626	0.0314	0.0276
Borda	0.1198	0.5816	0.1442	0.7572	0.0764	0.0766	0.1174	0.2704	0.0206	0.0162
Kemeny-Young	0.1544	0.5784	0.1852	0.748	0.0934	0.0904	0.1508	0.2322	0.0314	0.0274
RRF	0.1416	0.5736	0.1688	0.745	0.0918	0.089	0.1378	0.2496	0.038	0.0332
Schulze	0.1314	0.575	0.1586	0.7452	0.0896	0.0894	0.1282	0.2558	0.0348	0.0324
SimpleAvg	0.1776	0.5708	0.2146	0.7418	0.1132	0.117	0.1736	0.2002	0.046	0.0458
Borda (Independence)	0.1406	0.5854	0.1692	0.7534	0.0838	0.0844	0.1372	0.2482	0.0278	0.0242
Kemeny-Young (Independence)	0.1564	0.5794	0.1856	0.7566	0.0876	0.0838	0.1526	0.2336	0.0364	0.0314
RRF (Independence)	0.1442	0.5708	0.1752	0.7444	0.0938	0.0932	0.1406	0.2428	0.0332	0.0342
Schulze (Independence)	0.1426	0.568	0.1722	0.7408	0.0922	0.0918	0.139	0.2422	0.0304	0.031
SimpleAvg (Independence)	0.1726	0.5716	0.2066	0.7382	0.1114	0.1136	0.169	0.2082	0.0456	0.0458

Table 149: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.5278	0.6318	0.6832	0.9282	0.1684	0.1024	0.5024	0.0184	0.0578	0.026
Borda	0.4942	0.6324	0.6206	0.9372	0.2064	0.1788	0.4748	0.0038	0.0632	0.0616
Kemeny-Young	0.5024	0.6322	0.6344	0.9414	0.2018	0.1746	0.4816	0.0178	0.0552	0.0558
RRF	0.4892	0.6316	0.6132	0.9276	0.2012	0.1754	0.4692	0.008	0.0602	0.0572
Schulze	0.5028	0.6326	0.6252	0.9278	0.2098	0.1878	0.4826	0.0006	0.069	0.0638
SimpleAvg	0.5198	0.6306	0.669	0.9292	0.2	0.1796	0.4962	0.0482	0.0726	0.0686
Borda (Independence)	0.4962	0.6304	0.6228	0.9432	0.1994	0.1746	0.4756	0.0052	0.0614	0.0566
Kemeny-Young (Independence)	0.5022	0.631	0.6406	0.9422	0.1936	0.1694	0.4804	0.0284	0.0556	0.056
RRF (Independence)	0.498	0.6308	0.624	0.927	0.202	0.1794	0.4768	0.0046	0.0626	0.0592
Schulze (Independence)	0.4992	0.63	0.6268	0.9266	0.206	0.1882	0.4792	0.0082	0.0634	0.0554
SimpleAvg (Independence)	0.5174	0.6288	0.6636	0.9286	0.2026	0.1808	0.4946	0.045	0.0732	0.063

Table 150: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Acc Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Top	Cons Re- place- Bottom	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15
Best Explanation	0.0548	0.5208	0.0674	0.653	0.037	0.0352	0.0522	0.0182	0.0156	0.0152
Borda	0.0612	0.5356	0.0756	0.6736	0.0424	0.0436	0.0596	0.329	0.016	0.0168
Kemeny-Young	0.0822	0.5292	0.103	0.6652	0.0536	0.0564	0.0798	0.3054	0.0196	0.0202
RRF	0.065	0.5206	0.081	0.653	0.044	0.0458	0.0626	0.3274	0.0176	0.0182
Schulze	0.0634	0.521	0.075	0.6546	0.0498	0.0466	0.0614	0.3314	0.0216	0.0174
SimpleAvg	0.0838	0.517	0.1018	0.644	0.0602	0.0626	0.0814	0.3042	0.0206	0.0188
Borda (Independence)	0.074	0.5344	0.0944	0.6734	0.0482	0.0504	0.0716	0.3124	0.0184	0.0202
Kemeny-Young (Independence)	0.0872	0.5332	0.1082	0.6664	0.0554	0.057	0.0846	0.3012	0.025	0.0282
RRF (Independence)	0.072	0.5198	0.0872	0.6466	0.0512	0.0484	0.0702	0.3204	0.0192	0.016
Schulze (Independence)	0.0648	0.513	0.08	0.6374	0.0454	0.046	0.0628	0.3264	0.0166	0.0156
SimpleAvg (Independence)	0.0836	0.5184	0.1024	0.6432	0.0586	0.0612	0.0812	0.3036	0.0226	0.0206

Table 151: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Borda (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Borda (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Borda (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Borda (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Borda (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Borda (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
Kemeny-Young (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Kemeny-Young (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Kemeny-Young (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Kemeny-Young (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Kemeny-Young (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Kemeny-Young (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Kemeny-Young (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
RRF (n=2)	Ensemble	0.3052	0.3666	0.618	0.8594
RRF (n=3)	Ensemble	0.341	0.4136	0.615	0.852
RRF (n=4)	Ensemble	0.3382	0.412	0.6178	0.8538
RRF (n=5)	Ensemble	0.3438	0.4162	0.621	0.861
RRF (n=6)	Ensemble	0.3576	0.4326	0.623	0.8628
RRF (n=7)	Ensemble	0.3704	0.4494	0.6218	0.862
RRF (n=8)	Ensemble	0.3714	0.4496	0.6206	0.8702
Schulze (n=2)	Ensemble	0.3126	0.374	0.6168	0.856
Schulze (n=3)	Ensemble	0.3292	0.4006	0.6162	0.8506
Schulze (n=4)	Ensemble	0.3414	0.4142	0.6166	0.8534
Schulze (n=5)	Ensemble	0.3618	0.4396	0.6178	0.8546
Schulze (n=6)	Ensemble	0.3806	0.4666	0.6172	0.8556
Schulze (n=7)	Ensemble	0.389	0.4756	0.6162	0.8546
Schulze (n=8)	Ensemble	0.388	0.4696	0.6158	0.8534
norm_ensemble (n=2)	Ensemble	0.3388	0.412	0.6168	0.8596
norm_ensemble (n=3)	Ensemble	0.3804	0.4672	0.6166	0.852
norm_ensemble (n=4)	Ensemble	0.3774	0.4634	0.615	0.8526
norm_ensemble (n=5)	Ensemble	0.363	0.4468	0.6196	0.8626
norm_ensemble (n=6)	Ensemble	0.3686	0.4512	0.622	0.8554
norm_ensemble (n=7)	Ensemble	0.3694	0.4528	0.6182	0.8546
norm_ensemble (n=8)	Ensemble	0.3694	0.4466	0.614	0.8262

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
DeepLIFT	Single				
DeepLIFT_SHAP	Single				
FeatureAblation	Single				
GradientShap	Single				
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
InputXGradient	Single	0.4334	0.5406	0.6116	0.8384
IntegratedGradients	Single				
Occlusion	Single				
Saliency	Single	0.4132	0.5002	0.6102	0.8414

Table 152: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Borda (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Borda (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Borda (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Borda (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Borda (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Borda (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Borda (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
Kemeny-Young (n=2)	Ensemble	0.309	0.3738	0.6174	0.8478
Kemeny-Young (n=3)	Ensemble	0.3204	0.3834	0.617	0.8512
Kemeny-Young (n=4)	Ensemble	0.3286	0.3964	0.6178	0.8538
Kemeny-Young (n=5)	Ensemble	0.3372	0.4062	0.6206	0.86
Kemeny-Young (n=6)	Ensemble	0.3462	0.4158	0.6208	0.8732
Kemeny-Young (n=7)	Ensemble	0.3536	0.4264	0.622	0.8682
Kemeny-Young (n=8)	Ensemble	0.3546	0.4314	0.623	0.869
RRF (n=2)	Ensemble	0.3052	0.3666	0.618	0.8594
RRF (n=3)	Ensemble	0.341	0.4136	0.615	0.852
RRF (n=4)	Ensemble	0.3382	0.412	0.6178	0.8538
RRF (n=5)	Ensemble	0.3438	0.4162	0.621	0.861
RRF (n=6)	Ensemble	0.3576	0.4326	0.623	0.8628
RRF (n=7)	Ensemble	0.3704	0.4494	0.6218	0.862
RRF (n=8)	Ensemble	0.3714	0.4496	0.6206	0.8702
Schulze (n=2)	Ensemble	0.3126	0.374	0.6168	0.856
Schulze (n=3)	Ensemble	0.3292	0.4006	0.6162	0.8506
Schulze (n=4)	Ensemble	0.3414	0.4142	0.6166	0.8534
Schulze (n=5)	Ensemble	0.3618	0.4396	0.6178	0.8546
Schulze (n=6)	Ensemble	0.3806	0.4666	0.6172	0.8556
Schulze (n=7)	Ensemble	0.389	0.4756	0.6162	0.8546
Schulze (n=8)	Ensemble	0.388	0.4696	0.6158	0.8534
norm_ensemble (n=2)	Ensemble	0.3388	0.412	0.6168	0.8596
norm_ensemble (n=3)	Ensemble	0.3804	0.4672	0.6166	0.852
norm_ensemble (n=4)	Ensemble	0.3774	0.4634	0.615	0.8526
norm_ensemble (n=5)	Ensemble	0.363	0.4468	0.6196	0.8626
norm_ensemble (n=6)	Ensemble	0.3686	0.4512	0.622	0.8554
norm_ensemble (n=7)	Ensemble	0.3694	0.4528	0.6182	0.8546
norm_ensemble (n=8)	Ensemble	0.3694	0.4466	0.614	0.8262

Method	Type	Acc Re- place- Top	Cons Re- place- Top	Acc Re- place- Bottom	Cons Re- place- Bottom
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
Deconvolution	Single	0.4774	0.6036	0.6138	0.8396
DeepLIFT_SHAPSHap	baseline	0.5562	0.7232	0.5308	0.6838
DeepLIFT_SHAPSHap	baseline	0.5562	0.7232	0.5308	0.6838
DeepLIFT_SHAPSHap	baseline	0.5562	0.7232	0.5308	0.6838
DeepLIFT_SHAPSHap	baseline	0.5562	0.7232	0.5308	0.6838
DeepLIFT_baseline	global	0.5562	0.7232	0.5308	0.6838
DeepLIFT_baseline	global	0.5562	0.7232	0.5308	0.6838
FeatureAblation_single	size	0.3584	0.4378	0.59	0.7778
FeatureAblation_single	size	0.3584	0.4378	0.59	0.7778
GradientShap_baseline	combined	0.4878	0.6116	0.6278	0.8482
GradientShap_baseline	combined	0.4878	0.6116	0.6278	0.8482
GradientShap_baseline	combined	0.4866	0.6166	0.6596	0.8596
GradientShap_baseline	combined	0.4866	0.6166	0.6596	0.8596
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
GuidedBackprop	Single	0.341	0.4098	0.6008	0.8146
InputXGradient	Single	0.4334	0.5406	0.6116	0.8384
InputXGradient	Single	0.4334	0.5406	0.6116	0.8384
IntegratedGradientSingle	baseline	0.401zero	0.4894	0.6278	0.8482
IntegratedGradientSingle	baseline	0.401zero	0.4894	0.6278	0.8482
IntegratedGradientSingle	baseline	0.402zero	0.491step	0.6578	0.848
IntegratedGradientSingle	baseline	0.402zero	0.491step	0.6578	0.848
Occlusion_baseline	global	0.397an	0.4844	0.6122	0.8322
Occlusion_baseline	global	0.397an	0.4844	0.6122	0.8322
Saliency	Single	0.4132	0.5002	0.6102	0.8414
Saliency	Single	0.4132	0.5002	0.6102	0.8414

Table 153: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob			
Borda (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Borda (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Borda (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Borda (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Borda (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Borda (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Borda (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
Kemeny-Young (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Kemeny-Young (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Kemeny-Young (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Kemeny-Young (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Kemeny-Young (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Kemeny-Young (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Kemeny-Young (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
RRF (n=2)	Ensemble	0.1676	0.1562	0.297	0.1142	0.0606	0.0594	0.166	0.1044	0.5804	0.1714	0.0552	0.0352
RRF (n=3)	Ensemble	0.1906	0.181	0.332	0.0664	0.0636	0.0688	0.1646	0.0984	0.5768	0.1644	0.0564	0.0328
RRF (n=4)	Ensemble	0.1814	0.1748	0.3306	0.0656	0.0698	0.0692	0.1586	0.0972	0.5796	0.1652	0.0606	0.037
RRF (n=5)	Ensemble	0.1796	0.1692	0.3356	0.0602	0.0656	0.0598	0.1628	0.098	0.5828	0.1656	0.061	0.0438
RRF (n=6)	Ensemble	0.1844	0.1714	0.3496	0.0414	0.0626	0.052	0.1622	0.1062	0.5834	0.1722	0.0652	0.0438
RRF (n=7)	Ensemble	0.1938	0.1806	0.3624	0.0246	0.068	0.0586	0.1604	0.106	0.5842	0.1842	0.0632	0.0402
RRF (n=8)	Ensemble	0.1942	0.1744	0.3624	0.0262	0.0656	0.0534	0.1624	0.1082	0.5826	0.1968	0.06	0.036
Schulze (n=2)	Ensemble	0.1728	0.1602	0.3048	0.1036	0.0606	0.0552	0.164	0.1022	0.5796	0.171	0.0546	0.0322
Schulze (n=3)	Ensemble	0.1768	0.1684	0.3208	0.0754	0.0648	0.0634	0.1666	0.0992	0.5782	0.1614	0.057	0.0276
Schulze (n=4)	Ensemble	0.183	0.1786	0.3346	0.0606	0.0652	0.0692	0.1668	0.0994	0.579	0.1634	0.0608	0.0372
Schulze (n=5)	Ensemble	0.1852	0.171	0.3536	0.0398	0.059	0.046	0.1664	0.1022	0.5798	0.1614	0.0632	0.0366
Schulze (n=6)	Ensemble	0.1904	0.1786	0.3716	0.0136	0.0632	0.0492	0.1654	0.1038	0.579	0.162	0.0576	0.0312
Schulze (n=7)	Ensemble	0.196	0.1846	0.3786	0.0042	0.0624	0.0518	0.1652	0.0954	0.578	0.16	0.0592	0.0356
Schulze (n=8)	Ensemble	0.1958	0.1808	0.379	0.0108	0.0648	0.0468	0.1636	0.0992	0.578	0.1594	0.0534	0.029
norm_ensemble (n=2)	Ensemble	0.1804	0.174	0.33	0.062	0.0652	0.0624	0.1644	0.104	0.5798	0.1748	0.056	0.0422
norm_ensemble (n=3)	Ensemble	0.1994	0.191	0.371	0.0144	0.0694	0.0634	0.1684	0.102	0.5784	0.1658	0.059	0.0366
norm_ensemble (n=4)	Ensemble	0.2014	0.1898	0.367	0.019	0.076	0.07	0.158	0.0954	0.5768	0.166	0.0578	0.0346
norm_ensemble (n=5)	Ensemble	0.1848	0.1778	0.3542	0.0322	0.0578	0.0542	0.1628	0.1068	0.581	0.1714	0.0652	0.0548
norm_ensemble (n=6)	Ensemble	0.1918	0.1818	0.36	0.0242	0.0698	0.0702	0.1668	0.1014	0.5828	0.168	0.0626	0.0334

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1882	0.1814	0.3606	0.0218	0.0604	0.0568	0.1598	0.1016	0.5798	0.1706	0.0574	0.0364
norm_ensemble (n=8)	Ensemble	0.1868	0.1738	0.3602	0.0282	0.0622	0.0512	0.1558	0.0728	0.5744	0.142	0.0536	0.004
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
DeepLIFT	Single												
DeepLIFT_SHAP	Single												
FeatureAblation	Single												
GradientShap	Single												
GuidedBackprop	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
IntegratedGradients	Single												
Occlusion	Single												
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432

Table 154: ESANN archive results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top gaus- sian std 0.15	ConsRobAccRob Re- place- Top salt pepper amount 0.05	ConsRobAccRob Re- place- Top speckle std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom gaus- sian std 0.15	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRobAccRob Re- place- Bottom salt pepper amount 0.05	ConsRob			
Borda (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Borda (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Borda (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Borda (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Borda (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Borda (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Borda (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
Kemeny-Young (n=2)	Ensemble	0.1698	0.1572	0.301	0.1048	0.0586	0.06	0.1646	0.0922	0.5784	0.1584	0.0552	0.0246
Kemeny-Young (n=3)	Ensemble	0.1748	0.1614	0.3128	0.0876	0.0502	0.0402	0.1672	0.097	0.58	0.1606	0.0594	0.032
Kemeny-Young (n=4)	Ensemble	0.1746	0.1618	0.3202	0.0762	0.0594	0.053	0.164	0.0966	0.5798	0.1616	0.0604	0.0376
Kemeny-Young (n=5)	Ensemble	0.1736	0.1624	0.329	0.0644	0.0642	0.0532	0.1682	0.1082	0.5822	0.1642	0.0636	0.0428
Kemeny-Young (n=6)	Ensemble	0.182	0.1696	0.3386	0.0562	0.063	0.0504	0.1686	0.1198	0.5816	0.1808	0.0606	0.0534
Kemeny-Young (n=7)	Ensemble	0.1842	0.1696	0.3454	0.0484	0.0626	0.0488	0.166	0.1124	0.583	0.1876	0.0642	0.0432
Kemeny-Young (n=8)	Ensemble	0.1844	0.1734	0.346	0.0454	0.059	0.0482	0.1636	0.1012	0.5836	0.1872	0.0604	0.0332
RRF (n=2)	Ensemble	0.1676	0.1562	0.297	0.1142	0.0606	0.0594	0.166	0.1044	0.5804	0.1714	0.0552	0.0352
RRF (n=3)	Ensemble	0.1906	0.181	0.332	0.0664	0.0636	0.0688	0.1646	0.0984	0.5768	0.1644	0.0564	0.0328
RRF (n=4)	Ensemble	0.1814	0.1748	0.3306	0.0656	0.0698	0.0692	0.1586	0.0972	0.5796	0.1652	0.0606	0.037
RRF (n=5)	Ensemble	0.1796	0.1692	0.3356	0.0602	0.0656	0.0598	0.1628	0.098	0.5828	0.1656	0.061	0.0438
RRF (n=6)	Ensemble	0.1844	0.1714	0.3496	0.0414	0.0626	0.052	0.1622	0.1062	0.5834	0.1722	0.0652	0.0438
RRF (n=7)	Ensemble	0.1938	0.1806	0.3624	0.0246	0.068	0.0586	0.1604	0.106	0.5842	0.1842	0.0632	0.0402
RRF (n=8)	Ensemble	0.1942	0.1744	0.3624	0.0262	0.0656	0.0534	0.1624	0.1082	0.5826	0.1968	0.06	0.036
Schulze (n=2)	Ensemble	0.1728	0.1602	0.3048	0.1036	0.0606	0.0552	0.164	0.1022	0.5796	0.171	0.0546	0.0322
Schulze (n=3)	Ensemble	0.1768	0.1684	0.3208	0.0754	0.0648	0.0634	0.1666	0.0992	0.5782	0.1614	0.057	0.0276
Schulze (n=4)	Ensemble	0.183	0.1786	0.3346	0.0606	0.0652	0.0692	0.1668	0.0994	0.579	0.1634	0.0608	0.0372
Schulze (n=5)	Ensemble	0.1852	0.171	0.3536	0.0398	0.059	0.046	0.1664	0.1022	0.5798	0.1614	0.0632	0.0366
Schulze (n=6)	Ensemble	0.1904	0.1786	0.3716	0.0136	0.0632	0.0492	0.1654	0.1038	0.579	0.162	0.0576	0.0312
Schulze (n=7)	Ensemble	0.196	0.1846	0.3786	0.0042	0.0624	0.0518	0.1652	0.0954	0.578	0.16	0.0592	0.0356
Schulze (n=8)	Ensemble	0.1958	0.1808	0.379	0.0108	0.0648	0.0468	0.1636	0.0992	0.578	0.1594	0.0534	0.029
norm_ensemble (n=2)	Ensemble	0.1804	0.174	0.33	0.062	0.0652	0.0624	0.1644	0.104	0.5798	0.1748	0.056	0.0422
norm_ensemble (n=3)	Ensemble	0.1994	0.191	0.371	0.0144	0.0694	0.0634	0.1684	0.102	0.5784	0.1658	0.059	0.0366
norm_ensemble (n=4)	Ensemble	0.2014	0.1898	0.367	0.019	0.076	0.07	0.158	0.0954	0.5768	0.166	0.0578	0.0346
norm_ensemble (n=5)	Ensemble	0.1848	0.1778	0.3542	0.0322	0.0578	0.0542	0.1628	0.1068	0.581	0.1714	0.0652	0.0548
norm_ensemble (n=6)	Ensemble	0.1918	0.1818	0.36	0.0242	0.0698	0.0702	0.1668	0.1014	0.5828	0.168	0.0626	0.0334

Method	Type	AccRob Re- place- Top gaus- sian std 0.15	ConsRob Re- place- Top gaus- sian std 0.15	AccRob Re- place- Top salt pepper amount 0.05	ConsRob Re- place- Top salt pepper amount 0.05	AccRob Re- place- Top speckle std 0.15	ConsRob Re- place- Top speckle std 0.15	AccRob Re- place- Bottom gaus- sian std 0.15	ConsRob Re- place- Bottom gaus- sian std 0.15	AccRob Re- place- Bottom salt pepper amount 0.05	ConsRob Re- place- Bottom salt pepper amount 0.05	AccRob Re- place- Bottom speckle std 0.15	ConsRob Re- place- Bottom speckle std 0.15
norm_ensemble (n=7)	Ensemble	0.1882	0.1814	0.3606	0.0218	0.0604	0.0568	0.1598	0.1016	0.5798	0.1706	0.0574	0.0364
norm_ensemble (n=8)	Ensemble	0.1868	0.1738	0.3602	0.0282	0.0622	0.0512	0.1558	0.0728	0.5744	0.142	0.0536	0.004
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
Deconvolution	Single	0.2172	0.2194	0.4642	0.0934	0.0788	0.0824	0.165	0.119	0.5776	0.178	0.064	0.042
DeepLIFT_SHAP	Single	0.2008	0.2008	0.4672	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT_SHAP	Single	0.2008	0.2008	0.4672	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT_SHAP	Single	0.2008	0.2008	0.4672	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT_SHAP	Single	0.2008	0.2008	0.4672	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT_baseline	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
DeepLIFT_baseline	Single	0.2008	0.1872	0.5218	0.1064	0.0704	0.0604	0.2044	0.1958	0.5046	0.0876	0.072	0.0612
FeatureAblation	Single	0.1962	0.1892	0.3494	0.0504	0.0756	0.0722	0.1876	0.1512	0.56	0.2276	0.0632	0.0442
FeatureAblation	Single	0.1962	0.1892	0.3494	0.0504	0.0756	0.0722	0.1876	0.1512	0.56	0.2276	0.0632	0.0442
GradientShap_baseline	Single	0.1942	0.1864	0.3836	0.0088	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GradientShap_baseline	Single	0.1942	0.1864	0.3836	0.0088	0.0564	0.0494	0.1648	0.0988	0.579	0.1654	0.0562	0.0292
GradientShap_baseline	Single	0.1972	0.1822	0.3902	0.0092	0.0672	0.0474	0.1628	0.1026	0.5772	0.1694	0.0566	0.0402
GradientShap_baseline	Single	0.1972	0.1822	0.3902	0.0092	0.0672	0.0474	0.1628	0.1026	0.5772	0.1694	0.0566	0.0402
GuidedBackprop	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
GuidedBackprop	Single	0.1724	0.1602	0.3322	0.087	0.0562	0.0574	0.1734	0.1248	0.567	0.193	0.0546	0.0354
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
InputXGradient	Single	0.2102	0.2076	0.4232	0.0604	0.0716	0.069	0.1612	0.0992	0.574	0.1528	0.0574	0.031
IntegratedGradient	Single	0.4972	0.4836	0.3900	0.0084	0.0604	0.0486	0.1662	0.1002	0.5808	0.1608	0.0598	0.0338
IntegratedGradient	Single	0.4972	0.4836	0.3900	0.0084	0.0604	0.0486	0.1662	0.1002	0.5808	0.1608	0.0598	0.0338
IntegratedGradient	Single	0.498	0.4842	0.3908	0.0092	0.064	0.051	0.1682	0.1008	0.5808	0.1608	0.0596	0.035
IntegratedGradient	Single	0.498	0.4842	0.3908	0.0092	0.064	0.051	0.1682	0.1008	0.5808	0.1608	0.0596	0.035
Occlusion_baseline	Single	0.106	0.106	0.4742	0.0176	0.0672	0.0618	0.1734	0.1462	0.5802	0.2298	0.066	0.0458
Occlusion_baseline	Single	0.106	0.106	0.4742	0.0176	0.0672	0.0618	0.1734	0.1462	0.5802	0.2298	0.066	0.0458
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432
Saliency	Single	0.2054	0.1916	0.403	0.0068	0.0656	0.0504	0.16	0.1224	0.5762	0.2268	0.058	0.0432

Table 155: NAIVE Table 2 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

k		method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
							R Fbar	R Cbar	R g R p Fbar	R p R p Cbar	R p R s Fbar	R s R s Cbar	R s R a Fbar	R a R a Cbar	R a Cbar							
10	10	best_individual	0.1122	0.3446	0.214	0.4816	0.0456	0.0008	0.172	0.1204	0.023	0.013	0.145	0.12	0.0174	0.0022	0.0494	0.0386	0.0162	0.0036	0.0732	0.0008
10		simpleavg	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918	0.0826	0.0264	0.1712	0.0404
10		borda	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854	0.0794	0.0062	0.1706	0.0222
10		kemeny	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072	0.0754	0.0084	0.1612	0.0242
10		rrf	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832	0.0776	0.0014	0.1696	0.019
10		schulze	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752	0.0782	0.0136	0.169	0.033
20		best_individual	0.1716	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002
20		simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
20		borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
20		kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
20	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
20	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	
40	40	best_individual	0.3116	0.0644	0.4418	0.1518	0.1276	0.026	0.3098	0.2212	0.0958	0.0002	0.2612	0.1856	0.0446	0.0074	0.0926	0.0592	0.0602	0.002	0.1326	0.0426
40		simpleavg	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036	0.0978	0.0406	0.1674	0.1034
40		borda	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093	0.111	0.03	0.1924	0.09
40		kemeny	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902	0.1158	0.0282	0.1944	0.086
40		rrf	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868	0.1108	0.0292	0.1876	0.0894
40		schulze	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922	0.112	0.029	0.195	0.086
80		best_individual	0.5071	0.0174	0.6444	0.0812	0.0352	0.0076	0.2358	0.1812	0.0382	0.0008	0.2284	0.1602	0.0586	0.0012	0.1048	0.0522	0.0534	0.0136	0.0786	0.0704
80		simpleavg	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796	0.0686	0.0196	0.1024	0.083
80		borda	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718	0.0848	0.0132	0.1292	0.072
80		kemeny	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544	0.0876	0.0156	0.1366	0.0792
80	rrf	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064	0.0864	0.0138	0.128	0.0778	
80	schulze	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648	0.0858	0.012	0.1314	0.0748	

Table 156: NAIVE Table 2 results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

k	method	F	Fbar	C	Cbar	R g F	R Fbar	g R g C	R Cbar	g R p F	R Fbar	p R p C	R Cbar	p R s F	R Fbar	s R s C	R Cbar	s R a F	R Fbar	a R a C	R Cbar	a
10	best_individual	0.1122	0.3446	0.214	0.4816	0.1152	0.0388	0.2942	0.259	0.0898	0.0308	0.2658	0.2416	0.0392	0.023	0.0862	0.0844	0.0808	0.0196	0.164	0.029	
10	simpleavg	0.1122	0.4314	0.2172	0.5768	0.1266	0.0342	0.2976	0.248	0.1058	0.0344	0.2696	0.234	0.0564	0.0364	0.0912	0.0918	0.0826	0.0264	0.1712	0.0404	
10	borda	0.1016	0.4124	0.205	0.5538	0.1246	0.0284	0.2828	0.2432	0.1126	0.03	0.2642	0.231	0.0434	0.0296	0.0746	0.0854	0.0794	0.0062	0.1706	0.0222	
10	kemeny	0.098	0.4174	0.1934	0.5602	0.125	0.002	0.2788	0.2086	0.1194	0.006	0.27	0.2004	0.0382	0.01	0.0784	0.072	0.0754	0.0084	0.1612	0.0242	
10	rrf	0.102	0.407	0.2054	0.5478	0.1334	0.017	0.2806	0.2316	0.1216	0.0046	0.2716	0.2098	0.0466	0.024	0.0792	0.0832	0.0776	0.0014	0.1696	0.019	
10	schulze	0.1012	0.4176	0.2016	0.5618	0.1266	0.0114	0.2784	0.2006	0.116	0.0058	0.2648	0.1968	0.0444	0.0174	0.0796	0.0752	0.0782	0.0136	0.169	0.033	
20	best_individual	0.1726	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096	0.0572	
20	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754	
20	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532	
20	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492	
20	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608	
20	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506	
40	best_individual	0.2906	0.0644	0.4418	0.1518	0.1392	0.053	0.3234	0.2836	0.1336	0.018	0.3096	0.25	0.0876	0.0192	0.1302	0.09	0.1142	0.0204	0.1866	0.0772	
40	simpleavg	0.2906	0.1048	0.4178	0.2124	0.147	0.1092	0.3458	0.3274	0.1362	0.091	0.3234	0.2966	0.088	0.0468	0.1374	0.1036	0.0978	0.0406	0.1674	0.1034	
40	borda	0.279	0.0756	0.412	0.1758	0.15	0.0754	0.325	0.2762	0.1546	0.0544	0.3216	0.2556	0.097	0.0336	0.1352	0.093	0.111	0.03	0.1924	0.09	
40	kemeny	0.282	0.083	0.4102	0.1814	0.1468	0.0678	0.327	0.2744	0.14	0.0368	0.3094	0.2386	0.079	0.034	0.1208	0.0902	0.1158	0.0282	0.1944	0.086	
40	rrf	0.2848	0.0772	0.413	0.177	0.149	0.0728	0.3296	0.277	0.146	0.0412	0.3206	0.2432	0.0852	0.029	0.129	0.0868	0.1108	0.0292	0.1876	0.0894	
40	schulze	0.2798	0.0814	0.4138	0.1786	0.1506	0.0696	0.3204	0.2786	0.146	0.0406	0.3122	0.2404	0.0894	0.0318	0.1256	0.0922	0.112	0.029	0.195	0.086	
80	best_individual	0.4784	0.0174	0.6444	0.0812	0.0352	0.0156	0.2358	0.22	0.0382	0.0176	0.2284	0.1954	0.0636	0.0026	0.1188	0.0708	0.0764	0.0136	0.1086	0.0704	
80	simpleavg	0.4784	0.0242	0.6186	0.0964	0.0542	0.0528	0.2598	0.257	0.0536	0.0332	0.2468	0.233	0.0632	0.0154	0.1188	0.0796	0.0686	0.0196	0.1024	0.083	
80	borda	0.4632	0.0148	0.6028	0.0812	0.0672	0.019	0.2588	0.2048	0.0658	0.0012	0.2496	0.1836	0.0776	0.0104	0.1278	0.0718	0.0848	0.0132	0.1292	0.072	
80	kemeny	0.4628	0.0202	0.6054	0.0912	0.0604	0.0116	0.2482	0.1934	0.0676	0.0008	0.2476	0.1784	0.0716	0.0014	0.1172	0.0544	0.0876	0.0156	0.1366	0.0792	
80	rrf	0.4726	0.016	0.6094	0.086	0.06	0.0218	0.257	0.2008	0.0542	0.0008	0.2388	0.1802	0.0706	0.008	0.1202	0.064	0.0864	0.0138	0.128	0.0778	
80	schulze	0.4656	0.0156	0.605	0.085	0.0608	0.021	0.2552	0.2012	0.0632	0.0068	0.2466	0.1798	0.073	0.0086	0.1218	0.0648	0.0858	0.012	0.1314	0.0748	

Table 157: NAIVE Table 3 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

p		method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
8		best_individual	0.6522	0.1998	0.8118	0.073	0.1396	0.247	0.069	0.0616	0.1304	0.231	0.0646	0.0266	0.0502	0.0692	0.005	0.079	0.0042	0.1652	0.0032	
8		simpleavg	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102	0.078	0.0104	0.163	0.0144
8		borda	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122	0.0698	0.005	0.1558	0.0056
8		kemeny	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026	0.0612	0.0038	0.1486	0.0024
8		rrf	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068	0.0656	0.0034	0.1516	0.0006
8		schulze	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568	0.0032
14		best_individual	0.2664	0.2706	0.4014	0.169	0.061	0.314	0.265	0.1608	0.0296	0.2966	0.2396	0.0694	0.019	0.103	0.0728	0.1008	0.0206	0.2048	0.0442	
14		simpleavg	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792	0.0946	0.0316	0.1798	0.0594
14		borda	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768	0.0932	0.0114	0.1886	0.0356
14		kemeny	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754	0.0874	0.0042	0.1818	0.0266
14		rrf	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082	0.09	0.003	0.1848	0.0266
14		schulze	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716	0.0892	0.0044	0.1838	0.0242
16		best_individual	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096	0.0572	
16		simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
16		borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
16		kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
16		rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
16		schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506

Table 158: NAIVE Table 3 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

p		method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a Cbar							
8		best_individual	0.6522	0.1998	0.8118	0.0278	0.1396	0.1358	0.0008	0.011	0.128	0.1194	0.0088	0.0124	0.026	0.0378	0.0006	0.011	0.0018	0.061	0.0002	
8		simpleavg	0.0988	0.7428	0.196	0.9038	0.0988	0.1678	0.2674	0.036	0.0832	0.1554	0.2514	0.0416	0.0438	0.0414	0.0892	0.0102	0.078	0.0104	0.163	0.0144
8		borda	0.0858	0.739	0.182	0.8988	0.0972	0.1678	0.2438	0.0382	0.082	0.1518	0.225	0.0416	0.0384	0.0446	0.0756	0.0122	0.0698	0.005	0.1558	0.0056
8		kemeny	0.0768	0.7168	0.1728	0.877	0.1104	0.1764	0.2468	0.0322	0.0954	0.1654	0.2312	0.0348	0.0448	0.0516	0.075	0.0026	0.0612	0.0038	0.1486	0.0024
8		rrf	0.0812	0.717	0.1772	0.8784	0.117	0.1724	0.262	0.0326	0.0968	0.1602	0.2382	0.039	0.0428	0.0448	0.0786	0.0068	0.0656	0.0034	0.1516	0.0006
8		schulze	0.0828	0.7176	0.1814	0.876	0.1068	0.1764	0.243	0.0334	0.0934	0.1546	0.2302	0.0446	0.04	0.0472	0.0724	0.008	0.0666	0.003	0.1568	0.0032
14		best_individual	0.2664	0.2706	0.4014	0.0642	0.0028	0.2026	0.1434	0.0382	0.0004	0.1822	0.1268	0.0212	0.0002	0.0514	0.0344	0.0286	0.0016	0.0992	0.002	
14		simpleavg	0.1578	0.3846	0.2718	0.5284	0.1496	0.0354	0.3266	0.2452	0.1268	0.0358	0.3006	0.2358	0.065	0.0268	0.11	0.0792	0.0946	0.0316	0.1798	0.0594
14		borda	0.1424	0.3442	0.2576	0.4834	0.1512	0.0388	0.3088	0.2486	0.145	0.0298	0.3002	0.2362	0.0676	0.0176	0.109	0.0768	0.0932	0.0114	0.1886	0.0356
14		kemeny	0.135	0.332	0.2482	0.4664	0.1506	0.015	0.3094	0.2308	0.1496	0.0072	0.3054	0.2116	0.0606	0.0164	0.1016	0.0754	0.0874	0.0042	0.1818	0.0266
14		rrf	0.143	0.3218	0.2574	0.4564	0.154	0.0266	0.307	0.237	0.147	0.0232	0.3042	0.2304	0.0626	0.0268	0.1028	0.082	0.09	0.003	0.1848	0.0266
14		schulze	0.137	0.3286	0.25	0.4638	0.1584	0.0232	0.3146	0.2386	0.1464	0.0162	0.302	0.2228	0.0646	0.0132	0.1062	0.0716	0.0892	0.0044	0.1838	0.0242
16		best_individual	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002	
16		simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
16		borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
16		kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
16		rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
16		schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506

Table 159: NAIVE Table 4 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

fill	method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
						Fbar	Cbar	Fbar	Cbar	Fbar	Cbar	Fbar	Cbar	Fbar							
dataset_mean	best_indiv	0.1761	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0.002
dataset_mean	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
dataset_mean	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
dataset_mean	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
dataset_mean	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
dataset_mean	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506
class_mean	best_indiv	0.1761	0.2618	0.2952	0.393	0.078	0.009	0.2378	0.1562	0.0494	0.0018	0.2108	0.1596	0.0274	0.0074	0.066	0.0454	0.0354	0.0006	0.1044	0.0004
class_mean	simpleavg	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178	0.0914	0.0284	0.1768	0.0506
class_mean	borda	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096	0.0982	0.0146	0.1896	0.034
class_mean	kemeny	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922	0.0968	0.0072	0.1838	0.0282
class_mean	rrf	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964	0.1006	0.021	0.1912	0.039
class_mean	schulze	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102	0.0986	0.0124	0.1878	0.0278

Table 160: NAIVE Table 4 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

fill	method	F	Fbar	C	Cbar	R g F	R g R g C	R g R p F	R p R p C	R p R s F	R s R s C	R s R a F	R a R a C	R a							
						Fbar	Cbar	Fbar	Cbar	Fbar	Cbar	Fbar	Cbar	Cbar							
dataset_mean	best_indiv	0.1761	0.1752	0.292	0.2952	0.15	0.103	0.328	0.3102	0.1378	0.0686	0.3176	0.2856	0.0618	0.037	0.1178	0.095	0.1058	0.0216	0.2096	0.0572
dataset_mean	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0.0754
dataset_mean	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0.0532
dataset_mean	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0.0492
dataset_mean	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0.0608
dataset_mean	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0.0506
class_mean	best_indiv	0.1761	0.2618	0.2952	0.393	0.1478	0.0784	0.3268	0.2924	0.1318	0.0576	0.3124	0.2746	0.0604	0.033	0.1194	0.0938	0.1122	0.0318	0.2098	0.0502
class_mean	simpleavg	0.174	0.344	0.29	0.4804	0.157	0.0676	0.3404	0.2812	0.1414	0.06	0.3148	0.276	0.078	0.0534	0.122	0.1178	0.0914	0.0284	0.1768	0.0506
class_mean	borda	0.1658	0.31	0.2826	0.4464	0.1656	0.0608	0.3328	0.2772	0.1518	0.0566	0.3142	0.2644	0.0756	0.036	0.1156	0.096	0.0982	0.0146	0.1896	0.034
class_mean	kemeny	0.1656	0.3096	0.2782	0.4414	0.1592	0.037	0.3278	0.2592	0.151	0.0352	0.312	0.247	0.0702	0.0308	0.1114	0.0922	0.0968	0.0072	0.1838	0.0282
class_mean	rrf	0.1714	0.3042	0.2886	0.4338	0.1574	0.047	0.3238	0.272	0.1504	0.0516	0.3066	0.2632	0.071	0.0304	0.1104	0.0964	0.1006	0.021	0.1912	0.039
class_mean	schulze	0.1662	0.3096	0.2804	0.439	0.1552	0.0412	0.327	0.2642	0.1482	0.0366	0.3074	0.2492	0.0726	0.0366	0.1156	0.102	0.0986	0.0124	0.1878	0.0278

Table 161: NAIVE Table 5 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

noise	severity	method	F	Fbar	C	Cbar
gaussian	0.1	best_ind	0.0441	0.026	0.1186	0.1168
gaussian	0.1	simpleavg	0.126	0.1134	0.2092	0.208
gaussian	0.1	borda	0.1268	0.086	0.1942	0.1824
gaussian	0.1	kemeny	0.125	0.0674	0.1962	0.1608
gaussian	0.1	rrf	0.128	0.07	0.1914	0.1646
gaussian	0.1	schulze	0.131	0.072	0.1986	0.17
gaussian	0.15	best_ind	0.0781	0.0108	0.2344	0.184
gaussian	0.15	simpleavg	0.1564	0.1118	0.3474	0.3208
gaussian	0.15	borda	0.1692	0.0996	0.3384	0.3208
gaussian	0.15	kemeny	0.1668	0.0684	0.3296	0.2774
gaussian	0.15	rrf	0.1648	0.0776	0.3286	0.2944
gaussian	0.15	schulze	0.1662	0.0762	0.3296	0.288
gaussian	0.2	best_ind	0.0761	0.0026	0.3448	0.2622
gaussian	0.2	simpleavg	0.1322	0.0644	0.4402	0.4126
gaussian	0.2	borda	0.146	0.0626	0.4378	0.4094
gaussian	0.2	kemeny	0.141	0.03	0.4282	0.3796
gaussian	0.2	rrf	0.1416	0.045	0.4236	0.392
gaussian	0.2	schulze	0.139	0.0404	0.421	0.3896
salt_pepper	0.03	best_ind	0.0341	0.0048	0.1324	0.1074
salt_pepper	0.03	simpleavg	0.1292	0.0856	0.238	0.2146
salt_pepper	0.03	borda	0.1378	0.0582	0.2336	0.1856
salt_pepper	0.03	kemeny	0.1376	0.031	0.2304	0.1586
salt_pepper	0.03	rrf	0.135	0.0468	0.224	0.1702
salt_pepper	0.03	schulze	0.135	0.0392	0.2252	0.1632
salt_pepper	0.05	best_ind	0.0441	0.0086	0.2042	0.1848
salt_pepper	0.05	simpleavg	0.1376	0.0916	0.3152	0.2946
salt_pepper	0.05	borda	0.1624	0.0788	0.3208	0.2822
salt_pepper	0.05	kemeny	0.1614	0.045	0.317	0.2522
salt_pepper	0.05	rrf	0.1624	0.066	0.3134	0.2654
salt_pepper	0.05	schulze	0.1592	0.0656	0.3124	0.2696
salt_pepper	0.08	best_ind	0.0741	0.0068	0.295	0.2616
salt_pepper	0.08	simpleavg	0.1552	0.0854	0.4236	0.3858
salt_pepper	0.08	borda	0.169	0.0868	0.4158	0.3892
salt_pepper	0.08	kemeny	0.1664	0.0566	0.4058	0.3596
salt_pepper	0.08	rrf	0.1614	0.0642	0.4042	0.3746
salt_pepper	0.08	schulze	0.168	0.064	0.4058	0.3656
speckle	0.1	best_ind	0.0281	0.0008	0.0358	0.024
speckle	0.1	simpleavg	0.0488	0.0428	0.0722	0.0678
speckle	0.1	borda	0.0492	0.0226	0.061	0.0538
speckle	0.1	kemeny	0.0466	0.0226	0.0574	0.0502
speckle	0.1	rrf	0.0482	0.0202	0.059	0.047
speckle	0.1	schulze	0.0496	0.022	0.0578	0.0484
speckle	0.15	best_ind	0.0281	0.0004	0.0644	0.047
speckle	0.15	simpleavg	0.0734	0.0636	0.1192	0.1196
speckle	0.15	borda	0.0748	0.0428	0.1142	0.103
speckle	0.15	kemeny	0.0748	0.0362	0.1136	0.0994
speckle	0.15	rrf	0.0742	0.0342	0.1126	0.0958
speckle	0.15	schulze	0.077	0.035	0.112	0.0958
speckle	0.2	best_ind	0.0281	0.004	0.102	0.082
speckle	0.2	simpleavg	0.093	0.0746	0.1746	0.1636

noise	severity	method	F	Fbar	C	Cbar
speckle	0.2	borda	0.101	0.0602	0.1726	0.1596
speckle	0.2	kemeny	0.1016	0.0408	0.169	0.1292
speckle	0.2	rrf	0.1008	0.0514	0.165	0.1482
speckle	0.2	schulze	0.0992	0.053	0.1686	0.1468
adversarial	0.003922	best_indiv	0.0341	0.0014	0.0964	0.0002
adversarial	0.003922	simpleavg	0.0914	0.0448	0.1676	0.082
adversarial	0.003922	borda	0.0888	0.0232	0.1752	0.0476
adversarial	0.003922	kemeny	0.087	0.02	0.1704	0.0448
adversarial	0.003922	rrf	0.087	0.0228	0.174	0.0484
adversarial	0.003922	schulze	0.0866	0.0202	0.1734	0.045
adversarial	0.007843	best_indiv	0.0361	0.0026	0.1048	0.002
adversarial	0.007843	simpleavg	0.0944	0.0338	0.1768	0.0754
adversarial	0.007843	borda	0.095	0.019	0.1882	0.0532
adversarial	0.007843	kemeny	0.0904	0.015	0.179	0.0492
adversarial	0.007843	rrf	0.0956	0.0246	0.1914	0.0608
adversarial	0.007843	schulze	0.0926	0.017	0.1864	0.0506
adversarial	0.015686	best_indiv	0.0346	0.0052	0.1006	0.002
adversarial	0.015686	simpleavg	0.095	0.0232	0.1788	0.067
adversarial	0.015686	borda	0.0998	0.0002	0.1936	0.0366
adversarial	0.015686	kemeny	0.0928	0.0094	0.1842	0.0386
adversarial	0.015686	rrf	0.099	0	0.1946	0.0354
adversarial	0.015686	schulze	0.0938	0.0128	0.1888	0.0446

Table 162: NAIVE Table 5 results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

noise	severity	method	F	Fbar	C	Cbar
gaussian	0.1	best_ind	0.128	0.088	0.2064	0.1878
gaussian	0.1	simpleavg	0.126	0.1134	0.2092	0.208
gaussian	0.1	borda	0.1268	0.086	0.1942	0.1824
gaussian	0.1	kemeny	0.125	0.0674	0.1962	0.1608
gaussian	0.1	rrf	0.128	0.07	0.1914	0.1646
gaussian	0.1	schulze	0.131	0.072	0.1986	0.17
gaussian	0.15	best_ind	0.154	0.103	0.328	0.3102
gaussian	0.15	simpleavg	0.1564	0.1118	0.3474	0.3208
gaussian	0.15	borda	0.1692	0.0996	0.3384	0.3208
gaussian	0.15	kemeny	0.1668	0.0684	0.3296	0.2774
gaussian	0.15	rrf	0.1648	0.0776	0.3286	0.2944
gaussian	0.15	schulze	0.1662	0.0762	0.3296	0.288
gaussian	0.2	best_ind	0.166	0.0808	0.4246	0.4338
gaussian	0.2	simpleavg	0.1322	0.0644	0.4402	0.4126
gaussian	0.2	borda	0.146	0.0626	0.4378	0.4094
gaussian	0.2	kemeny	0.141	0.03	0.4282	0.3796
gaussian	0.2	rrf	0.1416	0.045	0.4236	0.392
gaussian	0.2	schulze	0.139	0.0404	0.421	0.3896
salt_pepper	0.03	best_ind	0.1681	0.0514	0.23	0.187
salt_pepper	0.03	simpleavg	0.1292	0.0856	0.238	0.2146
salt_pepper	0.03	borda	0.1378	0.0582	0.2336	0.1856
salt_pepper	0.03	kemeny	0.1376	0.031	0.2304	0.1586
salt_pepper	0.03	rrf	0.135	0.0468	0.224	0.1702
salt_pepper	0.03	schulze	0.135	0.0392	0.2252	0.1632
salt_pepper	0.05	best_ind	0.13781	0.0686	0.3176	0.2856
salt_pepper	0.05	simpleavg	0.1376	0.0916	0.3152	0.2946
salt_pepper	0.05	borda	0.1624	0.0788	0.3208	0.2822
salt_pepper	0.05	kemeny	0.1614	0.045	0.317	0.2522
salt_pepper	0.05	rrf	0.1624	0.066	0.3134	0.2654
salt_pepper	0.05	schulze	0.1592	0.0656	0.3124	0.2696
salt_pepper	0.08	best_ind	0.16821	0.0902	0.3964	0.3976
salt_pepper	0.08	simpleavg	0.1552	0.0854	0.4236	0.3858
salt_pepper	0.08	borda	0.169	0.0868	0.4158	0.3892
salt_pepper	0.08	kemeny	0.1664	0.0566	0.4058	0.3596
salt_pepper	0.08	rrf	0.1614	0.0642	0.4042	0.3746
salt_pepper	0.08	schulze	0.168	0.064	0.4058	0.3656
speckle	0.1	best_ind	0.03681	0.0226	0.0646	0.05
speckle	0.1	simpleavg	0.0488	0.0428	0.0722	0.0678
speckle	0.1	borda	0.0492	0.0226	0.061	0.0538
speckle	0.1	kemeny	0.0466	0.0226	0.0574	0.0502
speckle	0.1	rrf	0.0482	0.0202	0.059	0.047
speckle	0.1	schulze	0.0496	0.022	0.0578	0.0484
speckle	0.15	best_ind	0.06181	0.037	0.1178	0.095
speckle	0.15	simpleavg	0.0734	0.0636	0.1192	0.1196
speckle	0.15	borda	0.0748	0.0428	0.1142	0.103
speckle	0.15	kemeny	0.0748	0.0362	0.1136	0.0994
speckle	0.15	rrf	0.0742	0.0342	0.1126	0.0958
speckle	0.15	schulze	0.077	0.035	0.112	0.0958
speckle	0.2	best_ind	0.08141	0.0492	0.1686	0.146
speckle	0.2	simpleavg	0.093	0.0746	0.1746	0.1636

noise	severity	method	F	Fbar	C	Cbar
speckle	0.2	borda	0.101	0.0602	0.1726	0.1596
speckle	0.2	kemeny	0.1016	0.0408	0.169	0.1292
speckle	0.2	rrf	0.1008	0.0514	0.165	0.1482
speckle	0.2	schulze	0.0992	0.053	0.1686	0.1468
adversarial	0.003922	best_ind	0.10041	0.0196	0.1926	0.043
adversarial	0.003922	simpleavg	0.0914	0.0448	0.1676	0.082
adversarial	0.003922	borda	0.0888	0.0232	0.1752	0.0476
adversarial	0.003922	kemeny	0.087	0.02	0.1704	0.0448
adversarial	0.003922	rrf	0.087	0.0228	0.174	0.0484
adversarial	0.003922	schulze	0.0866	0.0202	0.1734	0.045
adversarial	0.007843	best_ind	0.10581	0.0216	0.2096	0.0572
adversarial	0.007843	simpleavg	0.0944	0.0338	0.1768	0.0754
adversarial	0.007843	borda	0.095	0.019	0.1882	0.0532
adversarial	0.007843	kemeny	0.0904	0.015	0.179	0.0492
adversarial	0.007843	rrf	0.0956	0.0246	0.1914	0.0608
adversarial	0.007843	schulze	0.0926	0.017	0.1864	0.0506
adversarial	0.015686	best_ind	0.10521	0.0176	0.2086	0.0586
adversarial	0.015686	simpleavg	0.095	0.0232	0.1788	0.067
adversarial	0.015686	borda	0.0998	0.0002	0.1936	0.0366
adversarial	0.015686	kemeny	0.0928	0.0094	0.1842	0.0386
adversarial	0.015686	rrf	0.099	0	0.1946	0.0354
adversarial	0.015686	schulze	0.0938	0.0128	0.1888	0.0446

Table 163: NOISE preview results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	best_individual	best_individual				3102f14a028576c504ff832780c2928630129573565478dc7072349510f864273f30	0.2042	0.0238	0.0644	0.036	0.1048	0.0108	0.184	0.0086	0.1848	0.0004	0						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	naive	11			0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192	0.0944	0.1768	0.1118	0.3208	0.0916	0.2946	0.0636	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	NOISE	5	kemeny	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192	0.0944	0.1768	0.1118	0.3208	0.0916	0.2946	0.0636	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	naive	11			0.158	0.2186	0.2756	0.3464	0.1692	0.3384	0.1624	0.3208	0.0748	0.1142	0.095	0.1882	0.0996	0.3208	0.0788	0.2822	0.0428	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	NOISE	5	kemeny	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.158	0.2186	0.2756	0.3464	0.1692	0.3384	0.1624	0.3208	0.0748	0.1142	0.095	0.1882	0.0996	0.3208	0.0788	0.2822	0.0428	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	naive	11			0.1556	0.2234	0.271	0.3492	0.1668	0.3296	0.1614	0.317	0.0748	0.1136	0.0904	0.179	0.0684	0.2774	0.045	0.2522	0.0362	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	NOISE	5	kemeny	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1556	0.2234	0.271	0.3492	0.1668	0.3296	0.1614	0.317	0.0748	0.1136	0.0904	0.179	0.0684	0.2774	0.045	0.2522	0.0362	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	trf	naive	11			0.1612	0.2176	0.2812	0.3424	0.1648	0.3286	0.1624	0.3134	0.0742	0.1126	0.0956	0.1914	0.0776	0.2944	0.066	0.2654	0.0342	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	trf	NOISE	5	kemeny	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1612	0.2176	0.2812	0.3424	0.1648	0.3286	0.1624	0.3134	0.0742	0.1126	0.0956	0.1914	0.0776	0.2944	0.066	0.2654	0.0342	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	naive	11			0.1576	0.2182	0.276	0.3444	0.1662	0.3296	0.1592	0.3124	0.077	0.112	0.0926	0.1864	0.0762	0.288	0.0656	0.2696	0.035	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	NOISE	5	kemeny	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1576	0.2182	0.276	0.3444	0.1662	0.3296	0.1592	0.3124	0.077	0.112	0.0926	0.1864	0.0762	0.288	0.0656	0.2696	0.035	0

Table 164: NOISE preview results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	best_individual	best_individual				3102f14a028576c504ff832780c2928630129573565478dc7072349510f864d73f3	0.2042	0.0238	0.0644	0.036	0.1048	0.0108	0.184	0.0086	0.1848	0.0004	0						
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	naive	11			0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192	0.0944	0.1768	0.1118	0.3208	0.0916	0.2946	0.0636	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	simpleavg	NOISE	5	borda	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1726	0.251	0.286	0.3862	0.1564	0.3474	0.1376	0.3152	0.0734	0.1192	0.0944	0.1768	0.1118	0.3208	0.0916	0.2946	0.0636	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	naive	11			0.158	0.2186	0.2756	0.3464	0.1692	0.3384	0.1624	0.3208	0.0748	0.1142	0.095	0.1882	0.0996	0.3208	0.0788	0.2822	0.0428	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	borda	NOISE	5	borda	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.158	0.2186	0.2756	0.3464	0.1692	0.3384	0.1624	0.3208	0.0748	0.1142	0.095	0.1882	0.0996	0.3208	0.0788	0.2822	0.0428	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	naive	11			0.1556	0.2234	0.271	0.3492	0.1668	0.3296	0.1614	0.317	0.0748	0.1136	0.0904	0.179	0.0684	0.2774	0.045	0.2522	0.0362	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kemeny	NOISE	5	borda	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1556	0.2234	0.271	0.3492	0.1668	0.3296	0.1614	0.317	0.0748	0.1136	0.0904	0.179	0.0684	0.2774	0.045	0.2522	0.0362	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	trf	naive	11			0.1612	0.2176	0.2812	0.3424	0.1648	0.3286	0.1624	0.3134	0.0742	0.1126	0.0956	0.1914	0.0776	0.2944	0.066	0.2654	0.0342	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	trf	NOISE	5	borda	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1612	0.2176	0.2812	0.3424	0.1648	0.3286	0.1624	0.3134	0.0742	0.1126	0.0956	0.1914	0.0776	0.2944	0.066	0.2654	0.0342	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	naive	11			0.1576	0.2182	0.276	0.3444	0.1662	0.3296	0.1592	0.3124	0.077	0.112	0.0926	0.1864	0.0762	0.288	0.0656	0.2696	0.035	0
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	schulze	NOISE	5	borda	["GuidedBackprop","DeepLIFT","DeepLIFT","FeatureAttribution","Occlusion"]	0.1576	0.2182	0.276	0.3444	0.1662	0.3296	0.1592	0.3124	0.077	0.112	0.0926	0.1864	0.0762	0.288	0.0656	0.2696	0.035	0

Table 165: NOISE preview results for ImageNet–ResNet-18. This table is a historical snapshot included for archival purposes in the source file.

cell	dataset	model	rule	F	F q	Fbar	Fbar q	C	C q	Cbar	Cbar q	R F g	R F g q	R Fbar g	R Fbar g q	R C g	R C g q	R Cbar g	R Cbar g q	R F p	R F p q	R Fbar p	R Fbar p q	R C p	R C p q
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	0.1814	2	0.15	2	0.3056	2	0.2646	2	0.1514	9	0.088	3	0.3246	2	0.3048	3	0.1294	5	0.0568	3	0.2974	2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	0.1876	5	0.1452	2	0.312	5	0.2586	2	0.1676	5	0.0828	9	0.3176	3	0.2942	9	0.1502	5	0.047	3	0.306	2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	0.1874	5	0.1452	2	0.3128	5	0.2586	2	0.1632	10	0.0522	9	0.317	6	0.2642	9	0.1542	6	0.0356	3	0.306	2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	trf	0.1886	5	0.1424	2	0.3152	5	0.256	2	0.1644	2	0.07	9	0.3156	3	0.2768	9	0.1564	10	0.052	9	0.3058	2
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	0.1876	5	0.1452	2	0.312	5	0.2586	2	0.1604	10	0.0652	9	0.3238	4	0.2776	10	0.1546	6	0.0382	3	0.306	2

Table 166: NOISE preview results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	rule	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	simpleavg	2	["GuidedBackprop", "DeepLIFT", "FeatureAblation"]	0.1876	0.1519	0.3528	0.2646	0.1628	0.1008	0.3246	0.3152	0.1508	0.0646	0.2974	0.2864	0.0718	0.0368	0.1022	0.1012	0.1148	0.0244	0.2124	0.3498
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	5	["GuidedBackprop", "DeepLIFT", "FeatureAblation"]	0.1876	0.1519	0.3528	0.2646	0.1628	0.1008	0.3246	0.3152	0.1502	0.1106	0.3128	0.3188	0.0764	0.051	0.1138	0.1142	0.1108	0.0262	0.203	0.3498
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	kemeny	5	["GuidedBackprop", "DeepLIFT", "FeatureAblation"]	0.1876	0.1519	0.3528	0.2646	0.1628	0.1008	0.3246	0.3152	0.1628	0.0684	0.3156	0.2774	0.0846	0.0446	0.1202	0.1034	0.1106	0.0272	0.2054	0.3498
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	trf	5	["GuidedBackprop", "DeepLIFT", "FeatureAblation"]	0.1876	0.1519	0.3528	0.2646	0.1628	0.1008	0.3246	0.3152	0.1572	0.0966	0.3154	0.3072	0.0822	0.0468	0.1146	0.108	0.1102	0.032	0.205	0.3498
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	schulze	5	["GuidedBackprop", "DeepLIFT", "FeatureAblation"]	0.1876	0.1519	0.3528	0.2646	0.1628	0.1008	0.3246	0.3152	0.1578	0.0996	0.321	0.3072	0.0788	0.049	0.115	0.111	0.1092	0.0352	0.2016	0.3498

Table 167: NOISE q-sweep results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	adversarial	conditioned	cd_qual	0.9922	False	["GuidedBackprop","DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	adversarial	conditioned	cd_qual	0.9856	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	conditioned	cd_qual	0.91056	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	conditioned	cd_qual	0.9109	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	conditioned	cd_qual	0.91012	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	conditioned	cd_qual	0.9966	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	conditioned	cd_qual	0.9946	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	conditioned	cd_qual	0.9892	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	conditioned	cd_qual	0.9884	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	conditioned	cd_qual	0.9874	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial	conditioned	cd_qual	0.9922	False	["GuidedBackprop","DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial	conditioned	cd_qual	0.9824	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial	conditioned	cd_qual	0.9932	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial	conditioned	cd_qual	0.91074	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial	conditioned	cd_qual	0.9984	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial	conditioned	cd_qual	0.994	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial	conditioned	cd_qual	0.9914	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial	conditioned	cd_qual	0.9854	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	adversarial	sara-2- 255	adversarial	conditioned_qual0.9874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	adversarial	sara-2- 255	adversarial	conditioned_qual0.992	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9926	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.91018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.91102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.91052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	sara-2- 255	adversarial	conditioned_qual0.9898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.9922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.9832	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.9914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.91104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.91002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.9982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	sara-2- 255	adversarial	conditioned_qual0.992	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	schulze	adversarial	adDITIONed_qual0.9848	0.9848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	adDITIONed_qual0.9888	0.9888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	adversarial	adDITIONed_qual0.9896	0.9896	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	adversarial	adDITIONed_qual0.9932	0.9932	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	adversarial	adDITIONed_qual0.9852	0.9852	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	adversarial	adDITIONed_qual0.9142	0.9142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	adversarial	adDITIONed_qual0.9114	0.9114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	adversarial	adDITIONed_qual0.9126	0.9126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	adversarial	adDITIONed_qual0.9122	0.9122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	adDITIONed_qual0.9112	0.9112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	adDITIONed_qual0.91078	0.91078	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	adDITIONed_qual0.91074	0.91074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	adDITIONed_qual0.91092	0.91092	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	adversarial	adDITIONed_qual0.92	0.92	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	adversarial	adDITIONed_qual0.92154	0.92154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	adDITIONed_qual0.92312	0.92312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	adDITIONed_qual0.92496	0.92496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	adDITIONed_qual0.92648	0.92648	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	adDITIONed_qual0.92788	0.92788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial sara-2- 255	adnition	0.6	0.2864	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial sara-2- 255	adnition	0.6	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial sara-2- 255	adnition	0.6	0.3018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial sara-2- 255	adnition	0.6	0.2932	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial sara-2- 255	adnition	0.6	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial sara-2- 255	adnition	0.6	0.2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial sara-2- 255	adnition	0.6	0.237	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial sara-2- 255	adnition	0.6	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial sara-2- 255	adnition	0.6	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial sara-2- 255	adnition	0.6	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial sara-2- 255	adnition	0.6	0.2754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial sara-2- 255	adnition	0.6	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	adversarial sara-2- 255	adnition	0.6	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	adversarial sara-2- 255	adnition	0.6	0.3	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	adversarial sara-2- 255	adnition	0.6	0.1954	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	adversarial sara-2- 255	adnition	0.6	0.2192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	adversarial sara-2- 255	adnition	0.6	0.211	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	adversarial sara-2- 255	adnition	0.6	0.234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	rrf	adversarial sara-2- 255	adnition	0.6	0.2396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	condition sara-2- 255	barqual	0.2626	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	condition sara-2- 255	barqual	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	condition sara-2- 255	barqual	0.2918	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	condition sara-2- 255	barqual	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	condition sara-2- 255	barqual	0.2816	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	adversarial	condition sara-2- 255	barqual	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	adversarial	condition sara-2- 255	barqual	0.2552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	adversarial	condition sara-2- 255	barqual	0.2364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	adversarial	condition sara-2- 255	barqual	0.246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	adversarial	condition sara-2- 255	barqual	0.2482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	adversarial	condition sara-2- 255	barqual	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	condition sara-2- 255	barqual	0.2734	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	adversarial	condition sara-2- 255	barqual	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	condition sara-2- 255	barqual	0.3036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	adversarial	condition sara-2- 255	barqual	0.2938	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	adversarial	condition sara-2- 255	barqual	0.2054	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	adversarial	condition sara-2- 255	barqual	0.2218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	adversarial	condition sara-2- 255	barqual	0.2918	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	adversarial	condition sara-2- 255	barqual	0.322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	adversarial	conditioned	Barqual	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	adversarial	conditioned	Barqual	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	conditioned	Barqual	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	conditioned	Barqual	0.3136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	conditioned	Barqual	0.3106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	conditioned	Barqual	0.3108	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	adversarial	conditioned	Ed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	adversarial	conditioned	Ed_qual	0.9612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	adversarial	conditioned	Ed_qual	0.9756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	adversarial	conditioned	Ed_qual	0.9768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	adversarial	conditioned	Ed_qual	0.974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	adversarial	conditioned	Ed_qual	0.9708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	adversarial	conditioned	Ed_qual	0.9694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	adversarial	conditioned	Ed_qual	0.9646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	adversarial	conditioned	Ed_qual	0.9644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	adversarial	conditioned	Ed_qual	0.963	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	adversarial	conditioned	Ed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	adversarial	conditioned	Ed_qual	0.9586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	kemeny	adversarial	conditioned	Ed_qual	0.9684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9652	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9652	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.973	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9656	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18		schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18		schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.96	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.973	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.973	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.961	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.965	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9666	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9782	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9722	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	condition	F ₁ Harqual	0.1364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	condition	F ₁ Harqual	0.15	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	condition	F ₁ Harqual	0.172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	condition	F ₁ Harqual	0.1768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	condition	F ₁ Harqual	0.1926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	condition	F ₁ Harqual	0.1998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	condition	F ₁ Harqual	0.2154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	condition	F ₁ Harqual	0.2072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	condition	F ₁ Harqual	0.1996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	adversarial	condition	F ₁ Harqual	0.122	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	condition	F ₁ Harqual	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	adversarial	condition	F ₁ Harqual	0.1562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	adversarial	condition	F ₁ Harqual	0.1386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	adversarial	condition	F ₁ Harqual	0.1508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	adversarial	condition	F ₁ Harqual	0.183	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	condition	F ₁ Harqual	0.1884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	adversarial	condition	F ₁ Harqual	0.2156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	adversarial	condition	F ₁ Harqual	0.2066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	adversarial	condition	F ₁ Harqual	0.2084	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.119	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.141	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1582	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1794	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1836	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.2026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.193	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.122	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.2202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.2116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.2012	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1456	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1227	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.1217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	ad-conditioned sara-2- 255	F _{bar} qual	0.12172	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.621	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6526	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-conditioned 0.15	ed_qual	0.6164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	gaussian-conditioned 0.15	ed_qual	0.614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-conditioned 0.15	ed_qual	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-conditioned 0.15	ed_qual	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-conditioned 0.15	ed_qual	0.6268	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-conditioned 0.15	ed_qual	0.6448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-conditioned 0.15	ed_qual	0.623	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-conditioned 0.15	ed_qual	0.6242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-conditioned 0.15	ed_qual	0.6104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-conditioned 0.15	ed_qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-conditioned 0.15	ed_qual	0.5952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-conditioned 0.15	ed_qual	0.6006	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	gaussian-conditioned 0.15	ed_qual	0.6344	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	gaussian-conditioned 0.15	ed_qual	0.6178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-conditioned 0.15	ed_qual	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-conditioned 0.15	ed_qual	0.6504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-conditioned 0.15	ed_qual	0.6422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-conditioned 0.15	ed_qual	0.6282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-conditioned 0.15	ed_qual	0.6226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	rrf	gaussian-conditioned 0.15	cd_qual	0.6122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-conditioned 0.15	cd_qual	0.6094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	gaussian-conditioned 0.15	cd_qual	0.6098	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	gaussian-conditioned 0.15	cd_qual	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-conditioned 0.15	cd_qual	0.6206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	gaussian-conditioned 0.15	cd_qual	0.6212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	gaussian-conditioned 0.15	cd_qual	0.649	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-conditioned 0.15	cd_qual	0.6398	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-conditioned 0.15	cd_qual	0.6212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-conditioned 0.15	cd_qual	0.6094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-conditioned 0.15	cd_qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-conditioned 0.15	cd_qual	0.6004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	gaussian-conditioned 0.15	cd_qual	0.6056	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6302	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-conditioned 0.15	cd_qual	0.628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-conditioned 0.15	cd_qual	0.635	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	gaussian-conditioned 0.15	cd_qual	0.629	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	gaussian-conditioned 0.15	cd_qual	0.631	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6334	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	gaussian-conditioned 0.15	cd_qual	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	gaussian-conditioned 0.15	cd_qual	0.5822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	gaussian-conditioned 0.15	cd_qual	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	gaussian-conditioned 0.15	cd_qual	0.6714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	gaussian-conditioned 0.15	cd_qual	0.6682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	gaussian-conditioned 0.15	cd_qual	0.6684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	gaussian-conditioned 0.15	cd_qual	0.6638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	gaussian-conditioned 0.15	cd_qual	0.6606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	gaussian-conditioned 0.15	cd_qual	0.6654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	gaussian-conditioned 0.15	cd_qual	0.6672	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	gaussian-conditioned 0.15	cd_qual	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	gaussian-conditioned 0.15	cd_qual	0.5826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	kemeny	gaussian-conditioned 0.15	cd_qual	0.5858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	kemeny	gaussian-conditioned 0.15	cd_qual	0.5934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	kemeny	gaussian-conditioned 0.15	cd_qual	0.6008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-condition 0.15	Cbarqual	0.615	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-condition 0.15	Cbarqual	0.623	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-condition 0.15	Cbarqual	0.6276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-condition 0.15	Cbarqual	0.6362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-condition 0.15	Cbarqual	0.6266	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	gaussian-condition 0.15	Cbarqual	0.5794	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	gaussian-condition 0.15	Cbarqual	0.5848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-condition 0.15	Cbarqual	0.595	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-condition 0.15	Cbarqual	0.6418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-condition 0.15	Cbarqual	0.6312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-condition 0.15	Cbarqual	0.6296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-condition 0.15	Cbarqual	0.6268	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	gaussian-condition 0.15	Cbarqual	0.632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-condition 0.15	Cbarqual	0.6356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	gaussian-condition 0.15	Cbarqual	0.6368	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	gaussian-condition 0.15	Cbarqual	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	gaussian-condition 0.15	Cbarqual	0.581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	gaussian-condition 0.15	Cbarqual	0.5876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	gaussian-condition 0.15	Cbarqual	0.6594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-condition 0.15	barqual	0.6186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-condition 0.15	barqual	0.6108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-condition 0.15	barqual	0.6188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-condition 0.15	barqual	0.6382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-condition 0.15	barqual	0.6298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-condition 0.15	barqual	0.6324	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleav	gaussian-condition 0.15	barqual	0.5798	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleav	gaussian-condition 0.15	barqual	0.58	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleav	gaussian-condition 0.15	barqual	0.6988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleav	gaussian-condition 0.15	barqual	0.743	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleav	gaussian-condition 0.15	barqual	0.732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleav	gaussian-condition 0.15	barqual	0.721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleav	gaussian-condition 0.15	barqual	0.715	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleav	gaussian-condition 0.15	barqual	0.7084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleav	gaussian-condition 0.15	barqual	0.7058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleav	gaussian-condition 0.15	barqual	0.707	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	gaussian-condition 0.15	ed_qual	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	gaussian-condition 0.15	ed_qual	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	gaussian-condition 0.15	ed_qual	0.3572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18	5	borda	gaussian-conditioned 0.15	ed_qual	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	borda	gaussian-conditioned 0.15	ed_qual	0.3554	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	borda	gaussian-conditioned 0.15	ed_qual	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	borda	gaussian-conditioned 0.15	ed_qual	0.3376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	borda	gaussian-conditioned 0.15	ed_qual	0.3334	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	borda	gaussian-conditioned 0.15	ed_qual	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	borda	gaussian-conditioned 0.15	ed_qual	0.3272	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	kemeny	gaussian-conditioned 0.15	ed_qual	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	kemeny	gaussian-conditioned 0.15	ed_qual	0.345	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	kemeny	gaussian-conditioned 0.15	ed_qual	0.3456	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	kemeny	gaussian-conditioned 0.15	ed_qual	0.3578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	kemeny	gaussian-conditioned 0.15	ed_qual	0.344	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	kemeny	gaussian-conditioned 0.15	ed_qual	0.3446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	kemeny	gaussian-conditioned 0.15	ed_qual	0.3322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	kemeny	gaussian-conditioned 0.15	ed_qual	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	kemeny	gaussian-conditioned 0.15	ed_qual	0.3218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	kemeny	gaussian-conditioned 0.15	ed_qual	0.3224	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	rrf	gaussian-conditioned 0.15	ed_qual	0.3456	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	rrf	gaussian-conditioned 0.15	ed_qual	0.345	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	gaussian-conditioned 0.15	ed_qual	0.359	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	gaussian-conditioned 0.15	ed_qual	0.3532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	gaussian-conditioned 0.15	ed_qual	0.3512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	gaussian-conditioned 0.15	ed_qual	0.3424	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	gaussian-conditioned 0.15	ed_qual	0.3376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	gaussian-conditioned 0.15	ed_qual	0.3346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	gaussian-conditioned 0.15	ed_qual	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	gaussian-conditioned 0.15	ed_qual	0.326	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	schulze	gaussian-conditioned 0.15	ed_qual	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	schulze	gaussian-conditioned 0.15	ed_qual	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	schulze	gaussian-conditioned 0.15	ed_qual	0.3464	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	schulze	gaussian-conditioned 0.15	ed_qual	0.3562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	schulze	gaussian-conditioned 0.15	ed_qual	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	schulze	gaussian-conditioned 0.15	ed_qual	0.342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	schulze	gaussian-conditioned 0.15	ed_qual	0.333	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	schulze	gaussian-conditioned 0.15	ed_qual	0.3248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	schulze	gaussian-conditioned 0.15	ed_qual	0.3222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	schulze	gaussian-conditioned 0.15	ed_qual	0.3238	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	simpleavg	gaussian-conditioned 0.15	ed_qual	0.3442	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg gaussian-conditioned 0.15	ed_qual	0.3488	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simple	avg gaussian-conditioned 0.15	ed_qual	0.3336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simple	avg gaussian-conditioned 0.15	ed_qual	0.3286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simple	avg gaussian-conditioned 0.15	ed_qual	0.3296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simple	avg gaussian-conditioned 0.15	ed_qual	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg gaussian-conditioned 0.15	ed_qual	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simple	avg gaussian-conditioned 0.15	ed_qual	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg gaussian-conditioned 0.15	ed_qual	0.3272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simple	avg gaussian-conditioned 0.15	ed_qual	0.329	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	gaussian-conditioned 0.15	ed_qual	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-conditioned 0.15	ed_qual	0.2502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-conditioned 0.15	ed_qual	0.2936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-conditioned 0.15	ed_qual	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-conditioned 0.15	ed_qual	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-conditioned 0.15	ed_qual	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-conditioned 0.15	ed_qual	0.3214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-conditioned 0.15	ed_qual	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-conditioned 0.15	ed_qual	0.3254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-conditioned 0.15	ed_qual	0.3182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value	metric	value	q11	reference	method
					kind						prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-condition	0.15	FBar	equal0.2466	False		["GuidedBackprop","DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-condition	0.15	FBar	equal0.2452	False		["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-condition	0.15	FBar	equal0.251	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-condition	0.15	FBar	equal0.2618	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-condition	0.15	FBar	equal0.2644	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-condition	0.15	FBar	equal0.279	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-condition	0.15	FBar	equal0.2856	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-condition	0.15	FBar	equal0.2916	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-condition	0.15	FBar	equal0.3004	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-condition	0.15	FBar	equal0.2918	True		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-condition	0.15	FBar	equal0.2472	False		["GuidedBackprop","DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-condition	0.15	FBar	equal0.2474	False		["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-condition	0.15	FBar	equal0.259	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-condition	0.15	FBar	equal0.3012	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-condition	0.15	FBar	equal0.293	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-condition	0.15	FBar	equal0.2906	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-condition	0.15	FBar	equal0.2886	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-condition	0.15	FBar	equal0.2958	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-condition	0.15	FBar	equal0.3012	False		["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	gaussian-condition 0.15	F ₁ -equal	0.2952	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	gaussian-condition 0.15	F ₁ -equal	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	gaussian-condition 0.15	F ₁ -equal	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	gaussian-condition 0.15	F ₁ -equal	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	gaussian-condition 0.15	F ₁ -equal	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-condition 0.15	F ₁ -equal	0.2824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-condition 0.15	F ₁ -equal	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-condition 0.15	F ₁ -equal	0.2836	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-condition 0.15	F ₁ -equal	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-condition 0.15	F ₁ -equal	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-condition 0.15	F ₁ -equal	0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.2508	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3387	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	simpleavg	gaussian-condition	0.15	EqualQual	0.3622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	1	simpleavg	gaussian-condition	0.15	EqualQual	0.3628	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	2	borda	salt-pepper-0.05	conditioned	Qual	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	3	borda	salt-pepper-0.05	conditioned	Qual	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	borda	salt-pepper-0.05	conditioned	Qual	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	5	borda	salt-pepper-0.05	conditioned	Qual	0.6248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	6	borda	salt-pepper-0.05	conditioned	Qual	0.6174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	borda	salt-pepper-0.05	conditioned	Qual	0.6146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	borda	salt-pepper-0.05	conditioned	Qual	0.6016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	borda	salt-pepper-0.05	conditioned	Qual	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	borda	salt-pepper-0.05	conditioned	Qual	0.5936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	borda	salt-pepper-0.05	conditioned	Qual	0.5964	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	12	kemeny	salt-pepper-0.05	conditioned	Qual	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	13	kemeny	salt-pepper-0.05	conditioned	Qual	0.608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	14	kemeny	salt-pepper-0.05	conditioned	Qual	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	15	kemeny	salt-pepper-0.05	conditioned	Qual	0.6284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	16	kemeny	salt-pepper-0.05	conditioned	Qual	0.6132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	17	kemeny	salt-pepper-0.05	conditioned	Qual	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	18	kemeny	salt-pepper-0.05	conditioned	Qual	0.6036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	0	kemeny	salt- pepper- 0.05	conditioned_qualified_quality	0.593	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	conditioned_qualified_quality	0.5872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	kemeny	salt- pepper- 0.05	conditioned_qualified_quality	0.588	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6132	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.59	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.5946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.633	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned_	qual	0.6006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	salt- pepper- 0.05	conditioned_	qual	0.5896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	salt- pepper- 0.05	conditioned_	qual	0.5914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	salt- pepper- 0.05	conditioned_	qual	0.5884	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.603	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.6078	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.611	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.5958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.6014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.6054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.6068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	salt- pepper- 0.05	conditioned_	qual	0.6012	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	salt- pepper- 0.05	conditioned_	qual	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	salt- pepper- 0.05	conditioned_	qual	0.5416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	salt- pepper- 0.05	conditioned_	qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	salt- pepper- 0.05	conditioned_	qual	0.6404	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	borda	salt- pepper- 0.05	conditioned_	qual	0.6392	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	condition	Cbarqual	0.6394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	condition	Cbarqual	0.6302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	condition	Cbarqual	0.63	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	condition	Cbarqual	0.6292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	condition	Cbarqual	0.6286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5528	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5922	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.6076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.6014	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	salt- pepper- 0.05	condition	Cbarqual	0.5448	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	salt- pepper- 0.05	condition	Cbarqual	0.5482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	salt- pepper- 0.05	condition	Cbarqual	0.5588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	salt- pepper- 0.05	condition	Cbarqual	0.6166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18		rrf	salt- pepper- 0.05	condition	Cbarqual	0.5984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18		rrf	salt- pepper- 0.05	condition	Cbarqual	0.599	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18		rrf	salt- pepper- 0.05	condition	Cbarqual	0.5988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18		rrf	salt- pepper- 0.05	condition	Cbarqual	0.6076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18		rrf	salt- pepper- 0.05	condition	Cbarqual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18		rrf	salt- pepper- 0.05	condition	Cbarqual	0.6078	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.5556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.5544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.633	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.5938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.61	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.6034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18		schulze	salt- pepper- 0.05	condition	Cbarqual	0.614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18		simpleavg	salt- pepper- 0.05	condition	Cbarqual	0.551	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18		simpleavg	salt- pepper- 0.05	condition	Cbarqual	0.5516	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet24- resnet18		simpleavg	salt- pepper- 0.05	condition	Cbarqual	0.6804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.7178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6808	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	salt- pepper- 0.05	conditioned_	qual	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	salt- pepper- 0.05	conditioned_	qual	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	salt- pepper- 0.05	conditioned_	qual	0.3468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	salt- pepper- 0.05	conditioned_	qual	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	salt- pepper- 0.05	conditioned_	qual	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	salt- pepper- 0.05	conditioned_	qual	0.3354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	salt- pepper- 0.05	conditioned_	qual	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	salt- pepper- 0.05	conditioned_	qual	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	salt- pepper- 0.05	conditioned_	qual	0.3192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	salt- pepper- 0.05	conditioned_	qual	0.3204	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	salt- pepper- 0.05	conditioned_	qual	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	salt- pepper- 0.05	conditioned_	qual	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3418	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3484	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3236	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3426	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3398	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3168	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3322	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3102	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	salt- pepper- 0.05	condition	F ₁ quality	0.273	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	condition	F ₁ quality	0.303	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2974	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.279	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	kemeny	salt- pepper- 0.05	condition	F ₁	0.2684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	salt- pepper- 0.05	condition	F ₁	0.2126	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	salt- pepper- 0.05	condition	F ₁	0.2144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	salt- pepper- 0.05	condition	F ₁	0.2326	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	salt- pepper- 0.05	condition	F ₁	0.2834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	condition	F ₁	0.2696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	condition	F ₁	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	condition	F ₁	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	condition	F ₁	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	condition	F ₁	0.277	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	condition	F ₁	0.2836	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	condition	F ₁	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	condition	F ₁	0.2168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	condition	F ₁	0.2238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	condition	F ₁	0.3014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	condition	F ₁	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	condition	F ₁	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	condition	F ₁	0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	condition	F ₁	0.28	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned	cd_quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned	cd_quality	0.2838	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.2146	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.2206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3414	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3432	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3426	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	conditioned	cd_quality	0.4186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	conditioned	cd_quality	0.4164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned	cd_quality	0.4292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned	cd_quality	0.4258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned	cd_quality	0.415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned	cd_quality	0.415	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned	cd_quality	0.4104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	borda	speckle- 0.15	conditioned_qualified_quality_016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned_qualified_quality_972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	speckle- 0.15	conditioned_qualified_quality_898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	conditioned_qualified_quality_186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	conditioned_qualified_quality_032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	conditioned_qualified_quality_114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	conditioned_qualified_quality_433	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	conditioned_qualified_quality_194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	conditioned_qualified_quality_094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	conditioned_qualified_quality_054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	conditioned_qualified_quality_882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	conditioned_qualified_quality_876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	kemeny	speckle- 0.15	conditioned_qualified_quality_846	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	speckle- 0.15	conditioned_qualified_quality_144	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	speckle- 0.15	conditioned_qualified_quality_13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle- 0.15	conditioned_qualified_quality_426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	speckle- 0.15	conditioned_qualified_quality_298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	speckle- 0.15	conditioned_qualified_quality_182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	speckle- 0.15	conditioned_qualified_quality_174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	speckle- 0.15	conditioned_qualified_quality_0096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	speckle- 0.15	conditioned_qualified_quality_0096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	speckle- 0.15	conditioned_qualified_quality_0099	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	speckle- 0.15	conditioned_qualified_quality_0098	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	schulze	speckle- 0.15	conditioned_qualified_quality_0186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	schulze	speckle- 0.15	conditioned_qualified_quality_0058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	schulze	speckle- 0.15	conditioned_qualified_quality_0113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	schulze	speckle- 0.15	conditioned_qualified_quality_0127	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	schulze	speckle- 0.15	conditioned_qualified_quality_0214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	schulze	speckle- 0.15	conditioned_qualified_quality_0116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	schulze	speckle- 0.15	conditioned_qualified_quality_0048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	schulze	speckle- 0.15	conditioned_qualified_quality_0089	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	schulze	speckle- 0.15	conditioned_qualified_quality_0096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	schulze	speckle- 0.15	conditioned_qualified_quality_0088	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	simpleavg	speckle- 0.15	conditioned_qualified_quality_0078	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	23	simpleavg	speckle- 0.15	conditioned_qualified_quality_0112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	24	simpleavg	speckle- 0.15	conditioned_qualified_quality_0234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	25	simpleavg	speckle- 0.15	conditioned_qualified_quality_0106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	26	simpleavg	speckle- 0.15	conditioned_qualified_quality_0076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle- 0.15	conditioned	ed_quality	0.409	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4052	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	conditioned	ed_quality	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	conditioned	ed_quality	0.3674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned	ed_quality	0.4048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned	ed_quality	0.4358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned	ed_quality	0.4394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned	ed_quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned	ed_quality	0.4428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	conditioned	ed_quality	0.4562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned	ed_quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle- 0.15	conditioned	ed_quality	0.4494	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	conditioned	ed_quality	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	conditioned	ed_quality	0.3936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	conditioned	ed_quality	0.3788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	conditioned	ed_quality	0.3906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	condition	CharQual	0.3938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	condition	CharQual	0.4228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	condition	CharQual	0.4284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	condition	CharQual	0.455	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	condition	CharQual	0.445	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	condition	CharQual	0.4486	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	condition	CharQual	0.3594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	condition	CharQual	0.3678	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	condition	CharQual	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	condition	CharQual	0.4174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	condition	CharQual	0.4134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	condition	CharQual	0.4234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	condition	CharQual	0.4188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	condition	CharQual	0.4434	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	speckle- 0.15	condition	CharQual	0.4354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	speckle- 0.15	condition	CharQual	0.4382	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	speckle- 0.15	condition	CharQual	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	speckle- 0.15	condition	CharQual	0.3834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	speckle- 0.15	condition	CharQual	0.3788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	condition	barqual	0.4368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	condition	barqual	0.4126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	condition	barqual	0.4112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	condition	barqual	0.4304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	condition	barqual	0.458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	condition	barqual	0.449	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	condition	barqual	0.4402	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleav	speckle-	condition	barqual	0.3658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleav	speckle-	condition	barqual	0.368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleav	speckle-	condition	barqual	0.494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleav	speckle-	condition	barqual	0.5304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleav	speckle-	condition	barqual	0.5232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleav	speckle-	condition	barqual	0.5148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleav	speckle-	condition	barqual	0.5122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleav	speckle-	condition	barqual	0.506	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleav	speckle-	condition	barqual	0.504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleav	speckle-	condition	barqual	0.5058	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	speckle-	condition	Ed_qual	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	speckle-	condition	Ed_qual	0.2602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned_qualified_quality	0.2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned_qualified_quality	0.264	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned_qualified_quality	0.2546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned_qualified_quality	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned_qualified_quality	0.25	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	borda	speckle- 0.15	conditioned_qualified_quality	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned_qualified_quality	0.2372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	borda	speckle- 0.15	conditioned_qualified_quality	0.2328	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2634	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	kemeny	speckle- 0.15	conditioned_qualified_quality	0.272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	kemeny	speckle- 0.15	conditioned_qualified_quality	0.233	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	kemeny	speckle- 0.15	conditioned_qualified_quality	0.2304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	rrf	speckle- 0.15	conditioned_qualified_quality	0.2594	False	["GuidedBackprop", "DeepLiftShap"]	

cell	dataset	model	q	rule	condition	value	metric	value	q11	ref-	method
					kind				ence	prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	speckle-	conditioned_	quality	0.2566	False		["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle-	conditioned_	quality	0.2662	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	speckle-	conditioned_	quality	0.2708	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	speckle-	conditioned_	quality	0.2594	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	speckle-	conditioned_	quality	0.2586	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	speckle-	conditioned_	quality	0.2512	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	speckle-	conditioned_	quality	0.2384	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	speckle-	conditioned_	quality	0.239	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	speckle-	conditioned_	quality	0.2354	True		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle-	conditioned_	quality	0.2634	False		["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	conditioned_	quality	0.2536	False		["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle-	conditioned_	quality	0.258	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	conditioned_	quality	0.2664	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	conditioned_	quality	0.262	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	conditioned_	quality	0.2546	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	conditioned_	quality	0.248	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	conditioned_	quality	0.235	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	conditioned_	quality	0.2386	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	conditioned_	quality	0.2346	True		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2532	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	speckle- 0.15	conditioned	ed_qual	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2472	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	speckle- 0.15	conditioned	ed_qual	0.246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	conditioned	ed_qual	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	conditioned	ed_qual	0.186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned	ed_qual	0.2204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned	ed_qual	0.2492	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned	ed_qual	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned	ed_qual	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned	ed_qual	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	conditioned	ed_qual	0.2668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned	ed_qual	0.2652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	speckle- 0.15	condition	F ₁ equality	0.2614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	condition	F ₁ equality	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	condition	F ₁ equality	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	condition	F ₁ equality	0.2002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	condition	F ₁ equality	0.2104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	condition	F ₁ equality	0.2166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	condition	F ₁ equality	0.2376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	condition	F ₁ equality	0.2426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	condition	F ₁ equality	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	condition	F ₁ equality	0.2586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	condition	F ₁ equality	0.2596	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	condition	F ₁ equality	0.179	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	condition	F ₁ equality	0.1888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	condition	F ₁ equality	0.1992	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	condition	F ₁ equality	0.2336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	condition	F ₁ equality	0.2354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	condition	F ₁ equality	0.2412	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	condition	F ₁ equality	0.236	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	condition	F ₁ equality	0.2578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle- 0.15	condition	F1	0.2524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	speckle- 0.15	condition	F1	0.2518	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle- 0.15	condition	F1	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	speckle- 0.15	condition	F1	0.2024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle- 0.15	condition	F1	0.2006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle- 0.15	condition	F1	0.2508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle- 0.15	condition	F1	0.2346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle- 0.15	condition	F1	0.2322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle- 0.15	condition	F1	0.2422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle- 0.15	condition	F1	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle- 0.15	condition	F1	0.2648	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle- 0.15	condition	F1	0.2532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	speckle- 0.15	condition	F1	0.1868	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	speckle- 0.15	condition	F1	0.192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	speckle- 0.15	condition	F1	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	speckle- 0.15	condition	F1	0.3364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	speckle- 0.15	condition	F1	0.3292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle- 0.15	condition	F1	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle- 0.15	condition	F1	0.3212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	simpleavg	speckle- 0.15	condition	Equal	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle- 0.15	condition	Equal	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	simpleavg	speckle- 0.15	condition	Equal	0.3146	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	clean	quality	C	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	clean	quality	C	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	clean	quality	C	0.3116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	clean	quality	C	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	clean	quality	C	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	clean	quality	C	0.289	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	clean	quality	C	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	clean	quality	C	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	clean	quality	C	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	clean	quality	C	0.2756	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	clean	quality	C	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	clean	quality	C	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	clean	quality	C	0.2978	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	clean	quality	C	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	clean	quality	C	0.306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	clean	quality	C	0.2884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	clean	quality	C	0.282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	clean	quality	C	0.2744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	clean	quality	C	0.2722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	clean	quality	C	0.271	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	clean	quality	C	0.3074	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	clean	quality	C	0.3022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	clean	quality	C	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	clean	quality	C	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	clean	quality	C	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	clean	quality	C	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	clean	quality	C	0.2878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	clean	quality	C	0.2798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	clean	quality	C	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	clean	quality	C	0.2812	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	clean	quality	C	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	clean	quality	C	0.2924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	clean	quality	C	0.2974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	clean	quality	C	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	schulze	clean	quality	C	0.3008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	clean	quality	C	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	clean	quality	C	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	clean	quality	C	0.2694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	clean	quality	C	0.2758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	clean	quality	C	0.276	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	clean	quality	C	0.3056	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	clean	quality	C	0.2996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	clean	quality	C	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	clean	quality	C	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	clean	quality	C	0.2876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	clean	quality	C	0.2898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	clean	quality	C	0.285	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	clean	quality	C	0.2882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	clean	quality	C	0.2858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	clean	quality	C	0.286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	clean	quality	Cbar	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	clean	quality	Cbar	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	clean	quality	Cbar	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	clean	quality	Cbar	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	clean	quality	Cbar	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	clean	quality	Cbar	0.3482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	clean	quality	Cbar	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	clean	quality	Cbar	0.3664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	clean	quality	Cbar	0.3514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	clean	quality	Cbar	0.3464	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	clean	quality	Cbar	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	clean	quality	Cbar	0.3044	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	clean	quality	Cbar	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	clean	quality	Cbar	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	clean	quality	Cbar	0.3056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	clean	quality	Cbar	0.3304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	clean	quality	Cbar	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	clean	quality	Cbar	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	clean	quality	Cbar	0.3546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	clean	quality	Cbar	0.3492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	clean	quality	Cbar	0.256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	clean	quality	Cbar	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	clean	quality	Cbar	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18	5	rrf	clean	quality	Cbar	0.3094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	rrf	clean	quality	Cbar	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	rrf	clean	quality	Cbar	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	rrf	clean	quality	Cbar	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	rrf	clean	quality	Cbar	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	rrf	clean	quality	Cbar	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	rrf	clean	quality	Cbar	0.3424	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	schulze	clean	quality	Cbar	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	schulze	clean	quality	Cbar	0.291	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	schulze	clean	quality	Cbar	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	schulze	clean	quality	Cbar	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	schulze	clean	quality	Cbar	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	schulze	clean	quality	Cbar	0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	schulze	clean	quality	Cbar	0.3316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	schulze	clean	quality	Cbar	0.3564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	schulze	clean	quality	Cbar	0.3522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	schulze	clean	quality	Cbar	0.3444	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	simpleavg	clean	quality	Cbar	0.2646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	simpleavg	clean	quality	Cbar	0.2752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simple	avg	clean	quality	Cbar	0.3706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simple	avg	clean	quality	Cbar	0.4004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simple	avg	clean	quality	Cbar	0.3954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simple	avg	clean	quality	Cbar	0.3896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg	clean	quality	Cbar	0.3894	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simple	avg	clean	quality	Cbar	0.3882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg	clean	quality	Cbar	0.3858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simple	avg	clean	quality	Cbar	0.3862	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	clean		quality	F	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	clean		quality	F	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	clean		quality	F	0.1856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	clean		quality	F	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	clean		quality	F	0.1782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	clean		quality	F	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	clean		quality	F	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	clean		quality	F	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	clean		quality	F	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	clean		quality	F	0.158	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	clean		quality	F	0.1818	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	kemeny	clean	quality	F	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	kemeny	clean	quality	F	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	5	kemeny	clean	quality	F	0.1874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	6	kemeny	clean	quality	F	0.1806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	kemeny	clean	quality	F	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	kemeny	clean	quality	F	0.1642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	kemeny	clean	quality	F	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	kemeny	clean	quality	F	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	kemeny	clean	quality	F	0.1556	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	2	rrf	clean	quality	F	0.1812	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	3	rrf	clean	quality	F	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	rrf	clean	quality	F	0.1834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	5	rrf	clean	quality	F	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	6	rrf	clean	quality	F	0.1798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	rrf	clean	quality	F	0.1728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	rrf	clean	quality	F	0.1682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	rrf	clean	quality	F	0.1644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	rrf	clean	quality	F	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	rrf	clean	quality	F	0.1612	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	clean	quality	F	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	clean	quality	F	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	clean	quality	F	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	clean	quality	F	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	clean	quality	F	0.181	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	clean	quality	F	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	clean	quality	F	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	clean	quality	F	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	clean	quality	F	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	clean	quality	F	0.1576	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	clean	quality	F	0.1814	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	clean	quality	F	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	clean	quality	F	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	clean	quality	F	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	clean	quality	F	0.1738	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	clean	quality	F	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	clean	quality	F	0.1724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	clean	quality	F	0.1748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	clean	quality	F	0.1736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	simple	avg	quality	F	0.1726	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	clean	quality	Fbar	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	clean	quality	Fbar	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	clean	quality	Fbar	0.1802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	clean	quality	Fbar	0.1982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	clean	quality	Fbar	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	clean	quality	Fbar	0.2242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	clean	quality	Fbar	0.2196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	clean	quality	Fbar	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	clean	quality	Fbar	0.2284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	clean	quality	Fbar	0.2186	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	clean	quality	Fbar	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	clean	quality	Fbar	0.1904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	clean	quality	Fbar	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	clean	quality	Fbar	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	clean	quality	Fbar	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	clean	quality	Fbar	0.2088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	clean	quality	Fbar	0.2098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	clean	quality	Fbar	0.2394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	clean	quality	Fbar	0.2292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	kemeny	clean	quality	Fbar	0.2234	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	clean	quality	Fbar	0.1424	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	clean	quality	Fbar	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	clean	quality	Fbar	0.1606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	clean	quality	Fbar	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	clean	quality	Fbar	0.1964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	clean	quality	Fbar	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	clean	quality	Fbar	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	clean	quality	Fbar	0.2258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	clean	quality	Fbar	0.217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	clean	quality	Fbar	0.2176	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	clean	quality	Fbar	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	clean	quality	Fbar	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	clean	quality	Fbar	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	clean	quality	Fbar	0.2018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	clean	quality	Fbar	0.1956	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	clean	quality	Fbar	0.1954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	clean	quality	Fbar	0.2068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	schulze	clean	quality	Fbar	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	clean	quality	Fbar	0.2262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	clean	quality	Fbar	0.2182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	clean	quality	Fbar	0.15	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	clean	quality	Fbar	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	clean	quality	Fbar	0.238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	clean	quality	Fbar	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	clean	quality	Fbar	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	clean	quality	Fbar	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	clean	quality	Fbar	0.2574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	clean	quality	Fbar	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	clean	quality	Fbar	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	clean	quality	Fbar	0.251	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	adversarial	robustness	Fbar	-0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	adversarial	robustness	Fbar	-0.2178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	adversarial	robustness	Fbar	-0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	adversarial	robustness	Fbar	-0.203	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	adversarial	robustness	Fbar	-0.1974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	adversarial	robustness	Fbar	-0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	robustness	CS	-0.1898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	robustness	CS	-0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	robustness	CS	-0.1884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	robustness	CS	-0.1882	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial	robustness	CS	-0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial	robustness	CS	-0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial	robustness	CS	-0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial	robustness	CS	-0.2054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial	robustness	CS	-0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial	robustness	CS	-0.1944	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial	robustness	CS	-0.1906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial	robustness	CS	-0.189	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	adversarial	robustness	CS	-0.1848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	adversarial	robustness	CS	-0.179	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	adversarial	robustness	CS	-0.2148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	adversarial	robustness	CS	-0.2164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	adversarial	robustness	CS	-0.2048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	adversarial	robustness	CS	-0.205	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	rrf	adversarial	robustness	CS	-0.1934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	sara-2- 255	robustness	-0.193	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	sara-2- 255	robustness	-0.1926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	sara-2- 255	robustness	-0.1872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	sara-2- 255	robustness	-0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	sara-2- 255	robustness	-0.1914	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	adversarial	sara-2- 255	robustness	-0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	adversarial	sara-2- 255	robustness	-0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	adversarial	sara-2- 255	robustness	-0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	adversarial	sara-2- 255	robustness	-0.2016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	adversarial	sara-2- 255	robustness	-0.2006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	adversarial	sara-2- 255	robustness	-0.1984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	adversarial	sara-2- 255	robustness	-0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	adversarial	sara-2- 255	robustness	-0.1846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	adversarial	sara-2- 255	robustness	-0.187	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	adversarial	sara-2- 255	robustness	-0.1864	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	adversarial	sara-2- 255	robustness	-0.2124	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	adversarial	sara-2- 255	robustness	-0.2144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	adversarial	sara-2- 255	robustness	-0.1882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	simpleavg	adversarial	sara-2- 255	robustness	-0.1732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	simpleavg	adversarial	robustness	CS	-0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	simpleavg	adversarial	robustness	CS	-0.1776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	simpleavg	adversarial	robustness	CS	-0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	simpleavg	adversarial	robustness	CS	-0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	simpleavg	adversarial	robustness	CS	-0.1784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	simpleavg	adversarial	robustness	CS	-0.1768	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	borda	adversarial	robustness	CSbar	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	borda	adversarial	robustness	CSbar	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	borda	adversarial	robustness	CSbar	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	borda	adversarial	robustness	CSbar	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	borda	adversarial	robustness	CSbar	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	borda	adversarial	robustness	CSbar	0.0694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	borda	adversarial	robustness	CSbar	0.0584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	borda	adversarial	robustness	CSbar	0.0596	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	borda	adversarial	robustness	CSbar	0.0496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	borda	adversarial	robustness	CSbar	0.0532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	kemeny	adversarial	robustness	CSbar	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	kemeny	adversarial	robustness	CSbar	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet24- resnet18	24	kemeny	adversarial	robustness	CSbar	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18	5	kemeny	adversarial	robustness	CSbar	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	kemeny	adversarial	robustness	CSbar	0.0714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	kemeny	adversarial	robustness	CSbar	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	kemeny	adversarial	robustness	CSbar	0.0544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	kemeny	adversarial	robustness	CSbar	0.0546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	kemeny	adversarial	robustness	CSbar	0.0552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	kemeny	adversarial	robustness	CSbar	0.0492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	rrf	adversarial	robustness	CSbar	0.0606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	rrf	adversarial	robustness	CSbar	0.0524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	rrf	adversarial	robustness	CSbar	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	rrf	adversarial	robustness	CSbar	0.0754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	rrf	adversarial	robustness	CSbar	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	rrf	adversarial	robustness	CSbar	0.0604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	rrf	adversarial	robustness	CSbar	0.0644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	rrf	adversarial	robustness	CSbar	0.0634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	rrf	adversarial	robustness	CSbar	0.0502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	rrf	adversarial	robustness	CSbar	0.0608	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	schulze	adversarial	robustness	CSbar	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	schulze	adversarial	robustness	CSbar	0.0358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	schulze	adversarial	robustness	CSbar	0.0508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	5	schulze	adversarial	robustness	CSbar	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	6	schulze	adversarial	robustness	CSbar	0.067	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	schulze	adversarial	robustness	CSbar	0.063	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	schulze	adversarial	robustness	CSbar	0.0582	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	schulze	adversarial	robustness	CSbar	0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	schulze	adversarial	robustness	CSbar	0.0486	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	schulze	adversarial	robustness	CSbar	0.0506	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	12	simpleavg	adversarial	robustness	CSbar	0.0592	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	13	simpleavg	adversarial	robustness	CSbar	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	14	simpleavg	adversarial	robustness	CSbar	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	15	simpleavg	adversarial	robustness	CSbar	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	16	simpleavg	adversarial	robustness	CSbar	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	17	simpleavg	adversarial	robustness	CSbar	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	18	simpleavg	adversarial	robustness	CSbar	0.0786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	19	simpleavg	adversarial	robustness	CSbar	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	20	simpleavg	adversarial	robustness	CSbar	0.0752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	21	simpleavg	adversarial	robustness	CSbar	0.0754	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	22	borda	adversarial	robustness	CS	-0.116	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	adversarial	robustness	acc	-0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	robustness	acc	-0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	robustness	acc	-0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	robustness	acc	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	robustness	acc	-0.099	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	robustness	acc	-0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	robustness	acc	-0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	robustness	acc	-0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	robustness	acc	-0.095	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial	robustness	acc	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial	robustness	acc	-0.1114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial	robustness	acc	-0.1066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial	robustness	acc	-0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial	robustness	acc	-0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial	robustness	acc	-0.1036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial	robustness	acc	-0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial	robustness	acc	-0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	adversarial	robustness	acc	-0.0958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	adversarial	robustness	acc	-0.0904	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	rrf	adversarial	robustness	sara-2- 255	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	adversarial	robustness	sara-2- 255	-0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	adversarial	robustness	sara-2- 255	-0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	adversarial	robustness	sara-2- 255	-0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	adversarial	robustness	sara-2- 255	-0.1032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	adversarial	robustness	sara-2- 255	-0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	adversarial	robustness	sara-2- 255	-0.0994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	adversarial	robustness	sara-2- 255	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	adversarial	robustness	sara-2- 255	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	adversarial	robustness	sara-2- 255	-0.0956	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	schulze	adversarial	robustness	sara-2- 255	-0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	adversarial	robustness	sara-2- 255	-0.1058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	schulze	adversarial	robustness	sara-2- 255	-0.1046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	schulze	adversarial	robustness	sara-2- 255	-0.1092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	schulze	adversarial	robustness	sara-2- 255	-0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	schulze	adversarial	robustness	sara-2- 255	-0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	adversarial	robustness	sara-2- 255	-0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	schulze	adversarial	robustness	sara-2- 255	-0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	schulze	adversarial	robustness	sara-2- 255	-0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	schulze	adversarial	business sara-2- 255	FS	-0.0926	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	simpleavg	adversarial	business sara-2- 255	FS	-0.1148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	simpleavg	adversarial	business sara-2- 255	FS	-0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	simpleavg	adversarial	business sara-2- 255	FS	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	simpleavg	adversarial	business sara-2- 255	FS	-0.0908	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	simpleavg	adversarial	business sara-2- 255	FS	-0.0934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	simpleavg	adversarial	business sara-2- 255	FS	-0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	simpleavg	adversarial	business sara-2- 255	FS	-0.0912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	simpleavg	adversarial	business sara-2- 255	FS	-0.0964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	simpleavg	adversarial	business sara-2- 255	FS	-0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	simpleavg	adversarial	business sara-2- 255	FS	-0.0944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	borda	adversarial	business sara-2- 255	FSbar	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	borda	adversarial	business sara-2- 255	FSbar	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	borda	adversarial	business sara-2- 255	FSbar	0.0302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	borda	adversarial	business sara-2- 255	FSbar	0.0262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	borda	adversarial	business sara-2- 255	FSbar	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	borda	adversarial	business sara-2- 255	FSbar	0.0316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	borda	adversarial	business sara-2- 255	FSbar	0.0198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	borda	adversarial	business sara-2- 255	FSbar	0.0234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	sara-2- 255	robustness	0.0212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	sara-2- 255	robustness	0.019	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	adversarial	sara-2- 255	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	sara-2- 255	robustness	0.0118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	adversarial	sara-2- 255	robustness	0.0088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	adversarial	sara-2- 255	robustness	0.0272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	adversarial	sara-2- 255	robustness	0.036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	adversarial	sara-2- 255	robustness	0.0258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	sara-2- 255	robustness	0.0214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	adversarial	sara-2- 255	robustness	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	adversarial	sara-2- 255	robustness	0.0226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	adversarial	sara-2- 255	robustness	0.015	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	adversarial	sara-2- 255	robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	sara-2- 255	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	adversarial	sara-2- 255	robustness	0.026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	adversarial	sara-2- 255	robustness	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	adversarial	sara-2- 255	robustness	0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	sara-2- 255	robustness	0.0252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	sara-2- 255	robustness	0.024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	sara-2- 255	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	sara-2- 255	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	sara-2- 255	robustness	0.0246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	adversarial	sara-2- 255	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	adversarial	sara-2- 255	robustness	0.0066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	adversarial	sara-2- 255	robustness	0.0142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	adversarial	sara-2- 255	robustness	0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	adversarial	sara-2- 255	robustness	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	adversarial	sara-2- 255	robustness	0.0254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	adversarial	sara-2- 255	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	adversarial	sara-2- 255	robustness	0.014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	adversarial	sara-2- 255	robustness	0.0146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	adversarial	sara-2- 255	robustness	0.017	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	adversarial	sara-2- 255	robustness	0.0244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	adversarial	sara-2- 255	robustness	0.0182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	adversarial	sara-2- 255	robustness	0.034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	simpleavg	adversarial	sara-2- 255	robustness	0.0428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	simpleavg	adversarial	sara-2- 255	robustness	0.0414	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	simpleavg	adversarial	sara-2- 255	robustness	0.037	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	robustness	Fbar	0.0394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	robustness	Fbar	0.0338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	robustness	Fbar	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	robustness	Fbar	0.0338	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	gaussian	robustness	CS	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	gaussian	robustness	CS	0.3176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	gaussian	robustness	CS	0.3338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	gaussian	robustness	CS	0.3406	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	gaussian	robustness	CS	0.3474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	gaussian	robustness	CS	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	gaussian	robustness	CS	0.3422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	gaussian	robustness	CS	0.3418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	gaussian	robustness	CS	0.3396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	gaussian	robustness	CS	0.3384	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	gaussian	robustness	CS	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	gaussian	robustness	CS	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	kemeny	gaussian	robustness	CS	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	kemeny	gaussian	robustness	CS	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	kemeny	gaussian	robustness	CS	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-robustness 0.15	CS	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-robustness 0.15	CS	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-robustness 0.15	CS	0.3278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-robustness 0.15	CS	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-robustness 0.15	CS	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-robustness 0.15	CS	0.327	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-robustness 0.15	CS	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-robustness 0.15	CS	0.333	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-robustness 0.15	CS	0.3352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-robustness 0.15	CS	0.3436	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-robustness 0.15	CS	0.337	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-robustness 0.15	CS	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-robustness 0.15	CS	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-robustness 0.15	CS	0.3322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	gaussian-robustness 0.15	CS	0.3286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	gaussian-robustness 0.15	CS	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	gaussian-robustness 0.15	CS	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	gaussian-robustness 0.15	CS	0.3238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	gaussian-robustness 0.15	CS	0.337	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-robustness 0.15	$\bar{G}$	0.339	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-robustness 0.15	$\bar{G}$	0.325	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3246	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.347	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.35	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3408	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3474	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	gaussian-robustness 0.15	$\bar{G}$ bar	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	gaussian-robustness 0.15	$\bar{G}$ bar	-0.3134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	gaussian-robustness 0.15	$\bar{G}$ bar	-0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-robustness 0.15	$\bar{G}$	-0.3498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-robustness 0.15	$\bar{G}$	-0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-robustness 0.15	$\bar{G}$	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness 0.15	$\bar{G}$	-0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-robustness 0.15	$\bar{G}$	-0.2942	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-robustness 0.15	$\bar{G}$	-0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-robustness 0.15	$\bar{G}$	-0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.3062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	gaussian-robustness 0.15	$\bar{G}$	-0.2774	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	gaussian-robustness 0.15	$\bar{G}$	-0.3234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	gaussian-robustness 0.15	$\bar{G}$	-0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.2962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.2968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	gaussian-robustness 0.15	$\bar{CS}$	-0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.29	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.3336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.2818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.2776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	gaussian-robustness 0.15	$\bar{CS}$	-0.288	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	-0.3152	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-robustness	CSbar	-0.3048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-robustness	CSbar	-0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	gaussian-robustness	CSbar	-0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	gaussian-robustness	CSbar	-0.3366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	gaussian-robustness	CSbar	-0.3314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-robustness	CSbar	-0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	gaussian-robustness	CSbar	-0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	gaussian-robustness	CSbar	-0.32	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	gaussian-robustness	CSbar	-0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	gaussian-robustness	CS	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness	CS	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-robustness	CS	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-robustness	CS	0.1676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-robustness	CS	0.1772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-robustness	CS	0.178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness	CS	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-robustness	CS	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-robustness	CS	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-robustness	CS	0.1692	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-robustness 0.15	0.168	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-robustness 0.15	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-robustness 0.15	0.1706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-robustness 0.15	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-robustness 0.15	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-robustness 0.15	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-robustness 0.15	0.168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-robustness 0.15	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-robustness 0.15	0.1632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-robustness 0.15	0.1668	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-robustness 0.15	0.1644	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-robustness 0.15	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-robustness 0.15	0.1756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-robustness 0.15	0.1646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-robustness 0.15	0.1714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-robustness 0.15	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-robustness 0.15	0.1694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-robustness 0.15	0.1702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-robustness 0.15	0.1664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	rrf	gaussian-robustness 0.15	FS	0.1648	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	schulze	gaussian-robustness 0.15	FS	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	schulze	gaussian-robustness 0.15	FS	0.1794	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	schulze	gaussian-robustness 0.15	FS	0.176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	schulze	gaussian-robustness 0.15	FS	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	schulze	gaussian-robustness 0.15	FS	0.1668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	schulze	gaussian-robustness 0.15	FS	0.167	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	gaussian-robustness 0.15	FS	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	schulze	gaussian-robustness 0.15	FS	0.167	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	schulze	gaussian-robustness 0.15	FS	0.1604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	schulze	gaussian-robustness 0.15	FS	0.1662	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	simpleavg	gaussian-robustness 0.15	FS	0.1628	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	simpleavg	gaussian-robustness 0.15	FS	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	simpleavg	gaussian-robustness 0.15	FS	0.1532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	simpleavg	gaussian-robustness 0.15	FS	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	simpleavg	gaussian-robustness 0.15	FS	0.1558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	simpleavg	gaussian-robustness 0.15	FS	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	simpleavg	gaussian-robustness 0.15	FS	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	simpleavg	gaussian-robustness 0.15	FS	0.1514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-robustness	0.15	S	0.1536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	simpleavg	gaussian-robustness	0.15	S	0.1564	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	gaussian-robustness	0.15	Sbar	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	gaussian-robustness	0.15	Sbar	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-robustness	0.15	Sbar	-0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-robustness	0.15	Sbar	-0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-robustness	0.15	Sbar	-0.1166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-robustness	0.15	Sbar	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness	0.15	Sbar	-0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-robustness	0.15	Sbar	-0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-robustness	0.15	Sbar	-0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-robustness	0.15	Sbar	-0.0996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	gaussian-robustness	0.15	Sbar	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	gaussian-robustness	0.15	Sbar	-0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	gaussian-robustness	0.15	Sbar	-0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	gaussian-robustness	0.15	Sbar	-0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	gaussian-robustness	0.15	Sbar	-0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	gaussian-robustness	0.15	Sbar	-0.0702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	gaussian-robustness	0.15	Sbar	-0.0758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-robustness	0.15	FSbar	-0.0522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-robustness	0.15	FSbar	-0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-robustness	0.15	FSbar	-0.0684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-robustness	0.15	FSbar	-0.1048	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-robustness	0.15	FSbar	-0.0862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-robustness	0.15	FSbar	-0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-robustness	0.15	FSbar	-0.1144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-robustness	0.15	FSbar	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-robustness	0.15	FSbar	-0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-robustness	0.15	FSbar	-0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-robustness	0.15	FSbar	-0.07	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-robustness	0.15	FSbar	-0.0842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	gaussian-robustness	0.15	FSbar	-0.0776	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	gaussian-robustness	0.15	FSbar	-0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	gaussian-robustness	0.15	FSbar	-0.068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	gaussian-robustness	0.15	FSbar	-0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	gaussian-robustness	0.15	FSbar	-0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	schulze	gaussian-robustness	0.15	FSbar	-0.0868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	schulze	gaussian-robustness	0.15	FSbar	-0.0778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-robustness	0.15	FSbar	-0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-robustness	0.15	FSbar	-0.0652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-robustness	0.15	FSbar	-0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-robustness	0.15	FSbar	-0.0762	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	gaussian-robustness	0.15	FSbar	-0.1008	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	gaussian-robustness	0.15	FSbar	-0.088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	gaussian-robustness	0.15	FSbar	-0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	gaussian-robustness	0.15	FSbar	-0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	gaussian-robustness	0.15	FSbar	-0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	gaussian-robustness	0.15	FSbar	-0.1152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	gaussian-robustness	0.15	FSbar	-0.1124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	gaussian-robustness	0.15	FSbar	-0.1096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	gaussian-robustness	0.15	FSbar	-0.1128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	gaussian-robustness	0.15	FSbar	-0.1118	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	salt-pepper-robustness	0.05	CS	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	salt-pepper-robustness	0.05	CS	0.3084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	salt-pepper-robustness	0.05	CS	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	salt-pepper-robustness	0.05	CS	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	borda	salt-pepper-robustness	0.05	CS	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	robustness	FS	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	robustness	FS	0.3172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	robustness	FS	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	robustness	FS	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	robustness	FS	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	salt- pepper- 0.05	robustness	FS	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	salt- pepper- 0.05	robustness	FS	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	salt- pepper- 0.05	robustness	FS	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	salt- pepper- 0.05	robustness	FS	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	salt- pepper- 0.05	robustness	FS	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	salt- pepper- 0.05	robustness	FS	0.3166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	salt- pepper- 0.05	robustness	FS	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	salt- pepper- 0.05	robustness	FS	0.3186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	salt- pepper- 0.05	robustness	FS	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	salt- pepper- 0.05	robustness	FS	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	salt- pepper- 0.05	robustness	FS	0.3058	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	salt- pepper- 0.05	robustness	FS	0.3102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	salt- pepper- 0.05	robustness	FS	0.3196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	salt- pepper- 0.05	robustness	FS	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	robustness	FS	0.321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	robustness	FS	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	robustness	FS	0.3126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	robustness	FS	0.3142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	robustness	FS	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	robustness	FS	0.3134	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	robustness	FS	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	robustness	FS	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	robustness	FS	0.3178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	robustness	FS	0.321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	robustness	FS	0.3148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	robustness	FS	0.3126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	robustness	FS	0.3162	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	robustness	FS	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	schulze	salt- pepper- 0.05	robustness	FS	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	schulze	salt- pepper- 0.05	robustness	FS	0.3124	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	simpleavg	salt- pepper- 0.05	robustness	FS	0.2974	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	23	simpleavg	salt- pepper- 0.05	robustness	FS	0.3082	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	24	simpleavg	salt- pepper- 0.05	robustness	FS	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3152	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2636	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2822	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.2756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.2774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.2542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.2624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	kemeny	salt- pepper- 0.05	robustness	CSbar	-0.2522	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2888	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	rrf	salt- pepper- 0.05	robustness	CSbar	-0.284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	rrf	salt- pepper- 0.05	robustness	CSbar	-0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	rrf	salt- pepper- 0.05	robustness	CSbar	-0.276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	rrf	salt- pepper- 0.05	robustness	CSbar	-0.2654	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2824	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	salt- pepper- 0.05	robustness	CSbar	-0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2696	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2864	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.3098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.3106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.3076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	kemeny	salt- pepper- 0.05	robustness	F	0.1614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	rrf	salt- pepper- 0.05	robustness	F	0.1606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	rrf	salt- pepper- 0.05	robustness	F	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	salt- pepper- 0.05	robustness	F	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	salt- pepper- 0.05	robustness	F	0.1572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	robustness	F	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	robustness	F	0.1568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	robustness	F	0.1624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	robustness	F	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	robustness	F	0.1564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	robustness	F	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	robustness	F	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	robustness	F	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	robustness	F	0.1694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	robustness	F	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	robustness	F	0.1546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	robustness	F	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	robustness	F	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	robustness	F	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	robustness	\$	0.1564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	salt- pepper- 0.05	robustness	\$	0.1592	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	robustness	\$	0.1508	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	salt- pepper- 0.05	robustness	\$	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	robustness	\$	0.1386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	robustness	\$	0.1294	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	robustness	\$	0.1328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	\$	0.1382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	\$	0.1426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	\$	0.1372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	\$	0.1396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	\$	0.1376	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	salt- pepper- 0.05	robustness	\$bar	-0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	salt- pepper- 0.05	robustness	\$bar	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	salt- pepper- 0.05	robustness	\$bar	-0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	salt- pepper- 0.05	robustness	\$bar	-0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	salt- pepper- 0.05	robustness	\$bar	-0.0932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	robustness	\$bar	-0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	robustness	\$bar	-0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	robustness	Fbar	-0.0624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	robustness	Fbar	-0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	robustness	Fbar	-0.0788	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.053	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.045	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0702	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	salt- pepper- 0.05	robustness	Fbar	-0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	robustness	Fbar	-0.052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	robustness	Fbar	-0.06	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	robustness	Fbar	-0.066	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0566	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0486	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0656	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.0646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.0568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.105	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.1	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0916	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	robustness	F	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	robustness	F	0.113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	robustness	F	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	robustness	F	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	robustness	F	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	robustness	F	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	robustness	F	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	robustness	F	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	robustness	F	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle- 0.15	robustness	F	0.1142	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	robustness	F	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	robustness	F	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	robustness	F	0.1136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	robustness	F	0.1202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle-	robustne 0.15	CS	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle-	robustne 0.15	CS	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle-	robustne 0.15	CS	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle-	robustne 0.15	CS	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle-	robustne 0.15	CS	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle-	robustne 0.15	CS	0.1136	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle-	robustne 0.15	CS	0.107	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle-	robustne 0.15	CS	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle-	robustne 0.15	CS	0.1194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle-	robustne 0.15	CS	0.1146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle-	robustne 0.15	CS	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle-	robustne 0.15	CS	0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle-	robustne 0.15	CS	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle-	robustne 0.15	CS	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	speckle-	robustne 0.15	CS	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	speckle-	robustne 0.15	CS	0.1126	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	speckle-	robustne 0.15	CS	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	speckle-	robustne 0.15	CS	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	speckle-	robustne 0.15	CS	0.1156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	robustness 0.15	CS	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	robustness 0.15	CS	0.1206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	robustness 0.15	CS	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	robustness 0.15	CS	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	robustness 0.15	CS	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	robustness 0.15	CS	0.1148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	robustness 0.15	CS	0.112	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	speckle-	robustness 0.15	CS	0.1022	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	speckle-	robustness 0.15	CS	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	speckle-	robustness 0.15	CS	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	speckle-	robustness 0.15	CS	0.1188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	speckle-	robustness 0.15	CS	0.12	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	speckle-	robustness 0.15	CS	0.1168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	speckle-	robustness 0.15	CS	0.124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	speckle-	robustness 0.15	CS	0.1174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	speckle-	robustness 0.15	CS	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	speckle-	robustness 0.15	CS	0.1192	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	speckle-	robustness 0.15	CSbar	-0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	speckle-	robustness 0.15	CSbar	-0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle-	robustness 0.15	CSbar	-0.1024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle-	robustness 0.15	CSbar	-0.1142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle-	robustness 0.15	CSbar	-0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle-	robustness 0.15	CSbar	-0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle-	robustness 0.15	CSbar	-0.098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle-	robustness 0.15	CSbar	-0.0898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle-	robustness 0.15	CSbar	-0.101	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle-	robustness 0.15	CSbar	-0.103	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	speckle-	robustness 0.15	CSbar	-0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	speckle-	robustness 0.15	CSbar	-0.0892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	speckle-	robustness 0.15	CSbar	-0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	speckle-	robustness 0.15	CSbar	-0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	speckle-	robustness 0.15	CSbar	-0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	speckle-	robustness 0.15	CSbar	-0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	speckle-	robustness 0.15	CSbar	-0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	speckle-	robustness 0.15	CSbar	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	speckle-	robustness 0.15	CSbar	-0.0904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	speckle-	robustness 0.15	CSbar	-0.0994	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	speckle-	robustness 0.15	CSbar	-0.1034	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	speckle- 0.15	robustness	CSbar	-0.0962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle- 0.15	robustness	CSbar	-0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	speckle- 0.15	robustness	CSbar	-0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	speckle- 0.15	robustness	CSbar	-0.0954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	speckle- 0.15	robustness	CSbar	-0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	speckle- 0.15	robustness	CSbar	-0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	speckle- 0.15	robustness	CSbar	-0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	speckle- 0.15	robustness	CSbar	-0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	speckle- 0.15	robustness	CSbar	-0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle- 0.15	robustness	CSbar	-0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	speckle- 0.15	robustness	CSbar	-0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle- 0.15	robustness	CSbar	-0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle- 0.15	robustness	CSbar	-0.111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle- 0.15	robustness	CSbar	-0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle- 0.15	robustness	CSbar	-0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle- 0.15	robustness	CSbar	-0.0988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle- 0.15	robustness	CSbar	-0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle- 0.15	robustness	CSbar	-0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle- 0.15	robustness	CSbar	-0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1012	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simple	avg	speckle- 0.15	robustness	0.63bar	-0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simple	avg	speckle- 0.15	robustness	0.63bar	-0.1196	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda		speckle- 0.15	robustness	0.63bar	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda		speckle- 0.15	robustness	0.63bar	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda		speckle- 0.15	robustness	0.63bar	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda		speckle- 0.15	robustness	0.63bar	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda		speckle- 0.15	robustness	0.63bar	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda		speckle- 0.15	robustness	0.63bar	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda		speckle- 0.15	robustness	0.63bar	0.0866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda		speckle- 0.15	robustness	0.63bar	0.077	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda		speckle- 0.15	robustness	0.63bar	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	speckle-	robustness 0.15	FS	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle-	robustness 0.15	FS	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle-	robustness 0.15	FS	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle-	robustness 0.15	FS	0.0806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle-	robustness 0.15	FS	0.0846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle-	robustness 0.15	FS	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle-	robustness 0.15	FS	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle-	robustness 0.15	FS	0.0816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle-	robustness 0.15	FS	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle-	robustness 0.15	FS	0.0726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle-	robustness 0.15	FS	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle-	robustness 0.15	FS	0.0782	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle-	robustness 0.15	FS	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle-	robustness 0.15	FS	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle-	robustness 0.15	FS	0.0822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle-	robustness 0.15	FS	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle-	robustness 0.15	FS	0.0858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle-	robustness 0.15	FS	0.083	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle-	robustness 0.15	FS	0.074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle-	robustness 0.15	FS	0.0752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	speckle-	robustness 0.15	FS	0.0742	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle-	robustness 0.15	FS	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	speckle-	robustness 0.15	FS	0.0878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle-	robustness 0.15	FS	0.0876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	robustness 0.15	FS	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	robustness 0.15	FS	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	robustness 0.15	FS	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	robustness 0.15	FS	0.0808	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	robustness 0.15	FS	0.0772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	robustness 0.15	FS	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	robustness 0.15	FS	0.077	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	speckle-	robustness 0.15	FS	0.0718	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	speckle-	robustness 0.15	FS	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	speckle-	robustness 0.15	FS	0.08	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	speckle-	robustness 0.15	FS	0.0722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	speckle-	robustness 0.15	FS	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle-	robustness 0.15	FS	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle-	robustness 0.15	FS	0.0774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	simpleavg	speckle-	robustness	FS	0.0718	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle-	robustness	FS	0.0736	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	simpleavg	speckle-	robustness	FS	0.0734	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle-	robustness	FSbar	-0.0278	False	["GuidedBackprop","DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle-	robustness	FSbar	-0.0274	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle-	robustness	FSbar	-0.0402	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle-	robustness	FSbar	-0.051	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle-	robustness	FSbar	-0.0426	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle-	robustness	FSbar	-0.0402	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle-	robustness	FSbar	-0.0396	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle-	robustness	FSbar	-0.028	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle-	robustness	FSbar	-0.0368	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle-	robustness	FSbar	-0.0428	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	speckle-	robustness	FSbar	-0.0278	False	["GuidedBackprop","DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	speckle-	robustness	FSbar	-0.0222	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	speckle-	robustness	FSbar	-0.0352	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	speckle-	robustness	FSbar	-0.0446	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	speckle-	robustness	FSbar	-0.0298	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	speckle-	robustness	FSbar	-0.0288	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	robustness	Fbar	-0.0328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	robustness	Fbar	-0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	robustness	Fbar	-0.0294	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	robustness	Fbar	-0.0362	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	robustness	Fbar	-0.0366	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	robustness	Fbar	-0.0276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	robustness	Fbar	-0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	robustness	Fbar	-0.0468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	robustness	Fbar	-0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	robustness	Fbar	-0.0366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	robustness	Fbar	-0.0284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	robustness	Fbar	-0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	speckle- 0.15	robustness	Fbar	-0.0354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	speckle- 0.15	robustness	Fbar	-0.0342	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	speckle- 0.15	robustness	Fbar	-0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	speckle- 0.15	robustness	Fbar	-0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	speckle- 0.15	robustness	Fbar	-0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	speckle- 0.15	robustness	Fbar	-0.049	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	schulze	speckle- 0.15	robustness	Fbar	-0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	robustness	Fbar	-0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	robustness	Fbar	-0.0354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	robustness	Fbar	-0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	robustness	Fbar	-0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	robustness	Fbar	-0.035	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleav	speckle-	robustness	Fbar	-0.0368	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleav	speckle-	robustness	Fbar	-0.0282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleav	speckle-	robustness	Fbar	-0.0688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleav	speckle-	robustness	Fbar	-0.0666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleav	speckle-	robustness	Fbar	-0.066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleav	speckle-	robustness	Fbar	-0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleav	speckle-	robustness	Fbar	-0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleav	speckle-	robustness	Fbar	-0.063	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleav	speckle-	robustness	Fbar	-0.0646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleav	speckle-	robustness	Fbar	-0.0636	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Table 168: NOISE q-sweep results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance aggregation model	n	mean distance	n distances	fit model	fit statistic	fit value	p fit theta	selected q	selected by noise	forced fallback	methods	selection task id	selection task digest	of json
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 2	2341.4	10000	kendall	0.3673440002	0.57110311			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 3	1829.8	15000	kendall	0.3574120002	0.59280911			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 4	3010.4	20000	kendall	0.5235290002	0.55330311			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 5	3433	25000	kendall	0.3457650002	0.54540711			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 6	3377.5	30000	kendall	0.4365300002	0.54634211			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 7	3218.6	35000	kendall	0.4983140002	0.54917811			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 8	3257.5	40000	kendall	0.4840050002	0.54846111			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 9	3164.8	45000	kendall	0.5007860002	0.55010911			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	kemeny 10	3430.5	50000	kendall	0.4851990002	0.54544911			False	True	["GuidedBackprop"]	7d3ee614f3624991600b9120688977b2609d2cba91147	ImageNet-ImageNet-resnet18-kendall-d7d3ee64d3	

cell	dataset	model	distance aggregation model	n	mean distance	n distances	fit model	fit statistic	fit value	p	fit theta	selected q	selected by noise	forced fall-back	methods	selection task id	selection task digest	of json
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearmanborda	10	2.5082e+05	5000	spearman	0.5486546	0.00235	multi	0.000235	all	importance	False	importance_binned_syntactic	GuidedSuppression	8d99b22ccf	ImageNet-ImageNet-resnet18-spearman-8d99b22ccf
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearmanborda	11	2.9165e+05	5000	spearman	0.5181476	0.00235	multi	0.000235	all	importance	False	importance_binned_syntactic	GuidedSuppression	8d99b22ccf	ImageNet-ImageNet-resnet18-spearman-8d99b22ccf

Table 169: NOISE q-sweep results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	C	max	5	0.312	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	Cbar	min	2	0.2586	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	F	max	5	0.1876	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	quality	clean	Fbar	min	2	0.1452	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.15	C	max	11	-0.1882	[11]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.15	Cbar	max	5	0.072	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.15	F	max	8	-0.094	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.15	Fbar	max	6	0.0324	[6]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian-0.15	C	max	6	0.3474	[6]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian-0.15	Cbar	max	9	-0.2942	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian-0.15	F	max	7	0.178	[7]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	gaussian-0.15	Fbar	max	9	-0.0828	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.05	C	max	7	0.3256	[7]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.05	Cbar	max	9	-0.2636	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.05	F	max	8	0.1664	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	salt-pepper-0.05	Fbar	max	3	-0.047	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	speckle-0.15	C	max	7	0.126	[7,8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	speckle-0.15	Cbar	max	9	-0.0898	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	borda	robustness	speckle- 0.15	F	max	8	0.0866	[8]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	borda	robustness	speckle- 0.15	Fbar	max	3	-0.0274	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	quality	clean	C	max	5	0.3128	[5]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	quality	clean	Cbar	min	2	0.2586	[2]	smallest	[GuidedBackSolpt]_DeepLiftShap]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	quality	clean	F	max	5	0.1874	[5]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	quality	clean	Fbar	min	2	0.1452	[2]	smallest	[GuidedBackSolpt]_DeepLiftShap]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	F	max	11	-0.179	[11]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	Cbar	max	5	0.0746	[5]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	F	max	11	-0.0904	[11]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	Fbar	max	6	0.036	[6]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	C	max	7	0.3358	[7]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	Cbar	max	9	-0.2642	[9]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	F	max	3	0.175	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	Fbar	max	9	-0.0522	[9]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	C	max	8	0.3216	[8]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	Cbar	max	9	-0.2452	[9]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	F	max	3	0.1672	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	Fbar	max	3	-0.0356	[3]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kemeny	robustness	speckle- 0.15	C	max	8	0.1234	[8]	smallest	[GuidedBackSolpt]_DeepLiftShap , "DeepLift", "FeatureAblation", "C

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	Cbar	max	6	-0.0882	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	F	max	5	0.0846	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	Fbar	max	3	-0.0222	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	C	max	5	0.3152	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	Cbar	min	2	0.256	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	F	max	5	0.1886	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	Fbar	min	2	0.1424	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	C	max	10	-0.1868	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	Cbar	max	6	0.0784	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	F	max	11	-0.0956	[11]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	Fbar	max	6	0.0382	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	C	max	6	0.3436	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	Cbar	max	9	-0.2768	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	F	max	4	0.1756	[4]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	Fbar	max	9	-0.07	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	C	max	6	0.321	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	Cbar	max	9	-0.2524	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	F	max	3	0.1658	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	Fbar	max	9	-0.052	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle- 0.15	C	max	7	0.1262	[7]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle- 0.15	Cbar	max	8	-0.0882	[8,9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle- 0.15	F	max	7	0.0858	[7]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	trf	robustness	speckle- 0.15	Fbar	max	3	-0.0276	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	C	max	5	0.312	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	Cbar	min	2	0.2586	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	F	max	5	0.1876	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	quality	clean	Fbar	min	2	0.1452	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari- sara-2- 255	C	max	9	-0.1846	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari- sara-2- 255	Cbar	max	5	0.0798	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari- sara-2- 255	F	max	11	-0.0926	[11]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	adversari- sara-2- 255	Fbar	max	5	0.0352	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian- 0.15	C	max	6	0.339	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian- 0.15	Cbar	max	10	-0.2776	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian- 0.15	F	max	3	0.1794	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	gaussian- 0.15	Fbar	max	9	-0.0652	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	salt- pepper- 0.05	C	max	5	0.321	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	salt- pepper- 0.05	Cbar	max	10	-0.2512	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	schulze	robustness	salt- pepper- 0.05	F	max	3	0.1698	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	salt- pepper- 0.05	Fbar	max	3	-0.0382	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	C	max	6	0.1206	[6]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	Cbar	max	2	-0.0906	[2]	smallest	[tGuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	F	max	3	0.0878	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	Fbar	max	3	-0.0238	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	C	max	2	0.3056	[2]	smallest	[tGuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	Cbar	min	2	0.2646	[2]	smallest	[tGuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	F	max	2	0.1814	[2]	smallest	[tGuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	Fbar	min	2	0.15	[2]	smallest	[tGuidedBacksolpt'DeepliftShap'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	C	max	8	-0.173	[8]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	Cbar	max	4	0.0788	[4]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	F	max	5	-0.0908	[5]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	Fbar	max	5	0.0428	[5]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	C	max	8	0.35	[8]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	Cbar	max	3	-0.3048	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	F	max	3	0.1726	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	Fbar	max	3	-0.088	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	salt- pepper- 0.05	C	max	8	0.3218	[8]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift', 'FeatureAblation', 'C'] 12
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	salt- pepper- 0.05	Cbar	max	3	-0.2764	[3]	smallest	[tGuidedBacksolpt'DeepliftShap', 'DeepLift'] 12

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	salt- pepper- 0.05	F		max	3	0.1618	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	salt- pepper- 0.05	Fbar		max	3	-0.0568	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	C		max	8	0.124	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	Cbar		max	3	-0.0928	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	F		max	4	0.08	[4]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	Fbar		max	3	-0.0282	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]

Table 170: NOISE q-sweep results for ImageNet–ResNet-18. This table is a historical snapshot included for archival co in the source file.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turbed gaussian-0.15	Fbar per-turbed gaussian-0.15	C per-turbed gaussian-0.15	Cbar per-turbed gaussian-0.15	F per-turbed salt-pepper-0.05	Fbar per-turbed salt-pepper-0.05	C per-turbed salt-pepper-0.05	Cbar per-turbed salt-pepper-0.05	F per-turbed speckle-0.15	Fbar per-turbed speckle-0.15	C per-turbed speckle-0.15	Cbar per-turbed speckle-0.15	F per-turbed adversarial-255	Fbar per-turbed adversarial-255	C per-turbed adversarial-255	Cbar per-turbed adversarial-255
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	simpleavg	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.848	0.715	0.385	0.2646	0.3442	0.2508	0.6302	0.5798	0.3322	0.2146	0.603	0.551	0.2532	0.1868	0.4078	0.3658	0.0666	0.1256	0.0666	0.1256
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	borda	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.848	0.715	0.385	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0658	0.122
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	rrf	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.848	0.715	0.385	0.256	0.3456	0.2472	0.6344	0.5794	0.3418	0.2126	0.6132	0.5448	0.2594	0.179	0.4144	0.3594	0.0652	0.119	0.0652	0.119
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	kemeny	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.848	0.715	0.385	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0658	0.122
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	schulze	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.848	0.715	0.385	0.2586	0.3498	0.2466	0.6324	0.579	0.3426	0.2066	0.614	0.541	0.2634	0.173	0.4186	0.3492	0.0658	0.122	0.0658	0.122
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	simpleavg	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.762	0.708	0.296	0.2752	0.3488	0.2518	0.628	0.58	0.338	0.2206	0.6078	0.5516	0.253	0.192	0.4112	0.368	0.0608	0.1456	0.0608	0.1456
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	borda	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.762	0.715	0.385	0.2688	0.3458	0.2502	0.621	0.5822	0.3378	0.2056	0.6118	0.5416	0.2602	0.186	0.4164	0.3674	0.0612	0.1364	0.0612	0.1364
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	rrf	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.762	0.709	0.382	0.276	0.345	0.2474	0.6178	0.5848	0.342	0.2144	0.6124	0.5482	0.2566	0.1888	0.413	0.3678	0.0622	0.141	0.0622	0.141
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	kemeny	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.762	0.709	0.382	0.276	0.345	0.2452	0.6196	0.5826	0.3372	0.226	0.608	0.5632	0.2512	0.2126	0.4032	0.3936	0.0586	0.1786	0.0586	0.1786
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	schulze	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.762	0.716	0.382	0.276	0.3452	0.2466	0.6206	0.581	0.3356	0.2168	0.6088	0.5556	0.2536	0.2024	0.4058	0.3834	0.06	0.172	0.06	0.172
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	simpleavg	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.809	0.738	0.382	0.3706	0.3386	0.2336	0.6318	0.6396	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.0834	0.204
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	borda	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.856	0.789	0.3816	0.3924	0.3572	0.2336	0.6318	0.6396	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.0834	0.204
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	rrf	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.834	0.706	0.386	0.376	0.359	0.239	0.6318	0.6396	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.0834	0.204
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	kemeny	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.875	0.763	0.387	0.376	0.3456	0.239	0.6318	0.6396	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.0834	0.204
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	schulze	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.876	0.776	0.387	0.376	0.3454	0.239	0.6318	0.6396	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.0834	0.204
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	simpleavg	False	["GuidedBicubicprop,1.15DeepLi0.385ap"]	0.736	0.708	0.2872	0.3286	0.336	0.239	0.6318	0.6396	0.319	0.3414	0.611	0.6804	0.2604	0.3068	0.4234	0.494	0.0834	0.204	0.0834	0.204

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turb gaussian-0.15	Fbar per-turb gaussian-0.15	C per-turb gaussian-0.15	Cbar per-turb gaussian-0.15	F per-turb salt-pepper-0.05	Fbar per-turb salt-pepper-0.05	C per-turb salt-pepper-0.05	Cbar per-turb salt-pepper-0.05	F per-turb speckle-0.15	Fbar per-turb speckle-0.15	C per-turb speckle-0.15	Cbar per-turb speckle-0.15	F per-turb adversarial-sara-2-255	Fbar per-turb adversarial-sara-2-255	C per-turb adversarial-sara-2-255	Cbar per-turb adversarial-sara-2-255
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	borda	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4876	0.1982	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3378	0.3088	0.6248	0.6404	0.264	0.2492	0.4258	0.4358	0.0768	0.172	0.0768	0.172
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	rrf	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4876	0.1982	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3458	0.2834	0.6306	0.6166	0.2708	0.2336	0.4298	0.4174	0.0784	0.1548	0.0784	0.1548
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	kemeny	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4876	0.1982	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3502	0.2342	0.6284	0.5646	0.272	0.2104	0.433	0.3906	0.0768	0.1386	0.0768	0.1386
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	schulze	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4876	0.2018	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	simpleavg	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4738	0.2032	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	borda	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4738	0.2032	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	rrf	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4738	0.2032	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	kemeny	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4806	0.1868	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	schulze	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4814	0.1966	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	simpleavg	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4742	0.2192	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	borda	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4698	0.2242	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	rrf	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4728	0.2046	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	kemeny	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4716	0.2088	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	schulze	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4756	0.1966	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	simpleavg	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4724	0.2176	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	borda	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4634	0.2266	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	rrf	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4682	0.2076	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	kemeny	False	["GuidedBackprop,DeepLift,DeepLift,DeepLift"]	0.4642	0.2098	0.3521	0.3221	0.3521	0.3521	0.3521	0.3521	0.3454	0.3014	0.633	0.633	0.2664	0.2508	0.427	0.4368	0.0784	0.1666	0.0784	0.1666

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turb gaussian-0.15	Fbar per-turb gaussian-0.15	C per-turb gaussian-0.15	Cbar per-turb gaussian-0.15	F per-turb salt-pepper-0.05	Fbar per-turb salt-pepper-0.05	C per-turb salt-pepper-0.05	Cbar per-turb salt-pepper-0.05	F per-turb speckle-0.15	Fbar per-turb speckle-0.15	C per-turb speckle-0.15	Cbar per-turb speckle-0.15	F per-turb adversarial-sara-2-255	Fbar per-turb adversarial-sara-2-255	C per-turb adversarial-sara-2-255	Cbar per-turb adversarial-sara-2-255
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	schulze	False	["GuidedB4672prop0.21Deep10.288map"0.866Lift.33Beat0.836ratio0.609Occ0.6188", "G3418entSL2634"Integ946edC6016ents0.248aliens0.2422	0.4048	0.4304	0.0668	0.1866	0															
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	simpleavg	False	["GuidedB4748prop0.2158Deep10.2882ap"0.868Lift.3262at0.8634ratio0.629Occ0.5084", "G3418entSL3426"Integ922edC6816ents0.2466iens0.3168Input0.306radio0.506	0.0784	0.22	0																	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	borda	False	["GuidedB4648prop0.2188Deep10.2578ap"0.866Lift.3384at0.8216ratio0.6196Occ0.6606", "G3428entSL3612"Integ924edC6816ents0.2388iens0.2668Input0.306radio0.4562	0.0646	0.2154	0																	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	rrf	False	["GuidedB4644prop0.2258Deep10.2598ap"0.866Lift.3386at0.8218ratio0.6120Occ0.6832", "G3424entSL2778"Integ94atedC6076ents0.2384iens0.2578Input0.309radio0.4434	0.0674	0.2026	0																	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	kemeny	False	["GuidedB4657prop0.2198Deep10.2544ap"0.866Lift.3262at0.8216ratio0.6020Occ0.6276", "G3426entSL279", "Integ93atedC6086ents0.2334iens0.2682Input0.338radio0.453	0.0602	0.2156	0																	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	schulze	False	["GuidedB4657prop0.2198Deep10.2694ap"0.866Lift.3282at0.8294ratio0.6020Occ0.6882", "G3418entSL28", "Integ946edC6816ents0.2354iens0.2698Input0.309radio0.453	0.061	0.2202	0																	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet40-resnet18	10	simpleavg	False	["GuidedB4736prop0.2498Deep10.2858ap"0.865Lift.3272at0.8622ratio0.6310Occ0.5058", "G3418entSL3432"Integ94atedC6816ents0.2472iens0.314Input0.306radio0.504"De0.0776utio0.217	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet40-resnet18	10	borda	False	["GuidedB4646prop0.2288Deep10.2568ap"0.864Lift.3382at0.8254ratio0.6160Occ0.6654", "G3418entSL2988"Integ936edC6942ents0.2372iens0.2652Input0.307radio0.4524"De0.0644utio0.2072	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet40-resnet18	10	rrf	False	["GuidedB4638prop0.2178Deep10.2572ap"0.868Lift.3382at0.8212ratio0.6090Occ0.6856", "G3420entSL27", "Integ94atedC6072ents0.2394iens0.2524Input0.309radio0.4354"De0.0668utio0.1968	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet40-resnet18	10	kemeny	False	["GuidedB4658prop0.2298Deep10.2522ap"0.866Lift.3282at0.8200ratio0.5950Occ0.6862", "G3415entSL2762"Integ972edC6076ents0.2312iens0.258Input0.337radio0.445"De0.0628utio0.2066	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet40-resnet18	10	schulze	False	["GuidedB4648prop0.2268Deep10.2558ap"0.862Lift.3282at0.8266ratio0.6000Occ0.6298", "G3418entSL2748"Integ944edC6084ents0.2386iens0.2618Input0.306radio0.449"De0.0644utio0.2116	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet41-resnet18	11	simpleavg	True	["GuidedB4726prop0.2518Deep10.286ap"0.866Lift.3282at0.8628ratio0.6330Occ0.507", "G3418entSL3426"Integ942edC6808ents0.2464iens0.314Input0.302radio0.5058"De0.0782utio0.2172LR0	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet41-resnet18	11	borda	True	["GuidedB4658prop0.2186Deep10.2556ap"0.866Lift.3272at0.8282ratio0.6140Occ0.6672", "G3420entSL2974"Integ964edC6986ents0.2328iens0.2611Input0.309radio0.4494"De0.0634utio0.1956LR0	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet41-resnet18	11	rrf	True	["GuidedB4642prop0.2178Deep10.2582ap"0.864Lift.3262at0.8252ratio0.6090Occ0.6868", "G3428entSL2836"Integ946edC6078ents0.2354iens0.2518Input0.303radio0.4352"De0.0656utio0.193LR0	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet41-resnet18	11	kemeny	True	["GuidedB4656prop0.2248Deep10.257ap"0.862Lift.3282at0.8218ratio0.6006Occ0.6266", "G3417entSL2684"Integ984edC6014ents0.2394iens0.259Input0.304radio0.4486"De0.0652utio0.2084LR0	0																			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet41-resnet18	11	schulze	True	["GuidedB4657prop0.2188Deep10.256ap"0.864Lift.3282at0.8244ratio0.6050Occ0.6824", "G3418entSL2838"Integ984edC6814ents0.2346iens0.2532Input0.338radio0.4402"De0.0654utio0.2012LR0	0																			

Table 171: NOISE q-sweep results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	distance	q	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	borda	clean	quality	C	0.308	max	0.308	kendall	0.367314	0.367314	0.367314	0.000000	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	borda	clean	quality	C	0.3034	max	0.3034	kendall	0.657412	0.657412	0.657412	0.000000	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	borda	clean	quality	C	0.3116	max	0.3116	kendall	0.523529	0.523529	0.523529	0.000000	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	borda	clean	quality	C	0.312	max	0.312	kendall	0.345765	0.345765	0.345765	0.000000	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	borda	clean	quality	C	0.2986	max	0.2986	kendall	0.43653	0.43653	0.43653	0.000000	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	borda	clean	quality	C	0.289	max	0.289	kendall	0.498314	0.498314	0.498314	0.000000	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	borda	clean	quality	C	0.2844	max	0.2844	kendall	0.484005	0.484005	0.484005	0.000000	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	borda	clean	quality	C	0.2778	max	0.2778	kendall	0.507886	0.507886	0.507886	0.000000	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	borda	clean	quality	C	0.2768	max	0.2768	kendall	0.485199	0.485199	0.485199	0.000000	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	borda	clean	quality	C	0.2756	max	0.2756	kendall	0.470366	0.470366	0.470366	0.000000	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	kemeny	clean	quality	C	0.308	max	0.308	kendall	0.367314	0.367314	0.367314	0.000000	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	kemeny	clean	quality	C	0.2916	max	0.2916	kendall	0.657412	0.657412	0.657412	0.000000	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	kemeny	clean	quality	C	0.2978	max	0.2978	kendall	0.523529	0.523529	0.523529	0.000000	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	kemeny	clean	quality	C	0.3128	max	0.3128	kendall	0.345765	0.345765	0.345765	0.000000	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	kemeny	clean	quality	C	0.306	max	0.306	kendall	0.43653	0.43653	0.43653	0.000000	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	kemeny	clean	quality	C	0.2884	max	0.2884	kendall	0.498314	0.498314	0.498314	0.000000	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet–ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	kemeny	clean	quality	C	0.282	max	0.282	kendall	0.484005	0.484005	0.484005	0.000000	3257.5	11	False	True	5	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	clean	quality	C	0.2744	max	0.2744	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	clean	quality	C	0.2722	max	0.2722	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	clean	quality	C	0.271	max	0.271	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	clean	quality	C	0.3074	max	0.3074	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	clean	quality	C	0.3022	max	0.3022	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	clean	quality	C	0.3066	max	0.3066	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	clean	quality	C	0.3152	max	0.3152	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	clean	quality	C	0.2986	max	0.2986	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	clean	quality	C	0.2912	max	0.2912	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	clean	quality	C	0.2878	max	0.2878	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	clean	quality	C	0.2798	max	0.2798	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	clean	quality	C	0.2772	max	0.2772	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	clean	quality	C	0.2812	max	0.2812	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	clean	quality	C	0.308	max	0.308	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	clean	quality	C	0.2924	max	0.2924	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	clean	quality	C	0.2974	max	0.2974	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	clean	quality	C	0.312	max	0.312	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	clean	quality	C	0.3008	max	0.3008	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	clean	quality	C	0.2966	max	0.2966	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	clean	quality	C	0.2844	max	0.2844	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	clean	quality	C	0.2694	max	0.2694	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	clean	quality	C	0.2758	max	0.2758	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	clean	quality	C	0.276	max	0.276	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	clean	quality	C	0.3056	max	0.3056	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	clean	quality	C	0.2996	max	0.2996	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	clean	quality	C	0.3024	max	0.3024	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	clean	quality	C	0.2872	max	0.2872	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	clean	quality	C	0.2876	max	0.2876	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	clean	quality	C	0.2898	max	0.2898	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	clean	quality	C	0.285	max	0.285	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	clean	quality	C	0.2882	max	0.2882	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	clean	quality	C	0.2858	max	0.2858	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	clean	quality	C	0.286	max	0.286	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	clean	quality	Cbar	0.2586	min	-0.2586	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	clean	quality	Cbar	0.2688	min	-0.2688	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	clean	quality	Cbar	0.3024	min	-0.3024	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	clean	quality	Cbar	0.3216	min	-0.3216	kendall_0.3216	0.345765	-exact_distance	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	clean	quality	Cbar	0.3324	min	-0.3324	kendall_0.3324	0.43653	-exact_distance	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	clean	quality	Cbar	0.3482	min	-0.3482	kendall_0.3482	0.498314	-exact_distance	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	clean	quality	Cbar	0.3448	min	-0.3448	kendall_0.3448	0.484005	-exact_distance	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	clean	quality	Cbar	0.3664	min	-0.3664	kendall_0.3664	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	clean	quality	Cbar	0.3514	min	-0.3514	kendall_0.3514	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	clean	quality	Cbar	0.3464	min	-0.3464	kendall_0.3464	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	clean	quality	Cbar	0.2586	min	-0.2586	kendall_0.2586	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	clean	quality	Cbar	0.3044	min	-0.3044	kendall_0.3044	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	clean	quality	Cbar	0.2772	min	-0.2772	kendall_0.2772	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	clean	quality	Cbar	0.2872	min	-0.2872	kendall_0.2872	0.345765	-exact_distance	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	clean	quality	Cbar	0.3056	min	-0.3056	kendall_0.3056	0.43653	-exact_distance	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	clean	quality	Cbar	0.3304	min	-0.3304	kendall_0.3304	0.498314	-exact_distance	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	clean	quality	Cbar	0.3298	min	-0.3298	kendall_0.3298	0.484005	-exact_distance	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	clean	quality	Cbar	0.3634	min	-0.3634	kendall_0.3634	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	clean	quality	Cbar	0.3546	min	-0.3546	kendall_0.3546	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	clean	quality	Cbar	0.3492	min	-0.3492	kendall_0.3492	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	clean	quality	Cbar	0.256	min	-0.256	kendall_0.256	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	clean	quality	Cbar	0.2716	min	-0.2716	kendall_0.657412-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	clean	quality	Cbar	0.2748	min	-0.2748	kendall_0.523529-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	clean	quality	Cbar	0.3094	min	-0.3094	kendall_0.345765-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	clean	quality	Cbar	0.318	min	-0.318	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	clean	quality	Cbar	0.323	min	-0.323	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	clean	quality	Cbar	0.3306	min	-0.3306	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	clean	quality	Cbar	0.3552	min	-0.3552	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	clean	quality	Cbar	0.3388	min	-0.3388	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	clean	quality	Cbar	0.3424	min	-0.3424	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	clean	quality	Cbar	0.2586	min	-0.2586	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	clean	quality	Cbar	0.291	min	-0.291	kendall_0.657412-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	clean	quality	Cbar	0.2872	min	-0.2872	kendall_0.523529-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	clean	quality	Cbar	0.3258	min	-0.3258	kendall_0.345765-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	clean	quality	Cbar	0.3152	min	-0.3152	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	clean	quality	Cbar	0.3174	min	-0.3174	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	clean	quality	Cbar	0.3316	min	-0.3316	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	clean	quality	Cbar	0.3564	min	-0.3564	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	clean	quality	Cbar	0.3522	min	-0.3522	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
			model				kind			direction	value	model	statis- tic	score	value	dis- tance		se- lected q	by noise	forced fall- back			mal q	er- ence	reference	prefix	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	schulze	clean	quality	Cbar	0.3444	min	-0.3444	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	3733	11	True	True	2		False	True	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	simpleavg	clean	quality	Cbar	0.2646	min	-0.2646	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	2341.4	11	False	True	2		True	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	simpleavg	clean	quality	Cbar	0.2752	min	-0.2752	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	1829.8	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	simpleavg	clean	quality	Cbar	0.3706	min	-0.3706	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	3010.4	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	simpleavg	clean	quality	Cbar	0.4004	min	-0.4004	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	3433	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	simpleavg	clean	quality	Cbar	0.3954	min	-0.3954	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	3377.5	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	simpleavg	clean	quality	Cbar	0.3896	min	-0.3896	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	3218.6	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	simpleavg	clean	quality	Cbar	0.3894	min	-0.3894	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	3257.5	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	9	simpleavg	clean	quality	Cbar	0.3882	min	-0.3882	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	3164.8	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	10	simpleavg	clean	quality	Cbar	0.3858	min	-0.3858	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	3430.5	11	False	True	2		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	simpleavg	clean	quality	Cbar	0.3862	min	-0.3862	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	3733	11	True	True	2		False	True	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	borda	clean	quality	F	0.1818	max	0.1818	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	2341.4	11	False	True	5		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	borda	clean	quality	F	0.1762	max	0.1762	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	1829.8	11	False	True	5		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	borda	clean	quality	F	0.1856	max	0.1856	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	3010.4	11	False	True	5		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	borda	clean	quality	F	0.1876	max	0.1876	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	3433	11	False	True	5		True	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	borda	clean	quality	F	0.1782	max	0.1782	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	3377.5	11	False	True	5		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	borda	clean	quality	F	0.1698	max	0.1698	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	3218.6	11	False	True	5		False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	borda	clean	quality	F	0.1634	max	0.1634	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	3257.5	11	False	True	5		False	False	False	["GuidedBackprop		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	borda	clean	quality	F	0.1618	max	0.1618	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	borda	clean	quality	F	0.1616	max	0.1616	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	borda	clean	quality	F	0.158	max	0.158	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	kemeny	clean	quality	F	0.1818	max	0.1818	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	clean	quality	F	0.17	max	0.17	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	clean	quality	F	0.175	max	0.175	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	clean	quality	F	0.1874	max	0.1874	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	clean	quality	F	0.1806	max	0.1806	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	clean	quality	F	0.1716	max	0.1716	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	clean	quality	F	0.1642	max	0.1642	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	clean	quality	F	0.1574	max	0.1574	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	clean	quality	F	0.1586	max	0.1586	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	clean	quality	F	0.1556	max	0.1556	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	clean	quality	F	0.1812	max	0.1812	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	clean	quality	F	0.1762	max	0.1762	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	clean	quality	F	0.1834	max	0.1834	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	clean	quality	F	0.1886	max	0.1886	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	clean	quality	F	0.1798	max	0.1798	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	rrf	clean	quality	F	0.1728	max	0.1728	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	rrf	clean	quality	F	0.1682	max	0.1682	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	clean	quality	F	0.1644	max	0.1644	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	clean	quality	F	0.1638	max	0.1638	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	rrf	clean	quality	F	0.1612	max	0.1612	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	schulze	clean	quality	F	0.1818	max	0.1818	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	schulze	clean	quality	F	0.1658	max	0.1658	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	schulze	clean	quality	F	0.1704	max	0.1704	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	schulze	clean	quality	F	0.1876	max	0.1876	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	schulze	clean	quality	F	0.181	max	0.181	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	schulze	clean	quality	F	0.175	max	0.175	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	schulze	clean	quality	F	0.1672	max	0.1672	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	schulze	clean	quality	F	0.1578	max	0.1578	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	schulze	clean	quality	F	0.1618	max	0.1618	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	schulze	clean	quality	F	0.1576	max	0.1576	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	simpleavg	clean	quality	F	0.1814	max	0.1814	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	simpleavg	clean	quality	F	0.1762	max	0.1762	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	simpleavg	clean	quality	F	0.1804	max	0.1804	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	clean	quality	F	0.1726	max	0.1726	kendall_0.3415665-exact_distance	0.3415665	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	clean	quality	F	0.1738	max	0.1738	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	clean	quality	F	0.1742	max	0.1742	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	clean	quality	F	0.1724	max	0.1724	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	clean	quality	F	0.1748	max	0.1748	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	clean	quality	F	0.1736	max	0.1736	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	clean	quality	F	0.1726	max	0.1726	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	clean	quality	Fbar	0.1452	min	-0.1452	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	clean	quality	Fbar	0.1586	min	-0.1586	kendall_0.657412-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	clean	quality	Fbar	0.1802	min	-0.1802	kendall_0.523529-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	clean	quality	Fbar	0.1982	min	-0.1982	kendall_0.3415665-exact_distance	0.3415665	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	clean	quality	Fbar	0.2092	min	-0.2092	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	clean	quality	Fbar	0.2242	min	-0.2242	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	clean	quality	Fbar	0.2196	min	-0.2196	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	clean	quality	Fbar	0.2388	min	-0.2388	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	clean	quality	Fbar	0.2284	min	-0.2284	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	clean	quality	Fbar	0.2186	min	-0.2186	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	clean	quality	Fbar	0.1452	min	-0.1452	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	clean	quality	Fbar	0.1904	min	-0.1904	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	clean	quality	Fbar	0.165	min	-0.165	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	clean	quality	Fbar	0.1658	min	-0.1658	kendall_0.345765	-exact_0.345765	-0.002	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	clean	quality	Fbar	0.1868	min	-0.1868	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	clean	quality	Fbar	0.2088	min	-0.2088	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	clean	quality	Fbar	0.2098	min	-0.2098	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	clean	quality	Fbar	0.2394	min	-0.2394	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	clean	quality	Fbar	0.2292	min	-0.2292	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	clean	quality	Fbar	0.2234	min	-0.2234	kendall_0.470366	-exact_0.470366	-0.002	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	clean	quality	Fbar	0.1424	min	-0.1424	kendall_0.367314	-exact_0.367314	-0.002	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	clean	quality	Fbar	0.1612	min	-0.1612	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	clean	quality	Fbar	0.1606	min	-0.1606	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	clean	quality	Fbar	0.1868	min	-0.1868	kendall_0.345765	-exact_0.345765	-0.002	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	clean	quality	Fbar	0.1964	min	-0.1964	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	rrf	clean	quality	Fbar	0.2046	min	-0.2046	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	rrf	clean	quality	Fbar	0.2076	min	-0.2076	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	clean	quality	Fbar	0.2258	min	-0.2258	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	clean	quality	Fbar	0.217	min	-0.217	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
				model			kind			direction	value	model	statis- tic	score	value	dis- tance	se- lected	q	by noise	forced fall- back			mal	q	erence	prefix	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	rrf	clean	quality	Fbar	0.2176	min	-0.2176	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	2		False	True		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	schulze	clean	quality	Fbar	0.1452	min	-0.1452	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	2		True	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	schulze	clean	quality	Fbar	0.1786	min	-0.1786	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	schulze	clean	quality	Fbar	0.1726	min	-0.1726	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	schulze	clean	quality	Fbar	0.2018	min	-0.2018	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	schulze	clean	quality	Fbar	0.1956	min	-0.1956	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	schulze	clean	quality	Fbar	0.1954	min	-0.1954	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	schulze	clean	quality	Fbar	0.2068	min	-0.2068	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	9	schulze	clean	quality	Fbar	0.2342	min	-0.2342	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	0.002	3164.8	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	10	schulze	clean	quality	Fbar	0.2262	min	-0.2262	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	0.002	3430.5	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	schulze	clean	quality	Fbar	0.2182	min	-0.2182	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	2		False	True		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	simpleavg	clean	quality	Fbar	0.15	min	-0.15	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	2		True	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	simpleavg	clean	quality	Fbar	0.1638	min	-0.1638	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	simpleavg	clean	quality	Fbar	0.238	min	-0.238	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	simpleavg	clean	quality	Fbar	0.2698	min	-0.2698	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	simpleavg	clean	quality	Fbar	0.2632	min	-0.2632	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	simpleavg	clean	quality	Fbar	0.2592	min	-0.2592	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	2		False	False		["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	simpleavg	clean	quality	Fbar	0.2574	min	-0.2574	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	2		False	False		["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	clean	quality	Fbar	0.2538	min	-0.2538	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	clean	quality	Fbar	0.2494	min	-0.2494	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	clean	quality	Fbar	0.251	min	-0.251	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	Fbar	-0.2158	max	-0.2158	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	Fbar	-0.2178	max	-0.2178	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	Fbar	-0.206	max	-0.206	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	Fbar	-0.203	max	-0.203	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	Fbar	-0.1974	max	-0.1974	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	Fbar	-0.1924	max	-0.1924	kendall_0.498314	0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	Fbar	-0.1898	max	-0.1898	kendall_0.484005	0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	Fbar	-0.1886	max	-0.1886	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	Fbar	-0.1884	max	-0.1884	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	Fbar	-0.1882	max	-0.1882	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	11	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	Fbar	-0.2158	max	-0.2158	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	Fbar	-0.2092	max	-0.2092	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	Fbar	-0.2046	max	-0.2046	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	Fbar	-0.2054	max	-0.2054	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	Fbar	-0.2076	max	-0.2076	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	11	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	G	-0.1944	max	-0.1944	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	G	-0.1906	max	-0.1906	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	G	-0.189	max	-0.189	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	G	-0.1848	max	-0.1848	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	adversarial	robustness	G	-0.179	max	-0.179	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	11	True	True	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	adversarial	robustness	G	-0.2148	max	-0.2148	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	adversarial	robustness	G	-0.2164	max	-0.2164	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	adversarial	robustness	G	-0.2048	max	-0.2048	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	adversarial	robustness	G	-0.205	max	-0.205	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	adversarial	robustness	G	-0.1934	max	-0.1934	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	adversarial	robustness	G	-0.193	max	-0.193	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	adversarial	robustness	G	-0.1926	max	-0.1926	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	adversarial	robustness	G	-0.1872	max	-0.1872	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	10	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	adversarial	robustness	G	-0.1868	max	-0.1868	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	10	True	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	adversarial	robustness	G	-0.1914	max	-0.1914	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	10	False	True	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	adversarial	robustness	G	-0.2158	max	-0.2158	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	9	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	adversarial	robustness	G	-0.2092	max	-0.2092	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	9	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	adversarial	robustness	G	-0.206	max	-0.206	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	9	False	False	["GuidedB	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	adversarial	robustness	CS	-0.2016	max	-0.2016	kendall_0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	adversarial	robustness	CS	-0.2006	max	-0.2006	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	adversarial	robustness	CS	-0.1984	max	-0.1984	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	adversarial	robustness	CS	-0.1924	max	-0.1924	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	CS	-0.1846	max	-0.1846	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	CS	-0.187	max	-0.187	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	CS	-0.1864	max	-0.1864	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	CS	-0.2124	max	-0.2124	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	CS	-0.2144	max	-0.2144	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	CS	-0.1882	max	-0.1882	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	CS	-0.1732	max	-0.1732	kendall_0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	CS	-0.175	max	-0.175	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	CS	-0.1776	max	-0.1776	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	CS	-0.173	max	-0.173	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	CS	-0.1804	max	-0.1804	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	CS	-0.1784	max	-0.1784	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	CS	-0.1768	max	-0.1768	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	CSbar	0.0586	max	0.0586	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	Gbar	0.0534	max	0.0534	kendall_0.657412	-exact_ds002	0.657412	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	Gbar	0.0712	max	0.0712	kendall_0.523529	-exact_ds002	0.523529	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	Gbar	0.072	max	0.072	kendall_0.345765	-exact_ds002	0.345765	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	Gbar	0.0676	max	0.0676	kendall_0.43653	-exact_ds002	0.43653	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	Gbar	0.0694	max	0.0694	kendall_0.498314	-exact_ds002	0.498314	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	Gbar	0.0584	max	0.0584	kendall_0.484005	-exact_ds002	0.484005	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	Gbar	0.0596	max	0.0596	kendall_0.507886	-exact_ds002	0.507886	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	Gbar	0.0496	max	0.0496	kendall_0.485199	-exact_ds002	0.485199	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	Gbar	0.0532	max	0.0532	kendall_0.470366	-exact_ds002	0.470366	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	Gbar	0.0586	max	0.0586	kendall_0.367314	-exact_ds002	0.367314	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	Gbar	0.039	max	0.039	kendall_0.657412	-exact_ds002	0.657412	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	Gbar	0.0402	max	0.0402	kendall_0.523529	-exact_ds002	0.523529	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	Gbar	0.0746	max	0.0746	kendall_0.345765	-exact_ds002	0.345765	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	Gbar	0.0714	max	0.0714	kendall_0.43653	-exact_ds002	0.43653	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	Gbar	0.0588	max	0.0588	kendall_0.498314	-exact_ds002	0.498314	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	Gbar	0.0544	max	0.0544	kendall_0.484005	-exact_ds002	0.484005	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	Gbar	0.0546	max	0.0546	kendall_0.507886	-exact_ds002	0.507886	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	Gbar	0.0552	max	0.0552	kendall_0.485199	-exact_ds002	0.485199	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	Gbar	0.0426	max	0.0426	kendall_0.507886	exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	Gbar	0.0486	max	0.0486	kendall_0.485199	exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	Gbar	0.0506	max	0.0506	kendall_0.470366	exact_distance	0.470366	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	Gbar	0.0592	max	0.0592	kendall_0.367314	exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	Gbar	0.0534	max	0.0534	kendall_0.657412	exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	Gbar	0.0788	max	0.0788	kendall_0.523529	exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	4	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	Gbar	0.0784	max	0.0784	kendall_0.345765	exact_distance	0.345765	0.345765	0.002	3433	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	Gbar	0.0784	max	0.0784	kendall_0.43653	exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	Gbar	0.0756	max	0.0756	kendall_0.498314	exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	Gbar	0.0786	max	0.0786	kendall_0.484005	exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	Gbar	0.0746	max	0.0746	kendall_0.507886	exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	Gbar	0.0752	max	0.0752	kendall_0.485199	exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	Gbar	0.0754	max	0.0754	kendall_0.470366	exact_distance	0.470366	0.470366	0.002	3733	11	True	True	4	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	F	-0.116	max	-0.116	kendall_0.367314	exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	F	-0.115	max	-0.115	kendall_0.657412	exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	F	-0.11	max	-0.11	kendall_0.523529	exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	F	-0.1108	max	-0.1108	kendall_0.345765	exact_distance	0.345765	0.345765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	F	-0.1042	max	-0.1042	kendall_0.43653	exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	F	-0.099	max	-0.099	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	8	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	F	-0.094	max	-0.094	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	8	True	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	F	-0.0972	max	-0.0972	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	8	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	F	-0.0972	max	-0.0972	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	8	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	F	-0.095	max	-0.095	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	8	False	True	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	F	-0.116	max	-0.116	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	F	-0.1114	max	-0.1114	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	F	-0.1066	max	-0.1066	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	F	-0.1106	max	-0.1106	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	F	-0.11	max	-0.11	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	F	-0.1036	max	-0.1036	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	F	-0.0982	max	-0.0982	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	F	-0.0972	max	-0.0972	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	F	-0.0958	max	-0.0958	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	adversarial	robustness	F	-0.0904	max	-0.0904	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	11	True	True	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	adversarial	robustness	F	-0.116	max	-0.116	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	adversarial	robustness	F	-0.114	max	-0.114	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	11	False	False	["GuidedB	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	adversarial	robustness	F	-0.1104	max	-0.1104	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	11	False	False	["GuidedB	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	adversarial	robustness	F	-0.1102	max	-0.1102	kendall_0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	adversarial	robustness	F	-0.1032	max	-0.1032	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	adversarial	robustness	F	-0.1004	max	-0.1004	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	adversarial	robustness	F	-0.0994	max	-0.0994	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	adversarial	robustness	F	-0.097	max	-0.097	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	adversarial	robustness	F	-0.097	max	-0.097	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	adversarial	robustness	F	-0.0956	max	-0.0956	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	11	True	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	adversarial	robustness	F	-0.116	max	-0.116	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	adversarial	robustness	F	-0.1058	max	-0.1058	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	adversarial	robustness	F	-0.1046	max	-0.1046	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	adversarial	robustness	F	-0.1092	max	-0.1092	kendall_0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	adversarial	robustness	F	-0.108	max	-0.108	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	adversarial	robustness	F	-0.102	max	-0.102	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	adversarial	robustness	F	-0.1004	max	-0.1004	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	F	-0.0968	max	-0.0968	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	F	-0.0974	max	-0.0974	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	F	-0.0926	max	-0.0926	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	11	True	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	F	-0.1148	max	-0.1148	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	5	False	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	F	-0.1154	max	-0.1154	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	F	-0.097	max	-0.097	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	F	-0.0908	max	-0.0908	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	F	-0.0934	max	-0.0934	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	F	-0.094	max	-0.094	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	F	-0.0912	max	-0.0912	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	F	-0.0964	max	-0.0964	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	F	-0.096	max	-0.096	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	F	-0.0944	max	-0.0944	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	Fbar	0.0232	max	0.0232	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	Fbar	0.0222	max	0.0222	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	Fbar	0.0302	max	0.0302	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	Fbar	0.0262	max	0.0262	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	Fbar	0.0324	max	0.0324	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	Fbar	0.0316	max	0.0316	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	Fbar	0.0198	max	0.0198	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	Fbar	0.0234	max	0.0234	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	Fbar	0.0212	max	0.0212	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop	

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
			model			kind				direction	value	model	statistic	score	value	distance	selected	by	forced			mal	q	reference	prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	borda	adversarial	robustness	Fbar	0.019	max	0.019	kendall_0.470366	-exact_0.470366	-distance	3733	11	True	True	6	False	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	kemeny	adversarial	robustness	Fbar	0.0232	max	0.0232	kendall_0.367314	-exact_0.367314	-distance	2341.4	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	kemeny	adversarial	robustness	Fbar	0.0118	max	0.0118	kendall_0.657412	-exact_0.657412	-distance	1829.8	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	kemeny	adversarial	robustness	Fbar	0.0088	max	0.0088	kendall_0.523529	-exact_0.523529	-distance	3010.4	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	kemeny	adversarial	robustness	Fbar	0.0272	max	0.0272	kendall_0.345765	-exact_0.345765	-distance	3433	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	kemeny	adversarial	robustness	Fbar	0.036	max	0.036	kendall_0.43653	-exact_0.43653	-distance	3377.5	11	False	True	6	True	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	kemeny	adversarial	robustness	Fbar	0.0258	max	0.0258	kendall_0.498314	-exact_0.498314	-distance	3218.6	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	kemeny	adversarial	robustness	Fbar	0.0214	max	0.0214	kendall_0.484005	-exact_0.484005	-distance	3257.5	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	9	kemeny	adversarial	robustness	Fbar	0.0238	max	0.0238	kendall_0.507886	-exact_0.507886	-distance	3164.8	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	10	kemeny	adversarial	robustness	Fbar	0.0226	max	0.0226	kendall_0.485199	-exact_0.485199	-distance	3430.5	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	kemeny	adversarial	robustness	Fbar	0.015	max	0.015	kendall_0.470366	-exact_0.470366	-distance	3733	11	True	True	6	False	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	rrf	adversarial	robustness	Fbar	0.0234	max	0.0234	kendall_0.367314	-exact_0.367314	-distance	2341.4	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	rrf	adversarial	robustness	Fbar	0.0202	max	0.0202	kendall_0.657412	-exact_0.657412	-distance	1829.8	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	rrf	adversarial	robustness	Fbar	0.026	max	0.026	kendall_0.523529	-exact_0.523529	-distance	3010.4	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	rrf	adversarial	robustness	Fbar	0.032	max	0.032	kendall_0.345765	-exact_0.345765	-distance	3433	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	rrf	adversarial	robustness	Fbar	0.0382	max	0.0382	kendall_0.43653	-exact_0.43653	-distance	3377.5	11	False	True	6	True	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	rrf	adversarial	robustness	Fbar	0.0252	max	0.0252	kendall_0.498314	-exact_0.498314	-distance	3218.6	11	False	True	6	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	rrf	adversarial	robustness	Fbar	0.024	max	0.024	kendall_0.484005	-exact_0.484005	-distance	3257.5	11	False	True	6	False	False	["GuidedBackprop				

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	adversarial	robustness	Fbar	0.0232	max	0.0232	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	adversarial	robustness	Fbar	0.0202	max	0.0202	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	rrf	adversarial	robustness	Fbar	0.0246	max	0.0246	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	6	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	schulze	adversarial	robustness	Fbar	0.0232	max	0.0232	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	schulze	adversarial	robustness	Fbar	0.0066	max	0.0066	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	schulze	adversarial	robustness	Fbar	0.0142	max	0.0142	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	schulze	adversarial	robustness	Fbar	0.0352	max	0.0352	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	schulze	adversarial	robustness	Fbar	0.0288	max	0.0288	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	schulze	adversarial	robustness	Fbar	0.0254	max	0.0254	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	schulze	adversarial	robustness	Fbar	0.0202	max	0.0202	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	Fbar	0.014	max	0.014	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	Fbar	0.0146	max	0.0146	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	Fbar	0.017	max	0.017	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	Fbar	0.0244	max	0.0244	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	Fbar	0.0182	max	0.0182	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	Fbar	0.034	max	0.034	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	Fbar	0.0428	max	0.0428	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	Fbar	0.0414	max	0.0414	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	FSbar	0.037	max	0.037	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	FSbar	0.0394	max	0.0394	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	FSbar	0.0338	max	0.0338	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	FSbar	0.0324	max	0.0324	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	FSbar	0.0338	max	0.0338	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	gaussian	robustness	G	0.3244	max	0.3244	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	gaussian	robustness	G	0.3176	max	0.3176	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	gaussian	robustness	G	0.3338	max	0.3338	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	gaussian	robustness	G	0.3406	max	0.3406	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	gaussian	robustness	G	0.3474	max	0.3474	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	gaussian	robustness	G	0.3452	max	0.3452	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	gaussian	robustness	G	0.3422	max	0.3422	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	gaussian	robustness	G	0.3418	max	0.3418	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	gaussian	robustness	G	0.3396	max	0.3396	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	gaussian	robustness	G	0.3384	max	0.3384	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	6	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	gaussian	robustness	G	0.3244	max	0.3244	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	gaussian	robustness	G	0.328	max	0.328	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	gaussian	robustness	G	0.329	max	0.329	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	7	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	gaussian-robustness 0.15	0.332	CS	0.332	max	0.332	kendall_0.332	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	gaussian-robustness 0.15	0.317	CS	0.317	max	0.317	kendall_0.317	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	gaussian-robustness 0.15	0.3358	CS	0.3358	max	0.3358	kendall_0.3358	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	7	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	gaussian-robustness 0.15	0.3284	CS	0.3284	max	0.3284	kendall_0.3284	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness 0.15	0.3278	CS	0.3278	max	0.3278	kendall_0.3278	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness 0.15	0.323	CS	0.323	max	0.323	kendall_0.323	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness 0.15	0.3296	CS	0.3296	max	0.3296	kendall_0.3296	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	7	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness 0.15	0.327	CS	0.327	max	0.327	kendall_0.327	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness 0.15	0.3156	CS	0.3156	max	0.3156	kendall_0.3156	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness 0.15	0.333	CS	0.333	max	0.333	kendall_0.333	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness 0.15	0.3352	CS	0.3352	max	0.3352	kendall_0.3352	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness 0.15	0.3436	CS	0.3436	max	0.3436	kendall_0.3436	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness 0.15	0.337	CS	0.337	max	0.337	kendall_0.337	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness 0.15	0.3348	CS	0.3348	max	0.3348	kendall_0.3348	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness 0.15	0.3324	CS	0.3324	max	0.3324	kendall_0.3324	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness 0.15	0.3322	CS	0.3322	max	0.3322	kendall_0.3322	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness 0.15	0.3286	CS	0.3286	max	0.3286	kendall_0.3286	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	6	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness 0.15	0.3244	CS	0.3244	max	0.3244	kendall_0.3244	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.3282	G	0.3282	max	0.3282	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.3238	G	0.3238	max	0.3238	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.337	G	0.337	max	0.337	kendall_0.345765	-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.339	G	0.339	max	0.339	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.3246	G	0.3246	max	0.3246	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.325	G	0.325	max	0.325	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.3328	G	0.3328	max	0.3328	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.3246	G	0.3246	max	0.3246	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	0.3296	G	0.3296	max	0.3296	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	6	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	0.3246	G	0.3246	max	0.3246	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	0.3284	G	0.3284	max	0.3284	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	0.3372	G	0.3372	max	0.3372	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	gaussian-robustness	0.347	G	0.347	max	0.347	kendall_0.345765	-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	gaussian-robustness	0.3478	G	0.3478	max	0.3478	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	gaussian-robustness	0.3448	G	0.3448	max	0.3448	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	gaussian-robustness	0.35	G	0.35	max	0.35	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	gaussian-robustness	0.3408	G	0.3408	max	0.3408	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	gaussian-robustness	0.3452	G	0.3452	max	0.3452	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is opti-	q11 ref-	method
						kind				direction	value	model	statistic	score	value	distance	selected	selected	by noise	forced fall-back			mal q	reference	prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	simpleavg	gaussian-robustness	0.15	G	0.3474	max	0.3474	kendall_0.470366	-exact_0.470366	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	2	borda	gaussian-robustness	0.15	Gbar	-0.3204	max	-0.3204	kendall_0.367314	-exact_0.367314	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	3	borda	gaussian-robustness	0.15	Gbar	-0.3134	max	-0.3134	kendall_0.657412	-exact_0.657412	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	4	borda	gaussian-robustness	0.15	Gbar	-0.3262	max	-0.3262	kendall_0.523529	-exact_0.523529	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	5	borda	gaussian-robustness	0.15	Gbar	-0.3498	max	-0.3498	kendall_0.345765	-exact_0.345765	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	6	borda	gaussian-robustness	0.15	Gbar	-0.3358	max	-0.3358	kendall_0.43653	-exact_0.43653	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	7	borda	gaussian-robustness	0.15	Gbar	-0.3202	max	-0.3202	kendall_0.498314	-exact_0.498314	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	8	borda	gaussian-robustness	0.15	Gbar	-0.319	max	-0.319	kendall_0.484005	-exact_0.484005	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	9	borda	gaussian-robustness	0.15	Gbar	-0.2942	max	-0.2942	kendall_0.507886	-exact_0.507886	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	10	borda	gaussian-robustness	0.15	Gbar	-0.314	max	-0.314	kendall_0.485199	-exact_0.485199	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	borda	gaussian-robustness	0.15	Gbar	-0.3208	max	-0.3208	kendall_0.470366	-exact_0.470366	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	2	kemeny	gaussian-robustness	0.15	Gbar	-0.3204	max	-0.3204	kendall_0.367314	-exact_0.367314	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	3	kemeny	gaussian-robustness	0.15	Gbar	-0.2782	max	-0.2782	kendall_0.657412	-exact_0.657412	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	4	kemeny	gaussian-robustness	0.15	Gbar	-0.3086	max	-0.3086	kendall_0.523529	-exact_0.523529	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	5	kemeny	gaussian-robustness	0.15	Gbar	-0.3062	max	-0.3062	kendall_0.345765	-exact_0.345765	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	6	kemeny	gaussian-robustness	0.15	Gbar	-0.2952	max	-0.2952	kendall_0.43653	-exact_0.43653	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	7	kemeny	gaussian-robustness	0.15	Gbar	-0.2846	max	-0.2846	kendall_0.498314	-exact_0.498314	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	8	kemeny	gaussian-robustness	0.15	Gbar	-0.2932	max	-0.2932	kendall_0.484005	-exact_0.484005	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop		

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness	Gbar	-0.2642	max	-0.2642	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness	Gbar	-0.2816	max	-0.2816	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness	Gbar	-0.2774	max	-0.2774	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness	Gbar	-0.3234	max	-0.3234	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness	Gbar	-0.3132	max	-0.3132	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness	Gbar	-0.3202	max	-0.3202	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness	Gbar	-0.3324	max	-0.3324	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness	Gbar	-0.3132	max	-0.3132	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness	Gbar	-0.3066	max	-0.3066	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness	Gbar	-0.2962	max	-0.2962	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness	Gbar	-0.2768	max	-0.2768	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness	Gbar	-0.2968	max	-0.2968	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness	Gbar	-0.2944	max	-0.2944	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness	Gbar	-0.3204	max	-0.3204	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	Gbar	-0.29	max	-0.29	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	Gbar	-0.3004	max	-0.3004	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	Gbar	-0.3336	max	-0.3336	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	Gbar	-0.3034	max	-0.3034	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.15	Sbar	-0.2934	max	-0.2934	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.15	Sbar	-0.2872	max	-0.2872	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.15	Sbar	-0.2818	max	-0.2818	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.15	Sbar	-0.2776	max	-0.2776	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	0.15	Sbar	-0.288	max	-0.288	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	10	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	0.15	Sbar	-0.3152	max	-0.3152	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	0.15	Sbar	-0.3048	max	-0.3048	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	0.15	Sbar	-0.3282	max	-0.3282	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	gaussian-robustness	0.15	Sbar	-0.3426	max	-0.3426	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	gaussian-robustness	0.15	Sbar	-0.3366	max	-0.3366	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	gaussian-robustness	0.15	Sbar	-0.3314	max	-0.3314	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	gaussian-robustness	0.15	Sbar	-0.3256	max	-0.3256	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	gaussian-robustness	0.15	Sbar	-0.3202	max	-0.3202	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	gaussian-robustness	0.15	Sbar	-0.32	max	-0.32	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	gaussian-robustness	0.15	Sbar	-0.3208	max	-0.3208	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	gaussian-robustness	0.15	S	0.168	max	0.168	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	gaussian-robustness	0.15	S	0.1696	max	0.1696	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	gaussian-robustness	0.15	S	0.1716	max	0.1716	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	7	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	gaussian-robustness 0.15	0.1676	F	0.1676	max	0.1676	kendall_0.3415765	0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	gaussian-robustness 0.15	0.1772	F	0.1772	max	0.1772	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	gaussian-robustness 0.15	0.178	F	0.178	max	0.178	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	7	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	gaussian-robustness 0.15	0.1742	F	0.1742	max	0.1742	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	gaussian-robustness 0.15	0.1716	F	0.1716	max	0.1716	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	gaussian-robustness 0.15	0.1686	F	0.1686	max	0.1686	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	gaussian-robustness 0.15	0.1692	F	0.1692	max	0.1692	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	7	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	gaussian-robustness 0.15	0.168	F	0.168	max	0.168	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	gaussian-robustness 0.15	0.175	F	0.175	max	0.175	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	gaussian-robustness 0.15	0.1706	F	0.1706	max	0.1706	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	gaussian-robustness 0.15	0.1704	F	0.1704	max	0.1704	kendall_0.3415765	0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	gaussian-robustness 0.15	0.1634	F	0.1634	max	0.1634	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	gaussian-robustness 0.15	0.173	F	0.173	max	0.173	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	gaussian-robustness 0.15	0.168	F	0.168	max	0.168	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness 0.15	0.1688	F	0.1688	max	0.1688	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness 0.15	0.1632	F	0.1632	max	0.1632	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness 0.15	0.1668	F	0.1668	max	0.1668	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness 0.15	0.1644	F	0.1644	max	0.1644	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	4	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness	0.15	F	0.1688	max	0.1688	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness	0.15	F	0.1756	max	0.1756	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	4	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness	0.15	F	0.1646	max	0.1646	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness	0.15	F	0.1714	max	0.1714	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness	0.15	F	0.1696	max	0.1696	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness	0.15	F	0.1694	max	0.1694	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness	0.15	F	0.1702	max	0.1702	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness	0.15	F	0.1664	max	0.1664	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness	0.15	F	0.1648	max	0.1648	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	4	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness	0.15	F	0.168	max	0.168	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.15	F	0.1794	max	0.1794	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.15	F	0.176	max	0.176	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.15	F	0.1686	max	0.1686	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.15	F	0.1668	max	0.1668	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.15	F	0.167	max	0.167	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.15	F	0.1658	max	0.1658	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.15	F	0.167	max	0.167	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.15	F	0.1604	max	0.1604	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
				model		kind				direction	value	model	statistic	score	value	distance	selected	by noise	forced fall-back			mal	q	reference	prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	schulze	gaussian-robustness	0.1662	F	0.1662	max	0.1662	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	3733	11	True	True	3	False	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	2	simpleavg	gaussian-robustness	0.1628	F	0.1628	max	0.1628	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	2341.4	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	3	simpleavg	gaussian-robustness	0.1726	F	0.1726	max	0.1726	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	1829.8	11	False	True	3	True	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	4	simpleavg	gaussian-robustness	0.1532	F	0.1532	max	0.1532	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	3010.4	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	5	simpleavg	gaussian-robustness	0.156	F	0.156	max	0.156	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	3433	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	6	simpleavg	gaussian-robustness	0.1558	F	0.1558	max	0.1558	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	3377.5	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	7	simpleavg	gaussian-robustness	0.156	F	0.156	max	0.156	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	3218.6	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	8	simpleavg	gaussian-robustness	0.1574	F	0.1574	max	0.1574	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	3257.5	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	9	simpleavg	gaussian-robustness	0.1514	F	0.1514	max	0.1514	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	3164.8	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	10	simpleavg	gaussian-robustness	0.1536	F	0.1536	max	0.1536	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	3430.5	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	simpleavg	gaussian-robustness	0.1564	F	0.1564	max	0.1564	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	3733	11	True	True	3	False	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	2	borda	gaussian-robustness	-0.1014	Fbar	-0.1014	max	-0.1014	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	2341.4	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	3	borda	gaussian-robustness	-0.0916	Fbar	-0.0916	max	-0.0916	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	1829.8	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	4	borda	gaussian-robustness	-0.1134	Fbar	-0.1134	max	-0.1134	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	3010.4	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	5	borda	gaussian-robustness	-0.13	Fbar	-0.13	max	-0.13	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	3433	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	6	borda	gaussian-robustness	-0.1166	Fbar	-0.1166	max	-0.1166	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	3377.5	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	7	borda	gaussian-robustness	-0.1042	Fbar	-0.1042	max	-0.1042	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	3218.6	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	8	borda	gaussian-robustness	-0.1018	Fbar	-0.1018	max	-0.1018	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	3257.5	11	False	True	9	False	False	["GuidedBackprop			

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	gaussian-robustness	FSbar	-0.0828	max	-0.0828	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	gaussian-robustness	FSbar	-0.097	max	-0.097	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	gaussian-robustness	FSbar	-0.0996	max	-0.0996	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	gaussian-robustness	FSbar	-0.1014	max	-0.1014	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	gaussian-robustness	FSbar	-0.0548	max	-0.0548	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	gaussian-robustness	FSbar	-0.086	max	-0.086	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	gaussian-robustness	FSbar	-0.096	max	-0.096	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	gaussian-robustness	FSbar	-0.0776	max	-0.0776	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	gaussian-robustness	FSbar	-0.0702	max	-0.0702	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	gaussian-robustness	FSbar	-0.0758	max	-0.0758	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness	FSbar	-0.0522	max	-0.0522	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness	FSbar	-0.0712	max	-0.0712	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness	FSbar	-0.0684	max	-0.0684	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness	FSbar	-0.1048	max	-0.1048	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness	FSbar	-0.0862	max	-0.0862	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness	FSbar	-0.0984	max	-0.0984	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness	FSbar	-0.1144	max	-0.1144	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness	FSbar	-0.0966	max	-0.0966	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness	0.15	FSbar	-0.086	max	-0.086	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness	0.15	FSbar	-0.081	max	-0.081	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness	0.15	FSbar	-0.07	max	-0.07	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness	0.15	FSbar	-0.0842	max	-0.0842	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness	0.15	FSbar	-0.0776	max	-0.0776	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness	0.15	FSbar	-0.1014	max	-0.1014	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.15	FSbar	-0.068	max	-0.068	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.15	FSbar	-0.0818	max	-0.0818	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.15	FSbar	-0.1176	max	-0.1176	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.15	FSbar	-0.0868	max	-0.0868	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.15	FSbar	-0.0778	max	-0.0778	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.15	FSbar	-0.0768	max	-0.0768	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.15	FSbar	-0.0652	max	-0.0652	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.15	FSbar	-0.0704	max	-0.0704	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	0.15	FSbar	-0.0762	max	-0.0762	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	0.15	FSbar	-0.1008	max	-0.1008	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	0.15	FSbar	-0.088	max	-0.088	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	0.15	FSbar	-0.1178	max	-0.1178	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleav	gaussian-robustness	0.15	FSbar	-0.1262	max	-0.1262	kendall_0.3415765	-exact_distance	0.345765	0.002ce	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleav	gaussian-robustness	0.15	FSbar	-0.1238	max	-0.1238	kendall_0.43653	-exact_distance	0.43653	0.002ce	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleav	gaussian-robustness	0.15	FSbar	-0.1152	max	-0.1152	kendall_0.498314	-exact_distance	0.498314	0.002ce	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleav	gaussian-robustness	0.15	FSbar	-0.1124	max	-0.1124	kendall_0.484005	-exact_distance	0.484005	0.002ce	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleav	gaussian-robustness	0.15	FSbar	-0.1096	max	-0.1096	kendall_0.507886	-exact_distance	0.507886	0.002ce	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleav	gaussian-robustness	0.15	FSbar	-0.1128	max	-0.1128	kendall_0.485199	-exact_distance	0.485199	0.002ce	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleav	gaussian-robustness	0.15	FSbar	-0.1118	max	-0.1118	kendall_0.470366	-exact_distance	0.470366	0.002ce	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt-pepper-0.05	robustness	FS	0.306	max	0.306	kendall_0.367314	-exact_distance	0.367314	0.002ce	2341.4	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt-pepper-0.05	robustness	FS	0.3084	max	0.3084	kendall_0.657412	-exact_distance	0.657412	0.002ce	1829.8	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt-pepper-0.05	robustness	FS	0.317	max	0.317	kendall_0.523529	-exact_distance	0.523529	0.002ce	3010.4	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt-pepper-0.05	robustness	FS	0.3128	max	0.3128	kendall_0.3415765	-exact_distance	0.345765	0.002ce	3433	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt-pepper-0.05	robustness	FS	0.3188	max	0.3188	kendall_0.43653	-exact_distance	0.43653	0.002ce	3377.5	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	salt-pepper-0.05	robustness	FS	0.3256	max	0.3256	kendall_0.498314	-exact_distance	0.498314	0.002ce	3218.6	11	False	True	7	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	salt-pepper-0.05	robustness	FS	0.3172	max	0.3172	kendall_0.484005	-exact_distance	0.484005	0.002ce	3257.5	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	salt-pepper-0.05	robustness	FS	0.3246	max	0.3246	kendall_0.507886	-exact_distance	0.507886	0.002ce	3164.8	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	salt-pepper-0.05	robustness	FS	0.3168	max	0.3168	kendall_0.485199	-exact_distance	0.485199	0.002ce	3430.5	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	salt-pepper-0.05	robustness	FS	0.3208	max	0.3208	kendall_0.470366	-exact_distance	0.470366	0.002ce	3733	11	True	True	7	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	salt-pepper-0.05	robustness	FS	0.306	max	0.306	kendall_0.367314	-exact_distance	0.367314	0.002ce	2341.4	11	False	True	8	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	CS	0.3164	max	0.3164	kendall_0.657412	0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	CS	0.3108	max	0.3108	kendall_0.523529	0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	CS	0.3156	max	0.3156	kendall_0.345765	0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	CS	0.3072	max	0.3072	kendall_0.43653	0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	CS	0.3166	max	0.3166	kendall_0.498314	0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	CS	0.3216	max	0.3216	kendall_0.484005	0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	CS	0.3186	max	0.3186	kendall_0.507886	0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	CS	0.315	max	0.315	kendall_0.485199	0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	CS	0.317	max	0.317	kendall_0.470366	0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	8	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	CS	0.3058	max	0.3058	kendall_0.367314	0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	CS	0.3102	max	0.3102	kendall_0.657412	0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	CS	0.3196	max	0.3196	kendall_0.523529	0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	CS	0.3154	max	0.3154	kendall_0.345765	0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	CS	0.321	max	0.321	kendall_0.43653	0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	CS	0.3138	max	0.3138	kendall_0.498314	0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	CS	0.3126	max	0.3126	kendall_0.484005	0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	CS	0.3142	max	0.3142	kendall_0.507886	0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	CS	0.3128	max	0.3128	kendall_0.485199	0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	CS	0.3134	max	0.3134	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	6	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	CS	0.306	max	0.306	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	CS	0.3164	max	0.3164	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	CS	0.3178	max	0.3178	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	CS	0.321	max	0.321	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	CS	0.3148	max	0.3148	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	CS	0.3126	max	0.3126	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	CS	0.3162	max	0.3162	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	CS	0.3202	max	0.3202	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	CS	0.3156	max	0.3156	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	CS	0.3124	max	0.3124	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	CS	0.2974	max	0.2974	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	salt- pepper- 0.05	robustness	CS	0.3082	max	0.3082	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	salt- pepper- 0.05	robustness	CS	0.3086	max	0.3086	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	salt- pepper- 0.05	robustness	CS	0.3086	max	0.3086	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	salt- pepper- 0.05	robustness	CS	0.3138	max	0.3138	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	salt- pepper- 0.05	robustness	CS	0.3156	max	0.3156	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	salt- pepper- 0.05	robustness	CS	0.3218	max	0.3218	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	8	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	salt- pepper- 0.05	robustness	G	0.314	max	0.314	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	salt- pepper- 0.05	robustness	G	0.3182	max	0.3182	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	salt- pepper- 0.05	robustness	G	0.3152	max	0.3152	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	8	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt- pepper- 0.05	robustness	Gbar	-0.2824	max	-0.2824	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt- pepper- 0.05	robustness	Gbar	-0.2728	max	-0.2728	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt- pepper- 0.05	robustness	Gbar	-0.2998	max	-0.2998	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt- pepper- 0.05	robustness	Gbar	-0.3188	max	-0.3188	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt- pepper- 0.05	robustness	Gbar	-0.3068	max	-0.3068	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	salt- pepper- 0.05	robustness	Gbar	-0.2912	max	-0.2912	kendall_0.498314	0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	salt- pepper- 0.05	robustness	Gbar	-0.2854	max	-0.2854	kendall_0.484005	0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	salt- pepper- 0.05	robustness	Gbar	-0.2636	max	-0.2636	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	salt- pepper- 0.05	robustness	Gbar	-0.2778	max	-0.2778	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	salt- pepper- 0.05	robustness	Gbar	-0.2822	max	-0.2822	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2824	max	-0.2824	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2588	max	-0.2588	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2756	max	-0.2756	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2774	max	-0.2774	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.266	max	-0.266	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2542	max	-0.2542	kendall_0.498314	0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2624	max	-0.2624	kendall_0.484005	0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2452	max	-0.2452	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.253	max	-0.253	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2522	max	-0.2522	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2888	max	-0.2888	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2766	max	-0.2766	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	Gbar	-0.284	max	-0.284	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	Gbar	-0.3072	max	-0.3072	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2804	max	-0.2804	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	Gbar	-0.276	max	-0.276	kendall_0.498314	0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2682	max	-0.2682	kendall_0.484005	0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2524	max	-0.2524	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2634	max	-0.2634	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2654	max	-0.2654	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2824	max	-0.2824	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2646	max	-0.2646	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2672	max	-0.2672	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	Gbar	-0.3072	max	-0.3072	kendall_0.3415765	-exact_0.3415765	-0.002	-0.002	3433	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2786	max	-0.2786	kendall_0.43653	-exact_0.43653	-0.002	-0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2766	max	-0.2766	kendall_0.498314	-exact_0.498314	-0.002	-0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2604	max	-0.2604	kendall_0.484005	-exact_0.484005	-0.002	-0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2536	max	-0.2536	kendall_0.507886	-exact_0.507886	-0.002	-0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2512	max	-0.2512	kendall_0.485199	-exact_0.485199	-0.002	-0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2696	max	-0.2696	kendall_0.470366	-exact_0.470366	-0.002	-0.002	3733	11	True	True	10	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2864	max	-0.2864	kendall_0.367314	-exact_0.367314	-0.002	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2764	max	-0.2764	kendall_0.657412	-exact_0.657412	-0.002	-0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3098	max	-0.3098	kendall_0.523529	-exact_0.523529	-0.002	-0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3174	max	-0.3174	kendall_0.3415765	-exact_0.3415765	-0.002	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3106	max	-0.3106	kendall_0.43653	-exact_0.43653	-0.002	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3076	max	-0.3076	kendall_0.498314	-exact_0.498314	-0.002	-0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2986	max	-0.2986	kendall_0.484005	-exact_0.484005	-0.002	-0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2934	max	-0.2934	kendall_0.507886	-exact_0.507886	-0.002	-0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2958	max	-0.2958	kendall_0.485199	-exact_0.485199	-0.002	-0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2946	max	-0.2946	kendall_0.470366	-exact_0.470366	-0.002	-0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt- pepper- 0.05	robustness	F	0.1608	max	0.1608	kendall_0.367314	-exact_0.367314	-0.002	-0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	borda	salt- pepper- 0.05	robustness	F	0.1616	max	0.1616	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	borda	salt- pepper- 0.05	robustness	F	0.1612	max	0.1612	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	borda	salt- pepper- 0.05	robustness	F	0.1502	max	0.1502	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	borda	salt- pepper- 0.05	robustness	F	0.1598	max	0.1598	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	borda	salt- pepper- 0.05	robustness	F	0.1656	max	0.1656	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	borda	salt- pepper- 0.05	robustness	F	0.1664	max	0.1664	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	borda	salt- pepper- 0.05	robustness	F	0.1662	max	0.1662	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	borda	salt- pepper- 0.05	robustness	F	0.1576	max	0.1576	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	borda	salt- pepper- 0.05	robustness	F	0.1624	max	0.1624	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	kemeny	salt- pepper- 0.05	robustness	F	0.1608	max	0.1608	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	F	0.1672	max	0.1672	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	F	0.1612	max	0.1612	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	F	0.1628	max	0.1628	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	F	0.1542	max	0.1542	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	F	0.1604	max	0.1604	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	F	0.1656	max	0.1656	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	F	0.1652	max	0.1652	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	F	0.1568	max	0.1568	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	F	0.1614	max	0.1614	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	F	0.1606	max	0.1606	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	F	0.1658	max	0.1658	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	F	0.165	max	0.165	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	F	0.1572	max	0.1572	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	F	0.1618	max	0.1618	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	F	0.1568	max	0.1568	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	F	0.1624	max	0.1624	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	F	0.1598	max	0.1598	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	F	0.1564	max	0.1564	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	F	0.1624	max	0.1624	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	F	0.1608	max	0.1608	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	F	0.1698	max	0.1698	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	F	0.1694	max	0.1694	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	F	0.1578	max	0.1578	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	F	0.1546	max	0.1546	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	F	0.1638	max	0.1638	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	F	0.1618	max	0.1618	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	F	0.1616	max	0.1616	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	F	0.1564	max	0.1564	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	F	0.1592	max	0.1592	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	F	0.1508	max	0.1508	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	salt- pepper- 0.05	robustness	F	0.1618	max	0.1618	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	salt- pepper- 0.05	robustness	F	0.1386	max	0.1386	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	salt- pepper- 0.05	robustness	F	0.1294	max	0.1294	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	salt- pepper- 0.05	robustness	F	0.1328	max	0.1328	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	salt- pepper- 0.05	robustness	F	0.1382	max	0.1382	kendall_0.498314	0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	salt- pepper- 0.05	robustness	F	0.1426	max	0.1426	kendall_0.484005	0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	salt- pepper- 0.05	robustness	F	0.1372	max	0.1372	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	salt- pepper- 0.05	robustness	F	0.1396	max	0.1396	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	salt- pepper- 0.05	robustness	F	0.1376	max	0.1376	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt- pepper- 0.05	robustness	Fbar	-0.0614	max	-0.0614	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt- pepper- 0.05	robustness	Fbar	-0.047	max	-0.047	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt- pepper- 0.05	robustness	Fbar	-0.0928	max	-0.0928	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt- pepper- 0.05	robustness	Fbar	-0.1106	max	-0.1106	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt- pepper- 0.05	robustness	Fbar	-0.0932	max	-0.0932	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	borda	salt- pepper- 0.05	robustness	Fbar	-0.0788	max	-0.0788	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	borda	salt- pepper- 0.05	robustness	Fbar	-0.0818	max	-0.0818	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	borda	salt- pepper- 0.05	robustness	Fbar	-0.0624	max	-0.0624	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	borda	salt- pepper- 0.05	robustness	Fbar	-0.0704	max	-0.0704	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	borda	salt- pepper- 0.05	robustness	Fbar	-0.0788	max	-0.0788	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0614	max	-0.0614	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0356	max	-0.0356	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0606	max	-0.0606	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0684	max	-0.0684	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0548	max	-0.0548	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.047	max	-0.047	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.053	max	-0.053	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0396	max	-0.0396	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.047	max	-0.047	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.045	max	-0.045	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0702	max	-0.0702	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0532	max	-0.0532	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	Fbar	-0.072	max	-0.072	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0966	max	-0.0966	kendall_0.3415765	-exact_-0.3415765	-0.002	3433	11	False	True	9	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0732	max	-0.0732	kendall_0.43653	-exact_-0.43653	-0.002	3377.5	11	False	True	9	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0686	max	-0.0686	kendall_0.498314	-exact_-0.498314	-0.002	3218.6	11	False	True	9	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0622	max	-0.0622	kendall_0.484005	-exact_-0.484005	-0.002	3257.5	11	False	True	9	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	Fbar	-0.052	max	-0.052	kendall_0.507886	-exact_-0.507886	-0.002	3164.8	11	False	True	9	True	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	Fbar	-0.06	max	-0.06	kendall_0.485199	-exact_-0.485199	-0.002	3430.5	11	False	True	9	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	Fbar	-0.066	max	-0.066	kendall_0.470366	-exact_-0.470366	-0.002	3733	11	True	True	9	False	True	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0614	max	-0.0614	kendall_0.367314	-exact_-0.367314	-0.002	2341.4	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0382	max	-0.0382	kendall_0.657412	-exact_-0.657412	-0.002	1829.8	11	False	True	3	True	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0512	max	-0.0512	kendall_0.523529	-exact_-0.523529	-0.002	3010.4	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0996	max	-0.0996	kendall_0.3415765	-exact_-0.3415765	-0.002	3433	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0676	max	-0.0676	kendall_0.43653	-exact_-0.43653	-0.002	3377.5	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0708	max	-0.0708	kendall_0.498314	-exact_-0.498314	-0.002	3218.6	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0566	max	-0.0566	kendall_0.484005	-exact_-0.484005	-0.002	3257.5	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0458	max	-0.0458	kendall_0.507886	-exact_-0.507886	-0.002	3164.8	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0486	max	-0.0486	kendall_0.485199	-exact_-0.485199	-0.002	3430.5	11	False	True	3	False	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0656	max	-0.0656	kendall_0.470366	-exact_-0.470366	-0.002	3733	11	True	True	3	False	True	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.0646	max	-0.0646	kendall_0.367314	-exact_-0.367314	-0.002	2341.4	11	False	True	3	False	False	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0568	max	-0.0568	kendall_0.657412	-exact_0.657412	-0.002	-0.002	1829.8	11	False	True	3	True	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.1034	max	-0.1034	kendall_0.523529	-exact_0.523529	-0.002	-0.002	3010.4	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.107	max	-0.107	kendall_0.345765	-exact_0.345765	-0.002	-0.002	3433	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.105	max	-0.105	kendall_0.43653	-exact_0.43653	-0.002	-0.002	3377.5	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.1	max	-0.1	kendall_0.498314	-exact_0.498314	-0.002	-0.002	3218.6	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0946	max	-0.0946	kendall_0.484005	-exact_0.484005	-0.002	-0.002	3257.5	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0888	max	-0.0888	kendall_0.507886	-exact_0.507886	-0.002	-0.002	3164.8	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0938	max	-0.0938	kendall_0.485199	-exact_0.485199	-0.002	-0.002	3430.5	11	False	True	3	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	galt- pepper- 0.05	robustness	Fbar	-0.0916	max	-0.0916	kendall_0.470366	-exact_0.470366	-0.002	-0.002	3733	11	True	True	3	False	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	speckle- 0.15	robustness	G	0.1106	max	0.1106	kendall_0.367314	-exact_0.367314	-0.002	-0.002	2341.4	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	speckle- 0.15	robustness	G	0.113	max	0.113	kendall_0.657412	-exact_0.657412	-0.002	-0.002	1829.8	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	speckle- 0.15	robustness	G	0.1176	max	0.1176	kendall_0.523529	-exact_0.523529	-0.002	-0.002	3010.4	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	speckle- 0.15	robustness	G	0.1138	max	0.1138	kendall_0.345765	-exact_0.345765	-0.002	-0.002	3433	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	speckle- 0.15	robustness	G	0.1164	max	0.1164	kendall_0.43653	-exact_0.43653	-0.002	-0.002	3377.5	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	speckle- 0.15	robustness	G	0.126	max	0.126	kendall_0.498314	-exact_0.498314	-0.002	-0.002	3218.6	11	False	True	7	True	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	speckle- 0.15	robustness	G	0.126	max	0.126	kendall_0.484005	-exact_0.484005	-0.002	-0.002	3257.5	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	speckle- 0.15	robustness	G	0.1238	max	0.1238	kendall_0.507886	-exact_0.507886	-0.002	-0.002	3164.8	11	False	True	7	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	speckle- 0.15	robustness	G	0.1204	max	0.1204	kendall_0.485199	-exact_0.485199	-0.002	-0.002	3430.5	11	False	True	7	False	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	speckle- 0.15	robustness	CS	0.1142	max	0.1142	kendall_0.1142	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	7	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	speckle- 0.15	robustness	CS	0.1106	max	0.1106	kendall_0.1106	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	speckle- 0.15	robustness	CS	0.1116	max	0.1116	kendall_0.1116	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	speckle- 0.15	robustness	CS	0.1136	max	0.1136	kendall_0.1136	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	speckle- 0.15	robustness	CS	0.1202	max	0.1202	kendall_0.1202	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	speckle- 0.15	robustness	CS	0.1134	max	0.1134	kendall_0.1134	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	speckle- 0.15	robustness	CS	0.121	max	0.121	kendall_0.121	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	speckle- 0.15	robustness	CS	0.1234	max	0.1234	kendall_0.1234	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	CS	0.1138	max	0.1138	kendall_0.1138	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	CS	0.1154	max	0.1154	kendall_0.1154	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	CS	0.1136	max	0.1136	kendall_0.1136	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	CS	0.107	max	0.107	kendall_0.107	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	speckle- 0.15	robustness	CS	0.1108	max	0.1108	kendall_0.1108	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	speckle- 0.15	robustness	CS	0.1194	max	0.1194	kendall_0.1194	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	speckle- 0.15	robustness	CS	0.1146	max	0.1146	kendall_0.1146	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	speckle- 0.15	robustness	CS	0.1196	max	0.1196	kendall_0.1196	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	7	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	speckle- 0.15	robustness	CS	0.1262	max	0.1262	kendall_0.1262	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	7	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	speckle- 0.15	robustness	CS	0.1218	max	0.1218	kendall_0.1218	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	7	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	CS	0.1198	max	0.1198	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	7	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	CS	0.1218	max	0.1218	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	7	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	CS	0.1126	max	0.1126	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	7	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	CS	0.1106	max	0.1106	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	CS	0.1134	max	0.1134	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	CS	0.1156	max	0.1156	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	CS	0.115	max	0.115	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	CS	0.1206	max	0.1206	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	CS	0.115	max	0.115	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	CS	0.1204	max	0.1204	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	CS	0.1196	max	0.1196	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	CS	0.1148	max	0.1148	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	speckle- 0.15	robustness	CS	0.112	max	0.112	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	6	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	speckle- 0.15	robustness	CS	0.1022	max	0.1022	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	speckle- 0.15	robustness	CS	0.1116	max	0.1116	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	speckle- 0.15	robustness	CS	0.121	max	0.121	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	speckle- 0.15	robustness	CS	0.1188	max	0.1188	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	8	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	speckle- 0.15	robustness	CS	0.12	max	0.12	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	speckle- 0.15	robustness	G	0.1168	max	0.1168	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	speckle- 0.15	robustness	G	0.124	max	0.124	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	speckle- 0.15	robustness	G	0.1174	max	0.1174	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	speckle- 0.15	robustness	G	0.1198	max	0.1198	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	speckle- 0.15	robustness	G	0.1192	max	0.1192	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	8	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	speckle- 0.15	robustness	Gbar	-0.0986	max	-0.0986	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	speckle- 0.15	robustness	Gbar	-0.1024	max	-0.1024	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	speckle- 0.15	robustness	Gbar	-0.1142	max	-0.1142	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	speckle- 0.15	robustness	Gbar	-0.107	max	-0.107	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	speckle- 0.15	robustness	Gbar	-0.1042	max	-0.1042	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	speckle- 0.15	robustness	Gbar	-0.098	max	-0.098	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	speckle- 0.15	robustness	Gbar	-0.0898	max	-0.0898	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	speckle- 0.15	robustness	Gbar	-0.101	max	-0.101	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	speckle- 0.15	robustness	Gbar	-0.103	max	-0.103	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	speckle- 0.15	robustness	Gbar	-0.0892	max	-0.0892	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	speckle- 0.15	robustness	Gbar	-0.1016	max	-0.1016	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	speckle- 0.15	robustness	Gbar	-0.1034	max	-0.1034	kendall_0.345765	-exact_0.345765	-ds0.002	-ds0.002	ce	3433	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	speckle- 0.15	robustness	Gbar	-0.0882	max	-0.0882	kendall_0.43653	-exact_0.43653	-ds0.002	-ds0.002	ce	3377.5	11	False	True	6	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	speckle- 0.15	robustness	Gbar	-0.0924	max	-0.0924	kendall_0.498314	-exact_0.498314	-ds0.002	-ds0.002	ce	3218.6	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	speckle- 0.15	robustness	Gbar	-0.0986	max	-0.0986	kendall_0.484005	-exact_0.484005	-ds0.002	-ds0.002	ce	3257.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	Gbar	-0.0916	max	-0.0916	kendall_0.507886	-exact_0.507886	-ds0.002	-ds0.002	ce	3164.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	Gbar	-0.0904	max	-0.0904	kendall_0.485199	-exact_0.485199	-ds0.002	-ds0.002	ce	3430.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	Gbar	-0.0994	max	-0.0994	kendall_0.470366	-exact_0.470366	-ds0.002	-ds0.002	ce	3733	11	True	True	6	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	Gbar	-0.1034	max	-0.1034	kendall_0.367314	-exact_0.367314	-ds0.002	-ds0.002	ce	2341.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	speckle- 0.15	robustness	Gbar	-0.0962	max	-0.0962	kendall_0.657412	-exact_0.657412	-ds0.002	-ds0.002	ce	1829.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	speckle- 0.15	robustness	Gbar	-0.102	max	-0.102	kendall_0.523529	-exact_0.523529	-ds0.002	-ds0.002	ce	3010.4	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	speckle- 0.15	robustness	Gbar	-0.108	max	-0.108	kendall_0.345765	-exact_0.345765	-ds0.002	-ds0.002	ce	3433	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	speckle- 0.15	robustness	Gbar	-0.0954	max	-0.0954	kendall_0.43653	-exact_0.43653	-ds0.002	-ds0.002	ce	3377.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	speckle- 0.15	robustness	Gbar	-0.1004	max	-0.1004	kendall_0.498314	-exact_0.498314	-ds0.002	-ds0.002	ce	3218.6	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	speckle- 0.15	robustness	Gbar	-0.0882	max	-0.0882	kendall_0.484005	-exact_0.484005	-ds0.002	-ds0.002	ce	3257.5	11	False	True	8	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	Gbar	-0.0882	max	-0.0882	kendall_0.507886	-exact_0.507886	-ds0.002	-ds0.002	ce	3164.8	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	Gbar	-0.0966	max	-0.0966	kendall_0.485199	-exact_0.485199	-ds0.002	-ds0.002	ce	3430.5	11	False	True	8	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	Gbar	-0.0958	max	-0.0958	kendall_0.470366	-exact_0.470366	-ds0.002	-ds0.002	ce	3733	11	True	True	8	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	kendall_0.367314	-exact_0.367314	-ds0.002	-ds0.002	ce	2341.4	11	False	True	2	True	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	Gbar	-0.0924	max	-0.0924	kendall_0.657412	-exact_ds0.002	0.657412	0.657412	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	Gbar	-0.0916	max	-0.0916	kendall_0.523529	-exact_ds0.002	0.523529	0.523529	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	Gbar	-0.111	max	-0.111	kendall_0.345765	-exact_ds0.002	0.345765	0.345765	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	Gbar	-0.0974	max	-0.0974	kendall_0.43653	-exact_ds0.002	0.43653	0.43653	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	Gbar	-0.0946	max	-0.0946	kendall_0.498314	-exact_ds0.002	0.498314	0.498314	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	Gbar	-0.0988	max	-0.0988	kendall_0.484005	-exact_ds0.002	0.484005	0.484005	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	Gbar	-0.1016	max	-0.1016	kendall_0.507886	-exact_ds0.002	0.507886	0.507886	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	Gbar	-0.0968	max	-0.0968	kendall_0.485199	-exact_ds0.002	0.485199	0.485199	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	speckle- 0.15	robustness	Gbar	-0.0958	max	-0.0958	kendall_0.470366	-exact_ds0.002	0.470366	0.470366	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	speckle- 0.15	robustness	Gbar	-0.1012	max	-0.1012	kendall_0.367314	-exact_ds0.002	0.367314	0.367314	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	speckle- 0.15	robustness	Gbar	-0.0928	max	-0.0928	kendall_0.657412	-exact_ds0.002	0.657412	0.657412	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	speckle- 0.15	robustness	Gbar	-0.1234	max	-0.1234	kendall_0.523529	-exact_ds0.002	0.523529	0.523529	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	speckle- 0.15	robustness	Gbar	-0.13	max	-0.13	kendall_0.345765	-exact_ds0.002	0.345765	0.345765	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	speckle- 0.15	robustness	Gbar	-0.1278	max	-0.1278	kendall_0.43653	-exact_ds0.002	0.43653	0.43653	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	speckle- 0.15	robustness	Gbar	-0.1252	max	-0.1252	kendall_0.498314	-exact_ds0.002	0.498314	0.498314	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	speckle- 0.15	robustness	Gbar	-0.1228	max	-0.1228	kendall_0.484005	-exact_ds0.002	0.484005	0.484005	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	speckle- 0.15	robustness	Gbar	-0.1178	max	-0.1178	kendall_0.507886	-exact_ds0.002	0.507886	0.507886	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	speckle- 0.15	robustness	Gbar	-0.1182	max	-0.1182	kendall_0.485199	-exact_ds0.002	0.485199	0.485199	3430.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is opti-	q11 ref-	method
			model			kind				direction	value	model	statistic	score	value	distance	selected	by noise	forced fall-back			mal q	reference	prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	simpleavg	speckle- 0.15	robustness	CSbar	-0.1196	max	-0.1196	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	3		False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	borda	speckle- 0.15	robustness	CS	0.0816	max	0.0816	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	borda	speckle- 0.15	robustness	CS	0.084	max	0.084	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	borda	speckle- 0.15	robustness	CS	0.0798	max	0.0798	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	borda	speckle- 0.15	robustness	CS	0.0764	max	0.0764	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	borda	speckle- 0.15	robustness	CS	0.0764	max	0.0764	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	borda	speckle- 0.15	robustness	CS	0.084	max	0.084	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	borda	speckle- 0.15	robustness	CS	0.0866	max	0.0866	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	8		True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	9	borda	speckle- 0.15	robustness	CS	0.077	max	0.077	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	0.002	3164.8	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	10	borda	speckle- 0.15	robustness	CS	0.0756	max	0.0756	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	0.002	3430.5	11	False	True	8		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	borda	speckle- 0.15	robustness	CS	0.0748	max	0.0748	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	8		False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	kemeny	speckle- 0.15	robustness	CS	0.0816	max	0.0816	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	5		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	kemeny	speckle- 0.15	robustness	CS	0.0812	max	0.0812	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	5		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	kemeny	speckle- 0.15	robustness	CS	0.0806	max	0.0806	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	5		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	kemeny	speckle- 0.15	robustness	CS	0.0846	max	0.0846	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	5		True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	kemeny	speckle- 0.15	robustness	CS	0.081	max	0.081	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	5		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	kemeny	speckle- 0.15	robustness	CS	0.0798	max	0.0798	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	5		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	kemeny	speckle- 0.15	robustness	CS	0.0816	max	0.0816	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	5		False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	F	0.0756	max	0.0756	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	F	0.0726	max	0.0726	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	F	0.0748	max	0.0748	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	F	0.0782	max	0.0782	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	speckle- 0.15	robustness	F	0.0804	max	0.0804	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	speckle- 0.15	robustness	F	0.0828	max	0.0828	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	speckle- 0.15	robustness	F	0.0822	max	0.0822	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	speckle- 0.15	robustness	F	0.0796	max	0.0796	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	speckle- 0.15	robustness	F	0.0858	max	0.0858	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	7	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	speckle- 0.15	robustness	F	0.083	max	0.083	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	F	0.074	max	0.074	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	F	0.0752	max	0.0752	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	7	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	F	0.0742	max	0.0742	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	7	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	F	0.0816	max	0.0816	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	F	0.0878	max	0.0878	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	F	0.0876	max	0.0876	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	F	0.0788	max	0.0788	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	F	0.081	max	0.081	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	F	0.0796	max	0.0796	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	F	0.0808	max	0.0808	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	F	0.0772	max	0.0772	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	F	0.0768	max	0.0768	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	speckle- 0.15	robustness	F	0.077	max	0.077	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	speckle- 0.15	robustness	F	0.0718	max	0.0718	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	speckle- 0.15	robustness	F	0.0768	max	0.0768	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	speckle- 0.15	robustness	F	0.08	max	0.08	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	4	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	speckle- 0.15	robustness	F	0.0722	max	0.0722	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	speckle- 0.15	robustness	F	0.0756	max	0.0756	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	speckle- 0.15	robustness	F	0.0736	max	0.0736	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	speckle- 0.15	robustness	F	0.0774	max	0.0774	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	speckle- 0.15	robustness	F	0.0718	max	0.0718	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	speckle- 0.15	robustness	F	0.0736	max	0.0736	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	speckle- 0.15	robustness	F	0.0734	max	0.0734	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	4	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	speckle- 0.15	robustness	Fbar	-0.0278	max	-0.0278	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	speckle- 0.15	robustness	Fbar	-0.0274	max	-0.0274	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	speckle- 0.15	robustness	Fbar	-0.0402	max	-0.0402	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective direction	fit value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	speckle- 0.15	robustness	Sbar	-0.051	max	-0.051	kendall_0.345765	-exact_distance	0.345765	0.345765	3433	11	False	True	3	False	False	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	speckle- 0.15	robustness	Sbar	-0.0426	max	-0.0426	kendall_0.43653	-exact_distance	0.43653	0.43653	3377.5	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	speckle- 0.15	robustness	Sbar	-0.0402	max	-0.0402	kendall_0.498314	-exact_distance	0.498314	0.498314	3218.6	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	speckle- 0.15	robustness	Sbar	-0.0396	max	-0.0396	kendall_0.484005	-exact_distance	0.484005	0.484005	3257.5	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	speckle- 0.15	robustness	Sbar	-0.028	max	-0.028	kendall_0.507886	-exact_distance	0.507886	0.507886	3164.8	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	speckle- 0.15	robustness	Sbar	-0.0368	max	-0.0368	kendall_0.485199	-exact_distance	0.485199	0.485199	3430.5	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	speckle- 0.15	robustness	Sbar	-0.0428	max	-0.0428	kendall_0.470366	-exact_distance	0.470366	0.470366	3733	11	True	True	3	False	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	speckle- 0.15	robustness	Sbar	-0.0278	max	-0.0278	kendall_0.367314	-exact_distance	0.367314	0.367314	2341.4	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	speckle- 0.15	robustness	Sbar	-0.0222	max	-0.0222	kendall_0.657412	-exact_distance	0.657412	0.657412	1829.8	11	False	True	3	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	speckle- 0.15	robustness	Sbar	-0.0352	max	-0.0352	kendall_0.523529	-exact_distance	0.523529	0.523529	3010.4	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	speckle- 0.15	robustness	Sbar	-0.0446	max	-0.0446	kendall_0.345765	-exact_distance	0.345765	0.345765	3433	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	speckle- 0.15	robustness	Sbar	-0.0298	max	-0.0298	kendall_0.43653	-exact_distance	0.43653	0.43653	3377.5	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	speckle- 0.15	robustness	Sbar	-0.0288	max	-0.0288	kendall_0.498314	-exact_distance	0.498314	0.498314	3218.6	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	speckle- 0.15	robustness	Sbar	-0.0328	max	-0.0328	kendall_0.484005	-exact_distance	0.484005	0.484005	3257.5	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	Sbar	-0.0288	max	-0.0288	kendall_0.507886	-exact_distance	0.507886	0.507886	3164.8	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	Sbar	-0.0294	max	-0.0294	kendall_0.485199	-exact_distance	0.485199	0.485199	3430.5	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	Sbar	-0.0362	max	-0.0362	kendall_0.470366	-exact_distance	0.470366	0.470366	3733	11	True	True	3	False	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	Sbar	-0.0366	max	-0.0366	kendall_0.367314	-exact_distance	0.367314	0.367314	2341.4	11	False	True	3	False	True	3	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
				model			kind			direction	value	model	statis- tic	score	value	dis- tance	se- lected	by noise	forced fall- back		q	mal	q	er-	ence	prefix	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	rrf	speckle- robustness	0.15	FSbar	-0.0276	max	-0.0276	kendall_0.657412	-exact_0.657412	-0.002	0.657412	ce	1829.8	11	False	True	3	True	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	rrf	speckle- robustness	0.15	FSbar	-0.0386	max	-0.0386	kendall_0.523529	-exact_0.523529	-0.002	0.523529	ce	3010.4	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	rrf	speckle- robustness	0.15	FSbar	-0.0468	max	-0.0468	kendall_0.345765	-exact_0.345765	-0.002	0.345765	ce	3433	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	rrf	speckle- robustness	0.15	FSbar	-0.039	max	-0.039	kendall_0.43653	-exact_0.43653	-0.002	0.43653	ce	3377.5	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	rrf	speckle- robustness	0.15	FSbar	-0.0366	max	-0.0366	kendall_0.498314	-exact_0.498314	-0.002	0.498314	ce	3218.6	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	rrf	speckle- robustness	0.15	FSbar	-0.0284	max	-0.0284	kendall_0.484005	-exact_0.484005	-0.002	0.484005	ce	3257.5	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	9	rrf	speckle- robustness	0.15	FSbar	-0.032	max	-0.032	kendall_0.507886	-exact_0.507886	-0.002	0.507886	ce	3164.8	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	10	rrf	speckle- robustness	0.15	FSbar	-0.0354	max	-0.0354	kendall_0.485199	-exact_0.485199	-0.002	0.485199	ce	3430.5	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	rrf	speckle- robustness	0.15	FSbar	-0.0342	max	-0.0342	kendall_0.470366	-exact_0.470366	-0.002	0.470366	ce	3733	11	True	True	3	False	True	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	schulze	speckle- robustness	0.15	FSbar	-0.0278	max	-0.0278	kendall_0.367314	-exact_0.367314	-0.002	0.367314	ce	2341.4	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	schulze	speckle- robustness	0.15	FSbar	-0.0238	max	-0.0238	kendall_0.657412	-exact_0.657412	-0.002	0.657412	ce	1829.8	11	False	True	3	True	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	schulze	speckle- robustness	0.15	FSbar	-0.028	max	-0.028	kendall_0.523529	-exact_0.523529	-0.002	0.523529	ce	3010.4	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	schulze	speckle- robustness	0.15	FSbar	-0.049	max	-0.049	kendall_0.345765	-exact_0.345765	-0.002	0.345765	ce	3433	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	schulze	speckle- robustness	0.15	FSbar	-0.039	max	-0.039	kendall_0.43653	-exact_0.43653	-0.002	0.43653	ce	3377.5	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	schulze	speckle- robustness	0.15	FSbar	-0.0368	max	-0.0368	kendall_0.498314	-exact_0.498314	-0.002	0.498314	ce	3218.6	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	schulze	speckle- robustness	0.15	FSbar	-0.0354	max	-0.0354	kendall_0.484005	-exact_0.484005	-0.002	0.484005	ce	3257.5	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	9	schulze	speckle- robustness	0.15	FSbar	-0.0356	max	-0.0356	kendall_0.507886	-exact_0.507886	-0.002	0.507886	ce	3164.8	11	False	True	3	False	False	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	10	schulze	speckle- robustness	0.15	FSbar	-0.0386	max	-0.0386	kendall_0.485199	-exact_0.485199	-0.002	0.485199	ce	3430.5	11	False	True	3	False	False	False	["GuidedBackprop		

cell	dataset	model	distance q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best q	is opti-	q11 ref-	method
			model		kind				direc-	value	model	statis-	score	value	dis-	distance	se-	by	forced		mal q	erence	prefix
																	lected q	noise	fall-				
																			back				
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 11	schulze	speckle-robustness	0.15	FSbar	-0.035	max	-0.035	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 2	simpleavg	speckle-robustness	0.15	FSbar	-0.0368	max	-0.0368	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 3	simpleavg	speckle-robustness	0.15	FSbar	-0.0282	max	-0.0282	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 4	simpleavg	speckle-robustness	0.15	FSbar	-0.0688	max	-0.0688	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 5	simpleavg	speckle-robustness	0.15	FSbar	-0.0666	max	-0.0666	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 6	simpleavg	speckle-robustness	0.15	FSbar	-0.066	max	-0.066	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 7	simpleavg	speckle-robustness	0.15	FSbar	-0.0588	max	-0.0588	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 8	simpleavg	speckle-robustness	0.15	FSbar	-0.0638	max	-0.0638	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 9	simpleavg	speckle-robustness	0.15	FSbar	-0.063	max	-0.063	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 10	simpleavg	speckle-robustness	0.15	FSbar	-0.0646	max	-0.0646	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall 11	simpleavg	speckle-robustness	0.15	FSbar	-0.0636	max	-0.0636	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	borda	clean quality	C	C	0.308	max	0.308	spearman_0.530299-vs_multi0.002posat_0.999+0.05	0.530299	0.530299	0.530299	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	borda	clean quality	C	C	0.3034	max	0.3034	spearman_0.661997-vs_multi0.002posat_0.523+0.05	0.661997	0.661997	0.661997	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	borda	clean quality	C	C	0.3116	max	0.3116	spearman_0.533641-vs_multi0.002posat_0.799+0.05	0.533641	0.533641	0.533641	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	borda	clean quality	C	C	0.312	max	0.312	spearman_0.475614-vs_multi0.002posat_1.325+0.05	0.475614	0.475614	0.475614	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	borda	clean quality	C	C	0.2986	max	0.2986	spearman_0.505821-vs_multi0.002posat_1.308+0.05	0.505821	0.505821	0.505821	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	borda	clean quality	C	C	0.289	max	0.289	spearman_0.569208-vs_multi0.002posat_1.217+0.05	0.569208	0.569208	0.569208	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	borda	clean quality	C	C	0.2844	max	0.2844	spearman_0.574619-vs_multi0.002posat_1.257+0.05	0.574619	0.574619	0.574619	0.002	1.000	0.002	False	synt	metric_5approx	Fusion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc- tion	value	model	statis- tic	score	value	dis- tance	se- lected q	by noise	forced fall- back		mal q	erence	prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	clean	quality	C	0.2778	max	0.2778	spearman0.612495 _multi0.612495	pos2.1949e+05	0.612495	0.612495	0.612495	0.612495	0.612495	0.612495	0.612495	0.612495	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	clean	quality	C	0.2768	max	0.2768	spearman0.548654 _multi0.548654	pos2.5082e+05	0.548654	0.548654	0.548654	0.548654	0.548654	0.548654	0.548654	0.548654	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	clean	quality	C	0.2756	max	0.2756	spearman0.518147 _multi0.518147	pos2.9165e+05	0.518147	0.518147	0.518147	0.518147	0.518147	0.518147	0.518147	0.518147	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	clean	quality	C	0.308	max	0.308	spearman0.530299 _multi0.530299	pos2.0999e+05	0.308	0.308	0.308	0.308	0.308	0.308	0.308	0.308	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	clean	quality	C	0.2916	max	0.2916	spearman0.661997 _multi0.661997	pos2.0523e+05	0.2916	0.2916	0.2916	0.2916	0.2916	0.2916	0.2916	0.2916	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	clean	quality	C	0.2978	max	0.2978	spearman0.533641 _multi0.533641	pos2.0596e+05	0.2978	0.2978	0.2978	0.2978	0.2978	0.2978	0.2978	0.2978	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	kemeny	clean	quality	C	0.3128	max	0.3128	spearman0.475614 _multi0.475614	pos2.3254e+05	0.3128	0.3128	0.3128	0.3128	0.3128	0.3128	0.3128	0.3128	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	kemeny	clean	quality	C	0.306	max	0.306	spearman0.505821 _multi0.505821	pos2.3084e+05	0.306	0.306	0.306	0.306	0.306	0.306	0.306	0.306	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	kemeny	clean	quality	C	0.2884	max	0.2884	spearman0.569208 _multi0.569208	pos2.2177e+05	0.2884	0.2884	0.2884	0.2884	0.2884	0.2884	0.2884	0.2884	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	kemeny	clean	quality	C	0.282	max	0.282	spearman0.574619 _multi0.574619	pos2.2576e+05	0.282	0.282	0.282	0.282	0.282	0.282	0.282	0.282	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	kemeny	clean	quality	C	0.2744	max	0.2744	spearman0.612495 _multi0.612495	pos2.1949e+05	0.2744	0.2744	0.2744	0.2744	0.2744	0.2744	0.2744	0.2744	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	clean	quality	C	0.2722	max	0.2722	spearman0.548654 _multi0.548654	pos2.5082e+05	0.2722	0.2722	0.2722	0.2722	0.2722	0.2722	0.2722	0.2722	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	clean	quality	C	0.271	max	0.271	spearman0.518147 _multi0.518147	pos2.9165e+05	0.271	0.271	0.271	0.271	0.271	0.271	0.271	0.271	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	clean	quality	C	0.3074	max	0.3074	spearman0.530299 _multi0.530299	pos2.0999e+05	0.3074	0.3074	0.3074	0.3074	0.3074	0.3074	0.3074	0.3074	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	clean	quality	C	0.3022	max	0.3022	spearman0.661997 _multi0.661997	pos2.0523e+05	0.3022	0.3022	0.3022	0.3022	0.3022	0.3022	0.3022	0.3022	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	clean	quality	C	0.3066	max	0.3066	spearman0.533641 _multi0.533641	pos2.0596e+05	0.3066	0.3066	0.3066	0.3066	0.3066	0.3066	0.3066	0.3066	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	clean	quality	C	0.3152	max	0.3152	spearman0.475614 _multi0.475614	pos2.3254e+05	0.3152	0.3152	0.3152	0.3152	0.3152	0.3152	0.3152	0.3152	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	clean	quality	C	0.2986	max	0.2986	spearman0.505821 _multi0.505821	pos2.3084e+05	0.2986	0.2986	0.2986	0.2986	0.2986	0.2986	0.2986	0.2986	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	mean	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	clean	quality	C	0.2912	max	0.2912	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	clean	quality	C	0.2878	max	0.2878	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	clean	quality	C	0.2798	max	0.2798	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	C	0.2772	max	0.2772	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	clean	quality	C	0.2812	max	0.2812	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_5	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	clean	quality	C	0.308	max	0.308	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	clean	quality	C	0.2924	max	0.2924	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	clean	quality	C	0.2974	max	0.2974	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	clean	quality	C	0.312	max	0.312	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	clean	quality	C	0.3008	max	0.3008	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	clean	quality	C	0.2966	max	0.2966	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	clean	quality	C	0.2844	max	0.2844	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	clean	quality	C	0.2694	max	0.2694	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	C	0.2758	max	0.2758	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	C	0.276	max	0.276	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_5	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	clean	quality	C	0.3056	max	0.3056	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	clean	quality	C	0.2996	max	0.2996	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	clean	quality	C	0.3024	max	0.3024	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	simple	avg	clean	quality	C	0.2872	max	0.2872	spearman	0.475614	0.002pos	2.3254e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	simple	avg	clean	quality	C	0.2876	max	0.2876	spearman	0.505821	0.002pos	2.3084e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	simple	avg	clean	quality	C	0.2898	max	0.2898	spearman	0.569208	0.002pos	2.2177e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	simple	avg	clean	quality	C	0.285	max	0.285	spearman	0.574619	0.002pos	2.2576e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	simple	avg	clean	quality	C	0.2882	max	0.2882	spearman	0.612495	0.002pos	2.1949e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	simple	avg	clean	quality	C	0.2858	max	0.2858	spearman	0.548654	0.002pos	2.5082e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	simple	avg	clean	quality	C	0.286	max	0.286	spearman	0.518147	0.002pos	2.9165e+05	noise_bi	True	synthetic	2	approx	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	12	borda		clean	quality	Cbar	0.2586	min	-0.2586	spearman	0.530299	0.002pos	1.0999e+05	noise_bi	False	synthetic	2	approx	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	13	borda		clean	quality	Cbar	0.2688	min	-0.2688	spearman	0.661997	0.002pos	1.0523e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	14	borda		clean	quality	Cbar	0.3024	min	-0.3024	spearman	0.533641	0.002pos	2.0796e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	15	borda		clean	quality	Cbar	0.3216	min	-0.3216	spearman	0.475614	0.002pos	2.3254e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	16	borda		clean	quality	Cbar	0.3324	min	-0.3324	spearman	0.505821	0.002pos	2.3084e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	17	borda		clean	quality	Cbar	0.3482	min	-0.3482	spearman	0.569208	0.002pos	2.2177e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	18	borda		clean	quality	Cbar	0.3448	min	-0.3448	spearman	0.574619	0.002pos	2.2576e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	19	borda		clean	quality	Cbar	0.3664	min	-0.3664	spearman	0.612495	0.002pos	2.1949e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	borda		clean	quality	Cbar	0.3514	min	-0.3514	spearman	0.548654	0.002pos	2.5082e+05	noise_bi	False	synthetic	2	approx	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	borda		clean	quality	Cbar	0.3464	min	-0.3464	spearman	0.518147	0.002pos	2.9165e+05	noise_bi	True	synthetic	2	approx	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	12	kemeny		clean	quality	Cbar	0.2586	min	-0.2586	spearman	0.530299	0.002pos	1.0999e+05	noise_bi	False	synthetic	2	approx	True	["Guide

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	kemeny	clean	quality	Cbar	0.3044	min	-0.3044	spearman0.661997vs_multi0.661997	posall.0523e+05	1.002	0.661997	1.002	posall.0523e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	kemeny	clean	quality	Cbar	0.2772	min	-0.2772	spearman0.533641vs_multi0.533641	posall.0796e+05	1.002	0.533641	1.002	posall.0796e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	clean	quality	Cbar	0.2872	min	-0.2872	spearman0.475614vs_multi0.475614	posall.3254e+05	1.002	0.475614	1.002	posall.3254e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	clean	quality	Cbar	0.3056	min	-0.3056	spearman0.505821vs_multi0.505821	posall.3084e+05	1.002	0.505821	1.002	posall.3084e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	clean	quality	Cbar	0.3304	min	-0.3304	spearman0.569208vs_multi0.569208	posall.2177e+05	1.002	0.569208	1.002	posall.2177e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	clean	quality	Cbar	0.3298	min	-0.3298	spearman0.574619vs_multi0.574619	posall.2576e+05	1.002	0.574619	1.002	posall.2576e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	clean	quality	Cbar	0.3634	min	-0.3634	spearman0.612495vs_multi0.612495	posall.1949e+05	1.002	0.612495	1.002	posall.1949e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	clean	quality	Cbar	0.3546	min	-0.3546	spearman0.548654vs_multi0.548654	posall.5082e+05	1.002	0.548654	1.002	posall.5082e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	clean	quality	Cbar	0.3492	min	-0.3492	spearman0.518147vs_multi0.518147	posall.9165e+05	1.002	0.518147	1.002	posall.9165e+05	inforce_bifalse_syTme	metric_2approxifalsion	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	clean	quality	Cbar	0.256	min	-0.256	spearman0.530299vs_multi0.530299	posall.0999e+05	1.002	0.530299	1.002	posall.0999e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	clean	quality	Cbar	0.2716	min	-0.2716	spearman0.661997vs_multi0.661997	posall.0523e+05	1.002	0.661997	1.002	posall.0523e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	clean	quality	Cbar	0.2748	min	-0.2748	spearman0.533641vs_multi0.533641	posall.0796e+05	1.002	0.533641	1.002	posall.0796e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	clean	quality	Cbar	0.3094	min	-0.3094	spearman0.475614vs_multi0.475614	posall.3254e+05	1.002	0.475614	1.002	posall.3254e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	clean	quality	Cbar	0.318	min	-0.318	spearman0.505821vs_multi0.505821	posall.3084e+05	1.002	0.505821	1.002	posall.3084e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	clean	quality	Cbar	0.323	min	-0.323	spearman0.569208vs_multi0.569208	posall.2177e+05	1.002	0.569208	1.002	posall.2177e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	clean	quality	Cbar	0.3306	min	-0.3306	spearman0.574619vs_multi0.574619	posall.2576e+05	1.002	0.574619	1.002	posall.2576e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	rrf	clean	quality	Cbar	0.3552	min	-0.3552	spearman0.612495vs_multi0.612495	posall.1949e+05	1.002	0.612495	1.002	posall.1949e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	Cbar	0.3388	min	-0.3388	spearman0.548654vs_multi0.548654	posall.5082e+05	1.002	0.548654	1.002	posall.5082e+05	inforce_bifalse_syTme	metric_2approxifalsion	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective direc- tion	fit value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	rrf	clean	quality	Cbar	0.3424	min	-0.3424	spearman0.518147	svs_multi0.002	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	clean	quality	Cbar	0.2586	min	-0.2586	spearman0.530299	svs_multi0.002	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	clean	quality	Cbar	0.291	min	-0.291	spearman0.661997	svs_multi0.002	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	clean	quality	Cbar	0.2872	min	-0.2872	spearman0.533641	svs_multi0.002	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	clean	quality	Cbar	0.3258	min	-0.3258	spearman0.475614	svs_multi0.002	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	clean	quality	Cbar	0.3152	min	-0.3152	spearman0.505821	svs_multi0.002	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	clean	quality	Cbar	0.3174	min	-0.3174	spearman0.569208	svs_multi0.002	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	clean	quality	Cbar	0.3316	min	-0.3316	spearman0.574619	svs_multi0.002	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	clean	quality	Cbar	0.3564	min	-0.3564	spearman0.612495	svs_multi0.002	pos0.1949	pos0.1949	pos0.1949	pos0.1949	pos0.1949	pos0.1949	pos0.1949	pos0.1949	pos0.1949	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	Cbar	0.3522	min	-0.3522	spearman0.548654	svs_multi0.002	pos0.5082	pos0.5082	pos0.5082	pos0.5082	pos0.5082	pos0.5082	pos0.5082	pos0.5082	pos0.5082	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	Cbar	0.3444	min	-0.3444	spearman0.518147	svs_multi0.002	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	pos0.9165	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	clean	quality	Cbar	0.2646	min	-0.2646	spearman0.530299	svs_multi0.002	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	pos0.9999	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	clean	quality	Cbar	0.2752	min	-0.2752	spearman0.661997	svs_multi0.002	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	pos0.523	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	clean	quality	Cbar	0.3706	min	-0.3706	spearman0.533641	svs_multi0.002	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	pos0.799	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	clean	quality	Cbar	0.4004	min	-0.4004	spearman0.475614	svs_multi0.002	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	pos0.354	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	clean	quality	Cbar	0.3954	min	-0.3954	spearman0.505821	svs_multi0.002	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	pos0.3084	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	clean	quality	Cbar	0.3896	min	-0.3896	spearman0.569208	svs_multi0.002	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	pos0.2177	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	clean	quality	Cbar	0.3894	min	-0.3894	spearman0.574619	svs_multi0.002	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	pos0.2576	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	clean	quality	Cbar	0.3882	min	-0.3882	spearman0.612495	-0.612495	multi0.002	posad1.1949e+05	0.002	posad1.1949e+05	force_bi	False	syTmetric2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	clean	quality	Cbar	0.3858	min	-0.3858	spearman0.548654	-0.548654	multi0.002	posad1.5082e+05	0.002	posad1.5082e+05	force_bi	False	syTmetric2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	clean	quality	Cbar	0.3862	min	-0.3862	spearman0.518147	-0.518147	multi0.002	posad1.9165e+05	0.002	posad1.9165e+05	force_bi	True	syTmetric2	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	clean	quality	F	0.1818	max	0.1818	spearman0.530299	-0.530299	multi0.002	posad1.0999e+05	0.002	posad1.0999e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	clean	quality	F	0.1762	max	0.1762	spearman0.661997	-0.661997	multi0.002	posad1.0523e+05	0.002	posad1.0523e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	clean	quality	F	0.1856	max	0.1856	spearman0.533641	-0.533641	multi0.002	posad1.0796e+05	0.002	posad1.0796e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	clean	quality	F	0.1876	max	0.1876	spearman0.475614	-0.475614	multi0.002	posad1.3254e+05	0.002	posad1.3254e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	clean	quality	F	0.1782	max	0.1782	spearman0.505821	-0.505821	multi0.002	posad1.3084e+05	0.002	posad1.3084e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	clean	quality	F	0.1698	max	0.1698	spearman0.569208	-0.569208	multi0.002	posad1.2177e+05	0.002	posad1.2177e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	clean	quality	F	0.1634	max	0.1634	spearman0.574619	-0.574619	multi0.002	posad1.2576e+05	0.002	posad1.2576e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	clean	quality	F	0.1618	max	0.1618	spearman0.612495	-0.612495	multi0.002	posad1.1949e+05	0.002	posad1.1949e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	clean	quality	F	0.1616	max	0.1616	spearman0.548654	-0.548654	multi0.002	posad1.5082e+05	0.002	posad1.5082e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	clean	quality	F	0.158	max	0.158	spearman0.518147	-0.518147	multi0.002	posad1.9165e+05	0.002	posad1.9165e+05	force_bi	True	syTmetric5	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	kemeny	clean	quality	F	0.1818	max	0.1818	spearman0.530299	-0.530299	multi0.002	posad1.0999e+05	0.002	posad1.0999e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	kemeny	clean	quality	F	0.17	max	0.17	spearman0.661997	-0.661997	multi0.002	posad1.0523e+05	0.002	posad1.0523e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	kemeny	clean	quality	F	0.175	max	0.175	spearman0.533641	-0.533641	multi0.002	posad1.0796e+05	0.002	posad1.0796e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	clean	quality	F	0.1874	max	0.1874	spearman0.475614	-0.475614	multi0.002	posad1.3254e+05	0.002	posad1.3254e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	clean	quality	F	0.1806	max	0.1806	spearman0.505821	-0.505821	multi0.002	posad1.3084e+05	0.002	posad1.3084e+05	force_bi	False	syTmetric5	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	mean	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	clean	quality	F	0.1716	max	0.1716	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	clean	quality	F	0.1642	max	0.1642	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	clean	quality	F	0.1574	max	0.1574	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	clean	quality	F	0.1586	max	0.1586	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	clean	quality	F	0.1556	max	0.1556	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	syT	metric_5	approx	False	ion	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	clean	quality	F	0.1812	max	0.1812	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	clean	quality	F	0.1762	max	0.1762	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	clean	quality	F	0.1834	max	0.1834	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	clean	quality	F	0.1886	max	0.1886	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	clean	quality	F	0.1798	max	0.1798	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	clean	quality	F	0.1728	max	0.1728	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	clean	quality	F	0.1682	max	0.1682	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	clean	quality	F	0.1644	max	0.1644	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	F	0.1638	max	0.1638	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	clean	quality	F	0.1612	max	0.1612	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	syT	metric_5	approx	False	ion	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	clean	quality	F	0.1818	max	0.1818	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	clean	quality	F	0.1658	max	0.1658	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	clean	quality	F	0.1704	max	0.1704	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	syT	metric_5	approx	False	ion	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective direction	fit value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	clean	quality	F	0.1876	max	0.1876	spearman0.475614	ivs_multi0.002	posall.3254e+05	nce_bi	False	syTmetric_5	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	clean	quality	F	0.181	max	0.181	spearman0.505821	ivs_multi0.002	posall.3084e+05	nce_bi	False	syTmetric_5	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	clean	quality	F	0.175	max	0.175	spearman0.569208	ivs_multi0.002	posall.2177e+05	nce_bi	False	syTmetric_5	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	clean	quality	F	0.1672	max	0.1672	spearman0.574619	ivs_multi0.002	posall.2576e+05	nce_bi	False	syTmetric_5	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	clean	quality	F	0.1578	max	0.1578	spearman0.612495	ivs_multi0.002	posall.1849e+05	nce_bi	False	syTmetric_5	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	F	0.1618	max	0.1618	spearman0.548654	ivs_multi0.002	posall.5082e+05	nce_bi	False	syTmetric_5	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	F	0.1576	max	0.1576	spearman0.518147	ivs_multi0.002	posall.9165e+05	nce_bi	True	syTmetric_5	approxifusion	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	clean	quality	F	0.1814	max	0.1814	spearman0.530299	ivs_multi0.002	posall.0999e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	clean	quality	F	0.1762	max	0.1762	spearman0.661997	ivs_multi0.002	posall.0523e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	clean	quality	F	0.1804	max	0.1804	spearman0.533641	ivs_multi0.002	posall.0799e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	clean	quality	F	0.1726	max	0.1726	spearman0.475614	ivs_multi0.002	posall.3254e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	clean	quality	F	0.1738	max	0.1738	spearman0.505821	ivs_multi0.002	posall.3084e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	clean	quality	F	0.1742	max	0.1742	spearman0.569208	ivs_multi0.002	posall.2177e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	clean	quality	F	0.1724	max	0.1724	spearman0.574619	ivs_multi0.002	posall.2576e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	clean	quality	F	0.1748	max	0.1748	spearman0.612495	ivs_multi0.002	posall.1849e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	clean	quality	F	0.1736	max	0.1736	spearman0.548654	ivs_multi0.002	posall.5082e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	clean	quality	F	0.1726	max	0.1726	spearman0.518147	ivs_multi0.002	posall.9165e+05	nce_bi	True	syTmetric_2	approxifusion	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	clean	quality	Fbar	0.1452	min	-0.1452	spearman0.530299	ivs_multi0.002	posall.0999e+05	nce_bi	False	syTmetric_2	approxifusion	False	["GuidedBackprop				

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	clean	quality	Fbar	0.2342	min	-0.2342	spearman0.612495	multi0.002	posad1.1949e+05	0.612495	posad1.1949e+05	0.002	posad1.1949e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	Fbar	0.2262	min	-0.2262	spearman0.548654	multi0.002	posad1.5082e+05	0.548654	posad1.5082e+05	0.002	posad1.5082e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	Fbar	0.2182	min	-0.2182	spearman0.518147	multi0.002	posad1.9165e+05	0.518147	posad1.9165e+05	0.002	posad1.9165e+05	True	synthetic	metric_2approx	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	clean	quality	Fbar	0.15	min	-0.15	spearman0.530299	multi0.002	posad1.0999e+05	0.530299	posad1.0999e+05	0.002	posad1.0999e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	clean	quality	Fbar	0.1638	min	-0.1638	spearman0.661997	multi0.002	posad1.0523e+05	0.661997	posad1.0523e+05	0.002	posad1.0523e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	clean	quality	Fbar	0.238	min	-0.238	spearman0.533641	multi0.002	posad1.0796e+05	0.533641	posad1.0796e+05	0.002	posad1.0796e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	clean	quality	Fbar	0.2698	min	-0.2698	spearman0.475614	multi0.002	posad1.3254e+05	0.475614	posad1.3254e+05	0.002	posad1.3254e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	clean	quality	Fbar	0.2632	min	-0.2632	spearman0.505821	multi0.002	posad1.3084e+05	0.505821	posad1.3084e+05	0.002	posad1.3084e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	clean	quality	Fbar	0.2592	min	-0.2592	spearman0.569208	multi0.002	posad1.2177e+05	0.569208	posad1.2177e+05	0.002	posad1.2177e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	clean	quality	Fbar	0.2574	min	-0.2574	spearman0.574619	multi0.002	posad1.2577e+05	0.574619	posad1.2577e+05	0.002	posad1.2577e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	simpleavg	clean	quality	Fbar	0.2538	min	-0.2538	spearman0.612495	multi0.002	posad1.1949e+05	0.612495	posad1.1949e+05	0.002	posad1.1949e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	clean	quality	Fbar	0.2494	min	-0.2494	spearman0.548654	multi0.002	posad1.5082e+05	0.548654	posad1.5082e+05	0.002	posad1.5082e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	clean	quality	Fbar	0.251	min	-0.251	spearman0.518147	multi0.002	posad1.9165e+05	0.518147	posad1.9165e+05	0.002	posad1.9165e+05	True	synthetic	metric_2approx	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	adversarial	robustness	G	-0.2158	max	-0.2158	spearman0.530299	multi0.002	posad1.0999e+05	0.530299	posad1.0999e+05	0.002	posad1.0999e+05	False	synthetic	metric_1approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	adversarial	robustness	G	-0.2178	max	-0.2178	spearman0.661997	multi0.002	posad1.0523e+05	0.661997	posad1.0523e+05	0.002	posad1.0523e+05	False	synthetic	metric_1approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	adversarial	robustness	G	-0.206	max	-0.206	spearman0.533641	multi0.002	posad1.0796e+05	0.533641	posad1.0796e+05	0.002	posad1.0796e+05	False	synthetic	metric_1approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	adversarial	robustness	G	-0.203	max	-0.203	spearman0.475614	multi0.002	posad1.3254e+05	0.475614	posad1.3254e+05	0.002	posad1.3254e+05	False	synthetic	metric_1approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	adversarial	robustness	G	-0.1974	max	-0.1974	spearman0.505821	multi0.002	posad1.3084e+05	0.505821	posad1.3084e+05	0.002	posad1.3084e+05	False	synthetic	metric_1approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	adversarial	robustness	G	-0.1924	max	-0.1924	spearman	0.569208	0.569208	0.569208	pos	2.2177e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	adversarial	robustness	G	-0.1898	max	-0.1898	spearman	0.574619	0.574619	0.574619	pos	2.2576e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	adversarial	robustness	G	-0.1886	max	-0.1886	spearman	0.612495	0.612495	0.612495	pos	2.1949e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	adversarial	robustness	G	-0.1884	max	-0.1884	spearman	0.548654	0.548654	0.548654	pos	2.5082e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	adversarial	robustness	G	-0.1882	max	-0.1882	spearman	0.518147	0.518147	0.518147	pos	2.9165e+05	force_bi	True	synt	metric_1	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	adversarial	robustness	G	-0.2158	max	-0.2158	spearman	0.530299	0.530299	0.530299	pos	1.0999e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	adversarial	robustness	G	-0.2092	max	-0.2092	spearman	0.661997	0.661997	0.661997	pos	1.0523e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	adversarial	robustness	G	-0.2046	max	-0.2046	spearman	0.533641	0.533641	0.533641	pos	2.0796e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	kemeny	adversarial	robustness	G	-0.2054	max	-0.2054	spearman	0.475614	0.475614	0.475614	pos	2.3254e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	kemeny	adversarial	robustness	G	-0.2076	max	-0.2076	spearman	0.505821	0.505821	0.505821	pos	2.3084e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	kemeny	adversarial	robustness	G	-0.1944	max	-0.1944	spearman	0.569208	0.569208	0.569208	pos	2.2177e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	kemeny	adversarial	robustness	G	-0.1906	max	-0.1906	spearman	0.574619	0.574619	0.574619	pos	2.2576e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	G	-0.189	max	-0.189	spearman	0.612495	0.612495	0.612495	pos	2.1949e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	G	-0.1848	max	-0.1848	spearman	0.548654	0.548654	0.548654	pos	2.5082e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	G	-0.179	max	-0.179	spearman	0.518147	0.518147	0.518147	pos	2.9165e+05	force_bi	True	synt	metric_1	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	adversarial	robustness	G	-0.2148	max	-0.2148	spearman	0.530299	0.530299	0.530299	pos	1.0999e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	adversarial	robustness	G	-0.2164	max	-0.2164	spearman	0.661997	0.661997	0.661997	pos	1.0523e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	adversarial	robustness	G	-0.2048	max	-0.2048	spearman	0.533641	0.533641	0.533641	pos	2.0796e+05	force_bi	False	synt	metric_1	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	adversarial	robustness	G	-0.205	max	-0.205	spearman	0.475614	0.475614	0.475614	0.002	pos	1.3254e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	adversarial	robustness	G	-0.1934	max	-0.1934	spearman	0.505821	0.505821	0.505821	0.002	pos	1.3084e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	adversarial	robustness	G	-0.193	max	-0.193	spearman	0.569208	0.569208	0.569208	0.002	pos	1.2177e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	adversarial	robustness	G	-0.1926	max	-0.1926	spearman	0.574619	0.574619	0.574619	0.002	pos	1.2577e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	adversarial	robustness	G	-0.1872	max	-0.1872	spearman	0.612495	0.612495	0.612495	0.002	pos	1.1849e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	G	-0.1868	max	-0.1868	spearman	0.548654	0.548654	0.548654	0.002	pos	1.5082e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	G	-0.1914	max	-0.1914	spearman	0.518147	0.518147	0.518147	0.002	pos	1.9165e+05	nce_bi	True	sy	True	metric_10	approx	False	ion	True	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	adversarial	robustness	G	-0.2158	max	-0.2158	spearman	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	adversarial	robustness	G	-0.2092	max	-0.2092	spearman	0.661997	0.661997	0.661997	0.002	pos	1.0523e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	adversarial	robustness	G	-0.206	max	-0.206	spearman	0.533641	0.533641	0.533641	0.002	pos	1.0799e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	adversarial	robustness	G	-0.2016	max	-0.2016	spearman	0.475614	0.475614	0.475614	0.002	pos	1.3254e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	adversarial	robustness	G	-0.2006	max	-0.2006	spearman	0.505821	0.505821	0.505821	0.002	pos	1.3084e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	adversarial	robustness	G	-0.1984	max	-0.1984	spearman	0.569208	0.569208	0.569208	0.002	pos	1.2177e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	adversarial	robustness	G	-0.1924	max	-0.1924	spearman	0.574619	0.574619	0.574619	0.002	pos	1.2577e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	adversarial	robustness	G	-0.1846	max	-0.1846	spearman	0.612495	0.612495	0.612495	0.002	pos	1.1849e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	G	-0.187	max	-0.187	spearman	0.548654	0.548654	0.548654	0.002	pos	1.5082e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	G	-0.1864	max	-0.1864	spearman	0.518147	0.518147	0.518147	0.002	pos	1.9165e+05	nce_bi	True	sy	True	metric_9	approx	False	ion	True	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	G	-0.2124	max	-0.2124	spearman	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	adversarial	robustness	G	-0.2144	max	-0.2144	spearman0.661997	0.661997	vs_multi0.002	posall.0523e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	adversarial	robustness	G	-0.1882	max	-0.1882	spearman0.533641	0.533641	vs_multi0.002	posall.0796e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	adversarial	robustness	G	-0.1732	max	-0.1732	spearman0.475614	0.475614	vs_multi0.002	posall.3254e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	adversarial	robustness	G	-0.175	max	-0.175	spearman0.505821	0.505821	vs_multi0.002	posall.3084e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	adversarial	robustness	G	-0.1776	max	-0.1776	spearman0.569208	0.569208	vs_multi0.002	posall.2177e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	adversarial	robustness	G	-0.173	max	-0.173	spearman0.574619	0.574619	vs_multi0.002	posall.2576e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	adversarial	robustness	G	-0.1804	max	-0.1804	spearman0.612495	0.612495	vs_multi0.002	posall.1949e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	G	-0.1784	max	-0.1784	spearman0.548654	0.548654	vs_multi0.002	posall.5082e+05	1.000	once_bifalse	syTmetric8	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	adversarial	robustness	G	-0.1768	max	-0.1768	spearman0.518147	0.518147	vs_multi0.002	posall.9165e+05	1.000	once_bifalse	syTmetric8	approxifusion	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	adversarial	robustness	Gbar	0.0586	max	0.0586	spearman0.530299	0.530299	vs_multi0.002	posall.0999e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	adversarial	robustness	Gbar	0.0534	max	0.0534	spearman0.661997	0.661997	vs_multi0.002	posall.0523e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	adversarial	robustness	Gbar	0.0712	max	0.0712	spearman0.533641	0.533641	vs_multi0.002	posall.0796e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	adversarial	robustness	Gbar	0.072	max	0.072	spearman0.475614	0.475614	vs_multi0.002	posall.3254e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	adversarial	robustness	Gbar	0.0676	max	0.0676	spearman0.505821	0.505821	vs_multi0.002	posall.3084e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	adversarial	robustness	Gbar	0.0694	max	0.0694	spearman0.569208	0.569208	vs_multi0.002	posall.2177e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	adversarial	robustness	Gbar	0.0584	max	0.0584	spearman0.574619	0.574619	vs_multi0.002	posall.2576e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	adversarial	robustness	Gbar	0.0596	max	0.0596	spearman0.612495	0.612495	vs_multi0.002	posall.1949e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	adversarial	robustness	Gbar	0.0496	max	0.0496	spearman0.548654	0.548654	vs_multi0.002	posall.5082e+05	1.000	once_bifalse	syTmetric5	approxifusion	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman1	borda	adversarial	robustness	Gbar	0.0532	max	0.0532	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1nce_bif	True	syTmetric_5	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	adversarial	robustness	Gbar	0.0586	max	0.0586	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	kemeny	adversarial	robustness	Gbar	0.039	max	0.039	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	kemeny	adversarial	robustness	Gbar	0.0402	max	0.0402	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	kemeny	adversarial	robustness	Gbar	0.0746	max	0.0746	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	kemeny	adversarial	robustness	Gbar	0.0714	max	0.0714	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	kemeny	adversarial	robustness	Gbar	0.0588	max	0.0588	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	kemeny	adversarial	robustness	Gbar	0.0544	max	0.0544	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	Gbar	0.0546	max	0.0546	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1944e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	Gbar	0.0552	max	0.0552	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	1nce_bif	False	syTmetric_5	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	Gbar	0.0492	max	0.0492	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1nce_bif	True	syTmetric_5	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	rrf	adversarial	robustness	Gbar	0.0606	max	0.0606	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	rrf	adversarial	robustness	Gbar	0.0524	max	0.0524	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	rrf	adversarial	robustness	Gbar	0.0638	max	0.0638	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	rrf	adversarial	robustness	Gbar	0.0754	max	0.0754	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	rrf	adversarial	robustness	Gbar	0.0784	max	0.0784	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	rrf	adversarial	robustness	Gbar	0.0604	max	0.0604	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	rrf	adversarial	robustness	Gbar	0.0644	max	0.0644	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	adversarial	robustness	Gbar	0.0634	max	0.0634	spearman0.612495	0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	inception_b	False	syntnet	metric6	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	Gbar	0.0502	max	0.0502	spearman0.548654	0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	inception_b	False	syntnet	metric6	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	Gbar	0.0608	max	0.0608	spearman0.518147	0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	inception_b	True	syntnet	metric6	approximation	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	adversarial	robustness	Gbar	0.0586	max	0.0586	spearman0.530299	0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	adversarial	robustness	Gbar	0.0358	max	0.0358	spearman0.661997	0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	adversarial	robustness	Gbar	0.0508	max	0.0508	spearman0.533641	0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	adversarial	robustness	Gbar	0.0798	max	0.0798	spearman0.475614	0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	adversarial	robustness	Gbar	0.067	max	0.067	spearman0.505821	0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	adversarial	robustness	Gbar	0.063	max	0.063	spearman0.569208	0.569208	0.569208	multi0.002	posad1.2177e+05	1.2177e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	adversarial	robustness	Gbar	0.0582	max	0.0582	spearman0.574619	0.574619	0.574619	multi0.002	posad1.2579e+05	1.2579e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	adversarial	robustness	Gbar	0.0426	max	0.0426	spearman0.612495	0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	Gbar	0.0486	max	0.0486	spearman0.548654	0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	inception_b	False	syntnet	metric5	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	Gbar	0.0506	max	0.0506	spearman0.518147	0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	inception_b	True	syntnet	metric5	approximation	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	Gbar	0.0592	max	0.0592	spearman0.530299	0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	inception_b	False	syntnet	metric4	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	adversarial	robustness	Gbar	0.0534	max	0.0534	spearman0.661997	0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	inception_b	False	syntnet	metric4	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	adversarial	robustness	Gbar	0.0788	max	0.0788	spearman0.533641	0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	inception_b	False	syntnet	metric4	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	adversarial	robustness	Gbar	0.0784	max	0.0784	spearman0.475614	0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	inception_b	False	syntnet	metric4	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	adversarial	robustness	Gbar	0.0784	max	0.0784	spearman0.505821	0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	inception_b	False	syntnet	metric4	approximation	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	adversarial	robustness	Gbar	0.0756	max	0.0756	spearman	0.569208	vs_multi0.002	pos	2.2177e+05	1nce_b	False	synthetic	metric_4	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	adversarial	robustness	Gbar	0.0786	max	0.0786	spearman	0.574619	vs_multi0.002	pos	2.2576e+05	1nce_b	False	synthetic	metric_4	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	adversarial	robustness	Gbar	0.0746	max	0.0746	spearman	0.612495	vs_multi0.002	pos	2.1949e+05	1nce_b	False	synthetic	metric_4	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	Gbar	0.0752	max	0.0752	spearman	0.548654	vs_multi0.002	pos	2.5082e+05	1nce_b	False	synthetic	metric_4	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	adversarial	robustness	Gbar	0.0754	max	0.0754	spearman	0.518147	vs_multi0.002	pos	2.9165e+05	1nce_b	True	synthetic	metric_4	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	adversarial	robustness	S	-0.116	max	-0.116	spearman	0.530299	vs_multi0.002	pos	1.0999e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	adversarial	robustness	S	-0.115	max	-0.115	spearman	0.661997	vs_multi0.002	pos	1.0523e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	adversarial	robustness	S	-0.11	max	-0.11	spearman	0.533641	vs_multi0.002	pos	2.0796e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	adversarial	robustness	S	-0.1108	max	-0.1108	spearman	0.475614	vs_multi0.002	pos	2.3254e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	adversarial	robustness	S	-0.1042	max	-0.1042	spearman	0.505821	vs_multi0.002	pos	2.3084e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	borda	adversarial	robustness	S	-0.099	max	-0.099	spearman	0.569208	vs_multi0.002	pos	2.2177e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	borda	adversarial	robustness	S	-0.094	max	-0.094	spearman	0.574619	vs_multi0.002	pos	2.2576e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	borda	adversarial	robustness	S	-0.0972	max	-0.0972	spearman	0.612495	vs_multi0.002	pos	2.1949e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	adversarial	robustness	S	-0.0972	max	-0.0972	spearman	0.548654	vs_multi0.002	pos	2.5082e+05	1nce_b	False	synthetic	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	adversarial	robustness	S	-0.095	max	-0.095	spearman	0.518147	vs_multi0.002	pos	2.9165e+05	1nce_b	True	synthetic	metric_8	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	adversarial	robustness	S	-0.116	max	-0.116	spearman	0.530299	vs_multi0.002	pos	1.0999e+05	1nce_b	False	synthetic	metric_11	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	adversarial	robustness	S	-0.1114	max	-0.1114	spearman	0.661997	vs_multi0.002	pos	1.0523e+05	1nce_b	False	synthetic	metric_11	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	adversarial	robustness	S	-0.1066	max	-0.1066	spearman	0.533641	vs_multi0.002	pos	2.0796e+05	1nce_b	False	synthetic	metric_11	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	adversarial	robustness	F	-0.1106	max	-0.1106	spearman0.475614	0.475614	0.475614	0.475614	0.002	posall	2.3254e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	adversarial	robustness	F	-0.11	max	-0.11	spearman0.505821	0.505821	0.505821	0.505821	0.002	posall	2.3084e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	adversarial	robustness	F	-0.1036	max	-0.1036	spearman0.569208	0.569208	0.569208	0.569208	0.002	posall	2.2177e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	adversarial	robustness	F	-0.0982	max	-0.0982	spearman0.574619	0.574619	0.574619	0.574619	0.002	posall	2.2577e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	F	-0.0972	max	-0.0972	spearman0.612495	0.612495	0.612495	0.612495	0.002	posall	2.1849e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	F	-0.0958	max	-0.0958	spearman0.548654	0.548654	0.548654	0.548654	0.002	posall	2.5082e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	F	-0.0904	max	-0.0904	spearman0.518147	0.518147	0.518147	0.518147	0.002	posall	2.9165e+05	once_bifalse	syTmetric_1	approxifalsion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	adversarial	robustness	F	-0.116	max	-0.116	spearman0.530299	0.530299	0.530299	0.530299	0.002	posall	0.9999e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	adversarial	robustness	F	-0.114	max	-0.114	spearman0.661997	0.661997	0.661997	0.661997	0.002	posall	0.522e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	adversarial	robustness	F	-0.1104	max	-0.1104	spearman0.533641	0.533641	0.533641	0.533641	0.002	posall	2.7999e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	adversarial	robustness	F	-0.1102	max	-0.1102	spearman0.475614	0.475614	0.475614	0.475614	0.002	posall	2.3254e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	adversarial	robustness	F	-0.1032	max	-0.1032	spearman0.505821	0.505821	0.505821	0.505821	0.002	posall	2.3084e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	adversarial	robustness	F	-0.1004	max	-0.1004	spearman0.569208	0.569208	0.569208	0.569208	0.002	posall	2.2177e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	adversarial	robustness	F	-0.0994	max	-0.0994	spearman0.574619	0.574619	0.574619	0.574619	0.002	posall	2.2577e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	rrf	adversarial	robustness	F	-0.097	max	-0.097	spearman0.612495	0.612495	0.612495	0.612495	0.002	posall	2.1849e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	F	-0.097	max	-0.097	spearman0.548654	0.548654	0.548654	0.548654	0.002	posall	2.5082e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	F	-0.0956	max	-0.0956	spearman0.518147	0.518147	0.518147	0.518147	0.002	posall	2.9165e+05	once_bifalse	syTmetric_1	approxifalsion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	adversarial	robustness	F	-0.116	max	-0.116	spearman0.530299	0.530299	0.530299	0.530299	0.002	posall	0.9999e+05	once_bifalse	syTmetric_1	approxifalsion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	adversarial	robustness	F	-0.1058	max	-0.1058	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	adversarial	robustness	F	-0.1046	max	-0.1046	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	adversarial	robustness	F	-0.1092	max	-0.1092	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	adversarial	robustness	F	-0.108	max	-0.108	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	adversarial	robustness	F	-0.102	max	-0.102	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	adversarial	robustness	F	-0.1004	max	-0.1004	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	adversarial	robustness	F	-0.0968	max	-0.0968	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	F	-0.0974	max	-0.0974	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	force_b	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	F	-0.0926	max	-0.0926	spearman0.518147	0.518147	0.518147	0.518147	pos1.9165e+05	force_b	True	synt	metric_1	approx	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	F	-0.1148	max	-0.1148	spearman0.530299	0.530299	0.530299	0.530299	pos1.0999e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	adversarial	robustness	F	-0.1154	max	-0.1154	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	adversarial	robustness	F	-0.097	max	-0.097	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	adversarial	robustness	F	-0.0908	max	-0.0908	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	adversarial	robustness	F	-0.0934	max	-0.0934	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	adversarial	robustness	F	-0.094	max	-0.094	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	adversarial	robustness	F	-0.0912	max	-0.0912	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	simpleavg	adversarial	robustness	F	-0.0964	max	-0.0964	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	F	-0.096	max	-0.096	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	force_b	False	synt	metric_5	approx	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman1	simpleavg	adversarial	robustness	F	-0.0944	max	-0.0944	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1nce_bif	True	syTmetric_5	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	borda	adversarial	robustness	Fbar	0.0232	max	0.0232	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	borda	adversarial	robustness	Fbar	0.0222	max	0.0222	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	borda	adversarial	robustness	Fbar	0.0302	max	0.0302	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0799e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	borda	adversarial	robustness	Fbar	0.0262	max	0.0262	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	borda	adversarial	robustness	Fbar	0.0324	max	0.0324	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	borda	adversarial	robustness	Fbar	0.0316	max	0.0316	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	borda	adversarial	robustness	Fbar	0.0198	max	0.0198	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	adversarial	robustness	Fbar	0.0234	max	0.0234	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1949e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	adversarial	robustness	Fbar	0.0212	max	0.0212	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	adversarial	robustness	Fbar	0.019	max	0.019	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1nce_bif	True	syTmetric_6	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	adversarial	robustness	Fbar	0.0232	max	0.0232	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	kemeny	adversarial	robustness	Fbar	0.0118	max	0.0118	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	kemeny	adversarial	robustness	Fbar	0.0088	max	0.0088	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0799e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	kemeny	adversarial	robustness	Fbar	0.0272	max	0.0272	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	kemeny	adversarial	robustness	Fbar	0.036	max	0.036	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	kemeny	adversarial	robustness	Fbar	0.0258	max	0.0258	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	kemeny	adversarial	robustness	Fbar	0.0214	max	0.0214	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	1nce_bif	False	syTmetric_6	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise selected q	selected by noise	noise forced fallback	best q	is optimal q	q11 reference	method prefix					
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman0	kemeny	adversarial	robustness	0.0238	max	0.0238	spearman0.612495	0.612495	0.612495	0.612495	0.612495	0.002	pos	2.1949e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman10	kemeny	adversarial	robustness	0.0226	max	0.0226	spearman0.548654	0.548654	0.548654	0.548654	0.548654	0.002	pos	2.5082e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman11	kemeny	adversarial	robustness	0.015	max	0.015	spearman0.518147	0.518147	0.518147	0.518147	0.518147	0.002	pos	2.9165e+05	once	bi	True	synthetic	metric 6	approx	False	True	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman2	rrf	adversarial	robustness	0.0234	max	0.0234	spearman0.530299	0.530299	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman3	rrf	adversarial	robustness	0.0202	max	0.0202	spearman0.661997	0.661997	0.661997	0.661997	0.661997	0.002	pos	1.0523e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman4	rrf	adversarial	robustness	0.026	max	0.026	spearman0.533641	0.533641	0.533641	0.533641	0.533641	0.002	pos	2.0796e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman5	rrf	adversarial	robustness	0.032	max	0.032	spearman0.475614	0.475614	0.475614	0.475614	0.475614	0.002	pos	2.3254e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman6	rrf	adversarial	robustness	0.0382	max	0.0382	spearman0.505821	0.505821	0.505821	0.505821	0.505821	0.002	pos	2.3084e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman7	rrf	adversarial	robustness	0.0252	max	0.0252	spearman0.569208	0.569208	0.569208	0.569208	0.569208	0.002	pos	2.2177e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman8	rrf	adversarial	robustness	0.024	max	0.024	spearman0.574619	0.574619	0.574619	0.574619	0.574619	0.002	pos	2.2576e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman9	rrf	adversarial	robustness	0.0232	max	0.0232	spearman0.612495	0.612495	0.612495	0.612495	0.612495	0.002	pos	2.1949e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman10	rrf	adversarial	robustness	0.0202	max	0.0202	spearman0.548654	0.548654	0.548654	0.548654	0.548654	0.002	pos	2.5082e+05	once	bi	False	synthetic	metric 6	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman11	rrf	adversarial	robustness	0.0246	max	0.0246	spearman0.518147	0.518147	0.518147	0.518147	0.518147	0.002	pos	2.9165e+05	once	bi	True	synthetic	metric 6	approx	False	True	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman2	schulze	adversarial	robustness	0.0232	max	0.0232	spearman0.530299	0.530299	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	once	bi	False	synthetic	metric 5	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman3	schulze	adversarial	robustness	0.0066	max	0.0066	spearman0.661997	0.661997	0.661997	0.661997	0.661997	0.002	pos	1.0523e+05	once	bi	False	synthetic	metric 5	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman4	schulze	adversarial	robustness	0.0142	max	0.0142	spearman0.533641	0.533641	0.533641	0.533641	0.533641	0.002	pos	2.0796e+05	once	bi	False	synthetic	metric 5	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman5	schulze	adversarial	robustness	0.0352	max	0.0352	spearman0.475614	0.475614	0.475614	0.475614	0.475614	0.002	pos	2.3254e+05	once	bi	False	synthetic	metric 5	approx	False	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman6	schulze	adversarial	robustness	0.0288	max	0.0288	spearman0.505821	0.505821	0.505821	0.505821	0.505821	0.002	pos	2.3084e+05	once	bi	False	synthetic	metric 5	approx	False	True	False	["Guide

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	adversarial	robustness	Fbar	0.0254	max	0.0254	spearman	0.569208	0.569208	0.569208	pos	2.2177e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	adversarial	robustness	Fbar	0.0202	max	0.0202	spearman	0.574619	0.574619	0.574619	pos	2.2576e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	adversarial	robustness	Fbar	0.014	max	0.014	spearman	0.612495	0.612495	0.612495	pos	2.1949e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	Fbar	0.0146	max	0.0146	spearman	0.548654	0.548654	0.548654	pos	2.5082e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	Fbar	0.017	max	0.017	spearman	0.518147	0.518147	0.518147	pos	2.9165e+05	force_b	True	synthetic	metric_5	approx	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	Fbar	0.0244	max	0.0244	spearman	0.530299	0.530299	0.530299	pos	1.0999e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	adversarial	robustness	Fbar	0.0182	max	0.0182	spearman	0.661997	0.661997	0.661997	pos	1.0523e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	adversarial	robustness	Fbar	0.034	max	0.034	spearman	0.533641	0.533641	0.533641	pos	2.0796e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	adversarial	robustness	Fbar	0.0428	max	0.0428	spearman	0.475614	0.475614	0.475614	pos	2.3254e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	adversarial	robustness	Fbar	0.0414	max	0.0414	spearman	0.505821	0.505821	0.505821	pos	2.3084e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	adversarial	robustness	Fbar	0.037	max	0.037	spearman	0.569208	0.569208	0.569208	pos	2.2177e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	adversarial	robustness	Fbar	0.0394	max	0.0394	spearman	0.574619	0.574619	0.574619	pos	2.2576e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	adversarial	robustness	Fbar	0.0338	max	0.0338	spearman	0.612495	0.612495	0.612495	pos	2.1949e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	Fbar	0.0324	max	0.0324	spearman	0.548654	0.548654	0.548654	pos	2.5082e+05	force_b	False	synthetic	metric_5	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	adversarial	robustness	Fbar	0.0338	max	0.0338	spearman	0.518147	0.518147	0.518147	pos	2.9165e+05	force_b	True	synthetic	metric_5	approx	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	gaussian	robustness	G	0.3244	max	0.3244	spearman	0.530299	0.530299	0.530299	pos	1.0999e+05	force_b	False	synthetic	metric_6	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	gaussian	robustness	G	0.3176	max	0.3176	spearman	0.661997	0.661997	0.661997	pos	1.0523e+05	force_b	False	synthetic	metric_6	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	gaussian	robustness	G	0.3338	max	0.3338	spearman	0.533641	0.533641	0.533641	pos	2.0796e+05	force_b	False	synthetic	metric_6	approx	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix		
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3406	max	0.3406	spearman	0.475614	0.475614	0.475614	0.002pos	2.3254e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3474	max	0.3474	spearman	0.505821	0.505821	0.505821	0.002pos	2.3084e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3452	max	0.3452	spearman	0.569208	0.569208	0.569208	0.002pos	2.2177e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3422	max	0.3422	spearman	0.574619	0.574619	0.574619	0.002pos	2.2576e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3418	max	0.3418	spearman	0.612495	0.612495	0.612495	0.002pos	2.1949e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3396	max	0.3396	spearman	0.548654	0.548654	0.548654	0.002pos	2.5082e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	borda	gaussian	robustness	G	0.3384	max	0.3384	spearman	0.518147	0.518147	0.518147	0.002pos	2.9165e+05	once	bi	True	synthetic	metric 6	approximation	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.3244	max	0.3244	spearman	0.530299	0.530299	0.530299	0.002pos	2.0999e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.328	max	0.328	spearman	0.661997	0.661997	0.661997	0.002pos	2.0523e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.329	max	0.329	spearman	0.533641	0.533641	0.533641	0.002pos	2.0796e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.332	max	0.332	spearman	0.475614	0.475614	0.475614	0.002pos	2.3254e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.317	max	0.317	spearman	0.505821	0.505821	0.505821	0.002pos	2.3084e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.3358	max	0.3358	spearman	0.569208	0.569208	0.569208	0.002pos	2.2177e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.3284	max	0.3284	spearman	0.574619	0.574619	0.574619	0.002pos	2.2576e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.3278	max	0.3278	spearman	0.612495	0.612495	0.612495	0.002pos	2.1949e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.323	max	0.323	spearman	0.548654	0.548654	0.548654	0.002pos	2.5082e+05	once	bi	False	synthetic	metric 7	approximation	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	kemeny	gaussian	robustness	G	0.3296	max	0.3296	spearman	0.518147	0.518147	0.518147	0.002pos	2.9165e+05	once	bi	True	synthetic	metric 7	approximation	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	rfr	gaussian	robustness	G	0.327	max	0.327	spearman	0.530299	0.530299	0.530299	0.002pos	2.0999e+05	once	bi	False	synthetic	metric 6	approximation	False	["Guide

cell	dataset	model	distance q	rule	condition	value kind	metric	value	objective	objective	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix			
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	3	rrf	gaussian-robust	CS	0.3156	max	0.3156	spearman	0.661997	0.661997	0.661997	0.002	positional	0.523e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	4	rrf	gaussian-robust	CS	0.333	max	0.333	spearman	0.533641	0.533641	0.533641	0.002	positional	0.706e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	5	rrf	gaussian-robust	CS	0.3352	max	0.3352	spearman	0.475614	0.475614	0.475614	0.002	positional	0.325e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	6	rrf	gaussian-robust	CS	0.3436	max	0.3436	spearman	0.505821	0.505821	0.505821	0.002	positional	0.308e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	7	rrf	gaussian-robust	CS	0.337	max	0.337	spearman	0.569208	0.569208	0.569208	0.002	positional	0.217e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	8	rrf	gaussian-robust	CS	0.3348	max	0.3348	spearman	0.574619	0.574619	0.574619	0.002	positional	0.257e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	9	rrf	gaussian-robust	CS	0.3324	max	0.3324	spearman	0.612495	0.612495	0.612495	0.002	positional	0.194e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	rrf	gaussian-robust	CS	0.3322	max	0.3322	spearman	0.548654	0.548654	0.548654	0.002	positional	0.508e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	11	rrf	gaussian-robust	CS	0.3286	max	0.3286	spearman	0.518147	0.518147	0.518147	0.002	positional	0.916e+05	once	bi	True	symmetric	6	approximate	Falsion	True	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	12	schulze	gaussian-robust	CS	0.3244	max	0.3244	spearman	0.530299	0.530299	0.530299	0.002	positional	0.099e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	13	schulze	gaussian-robust	CS	0.3282	max	0.3282	spearman	0.661997	0.661997	0.661997	0.002	positional	0.523e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	14	schulze	gaussian-robust	CS	0.3238	max	0.3238	spearman	0.533641	0.533641	0.533641	0.002	positional	0.706e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	15	schulze	gaussian-robust	CS	0.337	max	0.337	spearman	0.475614	0.475614	0.475614	0.002	positional	0.325e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	16	schulze	gaussian-robust	CS	0.339	max	0.339	spearman	0.505821	0.505821	0.505821	0.002	positional	0.308e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	17	schulze	gaussian-robust	CS	0.3246	max	0.3246	spearman	0.569208	0.569208	0.569208	0.002	positional	0.217e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	18	schulze	gaussian-robust	CS	0.325	max	0.325	spearman	0.574619	0.574619	0.574619	0.002	positional	0.257e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	19	schulze	gaussian-robust	CS	0.3328	max	0.3328	spearman	0.612495	0.612495	0.612495	0.002	positional	0.194e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman	10	schulze	gaussian-robust	CS	0.3246	max	0.3246	spearman	0.548654	0.548654	0.548654	0.002	positional	0.508e+05	once	bi	False	symmetric	6	approximate	Falsion	False	["GuidedE

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	borda	gaussian-robustness	Gbar	-0.2942	max	-0.2942	spearman0.612495	multi0.002posad1.1949e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	borda	gaussian-robustness	Gbar	-0.314	max	-0.314	spearman0.548654	multi0.002posad1.5082e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	borda	gaussian-robustness	Gbar	-0.3208	max	-0.3208	spearman0.518147	multi0.002posad1.9165e+05	nce_bifalse_syTmetric9approxifusion	True	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	kemeny	gaussian-robustness	Gbar	-0.3204	max	-0.3204	spearman0.530299	multi0.002posad1.0999e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	kemeny	gaussian-robustness	Gbar	-0.2782	max	-0.2782	spearman0.661997	multi0.002posad1.0523e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	kemeny	gaussian-robustness	Gbar	-0.3086	max	-0.3086	spearman0.533641	multi0.002posad1.0796e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	kemeny	gaussian-robustness	Gbar	-0.3062	max	-0.3062	spearman0.475614	multi0.002posad1.3254e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	kemeny	gaussian-robustness	Gbar	-0.2952	max	-0.2952	spearman0.505821	multi0.002posad1.3084e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	kemeny	gaussian-robustness	Gbar	-0.2846	max	-0.2846	spearman0.569208	multi0.002posad1.2177e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	kemeny	gaussian-robustness	Gbar	-0.2932	max	-0.2932	spearman0.574619	multi0.002posad1.2579e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	kemeny	gaussian-robustness	Gbar	-0.2642	max	-0.2642	spearman0.612495	multi0.002posad1.1949e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	kemeny	gaussian-robustness	Gbar	-0.2816	max	-0.2816	spearman0.548654	multi0.002posad1.5082e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	kemeny	gaussian-robustness	Gbar	-0.2774	max	-0.2774	spearman0.518147	multi0.002posad1.9165e+05	nce_bifalse_syTmetric9approxifusion	True	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	rrf	gaussian-robustness	Gbar	-0.3234	max	-0.3234	spearman0.530299	multi0.002posad1.0999e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	rrf	gaussian-robustness	Gbar	-0.3132	max	-0.3132	spearman0.661997	multi0.002posad1.0523e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	rrf	gaussian-robustness	Gbar	-0.3202	max	-0.3202	spearman0.533641	multi0.002posad1.0796e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	rrf	gaussian-robustness	Gbar	-0.3324	max	-0.3324	spearman0.475614	multi0.002posad1.3254e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	rrf	gaussian-robustness	Gbar	-0.3132	max	-0.3132	spearman0.505821	multi0.002posad1.3084e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop									

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	gaussian-robustness	Gbar	0.15	-0.3066	max	-0.3066	spearman0.569208	0.569208	0.002	pos	2.2177e+05	1nce_b	False	sy	True	metric_9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	gaussian-robustness	Gbar	0.15	-0.2962	max	-0.2962	spearman0.574619	0.574619	0.002	pos	2.2576e+05	1nce_b	False	sy	True	metric_9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	gaussian-robustness	Gbar	0.15	-0.2768	max	-0.2768	spearman0.612495	0.612495	0.002	pos	2.1949e+05	1nce_b	False	sy	True	metric_9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	gaussian-robustness	Gbar	0.15	-0.2968	max	-0.2968	spearman0.548654	0.548654	0.002	pos	2.5082e+05	1nce_b	False	sy	True	metric_9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	gaussian-robustness	Gbar	0.15	-0.2944	max	-0.2944	spearman0.518147	0.518147	0.002	pos	2.9165e+05	1nce_b	True	sy	True	metric_9	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	gaussian-robustness	Gbar	0.15	-0.3204	max	-0.3204	spearman0.530299	0.530299	0.002	pos	1.0999e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	gaussian-robustness	Gbar	0.15	-0.29	max	-0.29	spearman0.661997	0.661997	0.002	pos	1.0523e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	gaussian-robustness	Gbar	0.15	-0.3004	max	-0.3004	spearman0.533641	0.533641	0.002	pos	2.0796e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	gaussian-robustness	Gbar	0.15	-0.3336	max	-0.3336	spearman0.475614	0.475614	0.002	pos	2.3254e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	gaussian-robustness	Gbar	0.15	-0.3034	max	-0.3034	spearman0.505821	0.505821	0.002	pos	2.3084e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	gaussian-robustness	Gbar	0.15	-0.2934	max	-0.2934	spearman0.569208	0.569208	0.002	pos	2.2177e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	gaussian-robustness	Gbar	0.15	-0.2872	max	-0.2872	spearman0.574619	0.574619	0.002	pos	2.2576e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	gaussian-robustness	Gbar	0.15	-0.2818	max	-0.2818	spearman0.612495	0.612495	0.002	pos	2.1949e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	gaussian-robustness	Gbar	0.15	-0.2776	max	-0.2776	spearman0.548654	0.548654	0.002	pos	2.5082e+05	1nce_b	False	sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	gaussian-robustness	Gbar	0.15	-0.288	max	-0.288	spearman0.518147	0.518147	0.002	pos	2.9165e+05	1nce_b	True	sy	True	metric_10	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	gaussian-robustness	Gbar	0.15	-0.3152	max	-0.3152	spearman0.530299	0.530299	0.002	pos	1.0999e+05	1nce_b	False	sy	True	metric_3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	gaussian-robustness	Gbar	0.15	-0.3048	max	-0.3048	spearman0.661997	0.661997	0.002	pos	1.0523e+05	1nce_b	False	sy	True	metric_3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	gaussian-robustness	Gbar	0.15	-0.3282	max	-0.3282	spearman0.533641	0.533641	0.002	pos	2.0796e+05	1nce_b	False	sy	True	metric_3	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	simpleav	gaussian-robustness	Sbar	0.15	-0.3426	max	-0.3426	spearman0.475614	vs_multi0.002	0.475614	posall.3254e+05	0.002	1.3254e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	simpleav	gaussian-robustness	Sbar	0.15	-0.3366	max	-0.3366	spearman0.505821	vs_multi0.002	0.505821	posall.3084e+05	0.002	1.3084e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	simpleav	gaussian-robustness	Sbar	0.15	-0.3314	max	-0.3314	spearman0.569208	vs_multi0.002	0.569208	posall.2177e+05	0.002	1.2177e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	simpleav	gaussian-robustness	Sbar	0.15	-0.3256	max	-0.3256	spearman0.574619	vs_multi0.002	0.574619	posall.2577e+05	0.002	1.2577e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	simpleav	gaussian-robustness	Sbar	0.15	-0.3202	max	-0.3202	spearman0.612495	vs_multi0.002	0.612495	posall.1849e+05	0.002	1.1849e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	simpleav	gaussian-robustness	Sbar	0.15	-0.32	max	-0.32	spearman0.548654	vs_multi0.002	0.548654	posall.5082e+05	0.002	1.5082e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	simpleav	gaussian-robustness	Sbar	0.15	-0.3208	max	-0.3208	spearman0.518147	vs_multi0.002	0.518147	posall.9165e+05	0.002	1.9165e+05	nce_bi	True	syTmetric3	approxifi	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	borda	gaussian-robustness	S	0.15	0.168	max	0.168	spearman0.530299	vs_multi0.002	0.530299	posall.0999e+05	0.002	1.0999e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	borda	gaussian-robustness	S	0.15	0.1696	max	0.1696	spearman0.661997	vs_multi0.002	0.661997	posall.0523e+05	0.002	1.0523e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	borda	gaussian-robustness	S	0.15	0.1716	max	0.1716	spearman0.533641	vs_multi0.002	0.533641	posall.0799e+05	0.002	1.0799e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	borda	gaussian-robustness	S	0.15	0.1676	max	0.1676	spearman0.475614	vs_multi0.002	0.475614	posall.3254e+05	0.002	1.3254e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	borda	gaussian-robustness	S	0.15	0.1772	max	0.1772	spearman0.505821	vs_multi0.002	0.505821	posall.3084e+05	0.002	1.3084e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	borda	gaussian-robustness	S	0.15	0.178	max	0.178	spearman0.569208	vs_multi0.002	0.569208	posall.2177e+05	0.002	1.2177e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	borda	gaussian-robustness	S	0.15	0.1742	max	0.1742	spearman0.574619	vs_multi0.002	0.574619	posall.2577e+05	0.002	1.2577e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	gaussian-robustness	S	0.15	0.1716	max	0.1716	spearman0.612495	vs_multi0.002	0.612495	posall.1849e+05	0.002	1.1849e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	gaussian-robustness	S	0.15	0.1686	max	0.1686	spearman0.548654	vs_multi0.002	0.548654	posall.5082e+05	0.002	1.5082e+05	nce_bi	False	syTmetric7	approxifi	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	gaussian-robustness	S	0.15	0.1692	max	0.1692	spearman0.518147	vs_multi0.002	0.518147	posall.9165e+05	0.002	1.9165e+05	nce_bi	True	syTmetric7	approxifi	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	gaussian-robustness	S	0.15	0.168	max	0.168	spearman0.530299	vs_multi0.002	0.530299	posall.0999e+05	0.002	1.0999e+05	nce_bi	False	syTmetric3	approxifi	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman1	rrf	gaussian-robustness	0.15	F	0.1648	max	0.1648	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1.9165e+05	1.9165e+05	1.9165e+05	1.9165e+05	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	schulze	gaussian-robustness	0.15	F	0.168	max	0.168	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	0.9999e+05	0.9999e+05	0.9999e+05	0.9999e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	schulze	gaussian-robustness	0.15	F	0.1794	max	0.1794	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	0.523e+05	0.523e+05	0.523e+05	0.523e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	schulze	gaussian-robustness	0.15	F	0.176	max	0.176	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0799e+05	0.799e+05	0.799e+05	0.799e+05	0.799e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	schulze	gaussian-robustness	0.15	F	0.1686	max	0.1686	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	0.3254e+05	0.3254e+05	0.3254e+05	0.3254e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	schulze	gaussian-robustness	0.15	F	0.1668	max	0.1668	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	0.3084e+05	0.3084e+05	0.3084e+05	0.3084e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	schulze	gaussian-robustness	0.15	F	0.167	max	0.167	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	0.2177e+05	0.2177e+05	0.2177e+05	0.2177e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	schulze	gaussian-robustness	0.15	F	0.1658	max	0.1658	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	0.2576e+05	0.2576e+05	0.2576e+05	0.2576e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	schulze	gaussian-robustness	0.15	F	0.167	max	0.167	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1949e+05	0.1949e+05	0.1949e+05	0.1949e+05	0.1949e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	schulze	gaussian-robustness	0.15	F	0.1604	max	0.1604	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	0.5082e+05	0.5082e+05	0.5082e+05	0.5082e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	schulze	gaussian-robustness	0.15	F	0.1662	max	0.1662	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1.9165e+05	1.9165e+05	1.9165e+05	1.9165e+05	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman12	simpleavg	gaussian-robustness	0.15	F	0.1628	max	0.1628	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	0.9999e+05	0.9999e+05	0.9999e+05	0.9999e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman13	simpleavg	gaussian-robustness	0.15	F	0.1726	max	0.1726	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	0.523e+05	0.523e+05	0.523e+05	0.523e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman14	simpleavg	gaussian-robustness	0.15	F	0.1532	max	0.1532	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0799e+05	0.799e+05	0.799e+05	0.799e+05	0.799e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman15	simpleavg	gaussian-robustness	0.15	F	0.156	max	0.156	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	0.3254e+05	0.3254e+05	0.3254e+05	0.3254e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman16	simpleavg	gaussian-robustness	0.15	F	0.1558	max	0.1558	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	0.3084e+05	0.3084e+05	0.3084e+05	0.3084e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman17	simpleavg	gaussian-robustness	0.15	F	0.156	max	0.156	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	0.2177e+05	0.2177e+05	0.2177e+05	0.2177e+05	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman18	simpleavg	gaussian-robustness	0.15	F	0.1574	max	0.1574	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	0.2576e+05	0.2576e+05	0.2576e+05	0.2576e+05	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	kemeny	gaussian-robustness	Bar	-0.0702	max	-0.0702	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	kemeny	gaussian-robustness	Bar	-0.0758	max	-0.0758	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	kemeny	gaussian-robustness	Bar	-0.0522	max	-0.0522	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	kemeny	gaussian-robustness	Bar	-0.0712	max	-0.0712	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	kemeny	gaussian-robustness	Bar	-0.0684	max	-0.0684	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	metric_9	approx	False	ion	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	rrf	gaussian-robustness	Bar	-0.1048	max	-0.1048	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	rrf	gaussian-robustness	Bar	-0.0862	max	-0.0862	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	rrf	gaussian-robustness	Bar	-0.0984	max	-0.0984	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	rrf	gaussian-robustness	Bar	-0.1144	max	-0.1144	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	rrf	gaussian-robustness	Bar	-0.0966	max	-0.0966	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	rrf	gaussian-robustness	Bar	-0.086	max	-0.086	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	rrf	gaussian-robustness	Bar	-0.081	max	-0.081	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	rrf	gaussian-robustness	Bar	-0.07	max	-0.07	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	rrf	gaussian-robustness	Bar	-0.0842	max	-0.0842	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	rrf	gaussian-robustness	Bar	-0.0776	max	-0.0776	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	metric_9	approx	False	ion	True	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	schulze	gaussian-robustness	Bar	-0.1014	max	-0.1014	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	schulze	gaussian-robustness	Bar	-0.068	max	-0.068	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	schulze	gaussian-robustness	Bar	-0.0818	max	-0.0818	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	metric_9	approx	False	ion	False	["GuidedBackprop		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	schulze	gaussian-robustness	Sbar	0.15	-0.1176	max	-0.1176	spearman0.475614	vs_multi0.002	0.475614	posall.3254e+05	0.002	1.3254e+05	once_bi	False	syTime	metric_9approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	schulze	gaussian-robustness	Sbar	0.15	-0.0868	max	-0.0868	spearman0.505821	vs_multi0.002	0.505821	posall.3084e+05	0.002	1.3084e+05	once_bi	False	syTime	metric_9approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	schulze	gaussian-robustness	Sbar	0.15	-0.0778	max	-0.0778	spearman0.569208	vs_multi0.002	0.569208	posall.2177e+05	0.002	1.2177e+05	once_bi	False	syTime	metric_9approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	schulze	gaussian-robustness	Sbar	0.15	-0.0768	max	-0.0768	spearman0.574619	vs_multi0.002	0.574619	posall.2576e+05	0.002	1.2576e+05	once_bi	False	syTime	metric_9approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	schulze	gaussian-robustness	Sbar	0.15	-0.0652	max	-0.0652	spearman0.612495	vs_multi0.002	0.612495	posall.1849e+05	0.002	1.1849e+05	once_bi	False	syTime	metric_9approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	schulze	gaussian-robustness	Sbar	0.15	-0.0704	max	-0.0704	spearman0.548654	vs_multi0.002	0.548654	posall.5082e+05	0.002	1.5082e+05	once_bi	False	syTime	metric_9approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	schulze	gaussian-robustness	Sbar	0.15	-0.0762	max	-0.0762	spearman0.518147	vs_multi0.002	0.518147	posall.9165e+05	0.002	1.9165e+05	once_bi	True	syTime	metric_9approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	simpleavg	gaussian-robustness	Sbar	0.15	-0.1008	max	-0.1008	spearman0.530299	vs_multi0.002	0.530299	posall.0999e+05	0.002	1.0999e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	simpleavg	gaussian-robustness	Sbar	0.15	-0.088	max	-0.088	spearman0.661997	vs_multi0.002	0.661997	posall.0523e+05	0.002	1.0523e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	simpleavg	gaussian-robustness	Sbar	0.15	-0.1178	max	-0.1178	spearman0.533641	vs_multi0.002	0.533641	posall.0799e+05	0.002	1.0799e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	simpleavg	gaussian-robustness	Sbar	0.15	-0.1262	max	-0.1262	spearman0.475614	vs_multi0.002	0.475614	posall.3254e+05	0.002	1.3254e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	simpleavg	gaussian-robustness	Sbar	0.15	-0.1238	max	-0.1238	spearman0.505821	vs_multi0.002	0.505821	posall.3084e+05	0.002	1.3084e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	simpleavg	gaussian-robustness	Sbar	0.15	-0.1152	max	-0.1152	spearman0.569208	vs_multi0.002	0.569208	posall.2177e+05	0.002	1.2177e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	simpleavg	gaussian-robustness	Sbar	0.15	-0.1124	max	-0.1124	spearman0.574619	vs_multi0.002	0.574619	posall.2576e+05	0.002	1.2576e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	simpleavg	gaussian-robustness	Sbar	0.15	-0.1096	max	-0.1096	spearman0.612495	vs_multi0.002	0.612495	posall.1849e+05	0.002	1.1849e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	simpleavg	gaussian-robustness	Sbar	0.15	-0.1128	max	-0.1128	spearman0.548654	vs_multi0.002	0.548654	posall.5082e+05	0.002	1.5082e+05	once_bi	False	syTime	metric_3approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	simpleavg	gaussian-robustness	Sbar	0.15	-0.1118	max	-0.1118	spearman0.518147	vs_multi0.002	0.518147	posall.9165e+05	0.002	1.9165e+05	once_bi	True	syTime	metric_3approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	borda	salt-pepper-0.05	S	0.05	0.306	max	0.306	spearman0.530299	vs_multi0.002	0.530299	posall.0999e+05	0.002	1.0999e+05	once_bi	False	syTime	metric_7approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	salt- pepper- 0.05	robustness	CS	0.3084	max	0.3084	spearman0.661997vs_multi0.661997posall.0523e+05	1.002	0.661997	0.661997	1.002	posall.0523e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	salt- pepper- 0.05	robustness	CS	0.317	max	0.317	spearman0.533641vs_multi0.533641posall.0796e+05	1.002	0.533641	0.533641	1.002	posall.0796e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	salt- pepper- 0.05	robustness	CS	0.3128	max	0.3128	spearman0.475614vs_multi0.475614posall.3254e+05	1.002	0.475614	0.475614	1.002	posall.3254e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	salt- pepper- 0.05	robustness	CS	0.3188	max	0.3188	spearman0.505821vs_multi0.505821posall.3084e+05	1.002	0.505821	0.505821	1.002	posall.3084e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	salt- pepper- 0.05	robustness	CS	0.3256	max	0.3256	spearman0.569208vs_multi0.569208posall.2177e+05	1.002	0.569208	0.569208	1.002	posall.2177e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	salt- pepper- 0.05	robustness	CS	0.3172	max	0.3172	spearman0.574619vs_multi0.574619posall.2576e+05	1.002	0.574619	0.574619	1.002	posall.2576e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	salt- pepper- 0.05	robustness	CS	0.3246	max	0.3246	spearman0.612495vs_multi0.612495posall.1949e+05	1.002	0.612495	0.612495	1.002	posall.1949e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	salt- pepper- 0.05	robustness	CS	0.3168	max	0.3168	spearman0.548654vs_multi0.548654posall.5082e+05	1.002	0.548654	0.548654	1.002	posall.5082e+05	inco_bifalse_syTrue	metric_7approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	salt- pepper- 0.05	robustness	CS	0.3208	max	0.3208	spearman0.518147vs_multi0.518147posall.9165e+05	1.002	0.518147	0.518147	1.002	posall.9165e+05	inco_bifalse_syTrue	metric_7approxifalsion	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	salt- pepper- 0.05	robustness	CS	0.306	max	0.306	spearman0.530299vs_multi0.530299posall.0999e+05	1.002	0.530299	0.530299	1.002	posall.0999e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	salt- pepper- 0.05	robustness	CS	0.3164	max	0.3164	spearman0.661997vs_multi0.661997posall.0523e+05	1.002	0.661997	0.661997	1.002	posall.0523e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	salt- pepper- 0.05	robustness	CS	0.3108	max	0.3108	spearman0.533641vs_multi0.533641posall.0796e+05	1.002	0.533641	0.533641	1.002	posall.0796e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	kemeny	salt- pepper- 0.05	robustness	CS	0.3156	max	0.3156	spearman0.475614vs_multi0.475614posall.3254e+05	1.002	0.475614	0.475614	1.002	posall.3254e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	kemeny	salt- pepper- 0.05	robustness	CS	0.3072	max	0.3072	spearman0.505821vs_multi0.505821posall.3084e+05	1.002	0.505821	0.505821	1.002	posall.3084e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	kemeny	salt- pepper- 0.05	robustness	CS	0.3166	max	0.3166	spearman0.569208vs_multi0.569208posall.2177e+05	1.002	0.569208	0.569208	1.002	posall.2177e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	kemeny	salt- pepper- 0.05	robustness	CS	0.3216	max	0.3216	spearman0.574619vs_multi0.574619posall.2576e+05	1.002	0.574619	0.574619	1.002	posall.2576e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	kemeny	salt- pepper- 0.05	robustness	CS	0.3186	max	0.3186	spearman0.612495vs_multi0.612495posall.1949e+05	1.002	0.612495	0.612495	1.002	posall.1949e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	salt- pepper- 0.05	robustness	CS	0.315	max	0.315	spearman0.548654vs_multi0.548654posall.5082e+05	1.002	0.548654	0.548654	1.002	posall.5082e+05	inco_bifalse_syTrue	metric_8approxifalsion	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman1	1	kemeny	salt- pepper- 0.05	robustnes	G	0.317	max	0.317	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	nce_b	True	sy	metric_8	approx	False	True	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	rrf	salt- pepper- 0.05	robustnes	G	0.3058	max	0.3058	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	rrf	salt- pepper- 0.05	robustnes	G	0.3102	max	0.3102	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	rrf	salt- pepper- 0.05	robustnes	G	0.3196	max	0.3196	spearman	0.533641	0.533641	multi0.002	pos	1.0796e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	rrf	salt- pepper- 0.05	robustnes	G	0.3154	max	0.3154	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	rrf	salt- pepper- 0.05	robustnes	G	0.321	max	0.321	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	rrf	salt- pepper- 0.05	robustnes	G	0.3138	max	0.3138	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	rrf	salt- pepper- 0.05	robustnes	G	0.3126	max	0.3126	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	9	rrf	salt- pepper- 0.05	robustnes	G	0.3142	max	0.3142	spearman	0.612495	0.612495	multi0.002	pos	1.1949e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	10	rrf	salt- pepper- 0.05	robustnes	G	0.3128	max	0.3128	spearman	0.548654	0.548654	multi0.002	pos	1.5082e+05	nce_b	False	sy	metric_6	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	11	rrf	salt- pepper- 0.05	robustnes	G	0.3134	max	0.3134	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	nce_b	True	sy	metric_6	approx	False	True	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	schulze	salt- pepper- 0.05	robustnes	G	0.306	max	0.306	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	schulze	salt- pepper- 0.05	robustnes	G	0.3164	max	0.3164	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	schulze	salt- pepper- 0.05	robustnes	G	0.3178	max	0.3178	spearman	0.533641	0.533641	multi0.002	pos	1.0796e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	schulze	salt- pepper- 0.05	robustnes	G	0.321	max	0.321	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	schulze	salt- pepper- 0.05	robustnes	G	0.3148	max	0.3148	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	schulze	salt- pepper- 0.05	robustnes	G	0.3126	max	0.3126	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	schulze	salt- pepper- 0.05	robustnes	G	0.3162	max	0.3162	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	nce_b	False	sy	metric_5	approx	False	False	["GuidedB

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	fit p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	salt- pepper- 0.05	robustness	G	0.3202	max	0.3202	spearman0.612495	0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	force_bifalse	syTmetric_5	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	salt- pepper- 0.05	robustness	G	0.3156	max	0.3156	spearman0.548654	0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	force_bifalse	syTmetric_5	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	salt- pepper- 0.05	robustness	G	0.3124	max	0.3124	spearman0.518147	0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	force_biftrue	syTmetric_5	approxifusion	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	salt- pepper- 0.05	robustness	G	0.2974	max	0.2974	spearman0.530299	0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	salt- pepper- 0.05	robustness	G	0.3082	max	0.3082	spearman0.661997	0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	salt- pepper- 0.05	robustness	G	0.3086	max	0.3086	spearman0.533641	0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	salt- pepper- 0.05	robustness	G	0.3086	max	0.3086	spearman0.475614	0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	salt- pepper- 0.05	robustness	G	0.3138	max	0.3138	spearman0.505821	0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	salt- pepper- 0.05	robustness	G	0.3156	max	0.3156	spearman0.569208	0.569208	0.569208	multi0.002	posad1.2177e+05	1.2177e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	salt- pepper- 0.05	robustness	G	0.3218	max	0.3218	spearman0.574619	0.574619	0.574619	multi0.002	posad1.2579e+05	1.2579e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	simpleavg	salt- pepper- 0.05	robustness	G	0.314	max	0.314	spearman0.612495	0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	salt- pepper- 0.05	robustness	G	0.3182	max	0.3182	spearman0.548654	0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	force_bifalse	syTmetric_8	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	salt- pepper- 0.05	robustness	G	0.3152	max	0.3152	spearman0.518147	0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	force_biftrue	syTmetric_8	approxifusion	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	salt- pepper- 0.05	robustness	Gbar	-0.2824	max	-0.2824	spearman0.530299	0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	force_bifalse	syTmetric_9	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	salt- pepper- 0.05	robustness	Gbar	-0.2728	max	-0.2728	spearman0.661997	0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	force_bifalse	syTmetric_9	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	salt- pepper- 0.05	robustness	Gbar	-0.2998	max	-0.2998	spearman0.533641	0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	force_bifalse	syTmetric_9	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	salt- pepper- 0.05	robustness	Gbar	-0.3188	max	-0.3188	spearman0.475614	0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	force_bifalse	syTmetric_9	approxifusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	salt- pepper- 0.05	robustness	Gbar	-0.3068	max	-0.3068	spearman0.505821	0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	force_bifalse	syTmetric_9	approxifusion	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	borda	salt-pepper-0.05	robustness	Gbar	-0.2912	max	-0.2912	spearman0.569208	svs_multi0.002	posad1.2177e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	borda	salt-pepper-0.05	robustness	Gbar	-0.2854	max	-0.2854	spearman0.574619	svs_multi0.002	posad1.2576e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	salt-pepper-0.05	robustness	Gbar	-0.2636	max	-0.2636	spearman0.612495	svs_multi0.002	posad1.1949e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	salt-pepper-0.05	robustness	Gbar	-0.2778	max	-0.2778	spearman0.548654	svs_multi0.002	posad1.5082e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	salt-pepper-0.05	robustness	Gbar	-0.2822	max	-0.2822	spearman0.518147	svs_multi0.002	posad1.9165e+05	nce_bifalse	syTmetric9	approxifalse	ion	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman12	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2824	max	-0.2824	spearman0.530299	svs_multi0.002	posad1.0999e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman13	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2588	max	-0.2588	spearman0.661997	svs_multi0.002	posad1.0523e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman14	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2756	max	-0.2756	spearman0.533641	svs_multi0.002	posad1.0796e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman15	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2774	max	-0.2774	spearman0.475614	svs_multi0.002	posad1.3254e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman16	kemeny	salt-pepper-0.05	robustness	Gbar	-0.266	max	-0.266	spearman0.505821	svs_multi0.002	posad1.3084e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman17	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2542	max	-0.2542	spearman0.569208	svs_multi0.002	posad1.2177e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman18	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2624	max	-0.2624	spearman0.574619	svs_multi0.002	posad1.2576e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2452	max	-0.2452	spearman0.612495	svs_multi0.002	posad1.1949e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	kemeny	salt-pepper-0.05	robustness	Gbar	-0.253	max	-0.253	spearman0.548654	svs_multi0.002	posad1.5082e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	kemeny	salt-pepper-0.05	robustness	Gbar	-0.2522	max	-0.2522	spearman0.518147	svs_multi0.002	posad1.9165e+05	nce_bifalse	syTmetric9	approxifalse	ion	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman12	rrf	salt-pepper-0.05	robustness	Gbar	-0.2888	max	-0.2888	spearman0.530299	svs_multi0.002	posad1.0999e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman13	rrf	salt-pepper-0.05	robustness	Gbar	-0.2766	max	-0.2766	spearman0.661997	svs_multi0.002	posad1.0523e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman14	rrf	salt-pepper-0.05	robustness	Gbar	-0.284	max	-0.284	spearman0.533641	svs_multi0.002	posad1.0796e+05	nce_bifalse	syTmetric9	approxifalse	ion	False	["GuidedBackprop			

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	salt- pepper- 0.05	robustness	Gbar	-0.3072	max	-0.3072	spearman0.475614	0.475614	0.475614	0.475614	0.002	pos2.3254e+05	once_b	False_sy	True	metric_9	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2804	max	-0.2804	spearman0.505821	0.505821	0.505821	0.505821	0.002	pos2.3084e+05	once_b	False_sy	True	metric_9	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	salt- pepper- 0.05	robustness	Gbar	-0.276	max	-0.276	spearman0.569208	0.569208	0.569208	0.569208	0.002	pos2.2177e+05	once_b	False_sy	True	metric_9	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2682	max	-0.2682	spearman0.574619	0.574619	0.574619	0.574619	0.002	pos2.2577e+05	once_b	False_sy	True	metric_9	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2524	max	-0.2524	spearman0.612495	0.612495	0.612495	0.612495	0.002	pos2.1849e+05	once_b	False_sy	True	metric_9	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2634	max	-0.2634	spearman0.548654	0.548654	0.548654	0.548654	0.002	pos2.5082e+05	once_b	False_sy	True	metric_9	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2654	max	-0.2654	spearman0.518147	0.518147	0.518147	0.518147	0.002	pos2.9165e+05	once_b	True_sy	True	metric_9	approximation	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2824	max	-0.2824	spearman0.530299	0.530299	0.530299	0.530299	0.002	pos2.0999e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2646	max	-0.2646	spearman0.661997	0.661997	0.661997	0.661997	0.002	pos2.0523e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2672	max	-0.2672	spearman0.533641	0.533641	0.533641	0.533641	0.002	pos2.0799e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	salt- pepper- 0.05	robustness	Gbar	-0.3072	max	-0.3072	spearman0.475614	0.475614	0.475614	0.475614	0.002	pos2.3254e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2786	max	-0.2786	spearman0.505821	0.505821	0.505821	0.505821	0.002	pos2.3084e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2766	max	-0.2766	spearman0.569208	0.569208	0.569208	0.569208	0.002	pos2.2177e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2604	max	-0.2604	spearman0.574619	0.574619	0.574619	0.574619	0.002	pos2.2577e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2536	max	-0.2536	spearman0.612495	0.612495	0.612495	0.612495	0.002	pos2.1849e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2512	max	-0.2512	spearman0.548654	0.548654	0.548654	0.548654	0.002	pos2.5082e+05	once_b	False_sy	True	metric_10	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2696	max	-0.2696	spearman0.518147	0.518147	0.518147	0.518147	0.002	pos2.9165e+05	once_b	True_sy	True	metric_10	approximation	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2864	max	-0.2864	spearman0.530299	0.530299	0.530299	0.530299	0.002	pos2.0999e+05	once_b	False_sy	True	metric_3	approximation	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2764	max	-0.2764	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3098	max	-0.3098	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3174	max	-0.3174	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3106	max	-0.3106	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.3076	max	-0.3076	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2986	max	-0.2986	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2934	max	-0.2934	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2958	max	-0.2958	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	force_bifalse	syTrue	metric3	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2946	max	-0.2946	spearman0.518147	0.518147	0.518147	0.518147	pos1.9165e+05	force_bifalse	syTrue	metric3	approxifalse	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	salt- pepper- 0.05	robustness	F	0.1608	max	0.1608	spearman0.530299	0.530299	0.530299	0.530299	pos1.0999e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	salt- pepper- 0.05	robustness	F	0.1616	max	0.1616	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	salt- pepper- 0.05	robustness	F	0.1612	max	0.1612	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	salt- pepper- 0.05	robustness	F	0.1502	max	0.1502	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	salt- pepper- 0.05	robustness	F	0.1598	max	0.1598	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	salt- pepper- 0.05	robustness	F	0.1656	max	0.1656	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	salt- pepper- 0.05	robustness	F	0.1664	max	0.1664	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	salt- pepper- 0.05	robustness	F	0.1662	max	0.1662	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	salt- pepper- 0.05	robustness	F	0.1576	max	0.1576	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	force_bifalse	syTrue	metric8	approxifalse	True	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc-	value	model	statis-	score	value	dis-	se-	by	forced		mal q	erence	prefix
									tion			tic			tance	lected	noise	fall-				
																q	noise	back				
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	rrf	salt- pepper- 0.05	robustness	FS		0.1598	max	0.1598	spearman0.612495	pos_multi0.002	0.612495	pos_multi0.002	1.1949e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	rrf	salt- pepper- 0.05	robustness	FS		0.1564	max	0.1564	spearman0.548654	pos_multi0.002	0.548654	pos_multi0.002	1.5082e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	rrf	salt- pepper- 0.05	robustness	FS		0.1624	max	0.1624	spearman0.518147	pos_multi0.002	0.518147	pos_multi0.002	1.9165e+05	force_bi	True	synthetic	3	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	schulze	salt- pepper- 0.05	robustness	FS		0.1608	max	0.1608	spearman0.530299	pos_multi0.002	0.530299	pos_multi0.002	1.0999e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	schulze	salt- pepper- 0.05	robustness	FS		0.1698	max	0.1698	spearman0.661997	pos_multi0.002	0.661997	pos_multi0.002	1.0523e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	schulze	salt- pepper- 0.05	robustness	FS		0.1694	max	0.1694	spearman0.533641	pos_multi0.002	0.533641	pos_multi0.002	1.0796e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	schulze	salt- pepper- 0.05	robustness	FS		0.1578	max	0.1578	spearman0.475614	pos_multi0.002	0.475614	pos_multi0.002	1.3254e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	schulze	salt- pepper- 0.05	robustness	FS		0.1546	max	0.1546	spearman0.505821	pos_multi0.002	0.505821	pos_multi0.002	1.3084e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	schulze	salt- pepper- 0.05	robustness	FS		0.1638	max	0.1638	spearman0.569208	pos_multi0.002	0.569208	pos_multi0.002	1.2177e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	schulze	salt- pepper- 0.05	robustness	FS		0.1618	max	0.1618	spearman0.574619	pos_multi0.002	0.574619	pos_multi0.002	1.2579e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman19	schulze	salt- pepper- 0.05	robustness	FS		0.1616	max	0.1616	spearman0.612495	pos_multi0.002	0.612495	pos_multi0.002	1.1949e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	schulze	salt- pepper- 0.05	robustness	FS		0.1564	max	0.1564	spearman0.548654	pos_multi0.002	0.548654	pos_multi0.002	1.5082e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	schulze	salt- pepper- 0.05	robustness	FS		0.1592	max	0.1592	spearman0.518147	pos_multi0.002	0.518147	pos_multi0.002	1.9165e+05	force_bi	True	synthetic	3	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	simpleavg	salt- pepper- 0.05	robustness	FS		0.1508	max	0.1508	spearman0.530299	pos_multi0.002	0.530299	pos_multi0.002	1.0999e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	simpleavg	salt- pepper- 0.05	robustness	FS		0.1618	max	0.1618	spearman0.661997	pos_multi0.002	0.661997	pos_multi0.002	1.0523e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	simpleavg	salt- pepper- 0.05	robustness	FS		0.1386	max	0.1386	spearman0.533641	pos_multi0.002	0.533641	pos_multi0.002	1.0796e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	simpleavg	salt- pepper- 0.05	robustness	FS		0.1294	max	0.1294	spearman0.475614	pos_multi0.002	0.475614	pos_multi0.002	1.3254e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	simpleavg	salt- pepper- 0.05	robustness	FS		0.1328	max	0.1328	spearman0.505821	pos_multi0.002	0.505821	pos_multi0.002	1.3084e+05	force_bi	False	synthetic	3	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman7	simpleavg	salt-pepper-0.05	robustness	FS	0.1382	max	0.1382	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman8	simpleavg	salt-pepper-0.05	robustness	FS	0.1426	max	0.1426	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman9	simpleavg	salt-pepper-0.05	robustness	FS	0.1372	max	0.1372	spearman0.612495	vs_multi0.002	posad1.1449e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman10	simpleavg	salt-pepper-0.05	robustness	FS	0.1396	max	0.1396	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman11	simpleavg	salt-pepper-0.05	robustness	FS	0.1376	max	0.1376	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	ion	True	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman12	borda	salt-pepper-0.05	robustness	Sbar	-0.0614	max	-0.0614	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman13	borda	salt-pepper-0.05	robustness	Sbar	-0.047	max	-0.047	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman14	borda	salt-pepper-0.05	robustness	Sbar	-0.0928	max	-0.0928	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman15	borda	salt-pepper-0.05	robustness	Sbar	-0.1106	max	-0.1106	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman16	borda	salt-pepper-0.05	robustness	Sbar	-0.0932	max	-0.0932	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman17	borda	salt-pepper-0.05	robustness	Sbar	-0.0788	max	-0.0788	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman18	borda	salt-pepper-0.05	robustness	Sbar	-0.0818	max	-0.0818	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	salt-pepper-0.05	robustness	Sbar	-0.0624	max	-0.0624	spearman0.612495	vs_multi0.002	posad1.1449e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	salt-pepper-0.05	robustness	Sbar	-0.0704	max	-0.0704	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	salt-pepper-0.05	robustness	Sbar	-0.0788	max	-0.0788	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	ion	True	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman12	kemeny	salt-pepper-0.05	robustness	Sbar	-0.0614	max	-0.0614	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman13	kemeny	salt-pepper-0.05	robustness	Sbar	-0.0356	max	-0.0356	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB
ImageNet- ImageNet- resnet18	ImageNet- resnet18	spearman14	kemeny	salt-pepper-0.05	robustness	Sbar	-0.0606	max	-0.0606	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedB

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0684	max	-0.0684	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0548	max	-0.0548	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.047	max	-0.047	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.053	max	-0.053	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.0396	max	-0.0396	spearman0.612495	vs_multi0.002	posad1.1849e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.047	max	-0.047	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.045	max	-0.045	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0702	max	-0.0702	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0532	max	-0.0532	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	rrf	salt- pepper- 0.05	robustness	Fbar	-0.072	max	-0.072	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0966	max	-0.0966	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0732	max	-0.0732	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0686	max	-0.0686	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	salt- pepper- 0.05	robustness	Fbar	-0.0622	max	-0.0622	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	salt- pepper- 0.05	robustness	Fbar	-0.052	max	-0.052	spearman0.612495	vs_multi0.002	posad1.1849e+05	nce_bi	False	sy	True	metric_9	approx	True	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	salt- pepper- 0.05	robustness	Fbar	-0.06	max	-0.06	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	salt- pepper- 0.05	robustness	Fbar	-0.066	max	-0.066	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_9	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	salt- pepper- 0.05	robustness	Fbar	-0.0614	max	-0.0614	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	mean	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0382	max	-0.0382	spearman0.661997vs_multi0.661997posall.0523e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0512	max	-0.0512	spearman0.533641vs_multi0.533641posall.0796e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0996	max	-0.0996	spearman0.475614vs_multi0.475614posall.3254e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0676	max	-0.0676	spearman0.505821vs_multi0.505821posall.3084e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0708	max	-0.0708	spearman0.569208vs_multi0.569208posall.2177e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0566	max	-0.0566	spearman0.574619vs_multi0.574619posall.2576e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0458	max	-0.0458	spearman0.612495vs_multi0.612495posall.1949e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0486	max	-0.0486	spearman0.548654vs_multi0.548654posall.5082e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	schulze	salt- pepper- 0.05	robustness	Sbar	-0.0656	max	-0.0656	spearman0.518147vs_multi0.518147posall.9165e+05	False	synthetic	metric3	approx	False	True	True	["GuidedBackprop			True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	simpleavgalt-pepper-0.05	robustness	Sbar	-0.0646	max	-0.0646	-0.0646	spearman0.530299vs_multi0.530299posall.0999e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	simpleavgalt-pepper-0.05	robustness	Sbar	-0.0568	max	-0.0568	-0.0568	spearman0.661997vs_multi0.661997posall.0523e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	simpleavgalt-pepper-0.05	robustness	Sbar	-0.1034	max	-0.1034	-0.1034	spearman0.533641vs_multi0.533641posall.0796e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	simpleavgalt-pepper-0.05	robustness	Sbar	-0.107	max	-0.107	-0.107	spearman0.475614vs_multi0.475614posall.3254e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	simpleavgalt-pepper-0.05	robustness	Sbar	-0.105	max	-0.105	-0.105	spearman0.505821vs_multi0.505821posall.3084e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	simpleavgalt-pepper-0.05	robustness	Sbar	-0.1	max	-0.1	-0.1	spearman0.569208vs_multi0.569208posall.2177e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	simpleavgalt-pepper-0.05	robustness	Sbar	-0.0946	max	-0.0946	-0.0946	spearman0.574619vs_multi0.574619posall.2576e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman19	simpleavgalt-pepper-0.05	robustness	Sbar	-0.0888	max	-0.0888	-0.0888	spearman0.612495vs_multi0.612495posall.1949e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	simpleavgalt-pepper-0.05	robustness	Sbar	-0.0938	max	-0.0938	-0.0938	spearman0.548654vs_multi0.548654posall.5082e+05	False	synthetic	metric3	approx	False	True	False	["GuidedBackprop			False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman1	1	simpleavg	alt-pepper-0.05	robustness	bar	-0.0916	max	-0.0916	spearman	0.518147	0.518147	0.518147	multi0.002	pos	2.9165e+05	once_b	True	sy	metric_3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	borda	speckle-0.15	robustness	bar	0.1106	max	0.1106	spearman	0.530299	0.530299	0.530299	multi0.002	pos	1.0999e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	borda	speckle-0.15	robustness	bar	0.113	max	0.113	spearman	0.661997	0.661997	0.661997	multi0.002	pos	1.0523e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	borda	speckle-0.15	robustness	bar	0.1176	max	0.1176	spearman	0.533641	0.533641	0.533641	multi0.002	pos	1.0796e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	borda	speckle-0.15	robustness	bar	0.1138	max	0.1138	spearman	0.475614	0.475614	0.475614	multi0.002	pos	1.3254e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	borda	speckle-0.15	robustness	bar	0.1164	max	0.1164	spearman	0.505821	0.505821	0.505821	multi0.002	pos	1.3084e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	borda	speckle-0.15	robustness	bar	0.126	max	0.126	spearman	0.569208	0.569208	0.569208	multi0.002	pos	1.2177e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	borda	speckle-0.15	robustness	bar	0.126	max	0.126	spearman	0.574619	0.574619	0.574619	multi0.002	pos	1.2576e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	9	borda	speckle-0.15	robustness	bar	0.1238	max	0.1238	spearman	0.612495	0.612495	0.612495	multi0.002	pos	1.1949e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	10	borda	speckle-0.15	robustness	bar	0.1204	max	0.1204	spearman	0.548654	0.548654	0.548654	multi0.002	pos	1.5082e+05	once_b	False	sy	metric_7	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	11	borda	speckle-0.15	robustness	bar	0.1142	max	0.1142	spearman	0.518147	0.518147	0.518147	multi0.002	pos	2.9165e+05	once_b	True	sy	metric_7	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	kemeny	speckle-0.15	robustness	bar	0.1106	max	0.1106	spearman	0.530299	0.530299	0.530299	multi0.002	pos	1.0999e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	kemeny	speckle-0.15	robustness	bar	0.1116	max	0.1116	spearman	0.661997	0.661997	0.661997	multi0.002	pos	1.0523e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	kemeny	speckle-0.15	robustness	bar	0.1136	max	0.1136	spearman	0.533641	0.533641	0.533641	multi0.002	pos	1.0796e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	kemeny	speckle-0.15	robustness	bar	0.1202	max	0.1202	spearman	0.475614	0.475614	0.475614	multi0.002	pos	1.3254e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	kemeny	speckle-0.15	robustness	bar	0.1134	max	0.1134	spearman	0.505821	0.505821	0.505821	multi0.002	pos	1.3084e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	kemeny	speckle-0.15	robustness	bar	0.121	max	0.121	spearman	0.569208	0.569208	0.569208	multi0.002	pos	1.2177e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	kemeny	speckle-0.15	robustness	bar	0.1234	max	0.1234	spearman	0.574619	0.574619	0.574619	multi0.002	pos	1.2576e+05	once_b	False	sy	metric_8	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	speckle- 0.15	robustness	G	0.115	max	0.115	spearman0.569208	vs_multi0.602	posad1.2177e+05	nce_bi	False	sy	True	metric6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	speckle- 0.15	robustness	G	0.1204	max	0.1204	spearman0.574619	vs_multi0.602	posad1.2576e+05	nce_bi	False	sy	True	metric6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	speckle- 0.15	robustness	G	0.1196	max	0.1196	spearman0.612495	vs_multi0.602	posad1.1449e+05	nce_bi	False	sy	True	metric6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	speckle- 0.15	robustness	G	0.1148	max	0.1148	spearman0.548654	vs_multi0.602	posad1.5082e+05	nce_bi	False	sy	True	metric6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	speckle- 0.15	robustness	G	0.112	max	0.112	spearman0.518147	vs_multi0.602	posad1.9165e+05	nce_bi	True	sy	True	metric6	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	speckle- 0.15	robustness	G	0.1022	max	0.1022	spearman0.530299	vs_multi0.602	posad1.0999e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	speckle- 0.15	robustness	G	0.1116	max	0.1116	spearman0.661997	vs_multi0.602	posad1.0523e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	speckle- 0.15	robustness	G	0.121	max	0.121	spearman0.533641	vs_multi0.602	posad1.0796e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	speckle- 0.15	robustness	G	0.1188	max	0.1188	spearman0.475614	vs_multi0.602	posad1.3254e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	speckle- 0.15	robustness	G	0.12	max	0.12	spearman0.505821	vs_multi0.602	posad1.3084e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	speckle- 0.15	robustness	G	0.1168	max	0.1168	spearman0.569208	vs_multi0.602	posad1.2177e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	speckle- 0.15	robustness	G	0.124	max	0.124	spearman0.574619	vs_multi0.602	posad1.2576e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	G	0.1174	max	0.1174	spearman0.612495	vs_multi0.602	posad1.1449e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	G	0.1198	max	0.1198	spearman0.548654	vs_multi0.602	posad1.5082e+05	nce_bi	False	sy	True	metric8	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	G	0.1192	max	0.1192	spearman0.518147	vs_multi0.602	posad1.9165e+05	nce_bi	True	sy	True	metric8	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	spearman0.530299	vs_multi0.602	posad1.0999e+05	nce_bi	False	sy	True	metric9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	speckle- 0.15	robustness	Gbar	-0.0986	max	-0.0986	spearman0.661997	vs_multi0.602	posad1.0523e+05	nce_bi	False	sy	True	metric9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	speckle- 0.15	robustness	Gbar	-0.1024	max	-0.1024	spearman0.533641	vs_multi0.602	posad1.0796e+05	nce_bi	False	sy	True	metric9	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best q	is opti	q11 ref	method	
									direction	value	model	statistic	score	value	distance	selected q	by noise	forced fall-back		mal q	erence	prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	borda	speckle- 0.15	robustness	Gbar	-0.1142	max	-0.1142	spearman0.475614	vs_multi0.002	posall.3254e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	borda	speckle- 0.15	robustness	Gbar	-0.107	max	-0.107	spearman0.505821	vs_multi0.002	posall.3084e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	borda	speckle- 0.15	robustness	Gbar	-0.1042	max	-0.1042	spearman0.569208	vs_multi0.002	posall.2177e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	borda	speckle- 0.15	robustness	Gbar	-0.098	max	-0.098	spearman0.574619	vs_multi0.002	posall.2577e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	speckle- 0.15	robustness	Gbar	-0.0898	max	-0.0898	spearman0.612495	vs_multi0.002	posall.1849e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	speckle- 0.15	robustness	Gbar	-0.101	max	-0.101	spearman0.548654	vs_multi0.002	posall.5082e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	speckle- 0.15	robustness	Gbar	-0.103	max	-0.103	spearman0.518147	vs_multi0.002	posall.9165e+05	nce_bi	True	sy	True	metric_9	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	spearman0.530299	vs_multi0.002	posall.0999e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	kemeny	speckle- 0.15	robustness	Gbar	-0.0892	max	-0.0892	spearman0.661997	vs_multi0.002	posall.0523e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	kemeny	speckle- 0.15	robustness	Gbar	-0.1016	max	-0.1016	spearman0.533641	vs_multi0.002	posall.0799e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	kemeny	speckle- 0.15	robustness	Gbar	-0.1034	max	-0.1034	spearman0.475614	vs_multi0.002	posall.3254e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	kemeny	speckle- 0.15	robustness	Gbar	-0.0882	max	-0.0882	spearman0.505821	vs_multi0.002	posall.3084e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	kemeny	speckle- 0.15	robustness	Gbar	-0.0924	max	-0.0924	spearman0.569208	vs_multi0.002	posall.2177e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	kemeny	speckle- 0.15	robustness	Gbar	-0.0986	max	-0.0986	spearman0.574619	vs_multi0.002	posall.2577e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	kemeny	speckle- 0.15	robustness	Gbar	-0.0916	max	-0.0916	spearman0.612495	vs_multi0.002	posall.1849e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	kemeny	speckle- 0.15	robustness	Gbar	-0.0904	max	-0.0904	spearman0.548654	vs_multi0.002	posall.5082e+05	nce_bi	False	sy	True	metric_6	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	kemeny	speckle- 0.15	robustness	Gbar	-0.0994	max	-0.0994	spearman0.518147	vs_multi0.002	posall.9165e+05	nce_bi	True	sy	True	metric_6	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	rrf	speckle- 0.15	robustness	Gbar	-0.1034	max	-0.1034	spearman0.530299	vs_multi0.002	posall.0999e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best q	is opti	q11 ref	method
									direction	value	model	statistic	score	value	distance	selected q	by noise	forced fall-back		mal q	erence	prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	rrf	speckle- robustness	Gbar	-0.0962	max	-0.0962	spearman0.661907vs_multi0.661907posall.0523e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	rrf	speckle- robustness	Gbar	-0.102	max	-0.102	spearman0.533641vs_multi0.533641posall.0796e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	rrf	speckle- robustness	Gbar	-0.108	max	-0.108	spearman0.475614vs_multi0.475614posall.3254e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	rrf	speckle- robustness	Gbar	-0.0954	max	-0.0954	spearman0.505821vs_multi0.505821posall.3084e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	rrf	speckle- robustness	Gbar	-0.1004	max	-0.1004	spearman0.569208vs_multi0.569208posall.2177e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	rrf	speckle- robustness	Gbar	-0.0882	max	-0.0882	spearman0.574619vs_multi0.574619posall.2576e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	rrf	speckle- robustness	Gbar	-0.0882	max	-0.0882	spearman0.612495vs_multi0.612495posall.1949e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	rrf	speckle- robustness	Gbar	-0.0966	max	-0.0966	spearman0.548654vs_multi0.548654posall.5082e+05nce_bifalsed_syTmetric_8approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	rrf	speckle- robustness	Gbar	-0.0958	max	-0.0958	spearman0.518147vs_multi0.518147posall.9165e+05nce_bifalsed_syTmetric_8approxifalsion	True	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	schulze	speckle- robustness	Gbar	-0.0906	max	-0.0906	spearman0.530299vs_multi0.530299posall.0999e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	schulze	speckle- robustness	Gbar	-0.0924	max	-0.0924	spearman0.661907vs_multi0.661907posall.0523e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	schulze	speckle- robustness	Gbar	-0.0916	max	-0.0916	spearman0.533641vs_multi0.533641posall.0796e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	schulze	speckle- robustness	Gbar	-0.111	max	-0.111	spearman0.475614vs_multi0.475614posall.3254e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	schulze	speckle- robustness	Gbar	-0.0974	max	-0.0974	spearman0.505821vs_multi0.505821posall.3084e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	schulze	speckle- robustness	Gbar	-0.0946	max	-0.0946	spearman0.569208vs_multi0.569208posall.2177e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	schulze	speckle- robustness	Gbar	-0.0988	max	-0.0988	spearman0.574619vs_multi0.574619posall.2576e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	schulze	speckle- robustness	Gbar	-0.1016	max	-0.1016	spearman0.612495vs_multi0.612495posall.1949e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	schulze	speckle- robustness	Gbar	-0.0968	max	-0.0968	spearman0.548654vs_multi0.548654posall.5082e+05nce_bifalsed_syTmetric_2approxifalsion	False	["GuidedBackprop											

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	schulze	speckle- 0.15	robustness	Gbar	-0.0958	max	-0.0958	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	once_bif	True	syTmetric2	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	speckle- 0.15	robustness	Gbar	-0.1012	max	-0.1012	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	speckle- 0.15	robustness	Gbar	-0.0928	max	-0.0928	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	speckle- 0.15	robustness	Gbar	-0.1234	max	-0.1234	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	speckle- 0.15	robustness	Gbar	-0.13	max	-0.13	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	speckle- 0.15	robustness	Gbar	-0.1278	max	-0.1278	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	speckle- 0.15	robustness	Gbar	-0.1252	max	-0.1252	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	speckle- 0.15	robustness	Gbar	-0.1228	max	-0.1228	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	Gbar	-0.1178	max	-0.1178	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1949e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	Gbar	-0.1182	max	-0.1182	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	once_bif	False	syTmetric3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	Gbar	-0.1196	max	-0.1196	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	once_bif	True	syTmetric3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	speckle- 0.15	robustness	F	0.0816	max	0.0816	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	speckle- 0.15	robustness	F	0.084	max	0.084	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	speckle- 0.15	robustness	F	0.0798	max	0.0798	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	speckle- 0.15	robustness	F	0.0764	max	0.0764	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	speckle- 0.15	robustness	F	0.0764	max	0.0764	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	speckle- 0.15	robustness	F	0.084	max	0.084	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	speckle- 0.15	robustness	F	0.0866	max	0.0866	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	once_bif	False	syTmetric8	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix		
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	0	borda	speckle-0.15	robustness	0.077	max	0.077	spearman	0.612495	0.612495	0.612495	0.002pos	2.1949e+05	once_bi	False	symmetric	8	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	10	borda	speckle-0.15	robustness	0.0756	max	0.0756	spearman	0.548654	0.548654	0.548654	0.002pos	2.5082e+05	once_bi	False	symmetric	8	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	11	borda	speckle-0.15	robustness	0.0748	max	0.0748	spearman	0.518147	0.518147	0.518147	0.002pos	2.9165e+05	once_bi	True	symmetric	8	approx	False	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	2	kemeny	speckle-0.15	robustness	0.0816	max	0.0816	spearman	0.530299	0.530299	0.530299	0.002pos	1.0999e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	3	kemeny	speckle-0.15	robustness	0.0812	max	0.0812	spearman	0.661997	0.661997	0.661997	0.002pos	1.0523e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	4	kemeny	speckle-0.15	robustness	0.0806	max	0.0806	spearman	0.533641	0.533641	0.533641	0.002pos	2.0796e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	5	kemeny	speckle-0.15	robustness	0.0846	max	0.0846	spearman	0.475614	0.475614	0.475614	0.002pos	2.3254e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	6	kemeny	speckle-0.15	robustness	0.081	max	0.081	spearman	0.505821	0.505821	0.505821	0.002pos	2.3084e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	7	kemeny	speckle-0.15	robustness	0.0798	max	0.0798	spearman	0.569208	0.569208	0.569208	0.002pos	2.2177e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	8	kemeny	speckle-0.15	robustness	0.0816	max	0.0816	spearman	0.574619	0.574619	0.574619	0.002pos	2.2576e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	9	kemeny	speckle-0.15	robustness	0.0756	max	0.0756	spearman	0.612495	0.612495	0.612495	0.002pos	2.1949e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	10	kemeny	speckle-0.15	robustness	0.0726	max	0.0726	spearman	0.548654	0.548654	0.548654	0.002pos	2.5082e+05	once_bi	False	symmetric	5	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	11	kemeny	speckle-0.15	robustness	0.0748	max	0.0748	spearman	0.518147	0.518147	0.518147	0.002pos	2.9165e+05	once_bi	True	symmetric	5	approx	False	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	2	rrf	speckle-0.15	robustness	0.0782	max	0.0782	spearman	0.530299	0.530299	0.530299	0.002pos	1.0999e+05	once_bi	False	symmetric	7	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	3	rrf	speckle-0.15	robustness	0.0804	max	0.0804	spearman	0.661997	0.661997	0.661997	0.002pos	1.0523e+05	once_bi	False	symmetric	7	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	4	rrf	speckle-0.15	robustness	0.0828	max	0.0828	spearman	0.533641	0.533641	0.533641	0.002pos	2.0796e+05	once_bi	False	symmetric	7	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	5	rrf	speckle-0.15	robustness	0.0822	max	0.0822	spearman	0.475614	0.475614	0.475614	0.002pos	2.3254e+05	once_bi	False	symmetric	7	approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet-resnet18	ImageNet-resnet18	spearman	6	rrf	speckle-0.15	robustness	0.0796	max	0.0796	spearman	0.505821	0.505821	0.505821	0.002pos	2.3084e+05	once_bi	False	symmetric	7	approx	False	False	["Guide

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	speckle- 0.15	robustness	F	0.0858	max	0.0858	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_7	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	speckle- 0.15	robustness	F	0.083	max	0.083	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_7	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	speckle- 0.15	robustness	F	0.074	max	0.074	spearman0.612495	vs_multi0.002	posad1.1449e+05	nce_bi	False	sy	True	metric_7	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	speckle- 0.15	robustness	F	0.0752	max	0.0752	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_7	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	speckle- 0.15	robustness	F	0.0742	max	0.0742	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_7	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	speckle- 0.15	robustness	F	0.0816	max	0.0816	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	speckle- 0.15	robustness	F	0.0878	max	0.0878	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	speckle- 0.15	robustness	F	0.0876	max	0.0876	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	speckle- 0.15	robustness	F	0.0788	max	0.0788	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	speckle- 0.15	robustness	F	0.081	max	0.081	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	speckle- 0.15	robustness	F	0.0796	max	0.0796	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	speckle- 0.15	robustness	F	0.0808	max	0.0808	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	speckle- 0.15	robustness	F	0.0772	max	0.0772	spearman0.612495	vs_multi0.002	posad1.1449e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	speckle- 0.15	robustness	F	0.0768	max	0.0768	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	speckle- 0.15	robustness	F	0.077	max	0.077	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	speckle- 0.15	robustness	F	0.0718	max	0.0718	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	speckle- 0.15	robustness	F	0.0768	max	0.0768	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	speckle- 0.15	robustness	F	0.08	max	0.08	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	speckle- 0.15	robustness	F	0.0722	max	0.0722	spearman0.475614	vs_multi0.002	posall0.3254e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	speckle- 0.15	robustness	F	0.0756	max	0.0756	spearman0.505821	vs_multi0.002	posall0.3084e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	speckle- 0.15	robustness	F	0.0736	max	0.0736	spearman0.569208	vs_multi0.002	posall0.2177e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	speckle- 0.15	robustness	F	0.0774	max	0.0774	spearman0.574619	vs_multi0.002	posall0.2577e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	F	0.0718	max	0.0718	spearman0.612495	vs_multi0.002	posall0.1849e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	F	0.0736	max	0.0736	spearman0.548654	vs_multi0.002	posall0.5082e+05	nce_bi	False	sy	True	metric_4	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	F	0.0734	max	0.0734	spearman0.518147	vs_multi0.002	posall0.9165e+05	nce_bi	True	sy	True	metric_4	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	speckle- 0.15	robustness	Fbar	-0.0278	max	-0.0278	spearman0.530299	vs_multi0.002	posall0.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	speckle- 0.15	robustness	Fbar	-0.0274	max	-0.0274	spearman0.661997	vs_multi0.002	posall0.523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	speckle- 0.15	robustness	Fbar	-0.0402	max	-0.0402	spearman0.533641	vs_multi0.002	posall0.799e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	speckle- 0.15	robustness	Fbar	-0.051	max	-0.051	spearman0.475614	vs_multi0.002	posall0.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	speckle- 0.15	robustness	Fbar	-0.0426	max	-0.0426	spearman0.505821	vs_multi0.002	posall0.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	speckle- 0.15	robustness	Fbar	-0.0402	max	-0.0402	spearman0.569208	vs_multi0.002	posall0.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	speckle- 0.15	robustness	Fbar	-0.0396	max	-0.0396	spearman0.574619	vs_multi0.002	posall0.2577e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	speckle- 0.15	robustness	Fbar	-0.028	max	-0.028	spearman0.612495	vs_multi0.002	posall0.1849e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	speckle- 0.15	robustness	Fbar	-0.0368	max	-0.0368	spearman0.548654	vs_multi0.002	posall0.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	speckle- 0.15	robustness	Fbar	-0.0428	max	-0.0428	spearman0.518147	vs_multi0.002	posall0.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	kemeny	speckle- 0.15	robustness	Fbar	-0.0278	max	-0.0278	spearman0.530299	vs_multi0.002	posall0.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc-	value	model	statis-	score	value	dis-	tance	se-	by	forced		mal q	erence	prefix
									tion			tic					q	noise	fall-				
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	kemeny	speckle- robustness	0.15	0.0222	max	-0.0222	-0.0222	spearman0.661997	vs_multi0.661997	posall.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	kemeny	speckle- robustness	0.15	-0.0352	max	-0.0352	-0.0352	spearman0.533641	vs_multi0.533641	posall.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	kemeny	speckle- robustness	0.15	-0.0446	max	-0.0446	-0.0446	spearman0.475614	vs_multi0.475614	posall.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	kemeny	speckle- robustness	0.15	-0.0298	max	-0.0298	-0.0298	spearman0.505821	vs_multi0.505821	posall.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	kemeny	speckle- robustness	0.15	-0.0288	max	-0.0288	-0.0288	spearman0.569208	vs_multi0.569208	posall.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	kemeny	speckle- robustness	0.15	-0.0328	max	-0.0328	-0.0328	spearman0.574619	vs_multi0.574619	posall.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	kemeny	speckle- robustness	0.15	-0.0288	max	-0.0288	-0.0288	spearman0.612495	vs_multi0.612495	posall.1949e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	kemeny	speckle- robustness	0.15	-0.0294	max	-0.0294	-0.0294	spearman0.548654	vs_multi0.548654	posall.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	kemeny	speckle- robustness	0.15	-0.0362	max	-0.0362	-0.0362	spearman0.518147	vs_multi0.518147	posall.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	ion	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	rrf	speckle- robustness	0.15	-0.0366	max	-0.0366	-0.0366	spearman0.530299	vs_multi0.530299	posall.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	rrf	speckle- robustness	0.15	-0.0276	max	-0.0276	-0.0276	spearman0.661997	vs_multi0.661997	posall.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	rrf	speckle- robustness	0.15	-0.0386	max	-0.0386	-0.0386	spearman0.533641	vs_multi0.533641	posall.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	rrf	speckle- robustness	0.15	-0.0468	max	-0.0468	-0.0468	spearman0.475614	vs_multi0.475614	posall.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	rrf	speckle- robustness	0.15	-0.039	max	-0.039	-0.039	spearman0.505821	vs_multi0.505821	posall.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	rrf	speckle- robustness	0.15	-0.0366	max	-0.0366	-0.0366	spearman0.569208	vs_multi0.569208	posall.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	rrf	speckle- robustness	0.15	-0.0284	max	-0.0284	-0.0284	spearman0.574619	vs_multi0.574619	posall.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman19	rrf	speckle- robustness	0.15	-0.032	max	-0.032	-0.032	spearman0.612495	vs_multi0.612495	posall.1949e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	rrf	speckle- robustness	0.15	-0.0354	max	-0.0354	-0.0354	spearman0.548654	vs_multi0.548654	posall.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman1	1	rrf	speckle- 0.15	robustness	Sbar	-0.0342	max	-0.0342	spearman	0.518147	0.518147	0.518147	multi0.002	pos	2.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	schulze	speckle- 0.15	robustness	Sbar	-0.0278	max	-0.0278	spearman	0.530299	0.530299	0.530299	multi0.002	pos	1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	schulze	speckle- 0.15	robustness	Sbar	-0.0238	max	-0.0238	spearman	0.661997	0.661997	0.661997	multi0.002	pos	1.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	schulze	speckle- 0.15	robustness	Sbar	-0.028	max	-0.028	spearman	0.533641	0.533641	0.533641	multi0.002	pos	1.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	schulze	speckle- 0.15	robustness	Sbar	-0.049	max	-0.049	spearman	0.475614	0.475614	0.475614	multi0.002	pos	1.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	schulze	speckle- 0.15	robustness	Sbar	-0.039	max	-0.039	spearman	0.505821	0.505821	0.505821	multi0.002	pos	1.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	schulze	speckle- 0.15	robustness	Sbar	-0.0368	max	-0.0368	spearman	0.569208	0.569208	0.569208	multi0.002	pos	1.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	schulze	speckle- 0.15	robustness	Sbar	-0.0354	max	-0.0354	spearman	0.574619	0.574619	0.574619	multi0.002	pos	1.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	9	schulze	speckle- 0.15	robustness	Sbar	-0.0356	max	-0.0356	spearman	0.612495	0.612495	0.612495	multi0.002	pos	1.1944e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	10	schulze	speckle- 0.15	robustness	Sbar	-0.0386	max	-0.0386	spearman	0.548654	0.548654	0.548654	multi0.002	pos	1.5082e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	11	schulze	speckle- 0.15	robustness	Sbar	-0.035	max	-0.035	spearman	0.518147	0.518147	0.518147	multi0.002	pos	2.9165e+05	nce_bi	True	sy	True	metric_3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	simpleavg	speckle- 0.15	robustness	Sbar	-0.0368	max	-0.0368	spearman	0.530299	0.530299	0.530299	multi0.002	pos	1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	simpleavg	speckle- 0.15	robustness	Sbar	-0.0282	max	-0.0282	spearman	0.661997	0.661997	0.661997	multi0.002	pos	1.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	simpleavg	speckle- 0.15	robustness	Sbar	-0.0688	max	-0.0688	spearman	0.533641	0.533641	0.533641	multi0.002	pos	1.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	simpleavg	speckle- 0.15	robustness	Sbar	-0.0666	max	-0.0666	spearman	0.475614	0.475614	0.475614	multi0.002	pos	1.3254e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	simpleavg	speckle- 0.15	robustness	Sbar	-0.066	max	-0.066	spearman	0.505821	0.505821	0.505821	multi0.002	pos	1.3084e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	simpleavg	speckle- 0.15	robustness	Sbar	-0.0588	max	-0.0588	spearman	0.569208	0.569208	0.569208	multi0.002	pos	1.2177e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	simpleavg	speckle- 0.15	robustness	Sbar	-0.0638	max	-0.0638	spearman	0.574619	0.574619	0.574619	multi0.002	pos	1.2576e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q	rule	condition	value	metric	value	objective	direction	objective	fit	fit	fit	p	mean	noise	selected	noise	best q	is opti-	q11 ref-	method
			model			kind					value	model	statistic	score	value	distance	selected q	by noise	forced fall-back		mal q	erence	prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	$\bar{S}$	-0.063	max	-0.063	spearman0.612405	res_multi0.002	pos	2.1949e+05	0.612495	2.1949e+05	once_bi	False	syn	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	$\bar{S}$	-0.0646	max	-0.0646	spearman0.548654	res_multi0.002	pos	2.5082e+05	0.548654	2.5082e+05	once_bi	False	syn	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	$\bar{S}$	-0.0636	max	-0.0636	spearman0.518147	res_multi0.002	pos	2.9165e+05	0.518147	2.9165e+05	once_bi	True	syn	metric_3approx	False	True	["GuidedBackprop

Table 172: NOISE q-sweep diagnostics results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	adversarial	conditioned	cd_qual	0.9922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	adversarial	conditioned	cd_qual	0.9856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	conditioned	cd_qual	0.91056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	conditioned	cd_qual	0.9109	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	conditioned	cd_qual	0.91012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	conditioned	cd_qual	0.9966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	conditioned	cd_qual	0.9946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	conditioned	cd_qual	0.9892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	conditioned	cd_qual	0.9884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	conditioned	cd_qual	0.9874	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial	conditioned	cd_qual	0.9922	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial	conditioned	cd_qual	0.9824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial	conditioned	cd_qual	0.9932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial	conditioned	cd_qual	0.91074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial	conditioned	cd_qual	0.9984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial	conditioned	cd_qual	0.994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial	conditioned	cd_qual	0.9914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial	conditioned	cd_qual	0.9854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	adversarial	adDITIONed_qual0.9848	0.9848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	adDITIONed_qual0.9888	0.9888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	adversarial	adDITIONed_qual0.9896	0.9896	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	adversarial	adDITIONed_qual0.9932	0.9932	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	adversarial	adDITIONed_qual0.9852	0.9852	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	adversarial	adDITIONed_qual0.9142	0.9142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	adversarial	adDITIONed_qual0.9114	0.9114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	adversarial	adDITIONed_qual0.9126	0.9126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	adversarial	adDITIONed_qual0.9122	0.9122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	adversarial	adDITIONed_qual0.9112	0.9112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	adversarial	adDITIONed_qual0.91078	0.91078	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	adversarial	adDITIONed_qual0.91074	0.91074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	adversarial	adDITIONed_qual0.91092	0.91092	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	adversarial	adDITIONed_qual0.92	0.92	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	adversarial	adDITIONed_qual0.92154	0.92154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	adversarial	adDITIONed_qual0.92312	0.92312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	adversarial	adDITIONed_qual0.92496	0.92496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	borda	adversarial	adDITIONed_qual0.92648	0.92648	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	borda	adversarial	adDITIONed_qual0.92788	0.92788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	condition sara-2- 255	barqual	0.2864	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	condition sara-2- 255	barqual	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	condition sara-2- 255	barqual	0.3018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	condition sara-2- 255	barqual	0.2932	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial	condition sara-2- 255	barqual	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial	condition sara-2- 255	barqual	0.2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial	condition sara-2- 255	barqual	0.237	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial	condition sara-2- 255	barqual	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial	condition sara-2- 255	barqual	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial	condition sara-2- 255	barqual	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial	condition sara-2- 255	barqual	0.2754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial	condition sara-2- 255	barqual	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	adversarial	condition sara-2- 255	barqual	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	adversarial	condition sara-2- 255	barqual	0.3	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	adversarial	condition sara-2- 255	barqual	0.1954	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	adversarial	condition sara-2- 255	barqual	0.2192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	adversarial	condition sara-2- 255	barqual	0.211	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	adversarial	condition sara-2- 255	barqual	0.234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	rrf	adversarial	condition sara-2- 255	barqual	0.2396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	condition sara-2- 255	0.6	0.2626	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	condition sara-2- 255	0.6	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	condition sara-2- 255	0.6	0.2918	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	condition sara-2- 255	0.6	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	condition sara-2- 255	0.6	0.2816	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	adversarial	condition sara-2- 255	0.6	0.2	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	adversarial	condition sara-2- 255	0.6	0.2552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	adversarial	condition sara-2- 255	0.6	0.2364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	adversarial	condition sara-2- 255	0.6	0.246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	adversarial	condition sara-2- 255	0.6	0.2482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	adversarial	condition sara-2- 255	0.6	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	adversarial	condition sara-2- 255	0.6	0.2734	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	adversarial	condition sara-2- 255	0.6	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	adversarial	condition sara-2- 255	0.6	0.3036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	adversarial	condition sara-2- 255	0.6	0.2938	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	adversarial	condition sara-2- 255	0.6	0.2054	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	adversarial	condition sara-2- 255	0.6	0.2218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	adversarial	condition sara-2- 255	0.6	0.2918	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	simpleavg	adversarial	condition sara-2- 255	0.6	0.322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	simpleavg	adversarial	conditioned sara-2- 255	barqual	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	simpleavg	adversarial	conditioned sara-2- 255	barqual	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	simpleavg	adversarial	conditioned sara-2- 255	barqual	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	simpleavg	adversarial	conditioned sara-2- 255	barqual	0.3136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	simpleavg	adversarial	conditioned sara-2- 255	barqual	0.3106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	simpleavg	adversarial	conditioned sara-2- 255	barqual	0.3108	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	borda	adversarial	conditioned sara-2- 255	ed_qual	0.974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	borda	adversarial	conditioned sara-2- 255	ed_qual	0.9644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	borda	adversarial	conditioned sara-2- 255	ed_qual	0.963	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	kemeny	adversarial	conditioned sara-2- 255	ed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	kemeny	adversarial	conditioned sara-2- 255	ed_qual	0.9586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet24- resnet18	24	kemeny	adversarial	conditioned sara-2- 255	ed_qual	0.9684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9652	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9652	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.973	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18		rrf	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9656	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18		schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.9658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18		schulze	adversarial	ad-conditioned_sara-2-255	Fed_qual	0.96	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	schulze	adversarial	conditioned	ed_qual	0.9658	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	schulze	adversarial	conditioned	ed_qual	0.9784	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	schulze	adversarial	conditioned	ed_qual	0.973	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	schulze	adversarial	conditioned	ed_qual	0.973	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	schulze	adversarial	conditioned	ed_qual	0.9668	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	schulze	adversarial	conditioned	ed_qual	0.961	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	schulze	adversarial	conditioned	ed_qual	0.9644	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	schulze	adversarial	conditioned	ed_qual	0.965	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	12	simpleavg	adversarial	conditioned	ed_qual	0.9666	False	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	13	simpleavg	adversarial	conditioned	ed_qual	0.9608	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	14	simpleavg	adversarial	conditioned	ed_qual	0.9834	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	15	simpleavg	adversarial	conditioned	ed_qual	0.9818	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	16	simpleavg	adversarial	conditioned	ed_qual	0.9804	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	17	simpleavg	adversarial	conditioned	ed_qual	0.9802	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	18	simpleavg	adversarial	conditioned	ed_qual	0.9812	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	19	simpleavg	adversarial	conditioned	ed_qual	0.9784	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	20	simpleavg	adversarial	conditioned	ed_qual	0.9776	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	21	simpleavg	adversarial	conditioned	ed_qual	0.9782	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	22	borda	adversarial	conditioned	ed_qual	0.9722	False	["GuidedBackprop","DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	condition	F _{bar} quality	0.1364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	condition	F _{bar} quality	0.15	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	condition	F _{bar} quality	0.172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	condition	F _{bar} quality	0.1768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	condition	F _{bar} quality	0.1926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	condition	F _{bar} quality	0.1998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	condition	F _{bar} quality	0.2154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	condition	F _{bar} quality	0.2072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	condition	F _{bar} quality	0.1996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	adversarial	condition	F _{bar} quality	0.122	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	condition	F _{bar} quality	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	adversarial	condition	F _{bar} quality	0.1562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	adversarial	condition	F _{bar} quality	0.1386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	adversarial	condition	F _{bar} quality	0.1508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	adversarial	condition	F _{bar} quality	0.183	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	condition	F _{bar} quality	0.1884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	adversarial	condition	F _{bar} quality	0.2156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	adversarial	condition	F _{bar} quality	0.2066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	adversarial	condition	F _{bar} quality	0.2084	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.119	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.141	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1582	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1794	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1836	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.2026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.1968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	condition sara-2- 255	F _{tar} quality	0.193	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.122	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.1866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.2202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	condition sara-2- 255	F _{tar} quality	0.2116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	adversarial	conditioned sara-2- 255	F _{bar} qual	0.2012	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1456	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1227	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.1217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	conditioned sara-2- 255	F _{bar} qual	0.12172	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.621	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6526	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	gaussian-conditioned	0.15	F _{cd} _qual	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-conditioned 0.15	ed_qual	0.6164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	gaussian-conditioned 0.15	ed_qual	0.614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-conditioned 0.15	ed_qual	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-conditioned 0.15	ed_qual	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-conditioned 0.15	ed_qual	0.6268	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-conditioned 0.15	ed_qual	0.6448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-conditioned 0.15	ed_qual	0.623	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-conditioned 0.15	ed_qual	0.6242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-conditioned 0.15	ed_qual	0.6104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-conditioned 0.15	ed_qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-conditioned 0.15	ed_qual	0.5952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-conditioned 0.15	ed_qual	0.6006	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	gaussian-conditioned 0.15	ed_qual	0.6344	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	gaussian-conditioned 0.15	ed_qual	0.6178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-conditioned 0.15	ed_qual	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-conditioned 0.15	ed_qual	0.6504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-conditioned 0.15	ed_qual	0.6422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-conditioned 0.15	ed_qual	0.6282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-conditioned 0.15	ed_qual	0.6226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	rrf	gaussian-conditioned 0.15	cd_qual	0.6122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-conditioned 0.15	cd_qual	0.6094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	gaussian-conditioned 0.15	cd_qual	0.6098	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	gaussian-conditioned 0.15	cd_qual	0.6324	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-conditioned 0.15	cd_qual	0.6206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	gaussian-conditioned 0.15	cd_qual	0.6212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	gaussian-conditioned 0.15	cd_qual	0.649	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-conditioned 0.15	cd_qual	0.6398	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-conditioned 0.15	cd_qual	0.6212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-conditioned 0.15	cd_qual	0.6094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-conditioned 0.15	cd_qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-conditioned 0.15	cd_qual	0.6004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-conditioned 0.15	cd_qual	0.6056	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6302	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-conditioned 0.15	cd_qual	0.628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-conditioned 0.15	cd_qual	0.635	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	gaussian-conditioned 0.15	cd_qual	0.629	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	gaussian-conditioned 0.15	cd_qual	0.631	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	gaussian-conditioned 0.15	cd_qual	0.6334	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	gaussian-conditioned 0.15	cd_qual	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	gaussian-conditioned 0.15	cd_qual	0.5822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	gaussian-conditioned 0.15	cd_qual	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	gaussian-conditioned 0.15	cd_qual	0.6714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	gaussian-conditioned 0.15	cd_qual	0.6682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	gaussian-conditioned 0.15	cd_qual	0.6684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	gaussian-conditioned 0.15	cd_qual	0.6638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	gaussian-conditioned 0.15	cd_qual	0.6606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	gaussian-conditioned 0.15	cd_qual	0.6654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	gaussian-conditioned 0.15	cd_qual	0.6672	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	gaussian-conditioned 0.15	cd_qual	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	gaussian-conditioned 0.15	cd_qual	0.5826	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	kemeny	gaussian-conditioned 0.15	cd_qual	0.5858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	kemeny	gaussian-conditioned 0.15	cd_qual	0.5934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	kemeny	gaussian-conditioned 0.15	cd_qual	0.6008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-condition 0.15	Cbarqual	0.615	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-condition 0.15	Cbarqual	0.623	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-condition 0.15	Cbarqual	0.6276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-condition 0.15	Cbarqual	0.6362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-condition 0.15	Cbarqual	0.6266	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	gaussian-condition 0.15	Cbarqual	0.5794	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	gaussian-condition 0.15	Cbarqual	0.5848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-condition 0.15	Cbarqual	0.595	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-condition 0.15	Cbarqual	0.6418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-condition 0.15	Cbarqual	0.6312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-condition 0.15	Cbarqual	0.6296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-condition 0.15	Cbarqual	0.6268	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	gaussian-condition 0.15	Cbarqual	0.632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-condition 0.15	Cbarqual	0.6356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	gaussian-condition 0.15	Cbarqual	0.6368	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	gaussian-condition 0.15	Cbarqual	0.579	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	gaussian-condition 0.15	Cbarqual	0.581	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	gaussian-condition 0.15	Cbarqual	0.5876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	gaussian-condition 0.15	Cbarqual	0.6594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-condition 0.15	barqual	0.6186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-condition 0.15	barqual	0.6108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-condition 0.15	barqual	0.6188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-condition 0.15	barqual	0.6382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-condition 0.15	barqual	0.6298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-condition 0.15	barqual	0.6324	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleav	gaussian-condition 0.15	barqual	0.5798	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleav	gaussian-condition 0.15	barqual	0.58	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleav	gaussian-condition 0.15	barqual	0.6988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleav	gaussian-condition 0.15	barqual	0.743	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleav	gaussian-condition 0.15	barqual	0.732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleav	gaussian-condition 0.15	barqual	0.721	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleav	gaussian-condition 0.15	barqual	0.715	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleav	gaussian-condition 0.15	barqual	0.7084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleav	gaussian-condition 0.15	barqual	0.7058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleav	gaussian-condition 0.15	barqual	0.707	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	gaussian-condition 0.15	ed_qual	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	gaussian-condition 0.15	ed_qual	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	gaussian-condition 0.15	ed_qual	0.3572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18	5	borda	gaussian-conditioned 0.15	ed_qual	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	borda	gaussian-conditioned 0.15	ed_qual	0.3554	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	borda	gaussian-conditioned 0.15	ed_qual	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	borda	gaussian-conditioned 0.15	ed_qual	0.3376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	borda	gaussian-conditioned 0.15	ed_qual	0.3334	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	borda	gaussian-conditioned 0.15	ed_qual	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	borda	gaussian-conditioned 0.15	ed_qual	0.3272	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	kemeny	gaussian-conditioned 0.15	ed_qual	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	kemeny	gaussian-conditioned 0.15	ed_qual	0.345	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	kemeny	gaussian-conditioned 0.15	ed_qual	0.3456	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	kemeny	gaussian-conditioned 0.15	ed_qual	0.3578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	kemeny	gaussian-conditioned 0.15	ed_qual	0.344	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	kemeny	gaussian-conditioned 0.15	ed_qual	0.3446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	kemeny	gaussian-conditioned 0.15	ed_qual	0.3322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	kemeny	gaussian-conditioned 0.15	ed_qual	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	kemeny	gaussian-conditioned 0.15	ed_qual	0.3218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	kemeny	gaussian-conditioned 0.15	ed_qual	0.3224	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	rrf	gaussian-conditioned 0.15	ed_qual	0.3456	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	rrf	gaussian-conditioned 0.15	ed_qual	0.345	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	gaussian-conditioned 0.15	ed_qual	0.359	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	gaussian-conditioned 0.15	ed_qual	0.3532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	gaussian-conditioned 0.15	ed_qual	0.3512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	gaussian-conditioned 0.15	ed_qual	0.3424	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	gaussian-conditioned 0.15	ed_qual	0.3376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	gaussian-conditioned 0.15	ed_qual	0.3346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	gaussian-conditioned 0.15	ed_qual	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	gaussian-conditioned 0.15	ed_qual	0.326	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	schulze	gaussian-conditioned 0.15	ed_qual	0.3498	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	schulze	gaussian-conditioned 0.15	ed_qual	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	schulze	gaussian-conditioned 0.15	ed_qual	0.3464	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	schulze	gaussian-conditioned 0.15	ed_qual	0.3562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	schulze	gaussian-conditioned 0.15	ed_qual	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	schulze	gaussian-conditioned 0.15	ed_qual	0.342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	schulze	gaussian-conditioned 0.15	ed_qual	0.333	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	schulze	gaussian-conditioned 0.15	ed_qual	0.3248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	schulze	gaussian-conditioned 0.15	ed_qual	0.3222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	schulze	gaussian-conditioned 0.15	ed_qual	0.3238	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	simpleavg	gaussian-conditioned 0.15	ed_qual	0.3442	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg gaussian-conditioned 0.15	ed_qual	0.3488	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simple	avg gaussian-conditioned 0.15	ed_qual	0.3336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simple	avg gaussian-conditioned 0.15	ed_qual	0.3286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simple	avg gaussian-conditioned 0.15	ed_qual	0.3296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simple	avg gaussian-conditioned 0.15	ed_qual	0.3302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg gaussian-conditioned 0.15	ed_qual	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simple	avg gaussian-conditioned 0.15	ed_qual	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg gaussian-conditioned 0.15	ed_qual	0.3272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simple	avg gaussian-conditioned 0.15	ed_qual	0.329	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	gaussian-conditioned 0.15	ed_qual	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-conditioned 0.15	ed_qual	0.2502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-conditioned 0.15	ed_qual	0.2936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-conditioned 0.15	ed_qual	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-conditioned 0.15	ed_qual	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-conditioned 0.15	ed_qual	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-conditioned 0.15	ed_qual	0.3214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-conditioned 0.15	ed_qual	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-conditioned 0.15	ed_qual	0.3254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-conditioned 0.15	ed_qual	0.3182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.251	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.279	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2918	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2472	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.259	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.293	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-condition 0.15	$\mathbb{E}[\text{harqual}]$	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	gaussian-condition 0.15	F ₁ -equal	0.2952	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	gaussian-condition 0.15	F ₁ -equal	0.2466	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	gaussian-condition 0.15	F ₁ -equal	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	gaussian-condition 0.15	F ₁ -equal	0.2544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	gaussian-condition 0.15	F ₁ -equal	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	gaussian-condition 0.15	F ₁ -equal	0.2824	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	gaussian-condition 0.15	F ₁ -equal	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-condition 0.15	F ₁ -equal	0.2836	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-condition 0.15	F ₁ -equal	0.2994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-condition 0.15	F ₁ -equal	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-condition 0.15	F ₁ -equal	0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.2508	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3387	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	gaussian-condition 0.15	F ₁ -equal	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-condition	0.15	Equal	0.3622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-condition	0.15	Equal	0.3628	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	salt-pepper-0.05	conditioned	qual	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	salt-pepper-0.05	conditioned	qual	0.6118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	salt-pepper-0.05	conditioned	qual	0.6286	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	salt-pepper-0.05	conditioned	qual	0.6248	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	salt-pepper-0.05	conditioned	qual	0.6174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt-pepper-0.05	conditioned	qual	0.6146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt-pepper-0.05	conditioned	qual	0.6016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt-pepper-0.05	conditioned	qual	0.6024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt-pepper-0.05	conditioned	qual	0.5936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt-pepper-0.05	conditioned	qual	0.5964	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	salt-pepper-0.05	conditioned	qual	0.614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	salt-pepper-0.05	conditioned	qual	0.608	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	salt-pepper-0.05	conditioned	qual	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	salt-pepper-0.05	conditioned	qual	0.6284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	salt-pepper-0.05	conditioned	qual	0.6132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	salt-pepper-0.05	conditioned	qual	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	salt-pepper-0.05	conditioned	qual	0.6036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	0	kemeny	salt- pepper- 0.05	conditioned_qualified_quality	0.593	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	conditioned_qualified_quality	0.5872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	kemeny	salt- pepper- 0.05	conditioned_qualified_quality	0.588	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6132	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.605	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.6004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.59	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	conditioned_qualified_quality	0.5946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.614	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.633	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	schulze	salt- pepper- 0.05	conditioned_qualified_quality	0.6092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.6006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.5896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.5914	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.5884	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.603	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.6078	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.611	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.5958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.6014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.6054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.6068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.6012	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	salt- pepper- 0.05	conditioned	ed_qual	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	salt- pepper- 0.05	conditioned	ed_qual	0.5416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	salt- pepper- 0.05	conditioned	ed_qual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	salt- pepper- 0.05	conditioned	ed_qual	0.6404	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	borda	salt- pepper- 0.05	conditioned	ed_qual	0.6392	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	condition	Cbarqual	0.6394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	condition	Cbarqual	0.6302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	condition	Cbarqual	0.63	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	condition	Cbarqual	0.6292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	condition	Cbarqual	0.6286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5528	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.5922	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.6086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.6076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	salt- pepper- 0.05	condition	Cbarqual	0.6014	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	salt- pepper- 0.05	condition	Cbarqual	0.5448	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	salt- pepper- 0.05	condition	Cbarqual	0.5482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	salt- pepper- 0.05	condition	Cbarqual	0.5588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	salt- pepper- 0.05	condition	Cbarqual	0.6166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18		rrf	salt- pepper- 0.05	condition	CharQual	0.5984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18		rrf	salt- pepper- 0.05	condition	CharQual	0.599	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18		rrf	salt- pepper- 0.05	condition	CharQual	0.5988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18		rrf	salt- pepper- 0.05	condition	CharQual	0.6076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18		rrf	salt- pepper- 0.05	condition	CharQual	0.6022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18		rrf	salt- pepper- 0.05	condition	CharQual	0.6078	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.541	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.5556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.5544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.633	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.5938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.594	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.61	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.6034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18		schulze	salt- pepper- 0.05	condition	CharQual	0.614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18		simpleavg	salt- pepper- 0.05	condition	CharQual	0.551	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18		simpleavg	salt- pepper- 0.05	condition	CharQual	0.5516	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet24- resnet18		simpleavg	salt- pepper- 0.05	condition	CharQual	0.6804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.7178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.6808	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	salt- pepper- 0.05	conditioned_	qual	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	salt- pepper- 0.05	conditioned_	qual	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	salt- pepper- 0.05	conditioned_	qual	0.3468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	salt- pepper- 0.05	conditioned_	qual	0.3378	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	salt- pepper- 0.05	conditioned_	qual	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	salt- pepper- 0.05	conditioned_	qual	0.3354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	salt- pepper- 0.05	conditioned_	qual	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	salt- pepper- 0.05	conditioned_	qual	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	salt- pepper- 0.05	conditioned_	qual	0.3192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	salt- pepper- 0.05	conditioned_	qual	0.3204	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	salt- pepper- 0.05	conditioned_	qual	0.3426	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	salt- pepper- 0.05	conditioned_	qual	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3362	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	kemeny	salt- pepper- 0.05	conditioned	ed_qual	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3418	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3484	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3296	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	rrf	salt- pepper- 0.05	conditioned	ed_qual	0.3236	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3426	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3398	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3454	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	salt- pepper- 0.05	conditioned	ed_qual	0.3168	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3322	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	salt- pepper- 0.05	conditioned	ed_qual	0.3102	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	salt- pepper- 0.05	condition	F ₁ quality	0.273	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	condition	F ₁ quality	0.303	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	condition	F ₁ quality	0.3012	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	condition	F ₁ quality	0.2974	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2416	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2628	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.279	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	condition	F ₁ quality	0.2762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	kemeny	salt- pepper- 0.05	condition	F ₁	0.2684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	salt- pepper- 0.05	condition	F ₁	0.2126	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	salt- pepper- 0.05	condition	F ₁	0.2144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	salt- pepper- 0.05	condition	F ₁	0.2326	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	salt- pepper- 0.05	condition	F ₁	0.2834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	condition	F ₁	0.2696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	condition	F ₁	0.2732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	condition	F ₁	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	condition	F ₁	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	condition	F ₁	0.277	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	condition	F ₁	0.2836	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	condition	F ₁	0.2066	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	condition	F ₁	0.2168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	condition	F ₁	0.2238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	condition	F ₁	0.3014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	condition	F ₁	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	condition	F ₁	0.2662	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	condition	F ₁	0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	condition	F ₁	0.28	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned	cd_quality	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	conditioned	cd_quality	0.2838	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.2146	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.2206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3414	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3432	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	conditioned	cd_quality	0.3426	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	conditioned	cd_quality	0.1186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	conditioned	cd_quality	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned	cd_quality	0.1292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned	cd_quality	0.1258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned	cd_quality	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned	cd_quality	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned	cd_quality	0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	0	borda	speckle- 0.15	conditioned_qualified_quality_016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned_qualified_quality_972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	borda	speckle- 0.15	conditioned_qualified_quality_898	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	kemeny	speckle- 0.15	conditioned_qualified_quality_186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	kemeny	speckle- 0.15	conditioned_qualified_quality_032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	kemeny	speckle- 0.15	conditioned_qualified_quality_114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	kemeny	speckle- 0.15	conditioned_qualified_quality_433	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	kemeny	speckle- 0.15	conditioned_qualified_quality_194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	kemeny	speckle- 0.15	conditioned_qualified_quality_094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	kemeny	speckle- 0.15	conditioned_qualified_quality_054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	kemeny	speckle- 0.15	conditioned_qualified_quality_882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	speckle- 0.15	conditioned_qualified_quality_876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	kemeny	speckle- 0.15	conditioned_qualified_quality_846	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	rrf	speckle- 0.15	conditioned_qualified_quality_144	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	rrf	speckle- 0.15	conditioned_qualified_quality_13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	speckle- 0.15	conditioned_qualified_quality_26	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	speckle- 0.15	conditioned_qualified_quality_298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	speckle- 0.15	conditioned_qualified_quality_182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	speckle- 0.15	conditioned_qualified_quality_174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	speckle- 0.15	conditioned_	quality_096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	speckle- 0.15	conditioned_	quality_996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	speckle- 0.15	conditioned_	quality_999	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	speckle- 0.15	conditioned_	quality_938	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	schulze	speckle- 0.15	conditioned_	quality_186	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	schulze	speckle- 0.15	conditioned_	quality_058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	schulze	speckle- 0.15	conditioned_	quality_113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	schulze	speckle- 0.15	conditioned_	quality_127	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	schulze	speckle- 0.15	conditioned_	quality_214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	schulze	speckle- 0.15	conditioned_	quality_116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	speckle- 0.15	conditioned_	quality_048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	schulze	speckle- 0.15	conditioned_	quality_389	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	schulze	speckle- 0.15	conditioned_	quality_906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	schulze	speckle- 0.15	conditioned_	quality_388	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	simpleavg	speckle- 0.15	conditioned_	quality_078	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	simpleavg	speckle- 0.15	conditioned_	quality_112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	simpleavg	speckle- 0.15	conditioned_	quality_234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	simpleavg	speckle- 0.15	conditioned_	quality_106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	simpleavg	speckle- 0.15	conditioned_	quality_076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle- 0.15	conditioned	ed_quality	0.409	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	speckle- 0.15	conditioned	ed_quality	0.4052	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	conditioned	ed_quality	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	conditioned	ed_quality	0.3674	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned	ed_quality	0.4048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned	ed_quality	0.4358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned	ed_quality	0.4394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned	ed_quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned	ed_quality	0.4428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	conditioned	ed_quality	0.4562	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned	ed_quality	0.4524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle- 0.15	conditioned	ed_quality	0.4494	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	conditioned	ed_quality	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	conditioned	ed_quality	0.3936	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	conditioned	ed_quality	0.3788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	conditioned	ed_quality	0.3906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	condition	CharQual	0.3938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	condition	CharQual	0.4228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	condition	CharQual	0.4284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	condition	CharQual	0.455	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	condition	CharQual	0.445	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	condition	CharQual	0.4486	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	condition	CharQual	0.3594	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	condition	CharQual	0.3678	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	condition	CharQual	0.3768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	condition	CharQual	0.4174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	condition	CharQual	0.4134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	condition	CharQual	0.4234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	condition	CharQual	0.4188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	condition	CharQual	0.4434	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	speckle- 0.15	condition	CharQual	0.4354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	speckle- 0.15	condition	CharQual	0.4382	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	speckle- 0.15	condition	CharQual	0.3492	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	speckle- 0.15	condition	CharQual	0.3834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	speckle- 0.15	condition	CharQual	0.3788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	condition	barqual	0.4368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	condition	barqual	0.4126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	condition	barqual	0.4112	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	condition	barqual	0.4304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	condition	barqual	0.458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	condition	barqual	0.449	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	condition	barqual	0.4402	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleav	speckle-	condition	barqual	0.3658	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleav	speckle-	condition	barqual	0.368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleav	speckle-	condition	barqual	0.494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleav	speckle-	condition	barqual	0.5304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleav	speckle-	condition	barqual	0.5232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleav	speckle-	condition	barqual	0.5148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleav	speckle-	condition	barqual	0.5122	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleav	speckle-	condition	barqual	0.506	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleav	speckle-	condition	barqual	0.504	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleav	speckle-	condition	barqual	0.5058	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	speckle-	condition	Ed_qual	0.2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	speckle-	condition	Ed_qual	0.2602	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned_	quality_2654	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned_	quality_264	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned_	quality_2546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned_	quality_2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned_	quality_25	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	borda	speckle- 0.15	conditioned_	quality_2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned_	quality_2372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	borda	speckle- 0.15	conditioned_	quality_2328	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	kemeny	speckle- 0.15	conditioned_	quality_2634	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	kemeny	speckle- 0.15	conditioned_	quality_2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	kemeny	speckle- 0.15	conditioned_	quality_2556	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	kemeny	speckle- 0.15	conditioned_	quality_272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	kemeny	speckle- 0.15	conditioned_	quality_2616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	kemeny	speckle- 0.15	conditioned_	quality_2514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	kemeny	speckle- 0.15	conditioned_	quality_2458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	kemeny	speckle- 0.15	conditioned_	quality_233	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	kemeny	speckle- 0.15	conditioned_	quality_2312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	kemeny	speckle- 0.15	conditioned_	quality_2304	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	rrf	speckle- 0.15	conditioned_	quality_2594	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value	metric	value	q11	ref-	method
					kind				erence	prefix	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	rrf	speckle-0.15	conditioned	Fed_qual_0.2566	0.2566	False		["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	rrf	speckle-0.15	conditioned	Fed_qual_0.2662	0.2662	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	rrf	speckle-0.15	conditioned	Fed_qual_0.2708	0.2708	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	rrf	speckle-0.15	conditioned	Fed_qual_0.2594	0.2594	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	rrf	speckle-0.15	conditioned	Fed_qual_0.2586	0.2586	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	rrf	speckle-0.15	conditioned	Fed_qual_0.2512	0.2512	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	rrf	speckle-0.15	conditioned	Fed_qual_0.2384	0.2384	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	rrf	speckle-0.15	conditioned	Fed_qual_0.239	0.239	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	rrf	speckle-0.15	conditioned	Fed_qual_0.2354	0.2354	True		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	schulze	speckle-0.15	conditioned	Fed_qual_0.2634	0.2634	False		["GuidedBackprop", "DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	schulze	speckle-0.15	conditioned	Fed_qual_0.2536	0.2536	False		["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	schulze	speckle-0.15	conditioned	Fed_qual_0.258	0.258	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	schulze	speckle-0.15	conditioned	Fed_qual_0.2664	0.2664	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	schulze	speckle-0.15	conditioned	Fed_qual_0.262	0.262	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	schulze	speckle-0.15	conditioned	Fed_qual_0.2546	0.2546	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	schulze	speckle-0.15	conditioned	Fed_qual_0.248	0.248	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	schulze	speckle-0.15	conditioned	Fed_qual_0.235	0.235	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	schulze	speckle-0.15	conditioned	Fed_qual_0.2386	0.2386	False		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	schulze	speckle-0.15	conditioned	Fed_qual_0.2346	0.2346	True		["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2532	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	speckle- 0.15	conditioned	ed_qual	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2466	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle- 0.15	conditioned	ed_qual	0.2472	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	speckle- 0.15	conditioned	ed_qual	0.246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	conditioned	ed_qual	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	conditioned	ed_qual	0.186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	conditioned	ed_qual	0.2204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	conditioned	ed_qual	0.2492	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	conditioned	ed_qual	0.2518	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	conditioned	ed_qual	0.2644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	conditioned	ed_qual	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	conditioned	ed_qual	0.2668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	conditioned	ed_qual	0.2652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	speckle- 0.15	condition	F ₁ equality	0.2614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	condition	F ₁ equality	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	condition	F ₁ equality	0.2126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	condition	F ₁ equality	0.2002	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	condition	F ₁ equality	0.2104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	condition	F ₁ equality	0.2166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	condition	F ₁ equality	0.2376	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	condition	F ₁ equality	0.2426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	condition	F ₁ equality	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	condition	F ₁ equality	0.2586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	condition	F ₁ equality	0.2596	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	condition	F ₁ equality	0.179	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	condition	F ₁ equality	0.1888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	condition	F ₁ equality	0.1992	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	condition	F ₁ equality	0.2336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	condition	F ₁ equality	0.2354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	condition	F ₁ equality	0.2412	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	condition	F ₁ equality	0.236	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	condition	F ₁ equality	0.2578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle- 0.15	condition	F1	0.2524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	speckle- 0.15	condition	F1	0.2518	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle- 0.15	condition	F1	0.173	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	speckle- 0.15	condition	F1	0.2024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle- 0.15	condition	F1	0.2006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle- 0.15	condition	F1	0.2508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle- 0.15	condition	F1	0.2346	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle- 0.15	condition	F1	0.2322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle- 0.15	condition	F1	0.2422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle- 0.15	condition	F1	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle- 0.15	condition	F1	0.2648	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle- 0.15	condition	F1	0.2532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	speckle- 0.15	condition	F1	0.1868	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	speckle- 0.15	condition	F1	0.192	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	speckle- 0.15	condition	F1	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	speckle- 0.15	condition	F1	0.3364	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	speckle- 0.15	condition	F1	0.3292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	speckle- 0.15	condition	F1	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	speckle- 0.15	condition	F1	0.3212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	simple	avg	speckle- 0.15	condition	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg	speckle- 0.15	condition	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	simple	avg	speckle- 0.15	condition	0.3146	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	clean	quality	C	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	clean	quality	C	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	clean	quality	C	0.3116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	clean	quality	C	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	clean	quality	C	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	clean	quality	C	0.289	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	clean	quality	C	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	clean	quality	C	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	clean	quality	C	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	clean	quality	C	0.2756	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	clean	quality	C	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	clean	quality	C	0.2916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	clean	quality	C	0.2978	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	clean	quality	C	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	clean	quality	C	0.306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	clean	quality	C	0.2884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	clean	quality	C	0.282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	clean	quality	C	0.2744	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	clean	quality	C	0.2722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	clean	quality	C	0.271	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	clean	quality	C	0.3074	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	clean	quality	C	0.3022	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	clean	quality	C	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	clean	quality	C	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	clean	quality	C	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	clean	quality	C	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	clean	quality	C	0.2878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	clean	quality	C	0.2798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	clean	quality	C	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	clean	quality	C	0.2812	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	clean	quality	C	0.308	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	clean	quality	C	0.2924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	clean	quality	C	0.2974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	clean	quality	C	0.312	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	schulze	clean	quality	C	0.3008	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	clean	quality	C	0.2966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	clean	quality	C	0.2844	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	clean	quality	C	0.2694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	clean	quality	C	0.2758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	clean	quality	C	0.276	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	clean	quality	C	0.3056	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	clean	quality	C	0.2996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	clean	quality	C	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	clean	quality	C	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	clean	quality	C	0.2876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	clean	quality	C	0.2898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	clean	quality	C	0.285	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	clean	quality	C	0.2882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	clean	quality	C	0.2858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	clean	quality	C	0.286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	clean	quality	Cbar	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	clean	quality	Cbar	0.2688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	clean	quality	Cbar	0.3024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	clean	quality	Cbar	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	clean	quality	Cbar	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	clean	quality	Cbar	0.3482	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	clean	quality	Cbar	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	clean	quality	Cbar	0.3664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	clean	quality	Cbar	0.3514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	clean	quality	Cbar	0.3464	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	clean	quality	Cbar	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	clean	quality	Cbar	0.3044	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	clean	quality	Cbar	0.2772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	clean	quality	Cbar	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	clean	quality	Cbar	0.3056	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	clean	quality	Cbar	0.3304	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	clean	quality	Cbar	0.3298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	clean	quality	Cbar	0.3634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	clean	quality	Cbar	0.3546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	clean	quality	Cbar	0.3492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	clean	quality	Cbar	0.256	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	clean	quality	Cbar	0.2716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	clean	quality	Cbar	0.2748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	clean	quality	Cbar	0.3094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	clean	quality	Cbar	0.318	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	clean	quality	Cbar	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	clean	quality	Cbar	0.3306	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	clean	quality	Cbar	0.3552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	clean	quality	Cbar	0.3388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	clean	quality	Cbar	0.3424	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	clean	quality	Cbar	0.2586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	clean	quality	Cbar	0.291	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	clean	quality	Cbar	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	clean	quality	Cbar	0.3258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	clean	quality	Cbar	0.3152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	clean	quality	Cbar	0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	clean	quality	Cbar	0.3316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	clean	quality	Cbar	0.3564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	clean	quality	Cbar	0.3522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	clean	quality	Cbar	0.3444	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	clean	quality	Cbar	0.2646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	clean	quality	Cbar	0.2752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simple	avg	clean	quality	Cbar	0.3706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simple	avg	clean	quality	Cbar	0.4004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simple	avg	clean	quality	Cbar	0.3954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simple	avg	clean	quality	Cbar	0.3896	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg	clean	quality	Cbar	0.3894	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simple	avg	clean	quality	Cbar	0.3882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg	clean	quality	Cbar	0.3858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simple	avg	clean	quality	Cbar	0.3862	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	clean		quality	F	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	clean		quality	F	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	clean		quality	F	0.1856	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	clean		quality	F	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	clean		quality	F	0.1782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	clean		quality	F	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	clean		quality	F	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	clean		quality	F	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	clean		quality	F	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	clean		quality	F	0.158	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	clean		quality	F	0.1818	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	clean	quality	F	0.17	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	clean	quality	F	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	clean	quality	F	0.1874	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	clean	quality	F	0.1806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	clean	quality	F	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	clean	quality	F	0.1642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	clean	quality	F	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	clean	quality	F	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	clean	quality	F	0.1556	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	clean	quality	F	0.1812	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	clean	quality	F	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	clean	quality	F	0.1834	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	clean	quality	F	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	clean	quality	F	0.1798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	clean	quality	F	0.1728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	clean	quality	F	0.1682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	clean	quality	F	0.1644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	clean	quality	F	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	clean	quality	F	0.1612	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	clean	quality	F	0.1818	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	clean	quality	F	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	clean	quality	F	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	clean	quality	F	0.1876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	clean	quality	F	0.181	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	clean	quality	F	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	clean	quality	F	0.1672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	clean	quality	F	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	clean	quality	F	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	clean	quality	F	0.1576	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	clean	quality	F	0.1814	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	clean	quality	F	0.1762	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	clean	quality	F	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	clean	quality	F	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	clean	quality	F	0.1738	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	clean	quality	F	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	clean	quality	F	0.1724	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	clean	quality	F	0.1748	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	clean	quality	F	0.1736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	1	simpleavg	clean	quality	F	0.1726	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	2	borda	clean	quality	Fbar	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	3	borda	clean	quality	Fbar	0.1586	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	borda	clean	quality	Fbar	0.1802	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	5	borda	clean	quality	Fbar	0.1982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	6	borda	clean	quality	Fbar	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	borda	clean	quality	Fbar	0.2242	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	borda	clean	quality	Fbar	0.2196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	borda	clean	quality	Fbar	0.2388	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	borda	clean	quality	Fbar	0.2284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	borda	clean	quality	Fbar	0.2186	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	12	kemeny	clean	quality	Fbar	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	13	kemeny	clean	quality	Fbar	0.1904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	14	kemeny	clean	quality	Fbar	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	15	kemeny	clean	quality	Fbar	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	16	kemeny	clean	quality	Fbar	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	17	kemeny	clean	quality	Fbar	0.2088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	18	kemeny	clean	quality	Fbar	0.2098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	19	kemeny	clean	quality	Fbar	0.2394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	clean	quality	Fbar	0.2292	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	kemeny	clean	quality	Fbar	0.2234	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	clean	quality	Fbar	0.1424	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	clean	quality	Fbar	0.1612	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	clean	quality	Fbar	0.1606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	clean	quality	Fbar	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	clean	quality	Fbar	0.1964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	clean	quality	Fbar	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	clean	quality	Fbar	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	clean	quality	Fbar	0.2258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	clean	quality	Fbar	0.217	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	clean	quality	Fbar	0.2176	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	clean	quality	Fbar	0.1452	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	clean	quality	Fbar	0.1786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	clean	quality	Fbar	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	clean	quality	Fbar	0.2018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	clean	quality	Fbar	0.1956	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	clean	quality	Fbar	0.1954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	clean	quality	Fbar	0.2068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	schulze	clean	quality	Fbar	0.2342	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	clean	quality	Fbar	0.2262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	clean	quality	Fbar	0.2182	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleav	clean	quality	Fbar	0.15	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleav	clean	quality	Fbar	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleav	clean	quality	Fbar	0.238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleav	clean	quality	Fbar	0.2698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleav	clean	quality	Fbar	0.2632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleav	clean	quality	Fbar	0.2592	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleav	clean	quality	Fbar	0.2574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleav	clean	quality	Fbar	0.2538	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleav	clean	quality	Fbar	0.2494	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleav	clean	quality	Fbar	0.251	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	adversarial	robustness	Fbar	0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	adversarial	robustness	Fbar	0.2178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	adversarial	robustness	Fbar	0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	adversarial	robustness	Fbar	0.203	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	adversarial	robustness	Fbar	0.1974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	adversarial	robustness	Fbar	0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	borda	adversarial	sara-2- 255	robustness	0.1898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	borda	adversarial	sara-2- 255	robustness	0.1886	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	borda	adversarial	sara-2- 255	robustness	0.1884	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	borda	adversarial	sara-2- 255	robustness	0.1882	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	12	kemeny	adversarial	sara-2- 255	robustness	0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	13	kemeny	adversarial	sara-2- 255	robustness	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	14	kemeny	adversarial	sara-2- 255	robustness	0.2046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	15	kemeny	adversarial	sara-2- 255	robustness	0.2054	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	16	kemeny	adversarial	sara-2- 255	robustness	0.2076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	17	kemeny	adversarial	sara-2- 255	robustness	0.1944	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	18	kemeny	adversarial	sara-2- 255	robustness	0.1906	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	19	kemeny	adversarial	sara-2- 255	robustness	0.189	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	20	kemeny	adversarial	sara-2- 255	robustness	0.1848	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	21	kemeny	adversarial	sara-2- 255	robustness	0.179	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	22	rrf	adversarial	sara-2- 255	robustness	0.2148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	23	rrf	adversarial	sara-2- 255	robustness	0.2164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	24	rrf	adversarial	sara-2- 255	robustness	0.2048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	25	rrf	adversarial	sara-2- 255	robustness	0.205	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	26	rrf	adversarial	sara-2- 255	robustness	0.1934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	rrf	adversarial	sara-2- 255	robustness	0.193	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	rrf	adversarial	sara-2- 255	robustness	0.1926	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	rrf	adversarial	sara-2- 255	robustness	0.1872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	rrf	adversarial	sara-2- 255	robustness	0.1868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	rrf	adversarial	sara-2- 255	robustness	0.1914	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	12	schulze	adversarial	sara-2- 255	robustness	0.2158	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	13	schulze	adversarial	sara-2- 255	robustness	0.2092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	14	schulze	adversarial	sara-2- 255	robustness	0.206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	15	schulze	adversarial	sara-2- 255	robustness	0.2016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	16	schulze	adversarial	sara-2- 255	robustness	0.2006	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	17	schulze	adversarial	sara-2- 255	robustness	0.1984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	18	schulze	adversarial	sara-2- 255	robustness	0.1924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	19	schulze	adversarial	sara-2- 255	robustness	0.1846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	20	schulze	adversarial	sara-2- 255	robustness	0.187	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	21	schulze	adversarial	sara-2- 255	robustness	0.1864	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	22	simpleavg	adversarial	sara-2- 255	robustness	0.2124	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	23	simpleavg	adversarial	sara-2- 255	robustness	0.2144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	24	simpleavg	adversarial	sara-2- 255	robustness	0.1882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	25	simpleavg	adversarial	sara-2- 255	robustness	0.1732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	adversarial	robustness	CS	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	adversarial	robustness	CS	0.1776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	robustness	CS	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	robustness	CS	0.1804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	robustness	CS	0.1784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	robustness	CS	0.1768	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	adversarial	robustness	CSbar	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	adversarial	robustness	CSbar	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	adversarial	robustness	CSbar	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	adversarial	robustness	CSbar	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	adversarial	robustness	CSbar	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	adversarial	robustness	CSbar	0.0694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	adversarial	robustness	CSbar	0.0584	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	adversarial	robustness	CSbar	0.0596	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	adversarial	robustness	CSbar	0.0496	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	adversarial	robustness	CSbar	0.0532	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	adversarial	robustness	CSbar	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	adversarial	robustness	CSbar	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	kemeny	adversarial	robustness	CSbar	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet5- resnet18	5	kemeny	adversarial	robustness	CSbar	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	kemeny	adversarial	robustness	CSbar	0.0714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	kemeny	adversarial	robustness	CSbar	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	kemeny	adversarial	robustness	CSbar	0.0544	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	kemeny	adversarial	robustness	CSbar	0.0546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	kemeny	adversarial	robustness	CSbar	0.0552	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	kemeny	adversarial	robustness	CSbar	0.0492	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	rrf	adversarial	robustness	CSbar	0.0606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	rrf	adversarial	robustness	CSbar	0.0524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	rrf	adversarial	robustness	CSbar	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	rrf	adversarial	robustness	CSbar	0.0754	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	rrf	adversarial	robustness	CSbar	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	rrf	adversarial	robustness	CSbar	0.0604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	rrf	adversarial	robustness	CSbar	0.0644	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	rrf	adversarial	robustness	CSbar	0.0634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	rrf	adversarial	robustness	CSbar	0.0502	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	rrf	adversarial	robustness	CSbar	0.0608	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	schulze	adversarial	robustness	CSbar	0.0586	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	schulze	adversarial	robustness	CSbar	0.0358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	4	schulze	adversarial	robustness	CSbar	0.0508	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	5	schulze	adversarial	robustness	CSbar	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	6	schulze	adversarial	robustness	CSbar	0.067	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	7	schulze	adversarial	robustness	CSbar	0.063	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	8	schulze	adversarial	robustness	CSbar	0.0582	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	9	schulze	adversarial	robustness	CSbar	0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	10	schulze	adversarial	robustness	CSbar	0.0486	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	11	schulze	adversarial	robustness	CSbar	0.0506	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	12	simpleavg	adversarial	robustness	CSbar	0.0592	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	13	simpleavg	adversarial	robustness	CSbar	0.0534	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	14	simpleavg	adversarial	robustness	CSbar	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	15	simpleavg	adversarial	robustness	CSbar	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	16	simpleavg	adversarial	robustness	CSbar	0.0784	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	17	simpleavg	adversarial	robustness	CSbar	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	18	simpleavg	adversarial	robustness	CSbar	0.0786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	19	simpleavg	adversarial	robustness	CSbar	0.0746	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	20	simpleavg	adversarial	robustness	CSbar	0.0752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	21	simpleavg	adversarial	robustness	CSbar	0.0754	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	22	borda	adversarial	robustness	CS	0.116	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	adversarial	robustness	1	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	robustness	1	0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	adversarial	robustness	1	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	adversarial	robustness	1	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	adversarial	robustness	1	0.099	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	adversarial	robustness	1	0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	adversarial	robustness	1	0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	adversarial	robustness	1	0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	adversarial	robustness	1	0.095	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	adversarial	robustness	1	0.116	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	adversarial	robustness	1	0.1114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	adversarial	robustness	1	0.1066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	adversarial	robustness	1	0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	adversarial	robustness	1	0.11	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	adversarial	robustness	1	0.1036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	adversarial	robustness	1	0.0982	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	adversarial	robustness	1	0.0972	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	adversarial	robustness	1	0.0958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	adversarial	robustness	1	0.0904	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	rrf	adversarial	robustness	0.116	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	robustness	0.114	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	adversarial	robustness	0.1104	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	adversarial	robustness	0.1102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	adversarial	robustness	0.1032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	adversarial	robustness	0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	adversarial	robustness	0.0994	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	robustness	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	robustness	0.0956	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	adversarial	robustness	0.116	False	["GuidedBackprop", "DeepLiftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	robustness	0.1058	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	adversarial	robustness	0.1046	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	adversarial	robustness	0.1092	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	adversarial	robustness	0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	adversarial	robustness	0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	adversarial	robustness	0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	adversarial	robustness	0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	adversarial	robustness	0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]	

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	schulze	adversarial	business sara-2- 255	\$	0.0926	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	adversarial	business sara-2- 255	\$	0.1148	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	adversarial	business sara-2- 255	\$	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	adversarial	business sara-2- 255	\$	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	adversarial	business sara-2- 255	\$	0.0908	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	adversarial	business sara-2- 255	\$	0.0934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	adversarial	business sara-2- 255	\$	0.094	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial	business sara-2- 255	\$	0.0912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial	business sara-2- 255	\$	0.0964	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial	business sara-2- 255	\$	0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial	business sara-2- 255	\$	0.0944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	adversarial	business sara-2- 255	\$bar	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	adversarial	business sara-2- 255	\$bar	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	adversarial	business sara-2- 255	\$bar	0.0302	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	adversarial	business sara-2- 255	\$bar	0.0262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	adversarial	business sara-2- 255	\$bar	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	adversarial	business sara-2- 255	\$bar	0.0316	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	adversarial	business sara-2- 255	\$bar	0.0198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	adversarial	business sara-2- 255	\$bar	0.0234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	adversarial	sara-2- 255	robustness	0.0212	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	adversarial	sara-2- 255	robustness	0.019	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	adversarial	sara-2- 255	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	adversarial	sara-2- 255	robustness	0.0118	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	adversarial	sara-2- 255	robustness	0.0088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	adversarial	sara-2- 255	robustness	0.0272	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	adversarial	sara-2- 255	robustness	0.036	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	adversarial	sara-2- 255	robustness	0.0258	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	adversarial	sara-2- 255	robustness	0.0214	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	adversarial	sara-2- 255	robustness	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	adversarial	sara-2- 255	robustness	0.0226	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	adversarial	sara-2- 255	robustness	0.015	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	adversarial	sara-2- 255	robustness	0.0234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	adversarial	sara-2- 255	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	adversarial	sara-2- 255	robustness	0.026	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	adversarial	sara-2- 255	robustness	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	adversarial	sara-2- 255	robustness	0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	adversarial	sara-2- 255	robustness	0.0252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	adversarial	sara-2- 255	robustness	0.024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	adversarial	sara-2- 255	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	adversarial	sara-2- 255	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	adversarial	sara-2- 255	robustness	0.0246	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	adversarial	sara-2- 255	robustness	0.0232	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	adversarial	sara-2- 255	robustness	0.0066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	adversarial	sara-2- 255	robustness	0.0142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	adversarial	sara-2- 255	robustness	0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	adversarial	sara-2- 255	robustness	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	adversarial	sara-2- 255	robustness	0.0254	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	adversarial	sara-2- 255	robustness	0.0202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	adversarial	sara-2- 255	robustness	0.014	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	adversarial	sara-2- 255	robustness	0.0146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	adversarial	sara-2- 255	robustness	0.017	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	adversarial	sara-2- 255	robustness	0.0244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	adversarial	sara-2- 255	robustness	0.0182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	adversarial	sara-2- 255	robustness	0.034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	simpleavg	adversarial	sara-2- 255	robustness	0.0428	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	simpleavg	adversarial	sara-2- 255	robustness	0.0414	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	simpleavg	adversarial	sara-2- 255	robustness	0.037	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	adversarial-robustness	sara-2-255	FSbar	0.0394	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	adversarial-robustness	sara-2-255	FSbar	0.0338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	adversarial-robustness	sara-2-255	FSbar	0.0324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	adversarial-robustness	sara-2-255	FSbar	0.0338	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	gaussian-robustness	0.15	CS	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	gaussian-robustness	0.15	CS	0.3176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	gaussian-robustness	0.15	CS	0.3338	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	gaussian-robustness	0.15	CS	0.3406	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	gaussian-robustness	0.15	CS	0.3474	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	gaussian-robustness	0.15	CS	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	gaussian-robustness	0.15	CS	0.3422	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	gaussian-robustness	0.15	CS	0.3418	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	gaussian-robustness	0.15	CS	0.3396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	gaussian-robustness	0.15	CS	0.3384	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	gaussian-robustness	0.15	CS	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	gaussian-robustness	0.15	CS	0.328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	kemeny	gaussian-robustness	0.15	CS	0.329	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	kemeny	gaussian-robustness	0.15	CS	0.332	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	kemeny	gaussian-robustness	0.15	CS	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-robustness 0.15	CS	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-robustness 0.15	CS	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-robustness 0.15	CS	0.3278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-robustness 0.15	CS	0.323	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-robustness 0.15	CS	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-robustness 0.15	CS	0.327	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-robustness 0.15	CS	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-robustness 0.15	CS	0.333	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-robustness 0.15	CS	0.3352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-robustness 0.15	CS	0.3436	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-robustness 0.15	CS	0.337	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-robustness 0.15	CS	0.3348	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-robustness 0.15	CS	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-robustness 0.15	CS	0.3322	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	gaussian-robustness 0.15	CS	0.3286	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	gaussian-robustness 0.15	CS	0.3244	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	gaussian-robustness 0.15	CS	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	gaussian-robustness 0.15	CS	0.3238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	gaussian-robustness 0.15	CS	0.337	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet6- resnet18	6	schulze	gaussian-robustness 0.15	$\bar{G}$	0.339	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet7- resnet18	7	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet8- resnet18	8	schulze	gaussian-robustness 0.15	$\bar{G}$	0.325	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet9- resnet18	9	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet10- resnet18	10	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet11- resnet18	11	schulze	gaussian-robustness 0.15	$\bar{G}$	0.3296	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet12- resnet18	12	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3246	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet13- resnet18	13	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet14- resnet18	14	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet15- resnet18	15	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.347	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet16- resnet18	16	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3478	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet17- resnet18	17	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3448	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet18- resnet18	18	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.35	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet19- resnet18	19	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3408	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet20- resnet18	20	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet21- resnet18	21	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.3474	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet22- resnet18	22	borda	gaussian-robustness 0.15	$\bar{G}$ bar	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet23- resnet18	23	borda	gaussian-robustness 0.15	$\bar{G}$ bar	0.3134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet24- resnet18	24	borda	gaussian-robustness 0.15	$\bar{G}$ bar	0.3262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-robustness 0.15	$\bar{G}$	0.3498	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-robustness 0.15	$\bar{G}$	0.3358	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-robustness 0.15	$\bar{G}$	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness 0.15	$\bar{G}$	0.319	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-robustness 0.15	$\bar{G}$	0.2942	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-robustness 0.15	$\bar{G}$	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-robustness 0.15	$\bar{G}$	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2782	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.3062	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2952	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2642	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	gaussian-robustness 0.15	$\bar{G}$	0.2774	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	gaussian-robustness 0.15	$\bar{G}$	0.3234	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	gaussian-robustness 0.15	$\bar{G}$	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.3324	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.3132	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.3066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.2962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.2768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.2968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.2944	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.3204	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.29	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.3004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.3336	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.3034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.2872	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.2818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.2776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	gaussian-robustness 0.15	$\bar{CS}$	0.288	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3152	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3048	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.32	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	gaussian-robustness 0.15	$\bar{CS}$	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	gaussian-robustness 0.15	$\bar{CS}$	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-robustness 0.15	$\bar{CS}$	0.178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1742	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1716	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-robustness 0.15	$\bar{CS}$	0.1692	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-robustness 0.15	FS	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-robustness 0.15	FS	0.175	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-robustness 0.15	FS	0.1706	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-robustness 0.15	FS	0.1704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-robustness 0.15	FS	0.1634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-robustness 0.15	FS	0.173	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-robustness 0.15	FS	0.168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-robustness 0.15	FS	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-robustness 0.15	FS	0.1632	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-robustness 0.15	FS	0.1668	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-robustness 0.15	FS	0.1644	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-robustness 0.15	FS	0.1688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-robustness 0.15	FS	0.1756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-robustness 0.15	FS	0.1646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-robustness 0.15	FS	0.1714	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-robustness 0.15	FS	0.1696	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-robustness 0.15	FS	0.1694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-robustness 0.15	FS	0.1702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-robustness 0.15	FS	0.1664	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	rrf	gaussian-robustness 0.15	FS	0.1648	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	schulze	gaussian-robustness 0.15	FS	0.168	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	schulze	gaussian-robustness 0.15	FS	0.1794	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	schulze	gaussian-robustness 0.15	FS	0.176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	schulze	gaussian-robustness 0.15	FS	0.1686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	schulze	gaussian-robustness 0.15	FS	0.1668	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	schulze	gaussian-robustness 0.15	FS	0.167	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	schulze	gaussian-robustness 0.15	FS	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	schulze	gaussian-robustness 0.15	FS	0.167	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	schulze	gaussian-robustness 0.15	FS	0.1604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	schulze	gaussian-robustness 0.15	FS	0.1662	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	simpleavg	gaussian-robustness 0.15	FS	0.1628	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	simpleavg	gaussian-robustness 0.15	FS	0.1726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	simpleavg	gaussian-robustness 0.15	FS	0.1532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	simpleavg	gaussian-robustness 0.15	FS	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	simpleavg	gaussian-robustness 0.15	FS	0.1558	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	simpleavg	gaussian-robustness 0.15	FS	0.156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	simpleavg	gaussian-robustness 0.15	FS	0.1574	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	simpleavg	gaussian-robustness 0.15	FS	0.1514	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	gaussian-robustness	0.15	S	0.1536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	simpleavg	gaussian-robustness	0.15	S	0.1564	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	gaussian-robustness	0.15	Sbar	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	gaussian-robustness	0.15	Sbar	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	gaussian-robustness	0.15	Sbar	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	gaussian-robustness	0.15	Sbar	0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	gaussian-robustness	0.15	Sbar	0.1166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	gaussian-robustness	0.15	Sbar	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	gaussian-robustness	0.15	Sbar	0.1018	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	gaussian-robustness	0.15	Sbar	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	gaussian-robustness	0.15	Sbar	0.097	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	gaussian-robustness	0.15	Sbar	0.0996	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	gaussian-robustness	0.15	Sbar	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	gaussian-robustness	0.15	Sbar	0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	gaussian-robustness	0.15	Sbar	0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	gaussian-robustness	0.15	Sbar	0.096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	gaussian-robustness	0.15	Sbar	0.0776	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	gaussian-robustness	0.15	Sbar	0.0702	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	gaussian-robustness	0.15	Sbar	0.0758	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.0522	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.0712	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.0684	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	gaussian-robustness	0.15	$\bar{F}$	0.1048	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	gaussian-robustness	0.15	$\bar{F}$	0.0862	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	gaussian-robustness	0.15	$\bar{F}$	0.0984	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	gaussian-robustness	0.15	$\bar{F}$	0.1144	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	gaussian-robustness	0.15	$\bar{F}$	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	gaussian-robustness	0.15	$\bar{F}$	0.086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	gaussian-robustness	0.15	$\bar{F}$	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	gaussian-robustness	0.15	$\bar{F}$	0.07	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	gaussian-robustness	0.15	$\bar{F}$	0.0842	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	gaussian-robustness	0.15	$\bar{F}$	0.0776	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	gaussian-robustness	0.15	$\bar{F}$	0.1014	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	gaussian-robustness	0.15	$\bar{F}$	0.068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	gaussian-robustness	0.15	$\bar{F}$	0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	gaussian-robustness	0.15	$\bar{F}$	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	schulze	gaussian-robustness	0.15	$\bar{F}$	0.0868	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	schulze	gaussian-robustness	0.15	$\bar{F}$	0.0778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	gaussian-robustness	0.15	Fbar	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	gaussian-robustness	0.15	Fbar	0.0652	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	gaussian-robustness	0.15	Fbar	0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	gaussian-robustness	0.15	Fbar	0.0762	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	gaussian-robustness	0.15	Fbar	0.1008	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	gaussian-robustness	0.15	Fbar	0.088	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	gaussian-robustness	0.15	Fbar	0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	gaussian-robustness	0.15	Fbar	0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	gaussian-robustness	0.15	Fbar	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	gaussian-robustness	0.15	Fbar	0.1152	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	gaussian-robustness	0.15	Fbar	0.1124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	gaussian-robustness	0.15	Fbar	0.1096	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	gaussian-robustness	0.15	Fbar	0.1128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	gaussian-robustness	0.15	Fbar	0.1118	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	salt-pepper-robustness	0.05	G	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	salt-pepper-robustness	0.05	G	0.3084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	borda	salt-pepper-robustness	0.05	G	0.317	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	borda	salt-pepper-robustness	0.05	G	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	borda	salt-pepper-robustness	0.05	G	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	borda	salt- pepper- 0.05	robustness	CS	0.3256	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	borda	salt- pepper- 0.05	robustness	CS	0.3172	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	borda	salt- pepper- 0.05	robustness	CS	0.3246	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	borda	salt- pepper- 0.05	robustness	CS	0.3168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	borda	salt- pepper- 0.05	robustness	CS	0.3208	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	kemeny	salt- pepper- 0.05	robustness	CS	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	kemeny	salt- pepper- 0.05	robustness	CS	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	kemeny	salt- pepper- 0.05	robustness	CS	0.3108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	kemeny	salt- pepper- 0.05	robustness	CS	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	kemeny	salt- pepper- 0.05	robustness	CS	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	kemeny	salt- pepper- 0.05	robustness	CS	0.3166	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	kemeny	salt- pepper- 0.05	robustness	CS	0.3216	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	kemeny	salt- pepper- 0.05	robustness	CS	0.3186	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	kemeny	salt- pepper- 0.05	robustness	CS	0.315	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	kemeny	salt- pepper- 0.05	robustness	CS	0.317	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	rrf	salt- pepper- 0.05	robustness	CS	0.3058	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	23	rrf	salt- pepper- 0.05	robustness	CS	0.3102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	24	rrf	salt- pepper- 0.05	robustness	CS	0.3196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	25	rrf	salt- pepper- 0.05	robustness	CS	0.3154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	robustness	FS	0.321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	robustness	FS	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	robustness	FS	0.3126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	robustness	FS	0.3142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	robustness	FS	0.3128	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	robustness	FS	0.3134	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	robustness	FS	0.306	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	robustness	FS	0.3164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	robustness	FS	0.3178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	robustness	FS	0.321	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	robustness	FS	0.3148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	robustness	FS	0.3126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	robustness	FS	0.3162	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	robustness	FS	0.3202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	salt- pepper- 0.05	robustness	FS	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	salt- pepper- 0.05	robustness	FS	0.3124	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	salt- pepper- 0.05	robustness	FS	0.2974	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	salt- pepper- 0.05	robustness	FS	0.3082	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	salt- pepper- 0.05	robustness	FS	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3086	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.314	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.3152	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2728	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2998	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.3188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.3068	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2912	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2854	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2636	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2778	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2822	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2824	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	kemeny	salt- pepper- 0.05	robustness	CSbar	0.266	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2542	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2452	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	kemeny	salt- pepper- 0.05	robustness	CSbar	0.253	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2522	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	rrf	salt- pepper- 0.05	robustness	CSbar	0.2888	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	rrf	salt- pepper- 0.05	robustness	CSbar	0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	rrf	salt- pepper- 0.05	robustness	CSbar	0.284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	rrf	salt- pepper- 0.05	robustness	CSbar	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	rrf	salt- pepper- 0.05	robustness	CSbar	0.2804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	rrf	salt- pepper- 0.05	robustness	CSbar	0.276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	rrf	salt- pepper- 0.05	robustness	CSbar	0.2682	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	rrf	salt- pepper- 0.05	robustness	CSbar	0.2524	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	20	rrf	salt- pepper- 0.05	robustness	CSbar	0.2634	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	21	rrf	salt- pepper- 0.05	robustness	CSbar	0.2654	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	22	schulze	salt- pepper- 0.05	robustness	CSbar	0.2824	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.2646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	robustness	CSbar	0.2672	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	salt- pepper- 0.05	robustness	CSbar	0.3072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	salt- pepper- 0.05	robustness	CSbar	0.2786	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	salt- pepper- 0.05	robustness	CSbar	0.2766	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.2604	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	salt- pepper- 0.05	robustness	CSbar	0.2536	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	salt- pepper- 0.05	robustness	CSbar	0.2512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	salt- pepper- 0.05	robustness	CSbar	0.2696	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2864	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.3098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.3174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.3106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.3076	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2934	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2958	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2946	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	borda	salt-pepper-0.05	robustness	F	0.1608	False	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	borda	salt-pepper-0.05	robustness	F	0.1616	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	borda	salt-pepper-0.05	robustness	F	0.1612	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	borda	salt-pepper-0.05	robustness	F	0.1502	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	borda	salt-pepper-0.05	robustness	F	0.1598	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	borda	salt-pepper-0.05	robustness	F	0.1656	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	borda	salt-pepper-0.05	robustness	F	0.1664	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	borda	salt-pepper-0.05	robustness	F	0.1662	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	borda	salt-pepper-0.05	robustness	F	0.1576	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	11	borda	salt-pepper-0.05	robustness	F	0.1624	True	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	2	kemeny	salt-pepper-0.05	robustness	F	0.1608	False	["GuidedBackprop","DeepLiftShap"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	3	kemeny	salt-pepper-0.05	robustness	F	0.1672	False	["GuidedBackprop","DeepLiftShap","DeepLift"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	4	kemeny	salt-pepper-0.05	robustness	F	0.1612	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	5	kemeny	salt-pepper-0.05	robustness	F	0.1628	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	6	kemeny	salt-pepper-0.05	robustness	F	0.1542	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	7	kemeny	salt-pepper-0.05	robustness	F	0.1604	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	8	kemeny	salt-pepper-0.05	robustness	F	0.1656	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	9	kemeny	salt-pepper-0.05	robustness	F	0.1652	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	10	kemeny	salt-pepper-0.05	robustness	F	0.1568	False	["GuidedBackprop","DeepLiftShap","DeepLift","FeatureAblation","Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	1	kemeny	salt- pepper- 0.05	robustness	FS	0.1614	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	2	rrf	salt- pepper- 0.05	robustness	FS	0.1606	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	3	rrf	salt- pepper- 0.05	robustness	FS	0.1658	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	4	rrf	salt- pepper- 0.05	robustness	FS	0.165	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	5	rrf	salt- pepper- 0.05	robustness	FS	0.1572	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	6	rrf	salt- pepper- 0.05	robustness	FS	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	7	rrf	salt- pepper- 0.05	robustness	FS	0.1568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	robustness	FS	0.1624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	robustness	FS	0.1598	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	robustness	FS	0.1564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	robustness	FS	0.1624	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	robustness	FS	0.1608	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	robustness	FS	0.1698	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	robustness	FS	0.1694	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	robustness	FS	0.1578	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	robustness	FS	0.1546	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	robustness	FS	0.1638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	robustness	FS	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	robustness	FS	0.1616	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	robustness	$\bar{F}$	0.1564	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	salt- pepper- 0.05	robustness	$\bar{F}$	0.1592	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1508	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1618	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1294	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1372	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.1376	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.1106	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.0932	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.0818	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	salt- pepper- 0.05	robustness	Fbar	0.0624	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	salt- pepper- 0.05	robustness	Fbar	0.0704	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	salt- pepper- 0.05	robustness	Fbar	0.0788	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0606	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0684	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0548	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	salt- pepper- 0.05	robustness	Fbar	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	salt- pepper- 0.05	robustness	Fbar	0.053	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	salt- pepper- 0.05	robustness	Fbar	0.047	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	salt- pepper- 0.05	robustness	Fbar	0.045	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	salt- pepper- 0.05	robustness	Fbar	0.0702	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	rrf	salt- pepper- 0.05	robustness	Fbar	0.0532	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	rrf	salt- pepper- 0.05	robustness	Fbar	0.072	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	rrf	salt- pepper- 0.05	robustness	Fbar	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	rrf	salt- pepper- 0.05	robustness	Fbar	0.0732	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	27	rrf	salt- pepper- 0.05	robustness	Fbar	0.0686	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	salt- pepper- 0.05	robustness	Fbar	0.0622	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	salt- pepper- 0.05	robustness	Fbar	0.052	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	salt- pepper- 0.05	robustness	Fbar	0.06	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	salt- pepper- 0.05	robustness	Fbar	0.066	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	schulze	salt- pepper- 0.05	robustness	Fbar	0.0614	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	schulze	salt- pepper- 0.05	robustness	Fbar	0.0382	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	schulze	salt- pepper- 0.05	robustness	Fbar	0.0512	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	schulze	salt- pepper- 0.05	robustness	Fbar	0.0996	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	schulze	salt- pepper- 0.05	robustness	Fbar	0.0676	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	schulze	salt- pepper- 0.05	robustness	Fbar	0.0708	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	schulze	salt- pepper- 0.05	robustness	Fbar	0.0566	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	schulze	salt- pepper- 0.05	robustness	Fbar	0.0458	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	schulze	salt- pepper- 0.05	robustness	Fbar	0.0486	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	schulze	salt- pepper- 0.05	robustness	Fbar	0.0656	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.0646	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.0568	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.105	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.0888	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.0938	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.0916	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	robustness	F3	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda	speckle- 0.15	robustness	F3	0.113	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	robustness	F3	0.1176	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	robustness	F3	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	robustness	F3	0.1164	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	robustness	F3	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	robustness	F3	0.126	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	robustness	F3	0.1238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	robustness	F3	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle- 0.15	robustness	F3	0.1142	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	robustness	F3	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle- 0.15	robustness	F3	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	robustness	F3	0.1136	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	robustness	F3	0.1202	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	robustness	CS	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	robustness	CS	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	robustness	CS	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	robustness	CS	0.1138	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	robustness	CS	0.1154	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	robustness	CS	0.1136	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	robustness	CS	0.107	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	robustness	CS	0.1108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	robustness	CS	0.1194	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	robustness	CS	0.1146	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	robustness	CS	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	robustness	CS	0.1262	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	robustness	CS	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	robustness	CS	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	speckle- 0.15	robustness	CS	0.1218	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	speckle- 0.15	robustness	CS	0.1126	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	speckle- 0.15	robustness	CS	0.1106	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	speckle- 0.15	robustness	CS	0.1134	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	speckle- 0.15	robustness	CS	0.1156	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	robustness 0.15	CS	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	robustness 0.15	CS	0.1206	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	robustness 0.15	CS	0.115	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	robustness 0.15	CS	0.1204	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	robustness 0.15	CS	0.1196	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	robustness 0.15	CS	0.1148	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	robustness 0.15	CS	0.112	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	speckle-	robustness 0.15	CS	0.1022	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	speckle-	robustness 0.15	CS	0.1116	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	speckle-	robustness 0.15	CS	0.121	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	speckle-	robustness 0.15	CS	0.1188	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	speckle-	robustness 0.15	CS	0.12	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	speckle-	robustness 0.15	CS	0.1168	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	speckle-	robustness 0.15	CS	0.124	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleavg	speckle-	robustness 0.15	CS	0.1174	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleavg	speckle-	robustness 0.15	CS	0.1198	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleavg	speckle-	robustness 0.15	CS	0.1192	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	borda	speckle-	robustness 0.15	CSbar	0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	borda	speckle-	robustness 0.15	CSbar	0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle-	robustness 0.15	CSbar	0.1024	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle-	robustness 0.15	CSbar	0.1142	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle-	robustness 0.15	CSbar	0.107	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle-	robustness 0.15	CSbar	0.1042	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle-	robustness 0.15	CSbar	0.098	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle-	robustness 0.15	CSbar	0.0898	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle-	robustness 0.15	CSbar	0.101	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle-	robustness 0.15	CSbar	0.103	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	kemeny	speckle-	robustness 0.15	CSbar	0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	kemeny	speckle-	robustness 0.15	CSbar	0.0892	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	kemeny	speckle-	robustness 0.15	CSbar	0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	kemeny	speckle-	robustness 0.15	CSbar	0.1034	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	kemeny	speckle-	robustness 0.15	CSbar	0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	kemeny	speckle-	robustness 0.15	CSbar	0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	kemeny	speckle-	robustness 0.15	CSbar	0.0986	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	kemeny	speckle-	robustness 0.15	CSbar	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	kemeny	speckle-	robustness 0.15	CSbar	0.0904	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	kemeny	speckle-	robustness 0.15	CSbar	0.0994	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	rrf	speckle-	robustness 0.15	CSbar	0.1034	False	["GuidedBackprop", "DeepLiftShap"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	rrf	speckle- 0.15	robustness	CSbar	0.0962	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle- 0.15	robustness	CSbar	0.102	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	rrf	speckle- 0.15	robustness	CSbar	0.108	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	rrf	speckle- 0.15	robustness	CSbar	0.0954	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	rrf	speckle- 0.15	robustness	CSbar	0.1004	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	rrf	speckle- 0.15	robustness	CSbar	0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	rrf	speckle- 0.15	robustness	CSbar	0.0882	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	rrf	speckle- 0.15	robustness	CSbar	0.0966	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	rrf	speckle- 0.15	robustness	CSbar	0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle- 0.15	robustness	CSbar	0.0906	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	speckle- 0.15	robustness	CSbar	0.0924	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle- 0.15	robustness	CSbar	0.0916	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle- 0.15	robustness	CSbar	0.111	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle- 0.15	robustness	CSbar	0.0974	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle- 0.15	robustness	CSbar	0.0946	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle- 0.15	robustness	CSbar	0.0988	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle- 0.15	robustness	CSbar	0.1016	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle- 0.15	robustness	CSbar	0.0968	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle- 0.15	robustness	CSbar	0.0958	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	simple	avg	speckle- 0.15	robustness	0.1012	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	simple	avg	speckle- 0.15	robustness	0.0928	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	simple	avg	speckle- 0.15	robustness	0.1234	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	simple	avg	speckle- 0.15	robustness	0.13	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	simple	avg	speckle- 0.15	robustness	0.1278	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	simple	avg	speckle- 0.15	robustness	0.1252	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	simple	avg	speckle- 0.15	robustness	0.1228	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	simple	avg	speckle- 0.15	robustness	0.1178	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simple	avg	speckle- 0.15	robustness	0.1182	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simple	avg	speckle- 0.15	robustness	0.1196	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda		speckle- 0.15	robustness	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	borda		speckle- 0.15	robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda		speckle- 0.15	robustness	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda		speckle- 0.15	robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda		speckle- 0.15	robustness	0.0764	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda		speckle- 0.15	robustness	0.084	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda		speckle- 0.15	robustness	0.0866	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda		speckle- 0.15	robustness	0.077	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda		speckle- 0.15	robustness	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	borda	speckle-	robustness 0.15	FS	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle-	robustness 0.15	FS	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	kemeny	speckle-	robustness 0.15	FS	0.0812	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle-	robustness 0.15	FS	0.0806	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle-	robustness 0.15	FS	0.0846	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle-	robustness 0.15	FS	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle-	robustness 0.15	FS	0.0798	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle-	robustness 0.15	FS	0.0816	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle-	robustness 0.15	FS	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle-	robustness 0.15	FS	0.0726	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle-	robustness 0.15	FS	0.0748	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle-	robustness 0.15	FS	0.0782	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle-	robustness 0.15	FS	0.0804	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle-	robustness 0.15	FS	0.0828	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle-	robustness 0.15	FS	0.0822	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle-	robustness 0.15	FS	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle-	robustness 0.15	FS	0.0858	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle-	robustness 0.15	FS	0.083	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle-	robustness 0.15	FS	0.074	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	rrf	speckle-	robustness 0.15	FS	0.0752	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	1	rrf	speckle-	robustness 0.15	FS	0.0742	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	schulze	speckle-	robustness 0.15	FS	0.0816	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	3	schulze	speckle-	robustness 0.15	FS	0.0878	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	schulze	speckle-	robustness 0.15	FS	0.0876	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	schulze	speckle-	robustness 0.15	FS	0.0788	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	schulze	speckle-	robustness 0.15	FS	0.081	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	robustness 0.15	FS	0.0796	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	robustness 0.15	FS	0.0808	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	robustness 0.15	FS	0.0772	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	robustness 0.15	FS	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	robustness 0.15	FS	0.077	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleavg	speckle-	robustness 0.15	FS	0.0718	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleavg	speckle-	robustness 0.15	FS	0.0768	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleavg	speckle-	robustness 0.15	FS	0.08	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleavg	speckle-	robustness 0.15	FS	0.0722	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleavg	speckle-	robustness 0.15	FS	0.0756	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleavg	speckle-	robustness 0.15	FS	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleavg	speckle-	robustness 0.15	FS	0.0774	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	0	simpleavg	speckle- 0.15	robustness	Fbar	0.0718	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	simpleavg	speckle- 0.15	robustness	Fbar	0.0736	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	simpleavg	speckle- 0.15	robustness	Fbar	0.0734	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	borda	speckle- 0.15	robustness	Fbar	0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	robustness	Fbar	0.0274	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	borda	speckle- 0.15	robustness	Fbar	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	borda	speckle- 0.15	robustness	Fbar	0.051	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	borda	speckle- 0.15	robustness	Fbar	0.0426	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	borda	speckle- 0.15	robustness	Fbar	0.0402	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	borda	speckle- 0.15	robustness	Fbar	0.0396	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	borda	speckle- 0.15	robustness	Fbar	0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	borda	speckle- 0.15	robustness	Fbar	0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	borda	speckle- 0.15	robustness	Fbar	0.0428	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	2	kemeny	speckle- 0.15	robustness	Fbar	0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	robustness	Fbar	0.0222	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	4	kemeny	speckle- 0.15	robustness	Fbar	0.0352	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	5	kemeny	speckle- 0.15	robustness	Fbar	0.0446	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	6	kemeny	speckle- 0.15	robustness	Fbar	0.0298	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	kemeny	speckle- 0.15	robustness	Fbar	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	kemeny	speckle- 0.15	robustness	Fbar	0.0328	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	kemeny	speckle- 0.15	robustness	Fbar	0.0288	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	kemeny	speckle- 0.15	robustness	Fbar	0.0294	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	kemeny	speckle- 0.15	robustness	Fbar	0.0362	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	rrf	speckle- 0.15	robustness	Fbar	0.0366	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	rrf	speckle- 0.15	robustness	Fbar	0.0276	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	rrf	speckle- 0.15	robustness	Fbar	0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	rrf	speckle- 0.15	robustness	Fbar	0.0468	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	rrf	speckle- 0.15	robustness	Fbar	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	rrf	speckle- 0.15	robustness	Fbar	0.0366	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	rrf	speckle- 0.15	robustness	Fbar	0.0284	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	rrf	speckle- 0.15	robustness	Fbar	0.032	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	rrf	speckle- 0.15	robustness	Fbar	0.0354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	rrf	speckle- 0.15	robustness	Fbar	0.0342	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	22	schulze	speckle- 0.15	robustness	Fbar	0.0278	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	23	schulze	speckle- 0.15	robustness	Fbar	0.0238	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	24	schulze	speckle- 0.15	robustness	Fbar	0.028	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	25	schulze	speckle- 0.15	robustness	Fbar	0.049	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	26	schulze	speckle- 0.15	robustness	Fbar	0.039	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	7	schulze	speckle-	robustness	Fbar	0.0368	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	8	schulze	speckle-	robustness	Fbar	0.0354	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	9	schulze	speckle-	robustness	Fbar	0.0356	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	10	schulze	speckle-	robustness	Fbar	0.0386	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	11	schulze	speckle-	robustness	Fbar	0.035	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	12	simpleav	speckle-	robustness	Fbar	0.0368	False	["GuidedBackprop", "DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	13	simpleav	speckle-	robustness	Fbar	0.0282	False	["GuidedBackprop", "DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	14	simpleav	speckle-	robustness	Fbar	0.0688	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	15	simpleav	speckle-	robustness	Fbar	0.0666	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	16	simpleav	speckle-	robustness	Fbar	0.066	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	17	simpleav	speckle-	robustness	Fbar	0.0588	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	18	simpleav	speckle-	robustness	Fbar	0.0638	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	19	simpleav	speckle-	robustness	Fbar	0.063	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	20	simpleav	speckle-	robustness	Fbar	0.0646	False	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	21	simpleav	speckle-	robustness	Fbar	0.0636	True	["GuidedBackprop", "DeepLiftShap", "DeepLift", "FeatureAblation", "Occlusion"]

Table 173: NOISE q-sweep diagnostics results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	quality	clean	C	max	5	0.312	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	quality	clean	Cbar	min	2	0.2586	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	quality	clean	F	max	5	0.1876	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	quality	clean	Fbar	min	2	0.1452	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	adversarial	C	min	11	0.1882	[11]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	adversarial	Cbar	min	10	0.0496	[10]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	adversarial	F	min	8	0.094	[8]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	adversarial	Fbar	min	11	0.019	[11]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	gaussian-0.15	C	min	3	0.3176	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	gaussian-0.15	Cbar	min	9	0.2942	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	gaussian-0.15	F	min	5	0.1676	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	gaussian-0.15	Fbar	min	9	0.0828	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	salt-pepper-0.05	C	min	2	0.306	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	salt-pepper-0.05	Cbar	min	9	0.2636	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	salt-pepper-0.05	F	min	5	0.1502	[5]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	salt-pepper-0.05	Fbar	min	3	0.047	[3]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	speckle-0.15	C	min	2	0.1106	[2]	smallest	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet– ImageNet– resnet18	ImageNet	ImageNet– resnet18	borda	robustness	speckle-0.15	Cbar	min	9	0.0898	[9]	smallest	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	speckle- 0.15	F	min	11	0.0748	[11]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	borda	robustness	speckle- 0.15	Fbar	min	3	0.0274	[3]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	quality	clean	C	max	5	0.3128	[5]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	quality	clean	Cbar	min	2	0.2586	[2]	smallest_12	[GuidedBacksolpt]DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	quality	clean	F	max	5	0.1874	[5]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	quality	clean	Fbar	min	2	0.1452	[2]	smallest_12	[GuidedBacksolpt]DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	F	min	11	0.179	[11]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	Cbar	min	3	0.039	[3]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	F	min	11	0.0904	[11]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	adversari- sara-2- 255	Fbar	min	4	0.0088	[4]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	C	min	6	0.317	[6]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	Cbar	min	9	0.2642	[9]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	F	min	10	0.1632	[10]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	gaussian- 0.15	Fbar	min	9	0.0522	[9]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	C	min	2	0.306	[2]	smallest_12	[GuidedBacksolpt]DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	Cbar	min	9	0.2452	[9]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	F	min	6	0.1542	[6]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	salt- pepper- 0.05	Fbar	min	3	0.0356	[3]	smallest_12	[GuidedBacksolpt]DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	C	min	2	0.1106	[2]	smallest_12	[GuidedBacksolpt]DeepLiftShap"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	Cbar	min	6	0.0882	[6]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	F	min	10	0.0726	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kemeny	robustness	speckle- 0.15	Fbar	min	3	0.0222	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	C	max	5	0.3152	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	Cbar	min	2	0.256	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	F	max	5	0.1886	[5]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		quality	clean	Fbar	min	2	0.1424	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	C	min	10	0.1868	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	Cbar	min	10	0.0502	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	F	min	11	0.0956	[11]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	adversari- sara-2- 255	Fbar	min	3	0.0202	[3,10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	C	min	3	0.3156	[3]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	Cbar	min	9	0.2768	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	F	min	2	0.1644	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	gaussian- 0.15	Fbar	min	9	0.07	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	C	min	2	0.3058	[2]	smallest_12	[GuidedBacksolpt]_DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	Cbar	min	9	0.2524	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	F	min	10	0.1564	[10]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNetrf resnet18		robustness	salt- pepper- 0.05	Fbar	min	9	0.052	[9]	smallest_12	[GuidedBacksolpt]_DeepLiftShap", "DeepLift", "FeatureAblation", "C

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18	robustness	speckle- 0.15	C	min	2	0.107	[2]	smallest_12	[GuidedBacksolpt'DeepliftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18	robustness	speckle- 0.15	Cbar	min	8	0.0882	[8,9]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C	
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18	robustness	speckle- 0.15	F	min	9	0.074	[9]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C	
ImageNet- ImageNet- resnet18	ImageNet	ImageNetrf resnet18	robustness	speckle- 0.15	Fbar	min	3	0.0276	[3]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	quality clean	C	max	5	0.312	[5]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	quality clean	Cbar	min	2	0.2586	[2]	smallest_12	[GuidedBacksolpt'DeepliftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	quality clean	F	max	5	0.1876	[5]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	quality clean	Fbar	min	2	0.1452	[2]	smallest_12	[GuidedBacksolpt'DeepliftShap"]	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	adversari- sara-2- 255	C	min	9	0.1846	[9]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	adversari- sara-2- 255	Cbar	min	3	0.0358	[3]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	adversari- sara-2- 255	F	min	11	0.0926	[11]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	adversari- sara-2- 255	Fbar	min	3	0.0066	[3]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	gaussian- 0.15	C	min	4	0.3238	[4]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	gaussian- 0.15	Cbar	min	10	0.2776	[10]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	gaussian- 0.15	F	min	10	0.1604	[10]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	gaussian- 0.15	Fbar	min	9	0.0652	[9]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	salt- pepper- 0.05	C	min	2	0.306	[2]	smallest_12	[GuidedBacksolpt'DeepliftShap"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	salt- pepper- 0.05	Cbar	min	10	0.2512	[10]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C
ImageNet- ImageNet- resnet18	ImageNet	ImageNet resnet18	schulze	robustness	salt- pepper- 0.05	F	min	6	0.1546	[6]	smallest_12	[GuidedBacksolpt'DeepliftShap","DeepLift","FeatureAblation","C

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	salt- pepper- 0.05	Fbar	min	3	0.0382	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	C	min	2	0.1106	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	Cbar	min	2	0.0906	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	F	min	10	0.0768	[10]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	Schulze	robustness	speckle- 0.15	Fbar	min	3	0.0238	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	C	max	2	0.3056	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	Cbar	min	2	0.2646	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	F	max	2	0.1814	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	quality	clean	Fbar	min	2	0.15	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	C	min	8	0.173	[8]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	Cbar	min	3	0.0534	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	F	min	5	0.0908	[5]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	adversarial- sara-2- 255	Fbar	min	3	0.0182	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	C	min	2	0.3246	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	Cbar	min	3	0.3048	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	F	min	9	0.1514	[9]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	gaussian- 0.15	Fbar	min	3	0.088	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	salt- pepper- 0.05	C	min	2	0.2974	[2]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	simpleavg	robustness	salt- pepper- 0.05	Cbar	min	3	0.2764	[3]	smallest	[GuidedBacksolpt'DeeptD] DeepLiftShap", "DeepLift"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	salt- pepper- 0.05	F		min	5	0.1294	[5]	smallest_12	["GuidedBacksolpt", "DeepLiftShap", "DeepLift", "FeatureAblation", "C
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	salt- pepper- 0.05	Fbar		min	3	0.0568	[3]	smallest_12	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	C		min	2	0.1022	[2]	smallest_12	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	Cbar		min	3	0.0928	[3]	smallest_12	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	F		min	2	0.0718	[2,9]	smallest_12	["GuidedBacksolpt", "DeepLiftShap"]
ImageNet– ImageNet- resnet18	ImageNet	ImageNet- resnet18	simpleavgobustness	speckle- 0.15	Fbar		min	3	0.0282	[3]	smallest_12	["GuidedBacksolpt", "DeepLiftShap", "DeepLift"]

Table 174: NOISE q-sweep diagnostics results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance	q	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	borda	clean	quality	C	0.308	max	0.308	kendall	0.367314	0.367314	0.367314	0.0002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	borda	clean	quality	C	0.3034	max	0.3034	kendall	0.657412	0.657412	0.657412	0.0002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	borda	clean	quality	C	0.3116	max	0.3116	kendall	0.523529	0.523529	0.523529	0.0002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	borda	clean	quality	C	0.312	max	0.312	kendall	0.345765	0.345765	0.345765	0.0002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	borda	clean	quality	C	0.2986	max	0.2986	kendall	0.43653	0.43653	0.43653	0.0002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	borda	clean	quality	C	0.289	max	0.289	kendall	0.498314	0.498314	0.498314	0.0002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	borda	clean	quality	C	0.2844	max	0.2844	kendall	0.484005	0.484005	0.484005	0.0002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	9	borda	clean	quality	C	0.2778	max	0.2778	kendall	0.507886	0.507886	0.507886	0.0002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	10	borda	clean	quality	C	0.2768	max	0.2768	kendall	0.485199	0.485199	0.485199	0.0002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	11	borda	clean	quality	C	0.2756	max	0.2756	kendall	0.470366	0.470366	0.470366	0.0002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	2	kemeny	clean	quality	C	0.308	max	0.308	kendall	0.367314	0.367314	0.367314	0.0002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	3	kemeny	clean	quality	C	0.2916	max	0.2916	kendall	0.657412	0.657412	0.657412	0.0002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	4	kemeny	clean	quality	C	0.2978	max	0.2978	kendall	0.523529	0.523529	0.523529	0.0002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	5	kemeny	clean	quality	C	0.3128	max	0.3128	kendall	0.345765	0.345765	0.345765	0.0002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	6	kemeny	clean	quality	C	0.306	max	0.306	kendall	0.43653	0.43653	0.43653	0.0002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	7	kemeny	clean	quality	C	0.2884	max	0.2884	kendall	0.498314	0.498314	0.498314	0.0002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	kendall	8	kemeny	clean	quality	C	0.282	max	0.282	kendall	0.484005	0.484005	0.484005	0.0002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	clean	quality	C	0.2744	max	0.2744	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	clean	quality	C	0.2722	max	0.2722	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	clean	quality	C	0.271	max	0.271	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	clean	quality	C	0.3074	max	0.3074	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	clean	quality	C	0.3022	max	0.3022	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	clean	quality	C	0.3066	max	0.3066	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	clean	quality	C	0.3152	max	0.3152	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	clean	quality	C	0.2986	max	0.2986	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	clean	quality	C	0.2912	max	0.2912	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	clean	quality	C	0.2878	max	0.2878	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	clean	quality	C	0.2798	max	0.2798	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	clean	quality	C	0.2772	max	0.2772	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	clean	quality	C	0.2812	max	0.2812	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	clean	quality	C	0.308	max	0.308	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	clean	quality	C	0.2924	max	0.2924	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	clean	quality	C	0.2974	max	0.2974	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	clean	quality	C	0.312	max	0.312	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	clean	quality	C	0.3008	max	0.3008	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	7	schulze	clean	quality	C	0.2966	max	0.2966	kendall_0.498314	-exact_-0.498314	-0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	8	schulze	clean	quality	C	0.2844	max	0.2844	kendall_0.484005	-exact_-0.484005	-0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	9	schulze	clean	quality	C	0.2694	max	0.2694	kendall_0.507886	-exact_-0.507886	-0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	10	schulze	clean	quality	C	0.2758	max	0.2758	kendall_0.485199	-exact_-0.485199	-0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	schulze	clean	quality	C	0.276	max	0.276	kendall_0.470366	-exact_-0.470366	-0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	2	simpleavg	clean	quality	C	0.3056	max	0.3056	kendall_0.367314	-exact_-0.367314	-0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	3	simpleavg	clean	quality	C	0.2996	max	0.2996	kendall_0.657412	-exact_-0.657412	-0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	4	simpleavg	clean	quality	C	0.3024	max	0.3024	kendall_0.523529	-exact_-0.523529	-0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	5	simpleavg	clean	quality	C	0.2872	max	0.2872	kendall_0.345765	-exact_-0.345765	-0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	6	simpleavg	clean	quality	C	0.2876	max	0.2876	kendall_0.43653	-exact_-0.43653	-0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	7	simpleavg	clean	quality	C	0.2898	max	0.2898	kendall_0.498314	-exact_-0.498314	-0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	8	simpleavg	clean	quality	C	0.285	max	0.285	kendall_0.484005	-exact_-0.484005	-0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	9	simpleavg	clean	quality	C	0.2882	max	0.2882	kendall_0.507886	-exact_-0.507886	-0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	10	simpleavg	clean	quality	C	0.2858	max	0.2858	kendall_0.485199	-exact_-0.485199	-0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	simpleavg	clean	quality	C	0.286	max	0.286	kendall_0.470366	-exact_-0.470366	-0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	2	borda	clean	quality	Cbar	0.2586	min	-0.2586	kendall_0.367314	-exact_-0.367314	-0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	3	borda	clean	quality	Cbar	0.2688	min	-0.2688	kendall_0.657412	-exact_-0.657412	-0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	4	borda	clean	quality	Cbar	0.3024	min	-0.3024	kendall_0.523529	-exact_-0.523529	-0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	clean	quality	Cbar	0.3216	min	-0.3216	kendall_0.3216	0.345765	-exact_distance	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	clean	quality	Cbar	0.3324	min	-0.3324	kendall_0.3324	0.43653	-exact_distance	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	clean	quality	Cbar	0.3482	min	-0.3482	kendall_0.3482	0.498314	-exact_distance	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	clean	quality	Cbar	0.3448	min	-0.3448	kendall_0.3448	0.484005	-exact_distance	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	clean	quality	Cbar	0.3664	min	-0.3664	kendall_0.3664	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	clean	quality	Cbar	0.3514	min	-0.3514	kendall_0.3514	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	clean	quality	Cbar	0.3464	min	-0.3464	kendall_0.3464	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	clean	quality	Cbar	0.2586	min	-0.2586	kendall_0.2586	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	clean	quality	Cbar	0.3044	min	-0.3044	kendall_0.3044	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	clean	quality	Cbar	0.2772	min	-0.2772	kendall_0.2772	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	clean	quality	Cbar	0.2872	min	-0.2872	kendall_0.2872	0.345765	-exact_distance	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	clean	quality	Cbar	0.3056	min	-0.3056	kendall_0.3056	0.43653	-exact_distance	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	clean	quality	Cbar	0.3304	min	-0.3304	kendall_0.3304	0.498314	-exact_distance	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	clean	quality	Cbar	0.3298	min	-0.3298	kendall_0.3298	0.484005	-exact_distance	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	clean	quality	Cbar	0.3634	min	-0.3634	kendall_0.3634	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	clean	quality	Cbar	0.3546	min	-0.3546	kendall_0.3546	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	clean	quality	Cbar	0.3492	min	-0.3492	kendall_0.3492	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	clean	quality	Cbar	0.256	min	-0.256	kendall_0.256	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	clean	quality	Cbar	0.2716	min	-0.2716	kendall_0.657412	-exact_0.657412	-0.002	0.002	1829.8	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	clean	quality	Cbar	0.2748	min	-0.2748	kendall_0.523529	-exact_0.523529	-0.002	0.002	3010.4	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	clean	quality	Cbar	0.3094	min	-0.3094	kendall_0.345765	-exact_0.345765	-0.002	0.002	3433	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	clean	quality	Cbar	0.318	min	-0.318	kendall_0.43653	-exact_0.43653	-0.002	0.002	3377.5	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	rrf	clean	quality	Cbar	0.323	min	-0.323	kendall_0.498314	-exact_0.498314	-0.002	0.002	3218.6	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	rrf	clean	quality	Cbar	0.3306	min	-0.3306	kendall_0.484005	-exact_0.484005	-0.002	0.002	3257.5	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	rrf	clean	quality	Cbar	0.3552	min	-0.3552	kendall_0.507886	-exact_0.507886	-0.002	0.002	3164.8	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	rrf	clean	quality	Cbar	0.3388	min	-0.3388	kendall_0.485199	-exact_0.485199	-0.002	0.002	3430.5	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	rrf	clean	quality	Cbar	0.3424	min	-0.3424	kendall_0.470366	-exact_0.470366	-0.002	0.002	3733	11	True	True	2	False	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	schulze	clean	quality	Cbar	0.2586	min	-0.2586	kendall_0.367314	-exact_0.367314	-0.002	0.002	2341.4	11	False	True	2	True	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	schulze	clean	quality	Cbar	0.291	min	-0.291	kendall_0.657412	-exact_0.657412	-0.002	0.002	1829.8	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	schulze	clean	quality	Cbar	0.2872	min	-0.2872	kendall_0.523529	-exact_0.523529	-0.002	0.002	3010.4	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	schulze	clean	quality	Cbar	0.3258	min	-0.3258	kendall_0.345765	-exact_0.345765	-0.002	0.002	3433	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	schulze	clean	quality	Cbar	0.3152	min	-0.3152	kendall_0.43653	-exact_0.43653	-0.002	0.002	3377.5	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	schulze	clean	quality	Cbar	0.3174	min	-0.3174	kendall_0.498314	-exact_0.498314	-0.002	0.002	3218.6	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	schulze	clean	quality	Cbar	0.3316	min	-0.3316	kendall_0.484005	-exact_0.484005	-0.002	0.002	3257.5	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	schulze	clean	quality	Cbar	0.3564	min	-0.3564	kendall_0.507886	-exact_0.507886	-0.002	0.002	3164.8	11	False	True	2	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	schulze	clean	quality	Cbar	0.3522	min	-0.3522	kendall_0.485199	-exact_0.485199	-0.002	0.002	3430.5	11	False	True	2	False	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
			model				kind			direction	value	model	statistic	score	value	distance	selected	by	forced			mal	q	reference	prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall	11	schulze	clean	quality	Cbar	0.3444	min	-0.3444	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2		False	True		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	2	simpleavg	clean	quality	Cbar	0.2646	min	-0.2646	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2		True	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	3	simpleavg	clean	quality	Cbar	0.2752	min	-0.2752	kendall_0.657412-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	4	simpleavg	clean	quality	Cbar	0.3706	min	-0.3706	kendall_0.523529-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	5	simpleavg	clean	quality	Cbar	0.4004	min	-0.4004	kendall_0.345765-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	6	simpleavg	clean	quality	Cbar	0.3954	min	-0.3954	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	7	simpleavg	clean	quality	Cbar	0.3896	min	-0.3896	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	8	simpleavg	clean	quality	Cbar	0.3894	min	-0.3894	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	9	simpleavg	clean	quality	Cbar	0.3882	min	-0.3882	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	10	simpleavg	clean	quality	Cbar	0.3858	min	-0.3858	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	11	simpleavg	clean	quality	Cbar	0.3862	min	-0.3862	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2		False	True		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	2	borda	clean	quality	F	0.1818	max	0.1818	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	5		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	3	borda	clean	quality	F	0.1762	max	0.1762	kendall_0.657412-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	5		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	4	borda	clean	quality	F	0.1856	max	0.1856	kendall_0.523529-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	5		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	5	borda	clean	quality	F	0.1876	max	0.1876	kendall_0.345765-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	5		True	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	6	borda	clean	quality	F	0.1782	max	0.1782	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	5		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	7	borda	clean	quality	F	0.1698	max	0.1698	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	5		False	False		["GuidedBackprop	
	ImageNet	ImageNet- resnet18	kendall	8	borda	clean	quality	F	0.1634	max	0.1634	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	5		False	False		["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	borda	clean	quality	F	0.1618	max	0.1618	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	borda	clean	quality	F	0.1616	max	0.1616	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	borda	clean	quality	F	0.158	max	0.158	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	kemeny	clean	quality	F	0.1818	max	0.1818	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	clean	quality	F	0.17	max	0.17	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	clean	quality	F	0.175	max	0.175	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	clean	quality	F	0.1874	max	0.1874	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	clean	quality	F	0.1806	max	0.1806	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	kemeny	clean	quality	F	0.1716	max	0.1716	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	kemeny	clean	quality	F	0.1642	max	0.1642	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	kemeny	clean	quality	F	0.1574	max	0.1574	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	kemeny	clean	quality	F	0.1586	max	0.1586	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	kemeny	clean	quality	F	0.1556	max	0.1556	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	rrf	clean	quality	F	0.1812	max	0.1812	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	rrf	clean	quality	F	0.1762	max	0.1762	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	rrf	clean	quality	F	0.1834	max	0.1834	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	rrf	clean	quality	F	0.1886	max	0.1886	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	rrf	clean	quality	F	0.1798	max	0.1798	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	clean	quality	F	0.1728	max	0.1728	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	clean	quality	F	0.1682	max	0.1682	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	clean	quality	F	0.1644	max	0.1644	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	clean	quality	F	0.1638	max	0.1638	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	clean	quality	F	0.1612	max	0.1612	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	clean	quality	F	0.1818	max	0.1818	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	clean	quality	F	0.1658	max	0.1658	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	clean	quality	F	0.1704	max	0.1704	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	clean	quality	F	0.1876	max	0.1876	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	clean	quality	F	0.181	max	0.181	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	clean	quality	F	0.175	max	0.175	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	clean	quality	F	0.1672	max	0.1672	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	clean	quality	F	0.1578	max	0.1578	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	clean	quality	F	0.1618	max	0.1618	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	clean	quality	F	0.1576	max	0.1576	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	clean	quality	F	0.1814	max	0.1814	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	clean	quality	F	0.1762	max	0.1762	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	clean	quality	F	0.1804	max	0.1804	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	clean	quality	F	0.1726	max	0.1726	kendall_0.3415665-exact_distance	0.3415665	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	clean	quality	F	0.1738	max	0.1738	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	clean	quality	F	0.1742	max	0.1742	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	clean	quality	F	0.1724	max	0.1724	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	clean	quality	F	0.1748	max	0.1748	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	clean	quality	F	0.1736	max	0.1736	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	clean	quality	F	0.1726	max	0.1726	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	clean	quality	Fbar	0.1452	min	-0.1452	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	clean	quality	Fbar	0.1586	min	-0.1586	kendall_0.657412-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	clean	quality	Fbar	0.1802	min	-0.1802	kendall_0.523529-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	clean	quality	Fbar	0.1982	min	-0.1982	kendall_0.3415665-exact_distance	0.3415665	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	clean	quality	Fbar	0.2092	min	-0.2092	kendall_0.43653-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	clean	quality	Fbar	0.2242	min	-0.2242	kendall_0.498314-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	clean	quality	Fbar	0.2196	min	-0.2196	kendall_0.484005-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	clean	quality	Fbar	0.2388	min	-0.2388	kendall_0.507886-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	clean	quality	Fbar	0.2284	min	-0.2284	kendall_0.485199-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	clean	quality	Fbar	0.2186	min	-0.2186	kendall_0.470366-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	clean	quality	Fbar	0.1452	min	-0.1452	kendall_0.367314-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	clean	quality	Fbar	0.1904	min	-0.1904	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	clean	quality	Fbar	0.165	min	-0.165	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	clean	quality	Fbar	0.1658	min	-0.1658	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	clean	quality	Fbar	0.1868	min	-0.1868	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	clean	quality	Fbar	0.2088	min	-0.2088	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	clean	quality	Fbar	0.2098	min	-0.2098	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	clean	quality	Fbar	0.2394	min	-0.2394	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	clean	quality	Fbar	0.2292	min	-0.2292	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	clean	quality	Fbar	0.2234	min	-0.2234	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	clean	quality	Fbar	0.1424	min	-0.1424	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	clean	quality	Fbar	0.1612	min	-0.1612	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	clean	quality	Fbar	0.1606	min	-0.1606	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	clean	quality	Fbar	0.1868	min	-0.1868	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	clean	quality	Fbar	0.1964	min	-0.1964	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	clean	quality	Fbar	0.2046	min	-0.2046	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	clean	quality	Fbar	0.2076	min	-0.2076	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	clean	quality	Fbar	0.2258	min	-0.2258	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	clean	quality	Fbar	0.217	min	-0.217	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is opti-	q11 ref-	method
			model				kind			direction	value	model	statis- tic	score	value	dis- tance	se- lected	q	by noise	forced fall- back			mal q	erence	prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	rrf	clean	quality	Fbar	0.2176	min	-0.2176	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	2		False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	schulze	clean	quality	Fbar	0.1452	min	-0.1452	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	2		True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	schulze	clean	quality	Fbar	0.1786	min	-0.1786	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	schulze	clean	quality	Fbar	0.1726	min	-0.1726	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	schulze	clean	quality	Fbar	0.2018	min	-0.2018	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	schulze	clean	quality	Fbar	0.1956	min	-0.1956	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	schulze	clean	quality	Fbar	0.1954	min	-0.1954	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	schulze	clean	quality	Fbar	0.2068	min	-0.2068	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	9	schulze	clean	quality	Fbar	0.2342	min	-0.2342	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	0.002	3164.8	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	10	schulze	clean	quality	Fbar	0.2262	min	-0.2262	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	0.002	3430.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	11	schulze	clean	quality	Fbar	0.2182	min	-0.2182	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	0.002	3733	11	True	True	2		False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	2	simpleavg	clean	quality	Fbar	0.15	min	-0.15	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	0.002	2341.4	11	False	True	2		True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	3	simpleavg	clean	quality	Fbar	0.1638	min	-0.1638	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	0.002	1829.8	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	4	simpleavg	clean	quality	Fbar	0.238	min	-0.238	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	0.002	3010.4	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	5	simpleavg	clean	quality	Fbar	0.2698	min	-0.2698	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	0.002	3433	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	6	simpleavg	clean	quality	Fbar	0.2632	min	-0.2632	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	0.002	3377.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	7	simpleavg	clean	quality	Fbar	0.2592	min	-0.2592	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	0.002	3218.6	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	kendall	8	simpleavg	clean	quality	Fbar	0.2574	min	-0.2574	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	0.002	3257.5	11	False	True	2		False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	simpleavg	clean	quality	Fbar	0.2538	min	-0.2538	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	simpleavg	clean	quality	Fbar	0.2494	min	-0.2494	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	simpleavg	clean	quality	Fbar	0.251	min	-0.251	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	Fbar	0.2158	min	-0.2158	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	Fbar	0.2178	min	-0.2178	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	Fbar	0.206	min	-0.206	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	Fbar	0.203	min	-0.203	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	Fbar	0.1974	min	-0.1974	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	Fbar	0.1924	min	-0.1924	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	Fbar	0.1898	min	-0.1898	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	Fbar	0.1886	min	-0.1886	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	Fbar	0.1884	min	-0.1884	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	Fbar	0.1882	min	-0.1882	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	11	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	Fbar	0.2158	min	-0.2158	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	Fbar	0.2092	min	-0.2092	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	Fbar	0.2046	min	-0.2046	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	Fbar	0.2054	min	-0.2054	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	Fbar	0.2076	min	-0.2076	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	11	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	G	0.1944	min	-0.1944	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	G	0.1906	min	-0.1906	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	G	0.189	min	-0.189	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	G	0.1848	min	-0.1848	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	adversarial	robustness	G	0.179	min	-0.179	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	11	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	adversarial	robustness	G	0.2148	min	-0.2148	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	adversarial	robustness	G	0.2164	min	-0.2164	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	adversarial	robustness	G	0.2048	min	-0.2048	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	adversarial	robustness	G	0.205	min	-0.205	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	adversarial	robustness	G	0.1934	min	-0.1934	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	adversarial	robustness	G	0.193	min	-0.193	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	adversarial	robustness	G	0.1926	min	-0.1926	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	adversarial	robustness	G	0.1872	min	-0.1872	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	adversarial	robustness	G	0.1868	min	-0.1868	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	adversarial	robustness	G	0.1914	min	-0.1914	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	10	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	adversarial	robustness	G	0.2158	min	-0.2158	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	adversarial	robustness	G	0.2092	min	-0.2092	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	adversarial	robustness	G	0.206	min	-0.206	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	adversarial	robustness	G	0.2016	min	-0.2016	kendall_0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	adversarial	robustness	G	0.2006	min	-0.2006	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	adversarial	robustness	G	0.1984	min	-0.1984	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	adversarial	robustness	G	0.1924	min	-0.1924	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	G	0.1846	min	-0.1846	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	G	0.187	min	-0.187	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	G	0.1864	min	-0.1864	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	G	0.2124	min	-0.2124	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	G	0.2144	min	-0.2144	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	G	0.1882	min	-0.1882	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	G	0.1732	min	-0.1732	kendall_0.3415765	-exact_distance	0.3415765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	G	0.175	min	-0.175	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	G	0.1776	min	-0.1776	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	G	0.173	min	-0.173	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	G	0.1804	min	-0.1804	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	G	0.1784	min	-0.1784	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	G	0.1768	min	-0.1768	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	Gbar	0.0586	min	-0.0586	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	Gbar	0.0534	min	-0.0534	kendall_0.657412	-exact_ds0.002	0.657412	0.657412	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	Gbar	0.0712	min	-0.0712	kendall_0.523529	-exact_ds0.002	0.523529	0.523529	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	Gbar	0.072	min	-0.072	kendall_0.345765	-exact_ds0.002	0.345765	0.345765	0.002	3433	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	Gbar	0.0676	min	-0.0676	kendall_0.43653	-exact_ds0.002	0.43653	0.43653	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	Gbar	0.0694	min	-0.0694	kendall_0.498314	-exact_ds0.002	0.498314	0.498314	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	Gbar	0.0584	min	-0.0584	kendall_0.484005	-exact_ds0.002	0.484005	0.484005	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	Gbar	0.0596	min	-0.0596	kendall_0.507886	-exact_ds0.002	0.507886	0.507886	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	Gbar	0.0496	min	-0.0496	kendall_0.485199	-exact_ds0.002	0.485199	0.485199	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	Gbar	0.0532	min	-0.0532	kendall_0.470366	-exact_ds0.002	0.470366	0.470366	0.002	3733	11	True	True	10	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	Gbar	0.0586	min	-0.0586	kendall_0.367314	-exact_ds0.002	0.367314	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	Gbar	0.039	min	-0.039	kendall_0.657412	-exact_ds0.002	0.657412	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	Gbar	0.0402	min	-0.0402	kendall_0.523529	-exact_ds0.002	0.523529	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	Gbar	0.0746	min	-0.0746	kendall_0.345765	-exact_ds0.002	0.345765	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	Gbar	0.0714	min	-0.0714	kendall_0.43653	-exact_ds0.002	0.43653	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	Gbar	0.0588	min	-0.0588	kendall_0.498314	-exact_ds0.002	0.498314	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	Gbar	0.0544	min	-0.0544	kendall_0.484005	-exact_ds0.002	0.484005	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	Gbar	0.0546	min	-0.0546	kendall_0.507886	-exact_ds0.002	0.507886	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	Gbar	0.0552	min	-0.0552	kendall_0.485199	-exact_ds0.002	0.485199	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
			model			kind				direction	value	model	statis- tic	score	value	dis- tance	se- lected q	by noise	forced fall- back			mal q	reference	prefix		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	kemeny	adversarial	robustness	Gbar	0.0492	min	-0.0492	kendall_0.470366	-exact_0.470366	-0.002	3733	11	True	True	3	False	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	rrf	adversarial	robustness	Gbar	0.0606	min	-0.0606	kendall_0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	rrf	adversarial	robustness	Gbar	0.0524	min	-0.0524	kendall_0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	rrf	adversarial	robustness	Gbar	0.0638	min	-0.0638	kendall_0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	rrf	adversarial	robustness	Gbar	0.0754	min	-0.0754	kendall_0.345765	-exact_0.345765	-0.002	3433	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	rrf	adversarial	robustness	Gbar	0.0784	min	-0.0784	kendall_0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	rrf	adversarial	robustness	Gbar	0.0604	min	-0.0604	kendall_0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	rrf	adversarial	robustness	Gbar	0.0644	min	-0.0644	kendall_0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	9	rrf	adversarial	robustness	Gbar	0.0634	min	-0.0634	kendall_0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	10	rrf	adversarial	robustness	Gbar	0.0502	min	-0.0502	kendall_0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	rrf	adversarial	robustness	Gbar	0.0608	min	-0.0608	kendall_0.470366	-exact_0.470366	-0.002	3733	11	True	True	10	False	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	schulze	adversarial	robustness	Gbar	0.0586	min	-0.0586	kendall_0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	schulze	adversarial	robustness	Gbar	0.0358	min	-0.0358	kendall_0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	schulze	adversarial	robustness	Gbar	0.0508	min	-0.0508	kendall_0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	schulze	adversarial	robustness	Gbar	0.0798	min	-0.0798	kendall_0.345765	-exact_0.345765	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	schulze	adversarial	robustness	Gbar	0.067	min	-0.067	kendall_0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	schulze	adversarial	robustness	Gbar	0.063	min	-0.063	kendall_0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	schulze	adversarial	robustness	Gbar	0.0582	min	-0.0582	kendall_0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop				

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	Gbar	0.0426	min	-0.0426	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	Gbar	0.0486	min	-0.0486	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	Gbar	0.0506	min	-0.0506	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	Gbar	0.0592	min	-0.0592	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	Gbar	0.0534	min	-0.0534	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	Gbar	0.0788	min	-0.0788	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	Gbar	0.0784	min	-0.0784	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	Gbar	0.0784	min	-0.0784	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	Gbar	0.0756	min	-0.0756	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	Gbar	0.0786	min	-0.0786	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	Gbar	0.0746	min	-0.0746	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	Gbar	0.0752	min	-0.0752	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	Gbar	0.0754	min	-0.0754	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	F	0.116	min	-0.116	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	F	0.115	min	-0.115	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	F	0.11	min	-0.11	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	F	0.1108	min	-0.1108	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	F	0.1042	min	-0.1042	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	F	0.099	min	-0.099	kendall_0.498314	exact_distance	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	F	0.094	min	-0.094	kendall_0.484005	exact_distance	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	F	0.0972	min	-0.0972	kendall_0.507886	exact_distance	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	F	0.0972	min	-0.0972	kendall_0.485199	exact_distance	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	F	0.095	min	-0.095	kendall_0.470366	exact_distance	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	F	0.116	min	-0.116	kendall_0.367314	exact_distance	0.367314	0.002	2341.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	F	0.1114	min	-0.1114	kendall_0.657412	exact_distance	0.657412	0.002	1829.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	F	0.1066	min	-0.1066	kendall_0.523529	exact_distance	0.523529	0.002	3010.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	F	0.1106	min	-0.1106	kendall_0.345765	exact_distance	0.345765	0.002	3433	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	F	0.11	min	-0.11	kendall_0.43653	exact_distance	0.43653	0.002	3377.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	F	0.1036	min	-0.1036	kendall_0.498314	exact_distance	0.498314	0.002	3218.6	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	F	0.0982	min	-0.0982	kendall_0.484005	exact_distance	0.484005	0.002	3257.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	F	0.0972	min	-0.0972	kendall_0.507886	exact_distance	0.507886	0.002	3164.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	F	0.0958	min	-0.0958	kendall_0.485199	exact_distance	0.485199	0.002	3430.5	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	adversarial	robustness	F	0.0904	min	-0.0904	kendall_0.470366	exact_distance	0.470366	0.002	3733	11	True	True	11	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	adversarial	robustness	F	0.116	min	-0.116	kendall_0.367314	exact_distance	0.367314	0.002	2341.4	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	adversarial	robustness	F	0.114	min	-0.114	kendall_0.657412	exact_distance	0.657412	0.002	1829.8	11	False	True	11	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	adversarial	robustness	F	0.1104	min	-0.1104	kendall_0.523529	exact_distance	0.523529	0.002	3010.4	11	False	True	11	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	adversarial	robustness	F	0.1102	min	-0.1102	kendall_0.3415765	-exact_distance	0.345765	0.002	3433	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	adversarial	robustness	F	0.1032	min	-0.1032	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	adversarial	robustness	F	0.1004	min	-0.1004	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	adversarial	robustness	F	0.0994	min	-0.0994	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	adversarial	robustness	F	0.097	min	-0.097	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	adversarial	robustness	F	0.097	min	-0.097	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	adversarial	robustness	F	0.0956	min	-0.0956	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	11	True	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	adversarial	robustness	F	0.116	min	-0.116	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	adversarial	robustness	F	0.1058	min	-0.1058	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	adversarial	robustness	F	0.1046	min	-0.1046	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	adversarial	robustness	F	0.1092	min	-0.1092	kendall_0.3415765	-exact_distance	0.345765	0.002	3433	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	adversarial	robustness	F	0.108	min	-0.108	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	adversarial	robustness	F	0.102	min	-0.102	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	adversarial	robustness	F	0.1004	min	-0.1004	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	F	0.0968	min	-0.0968	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	F	0.0974	min	-0.0974	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	F	0.0926	min	-0.0926	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	11	True	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	F	0.1148	min	-0.1148	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	5	False	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	F	0.1154	min	-0.1154	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	F	0.097	min	-0.097	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	F	0.0908	min	-0.0908	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	5	True	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	F	0.0934	min	-0.0934	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	F	0.094	min	-0.094	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	F	0.0912	min	-0.0912	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	F	0.0964	min	-0.0964	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	F	0.096	min	-0.096	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	5	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	F	0.0944	min	-0.0944	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	5	False	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	adversarial	robustness	Fbar	0.0232	min	-0.0232	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	adversarial	robustness	Fbar	0.0222	min	-0.0222	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	adversarial	robustness	Fbar	0.0302	min	-0.0302	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	adversarial	robustness	Fbar	0.0262	min	-0.0262	kendall_0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	adversarial	robustness	Fbar	0.0324	min	-0.0324	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	adversarial	robustness	Fbar	0.0316	min	-0.0316	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	adversarial	robustness	Fbar	0.0198	min	-0.0198	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	adversarial	robustness	Fbar	0.0234	min	-0.0234	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	11	False	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	adversarial	robustness	Fbar	0.0212	min	-0.0212	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	11	False	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	adversarial	robustness	Fbar	0.019	min	-0.019	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	11	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	adversarial	robustness	Fbar	0.0232	min	-0.0232	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	adversarial	robustness	Fbar	0.0118	min	-0.0118	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	adversarial	robustness	Fbar	0.0088	min	-0.0088	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	4	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	adversarial	robustness	Fbar	0.0272	min	-0.0272	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	adversarial	robustness	Fbar	0.036	min	-0.036	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	adversarial	robustness	Fbar	0.0258	min	-0.0258	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	adversarial	robustness	Fbar	0.0214	min	-0.0214	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	adversarial	robustness	Fbar	0.0238	min	-0.0238	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	adversarial	robustness	Fbar	0.0226	min	-0.0226	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	4	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	adversarial	robustness	Fbar	0.015	min	-0.015	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	4	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	adversarial	robustness	Fbar	0.0234	min	-0.0234	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	adversarial	robustness	Fbar	0.0202	min	-0.0202	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	adversarial	robustness	Fbar	0.026	min	-0.026	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	adversarial	robustness	Fbar	0.032	min	-0.032	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	adversarial	robustness	Fbar	0.0382	min	-0.0382	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	adversarial	robustness	Fbar	0.0252	min	-0.0252	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	adversarial	robustness	Fbar	0.024	min	-0.024	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	adversarial	robustness	Fbar	0.0232	min	-0.0232	kendall_0.507886	exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	adversarial	robustness	Fbar	0.0202	min	-0.0202	kendall_0.485199	exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	adversarial	robustness	Fbar	0.0246	min	-0.0246	kendall_0.470366	exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	adversarial	robustness	Fbar	0.0232	min	-0.0232	kendall_0.367314	exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	adversarial	robustness	Fbar	0.0066	min	-0.0066	kendall_0.657412	exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	adversarial	robustness	Fbar	0.0142	min	-0.0142	kendall_0.523529	exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	adversarial	robustness	Fbar	0.0352	min	-0.0352	kendall_0.345765	exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	adversarial	robustness	Fbar	0.0288	min	-0.0288	kendall_0.43653	exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	adversarial	robustness	Fbar	0.0254	min	-0.0254	kendall_0.498314	exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	adversarial	robustness	Fbar	0.0202	min	-0.0202	kendall_0.484005	exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	adversarial	robustness	Fbar	0.014	min	-0.014	kendall_0.507886	exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	adversarial	robustness	Fbar	0.0146	min	-0.0146	kendall_0.485199	exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	adversarial	robustness	Fbar	0.017	min	-0.017	kendall_0.470366	exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	adversarial	robustness	Fbar	0.0244	min	-0.0244	kendall_0.367314	exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	adversarial	robustness	Fbar	0.0182	min	-0.0182	kendall_0.657412	exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	adversarial	robustness	Fbar	0.034	min	-0.034	kendall_0.523529	exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	adversarial	robustness	Fbar	0.0428	min	-0.0428	kendall_0.345765	exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	adversarial	robustness	Fbar	0.0414	min	-0.0414	kendall_0.43653	exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	adversarial	robustness	Fbar	0.037	min	-0.037	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	adversarial	robustness	Fbar	0.0394	min	-0.0394	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	adversarial	robustness	Fbar	0.0338	min	-0.0338	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	adversarial	robustness	Fbar	0.0324	min	-0.0324	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	adversarial	robustness	Fbar	0.0338	min	-0.0338	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	gaussian	robustness	G	0.3244	min	-0.3244	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	gaussian	robustness	G	0.3176	min	-0.3176	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	gaussian	robustness	G	0.3338	min	-0.3338	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	gaussian	robustness	G	0.3406	min	-0.3406	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	gaussian	robustness	G	0.3474	min	-0.3474	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	gaussian	robustness	G	0.3452	min	-0.3452	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	gaussian	robustness	G	0.3422	min	-0.3422	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	gaussian	robustness	G	0.3418	min	-0.3418	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	gaussian	robustness	G	0.3396	min	-0.3396	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	gaussian	robustness	G	0.3384	min	-0.3384	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	gaussian	robustness	G	0.3244	min	-0.3244	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	gaussian	robustness	G	0.328	min	-0.328	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	gaussian	robustness	G	0.329	min	-0.329	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	gaussian-robustnes	0.332	G	0.332	min	-0.332	kendall_	0.3415765	-exact_	0.3415765	0.002	3433	11	False	True	6	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	gaussian-robustnes	0.317	G	0.317	min	-0.317	kendall_	0.43653	-exact_	0.43653	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	gaussian-robustnes	0.3358	G	0.3358	min	-0.3358	kendall_	0.498314	-exact_	0.498314	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	gaussian-robustnes	0.3284	G	0.3284	min	-0.3284	kendall_	0.484005	-exact_	0.484005	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustnes	0.3278	G	0.3278	min	-0.3278	kendall_	0.507886	-exact_	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustnes	0.323	G	0.323	min	-0.323	kendall_	0.485199	-exact_	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustnes	0.3296	G	0.3296	min	-0.3296	kendall_	0.470366	-exact_	0.470366	0.002	3733	11	True	True	6	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustnes	0.327	G	0.327	min	-0.327	kendall_	0.367314	-exact_	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustnes	0.3156	G	0.3156	min	-0.3156	kendall_	0.657412	-exact_	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustnes	0.333	G	0.333	min	-0.333	kendall_	0.523529	-exact_	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustnes	0.3352	G	0.3352	min	-0.3352	kendall_	0.3415765	-exact_	0.3415765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustnes	0.3436	G	0.3436	min	-0.3436	kendall_	0.43653	-exact_	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustnes	0.337	G	0.337	min	-0.337	kendall_	0.498314	-exact_	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustnes	0.3348	G	0.3348	min	-0.3348	kendall_	0.484005	-exact_	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustnes	0.3324	G	0.3324	min	-0.3324	kendall_	0.507886	-exact_	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustnes	0.3322	G	0.3322	min	-0.3322	kendall_	0.485199	-exact_	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustnes	0.3286	G	0.3286	min	-0.3286	kendall_	0.470366	-exact_	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustnes	0.3244	G	0.3244	min	-0.3244	kendall_	0.367314	-exact_	0.367314	0.002	2341.4	11	False	True	4	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.15	CS	0.3282	min	-0.3282	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.15	CS	0.3238	min	-0.3238	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	4	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.15	CS	0.337	min	-0.337	kendall_0.345765	-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.15	CS	0.339	min	-0.339	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.15	CS	0.3246	min	-0.3246	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.15	CS	0.325	min	-0.325	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.15	CS	0.3328	min	-0.3328	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.15	CS	0.3246	min	-0.3246	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	4	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	0.15	CS	0.3296	min	-0.3296	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	4	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	0.15	CS	0.3246	min	-0.3246	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	0.15	CS	0.3284	min	-0.3284	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	0.15	CS	0.3372	min	-0.3372	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	gaussian-robustness	0.15	CS	0.347	min	-0.347	kendall_0.345765	-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	gaussian-robustness	0.15	CS	0.3478	min	-0.3478	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	gaussian-robustness	0.15	CS	0.3448	min	-0.3448	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	gaussian-robustness	0.15	CS	0.35	min	-0.35	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	gaussian-robustness	0.15	CS	0.3408	min	-0.3408	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	gaussian-robustness	0.15	CS	0.3452	min	-0.3452	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is opti-	q11	ref-	method
				model		kind				direction	value	model	statistic	score	value	distance	selected	by noise	forced fall-back		q	mal q	reference	prefix		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	simpleavg	gaussian-robustness	0.3474	G	0.3474	min	-0.3474	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	3733	11	True	True	2	False	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	borda	gaussian-robustness	0.3204	Gbar	0.3204	min	-0.3204	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	2341.4	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	borda	gaussian-robustness	0.3134	Gbar	0.3134	min	-0.3134	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	1829.8	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	borda	gaussian-robustness	0.3262	Gbar	0.3262	min	-0.3262	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	3010.4	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	borda	gaussian-robustness	0.3498	Gbar	0.3498	min	-0.3498	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	3433	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	borda	gaussian-robustness	0.3358	Gbar	0.3358	min	-0.3358	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	3377.5	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	borda	gaussian-robustness	0.3202	Gbar	0.3202	min	-0.3202	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	3218.6	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	borda	gaussian-robustness	0.319	Gbar	0.319	min	-0.319	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	3257.5	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	9	borda	gaussian-robustness	0.2942	Gbar	0.2942	min	-0.2942	kendall_0.507886-exact_distance	0.507886	0.507886	0.507886	3164.8	11	False	True	9	True	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	10	borda	gaussian-robustness	0.314	Gbar	0.314	min	-0.314	kendall_0.485199-exact_distance	0.485199	0.485199	0.485199	3430.5	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	borda	gaussian-robustness	0.3208	Gbar	0.3208	min	-0.3208	kendall_0.470366-exact_distance	0.470366	0.470366	0.470366	3733	11	True	True	9	False	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	kemeny	gaussian-robustness	0.3204	Gbar	0.3204	min	-0.3204	kendall_0.367314-exact_distance	0.367314	0.367314	0.367314	2341.4	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	kemeny	gaussian-robustness	0.2782	Gbar	0.2782	min	-0.2782	kendall_0.657412-exact_distance	0.657412	0.657412	0.657412	1829.8	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	kemeny	gaussian-robustness	0.3086	Gbar	0.3086	min	-0.3086	kendall_0.523529-exact_distance	0.523529	0.523529	0.523529	3010.4	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	kemeny	gaussian-robustness	0.3062	Gbar	0.3062	min	-0.3062	kendall_0.345765-exact_distance	0.345765	0.345765	0.345765	3433	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	kemeny	gaussian-robustness	0.2952	Gbar	0.2952	min	-0.2952	kendall_0.43653-exact_distance	0.43653	0.43653	0.43653	3377.5	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	kemeny	gaussian-robustness	0.2846	Gbar	0.2846	min	-0.2846	kendall_0.498314-exact_distance	0.498314	0.498314	0.498314	3218.6	11	False	True	9	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	kemeny	gaussian-robustness	0.2932	Gbar	0.2932	min	-0.2932	kendall_0.484005-exact_distance	0.484005	0.484005	0.484005	3257.5	11	False	True	9	False	False	["GuidedBackprop			

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness	0.15	Gbar	0.2642	min	-0.2642	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness	0.15	Gbar	0.2816	min	-0.2816	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness	0.15	Gbar	0.2774	min	-0.2774	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness	0.15	Gbar	0.3234	min	-0.3234	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness	0.15	Gbar	0.3132	min	-0.3132	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness	0.15	Gbar	0.3202	min	-0.3202	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness	0.15	Gbar	0.3324	min	-0.3324	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness	0.15	Gbar	0.3132	min	-0.3132	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness	0.15	Gbar	0.3066	min	-0.3066	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness	0.15	Gbar	0.2962	min	-0.2962	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness	0.15	Gbar	0.2768	min	-0.2768	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness	0.15	Gbar	0.2968	min	-0.2968	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness	0.15	Gbar	0.2944	min	-0.2944	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness	0.15	Gbar	0.3204	min	-0.3204	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.15	Gbar	0.29	min	-0.29	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.15	Gbar	0.3004	min	-0.3004	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.15	Gbar	0.3336	min	-0.3336	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.15	Gbar	0.3034	min	-0.3034	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	Sbar	0.2934	min	-0.2934	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	Sbar	0.2872	min	-0.2872	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	Sbar	0.2818	min	-0.2818	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	Sbar	0.2776	min	-0.2776	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	Sbar	0.288	min	-0.288	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	10	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	Sbar	0.3152	min	-0.3152	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	Sbar	0.3048	min	-0.3048	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	Sbar	0.3282	min	-0.3282	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	gaussian-robustness	Sbar	0.3426	min	-0.3426	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	gaussian-robustness	Sbar	0.3366	min	-0.3366	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	gaussian-robustness	Sbar	0.3314	min	-0.3314	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	gaussian-robustness	Sbar	0.3256	min	-0.3256	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	gaussian-robustness	Sbar	0.3202	min	-0.3202	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	gaussian-robustness	Sbar	0.32	min	-0.32	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	gaussian-robustness	Sbar	0.3208	min	-0.3208	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	gaussian-robustness	S	0.168	min	-0.168	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	gaussian-robustness	S	0.1696	min	-0.1696	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	gaussian-robustness	S	0.1716	min	-0.1716	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	gaussian-robustness	0.1676	F	0.1676	min	-0.1676	kendall_0.3435765	-exact_distance	0.3435765	0.3435765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	gaussian-robustness	0.1772	F	0.1772	min	-0.1772	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	gaussian-robustness	0.178	F	0.178	min	-0.178	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	gaussian-robustness	0.1742	F	0.1742	min	-0.1742	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	gaussian-robustness	0.1716	F	0.1716	min	-0.1716	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	gaussian-robustness	0.1686	F	0.1686	min	-0.1686	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	gaussian-robustness	0.1692	F	0.1692	min	-0.1692	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	gaussian-robustness	0.168	F	0.168	min	-0.168	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	gaussian-robustness	0.175	F	0.175	min	-0.175	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	gaussian-robustness	0.1706	F	0.1706	min	-0.1706	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	gaussian-robustness	0.1704	F	0.1704	min	-0.1704	kendall_0.3435765	-exact_distance	0.3435765	0.3435765	0.002	3433	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	gaussian-robustness	0.1634	F	0.1634	min	-0.1634	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	gaussian-robustness	0.173	F	0.173	min	-0.173	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	gaussian-robustness	0.168	F	0.168	min	-0.168	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness	0.1688	F	0.1688	min	-0.1688	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness	0.1632	F	0.1632	min	-0.1632	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness	0.1668	F	0.1668	min	-0.1668	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	10	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness	0.1644	F	0.1644	min	-0.1644	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness	0.15	F	0.1688	min	-0.1688	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness	0.15	F	0.1756	min	-0.1756	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness	0.15	F	0.1646	min	-0.1646	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness	0.15	F	0.1714	min	-0.1714	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness	0.15	F	0.1696	min	-0.1696	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness	0.15	F	0.1694	min	-0.1694	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness	0.15	F	0.1702	min	-0.1702	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness	0.15	F	0.1664	min	-0.1664	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness	0.15	F	0.1648	min	-0.1648	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness	0.15	F	0.168	min	-0.168	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.15	F	0.1794	min	-0.1794	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.15	F	0.176	min	-0.176	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.15	F	0.1686	min	-0.1686	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.15	F	0.1668	min	-0.1668	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.15	F	0.167	min	-0.167	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.15	F	0.1658	min	-0.1658	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.15	F	0.167	min	-0.167	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.15	F	0.1604	min	-0.1604	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	0.15	F	0.1662	min	-0.1662	kendall_0.470366	exact_distance	0.470366	0.470366	0.002	3733	11	True	True	10	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	0.15	F	0.1628	min	-0.1628	kendall_0.367314	exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	0.15	F	0.1726	min	-0.1726	kendall_0.657412	exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	0.15	F	0.1532	min	-0.1532	kendall_0.523529	exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	gaussian-robustness	0.15	F	0.156	min	-0.156	kendall_0.345765	exact_distance	0.345765	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	gaussian-robustness	0.15	F	0.1558	min	-0.1558	kendall_0.43653	exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	gaussian-robustness	0.15	F	0.156	min	-0.156	kendall_0.498314	exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	gaussian-robustness	0.15	F	0.1574	min	-0.1574	kendall_0.484005	exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	gaussian-robustness	0.15	F	0.1514	min	-0.1514	kendall_0.507886	exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	gaussian-robustness	0.15	F	0.1536	min	-0.1536	kendall_0.485199	exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	gaussian-robustness	0.15	F	0.1564	min	-0.1564	kendall_0.470366	exact_distance	0.470366	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	gaussian-robustness	0.15	Fbar	0.1014	min	-0.1014	kendall_0.367314	exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	gaussian-robustness	0.15	Fbar	0.0916	min	-0.0916	kendall_0.657412	exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	gaussian-robustness	0.15	Fbar	0.1134	min	-0.1134	kendall_0.523529	exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	gaussian-robustness	0.15	Fbar	0.13	min	-0.13	kendall_0.345765	exact_distance	0.345765	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	gaussian-robustness	0.15	Fbar	0.1166	min	-0.1166	kendall_0.43653	exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	gaussian-robustness	0.15	Fbar	0.1042	min	-0.1042	kendall_0.498314	exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	gaussian-robustness	0.15	Fbar	0.1018	min	-0.1018	kendall_0.484005	exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	gaussian-robustness	Fbar	0.0828	min	-0.0828	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	gaussian-robustness	Fbar	0.097	min	-0.097	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	gaussian-robustness	Fbar	0.0996	min	-0.0996	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	gaussian-robustness	Fbar	0.1014	min	-0.1014	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	gaussian-robustness	Fbar	0.0548	min	-0.0548	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	gaussian-robustness	Fbar	0.086	min	-0.086	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	gaussian-robustness	Fbar	0.096	min	-0.096	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	gaussian-robustness	Fbar	0.0776	min	-0.0776	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	gaussian-robustness	Fbar	0.0702	min	-0.0702	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	gaussian-robustness	Fbar	0.0758	min	-0.0758	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	gaussian-robustness	Fbar	0.0522	min	-0.0522	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	gaussian-robustness	Fbar	0.0712	min	-0.0712	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	gaussian-robustness	Fbar	0.0684	min	-0.0684	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	gaussian-robustness	Fbar	0.1048	min	-0.1048	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	gaussian-robustness	Fbar	0.0862	min	-0.0862	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	gaussian-robustness	Fbar	0.0984	min	-0.0984	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	gaussian-robustness	Fbar	0.1144	min	-0.1144	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	gaussian-robustness	Fbar	0.0966	min	-0.0966	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	gaussian-robustness	0.15	Fbar	0.086	min	-0.086	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	gaussian-robustness	0.15	Fbar	0.081	min	-0.081	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	gaussian-robustness	0.15	Fbar	0.07	min	-0.07	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	gaussian-robustness	0.15	Fbar	0.0842	min	-0.0842	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	gaussian-robustness	0.15	Fbar	0.0776	min	-0.0776	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	gaussian-robustness	0.15	Fbar	0.1014	min	-0.1014	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	gaussian-robustness	0.15	Fbar	0.068	min	-0.068	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	gaussian-robustness	0.15	Fbar	0.0818	min	-0.0818	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	gaussian-robustness	0.15	Fbar	0.1176	min	-0.1176	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	gaussian-robustness	0.15	Fbar	0.0868	min	-0.0868	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	gaussian-robustness	0.15	Fbar	0.0778	min	-0.0778	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	gaussian-robustness	0.15	Fbar	0.0768	min	-0.0768	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	gaussian-robustness	0.15	Fbar	0.0652	min	-0.0652	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	gaussian-robustness	0.15	Fbar	0.0704	min	-0.0704	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	gaussian-robustness	0.15	Fbar	0.0762	min	-0.0762	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	gaussian-robustness	0.15	Fbar	0.1008	min	-0.1008	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	gaussian-robustness	0.15	Fbar	0.088	min	-0.088	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	gaussian-robustness	0.15	Fbar	0.1178	min	-0.1178	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleav	gaussian-robustness	FSbar	0.1262	min	-0.1262	kendall_0.3415765	-exact_distance	0.3415765	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleav	gaussian-robustness	FSbar	0.1238	min	-0.1238	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleav	gaussian-robustness	FSbar	0.1152	min	-0.1152	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleav	gaussian-robustness	FSbar	0.1124	min	-0.1124	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleav	gaussian-robustness	FSbar	0.1096	min	-0.1096	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleav	gaussian-robustness	FSbar	0.1128	min	-0.1128	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleav	gaussian-robustness	FSbar	0.1118	min	-0.1118	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt-pepper-0.05	robustness	0.306	min	-0.306	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt-pepper-0.05	robustness	0.3084	min	-0.3084	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt-pepper-0.05	robustness	0.317	min	-0.317	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt-pepper-0.05	robustness	0.3128	min	-0.3128	kendall_0.3415765	-exact_distance	0.3415765	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt-pepper-0.05	robustness	0.3188	min	-0.3188	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	salt-pepper-0.05	robustness	0.3256	min	-0.3256	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	salt-pepper-0.05	robustness	0.3172	min	-0.3172	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	salt-pepper-0.05	robustness	0.3246	min	-0.3246	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	salt-pepper-0.05	robustness	0.3168	min	-0.3168	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	salt-pepper-0.05	robustness	0.3208	min	-0.3208	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	salt-pepper-0.05	robustness	0.306	min	-0.306	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	CS	0.3164	min	-0.3164	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	CS	0.3108	min	-0.3108	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	CS	0.3156	min	-0.3156	kendall_0.345765	-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	CS	0.3072	min	-0.3072	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	CS	0.3166	min	-0.3166	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	CS	0.3216	min	-0.3216	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	CS	0.3186	min	-0.3186	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	CS	0.315	min	-0.315	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	CS	0.317	min	-0.317	kendall_0.470366	-exact_distance	0.470366	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	CS	0.3058	min	-0.3058	kendall_0.367314	-exact_distance	0.367314	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	CS	0.3102	min	-0.3102	kendall_0.657412	-exact_distance	0.657412	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	CS	0.3196	min	-0.3196	kendall_0.523529	-exact_distance	0.523529	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	CS	0.3154	min	-0.3154	kendall_0.345765	-exact_distance	0.345765	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	CS	0.321	min	-0.321	kendall_0.43653	-exact_distance	0.43653	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	CS	0.3138	min	-0.3138	kendall_0.498314	-exact_distance	0.498314	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	CS	0.3126	min	-0.3126	kendall_0.484005	-exact_distance	0.484005	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	CS	0.3142	min	-0.3142	kendall_0.507886	-exact_distance	0.507886	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	CS	0.3128	min	-0.3128	kendall_0.485199	-exact_distance	0.485199	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	CS	0.3134	min	-0.3134	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	CS	0.306	min	-0.306	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	CS	0.3164	min	-0.3164	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	CS	0.3178	min	-0.3178	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	CS	0.321	min	-0.321	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	CS	0.3148	min	-0.3148	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	CS	0.3126	min	-0.3126	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	CS	0.3162	min	-0.3162	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	CS	0.3202	min	-0.3202	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	CS	0.3156	min	-0.3156	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	CS	0.3124	min	-0.3124	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	CS	0.2974	min	-0.2974	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	2	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	salt- pepper- 0.05	robustness	CS	0.3082	min	-0.3082	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	salt- pepper- 0.05	robustness	CS	0.3086	min	-0.3086	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	salt- pepper- 0.05	robustness	CS	0.3086	min	-0.3086	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	salt- pepper- 0.05	robustness	CS	0.3138	min	-0.3138	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	salt- pepper- 0.05	robustness	CS	0.3156	min	-0.3156	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	salt- pepper- 0.05	robustness	CS	0.3218	min	-0.3218	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	2	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	salt- pepper- 0.05	robustness	G	0.314	min	-0.314	kendall_0.507886	-exact_0.507886	-0.002	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	salt- pepper- 0.05	robustness	G	0.3182	min	-0.3182	kendall_0.485199	-exact_0.485199	-0.002	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	salt- pepper- 0.05	robustness	G	0.3152	min	-0.3152	kendall_0.470366	-exact_0.470366	-0.002	0.002	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt- pepper- 0.05	robustness	Gbar	0.2824	min	-0.2824	kendall_0.367314	-exact_0.367314	-0.002	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt- pepper- 0.05	robustness	Gbar	0.2728	min	-0.2728	kendall_0.657412	-exact_0.657412	-0.002	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt- pepper- 0.05	robustness	Gbar	0.2998	min	-0.2998	kendall_0.523529	-exact_0.523529	-0.002	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt- pepper- 0.05	robustness	Gbar	0.3188	min	-0.3188	kendall_0.345765	-exact_0.345765	-0.002	0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt- pepper- 0.05	robustness	Gbar	0.3068	min	-0.3068	kendall_0.43653	-exact_0.43653	-0.002	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	salt- pepper- 0.05	robustness	Gbar	0.2912	min	-0.2912	kendall_0.498314	-exact_0.498314	-0.002	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	salt- pepper- 0.05	robustness	Gbar	0.2854	min	-0.2854	kendall_0.484005	-exact_0.484005	-0.002	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	salt- pepper- 0.05	robustness	Gbar	0.2636	min	-0.2636	kendall_0.507886	-exact_0.507886	-0.002	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	salt- pepper- 0.05	robustness	Gbar	0.2778	min	-0.2778	kendall_0.485199	-exact_0.485199	-0.002	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	salt- pepper- 0.05	robustness	Gbar	0.2822	min	-0.2822	kendall_0.470366	-exact_0.470366	-0.002	0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2824	min	-0.2824	kendall_0.367314	-exact_0.367314	-0.002	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2588	min	-0.2588	kendall_0.657412	-exact_0.657412	-0.002	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2756	min	-0.2756	kendall_0.523529	-exact_0.523529	-0.002	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2774	min	-0.2774	kendall_0.345765	-exact_0.345765	-0.002	0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	Gbar	0.266	min	-0.266	kendall_0.43653	-exact_0.43653	-0.002	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2542	min	-0.2542	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2624	min	-0.2624	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2452	min	-0.2452	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	Gbar	0.253	min	-0.253	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2522	min	-0.2522	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	Gbar	0.2888	min	-0.2888	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	Gbar	0.2766	min	-0.2766	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	Gbar	0.284	min	-0.284	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	Gbar	0.3072	min	-0.3072	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	Gbar	0.2804	min	-0.2804	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	Gbar	0.276	min	-0.276	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	Gbar	0.2682	min	-0.2682	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	Gbar	0.2524	min	-0.2524	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	Gbar	0.2634	min	-0.2634	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	Gbar	0.2654	min	-0.2654	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	9	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	Gbar	0.2824	min	-0.2824	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	Gbar	0.2646	min	-0.2646	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	Gbar	0.2672	min	-0.2672	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	10	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	Gbar	0.3072	min	-0.3072	kendall_0.3415765	-exact_-0.3415765	-0.345765	-0.345765	0.002	3433	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	Gbar	0.2786	min	-0.2786	kendall_0.43653	-exact_-0.43653	-0.43653	-0.43653	0.002	3377.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	Gbar	0.2766	min	-0.2766	kendall_0.498314	-exact_-0.498314	-0.498314	-0.498314	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	Gbar	0.2604	min	-0.2604	kendall_0.484005	-exact_-0.484005	-0.484005	-0.484005	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	Gbar	0.2536	min	-0.2536	kendall_0.507886	-exact_-0.507886	-0.507886	-0.507886	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	Gbar	0.2512	min	-0.2512	kendall_0.485199	-exact_-0.485199	-0.485199	-0.485199	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	Gbar	0.2696	min	-0.2696	kendall_0.470366	-exact_-0.470366	-0.470366	-0.470366	0.002	3733	11	True	True	10	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2864	min	-0.2864	kendall_0.367314	-exact_-0.367314	-0.367314	-0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2764	min	-0.2764	kendall_0.657412	-exact_-0.657412	-0.657412	-0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.3098	min	-0.3098	kendall_0.523529	-exact_-0.523529	-0.523529	-0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.3174	min	-0.3174	kendall_0.3415765	-exact_-0.3415765	-0.345765	-0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.3106	min	-0.3106	kendall_0.43653	-exact_-0.43653	-0.43653	-0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.3076	min	-0.3076	kendall_0.498314	-exact_-0.498314	-0.498314	-0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2986	min	-0.2986	kendall_0.484005	-exact_-0.484005	-0.484005	-0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2934	min	-0.2934	kendall_0.507886	-exact_-0.507886	-0.507886	-0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2958	min	-0.2958	kendall_0.485199	-exact_-0.485199	-0.485199	-0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2946	min	-0.2946	kendall_0.470366	-exact_-0.470366	-0.470366	-0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt- pepper- 0.05	robustness	G	0.1608	min	-0.1608	kendall_0.367314	-exact_-0.367314	-0.367314	-0.367314	0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt- pepper- 0.05	robustness	F	0.1616	min	-0.1616	kendall_0.657412	-0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt- pepper- 0.05	robustness	F	0.1612	min	-0.1612	kendall_0.523529	-0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt- pepper- 0.05	robustness	F	0.1502	min	-0.1502	kendall_0.345765	-0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	5	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt- pepper- 0.05	robustness	F	0.1598	min	-0.1598	kendall_0.43653	-0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	salt- pepper- 0.05	robustness	F	0.1656	min	-0.1656	kendall_0.498314	-0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	salt- pepper- 0.05	robustness	F	0.1664	min	-0.1664	kendall_0.484005	-0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	salt- pepper- 0.05	robustness	F	0.1662	min	-0.1662	kendall_0.507886	-0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	salt- pepper- 0.05	robustness	F	0.1576	min	-0.1576	kendall_0.485199	-0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	salt- pepper- 0.05	robustness	F	0.1624	min	-0.1624	kendall_0.470366	-0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	5	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	salt- pepper- 0.05	robustness	F	0.1608	min	-0.1608	kendall_0.367314	-0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	F	0.1672	min	-0.1672	kendall_0.657412	-0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	F	0.1612	min	-0.1612	kendall_0.523529	-0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	F	0.1628	min	-0.1628	kendall_0.345765	-0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	F	0.1542	min	-0.1542	kendall_0.43653	-0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	F	0.1604	min	-0.1604	kendall_0.498314	-0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	F	0.1656	min	-0.1656	kendall_0.484005	-0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	F	0.1652	min	-0.1652	kendall_0.507886	-0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	F	0.1568	min	-0.1568	kendall_0.485199	-0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	F	0.1614	min	-0.1614	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	6	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	F	0.1606	min	-0.1606	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	F	0.1658	min	-0.1658	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	F	0.165	min	-0.165	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	F	0.1572	min	-0.1572	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	F	0.1618	min	-0.1618	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	F	0.1568	min	-0.1568	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	F	0.1624	min	-0.1624	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	F	0.1598	min	-0.1598	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	10	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	F	0.1564	min	-0.1564	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	10	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	F	0.1624	min	-0.1624	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	10	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	F	0.1608	min	-0.1608	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	F	0.1698	min	-0.1698	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	F	0.1694	min	-0.1694	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	F	0.1578	min	-0.1578	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	F	0.1546	min	-0.1546	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	6	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	F	0.1638	min	-0.1638	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	F	0.1618	min	-0.1618	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	6	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	F	0.1616	min	-0.1616	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	F	0.1564	min	-0.1564	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	F	0.1592	min	-0.1592	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	6	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	F	0.1508	min	-0.1508	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	salt- pepper- 0.05	robustness	F	0.1618	min	-0.1618	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	salt- pepper- 0.05	robustness	F	0.1386	min	-0.1386	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	salt- pepper- 0.05	robustness	F	0.1294	min	-0.1294	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	5	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	salt- pepper- 0.05	robustness	F	0.1328	min	-0.1328	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	salt- pepper- 0.05	robustness	F	0.1382	min	-0.1382	kendall_0.498314	0.498314	-exact_0.498314	-0.002	3218.6	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	salt- pepper- 0.05	robustness	F	0.1426	min	-0.1426	kendall_0.484005	0.484005	-exact_0.484005	-0.002	3257.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	salt- pepper- 0.05	robustness	F	0.1372	min	-0.1372	kendall_0.507886	0.507886	-exact_0.507886	-0.002	3164.8	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	salt- pepper- 0.05	robustness	F	0.1396	min	-0.1396	kendall_0.485199	0.485199	-exact_0.485199	-0.002	3430.5	11	False	True	5	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	salt- pepper- 0.05	robustness	F	0.1376	min	-0.1376	kendall_0.470366	0.470366	-exact_0.470366	-0.002	3733	11	True	True	5	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	salt- pepper- 0.05	robustness	Fbar	0.0614	min	-0.0614	kendall_0.367314	0.367314	-exact_0.367314	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	salt- pepper- 0.05	robustness	Fbar	0.047	min	-0.047	kendall_0.657412	0.657412	-exact_0.657412	-0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	salt- pepper- 0.05	robustness	Fbar	0.0928	min	-0.0928	kendall_0.523529	0.523529	-exact_0.523529	-0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	salt- pepper- 0.05	robustness	Fbar	0.1106	min	-0.1106	kendall_0.345765	0.345765	-exact_0.345765	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	salt- pepper- 0.05	robustness	Fbar	0.0932	min	-0.0932	kendall_0.43653	0.43653	-exact_0.43653	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	salt- pepper- 0.05	robustness	Fbar	0.0788	min	-0.0788	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	salt- pepper- 0.05	robustness	Fbar	0.0818	min	-0.0818	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	salt- pepper- 0.05	robustness	Fbar	0.0624	min	-0.0624	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	salt- pepper- 0.05	robustness	Fbar	0.0704	min	-0.0704	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	salt- pepper- 0.05	robustness	Fbar	0.0788	min	-0.0788	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0614	min	-0.0614	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0356	min	-0.0356	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0606	min	-0.0606	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0684	min	-0.0684	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0548	min	-0.0548	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	salt- pepper- 0.05	robustness	Fbar	0.047	min	-0.047	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	salt- pepper- 0.05	robustness	Fbar	0.053	min	-0.053	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0396	min	-0.0396	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	salt- pepper- 0.05	robustness	Fbar	0.047	min	-0.047	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	salt- pepper- 0.05	robustness	Fbar	0.045	min	-0.045	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	salt- pepper- 0.05	robustness	Fbar	0.0702	min	-0.0702	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	salt- pepper- 0.05	robustness	Fbar	0.0532	min	-0.0532	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	salt- pepper- 0.05	robustness	Fbar	0.072	min	-0.072	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.0966	min	-0.0966	kendall_0.3415765	-exact_0.3415765	-0.002	0.3415765	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.0732	min	-0.0732	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.0686	min	-0.0686	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.0622	min	-0.0622	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.052	min	-0.052	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.06	min	-0.06	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	salt- pepper- 0.05	robustness	$\bar{S}$	0.066	min	-0.066	kendall_0.470366	-exact_0.470366	-0.002	0.470366	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0614	min	-0.0614	kendall_0.367314	-exact_0.367314	-0.002	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0382	min	-0.0382	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0512	min	-0.0512	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0996	min	-0.0996	kendall_0.3415765	-exact_0.3415765	-0.002	0.3415765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0676	min	-0.0676	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0708	min	-0.0708	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0566	min	-0.0566	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0458	min	-0.0458	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0486	min	-0.0486	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	salt- pepper- 0.05	robustness	$\bar{S}$	0.0656	min	-0.0656	kendall_0.470366	-exact_0.470366	-0.002	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	salt- pepper- 0.05	robustness	$\bar{S}$	0.0646	min	-0.0646	kendall_0.367314	-exact_0.367314	-0.002	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.0568	min	-0.0568	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.1034	min	-0.1034	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.107	min	-0.107	kendall_0.345765	-exact_0.345765	-0.002	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.105	min	-0.105	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.1	min	-0.1	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.0946	min	-0.0946	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.0888	min	-0.0888	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.0938	min	-0.0938	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	galt- pepper- 0.05	robustness	Fbar	0.0916	min	-0.0916	kendall_0.470366	-exact_0.470366	-0.002	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	speckle- 0.15	robustness	G	0.1106	min	-0.1106	kendall_0.367314	-exact_0.367314	-0.002	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	speckle- 0.15	robustness	G	0.113	min	-0.113	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	speckle- 0.15	robustness	G	0.1176	min	-0.1176	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	speckle- 0.15	robustness	G	0.1138	min	-0.1138	kendall_0.345765	-exact_0.345765	-0.002	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	speckle- 0.15	robustness	G	0.1164	min	-0.1164	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	speckle- 0.15	robustness	G	0.126	min	-0.126	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	speckle- 0.15	robustness	G	0.126	min	-0.126	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	speckle- 0.15	robustness	G	0.1238	min	-0.1238	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	speckle- 0.15	robustness	G	0.1204	min	-0.1204	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best	q	is opti-	q11 ref-	method
			model			kind				direction	value	model	statistic	score	value		distance	selected	by noise	forced fall-back			mal q	reference	prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	borda	speckle- 0.15	robustness	CS	0.1142	min	-0.1142	kendall_0.470366-exact_ds0.002ce	0.470366	0.470366	0.470366	0.470366	3733	11	True	True	2		False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	kemeny	speckle- 0.15	robustness	CS	0.1106	min	-0.1106	kendall_0.367314-exact_ds0.002ce	0.367314	0.367314	0.367314	0.367314	2341.4	11	False	True	2		True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	kemeny	speckle- 0.15	robustness	CS	0.1116	min	-0.1116	kendall_0.657412-exact_ds0.002ce	0.657412	0.657412	0.657412	0.657412	1829.8	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	kemeny	speckle- 0.15	robustness	CS	0.1136	min	-0.1136	kendall_0.523529-exact_ds0.002ce	0.523529	0.523529	0.523529	0.523529	3010.4	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	kemeny	speckle- 0.15	robustness	CS	0.1202	min	-0.1202	kendall_0.345765-exact_ds0.002ce	0.345765	0.345765	0.345765	0.345765	3433	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	kemeny	speckle- 0.15	robustness	CS	0.1134	min	-0.1134	kendall_0.43653-exact_ds0.002ce	0.43653	0.43653	0.43653	0.43653	3377.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	kemeny	speckle- 0.15	robustness	CS	0.121	min	-0.121	kendall_0.498314-exact_ds0.002ce	0.498314	0.498314	0.498314	0.498314	3218.6	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	kemeny	speckle- 0.15	robustness	CS	0.1234	min	-0.1234	kendall_0.484005-exact_ds0.002ce	0.484005	0.484005	0.484005	0.484005	3257.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	9	kemeny	speckle- 0.15	robustness	CS	0.1138	min	-0.1138	kendall_0.507886-exact_ds0.002ce	0.507886	0.507886	0.507886	0.507886	3164.8	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	10	kemeny	speckle- 0.15	robustness	CS	0.1154	min	-0.1154	kendall_0.485199-exact_ds0.002ce	0.485199	0.485199	0.485199	0.485199	3430.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	kemeny	speckle- 0.15	robustness	CS	0.1136	min	-0.1136	kendall_0.470366-exact_ds0.002ce	0.470366	0.470366	0.470366	0.470366	3733	11	True	True	2		False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	rrf	speckle- 0.15	robustness	CS	0.107	min	-0.107	kendall_0.367314-exact_ds0.002ce	0.367314	0.367314	0.367314	0.367314	2341.4	11	False	True	2		True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	rrf	speckle- 0.15	robustness	CS	0.1108	min	-0.1108	kendall_0.657412-exact_ds0.002ce	0.657412	0.657412	0.657412	0.657412	1829.8	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	rrf	speckle- 0.15	robustness	CS	0.1194	min	-0.1194	kendall_0.523529-exact_ds0.002ce	0.523529	0.523529	0.523529	0.523529	3010.4	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	rrf	speckle- 0.15	robustness	CS	0.1146	min	-0.1146	kendall_0.345765-exact_ds0.002ce	0.345765	0.345765	0.345765	0.345765	3433	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	rrf	speckle- 0.15	robustness	CS	0.1196	min	-0.1196	kendall_0.43653-exact_ds0.002ce	0.43653	0.43653	0.43653	0.43653	3377.5	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	rrf	speckle- 0.15	robustness	CS	0.1262	min	-0.1262	kendall_0.498314-exact_ds0.002ce	0.498314	0.498314	0.498314	0.498314	3218.6	11	False	True	2		False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	rrf	speckle- 0.15	robustness	CS	0.1218	min	-0.1218	kendall_0.484005-exact_ds0.002ce	0.484005	0.484005	0.484005	0.484005	3257.5	11	False	True	2		False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	CS	0.1198	min	-0.1198	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	CS	0.1218	min	-0.1218	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	CS	0.1126	min	-0.1126	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	CS	0.1106	min	-0.1106	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	CS	0.1134	min	-0.1134	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	CS	0.1156	min	-0.1156	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	CS	0.115	min	-0.115	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	CS	0.1206	min	-0.1206	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	CS	0.115	min	-0.115	kendall_0.498314	0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	CS	0.1204	min	-0.1204	kendall_0.484005	0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	CS	0.1196	min	-0.1196	kendall_0.507886	0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	CS	0.1148	min	-0.1148	kendall_0.485199	0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	speckle- 0.15	robustness	CS	0.112	min	-0.112	kendall_0.470366	0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	speckle- 0.15	robustness	CS	0.1022	min	-0.1022	kendall_0.367314	0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	speckle- 0.15	robustness	CS	0.1116	min	-0.1116	kendall_0.657412	0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	speckle- 0.15	robustness	CS	0.121	min	-0.121	kendall_0.523529	0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	speckle- 0.15	robustness	CS	0.1188	min	-0.1188	kendall_0.345765	0.345765	-exact_distance	0.345765	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	speckle- 0.15	robustness	CS	0.12	min	-0.12	kendall_0.43653	0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	speckle- 0.15	robustness	G	0.1168	min	-0.1168	kendall_0.498314	exact_0.498314	ds002	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	speckle- 0.15	robustness	G	0.124	min	-0.124	kendall_0.484005	exact_0.484005	ds002	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	speckle- 0.15	robustness	G	0.1174	min	-0.1174	kendall_0.507886	exact_0.507886	ds002	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	speckle- 0.15	robustness	G	0.1198	min	-0.1198	kendall_0.485199	exact_0.485199	ds002	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	speckle- 0.15	robustness	G	0.1192	min	-0.1192	kendall_0.470366	exact_0.470366	ds002	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	speckle- 0.15	robustness	Gbar	0.0906	min	-0.0906	kendall_0.367314	exact_0.367314	ds002	0.002	2341.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	speckle- 0.15	robustness	Gbar	0.0986	min	-0.0986	kendall_0.657412	exact_0.657412	ds002	0.002	1829.8	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	speckle- 0.15	robustness	Gbar	0.1024	min	-0.1024	kendall_0.523529	exact_0.523529	ds002	0.002	3010.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	speckle- 0.15	robustness	Gbar	0.1142	min	-0.1142	kendall_0.345765	exact_0.345765	ds002	0.002	3433	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	speckle- 0.15	robustness	Gbar	0.107	min	-0.107	kendall_0.43653	exact_0.43653	ds002	0.002	3377.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	speckle- 0.15	robustness	Gbar	0.1042	min	-0.1042	kendall_0.498314	exact_0.498314	ds002	0.002	3218.6	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	speckle- 0.15	robustness	Gbar	0.098	min	-0.098	kendall_0.484005	exact_0.484005	ds002	0.002	3257.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	speckle- 0.15	robustness	Gbar	0.0898	min	-0.0898	kendall_0.507886	exact_0.507886	ds002	0.002	3164.8	11	False	True	9	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	speckle- 0.15	robustness	Gbar	0.101	min	-0.101	kendall_0.485199	exact_0.485199	ds002	0.002	3430.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	speckle- 0.15	robustness	Gbar	0.103	min	-0.103	kendall_0.470366	exact_0.470366	ds002	0.002	3733	11	True	True	9	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	speckle- 0.15	robustness	Gbar	0.0906	min	-0.0906	kendall_0.367314	exact_0.367314	ds002	0.002	2341.4	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	speckle- 0.15	robustness	Gbar	0.0892	min	-0.0892	kendall_0.657412	exact_0.657412	ds002	0.002	1829.8	11	False	True	6	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	speckle- 0.15	robustness	Gbar	0.1016	min	-0.1016	kendall_0.523529	exact_0.523529	ds002	0.002	3010.4	11	False	True	6	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	speckle- 0.15	robustness	Gbar	0.1034	min	-0.1034	kendall_0.3415765	-exact_distance	0.345765	0.002	3433	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	speckle- 0.15	robustness	Gbar	0.0882	min	-0.0882	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	6	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	speckle- 0.15	robustness	Gbar	0.0924	min	-0.0924	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	speckle- 0.15	robustness	Gbar	0.0986	min	-0.0986	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	Gbar	0.0916	min	-0.0916	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	Gbar	0.0904	min	-0.0904	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	6	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	Gbar	0.0994	min	-0.0994	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	6	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	Gbar	0.1034	min	-0.1034	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	speckle- 0.15	robustness	Gbar	0.0962	min	-0.0962	kendall_0.657412	-exact_distance	0.657412	0.002	1829.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	speckle- 0.15	robustness	Gbar	0.102	min	-0.102	kendall_0.523529	-exact_distance	0.523529	0.002	3010.4	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	speckle- 0.15	robustness	Gbar	0.108	min	-0.108	kendall_0.3415765	-exact_distance	0.345765	0.002	3433	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	speckle- 0.15	robustness	Gbar	0.0954	min	-0.0954	kendall_0.43653	-exact_distance	0.43653	0.002	3377.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	speckle- 0.15	robustness	Gbar	0.1004	min	-0.1004	kendall_0.498314	-exact_distance	0.498314	0.002	3218.6	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	speckle- 0.15	robustness	Gbar	0.0882	min	-0.0882	kendall_0.484005	-exact_distance	0.484005	0.002	3257.5	11	False	True	8	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	Gbar	0.0882	min	-0.0882	kendall_0.507886	-exact_distance	0.507886	0.002	3164.8	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	Gbar	0.0966	min	-0.0966	kendall_0.485199	-exact_distance	0.485199	0.002	3430.5	11	False	True	8	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	Gbar	0.0958	min	-0.0958	kendall_0.470366	-exact_distance	0.470366	0.002	3733	11	True	True	8	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	Gbar	0.0906	min	-0.0906	kendall_0.367314	-exact_distance	0.367314	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	Gbar	0.0924	min	-0.0924	kendall_0.657412	-exact_ds0.002	0.657412	0.657412	1829.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	Gbar	0.0916	min	-0.0916	kendall_0.523529	-exact_ds0.002	0.523529	0.523529	3010.4	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	Gbar	0.111	min	-0.111	kendall_0.345765	-exact_ds0.002	0.345765	0.345765	3433	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	Gbar	0.0974	min	-0.0974	kendall_0.43653	-exact_ds0.002	0.43653	0.43653	3377.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	Gbar	0.0946	min	-0.0946	kendall_0.498314	-exact_ds0.002	0.498314	0.498314	3218.6	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	Gbar	0.0988	min	-0.0988	kendall_0.484005	-exact_ds0.002	0.484005	0.484005	3257.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	Gbar	0.1016	min	-0.1016	kendall_0.507886	-exact_ds0.002	0.507886	0.507886	3164.8	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	Gbar	0.0968	min	-0.0968	kendall_0.485199	-exact_ds0.002	0.485199	0.485199	3430.5	11	False	True	2	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	speckle- 0.15	robustness	Gbar	0.0958	min	-0.0958	kendall_0.470366	-exact_ds0.002	0.470366	0.470366	3733	11	True	True	2	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	speckle- 0.15	robustness	Gbar	0.1012	min	-0.1012	kendall_0.367314	-exact_ds0.002	0.367314	0.367314	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	speckle- 0.15	robustness	Gbar	0.0928	min	-0.0928	kendall_0.657412	-exact_ds0.002	0.657412	0.657412	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	speckle- 0.15	robustness	Gbar	0.1234	min	-0.1234	kendall_0.523529	-exact_ds0.002	0.523529	0.523529	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	speckle- 0.15	robustness	Gbar	0.13	min	-0.13	kendall_0.345765	-exact_ds0.002	0.345765	0.345765	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	speckle- 0.15	robustness	Gbar	0.1278	min	-0.1278	kendall_0.43653	-exact_ds0.002	0.43653	0.43653	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	speckle- 0.15	robustness	Gbar	0.1252	min	-0.1252	kendall_0.498314	-exact_ds0.002	0.498314	0.498314	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	speckle- 0.15	robustness	Gbar	0.1228	min	-0.1228	kendall_0.484005	-exact_ds0.002	0.484005	0.484005	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	speckle- 0.15	robustness	Gbar	0.1178	min	-0.1178	kendall_0.507886	-exact_ds0.002	0.507886	0.507886	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	speckle- 0.15	robustness	Gbar	0.1182	min	-0.1182	kendall_0.485199	-exact_ds0.002	0.485199	0.485199	3430.5	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	F	0.0756	min	-0.0756	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	F	0.0726	min	-0.0726	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	10	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	F	0.0748	min	-0.0748	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	10	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	F	0.0782	min	-0.0782	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	speckle- 0.15	robustness	F	0.0804	min	-0.0804	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	speckle- 0.15	robustness	F	0.0828	min	-0.0828	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	speckle- 0.15	robustness	F	0.0822	min	-0.0822	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	speckle- 0.15	robustness	F	0.0796	min	-0.0796	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	speckle- 0.15	robustness	F	0.0858	min	-0.0858	kendall_0.498314	0.498314	-exact_distance	0.498314	3218.6	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	speckle- 0.15	robustness	F	0.083	min	-0.083	kendall_0.484005	0.484005	-exact_distance	0.484005	3257.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	F	0.074	min	-0.074	kendall_0.507886	0.507886	-exact_distance	0.507886	3164.8	11	False	True	9	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	F	0.0752	min	-0.0752	kendall_0.485199	0.485199	-exact_distance	0.485199	3430.5	11	False	True	9	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	F	0.0742	min	-0.0742	kendall_0.470366	0.470366	-exact_distance	0.470366	3733	11	True	True	9	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	F	0.0816	min	-0.0816	kendall_0.367314	0.367314	-exact_distance	0.367314	2341.4	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	F	0.0878	min	-0.0878	kendall_0.657412	0.657412	-exact_distance	0.657412	1829.8	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	F	0.0876	min	-0.0876	kendall_0.523529	0.523529	-exact_distance	0.523529	3010.4	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	F	0.0788	min	-0.0788	kendall_0.345765	0.345765	-exact_distance	0.345765	3433	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	F	0.081	min	-0.081	kendall_0.43653	0.43653	-exact_distance	0.43653	3377.5	11	False	True	10	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	F	0.0796	min	-0.0796	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	F	0.0808	min	-0.0808	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	F	0.0772	min	-0.0772	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	10	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	F	0.0768	min	-0.0768	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	10	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	schulze	speckle- 0.15	robustness	F	0.077	min	-0.077	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	10	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	simpleavg	speckle- 0.15	robustness	F	0.0718	min	-0.0718	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	2	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	simpleavg	speckle- 0.15	robustness	F	0.0768	min	-0.0768	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	simpleavg	speckle- 0.15	robustness	F	0.08	min	-0.08	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	simpleavg	speckle- 0.15	robustness	F	0.0722	min	-0.0722	kendall_0.345765	0.345765	-exact_distance	0.002	3433	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	simpleavg	speckle- 0.15	robustness	F	0.0756	min	-0.0756	kendall_0.43653	0.43653	-exact_distance	0.002	3377.5	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	simpleavg	speckle- 0.15	robustness	F	0.0736	min	-0.0736	kendall_0.498314	0.498314	-exact_distance	0.002	3218.6	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	simpleavg	speckle- 0.15	robustness	F	0.0774	min	-0.0774	kendall_0.484005	0.484005	-exact_distance	0.002	3257.5	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	simpleavg	speckle- 0.15	robustness	F	0.0718	min	-0.0718	kendall_0.507886	0.507886	-exact_distance	0.002	3164.8	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	simpleavg	speckle- 0.15	robustness	F	0.0736	min	-0.0736	kendall_0.485199	0.485199	-exact_distance	0.002	3430.5	11	False	True	2	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	simpleavg	speckle- 0.15	robustness	F	0.0734	min	-0.0734	kendall_0.470366	0.470366	-exact_distance	0.002	3733	11	True	True	2	False	True	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	borda	speckle- 0.15	robustness	Fbar	0.0278	min	-0.0278	kendall_0.367314	0.367314	-exact_distance	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	borda	speckle- 0.15	robustness	Fbar	0.0274	min	-0.0274	kendall_0.657412	0.657412	-exact_distance	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop"]	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	borda	speckle- 0.15	robustness	Fbar	0.0402	min	-0.0402	kendall_0.523529	0.523529	-exact_distance	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop"]	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	borda	speckle- 0.15	robustness	Fbar	0.051	min	-0.051	kendall_0.3415765	-exact_-0.3415765	-0.002	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	borda	speckle- 0.15	robustness	Fbar	0.0426	min	-0.0426	kendall_0.43653	-exact_-0.43653	-0.002	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	borda	speckle- 0.15	robustness	Fbar	0.0402	min	-0.0402	kendall_0.498314	-exact_-0.498314	-0.002	-0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	borda	speckle- 0.15	robustness	Fbar	0.0396	min	-0.0396	kendall_0.484005	-exact_-0.484005	-0.002	-0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	borda	speckle- 0.15	robustness	Fbar	0.028	min	-0.028	kendall_0.507886	-exact_-0.507886	-0.002	-0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	borda	speckle- 0.15	robustness	Fbar	0.0368	min	-0.0368	kendall_0.485199	-exact_-0.485199	-0.002	-0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	borda	speckle- 0.15	robustness	Fbar	0.0428	min	-0.0428	kendall_0.470366	-exact_-0.470366	-0.002	-0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	kemeny	speckle- 0.15	robustness	Fbar	0.0278	min	-0.0278	kendall_0.367314	-exact_-0.367314	-0.002	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	kemeny	speckle- 0.15	robustness	Fbar	0.0222	min	-0.0222	kendall_0.657412	-exact_-0.657412	-0.002	-0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	kemeny	speckle- 0.15	robustness	Fbar	0.0352	min	-0.0352	kendall_0.523529	-exact_-0.523529	-0.002	-0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	kemeny	speckle- 0.15	robustness	Fbar	0.0446	min	-0.0446	kendall_0.3415765	-exact_-0.3415765	-0.002	-0.002	3433	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	kemeny	speckle- 0.15	robustness	Fbar	0.0298	min	-0.0298	kendall_0.43653	-exact_-0.43653	-0.002	-0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	kemeny	speckle- 0.15	robustness	Fbar	0.0288	min	-0.0288	kendall_0.498314	-exact_-0.498314	-0.002	-0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	kemeny	speckle- 0.15	robustness	Fbar	0.0328	min	-0.0328	kendall_0.484005	-exact_-0.484005	-0.002	-0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	kemeny	speckle- 0.15	robustness	Fbar	0.0288	min	-0.0288	kendall_0.507886	-exact_-0.507886	-0.002	-0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	kemeny	speckle- 0.15	robustness	Fbar	0.0294	min	-0.0294	kendall_0.485199	-exact_-0.485199	-0.002	-0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	kemeny	speckle- 0.15	robustness	Fbar	0.0362	min	-0.0362	kendall_0.470366	-exact_-0.470366	-0.002	-0.002	3733	11	True	True	3	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	rrf	speckle- 0.15	robustness	Fbar	0.0366	min	-0.0366	kendall_0.367314	-exact_-0.367314	-0.002	-0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	rrf	speckle- 0.15	robustness	Fbar	0.0276	min	-0.0276	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	rrf	speckle- 0.15	robustness	Fbar	0.0386	min	-0.0386	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	rrf	speckle- 0.15	robustness	Fbar	0.0468	min	-0.0468	kendall_0.345765	-exact_0.345765	-0.002	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	rrf	speckle- 0.15	robustness	Fbar	0.039	min	-0.039	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	rrf	speckle- 0.15	robustness	Fbar	0.0366	min	-0.0366	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	rrf	speckle- 0.15	robustness	Fbar	0.0284	min	-0.0284	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	rrf	speckle- 0.15	robustness	Fbar	0.032	min	-0.032	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	rrf	speckle- 0.15	robustness	Fbar	0.0354	min	-0.0354	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 11	rrf	speckle- 0.15	robustness	Fbar	0.0342	min	-0.0342	kendall_0.470366	-exact_0.470366	-0.002	0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 2	schulze	speckle- 0.15	robustness	Fbar	0.0278	min	-0.0278	kendall_0.367314	-exact_0.367314	-0.002	0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 3	schulze	speckle- 0.15	robustness	Fbar	0.0238	min	-0.0238	kendall_0.657412	-exact_0.657412	-0.002	0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 4	schulze	speckle- 0.15	robustness	Fbar	0.028	min	-0.028	kendall_0.523529	-exact_0.523529	-0.002	0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 5	schulze	speckle- 0.15	robustness	Fbar	0.049	min	-0.049	kendall_0.345765	-exact_0.345765	-0.002	0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 6	schulze	speckle- 0.15	robustness	Fbar	0.039	min	-0.039	kendall_0.43653	-exact_0.43653	-0.002	0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 7	schulze	speckle- 0.15	robustness	Fbar	0.0368	min	-0.0368	kendall_0.498314	-exact_0.498314	-0.002	0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 8	schulze	speckle- 0.15	robustness	Fbar	0.0354	min	-0.0354	kendall_0.484005	-exact_0.484005	-0.002	0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 9	schulze	speckle- 0.15	robustness	Fbar	0.0356	min	-0.0356	kendall_0.507886	-exact_0.507886	-0.002	0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall 10	schulze	speckle- 0.15	robustness	Fbar	0.0386	min	-0.0386	kendall_0.485199	-exact_0.485199	-0.002	0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best	q	is opti-	q11	ref-	method
			model			kind				direction	value	model	statis- tic	score	value	dis- tance	se- lected q	by noise	forced fall- back			mal q	erence	prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	schulze	speckle- 0.15	robustness	Fbar	0.035	min	-0.035	kendall_0.470366	-exact_0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	2	simpleavg	speckle- 0.15	robustness	Fbar	0.0368	min	-0.0368	kendall_0.367314	-exact_0.367314	0.002	2341.4	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	3	simpleavg	speckle- 0.15	robustness	Fbar	0.0282	min	-0.0282	kendall_0.657412	-exact_0.657412	0.002	1829.8	11	False	True	3	True	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	4	simpleavg	speckle- 0.15	robustness	Fbar	0.0688	min	-0.0688	kendall_0.523529	-exact_0.523529	0.002	3010.4	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	5	simpleavg	speckle- 0.15	robustness	Fbar	0.0666	min	-0.0666	kendall_0.345765	-exact_0.345765	0.002	3433	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	6	simpleavg	speckle- 0.15	robustness	Fbar	0.066	min	-0.066	kendall_0.43653	-exact_0.43653	0.002	3377.5	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	7	simpleavg	speckle- 0.15	robustness	Fbar	0.0588	min	-0.0588	kendall_0.498314	-exact_0.498314	0.002	3218.6	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	8	simpleavg	speckle- 0.15	robustness	Fbar	0.0638	min	-0.0638	kendall_0.484005	-exact_0.484005	0.002	3257.5	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	9	simpleavg	speckle- 0.15	robustness	Fbar	0.063	min	-0.063	kendall_0.507886	-exact_0.507886	0.002	3164.8	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	10	simpleavg	speckle- 0.15	robustness	Fbar	0.0646	min	-0.0646	kendall_0.485199	-exact_0.485199	0.002	3430.5	11	False	True	3	False	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	kendall	11	simpleavg	speckle- 0.15	robustness	Fbar	0.0636	min	-0.0636	kendall_0.470366	-exact_0.470366	0.002	3733	11	True	True	3	False	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	2	borda	clean	quality	C	0.308	max	0.308	spearman_0.530299	-multi0.530299	0.002	posal_0.999	+0.999	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	3	borda	clean	quality	C	0.3034	max	0.3034	spearman_0.661997	-multi0.661997	0.002	posal_0.523	+0.523	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	4	borda	clean	quality	C	0.3116	max	0.3116	spearman_0.533641	-multi0.533641	0.002	posal_0.799	+0.799	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	5	borda	clean	quality	C	0.312	max	0.312	spearman_0.475614	-multi0.475614	0.002	posal_1.325	+0.325	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	6	borda	clean	quality	C	0.2986	max	0.2986	spearman_0.505821	-multi0.505821	0.002	posal_1.308	+0.308	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	7	borda	clean	quality	C	0.289	max	0.289	spearman_0.569208	-multi0.569208	0.002	posal_1.217	+0.217	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman	8	borda	clean	quality	C	0.2844	max	0.2844	spearman_0.574619	-multi0.574619	0.002	posal_1.257	+0.257	once_bi	False	syTime	metric_5	approx	Fusion	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix	
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman9	borda	clean	quality	C	0.2778	max	0.2778	spearman0.612495	0.612495	0.612495	0.612495	0.002	pos2.1949e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman10	borda	clean	quality	C	0.2768	max	0.2768	spearman0.548654	0.548654	0.548654	0.548654	0.002	pos2.5082e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman11	borda	clean	quality	C	0.2756	max	0.2756	spearman0.518147	0.518147	0.518147	0.518147	0.002	pos2.9165e+05	once_bi	True	synthetic	5approx	False	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman12	kemeny	clean	quality	C	0.308	max	0.308	spearman0.530299	0.530299	0.530299	0.530299	0.002	pos1.0999e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman13	kemeny	clean	quality	C	0.2916	max	0.2916	spearman0.661997	0.661997	0.661997	0.661997	0.002	pos1.0523e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman14	kemeny	clean	quality	C	0.2978	max	0.2978	spearman0.533641	0.533641	0.533641	0.533641	0.002	pos2.0796e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman15	kemeny	clean	quality	C	0.3128	max	0.3128	spearman0.475614	0.475614	0.475614	0.475614	0.002	pos2.3254e+05	once_bi	False	synthetic	5approx	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman16	kemeny	clean	quality	C	0.306	max	0.306	spearman0.505821	0.505821	0.505821	0.505821	0.002	pos2.3084e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman17	kemeny	clean	quality	C	0.2884	max	0.2884	spearman0.569208	0.569208	0.569208	0.569208	0.002	pos2.2177e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman18	kemeny	clean	quality	C	0.282	max	0.282	spearman0.574619	0.574619	0.574619	0.574619	0.002	pos2.2576e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman19	kemeny	clean	quality	C	0.2744	max	0.2744	spearman0.612495	0.612495	0.612495	0.612495	0.002	pos2.1949e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman10	kemeny	clean	quality	C	0.2722	max	0.2722	spearman0.548654	0.548654	0.548654	0.548654	0.002	pos2.5082e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman11	kemeny	clean	quality	C	0.271	max	0.271	spearman0.518147	0.518147	0.518147	0.518147	0.002	pos2.9165e+05	once_bi	True	synthetic	5approx	False	True	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman12	rrf	clean	quality	C	0.3074	max	0.3074	spearman0.530299	0.530299	0.530299	0.530299	0.002	pos1.0999e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman13	rrf	clean	quality	C	0.3022	max	0.3022	spearman0.661997	0.661997	0.661997	0.661997	0.002	pos1.0523e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman14	rrf	clean	quality	C	0.3066	max	0.3066	spearman0.533641	0.533641	0.533641	0.533641	0.002	pos2.0796e+05	once_bi	False	synthetic	5approx	False	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman15	rrf	clean	quality	C	0.3152	max	0.3152	spearman0.475614	0.475614	0.475614	0.475614	0.002	pos2.3254e+05	once_bi	False	synthetic	5approx	True	False	["Guide
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman16	rrf	clean	quality	C	0.2986	max	0.2986	spearman0.505821	0.505821	0.505821	0.505821	0.002	pos2.3084e+05	once_bi	False	synthetic	5approx	False	False	["Guide

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	clean	quality	C	0.2912	max	0.2912	spearman0.569208	vs_multi0.602posad1.2177e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	clean	quality	C	0.2878	max	0.2878	spearman0.574619	vs_multi0.602posad1.2576e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	clean	quality	C	0.2798	max	0.2798	spearman0.612495	vs_multi0.602posad1.1449e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	C	0.2772	max	0.2772	spearman0.548654	vs_multi0.602posad1.5082e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	clean	quality	C	0.2812	max	0.2812	spearman0.518147	vs_multi0.602posad1.9165e+05	nce_biTrue_syTmetric_5approxifusion	True	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	clean	quality	C	0.308	max	0.308	spearman0.530299	vs_multi0.602posad1.0999e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	clean	quality	C	0.2924	max	0.2924	spearman0.661997	vs_multi0.602posad1.0523e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	clean	quality	C	0.2974	max	0.2974	spearman0.533641	vs_multi0.602posad1.0796e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	clean	quality	C	0.312	max	0.312	spearman0.475614	vs_multi0.602posad1.3254e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	clean	quality	C	0.3008	max	0.3008	spearman0.505821	vs_multi0.602posad1.3084e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	clean	quality	C	0.2966	max	0.2966	spearman0.569208	vs_multi0.602posad1.2177e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	clean	quality	C	0.2844	max	0.2844	spearman0.574619	vs_multi0.602posad1.2576e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	clean	quality	C	0.2694	max	0.2694	spearman0.612495	vs_multi0.602posad1.1449e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	C	0.2758	max	0.2758	spearman0.548654	vs_multi0.602posad1.5082e+05	nce_biFalse_syTmetric_5approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	C	0.276	max	0.276	spearman0.518147	vs_multi0.602posad1.9165e+05	nce_biTrue_syTmetric_5approxifusion	True	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	clean	quality	C	0.3056	max	0.3056	spearman0.530299	vs_multi0.602posad1.0999e+05	nce_biFalse_syTmetric_2approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	clean	quality	C	0.2996	max	0.2996	spearman0.661997	vs_multi0.602posad1.0523e+05	nce_biFalse_syTmetric_2approxifusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	clean	quality	C	0.3024	max	0.3024	spearman0.533641	vs_multi0.602posad1.0796e+05	nce_biFalse_syTmetric_2approxifusion	False	["GuidedBackprop							

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simple	avg	clean	quality	C	0.2872	max	0.2872	spearman0.475614	vs_multi0.002	pos2.3254e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simple	avg	clean	quality	C	0.2876	max	0.2876	spearman0.505821	vs_multi0.002	pos2.3084e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simple	avg	clean	quality	C	0.2898	max	0.2898	spearman0.569208	vs_multi0.002	pos2.2177e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simple	avg	clean	quality	C	0.285	max	0.285	spearman0.574619	vs_multi0.002	pos2.2576e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simple	avg	clean	quality	C	0.2882	max	0.2882	spearman0.612495	vs_multi0.002	pos2.1849e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simple	avg	clean	quality	C	0.2858	max	0.2858	spearman0.548654	vs_multi0.002	pos2.5082e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simple	avg	clean	quality	C	0.286	max	0.286	spearman0.518147	vs_multi0.002	pos2.9165e+05	nce_bi	True	syn	True	metric_2	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda		clean	quality	Cbar	0.2586	min	-0.2586	spearman0.530299	vs_multi0.002	pos2.0999e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda		clean	quality	Cbar	0.2688	min	-0.2688	spearman0.661997	vs_multi0.002	pos2.0523e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda		clean	quality	Cbar	0.3024	min	-0.3024	spearman0.533641	vs_multi0.002	pos2.0799e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda		clean	quality	Cbar	0.3216	min	-0.3216	spearman0.475614	vs_multi0.002	pos2.3254e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda		clean	quality	Cbar	0.3324	min	-0.3324	spearman0.505821	vs_multi0.002	pos2.3084e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	borda		clean	quality	Cbar	0.3482	min	-0.3482	spearman0.569208	vs_multi0.002	pos2.2177e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	borda		clean	quality	Cbar	0.3448	min	-0.3448	spearman0.574619	vs_multi0.002	pos2.2576e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	borda		clean	quality	Cbar	0.3664	min	-0.3664	spearman0.612495	vs_multi0.002	pos2.1849e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda		clean	quality	Cbar	0.3514	min	-0.3514	spearman0.548654	vs_multi0.002	pos2.5082e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda		clean	quality	Cbar	0.3464	min	-0.3464	spearman0.518147	vs_multi0.002	pos2.9165e+05	nce_bi	True	syn	True	metric_2	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny		clean	quality	Cbar	0.2586	min	-0.2586	spearman0.530299	vs_multi0.002	pos2.0999e+05	nce_bi	False	syn	True	metric_2	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	kemeny	clean	quality	Cbar	0.3044	min	-0.3044	spearman0.661997	svs_multi0.662	posall.0523e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	kemeny	clean	quality	Cbar	0.2772	min	-0.2772	spearman0.533641	svs_multi0.662	posall.0796e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	clean	quality	Cbar	0.2872	min	-0.2872	spearman0.475614	svs_multi0.662	posall.3254e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	clean	quality	Cbar	0.3056	min	-0.3056	spearman0.505821	svs_multi0.662	posall.3084e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	clean	quality	Cbar	0.3304	min	-0.3304	spearman0.569208	svs_multi0.662	posall.2177e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	clean	quality	Cbar	0.3298	min	-0.3298	spearman0.574619	svs_multi0.662	posall.2576e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	clean	quality	Cbar	0.3634	min	-0.3634	spearman0.612495	svs_multi0.662	posall.1949e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	clean	quality	Cbar	0.3546	min	-0.3546	spearman0.548654	svs_multi0.662	posall.5082e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	clean	quality	Cbar	0.3492	min	-0.3492	spearman0.518147	svs_multi0.662	posall.9165e+05	nce_bifalse	syTmetric2approxifusion	True	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	clean	quality	Cbar	0.256	min	-0.256	spearman0.530299	svs_multi0.662	posall.0999e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	clean	quality	Cbar	0.2716	min	-0.2716	spearman0.661997	svs_multi0.662	posall.0523e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	clean	quality	Cbar	0.2748	min	-0.2748	spearman0.533641	svs_multi0.662	posall.0796e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	clean	quality	Cbar	0.3094	min	-0.3094	spearman0.475614	svs_multi0.662	posall.3254e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	clean	quality	Cbar	0.318	min	-0.318	spearman0.505821	svs_multi0.662	posall.3084e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	clean	quality	Cbar	0.323	min	-0.323	spearman0.569208	svs_multi0.662	posall.2177e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	clean	quality	Cbar	0.3306	min	-0.3306	spearman0.574619	svs_multi0.662	posall.2576e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	rrf	clean	quality	Cbar	0.3552	min	-0.3552	spearman0.612495	svs_multi0.662	posall.1949e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	Cbar	0.3388	min	-0.3388	spearman0.548654	svs_multi0.662	posall.5082e+05	nce_bifalse	syTmetric2approxifusion	False	["GuidedBackprop					

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	rrf	clean	quality	Cbar	0.3424	min	-0.3424	spearman0.518147vs_multi0.002posad1.9165e+05	0.518147	0.002	0.002	posad1.9165e+05	0.002	0.002	0.002	0.002	0.002	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	clean	quality	Cbar	0.2586	min	-0.2586	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.002	0.002	posad1.0999e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	clean	quality	Cbar	0.291	min	-0.291	spearman0.661997vs_multi0.002posad1.0523e+05	0.661997	0.002	0.002	posad1.0523e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	clean	quality	Cbar	0.2872	min	-0.2872	spearman0.533641vs_multi0.002posad1.0799e+05	0.533641	0.002	0.002	posad1.0799e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	clean	quality	Cbar	0.3258	min	-0.3258	spearman0.475614vs_multi0.002posad1.3254e+05	0.475614	0.002	0.002	posad1.3254e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	clean	quality	Cbar	0.3152	min	-0.3152	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.002	0.002	posad1.3084e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	clean	quality	Cbar	0.3174	min	-0.3174	spearman0.569208vs_multi0.002posad1.2177e+05	0.569208	0.002	0.002	posad1.2177e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	clean	quality	Cbar	0.3316	min	-0.3316	spearman0.574619vs_multi0.002posad1.2576e+05	0.574619	0.002	0.002	posad1.2576e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	clean	quality	Cbar	0.3564	min	-0.3564	spearman0.612495vs_multi0.002posad1.1944e+05	0.612495	0.002	0.002	posad1.1944e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	Cbar	0.3522	min	-0.3522	spearman0.548654vs_multi0.002posad1.5082e+05	0.548654	0.002	0.002	posad1.5082e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	Cbar	0.3444	min	-0.3444	spearman0.518147vs_multi0.002posad1.9165e+05	0.518147	0.002	0.002	posad1.9165e+05	0.002	0.002	0.002	0.002	0.002	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	clean	quality	Cbar	0.2646	min	-0.2646	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.002	0.002	posad1.0999e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	clean	quality	Cbar	0.2752	min	-0.2752	spearman0.661997vs_multi0.002posad1.0523e+05	0.661997	0.002	0.002	posad1.0523e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	clean	quality	Cbar	0.3706	min	-0.3706	spearman0.533641vs_multi0.002posad1.0799e+05	0.533641	0.002	0.002	posad1.0799e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	clean	quality	Cbar	0.4004	min	-0.4004	spearman0.475614vs_multi0.002posad1.3254e+05	0.475614	0.002	0.002	posad1.3254e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	clean	quality	Cbar	0.3954	min	-0.3954	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.002	0.002	posad1.3084e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	clean	quality	Cbar	0.3896	min	-0.3896	spearman0.569208vs_multi0.002posad1.2177e+05	0.569208	0.002	0.002	posad1.2177e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	clean	quality	Cbar	0.3894	min	-0.3894	spearman0.574619vs_multi0.002posad1.2576e+05	0.574619	0.002	0.002	posad1.2576e+05	0.002	0.002	0.002	0.002	0.002	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc- tion	value	model	statis- tic	score	value	dis- tance	se- lected q	by noise	forced fall- back		mal q	erence	prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	clean	quality	F	0.1716	max	0.1716	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	clean	quality	F	0.1642	max	0.1642	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	clean	quality	F	0.1574	max	0.1574	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	clean	quality	F	0.1586	max	0.1586	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	clean	quality	F	0.1556	max	0.1556	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_5approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	clean	quality	F	0.1812	max	0.1812	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	clean	quality	F	0.1762	max	0.1762	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	clean	quality	F	0.1834	max	0.1834	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	clean	quality	F	0.1886	max	0.1886	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	clean	quality	F	0.1798	max	0.1798	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	clean	quality	F	0.1728	max	0.1728	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	clean	quality	F	0.1682	max	0.1682	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	clean	quality	F	0.1644	max	0.1644	spearman0.612495	vs_multi0.002	posad1.1949e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	F	0.1638	max	0.1638	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	clean	quality	F	0.1612	max	0.1612	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_5approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	clean	quality	F	0.1818	max	0.1818	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	clean	quality	F	0.1658	max	0.1658	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	clean	quality	F	0.1704	max	0.1704	spearman0.533641	vs_multi0.002	posad1.0799e+05	nce_bi	False	sy	True	metric_5approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	clean	quality	F	0.1876	max	0.1876	spearman0.475614	ivs_multi0.002	pos2.3254e+05	nce_bi	False	syTmetric_5	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	clean	quality	F	0.181	max	0.181	spearman0.505821	ivs_multi0.002	pos2.3084e+05	nce_bi	False	syTmetric_5	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	clean	quality	F	0.175	max	0.175	spearman0.569208	ivs_multi0.002	pos2.2177e+05	nce_bi	False	syTmetric_5	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	clean	quality	F	0.1672	max	0.1672	spearman0.574619	ivs_multi0.002	pos2.2576e+05	nce_bi	False	syTmetric_5	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	clean	quality	F	0.1578	max	0.1578	spearman0.612495	ivs_multi0.002	pos2.1949e+05	nce_bi	False	syTmetric_5	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	F	0.1618	max	0.1618	spearman0.548654	ivs_multi0.002	pos2.5082e+05	nce_bi	False	syTmetric_5	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	F	0.1576	max	0.1576	spearman0.518147	ivs_multi0.002	pos2.9165e+05	nce_bi	True	syTmetric_5	approxif	False	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	clean	quality	F	0.1814	max	0.1814	spearman0.530299	ivs_multi0.002	pos2.0999e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	clean	quality	F	0.1762	max	0.1762	spearman0.661997	ivs_multi0.002	pos2.0523e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	clean	quality	F	0.1804	max	0.1804	spearman0.533641	ivs_multi0.002	pos2.0799e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	clean	quality	F	0.1726	max	0.1726	spearman0.475614	ivs_multi0.002	pos2.3254e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	clean	quality	F	0.1738	max	0.1738	spearman0.505821	ivs_multi0.002	pos2.3084e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	clean	quality	F	0.1742	max	0.1742	spearman0.569208	ivs_multi0.002	pos2.2177e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	clean	quality	F	0.1724	max	0.1724	spearman0.574619	ivs_multi0.002	pos2.2576e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	clean	quality	F	0.1748	max	0.1748	spearman0.612495	ivs_multi0.002	pos2.1949e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	clean	quality	F	0.1736	max	0.1736	spearman0.548654	ivs_multi0.002	pos2.5082e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	clean	quality	F	0.1726	max	0.1726	spearman0.518147	ivs_multi0.002	pos2.9165e+05	nce_bi	True	syTmetric_2	approxif	False	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	clean	quality	Fbar	0.1452	min	-0.1452	spearman0.530299	ivs_multi0.002	pos2.0999e+05	nce_bi	False	syTmetric_2	approxif	False	True	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	kemeny	clean	quality	Fbar	0.2234	min	-0.2234	spearman	0.518147	0.518147	0.518147	multi0.002	posal.9165e+05	once_bif	True	syTmetric_2	approxifi	ation	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	rrf	clean	quality	Fbar	0.1424	min	-0.1424	spearman	0.530299	0.530299	0.530299	multi0.002	posal.0999e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	rrf	clean	quality	Fbar	0.1612	min	-0.1612	spearman	0.661997	0.661997	0.661997	multi0.002	posal.0523e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	rrf	clean	quality	Fbar	0.1606	min	-0.1606	spearman	0.533641	0.533641	0.533641	multi0.002	posal.0799e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	clean	quality	Fbar	0.1868	min	-0.1868	spearman	0.475614	0.475614	0.475614	multi0.002	posal.3254e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	clean	quality	Fbar	0.1964	min	-0.1964	spearman	0.505821	0.505821	0.505821	multi0.002	posal.3084e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	clean	quality	Fbar	0.2046	min	-0.2046	spearman	0.569208	0.569208	0.569208	multi0.002	posal.2177e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	clean	quality	Fbar	0.2076	min	-0.2076	spearman	0.574619	0.574619	0.574619	multi0.002	posal.2576e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	clean	quality	Fbar	0.2258	min	-0.2258	spearman	0.612495	0.612495	0.612495	multi0.002	posal.1944e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	clean	quality	Fbar	0.217	min	-0.217	spearman	0.548654	0.548654	0.548654	multi0.002	posal.5082e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	clean	quality	Fbar	0.2176	min	-0.2176	spearman	0.518147	0.518147	0.518147	multi0.002	posal.9165e+05	once_bif	True	syTmetric_2	approxifi	ation	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	clean	quality	Fbar	0.1452	min	-0.1452	spearman	0.530299	0.530299	0.530299	multi0.002	posal.0999e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	clean	quality	Fbar	0.1786	min	-0.1786	spearman	0.661997	0.661997	0.661997	multi0.002	posal.0523e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	clean	quality	Fbar	0.1726	min	-0.1726	spearman	0.533641	0.533641	0.533641	multi0.002	posal.0799e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	clean	quality	Fbar	0.2018	min	-0.2018	spearman	0.475614	0.475614	0.475614	multi0.002	posal.3254e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	clean	quality	Fbar	0.1956	min	-0.1956	spearman	0.505821	0.505821	0.505821	multi0.002	posal.3084e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	clean	quality	Fbar	0.1954	min	-0.1954	spearman	0.569208	0.569208	0.569208	multi0.002	posal.2177e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	clean	quality	Fbar	0.2068	min	-0.2068	spearman	0.574619	0.574619	0.574619	multi0.002	posal.2576e+05	once_bif	False	syTmetric_2	approxifi	ation	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	clean	quality	Fbar	0.2342	min	-0.2342	spearman0.612495	pos_multi0.002	0.612495	pos_multi0.002	1.1949e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	clean	quality	Fbar	0.2262	min	-0.2262	spearman0.548654	pos_multi0.002	0.548654	pos_multi0.002	1.5082e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	clean	quality	Fbar	0.2182	min	-0.2182	spearman0.518147	pos_multi0.002	0.518147	pos_multi0.002	1.9165e+05	force_bi	True	syTmetric_2	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	clean	quality	Fbar	0.15	min	-0.15	spearman0.530299	pos_multi0.002	0.530299	pos_multi0.002	1.0999e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	clean	quality	Fbar	0.1638	min	-0.1638	spearman0.661997	pos_multi0.002	0.661997	pos_multi0.002	1.0523e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	clean	quality	Fbar	0.238	min	-0.238	spearman0.533641	pos_multi0.002	0.533641	pos_multi0.002	1.0796e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	clean	quality	Fbar	0.2698	min	-0.2698	spearman0.475614	pos_multi0.002	0.475614	pos_multi0.002	1.3254e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	clean	quality	Fbar	0.2632	min	-0.2632	spearman0.505821	pos_multi0.002	0.505821	pos_multi0.002	1.3084e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	clean	quality	Fbar	0.2592	min	-0.2592	spearman0.569208	pos_multi0.002	0.569208	pos_multi0.002	1.2177e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	clean	quality	Fbar	0.2574	min	-0.2574	spearman0.574619	pos_multi0.002	0.574619	pos_multi0.002	1.2579e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	simpleavg	clean	quality	Fbar	0.2538	min	-0.2538	spearman0.612495	pos_multi0.002	0.612495	pos_multi0.002	1.1949e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	clean	quality	Fbar	0.2494	min	-0.2494	spearman0.548654	pos_multi0.002	0.548654	pos_multi0.002	1.5082e+05	force_bi	False	syTmetric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	clean	quality	Fbar	0.251	min	-0.251	spearman0.518147	pos_multi0.002	0.518147	pos_multi0.002	1.9165e+05	force_bi	True	syTmetric_2	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	adversarial	robustness	G	0.2158	min	-0.2158	spearman0.530299	pos_multi0.002	0.530299	pos_multi0.002	1.0999e+05	force_bi	False	syTmetric_1	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	adversarial	robustness	G	0.2178	min	-0.2178	spearman0.661997	pos_multi0.002	0.661997	pos_multi0.002	1.0523e+05	force_bi	False	syTmetric_1	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	adversarial	robustness	G	0.206	min	-0.206	spearman0.533641	pos_multi0.002	0.533641	pos_multi0.002	1.0796e+05	force_bi	False	syTmetric_1	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	adversarial	robustness	G	0.203	min	-0.203	spearman0.475614	pos_multi0.002	0.475614	pos_multi0.002	1.3254e+05	force_bi	False	syTmetric_1	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	adversarial	robustness	G	0.1974	min	-0.1974	spearman0.505821	pos_multi0.002	0.505821	pos_multi0.002	1.3084e+05	force_bi	False	syTmetric_1	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	adversarial	robustness	G	0.1924	min	-0.1924	spearman0.569208	0.569208	vs_multi0.002	pos2.2177e+05	1.2177e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	adversarial	robustness	G	0.1898	min	-0.1898	spearman0.574619	0.574619	vs_multi0.002	pos2.2576e+05	1.2576e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	adversarial	robustness	G	0.1886	min	-0.1886	spearman0.612495	0.612495	vs_multi0.002	pos2.1949e+05	1.1949e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	adversarial	robustness	G	0.1884	min	-0.1884	spearman0.548654	0.548654	vs_multi0.002	pos2.5082e+05	1.5082e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	adversarial	robustness	G	0.1882	min	-0.1882	spearman0.518147	0.518147	vs_multi0.002	pos2.9166e+05	1.9166e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	adversarial	robustness	G	0.2158	min	-0.2158	spearman0.530299	0.530299	vs_multi0.002	pos1.0999e+05	1.0999e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	adversarial	robustness	G	0.2092	min	-0.2092	spearman0.661997	0.661997	vs_multi0.002	pos1.0523e+05	1.0523e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	adversarial	robustness	G	0.2046	min	-0.2046	spearman0.533641	0.533641	vs_multi0.002	pos1.0796e+05	1.0796e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	kemeny	adversarial	robustness	G	0.2054	min	-0.2054	spearman0.475614	0.475614	vs_multi0.002	pos1.3254e+05	1.3254e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	kemeny	adversarial	robustness	G	0.2076	min	-0.2076	spearman0.505821	0.505821	vs_multi0.002	pos1.3084e+05	1.3084e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	kemeny	adversarial	robustness	G	0.1944	min	-0.1944	spearman0.569208	0.569208	vs_multi0.002	pos2.2177e+05	1.2177e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	kemeny	adversarial	robustness	G	0.1906	min	-0.1906	spearman0.574619	0.574619	vs_multi0.002	pos2.2576e+05	1.2576e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	G	0.189	min	-0.189	spearman0.612495	0.612495	vs_multi0.002	pos2.1949e+05	1.1949e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	G	0.1848	min	-0.1848	spearman0.548654	0.548654	vs_multi0.002	pos2.5082e+05	1.5082e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	G	0.179	min	-0.179	spearman0.518147	0.518147	vs_multi0.002	pos2.9166e+05	1.9166e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	adversarial	robustness	G	0.2148	min	-0.2148	spearman0.530299	0.530299	vs_multi0.002	pos1.0999e+05	1.0999e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	adversarial	robustness	G	0.2164	min	-0.2164	spearman0.661997	0.661997	vs_multi0.002	pos1.0523e+05	1.0523e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	adversarial	robustness	G	0.2048	min	-0.2048	spearman0.533641	0.533641	vs_multi0.002	pos1.0796e+05	1.0796e+05	incoherence_bifalse	syntactic	True	metric_1	approximation	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	adversarial	robustness	G	0.205	min	-0.205	spearman	0.475614	0.475614	0.475614	0.002	pos	1.3254e+05	force_bif	False	synt	metric_10	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	adversarial	robustness	G	0.1934	min	-0.1934	spearman	0.505821	0.505821	0.505821	0.002	pos	1.3084e+05	force_bif	False	synt	metric_10	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	adversarial	robustness	G	0.193	min	-0.193	spearman	0.569208	0.569208	0.569208	0.002	pos	1.2177e+05	force_bif	False	synt	metric_10	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	adversarial	robustness	G	0.1926	min	-0.1926	spearman	0.574619	0.574619	0.574619	0.002	pos	1.2576e+05	force_bif	False	synt	metric_10	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	adversarial	robustness	G	0.1872	min	-0.1872	spearman	0.612495	0.612495	0.612495	0.002	pos	1.1849e+05	force_bif	False	synt	metric_10	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	G	0.1868	min	-0.1868	spearman	0.548654	0.548654	0.548654	0.002	pos	1.5082e+05	force_bif	False	synt	metric_10	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	G	0.1914	min	-0.1914	spearman	0.518147	0.518147	0.518147	0.002	pos	1.9165e+05	force_bif	True	synt	metric_10	approx	False	ion	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	adversarial	robustness	G	0.2158	min	-0.2158	spearman	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	adversarial	robustness	G	0.2092	min	-0.2092	spearman	0.661997	0.661997	0.661997	0.002	pos	1.0523e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	adversarial	robustness	G	0.206	min	-0.206	spearman	0.533641	0.533641	0.533641	0.002	pos	1.0799e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	adversarial	robustness	G	0.2016	min	-0.2016	spearman	0.475614	0.475614	0.475614	0.002	pos	1.3254e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	adversarial	robustness	G	0.2006	min	-0.2006	spearman	0.505821	0.505821	0.505821	0.002	pos	1.3084e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	adversarial	robustness	G	0.1984	min	-0.1984	spearman	0.569208	0.569208	0.569208	0.002	pos	1.2177e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	adversarial	robustness	G	0.1924	min	-0.1924	spearman	0.574619	0.574619	0.574619	0.002	pos	1.2576e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	adversarial	robustness	G	0.1846	min	-0.1846	spearman	0.612495	0.612495	0.612495	0.002	pos	1.1849e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	G	0.187	min	-0.187	spearman	0.548654	0.548654	0.548654	0.002	pos	1.5082e+05	force_bif	False	synt	metric_9	approx	False	ion	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	G	0.1864	min	-0.1864	spearman	0.518147	0.518147	0.518147	0.002	pos	1.9165e+05	force_bif	True	synt	metric_9	approx	False	ion	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	G	0.2124	min	-0.2124	spearman	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	force_bif	False	synt	metric_8	approx	False	ion	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	adversarial	robustness	G	0.2144	min	-0.2144	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	adversarial	robustness	G	0.1882	min	-0.1882	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	adversarial	robustness	G	0.1732	min	-0.1732	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	adversarial	robustness	G	0.175	min	-0.175	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	adversarial	robustness	G	0.1776	min	-0.1776	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	adversarial	robustness	G	0.173	min	-0.173	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	adversarial	robustness	G	0.1804	min	-0.1804	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	G	0.1784	min	-0.1784	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	force_b	False_sy	True	metric_8	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	adversarial	robustness	G	0.1768	min	-0.1768	spearman0.518147	0.518147	0.518147	0.518147	pos1.9165e+05	force_b	True_sy	True	metric_8	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	adversarial	robustness	Gbar	0.0586	min	-0.0586	spearman0.530299	0.530299	0.530299	0.530299	pos1.0999e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	adversarial	robustness	Gbar	0.0534	min	-0.0534	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	adversarial	robustness	Gbar	0.0712	min	-0.0712	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	adversarial	robustness	Gbar	0.072	min	-0.072	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	adversarial	robustness	Gbar	0.0676	min	-0.0676	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	adversarial	robustness	Gbar	0.0694	min	-0.0694	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	adversarial	robustness	Gbar	0.0584	min	-0.0584	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	adversarial	robustness	Gbar	0.0596	min	-0.0596	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	adversarial	robustness	Gbar	0.0496	min	-0.0496	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	force_b	False_sy	True	metric_10	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman1	borda	adversarial	robustness	Gbar	0.0532	min	-0.0532	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	force_bif	True	syTmetric_10	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	adversarial	robustness	Gbar	0.0586	min	-0.0586	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	kemeny	adversarial	robustness	Gbar	0.039	min	-0.039	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	kemeny	adversarial	robustness	Gbar	0.0402	min	-0.0402	spearman	0.533641	0.533641	multi0.002	pos	1.0796e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	kemeny	adversarial	robustness	Gbar	0.0746	min	-0.0746	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	kemeny	adversarial	robustness	Gbar	0.0714	min	-0.0714	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	kemeny	adversarial	robustness	Gbar	0.0588	min	-0.0588	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	kemeny	adversarial	robustness	Gbar	0.0544	min	-0.0544	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	Gbar	0.0546	min	-0.0546	spearman	0.612495	0.612495	multi0.002	pos	1.1949e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	Gbar	0.0552	min	-0.0552	spearman	0.548654	0.548654	multi0.002	pos	1.5082e+05	force_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	Gbar	0.0492	min	-0.0492	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	force_bif	True	syTmetric_3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	rrf	adversarial	robustness	Gbar	0.0606	min	-0.0606	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	rrf	adversarial	robustness	Gbar	0.0524	min	-0.0524	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	rrf	adversarial	robustness	Gbar	0.0638	min	-0.0638	spearman	0.533641	0.533641	multi0.002	pos	1.0796e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	rrf	adversarial	robustness	Gbar	0.0754	min	-0.0754	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	rrf	adversarial	robustness	Gbar	0.0784	min	-0.0784	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	rrf	adversarial	robustness	Gbar	0.0604	min	-0.0604	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	rrf	adversarial	robustness	Gbar	0.0644	min	-0.0644	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	force_bif	False	syTmetric_10	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	adversarial	robustness	Gbar	0.0634	min	-0.0634	spearman0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	Gbar	0.0502	min	-0.0502	spearman0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	Gbar	0.0608	min	-0.0608	spearman0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	force_biftrue	syTmetric_10	approxifusion	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	adversarial	robustness	Gbar	0.0586	min	-0.0586	spearman0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	adversarial	robustness	Gbar	0.0358	min	-0.0358	spearman0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	adversarial	robustness	Gbar	0.0508	min	-0.0508	spearman0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	adversarial	robustness	Gbar	0.0798	min	-0.0798	spearman0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	adversarial	robustness	Gbar	0.067	min	-0.067	spearman0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	adversarial	robustness	Gbar	0.063	min	-0.063	spearman0.569208	0.569208	multi0.002	posad1.2177e+05	1.2177e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	adversarial	robustness	Gbar	0.0582	min	-0.0582	spearman0.574619	0.574619	multi0.002	posad1.2577e+05	1.2577e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	adversarial	robustness	Gbar	0.0426	min	-0.0426	spearman0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	Gbar	0.0486	min	-0.0486	spearman0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	Gbar	0.0506	min	-0.0506	spearman0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	force_biftrue	syTmetric_3	approxifusion	True	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	Gbar	0.0592	min	-0.0592	spearman0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	adversarial	robustness	Gbar	0.0534	min	-0.0534	spearman0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	adversarial	robustness	Gbar	0.0788	min	-0.0788	spearman0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	adversarial	robustness	Gbar	0.0784	min	-0.0784	spearman0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	adversarial	robustness	Gbar	0.0784	min	-0.0784	spearman0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	force_bifalse	syTmetric_3	approxifusion	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	adversarial	robustness	Gbar	0.0756	min	-0.0756	spearman	0.569208	vs_multi0.002	0.569208	pos2.2177e+05	once_bifalse	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	adversarial	robustness	Gbar	0.0786	min	-0.0786	spearman	0.574619	vs_multi0.002	0.574619	pos2.2576e+05	once_bifalse	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	adversarial	robustness	Gbar	0.0746	min	-0.0746	spearman	0.612495	vs_multi0.002	0.612495	pos2.1949e+05	once_bifalse	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	Gbar	0.0752	min	-0.0752	spearman	0.548654	vs_multi0.002	0.548654	pos2.5082e+05	once_bifalse	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	adversarial	robustness	Gbar	0.0754	min	-0.0754	spearman	0.518147	vs_multi0.002	0.518147	pos2.9165e+05	once_bifalse	True_sy	True	metric_3approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	adversarial	robustness	G	0.116	min	-0.116	spearman	0.530299	vs_multi0.002	0.530299	pos1.0999e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	adversarial	robustness	G	0.115	min	-0.115	spearman	0.661997	vs_multi0.002	0.661997	pos1.0523e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	adversarial	robustness	G	0.11	min	-0.11	spearman	0.533641	vs_multi0.002	0.533641	pos1.0796e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	adversarial	robustness	G	0.1108	min	-0.1108	spearman	0.475614	vs_multi0.002	0.475614	pos2.3254e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	adversarial	robustness	G	0.1042	min	-0.1042	spearman	0.505821	vs_multi0.002	0.505821	pos2.3084e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	borda	adversarial	robustness	G	0.099	min	-0.099	spearman	0.569208	vs_multi0.002	0.569208	pos2.2177e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	borda	adversarial	robustness	G	0.094	min	-0.094	spearman	0.574619	vs_multi0.002	0.574619	pos2.2576e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	adversarial	robustness	G	0.0972	min	-0.0972	spearman	0.612495	vs_multi0.002	0.612495	pos2.1949e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	adversarial	robustness	G	0.0972	min	-0.0972	spearman	0.548654	vs_multi0.002	0.548654	pos2.5082e+05	once_bifalse	False_sy	True	metric_8approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	adversarial	robustness	G	0.095	min	-0.095	spearman	0.518147	vs_multi0.002	0.518147	pos2.9165e+05	once_bifalse	True_sy	True	metric_8approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	adversarial	robustness	G	0.116	min	-0.116	spearman	0.530299	vs_multi0.002	0.530299	pos1.0999e+05	once_bifalse	False_sy	True	metric_11approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	adversarial	robustness	G	0.1114	min	-0.1114	spearman	0.661997	vs_multi0.002	0.661997	pos1.0523e+05	once_bifalse	False_sy	True	metric_11approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	adversarial	robustness	G	0.1066	min	-0.1066	spearman	0.533641	vs_multi0.002	0.533641	pos1.0796e+05	once_bifalse	False_sy	True	metric_11approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix		
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	adversarial	robustness	F	0.1106	min	-0.1106	spearman	0.475614	0.475614	0.475614	0.002	pos	1.3254e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	adversarial	robustness	F	0.11	min	-0.11	spearman	0.505821	0.505821	0.505821	0.002	pos	1.3084e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	adversarial	robustness	F	0.1036	min	-0.1036	spearman	0.569208	0.569208	0.569208	0.002	pos	1.2177e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	adversarial	robustness	F	0.0982	min	-0.0982	spearman	0.574619	0.574619	0.574619	0.002	pos	1.2577e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	F	0.0972	min	-0.0972	spearman	0.612495	0.612495	0.612495	0.002	pos	1.1849e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	F	0.0958	min	-0.0958	spearman	0.548654	0.548654	0.548654	0.002	pos	1.5082e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	F	0.0904	min	-0.0904	spearman	0.518147	0.518147	0.518147	0.002	pos	1.9165e+05	once_bif	True	synt	metric_1	approx	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	adversarial	robustness	F	0.116	min	-0.116	spearman	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	adversarial	robustness	F	0.114	min	-0.114	spearman	0.661997	0.661997	0.661997	0.002	pos	1.0523e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	adversarial	robustness	F	0.1104	min	-0.1104	spearman	0.533641	0.533641	0.533641	0.002	pos	1.0799e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	adversarial	robustness	F	0.1102	min	-0.1102	spearman	0.475614	0.475614	0.475614	0.002	pos	1.3254e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	adversarial	robustness	F	0.1032	min	-0.1032	spearman	0.505821	0.505821	0.505821	0.002	pos	1.3084e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	adversarial	robustness	F	0.1004	min	-0.1004	spearman	0.569208	0.569208	0.569208	0.002	pos	1.2177e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	adversarial	robustness	F	0.0994	min	-0.0994	spearman	0.574619	0.574619	0.574619	0.002	pos	1.2577e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	rrf	adversarial	robustness	F	0.097	min	-0.097	spearman	0.612495	0.612495	0.612495	0.002	pos	1.1849e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	F	0.097	min	-0.097	spearman	0.548654	0.548654	0.548654	0.002	pos	1.5082e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	F	0.0956	min	-0.0956	spearman	0.518147	0.518147	0.518147	0.002	pos	1.9165e+05	once_bif	True	synt	metric_1	approx	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	adversarial	robustness	F	0.116	min	-0.116	spearman	0.530299	0.530299	0.530299	0.002	pos	1.0999e+05	once_bif	False	synt	metric_1	approx	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	adversarial	robustness	F	0.1058	min	-0.1058	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	adversarial	robustness	F	0.1046	min	-0.1046	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	adversarial	robustness	F	0.1092	min	-0.1092	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	adversarial	robustness	F	0.108	min	-0.108	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	adversarial	robustness	F	0.102	min	-0.102	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	adversarial	robustness	F	0.1004	min	-0.1004	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	adversarial	robustness	F	0.0968	min	-0.0968	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	adversarial	robustness	F	0.0974	min	-0.0974	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	incoherence	False	synthetic	metric_1	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	adversarial	robustness	F	0.0926	min	-0.0926	spearman0.518147	0.518147	0.518147	0.518147	pos1.9165e+05	incoherence	True	synthetic	metric_1	approximate	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	adversarial	robustness	F	0.1148	min	-0.1148	spearman0.530299	0.530299	0.530299	0.530299	pos1.0999e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	adversarial	robustness	F	0.1154	min	-0.1154	spearman0.661997	0.661997	0.661997	0.661997	pos1.0523e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	adversarial	robustness	F	0.097	min	-0.097	spearman0.533641	0.533641	0.533641	0.533641	pos1.0796e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	adversarial	robustness	F	0.0908	min	-0.0908	spearman0.475614	0.475614	0.475614	0.475614	pos1.3254e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	adversarial	robustness	F	0.0934	min	-0.0934	spearman0.505821	0.505821	0.505821	0.505821	pos1.3084e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	adversarial	robustness	F	0.094	min	-0.094	spearman0.569208	0.569208	0.569208	0.569208	pos1.2177e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	adversarial	robustness	F	0.0912	min	-0.0912	spearman0.574619	0.574619	0.574619	0.574619	pos1.2576e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	simpleavg	adversarial	robustness	F	0.0964	min	-0.0964	spearman0.612495	0.612495	0.612495	0.612495	pos1.1949e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	adversarial	robustness	F	0.096	min	-0.096	spearman0.548654	0.548654	0.548654	0.548654	pos1.5082e+05	incoherence	False	synthetic	metric_5	approximate	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix		
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman1	simpleavg	adversarial	robustness	F	0.0944	min	-0.0944	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	once_bif	True	synt	metric_5	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	borda	adversarial	robustness	Fbar	0.0232	min	-0.0232	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	borda	adversarial	robustness	Fbar	0.0222	min	-0.0222	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	borda	adversarial	robustness	Fbar	0.0302	min	-0.0302	spearman	0.533641	0.533641	multi0.002	pos	1.0799e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	borda	adversarial	robustness	Fbar	0.0262	min	-0.0262	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	borda	adversarial	robustness	Fbar	0.0324	min	-0.0324	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	borda	adversarial	robustness	Fbar	0.0316	min	-0.0316	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	borda	adversarial	robustness	Fbar	0.0198	min	-0.0198	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	adversarial	robustness	Fbar	0.0234	min	-0.0234	spearman	0.612495	0.612495	multi0.002	pos	1.1949e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	adversarial	robustness	Fbar	0.0212	min	-0.0212	spearman	0.548654	0.548654	multi0.002	pos	1.5082e+05	once_bif	False	synt	metric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	adversarial	robustness	Fbar	0.019	min	-0.019	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	once_bif	True	synt	metric_1	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	adversarial	robustness	Fbar	0.0232	min	-0.0232	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	kemeny	adversarial	robustness	Fbar	0.0118	min	-0.0118	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	kemeny	adversarial	robustness	Fbar	0.0088	min	-0.0088	spearman	0.533641	0.533641	multi0.002	pos	1.0799e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	kemeny	adversarial	robustness	Fbar	0.0272	min	-0.0272	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	kemeny	adversarial	robustness	Fbar	0.036	min	-0.036	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	kemeny	adversarial	robustness	Fbar	0.0258	min	-0.0258	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	kemeny	adversarial	robustness	Fbar	0.0214	min	-0.0214	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	once_bif	False	synt	metric_4	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	adversarial	robustness	Fbar	0.0238	min	-0.0238	spearman0.612495	0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	force_bifailed_sy	True	metric_4	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	adversarial	robustness	Fbar	0.0226	min	-0.0226	spearman0.548654	0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	force_bifailed_sy	True	metric_4	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	adversarial	robustness	Fbar	0.015	min	-0.015	spearman0.518147	0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	force_bifailed_sy	True	metric_4	approxifusion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	rrf	adversarial	robustness	Fbar	0.0234	min	-0.0234	spearman0.530299	0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	rrf	adversarial	robustness	Fbar	0.0202	min	-0.0202	spearman0.661997	0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	rrf	adversarial	robustness	Fbar	0.026	min	-0.026	spearman0.533641	0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	adversarial	robustness	Fbar	0.032	min	-0.032	spearman0.475614	0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	adversarial	robustness	Fbar	0.0382	min	-0.0382	spearman0.505821	0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	adversarial	robustness	Fbar	0.0252	min	-0.0252	spearman0.569208	0.569208	0.569208	multi0.002	posad1.2177e+05	1.2177e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	adversarial	robustness	Fbar	0.024	min	-0.024	spearman0.574619	0.574619	0.574619	multi0.002	posad1.2579e+05	1.2579e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	adversarial	robustness	Fbar	0.0232	min	-0.0232	spearman0.612495	0.612495	0.612495	multi0.002	posad1.1949e+05	1.1949e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	adversarial	robustness	Fbar	0.0202	min	-0.0202	spearman0.548654	0.548654	0.548654	multi0.002	posad1.5082e+05	1.5082e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	adversarial	robustness	Fbar	0.0246	min	-0.0246	spearman0.518147	0.518147	0.518147	multi0.002	posad1.9165e+05	1.9165e+05	force_bifailed_sy	True	metric_3	approxifusion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	adversarial	robustness	Fbar	0.0232	min	-0.0232	spearman0.530299	0.530299	0.530299	multi0.002	posad1.0999e+05	1.0999e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	adversarial	robustness	Fbar	0.0066	min	-0.0066	spearman0.661997	0.661997	0.661997	multi0.002	posad1.0523e+05	1.0523e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	adversarial	robustness	Fbar	0.0142	min	-0.0142	spearman0.533641	0.533641	0.533641	multi0.002	posad1.0796e+05	1.0796e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	adversarial	robustness	Fbar	0.0352	min	-0.0352	spearman0.475614	0.475614	0.475614	multi0.002	posad1.3254e+05	1.3254e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	adversarial	robustness	Fbar	0.0288	min	-0.0288	spearman0.505821	0.505821	0.505821	multi0.002	posad1.3084e+05	1.3084e+05	force_bifailed_sy	True	metric_3	approxifusion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	gaussian-robustness	0.15	G	0.3406	min	-0.3406	spearman0.475614	0.475614	0.475614	0.475614	0.002	posall.3254e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	gaussian-robustness	0.15	G	0.3474	min	-0.3474	spearman0.505821	0.505821	0.505821	0.505821	0.002	posall.3084e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	gaussian-robustness	0.15	G	0.3452	min	-0.3452	spearman0.569208	0.569208	0.569208	0.569208	0.002	posall.2177e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	gaussian-robustness	0.15	G	0.3422	min	-0.3422	spearman0.574619	0.574619	0.574619	0.574619	0.002	posall.2577e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	gaussian-robustness	0.15	G	0.3418	min	-0.3418	spearman0.612495	0.612495	0.612495	0.612495	0.002	posall.1849e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	gaussian-robustness	0.15	G	0.3396	min	-0.3396	spearman0.548654	0.548654	0.548654	0.548654	0.002	posall.5082e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	gaussian-robustness	0.15	G	0.3384	min	-0.3384	spearman0.518147	0.518147	0.518147	0.518147	0.002	posall.9165e+05	force_biftrue	syTmetric3	approxifusion	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	kemeny	gaussian-robustness	0.15	G	0.3244	min	-0.3244	spearman0.530299	0.530299	0.530299	0.530299	0.002	posall.0999e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	kemeny	gaussian-robustness	0.15	G	0.328	min	-0.328	spearman0.661997	0.661997	0.661997	0.661997	0.002	posall.0523e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	kemeny	gaussian-robustness	0.15	G	0.329	min	-0.329	spearman0.533641	0.533641	0.533641	0.533641	0.002	posall.0799e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	gaussian-robustness	0.15	G	0.332	min	-0.332	spearman0.475614	0.475614	0.475614	0.475614	0.002	posall.3254e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	gaussian-robustness	0.15	G	0.317	min	-0.317	spearman0.505821	0.505821	0.505821	0.505821	0.002	posall.3084e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	gaussian-robustness	0.15	G	0.3358	min	-0.3358	spearman0.569208	0.569208	0.569208	0.569208	0.002	posall.2177e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	gaussian-robustness	0.15	G	0.3284	min	-0.3284	spearman0.574619	0.574619	0.574619	0.574619	0.002	posall.2577e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	gaussian-robustness	0.15	G	0.3278	min	-0.3278	spearman0.612495	0.612495	0.612495	0.612495	0.002	posall.1849e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	gaussian-robustness	0.15	G	0.323	min	-0.323	spearman0.548654	0.548654	0.548654	0.548654	0.002	posall.5082e+05	force_bifalse	syTmetric6	approxifusion	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	gaussian-robustness	0.15	G	0.3296	min	-0.3296	spearman0.518147	0.518147	0.518147	0.518147	0.002	posall.9165e+05	force_biftrue	syTmetric6	approxifusion	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	rrf	gaussian-robustness	0.15	G	0.327	min	-0.327	spearman0.530299	0.530299	0.530299	0.530299	0.002	posall.0999e+05	force_bifalse	syTmetric3	approxifusion	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	schulze	gaussian-robustnes	0.3296	G	0.3296	min	-0.3296	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	force_bif	True	syTmetric_4approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleav	gaussian-robustnes	0.3246	G	0.3246	min	-0.3246	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleav	gaussian-robustnes	0.3284	G	0.3284	min	-0.3284	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleav	gaussian-robustnes	0.3372	G	0.3372	min	-0.3372	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleav	gaussian-robustnes	0.347	G	0.347	min	-0.347	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleav	gaussian-robustnes	0.3478	G	0.3478	min	-0.3478	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleav	gaussian-robustnes	0.3448	G	0.3448	min	-0.3448	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleav	gaussian-robustnes	0.35	G	0.35	min	-0.35	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleav	gaussian-robustnes	0.3408	G	0.3408	min	-0.3408	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1949e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleav	gaussian-robustnes	0.3452	G	0.3452	min	-0.3452	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	force_bif	False	syTmetric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleav	gaussian-robustnes	0.3474	G	0.3474	min	-0.3474	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	force_bif	True	syTmetric_2approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	gaussian-robustnes	0.3204	Gbar	0.3204	min	-0.3204	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	gaussian-robustnes	0.3134	Gbar	0.3134	min	-0.3134	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	gaussian-robustnes	0.3262	Gbar	0.3262	min	-0.3262	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	gaussian-robustnes	0.3498	Gbar	0.3498	min	-0.3498	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	gaussian-robustnes	0.3358	Gbar	0.3358	min	-0.3358	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	gaussian-robustnes	0.3202	Gbar	0.3202	min	-0.3202	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	gaussian-robustnes	0.319	Gbar	0.319	min	-0.319	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	force_bif	False	syTmetric_9approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	borda	gaussian-robustness	Gbar	0.2942	min	-0.2942	spearman0.612495	multi0.002posad1.1949e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	borda	gaussian-robustness	Gbar	0.314	min	-0.314	spearman0.548654	multi0.002posad1.5082e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	borda	gaussian-robustness	Gbar	0.3208	min	-0.3208	spearman0.518147	multi0.002posad1.9165e+05	nce_bifalse_syTmetric9approxifusion	True	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	kemeny	gaussian-robustness	Gbar	0.3204	min	-0.3204	spearman0.530299	multi0.002posad1.0999e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	kemeny	gaussian-robustness	Gbar	0.2782	min	-0.2782	spearman0.661997	multi0.002posad1.0523e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	kemeny	gaussian-robustness	Gbar	0.3086	min	-0.3086	spearman0.533641	multi0.002posad1.0796e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	kemeny	gaussian-robustness	Gbar	0.3062	min	-0.3062	spearman0.475614	multi0.002posad1.3254e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	kemeny	gaussian-robustness	Gbar	0.2952	min	-0.2952	spearman0.505821	multi0.002posad1.3084e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	kemeny	gaussian-robustness	Gbar	0.2846	min	-0.2846	spearman0.569208	multi0.002posad1.2177e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	kemeny	gaussian-robustness	Gbar	0.2932	min	-0.2932	spearman0.574619	multi0.002posad1.2579e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman19	kemeny	gaussian-robustness	Gbar	0.2642	min	-0.2642	spearman0.612495	multi0.002posad1.1949e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	kemeny	gaussian-robustness	Gbar	0.2816	min	-0.2816	spearman0.548654	multi0.002posad1.5082e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	kemeny	gaussian-robustness	Gbar	0.2774	min	-0.2774	spearman0.518147	multi0.002posad1.9165e+05	nce_bifalse_syTmetric9approxifusion	True	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	rrf	gaussian-robustness	Gbar	0.3234	min	-0.3234	spearman0.530299	multi0.002posad1.0999e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	rrf	gaussian-robustness	Gbar	0.3132	min	-0.3132	spearman0.661997	multi0.002posad1.0523e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	rrf	gaussian-robustness	Gbar	0.3202	min	-0.3202	spearman0.533641	multi0.002posad1.0796e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	rrf	gaussian-robustness	Gbar	0.3324	min	-0.3324	spearman0.475614	multi0.002posad1.3254e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	rrf	gaussian-robustness	Gbar	0.3132	min	-0.3132	spearman0.505821	multi0.002posad1.3084e+05	nce_bifalse_syTmetric9approxifusion	False	["GuidedBackprop										

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	gaussian-robustness	Gbar 0.15	Gbar	0.3066	min	-0.3066	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	gaussian-robustness	Gbar 0.15	Gbar	0.2962	min	-0.2962	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	gaussian-robustness	Gbar 0.15	Gbar	0.2768	min	-0.2768	spearman0.612495	vs_multi0.002	posad1.1449e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	gaussian-robustness	Gbar 0.15	Gbar	0.2968	min	-0.2968	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	gaussian-robustness	Gbar 0.15	Gbar	0.2944	min	-0.2944	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_9	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.3204	min	-0.3204	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.29	min	-0.29	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.3004	min	-0.3004	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.3336	min	-0.3336	spearman0.475614	vs_multi0.002	posad1.3254e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.3034	min	-0.3034	spearman0.505821	vs_multi0.002	posad1.3084e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.2934	min	-0.2934	spearman0.569208	vs_multi0.002	posad1.2177e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.2872	min	-0.2872	spearman0.574619	vs_multi0.002	posad1.2576e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.2818	min	-0.2818	spearman0.612495	vs_multi0.002	posad1.1449e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.2776	min	-0.2776	spearman0.548654	vs_multi0.002	posad1.5082e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	gaussian-robustness	Gbar 0.15	Gbar	0.288	min	-0.288	spearman0.518147	vs_multi0.002	posad1.9165e+05	nce_bi	True	sy	True	metric_10	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	gaussian-robustness	Gbar 0.15	Gbar	0.3152	min	-0.3152	spearman0.530299	vs_multi0.002	posad1.0999e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	gaussian-robustness	Gbar 0.15	Gbar	0.3048	min	-0.3048	spearman0.661997	vs_multi0.002	posad1.0523e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	gaussian-robustness	Gbar 0.15	Gbar	0.3282	min	-0.3282	spearman0.533641	vs_multi0.002	posad1.0796e+05	nce_bi	False	sy	True	metric_3	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	kemeny	gaussian-robustness	0.15	F3	0.175	min	-0.175	spearman0.661997	0.661997	0.661997	0.661997	posall.0523e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	kemeny	gaussian-robustness	0.15	F3	0.1706	min	-0.1706	spearman0.533641	0.533641	0.533641	0.533641	posall.0796e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	gaussian-robustness	0.15	F3	0.1704	min	-0.1704	spearman0.475614	0.475614	0.475614	0.475614	posall.3254e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	gaussian-robustness	0.15	F3	0.1634	min	-0.1634	spearman0.505821	0.505821	0.505821	0.505821	posall.3084e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	gaussian-robustness	0.15	F3	0.173	min	-0.173	spearman0.569208	0.569208	0.569208	0.569208	posall.2177e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	gaussian-robustness	0.15	F3	0.168	min	-0.168	spearman0.574619	0.574619	0.574619	0.574619	posall.2576e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	gaussian-robustness	0.15	F3	0.1688	min	-0.1688	spearman0.612495	0.612495	0.612495	0.612495	posall.1949e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	gaussian-robustness	0.15	F3	0.1632	min	-0.1632	spearman0.548654	0.548654	0.548654	0.548654	posall.5082e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	gaussian-robustness	0.15	F3	0.1668	min	-0.1668	spearman0.518147	0.518147	0.518147	0.518147	posall.9165e+05	1.0000	force_bifalse	syTmetric_10	approxifusion	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	gaussian-robustness	0.15	F3	0.1644	min	-0.1644	spearman0.530299	0.530299	0.530299	0.530299	posall.0999e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	gaussian-robustness	0.15	F3	0.1688	min	-0.1688	spearman0.661997	0.661997	0.661997	0.661997	posall.0523e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	gaussian-robustness	0.15	F3	0.1756	min	-0.1756	spearman0.533641	0.533641	0.533641	0.533641	posall.0796e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	gaussian-robustness	0.15	F3	0.1646	min	-0.1646	spearman0.475614	0.475614	0.475614	0.475614	posall.3254e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	gaussian-robustness	0.15	F3	0.1714	min	-0.1714	spearman0.505821	0.505821	0.505821	0.505821	posall.3084e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	gaussian-robustness	0.15	F3	0.1696	min	-0.1696	spearman0.569208	0.569208	0.569208	0.569208	posall.2177e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	gaussian-robustness	0.15	F3	0.1694	min	-0.1694	spearman0.574619	0.574619	0.574619	0.574619	posall.2576e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	rrf	gaussian-robustness	0.15	F3	0.1702	min	-0.1702	spearman0.612495	0.612495	0.612495	0.612495	posall.1949e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	gaussian-robustness	0.15	F3	0.1664	min	-0.1664	spearman0.548654	0.548654	0.548654	0.548654	posall.5082e+05	1.0000	force_bifalse	syTmetric_2	approxifusion	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman1	rrf	gaussian-robustness	0.15	F	0.1648	min	-0.1648	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	once_bif	True	syTmetric2	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	schulze	gaussian-robustness	0.15	F	0.168	min	-0.168	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	schulze	gaussian-robustness	0.15	F	0.1794	min	-0.1794	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	schulze	gaussian-robustness	0.15	F	0.176	min	-0.176	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	schulze	gaussian-robustness	0.15	F	0.1686	min	-0.1686	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	schulze	gaussian-robustness	0.15	F	0.1668	min	-0.1668	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	schulze	gaussian-robustness	0.15	F	0.167	min	-0.167	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	schulze	gaussian-robustness	0.15	F	0.1658	min	-0.1658	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	schulze	gaussian-robustness	0.15	F	0.167	min	-0.167	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1949e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	schulze	gaussian-robustness	0.15	F	0.1604	min	-0.1604	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	once_bif	False	syTmetric10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	schulze	gaussian-robustness	0.15	F	0.1662	min	-0.1662	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	once_bif	True	syTmetric10	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	simpleavg	gaussian-robustness	0.15	F	0.1628	min	-0.1628	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	simpleavg	gaussian-robustness	0.15	F	0.1726	min	-0.1726	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	simpleavg	gaussian-robustness	0.15	F	0.1532	min	-0.1532	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0796e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	simpleavg	gaussian-robustness	0.15	F	0.156	min	-0.156	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	simpleavg	gaussian-robustness	0.15	F	0.1558	min	-0.1558	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	simpleavg	gaussian-robustness	0.15	F	0.156	min	-0.156	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	simpleavg	gaussian-robustness	0.15	F	0.1574	min	-0.1574	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	once_bif	False	syTmetric9	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	0.612495	simpleavg	gaussian-robustness	S	0.1514	min	-0.1514	spearman0.612495	multi0.602posad1.1949e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	0.548654	simpleavg	gaussian-robustness	S	0.1536	min	-0.1536	spearman0.548654	multi0.602posad1.5082e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	0.518147	simpleavg	gaussian-robustness	S	0.1564	min	-0.1564	spearman0.518147	multi0.602posad1.9165e+05	nce_bifalse_syTmetric_9approxifusion	True	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	0.530299	borda	gaussian-robustness	Sbar	0.1014	min	-0.1014	spearman0.530299	multi0.602posad1.0999e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	0.661997	borda	gaussian-robustness	Sbar	0.0916	min	-0.0916	spearman0.661997	multi0.602posad1.0523e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	0.533641	borda	gaussian-robustness	Sbar	0.1134	min	-0.1134	spearman0.533641	multi0.602posad1.0796e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	0.475614	borda	gaussian-robustness	Sbar	0.13	min	-0.13	spearman0.475614	multi0.602posad1.3254e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	0.505821	borda	gaussian-robustness	Sbar	0.1166	min	-0.1166	spearman0.505821	multi0.602posad1.3084e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	0.569208	borda	gaussian-robustness	Sbar	0.1042	min	-0.1042	spearman0.569208	multi0.602posad1.2177e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	0.574619	borda	gaussian-robustness	Sbar	0.1018	min	-0.1018	spearman0.574619	multi0.602posad1.2579e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman19	0.612495	borda	gaussian-robustness	Sbar	0.0828	min	-0.0828	spearman0.612495	multi0.602posad1.1949e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	0.548654	borda	gaussian-robustness	Sbar	0.097	min	-0.097	spearman0.548654	multi0.602posad1.5082e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	0.518147	borda	gaussian-robustness	Sbar	0.0996	min	-0.0996	spearman0.518147	multi0.602posad1.9165e+05	nce_bifalse_syTmetric_9approxifusion	True	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	0.530299	kemeny	gaussian-robustness	Sbar	0.1014	min	-0.1014	spearman0.530299	multi0.602posad1.0999e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	0.661997	kemeny	gaussian-robustness	Sbar	0.0548	min	-0.0548	spearman0.661997	multi0.602posad1.0523e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	0.533641	kemeny	gaussian-robustness	Sbar	0.086	min	-0.086	spearman0.533641	multi0.602posad1.0796e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	0.475614	kemeny	gaussian-robustness	Sbar	0.096	min	-0.096	spearman0.475614	multi0.602posad1.3254e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	0.505821	kemeny	gaussian-robustness	Sbar	0.0776	min	-0.0776	spearman0.505821	multi0.602posad1.3084e+05	nce_bifalse_syTmetric_9approxifusion	False	["GuidedBackprop								

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	gaussian-robustness	FSbar	0.0702	min	-0.0702	spearman0.569208	svs_multi0.002	posad1.2177e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	gaussian-robustness	FSbar	0.0758	min	-0.0758	spearman0.574619	svs_multi0.002	posad1.2576e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	gaussian-robustness	FSbar	0.0522	min	-0.0522	spearman0.612495	svs_multi0.002	posad1.1949e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	gaussian-robustness	FSbar	0.0712	min	-0.0712	spearman0.548654	svs_multi0.002	posad1.5082e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	gaussian-robustness	FSbar	0.0684	min	-0.0684	spearman0.518147	svs_multi0.002	posad1.9165e+05	nce_bifalse	syTmetric9approxifalse	ion	True	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	gaussian-robustness	FSbar	0.1048	min	-0.1048	spearman0.530299	svs_multi0.002	posad1.0999e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	gaussian-robustness	FSbar	0.0862	min	-0.0862	spearman0.661997	svs_multi0.002	posad1.0523e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	gaussian-robustness	FSbar	0.0984	min	-0.0984	spearman0.533641	svs_multi0.002	posad1.0799e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	gaussian-robustness	FSbar	0.1144	min	-0.1144	spearman0.475614	svs_multi0.002	posad1.3254e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	gaussian-robustness	FSbar	0.0966	min	-0.0966	spearman0.505821	svs_multi0.002	posad1.3084e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	gaussian-robustness	FSbar	0.086	min	-0.086	spearman0.569208	svs_multi0.002	posad1.2177e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	gaussian-robustness	FSbar	0.081	min	-0.081	spearman0.574619	svs_multi0.002	posad1.2576e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	gaussian-robustness	FSbar	0.07	min	-0.07	spearman0.612495	svs_multi0.002	posad1.1949e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	gaussian-robustness	FSbar	0.0842	min	-0.0842	spearman0.548654	svs_multi0.002	posad1.5082e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	gaussian-robustness	FSbar	0.0776	min	-0.0776	spearman0.518147	svs_multi0.002	posad1.9165e+05	nce_bifalse	syTmetric9approxifalse	ion	True	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	gaussian-robustness	FSbar	0.1014	min	-0.1014	spearman0.530299	svs_multi0.002	posad1.0999e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	gaussian-robustness	FSbar	0.068	min	-0.068	spearman0.661997	svs_multi0.002	posad1.0523e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	gaussian-robustness	FSbar	0.0818	min	-0.0818	spearman0.533641	svs_multi0.002	posad1.0799e+05	nce_bifalse	syTmetric9approxifalse	ion	False	["GuidedBackprop					

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman5	schulze	gaussian-robustness	0.15	FSbar	0.1176	min	-0.1176	spearman0.475611vs_multi0.002posad1.3254e+05	0.475614	0.475614	0.002	2.3254e+05	once	bi	False	symmetric_9approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman6	schulze	gaussian-robustness	0.15	FSbar	0.0868	min	-0.0868	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.505821	0.002	2.3084e+05	once	bi	False	symmetric_9approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman7	schulze	gaussian-robustness	0.15	FSbar	0.0778	min	-0.0778	spearman0.569208vs_multi0.002posad2.2177e+05	0.569208	0.569208	0.002	2.2177e+05	once	bi	False	symmetric_9approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman8	schulze	gaussian-robustness	0.15	FSbar	0.0768	min	-0.0768	spearman0.574619vs_multi0.002posad2.2576e+05	0.574619	0.574619	0.002	2.2576e+05	once	bi	False	symmetric_9approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman9	schulze	gaussian-robustness	0.15	FSbar	0.0652	min	-0.0652	spearman0.612495vs_multi0.002posad1.1949e+05	0.612495	0.612495	0.002	2.1949e+05	once	bi	False	symmetric_9approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman10	schulze	gaussian-robustness	0.15	FSbar	0.0704	min	-0.0704	spearman0.548654vs_multi0.002posad1.5082e+05	0.548654	0.548654	0.002	2.5082e+05	once	bi	False	symmetric_9approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman11	schulze	gaussian-robustness	0.15	FSbar	0.0762	min	-0.0762	spearman0.518147vs_multi0.002posad2.9165e+05	0.518147	0.518147	0.002	2.9165e+05	once	bi	True	symmetric_9approxifusion	True	True	True	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman12	simpleavg	gaussian-robustness	0.15	FSbar	0.1008	min	-0.1008	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.530299	0.002	1.0999e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman13	simpleavg	gaussian-robustness	0.15	FSbar	0.088	min	-0.088	spearman0.661997vs_multi0.002posad0.0523e+05	0.661997	0.661997	0.002	0.0523e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman14	simpleavg	gaussian-robustness	0.15	FSbar	0.1178	min	-0.1178	spearman0.533641vs_multi0.002posad1.0796e+05	0.533641	0.533641	0.002	1.0796e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman15	simpleavg	gaussian-robustness	0.15	FSbar	0.1262	min	-0.1262	spearman0.475611vs_multi0.002posad1.3254e+05	0.475614	0.475614	0.002	2.3254e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman16	simpleavg	gaussian-robustness	0.15	FSbar	0.1238	min	-0.1238	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.505821	0.002	2.3084e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman17	simpleavg	gaussian-robustness	0.15	FSbar	0.1152	min	-0.1152	spearman0.569208vs_multi0.002posad2.2177e+05	0.569208	0.569208	0.002	2.2177e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman18	simpleavg	gaussian-robustness	0.15	FSbar	0.1124	min	-0.1124	spearman0.574619vs_multi0.002posad2.2576e+05	0.574619	0.574619	0.002	2.2576e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman19	simpleavg	gaussian-robustness	0.15	FSbar	0.1096	min	-0.1096	spearman0.612495vs_multi0.002posad1.1949e+05	0.612495	0.612495	0.002	2.1949e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman10	simpleavg	gaussian-robustness	0.15	FSbar	0.1128	min	-0.1128	spearman0.548654vs_multi0.002posad1.5082e+05	0.548654	0.548654	0.002	2.5082e+05	once	bi	False	symmetric_3approxifusion	False	False	False	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman11	simpleavg	gaussian-robustness	0.15	FSbar	0.1118	min	-0.1118	spearman0.518147vs_multi0.002posad2.9165e+05	0.518147	0.518147	0.002	2.9165e+05	once	bi	True	symmetric_3approxifusion	True	True	True	["GuidedE
ImageNet-ImageNet-resnet18	ImageNet	ImageNet-resnet18	spearman12	borda	salt-pepper-0.05	robustness	FS	0.306	min	-0.306	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.530299	0.002	1.0999e+05	once	bi	False	symmetric_2approxifusion	False	False	False	["GuidedE

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	salt- pepper- 0.05	robustness	CS	0.3084	min	-0.3084	spearman0.661997vs_multi0.661997posall.0523e+05	1.0523e+05	0.661997	0.661997	1.0523e+05	1.0523e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	salt- pepper- 0.05	robustness	CS	0.317	min	-0.317	spearman0.533641vs_multi0.533641posall.0796e+05	1.0796e+05	0.533641	0.533641	1.0796e+05	1.0796e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	salt- pepper- 0.05	robustness	CS	0.3128	min	-0.3128	spearman0.475614vs_multi0.475614posall.3254e+05	1.3254e+05	0.475614	0.475614	1.3254e+05	1.3254e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	salt- pepper- 0.05	robustness	CS	0.3188	min	-0.3188	spearman0.505821vs_multi0.505821posall.3084e+05	1.3084e+05	0.505821	0.505821	1.3084e+05	1.3084e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	salt- pepper- 0.05	robustness	CS	0.3256	min	-0.3256	spearman0.569208vs_multi0.569208posall.2177e+05	1.2177e+05	0.569208	0.569208	1.2177e+05	1.2177e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	salt- pepper- 0.05	robustness	CS	0.3172	min	-0.3172	spearman0.574619vs_multi0.574619posall.2576e+05	1.2576e+05	0.574619	0.574619	1.2576e+05	1.2576e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	salt- pepper- 0.05	robustness	CS	0.3246	min	-0.3246	spearman0.612495vs_multi0.612495posall.1949e+05	1.1949e+05	0.612495	0.612495	1.1949e+05	1.1949e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	salt- pepper- 0.05	robustness	CS	0.3168	min	-0.3168	spearman0.548654vs_multi0.548654posall.5082e+05	1.5082e+05	0.548654	0.548654	1.5082e+05	1.5082e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	salt- pepper- 0.05	robustness	CS	0.3208	min	-0.3208	spearman0.518147vs_multi0.518147posall.9165e+05	1.9165e+05	0.518147	0.518147	1.9165e+05	1.9165e+05	True	synthetic	metric_2approx	True	True	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	salt- pepper- 0.05	robustness	CS	0.306	min	-0.306	spearman0.530299vs_multi0.530299posall.0999e+05	1.0999e+05	0.530299	0.530299	1.0999e+05	1.0999e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	salt- pepper- 0.05	robustness	CS	0.3164	min	-0.3164	spearman0.661997vs_multi0.661997posall.0523e+05	1.0523e+05	0.661997	0.661997	1.0523e+05	1.0523e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	salt- pepper- 0.05	robustness	CS	0.3108	min	-0.3108	spearman0.533641vs_multi0.533641posall.0796e+05	1.0796e+05	0.533641	0.533641	1.0796e+05	1.0796e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	kemeny	salt- pepper- 0.05	robustness	CS	0.3156	min	-0.3156	spearman0.475614vs_multi0.475614posall.3254e+05	1.3254e+05	0.475614	0.475614	1.3254e+05	1.3254e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	kemeny	salt- pepper- 0.05	robustness	CS	0.3072	min	-0.3072	spearman0.505821vs_multi0.505821posall.3084e+05	1.3084e+05	0.505821	0.505821	1.3084e+05	1.3084e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	kemeny	salt- pepper- 0.05	robustness	CS	0.3166	min	-0.3166	spearman0.569208vs_multi0.569208posall.2177e+05	1.2177e+05	0.569208	0.569208	1.2177e+05	1.2177e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	kemeny	salt- pepper- 0.05	robustness	CS	0.3216	min	-0.3216	spearman0.574619vs_multi0.574619posall.2576e+05	1.2576e+05	0.574619	0.574619	1.2576e+05	1.2576e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	kemeny	salt- pepper- 0.05	robustness	CS	0.3186	min	-0.3186	spearman0.612495vs_multi0.612495posall.1949e+05	1.1949e+05	0.612495	0.612495	1.1949e+05	1.1949e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	salt- pepper- 0.05	robustness	CS	0.315	min	-0.315	spearman0.548654vs_multi0.548654posall.5082e+05	1.5082e+05	0.548654	0.548654	1.5082e+05	1.5082e+05	False	synthetic	metric_2approx	False	False	["GuidedBackprop"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc- tion	value	model	statis- tic	score	value	dis- tance	se- lected q	by noise	forced fall- back		mal q	erence	prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman1	1	kemeny	salt- pepper- 0.05	robustnes	G	0.317	min	-0.317	spearman0.518147vs_multi0.002posad1.9165e+05	0.518147	0.002	posad1.9165e+05	0.002	posad1.9165e+05	0.002	posad1.9165e+05	0.002	posad1.9165e+05	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	rrf	salt- pepper- 0.05	robustnes	G	0.3058	min	-0.3058	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.002	posad1.0999e+05	0.002	posad1.0999e+05	0.002	posad1.0999e+05	0.002	posad1.0999e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	rrf	salt- pepper- 0.05	robustnes	G	0.3102	min	-0.3102	spearman0.661997vs_multi0.002posad1.0523e+05	0.661997	0.002	posad1.0523e+05	0.002	posad1.0523e+05	0.002	posad1.0523e+05	0.002	posad1.0523e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	rrf	salt- pepper- 0.05	robustnes	G	0.3196	min	-0.3196	spearman0.533641vs_multi0.002posad1.0799e+05	0.533641	0.002	posad1.0799e+05	0.002	posad1.0799e+05	0.002	posad1.0799e+05	0.002	posad1.0799e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	rrf	salt- pepper- 0.05	robustnes	G	0.3154	min	-0.3154	spearman0.475614vs_multi0.002posad1.3254e+05	0.475614	0.002	posad1.3254e+05	0.002	posad1.3254e+05	0.002	posad1.3254e+05	0.002	posad1.3254e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	rrf	salt- pepper- 0.05	robustnes	G	0.321	min	-0.321	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.002	posad1.3084e+05	0.002	posad1.3084e+05	0.002	posad1.3084e+05	0.002	posad1.3084e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	rrf	salt- pepper- 0.05	robustnes	G	0.3138	min	-0.3138	spearman0.569208vs_multi0.002posad1.2177e+05	0.569208	0.002	posad1.2177e+05	0.002	posad1.2177e+05	0.002	posad1.2177e+05	0.002	posad1.2177e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	rrf	salt- pepper- 0.05	robustnes	G	0.3126	min	-0.3126	spearman0.574619vs_multi0.002posad1.2576e+05	0.574619	0.002	posad1.2576e+05	0.002	posad1.2576e+05	0.002	posad1.2576e+05	0.002	posad1.2576e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	9	rrf	salt- pepper- 0.05	robustnes	G	0.3142	min	-0.3142	spearman0.612495vs_multi0.002posad1.1944e+05	0.612495	0.002	posad1.1944e+05	0.002	posad1.1944e+05	0.002	posad1.1944e+05	0.002	posad1.1944e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	10	rrf	salt- pepper- 0.05	robustnes	G	0.3128	min	-0.3128	spearman0.548654vs_multi0.002posad1.5082e+05	0.548654	0.002	posad1.5082e+05	0.002	posad1.5082e+05	0.002	posad1.5082e+05	0.002	posad1.5082e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	11	rrf	salt- pepper- 0.05	robustnes	G	0.3134	min	-0.3134	spearman0.518147vs_multi0.002posad1.9165e+05	0.518147	0.002	posad1.9165e+05	0.002	posad1.9165e+05	0.002	posad1.9165e+05	0.002	posad1.9165e+05	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	schulze	salt- pepper- 0.05	robustnes	G	0.306	min	-0.306	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.002	posad1.0999e+05	0.002	posad1.0999e+05	0.002	posad1.0999e+05	0.002	posad1.0999e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	schulze	salt- pepper- 0.05	robustnes	G	0.3164	min	-0.3164	spearman0.661997vs_multi0.002posad1.0523e+05	0.661997	0.002	posad1.0523e+05	0.002	posad1.0523e+05	0.002	posad1.0523e+05	0.002	posad1.0523e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	schulze	salt- pepper- 0.05	robustnes	G	0.3178	min	-0.3178	spearman0.533641vs_multi0.002posad1.0799e+05	0.533641	0.002	posad1.0799e+05	0.002	posad1.0799e+05	0.002	posad1.0799e+05	0.002	posad1.0799e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	schulze	salt- pepper- 0.05	robustnes	G	0.321	min	-0.321	spearman0.475614vs_multi0.002posad1.3254e+05	0.475614	0.002	posad1.3254e+05	0.002	posad1.3254e+05	0.002	posad1.3254e+05	0.002	posad1.3254e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	schulze	salt- pepper- 0.05	robustnes	G	0.3148	min	-0.3148	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.002	posad1.3084e+05	0.002	posad1.3084e+05	0.002	posad1.3084e+05	0.002	posad1.3084e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	schulze	salt- pepper- 0.05	robustnes	G	0.3126	min	-0.3126	spearman0.569208vs_multi0.002posad1.2177e+05	0.569208	0.002	posad1.2177e+05	0.002	posad1.2177e+05	0.002	posad1.2177e+05	0.002	posad1.2177e+05	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	schulze	salt- pepper- 0.05	robustnes	G	0.3162	min	-0.3162	spearman0.574619vs_multi0.002posad1.2576e+05	0.574619	0.002	posad1.2576e+05	0.002	posad1.2576e+05	0.002	posad1.2576e+05	0.002	posad1.2576e+05	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	salt- pepper- 0.05	robustness	G	0.3202	min	-0.3202	spearman0.612495	0.612495	multi0.002	posad1.1949e+05	0.002	posad1.1949e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	salt- pepper- 0.05	robustness	G	0.3156	min	-0.3156	spearman0.548654	0.548654	multi0.002	posad1.5082e+05	0.002	posad1.5082e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	salt- pepper- 0.05	robustness	G	0.3124	min	-0.3124	spearman0.518147	0.518147	multi0.002	posad1.9165e+05	0.002	posad1.9165e+05	force_biftrue	syTmetric2	approxifalse	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	salt- pepper- 0.05	robustness	G	0.2974	min	-0.2974	spearman0.530299	0.530299	multi0.002	posad1.0999e+05	0.002	posad1.0999e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	salt- pepper- 0.05	robustness	G	0.3082	min	-0.3082	spearman0.661997	0.661997	multi0.002	posad1.0523e+05	0.002	posad1.0523e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	salt- pepper- 0.05	robustness	G	0.3086	min	-0.3086	spearman0.533641	0.533641	multi0.002	posad1.0796e+05	0.002	posad1.0796e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	salt- pepper- 0.05	robustness	G	0.3086	min	-0.3086	spearman0.475614	0.475614	multi0.002	posad1.3254e+05	0.002	posad1.3254e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	salt- pepper- 0.05	robustness	G	0.3138	min	-0.3138	spearman0.505821	0.505821	multi0.002	posad1.3084e+05	0.002	posad1.3084e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	salt- pepper- 0.05	robustness	G	0.3156	min	-0.3156	spearman0.569208	0.569208	multi0.002	posad1.2177e+05	0.002	posad1.2177e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	salt- pepper- 0.05	robustness	G	0.3218	min	-0.3218	spearman0.574619	0.574619	multi0.002	posad1.2579e+05	0.002	posad1.2579e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	simpleavg	salt- pepper- 0.05	robustness	G	0.314	min	-0.314	spearman0.612495	0.612495	multi0.002	posad1.1949e+05	0.002	posad1.1949e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	salt- pepper- 0.05	robustness	G	0.3182	min	-0.3182	spearman0.548654	0.548654	multi0.002	posad1.5082e+05	0.002	posad1.5082e+05	force_bifalse	syTmetric2	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	salt- pepper- 0.05	robustness	G	0.3152	min	-0.3152	spearman0.518147	0.518147	multi0.002	posad1.9165e+05	0.002	posad1.9165e+05	force_biftrue	syTmetric2	approxifalse	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	salt- pepper- 0.05	robustness	Gbar	0.2824	min	-0.2824	spearman0.530299	0.530299	multi0.002	posad1.0999e+05	0.002	posad1.0999e+05	force_bifalse	syTmetric9	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	salt- pepper- 0.05	robustness	Gbar	0.2728	min	-0.2728	spearman0.661997	0.661997	multi0.002	posad1.0523e+05	0.002	posad1.0523e+05	force_bifalse	syTmetric9	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	salt- pepper- 0.05	robustness	Gbar	0.2998	min	-0.2998	spearman0.533641	0.533641	multi0.002	posad1.0796e+05	0.002	posad1.0796e+05	force_bifalse	syTmetric9	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	salt- pepper- 0.05	robustness	Gbar	0.3188	min	-0.3188	spearman0.475614	0.475614	multi0.002	posad1.3254e+05	0.002	posad1.3254e+05	force_bifalse	syTmetric9	approxifalse	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	salt- pepper- 0.05	robustness	Gbar	0.3068	min	-0.3068	spearman0.505821	0.505821	multi0.002	posad1.3084e+05	0.002	posad1.3084e+05	force_bifalse	syTmetric9	approxifalse	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective direc- tion	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	salt- pepper- 0.05	robustness	Gbar	0.2912	min	-0.2912	spearman	0.569208	vs_multi0.002	0.569208	pos2.2177e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	salt- pepper- 0.05	robustness	Gbar	0.2854	min	-0.2854	spearman	0.574619	vs_multi0.002	0.574619	pos2.2576e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	salt- pepper- 0.05	robustness	Gbar	0.2636	min	-0.2636	spearman	0.612495	vs_multi0.002	0.612495	pos2.1949e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	salt- pepper- 0.05	robustness	Gbar	0.2778	min	-0.2778	spearman	0.548654	vs_multi0.002	0.548654	pos2.5082e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	salt- pepper- 0.05	robustness	Gbar	0.2822	min	-0.2822	spearman	0.518147	vs_multi0.002	0.518147	pos2.9165e+05	inforce_b	True	synthetic	metric_9approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2824	min	-0.2824	spearman	0.530299	vs_multi0.002	0.530299	pos2.0999e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2588	min	-0.2588	spearman	0.661997	vs_multi0.002	0.661997	pos2.0523e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2756	min	-0.2756	spearman	0.533641	vs_multi0.002	0.533641	pos2.0799e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2774	min	-0.2774	spearman	0.475614	vs_multi0.002	0.475614	pos2.3254e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	kemeny	salt- pepper- 0.05	robustness	Gbar	0.266	min	-0.266	spearman	0.505821	vs_multi0.002	0.505821	pos2.3084e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2542	min	-0.2542	spearman	0.569208	vs_multi0.002	0.569208	pos2.2177e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2624	min	-0.2624	spearman	0.574619	vs_multi0.002	0.574619	pos2.2576e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2452	min	-0.2452	spearman	0.612495	vs_multi0.002	0.612495	pos2.1949e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	salt- pepper- 0.05	robustness	Gbar	0.253	min	-0.253	spearman	0.548654	vs_multi0.002	0.548654	pos2.5082e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2522	min	-0.2522	spearman	0.518147	vs_multi0.002	0.518147	pos2.9165e+05	inforce_b	True	synthetic	metric_9approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	salt- pepper- 0.05	robustness	Gbar	0.2888	min	-0.2888	spearman	0.530299	vs_multi0.002	0.530299	pos2.0999e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	salt- pepper- 0.05	robustness	Gbar	0.2766	min	-0.2766	spearman	0.661997	vs_multi0.002	0.661997	pos2.0523e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	salt- pepper- 0.05	robustness	Gbar	0.284	min	-0.284	spearman	0.533641	vs_multi0.002	0.533641	pos2.0799e+05	inforce_b	False	synthetic	metric_9approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	salt- pepper- 0.05	robustness	Gbar	0.3072	min	-0.3072	spearman0.475614	lvs_multi0.002	0.475614	0.475614	posad1.3254e+05	ince_bifalse	syTmetric_9	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	salt- pepper- 0.05	robustness	Gbar	0.2804	min	-0.2804	spearman0.505821	lvs_multi0.002	0.505821	0.505821	posad1.3084e+05	ince_bifalse	syTmetric_9	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	salt- pepper- 0.05	robustness	Gbar	0.276	min	-0.276	spearman0.569208	lvs_multi0.002	0.569208	0.569208	posad1.2177e+05	ince_bifalse	syTmetric_9	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	salt- pepper- 0.05	robustness	Gbar	0.2682	min	-0.2682	spearman0.574619	lvs_multi0.002	0.574619	0.574619	posad1.2577e+05	ince_bifalse	syTmetric_9	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	salt- pepper- 0.05	robustness	Gbar	0.2524	min	-0.2524	spearman0.612495	lvs_multi0.002	0.612495	0.612495	posad1.1849e+05	ince_bifalse	syTmetric_9	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	salt- pepper- 0.05	robustness	Gbar	0.2634	min	-0.2634	spearman0.548654	lvs_multi0.002	0.548654	0.548654	posad1.5082e+05	ince_bifalse	syTmetric_9	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	salt- pepper- 0.05	robustness	Gbar	0.2654	min	-0.2654	spearman0.518147	lvs_multi0.002	0.518147	0.518147	posad1.9165e+05	ince_bifalse	syTmetric_9	approxifusion	True	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	schulze	salt- pepper- 0.05	robustness	Gbar	0.2824	min	-0.2824	spearman0.530299	lvs_multi0.002	0.530299	0.530299	posad1.0999e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	schulze	salt- pepper- 0.05	robustness	Gbar	0.2646	min	-0.2646	spearman0.661997	lvs_multi0.002	0.661997	0.661997	posad1.0523e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	schulze	salt- pepper- 0.05	robustness	Gbar	0.2672	min	-0.2672	spearman0.533641	lvs_multi0.002	0.533641	0.533641	posad1.0799e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	schulze	salt- pepper- 0.05	robustness	Gbar	0.3072	min	-0.3072	spearman0.475614	lvs_multi0.002	0.475614	0.475614	posad1.3254e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	schulze	salt- pepper- 0.05	robustness	Gbar	0.2786	min	-0.2786	spearman0.505821	lvs_multi0.002	0.505821	0.505821	posad1.3084e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	salt- pepper- 0.05	robustness	Gbar	0.2766	min	-0.2766	spearman0.569208	lvs_multi0.002	0.569208	0.569208	posad1.2177e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	salt- pepper- 0.05	robustness	Gbar	0.2604	min	-0.2604	spearman0.574619	lvs_multi0.002	0.574619	0.574619	posad1.2577e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	salt- pepper- 0.05	robustness	Gbar	0.2536	min	-0.2536	spearman0.612495	lvs_multi0.002	0.612495	0.612495	posad1.1849e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	salt- pepper- 0.05	robustness	Gbar	0.2512	min	-0.2512	spearman0.548654	lvs_multi0.002	0.548654	0.548654	posad1.5082e+05	ince_bifalse	syTmetric_10	approxifusion	False	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	salt- pepper- 0.05	robustness	Gbar	0.2696	min	-0.2696	spearman0.518147	lvs_multi0.002	0.518147	0.518147	posad1.9165e+05	ince_bifalse	syTmetric_10	approxifusion	True	True	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2864	min	-0.2864	spearman0.530299	lvs_multi0.002	0.530299	0.530299	posad1.0999e+05	ince_bifalse	syTmetric_3	approxifusion	False	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective model	fit statistic	fit score	fit value	p dis- tance	mean	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	simpleavg	alt-pepper-0.05	robustness	Sbar	0.2764	min	-0.2764	spearman0.661997vs_multi0.661997posall.0523e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	simpleavg	alt-pepper-0.05	robustness	Sbar	0.3098	min	-0.3098	spearman0.533641vs_multi0.533641posall.0796e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	simpleavg	alt-pepper-0.05	robustness	Sbar	0.3174	min	-0.3174	spearman0.475614vs_multi0.475614posall.3254e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	simpleavg	alt-pepper-0.05	robustness	Sbar	0.3106	min	-0.3106	spearman0.505821vs_multi0.505821posall.3084e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	simpleavg	alt-pepper-0.05	robustness	Sbar	0.3076	min	-0.3076	spearman0.569208vs_multi0.569208posall.2177e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	simpleavg	alt-pepper-0.05	robustness	Sbar	0.2986	min	-0.2986	spearman0.574619vs_multi0.574619posall.2576e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	simpleavg	alt-pepper-0.05	robustness	Sbar	0.2934	min	-0.2934	spearman0.612495vs_multi0.612495posall.1949e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	simpleavg	alt-pepper-0.05	robustness	Sbar	0.2958	min	-0.2958	spearman0.548654vs_multi0.548654posall.5082e+05	False	synt	metric_3	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	simpleavg	alt-pepper-0.05	robustness	Sbar	0.2946	min	-0.2946	spearman0.518147vs_multi0.518147posall.9165e+05	True	synt	metric_3	approx	False	ion	True	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	borda	salt-pepper-0.05	robustness	S	0.1608	min	-0.1608	spearman0.530299vs_multi0.530299posall.0999e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	borda	salt-pepper-0.05	robustness	S	0.1616	min	-0.1616	spearman0.661997vs_multi0.661997posall.0523e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	borda	salt-pepper-0.05	robustness	S	0.1612	min	-0.1612	spearman0.533641vs_multi0.533641posall.0796e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	borda	salt-pepper-0.05	robustness	S	0.1502	min	-0.1502	spearman0.475614vs_multi0.475614posall.3254e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	borda	salt-pepper-0.05	robustness	S	0.1598	min	-0.1598	spearman0.505821vs_multi0.505821posall.3084e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	borda	salt-pepper-0.05	robustness	S	0.1656	min	-0.1656	spearman0.569208vs_multi0.569208posall.2177e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	borda	salt-pepper-0.05	robustness	S	0.1664	min	-0.1664	spearman0.574619vs_multi0.574619posall.2576e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	borda	salt-pepper-0.05	robustness	S	0.1662	min	-0.1662	spearman0.612495vs_multi0.612495posall.1949e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	borda	salt-pepper-0.05	robustness	S	0.1576	min	-0.1576	spearman0.548654vs_multi0.548654posall.5082e+05	False	synt	metric_5	approx	False	ion	False	["GuidedBackprop					

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	borda	salt- pepper- 0.05	robustness	F	0.1624	min	-0.1624	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1nce_b	True	syTmetric_5	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	kemeny	salt- pepper- 0.05	robustness	F	0.1608	min	-0.1608	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	kemeny	salt- pepper- 0.05	robustness	F	0.1672	min	-0.1672	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	kemeny	salt- pepper- 0.05	robustness	F	0.1612	min	-0.1612	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0799e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	kemeny	salt- pepper- 0.05	robustness	F	0.1628	min	-0.1628	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	kemeny	salt- pepper- 0.05	robustness	F	0.1542	min	-0.1542	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	kemeny	salt- pepper- 0.05	robustness	F	0.1604	min	-0.1604	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	kemeny	salt- pepper- 0.05	robustness	F	0.1656	min	-0.1656	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	salt- pepper- 0.05	robustness	F	0.1652	min	-0.1652	spearman	0.612495	0.612495	0.612495	multi0.002pos	1.1949e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	salt- pepper- 0.05	robustness	F	0.1568	min	-0.1568	spearman	0.548654	0.548654	0.548654	multi0.002pos	1.5082e+05	1nce_b	False	syTmetric_6	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	salt- pepper- 0.05	robustness	F	0.1614	min	-0.1614	spearman	0.518147	0.518147	0.518147	multi0.002pos	2.9165e+05	1nce_b	True	syTmetric_6	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	rrf	salt- pepper- 0.05	robustness	F	0.1606	min	-0.1606	spearman	0.530299	0.530299	0.530299	multi0.002pos	1.0999e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	rrf	salt- pepper- 0.05	robustness	F	0.1658	min	-0.1658	spearman	0.661997	0.661997	0.661997	multi0.002pos	1.0523e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	rrf	salt- pepper- 0.05	robustness	F	0.165	min	-0.165	spearman	0.533641	0.533641	0.533641	multi0.002pos	1.0799e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	rrf	salt- pepper- 0.05	robustness	F	0.1572	min	-0.1572	spearman	0.475614	0.475614	0.475614	multi0.002pos	1.3254e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	rrf	salt- pepper- 0.05	robustness	F	0.1618	min	-0.1618	spearman	0.505821	0.505821	0.505821	multi0.002pos	1.3084e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	salt- pepper- 0.05	robustness	F	0.1568	min	-0.1568	spearman	0.569208	0.569208	0.569208	multi0.002pos	1.2177e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	salt- pepper- 0.05	robustness	F	0.1624	min	-0.1624	spearman	0.574619	0.574619	0.574619	multi0.002pos	1.2576e+05	1nce_b	False	syTmetric_10	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	salt- pepper- 0.05	robustness	F	0.1382	min	-0.1382	spearman	0.569208	vs_multi0.002	0.569208	pos2.2177e+05	once_b	False_sy	True	metric_5approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	salt- pepper- 0.05	robustness	F	0.1426	min	-0.1426	spearman	0.574619	vs_multi0.002	0.574619	pos2.2576e+05	once_b	False_sy	True	metric_5approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	salt- pepper- 0.05	robustness	F	0.1372	min	-0.1372	spearman	0.612495	vs_multi0.002	0.612495	pos2.1949e+05	once_b	False_sy	True	metric_5approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	salt- pepper- 0.05	robustness	F	0.1396	min	-0.1396	spearman	0.548654	vs_multi0.002	0.548654	pos2.5082e+05	once_b	False_sy	True	metric_5approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	salt- pepper- 0.05	robustness	F	0.1376	min	-0.1376	spearman	0.518147	vs_multi0.002	0.518147	pos2.9165e+05	once_b	True_sy	True	metric_5approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	salt- pepper- 0.05	robustness	Fbar	0.0614	min	-0.0614	spearman	0.530299	vs_multi0.002	0.530299	pos1.0999e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	salt- pepper- 0.05	robustness	Fbar	0.047	min	-0.047	spearman	0.661997	vs_multi0.002	0.661997	pos1.0523e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	salt- pepper- 0.05	robustness	Fbar	0.0928	min	-0.0928	spearman	0.533641	vs_multi0.002	0.533641	pos1.0796e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	borda	salt- pepper- 0.05	robustness	Fbar	0.1106	min	-0.1106	spearman	0.475614	vs_multi0.002	0.475614	pos1.3254e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	borda	salt- pepper- 0.05	robustness	Fbar	0.0932	min	-0.0932	spearman	0.505821	vs_multi0.002	0.505821	pos1.3084e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	borda	salt- pepper- 0.05	robustness	Fbar	0.0788	min	-0.0788	spearman	0.569208	vs_multi0.002	0.569208	pos2.2177e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	borda	salt- pepper- 0.05	robustness	Fbar	0.0818	min	-0.0818	spearman	0.574619	vs_multi0.002	0.574619	pos2.2576e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	salt- pepper- 0.05	robustness	Fbar	0.0624	min	-0.0624	spearman	0.612495	vs_multi0.002	0.612495	pos2.1949e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	salt- pepper- 0.05	robustness	Fbar	0.0704	min	-0.0704	spearman	0.548654	vs_multi0.002	0.548654	pos2.5082e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	salt- pepper- 0.05	robustness	Fbar	0.0788	min	-0.0788	spearman	0.518147	vs_multi0.002	0.518147	pos2.9165e+05	once_b	True_sy	True	metric_3approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0614	min	-0.0614	spearman	0.530299	vs_multi0.002	0.530299	pos1.0999e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0356	min	-0.0356	spearman	0.661997	vs_multi0.002	0.661997	pos1.0523e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	kemeny	salt- pepper- 0.05	robustness	Fbar	0.0606	min	-0.0606	spearman	0.533641	vs_multi0.002	0.533641	pos1.0796e+05	once_b	False_sy	True	metric_3approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman1	1	simpleavg	alt-pepper- 0.05	robustness	bar	0.0916	min	-0.0916	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	nce_b	True	sy	metric_3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	borda	speckle- 0.15	robustness	bar	0.1106	min	-0.1106	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	borda	speckle- 0.15	robustness	bar	0.113	min	-0.113	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	borda	speckle- 0.15	robustness	bar	0.1176	min	-0.1176	spearman	0.533641	0.533641	multi0.002	pos	1.0796e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	borda	speckle- 0.15	robustness	bar	0.1138	min	-0.1138	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	borda	speckle- 0.15	robustness	bar	0.1164	min	-0.1164	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	borda	speckle- 0.15	robustness	bar	0.126	min	-0.126	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	borda	speckle- 0.15	robustness	bar	0.126	min	-0.126	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	9	borda	speckle- 0.15	robustness	bar	0.1238	min	-0.1238	spearman	0.612495	0.612495	multi0.002	pos	1.1949e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	10	borda	speckle- 0.15	robustness	bar	0.1204	min	-0.1204	spearman	0.548654	0.548654	multi0.002	pos	1.5082e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	11	borda	speckle- 0.15	robustness	bar	0.1142	min	-0.1142	spearman	0.518147	0.518147	multi0.002	pos	2.9165e+05	nce_b	True	sy	metric_2	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	kemeny	speckle- 0.15	robustness	bar	0.1106	min	-0.1106	spearman	0.530299	0.530299	multi0.002	pos	1.0999e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	kemeny	speckle- 0.15	robustness	bar	0.1116	min	-0.1116	spearman	0.661997	0.661997	multi0.002	pos	1.0523e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	kemeny	speckle- 0.15	robustness	bar	0.1136	min	-0.1136	spearman	0.533641	0.533641	multi0.002	pos	1.0796e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	kemeny	speckle- 0.15	robustness	bar	0.1202	min	-0.1202	spearman	0.475614	0.475614	multi0.002	pos	1.3254e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	kemeny	speckle- 0.15	robustness	bar	0.1134	min	-0.1134	spearman	0.505821	0.505821	multi0.002	pos	1.3084e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	kemeny	speckle- 0.15	robustness	bar	0.121	min	-0.121	spearman	0.569208	0.569208	multi0.002	pos	1.2177e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	kemeny	speckle- 0.15	robustness	bar	0.1234	min	-0.1234	spearman	0.574619	0.574619	multi0.002	pos	1.2576e+05	nce_b	False	sy	metric_2	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	kemeny	speckle- 0.15	robustness	G	0.1138	min	-0.1138	spearman0.612495	svs_multi0.602	posad1.1949e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	kemeny	speckle- 0.15	robustness	G	0.1154	min	-0.1154	spearman0.548654	svs_multi0.602	posad1.5082e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	kemeny	speckle- 0.15	robustness	G	0.1136	min	-0.1136	spearman0.518147	svs_multi0.602	posad1.9165e+05	nce_bifalse	syTmetric2approxifalse	tion	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	rrf	speckle- 0.15	robustness	G	0.107	min	-0.107	spearman0.530299	svs_multi0.602	posad1.0999e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	rrf	speckle- 0.15	robustness	G	0.1108	min	-0.1108	spearman0.661997	svs_multi0.602	posad1.0523e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	rrf	speckle- 0.15	robustness	G	0.1194	min	-0.1194	spearman0.533641	svs_multi0.602	posad1.0796e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	rrf	speckle- 0.15	robustness	G	0.1146	min	-0.1146	spearman0.475614	svs_multi0.602	posad1.3254e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	rrf	speckle- 0.15	robustness	G	0.1196	min	-0.1196	spearman0.505821	svs_multi0.602	posad1.3084e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	rrf	speckle- 0.15	robustness	G	0.1262	min	-0.1262	spearman0.569208	svs_multi0.602	posad1.2177e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	rrf	speckle- 0.15	robustness	G	0.1218	min	-0.1218	spearman0.574619	svs_multi0.602	posad1.2579e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	rrf	speckle- 0.15	robustness	G	0.1198	min	-0.1198	spearman0.612495	svs_multi0.602	posad1.1949e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman20	rrf	speckle- 0.15	robustness	G	0.1218	min	-0.1218	spearman0.548654	svs_multi0.602	posad1.5082e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman21	rrf	speckle- 0.15	robustness	G	0.1126	min	-0.1126	spearman0.518147	svs_multi0.602	posad1.9165e+05	nce_bifalse	syTmetric2approxifalse	tion	True	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman22	schulze	speckle- 0.15	robustness	G	0.1106	min	-0.1106	spearman0.530299	svs_multi0.602	posad1.0999e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman23	schulze	speckle- 0.15	robustness	G	0.1134	min	-0.1134	spearman0.661997	svs_multi0.602	posad1.0523e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman24	schulze	speckle- 0.15	robustness	G	0.1156	min	-0.1156	spearman0.533641	svs_multi0.602	posad1.0796e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman25	schulze	speckle- 0.15	robustness	G	0.115	min	-0.115	spearman0.475614	svs_multi0.602	posad1.3254e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman26	schulze	speckle- 0.15	robustness	G	0.1206	min	-0.1206	spearman0.505821	svs_multi0.602	posad1.3084e+05	nce_bifalse	syTmetric2approxifalse	tion	False	["GuidedBackprop				

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	schulze	speckle- 0.15	robustness	G	0.115	min	-0.115	spearman0.569208	0.569208	vs_multi0.002	pos2.2177e+05	0.002	pos2.2177e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	schulze	speckle- 0.15	robustness	G	0.1204	min	-0.1204	spearman0.574619	0.574619	vs_multi0.002	pos2.2576e+05	0.002	pos2.2576e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	schulze	speckle- 0.15	robustness	G	0.1196	min	-0.1196	spearman0.612495	0.612495	vs_multi0.002	pos2.1949e+05	0.002	pos2.1949e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	speckle- 0.15	robustness	G	0.1148	min	-0.1148	spearman0.548654	0.548654	vs_multi0.002	pos2.5082e+05	0.002	pos2.5082e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	speckle- 0.15	robustness	G	0.112	min	-0.112	spearman0.518147	0.518147	vs_multi0.002	pos2.9165e+05	0.002	pos2.9165e+05	inco_bifalse_sy	True	metric_2approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	speckle- 0.15	robustness	G	0.1022	min	-0.1022	spearman0.530299	0.530299	vs_multi0.002	pos1.0999e+05	0.002	pos1.0999e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	speckle- 0.15	robustness	G	0.1116	min	-0.1116	spearman0.661997	0.661997	vs_multi0.002	pos1.0523e+05	0.002	pos1.0523e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	speckle- 0.15	robustness	G	0.121	min	-0.121	spearman0.533641	0.533641	vs_multi0.002	pos1.0796e+05	0.002	pos1.0796e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	simpleavg	speckle- 0.15	robustness	G	0.1188	min	-0.1188	spearman0.475614	0.475614	vs_multi0.002	pos2.3254e+05	0.002	pos2.3254e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	simpleavg	speckle- 0.15	robustness	G	0.12	min	-0.12	spearman0.505821	0.505821	vs_multi0.002	pos2.3084e+05	0.002	pos2.3084e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	simpleavg	speckle- 0.15	robustness	G	0.1168	min	-0.1168	spearman0.569208	0.569208	vs_multi0.002	pos2.2177e+05	0.002	pos2.2177e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	simpleavg	speckle- 0.15	robustness	G	0.124	min	-0.124	spearman0.574619	0.574619	vs_multi0.002	pos2.2576e+05	0.002	pos2.2576e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	G	0.1174	min	-0.1174	spearman0.612495	0.612495	vs_multi0.002	pos2.1949e+05	0.002	pos2.1949e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	G	0.1198	min	-0.1198	spearman0.548654	0.548654	vs_multi0.002	pos2.5082e+05	0.002	pos2.5082e+05	inco_bifalse_sy	True	metric_2approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	G	0.1192	min	-0.1192	spearman0.518147	0.518147	vs_multi0.002	pos2.9165e+05	0.002	pos2.9165e+05	inco_bifalse_sy	True	metric_2approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	borda	speckle- 0.15	robustness	Gbar	0.0906	min	-0.0906	spearman0.530299	0.530299	vs_multi0.002	pos1.0999e+05	0.002	pos1.0999e+05	inco_bifalse_sy	True	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	borda	speckle- 0.15	robustness	Gbar	0.0986	min	-0.0986	spearman0.661997	0.661997	vs_multi0.002	pos1.0523e+05	0.002	pos1.0523e+05	inco_bifalse_sy	True	metric_9approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	borda	speckle- 0.15	robustness	Gbar	0.1024	min	-0.1024	spearman0.533641	0.533641	vs_multi0.002	pos1.0796e+05	0.002	pos1.0796e+05	inco_bifalse_sy	True	metric_9approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	borda	speckle- 0.15	robustnes	Sbar	0.1142	min	-0.1142	spearman0.475614	vs_multi0.002	posall.3254e+05	nce_biFalse_syTmetric_9approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	borda	speckle- 0.15	robustnes	Sbar	0.107	min	-0.107	spearman0.505821	vs_multi0.002	posall.3084e+05	nce_biFalse_syTmetric_9approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	borda	speckle- 0.15	robustnes	Sbar	0.1042	min	-0.1042	spearman0.569208	vs_multi0.002	posall.2177e+05	nce_biFalse_syTmetric_9approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	borda	speckle- 0.15	robustnes	Sbar	0.098	min	-0.098	spearman0.574619	vs_multi0.002	posall.2577e+05	nce_biFalse_syTmetric_9approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	borda	speckle- 0.15	robustnes	Sbar	0.0898	min	-0.0898	spearman0.612495	vs_multi0.002	posall.1849e+05	nce_biFalse_syTmetric_9approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	borda	speckle- 0.15	robustnes	Sbar	0.101	min	-0.101	spearman0.548654	vs_multi0.002	posall.5082e+05	nce_biFalse_syTmetric_9approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	borda	speckle- 0.15	robustnes	Sbar	0.103	min	-0.103	spearman0.518147	vs_multi0.002	posall.9165e+05	nce_biTrue_syTmetric_9approxifiusion	True	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	kemeny	speckle- 0.15	robustnes	Sbar	0.0906	min	-0.0906	spearman0.530299	vs_multi0.002	posall.0999e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman3	kemeny	speckle- 0.15	robustnes	Sbar	0.0892	min	-0.0892	spearman0.661997	vs_multi0.002	posall.0523e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman4	kemeny	speckle- 0.15	robustnes	Sbar	0.1016	min	-0.1016	spearman0.533641	vs_multi0.002	posall.0799e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman5	kemeny	speckle- 0.15	robustnes	Sbar	0.1034	min	-0.1034	spearman0.475614	vs_multi0.002	posall.3254e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman6	kemeny	speckle- 0.15	robustnes	Sbar	0.0882	min	-0.0882	spearman0.505821	vs_multi0.002	posall.3084e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman7	kemeny	speckle- 0.15	robustnes	Sbar	0.0924	min	-0.0924	spearman0.569208	vs_multi0.002	posall.2177e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman8	kemeny	speckle- 0.15	robustnes	Sbar	0.0986	min	-0.0986	spearman0.574619	vs_multi0.002	posall.2577e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman9	kemeny	speckle- 0.15	robustnes	Sbar	0.0916	min	-0.0916	spearman0.612495	vs_multi0.002	posall.1849e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman10	kemeny	speckle- 0.15	robustnes	Sbar	0.0904	min	-0.0904	spearman0.548654	vs_multi0.002	posall.5082e+05	nce_biFalse_syTmetric_6approxifiusion	False	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman11	kemeny	speckle- 0.15	robustnes	Sbar	0.0994	min	-0.0994	spearman0.518147	vs_multi0.002	posall.9165e+05	nce_biTrue_syTmetric_6approxifiusion	True	["GuidedBackprop							
ImageNet- ImageNet- resnet18	ImageNet- resnet18	ImageNet- resnet18	spearman2	rrf	speckle- 0.15	robustnes	Sbar	0.1034	min	-0.1034	spearman0.530299	vs_multi0.002	posall.0999e+05	nce_biFalse_syTmetric_8approxifiusion	False	["GuidedBackprop							

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	rrf	speckle- robustnes	Gbar	0.0962	min	-0.0962	spearman0.661997	vs_multi0.661997	posall.0523e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	rrf	speckle- robustnes	Gbar	0.102	min	-0.102	spearman0.533641	vs_multi0.533641	posall.0796e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	rrf	speckle- robustnes	Gbar	0.108	min	-0.108	spearman0.475614	vs_multi0.475614	posall.3254e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	rrf	speckle- robustnes	Gbar	0.0954	min	-0.0954	spearman0.505821	vs_multi0.505821	posall.3084e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	rrf	speckle- robustnes	Gbar	0.1004	min	-0.1004	spearman0.569208	vs_multi0.569208	posall.2177e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	rrf	speckle- robustnes	Gbar	0.0882	min	-0.0882	spearman0.574619	vs_multi0.574619	posall.2576e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	rrf	speckle- robustnes	Gbar	0.0882	min	-0.0882	spearman0.612495	vs_multi0.612495	posall.1949e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	rrf	speckle- robustnes	Gbar	0.0966	min	-0.0966	spearman0.548654	vs_multi0.548654	posall.5082e+05	nce_bi	False	sy	True	metric_8	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	rrf	speckle- robustnes	Gbar	0.0958	min	-0.0958	spearman0.518147	vs_multi0.518147	posall.9165e+05	nce_bi	True	sy	True	metric_8	approx	False	ion	True	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	schulze	speckle- robustnes	Gbar	0.0906	min	-0.0906	spearman0.530299	vs_multi0.530299	posall.0999e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	schulze	speckle- robustnes	Gbar	0.0924	min	-0.0924	spearman0.661997	vs_multi0.661997	posall.0523e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	schulze	speckle- robustnes	Gbar	0.0916	min	-0.0916	spearman0.533641	vs_multi0.533641	posall.0796e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	schulze	speckle- robustnes	Gbar	0.111	min	-0.111	spearman0.475614	vs_multi0.475614	posall.3254e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	schulze	speckle- robustnes	Gbar	0.0974	min	-0.0974	spearman0.505821	vs_multi0.505821	posall.3084e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	schulze	speckle- robustnes	Gbar	0.0946	min	-0.0946	spearman0.569208	vs_multi0.569208	posall.2177e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	schulze	speckle- robustnes	Gbar	0.0988	min	-0.0988	spearman0.574619	vs_multi0.574619	posall.2576e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	schulze	speckle- robustnes	Gbar	0.1016	min	-0.1016	spearman0.612495	vs_multi0.612495	posall.1949e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	schulze	speckle- robustnes	Gbar	0.0968	min	-0.0968	spearman0.548654	vs_multi0.548654	posall.5082e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["Guided		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman1	schulze	speckle- 0.15	robustness	Gbar	0.0958	min	-0.0958	spearman	0.518147	0.518147	multi0.002	posal.9165e+05	once_bif	True	syTmetric_2	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	simpleavg	speckle- 0.15	robustness	Gbar	0.1012	min	-0.1012	spearman	0.530299	0.530299	multi0.002	posal.0999e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	simpleavg	speckle- 0.15	robustness	Gbar	0.0928	min	-0.0928	spearman	0.661997	0.661997	multi0.002	posal.0523e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	simpleavg	speckle- 0.15	robustness	Gbar	0.1234	min	-0.1234	spearman	0.533641	0.533641	multi0.002	posal.0799e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	speckle- 0.15	robustness	Gbar	0.13	min	-0.13	spearman	0.475614	0.475614	multi0.002	posal.3254e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	speckle- 0.15	robustness	Gbar	0.1278	min	-0.1278	spearman	0.505821	0.505821	multi0.002	posal.3084e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	speckle- 0.15	robustness	Gbar	0.1252	min	-0.1252	spearman	0.569208	0.569208	multi0.002	posal.2177e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	speckle- 0.15	robustness	Gbar	0.1228	min	-0.1228	spearman	0.574619	0.574619	multi0.002	posal.2576e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	Gbar	0.1178	min	-0.1178	spearman	0.612495	0.612495	multi0.002	posal.1944e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	Gbar	0.1182	min	-0.1182	spearman	0.548654	0.548654	multi0.002	posal.5082e+05	once_bif	False	syTmetric_3	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	Gbar	0.1196	min	-0.1196	spearman	0.518147	0.518147	multi0.002	posal.9165e+05	once_bif	True	syTmetric_3	approx	False	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	speckle- 0.15	robustness	S	0.0816	min	-0.0816	spearman	0.530299	0.530299	multi0.002	posal.0999e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	speckle- 0.15	robustness	S	0.084	min	-0.084	spearman	0.661997	0.661997	multi0.002	posal.0523e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	speckle- 0.15	robustness	S	0.0798	min	-0.0798	spearman	0.533641	0.533641	multi0.002	posal.0799e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	speckle- 0.15	robustness	S	0.0764	min	-0.0764	spearman	0.475614	0.475614	multi0.002	posal.3254e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	speckle- 0.15	robustness	S	0.0764	min	-0.0764	spearman	0.505821	0.505821	multi0.002	posal.3084e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	speckle- 0.15	robustness	S	0.084	min	-0.084	spearman	0.569208	0.569208	multi0.002	posal.2177e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	speckle- 0.15	robustness	S	0.0866	min	-0.0866	spearman	0.574619	0.574619	multi0.002	posal.2576e+05	once_bif	False	syTmetric_1	approx	False	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc-	value	model	statis-	score	value	dis-	se-	by	forced		mal q	erence	prefix
									tion			tic			tance	lected	noise	fall-				
																q	noise	back				
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	borda	speckle- 0.15	robustness	3	0.077	min	-0.077	spearman0.612495	pos_multi0.002	0.1949	0.612495	pos_multi0.002	0.1949	0.05	False	synthetic	metric 1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	borda	speckle- 0.15	robustness	3	0.0756	min	-0.0756	spearman0.548654	pos_multi0.002	0.5082	0.548654	pos_multi0.002	0.5082	0.05	False	synthetic	metric 1	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	borda	speckle- 0.15	robustness	3	0.0748	min	-0.0748	spearman0.518147	pos_multi0.002	0.9165	0.518147	pos_multi0.002	0.9165	0.05	True	synthetic	metric 1	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	kemeny	speckle- 0.15	robustness	3	0.0816	min	-0.0816	spearman0.530299	pos_multi0.002	0.0999	0.530299	pos_multi0.002	0.0999	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	kemeny	speckle- 0.15	robustness	3	0.0812	min	-0.0812	spearman0.661997	pos_multi0.002	0.0523	0.661997	pos_multi0.002	0.0523	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	kemeny	speckle- 0.15	robustness	3	0.0806	min	-0.0806	spearman0.533641	pos_multi0.002	0.0596	0.533641	pos_multi0.002	0.0596	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	kemeny	speckle- 0.15	robustness	3	0.0846	min	-0.0846	spearman0.475614	pos_multi0.002	0.3254	0.475614	pos_multi0.002	0.3254	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	kemeny	speckle- 0.15	robustness	3	0.081	min	-0.081	spearman0.505821	pos_multi0.002	0.3084	0.505821	pos_multi0.002	0.3084	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman17	kemeny	speckle- 0.15	robustness	3	0.0798	min	-0.0798	spearman0.569208	pos_multi0.002	0.2177	0.569208	pos_multi0.002	0.2177	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman18	kemeny	speckle- 0.15	robustness	3	0.0816	min	-0.0816	spearman0.574619	pos_multi0.002	0.2576	0.574619	pos_multi0.002	0.2576	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman19	kemeny	speckle- 0.15	robustness	3	0.0756	min	-0.0756	spearman0.612495	pos_multi0.002	0.1949	0.612495	pos_multi0.002	0.1949	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	kemeny	speckle- 0.15	robustness	3	0.0726	min	-0.0726	spearman0.548654	pos_multi0.002	0.5082	0.548654	pos_multi0.002	0.5082	0.05	False	synthetic	metric 10	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	kemeny	speckle- 0.15	robustness	3	0.0748	min	-0.0748	spearman0.518147	pos_multi0.002	0.9165	0.518147	pos_multi0.002	0.9165	0.05	True	synthetic	metric 10	approx	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman12	rrf	speckle- 0.15	robustness	3	0.0782	min	-0.0782	spearman0.530299	pos_multi0.002	0.0999	0.530299	pos_multi0.002	0.0999	0.05	False	synthetic	metric 9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman13	rrf	speckle- 0.15	robustness	3	0.0804	min	-0.0804	spearman0.661997	pos_multi0.002	0.0523	0.661997	pos_multi0.002	0.0523	0.05	False	synthetic	metric 9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman14	rrf	speckle- 0.15	robustness	3	0.0828	min	-0.0828	spearman0.533641	pos_multi0.002	0.0596	0.533641	pos_multi0.002	0.0596	0.05	False	synthetic	metric 9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman15	rrf	speckle- 0.15	robustness	3	0.0822	min	-0.0822	spearman0.475614	pos_multi0.002	0.3254	0.475614	pos_multi0.002	0.3254	0.05	False	synthetic	metric 9	approx	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman16	rrf	speckle- 0.15	robustness	3	0.0796	min	-0.0796	spearman0.505821	pos_multi0.002	0.3084	0.505821	pos_multi0.002	0.3084	0.05	False	synthetic	metric 9	approx	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	fit p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	rrf	speckle- 0.15	robustness	F	0.0858	min	-0.0858	spearman0.569208	vs_multi0.602pos	0.2177e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	rrf	speckle- 0.15	robustness	F	0.083	min	-0.083	spearman0.574619	vs_multi0.602pos	0.2576e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	rrf	speckle- 0.15	robustness	F	0.074	min	-0.074	spearman0.612495	vs_multi0.602pos	0.1449e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	rrf	speckle- 0.15	robustness	F	0.0752	min	-0.0752	spearman0.548654	vs_multi0.602pos	0.5082e+05	nce_bi	False	sy	True	metric_9	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	rrf	speckle- 0.15	robustness	F	0.0742	min	-0.0742	spearman0.518147	vs_multi0.602pos	0.9165e+05	nce_bi	True	sy	True	metric_9	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	schulze	speckle- 0.15	robustness	F	0.0816	min	-0.0816	spearman0.530299	vs_multi0.602pos	0.0999e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	schulze	speckle- 0.15	robustness	F	0.0878	min	-0.0878	spearman0.661997	vs_multi0.602pos	0.0523e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	schulze	speckle- 0.15	robustness	F	0.0876	min	-0.0876	spearman0.533641	vs_multi0.602pos	0.0796e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman15	schulze	speckle- 0.15	robustness	F	0.0788	min	-0.0788	spearman0.475614	vs_multi0.602pos	0.3254e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman16	schulze	speckle- 0.15	robustness	F	0.081	min	-0.081	spearman0.505821	vs_multi0.602pos	0.3084e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman17	schulze	speckle- 0.15	robustness	F	0.0796	min	-0.0796	spearman0.569208	vs_multi0.602pos	0.2177e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman18	schulze	speckle- 0.15	robustness	F	0.0808	min	-0.0808	spearman0.574619	vs_multi0.602pos	0.2576e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman19	schulze	speckle- 0.15	robustness	F	0.0772	min	-0.0772	spearman0.612495	vs_multi0.602pos	0.1449e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	schulze	speckle- 0.15	robustness	F	0.0768	min	-0.0768	spearman0.548654	vs_multi0.602pos	0.5082e+05	nce_bi	False	sy	True	metric_10	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	schulze	speckle- 0.15	robustness	F	0.077	min	-0.077	spearman0.518147	vs_multi0.602pos	0.9165e+05	nce_bi	True	sy	True	metric_10	approx	False	ion	True	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman12	simpleavg	speckle- 0.15	robustness	F	0.0718	min	-0.0718	spearman0.530299	vs_multi0.602pos	0.0999e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman13	simpleavg	speckle- 0.15	robustness	F	0.0768	min	-0.0768	spearman0.661997	vs_multi0.602pos	0.0523e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["GuidedBackprop
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman14	simpleavg	speckle- 0.15	robustness	F	0.08	min	-0.08	spearman0.533641	vs_multi0.602pos	0.0796e+05	nce_bi	False	sy	True	metric_2	approx	False	ion	False	["GuidedBackprop

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	simpleavg	speckle- 0.15	robustness	F	0.0722	min	-0.0722	spearman0.475614	vs_multi0.002	posall.3254e+05	nce_bifalse	syTmetric2	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	simpleavg	speckle- 0.15	robustness	F	0.0756	min	-0.0756	spearman0.505821	vs_multi0.002	posall.3084e+05	nce_bifalse	syTmetric2	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	simpleavg	speckle- 0.15	robustness	F	0.0736	min	-0.0736	spearman0.569208	vs_multi0.002	posall.2177e+05	nce_bifalse	syTmetric2	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	simpleavg	speckle- 0.15	robustness	F	0.0774	min	-0.0774	spearman0.574619	vs_multi0.002	posall.2576e+05	nce_bifalse	syTmetric2	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	F	0.0718	min	-0.0718	spearman0.612495	vs_multi0.002	posall.1849e+05	nce_bifalse	syTmetric2	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	F	0.0736	min	-0.0736	spearman0.548654	vs_multi0.002	posall.5082e+05	nce_bifalse	syTmetric2	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	F	0.0734	min	-0.0734	spearman0.518147	vs_multi0.002	posall.9165e+05	nce_bifalse	syTmetric2	approxifalse	ion	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	borda	speckle- 0.15	robustness	Fbar	0.0278	min	-0.0278	spearman0.530299	vs_multi0.002	posall.0999e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman3	borda	speckle- 0.15	robustness	Fbar	0.0274	min	-0.0274	spearman0.661997	vs_multi0.002	posall.0523e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman4	borda	speckle- 0.15	robustness	Fbar	0.0402	min	-0.0402	spearman0.533641	vs_multi0.002	posall.0799e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman5	borda	speckle- 0.15	robustness	Fbar	0.051	min	-0.051	spearman0.475614	vs_multi0.002	posall.3254e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman6	borda	speckle- 0.15	robustness	Fbar	0.0426	min	-0.0426	spearman0.505821	vs_multi0.002	posall.3084e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman7	borda	speckle- 0.15	robustness	Fbar	0.0402	min	-0.0402	spearman0.569208	vs_multi0.002	posall.2177e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman8	borda	speckle- 0.15	robustness	Fbar	0.0396	min	-0.0396	spearman0.574619	vs_multi0.002	posall.2576e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	borda	speckle- 0.15	robustness	Fbar	0.028	min	-0.028	spearman0.612495	vs_multi0.002	posall.1849e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	borda	speckle- 0.15	robustness	Fbar	0.0368	min	-0.0368	spearman0.548654	vs_multi0.002	posall.5082e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	borda	speckle- 0.15	robustness	Fbar	0.0428	min	-0.0428	spearman0.518147	vs_multi0.002	posall.9165e+05	nce_bifalse	syTmetric3	approxifalse	ion	True	["GuidedBackprop			
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman2	kemeny	speckle- 0.15	robustness	Fbar	0.0278	min	-0.0278	spearman0.530299	vs_multi0.002	posall.0999e+05	nce_bifalse	syTmetric3	approxifalse	ion	False	["GuidedBackprop			

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman1	1	rrf	speckle- 0.15	robustness	Sbar	0.0342	min	-0.0342	spearman0.518147vs_multi0.002posad1.9165e+05	0.518147	0.002	0.518147	0.002	posad1.9165e+05	0.002	True	synthetic_3approx	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	schulze	speckle- 0.15	robustness	Sbar	0.0278	min	-0.0278	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.002	0.530299	0.002	posad1.0999e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	schulze	speckle- 0.15	robustness	Sbar	0.0238	min	-0.0238	spearman0.661997vs_multi0.002posad1.0523e+05	0.661997	0.002	0.661997	0.002	posad1.0523e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	schulze	speckle- 0.15	robustness	Sbar	0.028	min	-0.028	spearman0.533641vs_multi0.002posad1.0796e+05	0.533641	0.002	0.533641	0.002	posad1.0796e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	schulze	speckle- 0.15	robustness	Sbar	0.049	min	-0.049	spearman0.475614vs_multi0.002posad1.3254e+05	0.475614	0.002	0.475614	0.002	posad1.3254e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	schulze	speckle- 0.15	robustness	Sbar	0.039	min	-0.039	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.002	0.505821	0.002	posad1.3084e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	schulze	speckle- 0.15	robustness	Sbar	0.0368	min	-0.0368	spearman0.569208vs_multi0.002posad1.2177e+05	0.569208	0.002	0.569208	0.002	posad1.2177e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	schulze	speckle- 0.15	robustness	Sbar	0.0354	min	-0.0354	spearman0.574619vs_multi0.002posad1.2576e+05	0.574619	0.002	0.574619	0.002	posad1.2576e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman9	9	schulze	speckle- 0.15	robustness	Sbar	0.0356	min	-0.0356	spearman0.612495vs_multi0.002posad1.1944e+05	0.612495	0.002	0.612495	0.002	posad1.1944e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman10	10	schulze	speckle- 0.15	robustness	Sbar	0.0386	min	-0.0386	spearman0.548654vs_multi0.002posad1.5082e+05	0.548654	0.002	0.548654	0.002	posad1.5082e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman11	11	schulze	speckle- 0.15	robustness	Sbar	0.035	min	-0.035	spearman0.518147vs_multi0.002posad1.9165e+05	0.518147	0.002	0.518147	0.002	posad1.9165e+05	0.002	True	synthetic_3approx	False	True	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman2	2	simpleavg	speckle- 0.15	robustness	Sbar	0.0368	min	-0.0368	spearman0.530299vs_multi0.002posad1.0999e+05	0.530299	0.002	0.530299	0.002	posad1.0999e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman3	3	simpleavg	speckle- 0.15	robustness	Sbar	0.0282	min	-0.0282	spearman0.661997vs_multi0.002posad1.0523e+05	0.661997	0.002	0.661997	0.002	posad1.0523e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman4	4	simpleavg	speckle- 0.15	robustness	Sbar	0.0688	min	-0.0688	spearman0.533641vs_multi0.002posad1.0796e+05	0.533641	0.002	0.533641	0.002	posad1.0796e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman5	5	simpleavg	speckle- 0.15	robustness	Sbar	0.0666	min	-0.0666	spearman0.475614vs_multi0.002posad1.3254e+05	0.475614	0.002	0.475614	0.002	posad1.3254e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman6	6	simpleavg	speckle- 0.15	robustness	Sbar	0.066	min	-0.066	spearman0.505821vs_multi0.002posad1.3084e+05	0.505821	0.002	0.505821	0.002	posad1.3084e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman7	7	simpleavg	speckle- 0.15	robustness	Sbar	0.0588	min	-0.0588	spearman0.569208vs_multi0.002posad1.2177e+05	0.569208	0.002	0.569208	0.002	posad1.2177e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet- ImageNet- resnet18	spearman8	8	simpleavg	speckle- 0.15	robustness	Sbar	0.0638	min	-0.0638	spearman0.574619vs_multi0.002posad1.2576e+05	0.574619	0.002	0.574619	0.002	posad1.2576e+05	0.002	False	synthetic_3approx	False	False	["GuidedBackprop	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective direction	fit value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman9	simpleavg	speckle- 0.15	robustness	Bar	0.063	min	-0.063	spearman0.612405	aws_multi0.602	0.612405	0.612495	0.612495	pos_1.1949e+05	noise_bifalse	True	metric_3approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman10	simpleavg	speckle- 0.15	robustness	Bar	0.0646	min	-0.0646	spearman0.548654	aws_multi0.602	0.548654	0.548654	0.548654	pos_1.5082e+05	noise_bifalse	True	metric_3approxifusion	False	False	["GuidedBackprop	
ImageNet- ImageNet- resnet18	ImageNet	ImageNet- resnet18	spearman11	simpleavg	speckle- 0.15	robustness	Bar	0.0636	min	-0.0636	spearman0.518147	aws_multi0.602	0.518147	0.518147	0.518147	pos_1.9165e+05	noise_bifalse	True	metric_3approxifusion	True	True	["GuidedBackprop	

Table 175: NOISE selector diagnostics results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	rule	q	predicted score	delta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95
ImageNet– ImageNet- resnet18	borda	2	0.1710674.2395515.7148		0.1818	4	5	0.002	True	
ImageNet– ImageNet- resnet18	borda	3	0.1714434.3864175.3645330.1762			4	5	0.002	False	
ImageNet– ImageNet- resnet18	borda	4	0.1769893.54931	7.57135	0.1856	4	5	0.002	True	
ImageNet– ImageNet- resnet18	borda	5	0.1725123.4577047.84256		0.1876	4	5	0.002	True	
ImageNet– ImageNet- resnet18	borda	6	0.1707753.41039	7.9847330.1782		4	5	0.002	False	
ImageNet– ImageNet- resnet18	borda	7	0.1695953.4274777.9332290.1698			4	5	0.002	False	
ImageNet– ImageNet- resnet18	borda	8	0.1646073.3929968.03735		0.1634	4	5	0.002	False	
ImageNet– ImageNet- resnet18	borda	9	0.1576073.42122	7.9520670.1618		4	5	0.002	False	
ImageNet– ImageNet- resnet18	borda	10	0.1602693.1937358.65292		0.1616	4	5	0.002	False	
ImageNet– ImageNet- resnet18	borda	11	0.1603122.9804	9.3356730.158		4	5	0.002	False	
ImageNet– ImageNet- resnet18	kemeny	2	0.1710674.2395515.7148		0.1818	5	5	0	True	
ImageNet– ImageNet- resnet18	kemeny	3	0.1696735.0133294.0461330.17			5	5	0	False	
ImageNet– ImageNet- resnet18	kemeny	4	0.1704463.9871736.3539		0.175	5	5	0	False	
ImageNet– ImageNet- resnet18	kemeny	5	0.1797833.6942137.15368		0.1874	5	5	0	True	
ImageNet– ImageNet- resnet18	kemeny	6	0.1737033.6571127.2592670.1806			5	5	0	True	
ImageNet– ImageNet- resnet18	kemeny	7	0.1675473.7491786.999		0.1716	5	5	0	False	
ImageNet– ImageNet- resnet18	kemeny	8	0.1620943.6787057.1977		0.1642	5	5	0	False	

cell	rule	q	predicted score	theta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95
ImageNet- ImageNet- resnet18	kemeny	9	0.1516633	3.7197267	0.816220	0.1574	5	5	0	False
ImageNet- ImageNet- resnet18	kemeny	10	0.1517613	3.4558657	0.84806	0.1586	5	5	0	False
ImageNet- ImageNet- resnet18	kemeny	11	0.1538023	2.2236168	0.5591640	0.1556	5	5	0	False

Table 176: main comparison results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model row present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet- resnet18	nn	test	5000	best_individual	0.17161	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0
ImageNet	ImageNet- resnet18	nn	test	5000	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0
ImageNet	ImageNet- resnet18	nn	test	5000	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0
ImageNet	ImageNet- resnet18	nn	test	5000	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0
ImageNet	ImageNet- resnet18	nn	test	5000	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0
ImageNet	ImageNet- resnet18	nn	test	5000	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0

Table 177: main comparison results for ImageNet–ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset–model row present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet- resnet18	nn	test	5000	best_indiv	0.17161	0.1752	0.292	0.2952	0.078	0.0108	0.2344	0.184	0.0442	0.0086	0.2042	0.1848	0.0238	0.0004	0.0644	0.047	0.036	0.0026	0.1048	0
ImageNet	ImageNet- resnet18	nn	test	5000	simpleavg	0.1726	0.251	0.286	0.3862	0.1564	0.1118	0.3474	0.3208	0.1376	0.0916	0.3152	0.2946	0.0734	0.0636	0.1192	0.1196	0.0944	0.0338	0.1768	0
ImageNet	ImageNet- resnet18	nn	test	5000	borda	0.158	0.2186	0.2756	0.3464	0.1692	0.0996	0.3384	0.3208	0.1624	0.0788	0.3208	0.2822	0.0748	0.0428	0.1142	0.103	0.095	0.019	0.1882	0
ImageNet	ImageNet- resnet18	nn	test	5000	kemeny	0.1556	0.2234	0.271	0.3492	0.1668	0.0684	0.3296	0.2774	0.1614	0.045	0.317	0.2522	0.0748	0.0362	0.1136	0.0994	0.0904	0.015	0.179	0
ImageNet	ImageNet- resnet18	nn	test	5000	rrf	0.1612	0.2176	0.2812	0.3424	0.1648	0.0776	0.3286	0.2944	0.1624	0.066	0.3134	0.2654	0.0742	0.0342	0.1126	0.0958	0.0956	0.0246	0.1914	0
ImageNet	ImageNet- resnet18	nn	test	5000	schulze	0.1576	0.2182	0.276	0.3444	0.1662	0.0762	0.3296	0.288	0.1592	0.0656	0.3124	0.2696	0.077	0.035	0.112	0.0958	0.0926	0.017	0.1864	0

Table 178: main comparison analysis results for ImageNet-ResNet-18. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet- resnet18	all	20	best_individual	10						
dataset_model	ImageNet	ImageNet- resnet18	all	20	simpleavg	9	1	0	19			
dataset_model	ImageNet	ImageNet- resnet18	all	20	borda	0	0	0	20	11	1	8
dataset_model	ImageNet	ImageNet- resnet18	all	20	kemeny	0	0	0	20	13	0	7
dataset_model	ImageNet	ImageNet- resnet18	all	20	rrf	0	0	0	20	13	0	7
dataset_model	ImageNet	ImageNet- resnet18	all	20	schulze	0	0	0	20	14	0	6
dataset_model	ImageNet	ImageNet- resnet18	quality	4	best_individual	3						
dataset_model	ImageNet	ImageNet- resnet18	quality	4	simpleavg	3	1	0	3			
dataset_model	ImageNet	ImageNet- resnet18	quality	4	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	quality	4	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet- resnet18	robustness_all	16	best_individual	6						
dataset_model	ImageNet	ImageNet- resnet18	robustness_all	16	simpleavg	9	0	0	16			
dataset_model	ImageNet	ImageNet- resnet18	robustness_all	16	borda	0	0	0	16	9	1	6
dataset_model	ImageNet	ImageNet- resnet18	robustness_all	16	kemeny	0	0	0	16	11	0	5
dataset_model	ImageNet	ImageNet- resnet18	robustness_all	16	rrf	0	0	0	16	11	0	5
dataset_model	ImageNet	ImageNet- resnet18	robustness_all	16	schulze	0	0	0	16	12	0	4
dataset_model	ImageNet	ImageNet- resnet18	gaussian	4	best_individual	4						
dataset_model	ImageNet	ImageNet- resnet18	gaussian	4	simpleavg	3	0	0	4			
dataset_model	ImageNet	ImageNet- resnet18	gaussian	4	borda	0	0	0	4	2	1	1
dataset_model	ImageNet	ImageNet- resnet18	gaussian	4	kemeny	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet- resnet18	gaussian	4	rrf	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet- resnet18	gaussian	4	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet- resnet18	salt_pepper	4	best_individual	4						
dataset_model	ImageNet	ImageNet- resnet18	salt_pepper	4	simpleavg	3	0	0	4			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	best_individual							
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	rrf	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual							
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	adversarial	1	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	0	0	4	3	0	1
overall			all	80	best_individual							
overall			all	80	simpleavg	2	1	77				
overall			all	80	borda	1	3	0	77	44	1	35
overall			all	80	kemeny	1	1	0	79	41	4	35
overall			all	80	rrf	3	3	1	76	43	1	36
overall			all	80	schulze	0	2	0	78	46	1	33
overall			quality	16	best_individual							
overall			quality	16	simpleavg	1	0	15				
overall			quality	16	borda	0	0	0	16	5	0	11
overall			quality	16	kemeny	0	0	0	16	4	1	11
overall			quality	16	rrf	0	0	0	16	6	0	10
overall			quality	16	schulze	0	0	0	16	8	0	8
overall			robustness	64	best_individual							
overall			robustness	64	simpleavg	1	1	62				
overall			robustness	64	borda	1	3	0	61	39	1	24
overall			robustness	64	kemeny	1	1	0	63	37	3	24
overall			robustness	64	rrf	3	3	1	60	37	1	26
overall			robustness	64	schulze	0	2	0	62	38	1	25
overall			gaussian	16	best_individual							
overall			gaussian	16	simpleavg	0	1	15				
overall			gaussian	16	borda	0	1	0	15	11	1	4
overall			gaussian	16	kemeny	0	0	0	16	9	1	6

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16		rrf	2	1	1	14	9	0	7
overall			gaussian 16		schulze	0	0	0	16	8	0	8
overall			salt_pepper		best_individual							
overall			salt_pepper		simpleavg	0	0	0	16			
overall			salt_pepper		borda	0	1	0	15	7	0	9
overall			salt_pepper		kemeny	1	1	0	15	6	2	8
overall			salt_pepper		rrf	0	1	0	15	10	1	5
overall			salt_pepper		schulze	0	1	0	15	8	1	7
overall			speckle 16		best_individual							
overall			speckle 16		simpleavg	1	1	0	15			
overall			speckle 16		borda	1	1	0	15	12	0	4
overall			speckle 16		kemeny	0	0	0	16	12	0	4
overall			speckle 16		rrf	1	1	0	15	10	0	6
overall			speckle 16		schulze	0	1	0	15	12	0	4
overall			adversarial		best_individual							
overall			adversarial		simpleavg	0	0	0	16			
overall			adversarial		borda	0	0	0	16	9	0	7
overall			adversarial		kemeny	0	0	0	16	10	0	6
overall			adversarial		rrf	0	0	0	16	8	0	8
overall			adversarial		schulze	0	0	0	16	10	0	6

C ViT-B/16 (archived)

Table 179: NOISE preview results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	best_individual	best_individual				57bb179689868f98f695a0b564b336b90a59219863a010a32222644ff1046658b76	0.0232	0.002	0.0078	0.0224	0.0334	0.1072	0.133	0.0742	0.104	0.013	0						
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	naive	11			0.0642	0.1174	0.1032	0.1744	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	NOISE	3	kemeny	["GradientDescent", "Blossom", "108", "Refer", "T45", "for", "0.828", "Attr", "0.108", "n", "0.0684", "usion", "0.0936"]	0.0734	0.136	0.0956	0.108	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	naive	11			0.0478	0.2256	0.0802	0.2866	0.0786	0.1126	0.0692	0.1014	0.0266	0.0368	0.0736	0.095	0.1832	0.2226	0.1228	0.1616	0.04	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	NOISE	3	kemeny	["GradientDescent", "Blossom", "0.956", "Refer", "T50", "for", "0.796", "Attr", "0.1022", "n", "0.0636", "usion", "0.0904"]	0.0506	0.136	0.0956	0.108	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	naive	11			0.05	0.2684	0.0856	0.3318	0.0846	0.1174	0.0764	0.1036	0.0324	0.04	0.0714	0.0926	0.161	0.1992	0.1096	0.1464	0.0378	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	NOISE	3	kemeny	["GradientDescent", "Blossom", "1.362", "Refer", "T46", "for", "0.716", "Attr", "0.1006", "n", "0.0576", "usion", "0.079"]	0.0374	0.136	0.0956	0.108	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	trf	naive	11			0.0538	0.2172	0.0892	0.2798	0.0834	0.1182	0.0744	0.1036	0.0308	0.04	0.0696	0.0886	0.1912	0.2304	0.132	0.172	0.0516	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	trf	NOISE	3	kemeny	["GradientDescent", "Blossom", "1.23", "Refer", "T46", "for", "0.816", "Attr", "0.1026", "n", "0.0684", "usion", "0.0858"]	0.0726	0.136	0.0956	0.108	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	naive	11			0.0488	0.2336	0.0848	0.2966	0.0862	0.1186	0.0756	0.1018	0.0342	0.041	0.072	0.0904	0.1718	0.2112	0.1222	0.1586	0.0466	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	NOISE	3	kemeny	["GradientDescent", "Blossom", "1.25", "Refer", "T46", "for", "0.742", "Attr", "0.1062", "n", "0.0624", "usion", "0.0828"]	0.0766	0.136	0.0956	0.108	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0

Table 180: NOISE preview results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	method	setting	q	selection rule	methods	F	Fbar	C	Cbar	R F g	R C g	R F p	R C p	R F s	R C s	R F a	R C a	R Fbar g	R Cbar g	R Fbar p	R Cbar p	R Fbar s	R Cbar s
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	best_individual	best_individual				57bb179680868f98f6095a0b564b336b90a59219863a010a32222644ff106658b76	0.0232	0.002	0.0078	0.0224	0.0334	0.1072	0.133	0.0742	0.104	0.013	0						
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	naive	11			0.0642	0.1174	0.1032	0.1744	0.0774	0.1104	0.0672	0.096	0.024	0.0322	0.0632	0.0788	0.2488	0.2906	0.1808	0.2214	0.066	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	NOISE	2	borda	["GradientDescent", "Ballout", "Shuffle", "Transform", "Attrition"]	0.052	0.066	0.132	0.144	0.0672	0.0826	0.0548	0.0714	0.0234	0.0214	0.0772	0.0934	0.2204	0.2718	0.1706	0.2192	0.0636	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	naive	11			0.0478	0.2256	0.0802	0.2866	0.0786	0.1126	0.0692	0.1014	0.0266	0.0368	0.0736	0.095	0.1832	0.2226	0.1228	0.1616	0.04	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	NOISE	2	borda	["GradientDescent", "Ballout", "Shuffle", "Transform", "Attrition"]	0.036	0.038	0.132	0.146	0.073	0.0846	0.0544	0.0684	0.0288	0.0252	0.076	0.091	0.223	0.272	0.1684	0.2136	0.0616	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	naive	11			0.05	0.2684	0.0856	0.3318	0.0846	0.1174	0.0764	0.1036	0.0324	0.04	0.0714	0.0926	0.161	0.1992	0.1096	0.1464	0.0378	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	NOISE	2	borda	["GradientDescent", "Ballout", "Shuffle", "Transform", "Attrition"]	0.036	0.038	0.132	0.146	0.073	0.0846	0.0544	0.0684	0.0288	0.0252	0.076	0.091	0.223	0.272	0.1684	0.2136	0.0616	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	trf	naive	11			0.0538	0.2172	0.0892	0.2798	0.0834	0.1182	0.0744	0.1036	0.0308	0.04	0.0696	0.0886	0.1912	0.2304	0.132	0.172	0.0516	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	trf	NOISE	2	borda	["GradientDescent", "Ballout", "Shuffle", "Transform", "Attrition"]	0.0372	0.038	0.132	0.142	0.073	0.0862	0.0526	0.0676	0.026	0.0224	0.0764	0.0902	0.2246	0.2736	0.1692	0.2162	0.0642	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	naive	11			0.0488	0.2336	0.0848	0.2966	0.0862	0.1186	0.0756	0.1018	0.0342	0.041	0.072	0.0904	0.1718	0.2112	0.1222	0.1586	0.0466	0
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	NOISE	2	borda	["GradientDescent", "Ballout", "Shuffle", "Transform", "Attrition"]	0.036	0.038	0.132	0.146	0.073	0.0846	0.0544	0.0684	0.0288	0.0252	0.076	0.091	0.223	0.272	0.1684	0.2136	0.0616	0

Table 181: NOISE preview results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival purposes in the source file.

cell	dataset	model	rule	F	F q	Fbar	Fbar q	C	C q	Cbar	Cbar q	R F g	R F g q	R Fbar g	R Fbar g q	R C g	R C g q	R Cbar g	R Cbar g q	R F p	R F p q	R Fbar p	R Fbar p q	R C p	R C p q
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	simpleavg	0.0852	2	0.0956	4	0.132	2	0.147	4	0.0672	2	0.2204	2	0.0826	2	0.2718	2	0.0548	2	0.1706	2	0.0714	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	borda	0.0864	2	0.0928	2	0.1352	2	0.146	2	0.0722	7	0.1832	11	0.0846	2	0.2226	11	0.0544	2	0.1228	11	0.0684	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kemeny	0.0874	3	0.0922	4	0.1362	3	0.1458	4	0.0716	3	0.161	11	0.0846	2	0.1992	11	0.0544	2	0.1042	10	0.0684	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	trf	0.0872	2	0.092	2	0.1356	2	0.1442	2	0.0736	2	0.1912	11	0.0862	2	0.2304	11	0.0526	2	0.1296	10	0.0676	2
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	schulze	0.0874	4	0.0928	2	0.1368	4	0.1458	4	0.073	2	0.1678	10	0.0846	2	0.209	10	0.0544	2	0.1122	10	0.0684	2

Table 182: NOISE preview results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	rule	q	methods	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a		
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	simpleavg	2	["GradientDescent", "Flow", "Reference", "Transform", "Attention"]	0.0852	0.0966	0.132	0.144	0.0672	0.073	0.0204	0.0226	0.0826	0.2718	0.0548	0.1706	0.0714	0.2192	0.0234	0.0636	0.0214	0.0818	0.0772	0.198	0.0934	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	borda	2	["GradientDescent", "Flow", "Reference", "Transform", "Attention"]	0.0864	0.0988	0.135	0.146	0.0678	0.073	0.0223	0.023	0.0846	0.272	0.0544	0.1684	0.0684	0.2136	0.0288	0.0616	0.0252	0.081	0.076	0.2034	0.091	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	kemeny	3	["GradientDescent", "Flow", "Reference", "Transform", "Attention"]	0.0874	0.0946	0.136	0.144	0.0671	0.0716	0.0226	0.0226	0.0906	0.2712	0.0576	0.1678	0.079	0.2136	0.0268	0.0592	0.0268	0.077	0.077	0.207	0.0926	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	trf	2	["GradientDescent", "Flow", "Reference", "Transform", "Attention"]	0.0872	0.092	0.135	0.142	0.0678	0.0736	0.0246	0.0246	0.0862	0.2736	0.0526	0.1692	0.0676	0.2162	0.026	0.0642	0.0224	0.0828	0.0764	0.204	0.0902	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	schulze	4	["GradientDescent", "Flow", "Reference", "Transform", "Attention"]	0.0874	0.0952	0.138	0.145	0.0685	0.0716	0.0216	0.0216	0.0846	0.2594	0.0668	0.1668	0.0682	0.0876	0.2042	0.0272	0.056	0.0278	0.0732	0.0706	0.225	0.0834

Table 183: NOISE q-sweep results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	adversarial	adversarial	conditioned_qualified	0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	adversarial	adversarial	conditioned_qualified	0.217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	adversarial	conditioned_qualified	0.2076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	adversarial	conditioned_qualified	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	adversarial	conditioned_qualified	0.1964	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	adversarial	conditioned_qualified	0.1954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	adversarial	conditioned_qualified	0.1954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	adversarial	conditioned_qualified	0.1836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	adversarial	conditioned_qualified	0.1778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	adversarial	conditioned_qualified	0.1752	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	adversarial	adversarial	conditioned_qualified	0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	adversarial	adversarial	conditioned_qualified	0.2288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	adversarial	adversarial	conditioned_qualified	0.2278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	adversarial	adversarial	conditioned_qualified	0.2104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	adversarial	adversarial	conditioned_qualified	0.1998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	adversarial	adversarial	conditioned_qualified	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	adversarial	adversarial	conditioned_qualified	0.1944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	adversarial	adversarial	conditioned_qualified	0.1844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	sara-2- 255	ad-conditioned_qualified	0.752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	sara-2- 255	ad-conditioned_qualified	0.782	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.258	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.254	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.2192	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.1998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.2	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.194	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.792	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	sara-2- 255	ad-conditioned_qualified	0.778	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.262	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.2202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.2094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.1982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.1956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	sara-2- 255	ad-conditioned_qualified	0.1938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1764	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1752	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.2254	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.2126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.2046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.183	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.182	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	adversarial	ad-conditioned_sara-2-255	cb_bar_quality	0.3556	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	adversarial	ad-conditioned_sara-2-255	cb_bar_quality	0.3518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	adversarial	ad-conditioned_sara-2-255	cb_bar_quality	0.393	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	borda	adversarial	ad-conditioned_sara-2-255	cb_bar_quality	0.4204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	borda	adversarial	ad-conditioned_sara-2-255	cb_bar_quality	0.4516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	27	borda	adversarial	ad-conditioned_sara-2-255	cb_bar_quality	0.455	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	borda	adversarial	condition	CBarqual	0.452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	borda	adversarial	condition	CBarqual	0.488	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	borda	adversarial	condition	CBarqual	0.525	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	borda	adversarial	condition	CBarqual	0.542	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	kemeny	adversarial	condition	CBarqual	0.355	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	kemeny	adversarial	condition	CBarqual	0.362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	kemeny	adversarial	condition	CBarqual	0.384	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	kemeny	adversarial	condition	CBarqual	0.421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	kemeny	adversarial	condition	CBarqual	0.451	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	kemeny	adversarial	condition	CBarqual	0.448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	kemeny	adversarial	condition	CBarqual	0.449	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	kemeny	adversarial	condition	CBarqual	0.500	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	kemeny	adversarial	condition	CBarqual	0.551	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	kemeny	adversarial	condition	CBarqual	0.548	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	rrf	adversarial	condition	CBarqual	0.354	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	rrf	adversarial	condition	CBarqual	0.353	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	rrf	adversarial	condition	CBarqual	0.383	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	rrf	adversarial	condition	CBarqual	0.425	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	rrf	adversarial	condition	CBarqual	0.448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		rrf	adversarial	condition6 sara-2- 255	Barqual	0.4466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		rrf	adversarial	condition6 sara-2- 255	Barqual	0.4426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		rrf	adversarial	condition6 sara-2- 255	Barqual	0.4872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		rrf	adversarial	condition6 sara-2- 255	Barqual	0.5202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		rrf	adversarial	condition6 sara-2- 255	Barqual	0.5232	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.3556	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.3476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.3782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.4556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.4502	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.4506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.489	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.5396	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		schulze	adversarial	condition6 sara-2- 255	Barqual	0.5384	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		simpleavg	adversarial	condition6 sara-2- 255	Barqual	0.3536	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		simpleavg	adversarial	condition6 sara-2- 255	Barqual	0.3516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet24- vit-b16		simpleavg	adversarial	condition6 sara-2- 255	Barqual	0.3674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet25- vit-b16		simpleavg	adversarial	condition6 sara-2- 255	Barqual	0.4056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	conditioned_qualified	Barqual	0.4152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	conditioned_qualified	Barqual	0.4298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	conditioned_qualified	Barqual	0.4282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	conditioned_qualified	Barqual	0.446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	conditioned_qualified	Barqual	0.4578	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	conditioned_qualified	Barqual	0.4592	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	adversarial	conditioned_qualified	Barqual	0.4624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	adversarial	conditioned_qualified	Barqual	0.4528	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	adversarial	conditioned_qualified	Barqual	0.4474	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	adversarial	conditioned_qualified	Barqual	0.4416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	adversarial	conditioned_qualified	Barqual	0.4382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	adversarial	conditioned_qualified	Barqual	0.4386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	adversarial	conditioned_qualified	Barqual	0.439	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	adversarial	conditioned_qualified	Barqual	0.427	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	adversarial	conditioned_qualified	Barqual	0.4212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	adversarial	conditioned_qualified	Barqual	0.4214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	adversarial	conditioned_qualified	Barqual	0.4624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	adversarial	conditioned_qualified	Barqual	0.4644	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	adversarial	conditioned_qualified	Barqual	0.4636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.4	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.404	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.36	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.586	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.44	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.4	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.24	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.234	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	ad-conditioned	Fed_quality	0.158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	ad-conditioned	Fed_quality	0.1486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	ad-conditioned	Fed_quality	0.1396	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	ad-conditioned	Fed_quality	0.1376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	ad-conditioned	Fed_quality	0.1376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	ad-conditioned	Fed_quality	0.1256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	ad-conditioned	Fed_quality	0.1204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	ad-conditioned	Fed_quality	0.1208	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1424	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	adversarial	ad-conditioned	Fed_quality	0.134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1342	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1334	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	adversarial	ad-conditioned	Fed_quality	0.132	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	adversarial	ad-conditioned	Fed_quality	0.129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	adversarial	ad-conditioned	Fed_quality	0.1274	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	adversarial	ad-conditioned	Fed_quality	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	condition	F ₁ harqual	0.2932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	condition	F ₁ harqual	0.3318	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	condition	F ₁ harqual	0.3594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	condition	F ₁ harqual	0.3886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	condition	F ₁ harqual	0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	condition	F ₁ harqual	0.382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	condition	F ₁ harqual	0.4204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	condition	F ₁ harqual	0.4552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	condition	F ₁ harqual	0.4694	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	adversarial	condition	F ₁ harqual	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	adversarial	condition	F ₁ harqual	0.3016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	condition	F ₁ harqual	0.3266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	adversarial	condition	F ₁ harqual	0.357	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	adversarial	condition	F ₁ harqual	0.385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	adversarial	condition	F ₁ harqual	0.3802	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	condition	F ₁ harqual	0.3786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	adversarial	condition	F ₁ harqual	0.4316	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	condition	F ₁ harqual	0.4808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	condition	F ₁ harqual	0.479	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	condition	F _{bar} equal	0.296	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	condition	F _{bar} equal	0.2982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	condition	F _{bar} equal	0.3222	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	condition	F _{bar} equal	0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	condition	F _{bar} equal	0.3772	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	condition	F _{bar} equal	0.3782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	condition	F _{bar} equal	0.3728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	condition	F _{bar} equal	0.4168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	condition	F _{bar} equal	0.4512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	condition	F _{bar} equal	0.4552	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	condition	F _{bar} equal	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	condition	F _{bar} equal	0.2888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	condition	F _{bar} equal	0.3202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	condition	F _{bar} equal	0.3576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	condition	F _{bar} equal	0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	condition	F _{bar} equal	0.3814	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	condition	F _{bar} equal	0.3796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	condition	F _{bar} equal	0.4182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	condition	F _{bar} equal	0.47	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	adversarial-condition	0.4694	F ₁ equality	0.4694	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial-condition	0.2946	F ₁ equality	0.2946	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	adversarial-condition	0.2962	F ₁ equality	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial-condition	0.309	F ₁ equality	0.309	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial-condition	0.3446	F ₁ equality	0.3446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial-condition	0.3504	F ₁ equality	0.3504	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial-condition	0.365	F ₁ equality	0.365	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial-condition	0.3626	F ₁ equality	0.3626	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial-condition	0.3776	F ₁ equality	0.3776	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial-condition	0.3874	F ₁ equality	0.3874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial-condition	0.387	F ₁ equality	0.387	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	gaussian-condition	0.2198	F ₁ equality	0.2198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	gaussian-condition	0.1978	F ₁ equality	0.1978	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	gaussian-condition	0.21	F ₁ equality	0.21	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	gaussian-condition	0.2092	F ₁ equality	0.2092	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	gaussian-condition	0.2096	F ₁ equality	0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	gaussian-condition	0.205	F ₁ equality	0.205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	gaussian-condition	0.202	F ₁ equality	0.202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	gaussian-condition	0.2012	F ₁ equality	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	conditionvalue kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	gaussian-conditioned_qualified_0.15	0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	gaussian-conditioned_qualified_0.15	0.1928	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-conditioned_qualified_0.15	0.2198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	gaussian-conditioned_qualified_0.15	0.2268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-conditioned_qualified_0.15	0.2346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-conditioned_qualified_0.15	0.2196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-conditioned_qualified_0.15	0.2252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-conditioned_qualified_0.15	0.2186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-conditioned_qualified_0.15	0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-conditioned_qualified_0.15	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-conditioned_qualified_0.15	0.2102	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-conditioned_qualified_0.15	0.203	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-conditioned_qualified_0.15	0.2218	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	gaussian-conditioned_qualified_0.15	0.2258	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-conditioned_qualified_0.15	0.2322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-conditioned_qualified_0.15	0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-conditioned_qualified_0.15	0.226	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-conditioned_qualified_0.15	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-conditioned_qualified_0.15	0.2216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In	

cell	dataset	model	q	rule	conditionvalue kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	rrf	gaussian-conditioned_0.15	cd_qual	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-conditioned_0.15	cd_qual	0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	gaussian-conditioned_0.15	cd_qual	0.2074	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-conditioned_0.15	cd_qual	0.2198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-conditioned_0.15	cd_qual	0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-conditioned_0.15	cd_qual	0.2414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-conditioned_0.15	cd_qual	0.2192	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-conditioned_0.15	cd_qual	0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-conditioned_0.15	cd_qual	0.213	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-conditioned_0.15	cd_qual	0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-conditioned_0.15	cd_qual	0.216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-conditioned_0.15	cd_qual	0.2078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	gaussian-conditioned_0.15	cd_qual	0.2034	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleav	gaussian-conditioned_0.15	cd_qual	0.2146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleav	gaussian-conditioned_0.15	cd_qual	0.2278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleav	gaussian-conditioned_0.15	cd_qual	0.2322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleav	gaussian-conditioned_0.15	cd_qual	0.221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleav	gaussian-conditioned_0.15	cd_qual	0.2238	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	gaussian-conditioned_0.15	cd_qual	0.2166	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	gaussian-conditioned 0.15	cd_quality	0.2154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	gaussian-conditioned 0.15	cd_quality	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	gaussian-conditioned 0.15	cd_quality	0.215	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	gaussian-conditioned 0.15	cd_quality	0.2136	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	gaussian-conditioned 0.15	cd_quality	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	gaussian-conditioned 0.15	cd_quality	0.2154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	gaussian-conditioned 0.15	cd_quality	0.2272	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	gaussian-conditioned 0.15	cd_quality	0.2412	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	gaussian-conditioned 0.15	cd_quality	0.2458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	gaussian-conditioned 0.15	cd_quality	0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	gaussian-conditioned 0.15	cd_quality	0.2455	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	gaussian-conditioned 0.15	cd_quality	0.2464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	gaussian-conditioned 0.15	cd_quality	0.24932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	gaussian-conditioned 0.15	cd_quality	0.25092	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	gaussian-conditioned 0.15	cd_quality	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	gaussian-conditioned 0.15	cd_quality	0.2176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	gaussian-conditioned 0.15	cd_quality	0.23994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	kemeny	gaussian-conditioned 0.15	cd_quality	0.24484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	kemeny	gaussian-conditioned 0.15	cd_quality	0.24494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-condition 0.15	CBarqual	0.4678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-condition 0.15	CBarqual	0.4598	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-condition 0.15	CBarqual	0.485	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-condition 0.15	CBarqual	0.5198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-condition 0.15	CBarqual	0.531	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	gaussian-condition 0.15	CBarqual	0.4178	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	gaussian-condition 0.15	CBarqual	0.4198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	gaussian-condition 0.15	CBarqual	0.405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	gaussian-condition 0.15	CBarqual	0.4332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	gaussian-condition 0.15	CBarqual	0.4386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	gaussian-condition 0.15	CBarqual	0.4558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	gaussian-condition 0.15	CBarqual	0.4476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	gaussian-condition 0.15	CBarqual	0.4664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	gaussian-condition 0.15	CBarqual	0.5038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	gaussian-condition 0.15	CBarqual	0.5102	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	gaussian-condition 0.15	CBarqual	0.418	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	gaussian-condition 0.15	CBarqual	0.4348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	gaussian-condition 0.15	CBarqual	0.4052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	schulze	gaussian-condition 0.15	CBarqual	0.438	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-condition	0.15	Barquality	0.4406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-condition	0.15	Barquality	0.449	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-condition	0.15	Barquality	0.4518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-condition	0.15	Barquality	0.4682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-condition	0.15	Barquality	0.5046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-condition	0.15	Barquality	0.5078	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	gaussian-condition	0.15	Barquality	0.4202	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	gaussian-condition	0.15	Barquality	0.4276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	gaussian-condition	0.15	Barquality	0.426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	gaussian-condition	0.15	Barquality	0.4444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	gaussian-condition	0.15	Barquality	0.44	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	gaussian-condition	0.15	Barquality	0.4516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	gaussian-condition	0.15	Barquality	0.4568	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	gaussian-condition	0.15	Barquality	0.4606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	gaussian-condition	0.15	Barquality	0.4658	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	gaussian-condition	0.15	Barquality	0.465	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	gaussian-condition	0.15	Ed_quality	0.1594	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	gaussian-condition	0.15	Ed_quality	0.1302	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	gaussian-condition	0.15	Ed_quality	0.141	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	borda	gaussian-conditioned_0.15	ed_quality	0.396	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	borda	gaussian-conditioned_0.15	ed_quality	0.39	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	borda	gaussian-conditioned_0.15	ed_quality	0.382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	borda	gaussian-conditioned_0.15	ed_quality	0.332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	borda	gaussian-conditioned_0.15	ed_quality	0.31	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	borda	gaussian-conditioned_0.15	ed_quality	0.328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	borda	gaussian-conditioned_0.15	ed_quality	0.264	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	kemeny	gaussian-conditioned_0.15	ed_quality	0.594	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	kemeny	gaussian-conditioned_0.15	ed_quality	0.59	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	kemeny	gaussian-conditioned_0.15	ed_quality	0.66	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	kemeny	gaussian-conditioned_0.15	ed_quality	0.544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	kemeny	gaussian-conditioned_0.15	ed_quality	0.57	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	kemeny	gaussian-conditioned_0.15	ed_quality	0.538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	kemeny	gaussian-conditioned_0.15	ed_quality	0.558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	kemeny	gaussian-conditioned_0.15	ed_quality	0.472	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	kemeny	gaussian-conditioned_0.15	ed_quality	0.408	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	kemeny	gaussian-conditioned_0.15	ed_quality	0.346	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	rrf	gaussian-conditioned_0.15	ed_quality	0.608	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	rrf	gaussian-conditioned_0.15	ed_quality	0.542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-conditioned 0.15	Fed_quality	0.1616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-conditioned 0.15	Fed_quality	0.1516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-conditioned 0.15	Fed_quality	0.1554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-conditioned 0.15	Fed_quality	0.1496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-conditioned 0.15	Fed_quality	0.1502	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-conditioned 0.15	Fed_quality	0.1456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-conditioned 0.15	Fed_quality	0.1368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	gaussian-conditioned 0.15	Fed_quality	0.1372	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	gaussian-conditioned 0.15	Fed_quality	0.1594	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	gaussian-conditioned 0.15	Fed_quality	0.1506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	gaussian-conditioned 0.15	Fed_quality	0.1724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	gaussian-conditioned 0.15	Fed_quality	0.1508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	gaussian-conditioned 0.15	Fed_quality	0.1524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	gaussian-conditioned 0.15	Fed_quality	0.1512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	gaussian-conditioned 0.15	Fed_quality	0.1468	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	gaussian-conditioned 0.15	Fed_quality	0.1462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	gaussian-conditioned 0.15	Fed_quality	0.1392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	gaussian-conditioned 0.15	Fed_quality	0.135	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	gaussian-conditioned 0.15	Fed_quality	0.1524	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	gaussian-conditioned	Fed_quality	0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	gaussian-conditioned	Fed_quality	0.1582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avg	gaussian-conditioned	Fed_quality	0.1456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avg	gaussian-conditioned	Fed_quality	0.1476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avg	gaussian-conditioned	Fed_quality	0.1438	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	gaussian-conditioned	Fed_quality	0.1424	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avg	gaussian-conditioned	Fed_quality	0.144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	gaussian-conditioned	Fed_quality	0.1424	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	gaussian-conditioned	Fed_quality	0.1416	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda		gaussian-conditioned	Fed_quality	0.3158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		gaussian-conditioned	Fed_quality	0.355	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda		gaussian-conditioned	Fed_quality	0.3288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda		gaussian-conditioned	Fed_quality	0.3402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda		gaussian-conditioned	Fed_quality	0.3456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda		gaussian-conditioned	Fed_quality	0.349	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		gaussian-conditioned	Fed_quality	0.3534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda		gaussian-conditioned	Fed_quality	0.3618	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda		gaussian-conditioned	Fed_quality	0.391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda		gaussian-conditioned	Fed_quality	0.4088	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-condition	0.15	F _H arqual	0.3158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-condition	0.15	F _H arqual	0.315	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-condition	0.15	F _H arqual	0.301	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-condition	0.15	F _H arqual	0.348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-condition	0.15	F _H arqual	0.347	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-condition	0.15	F _H arqual	0.367	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-condition	0.15	F _H arqual	0.3588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-condition	0.15	F _H arqual	0.382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-condition	0.15	F _H arqual	0.4182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-condition	0.15	F _H arqual	0.4294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-condition	0.15	F _H arqual	0.3166	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-condition	0.15	F _H arqual	0.32	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-condition	0.15	F _H arqual	0.3064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-condition	0.15	F _H arqual	0.3324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-condition	0.15	F _H arqual	0.3378	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-condition	0.15	F _H arqual	0.3542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-condition	0.15	F _H arqual	0.3466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-condition	0.15	F _H arqual	0.364	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-condition	0.15	F _H arqual	0.4022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	gaussian-condition	0.15	F ₁ equality	0.4084	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-condition	0.15	F ₁ equality	0.3158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-condition	0.15	F ₁ equality	0.3336	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-condition	0.15	F ₁ equality	0.3068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-condition	0.15	F ₁ equality	0.3346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-condition	0.15	F ₁ equality	0.3422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-condition	0.15	F ₁ equality	0.3474	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-condition	0.15	F ₁ equality	0.3508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-condition	0.15	F ₁ equality	0.3656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-condition	0.15	F ₁ equality	0.402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-condition	0.15	F ₁ equality	0.4054	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	gaussian-condition	0.15	F ₁ equality	0.317	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	gaussian-condition	0.15	F ₁ equality	0.348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	gaussian-condition	0.15	F ₁ equality	0.358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3608	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	gaussian-condition	Bar	quality0.3664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	gaussian-condition	Bar	quality0.3662	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	conditioned	qual	ty0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	salt- pepper- 0.05	conditioned	qual	ty0.186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	conditioned	qual	ty0.1994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	conditioned	qual	ty0.2008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	conditioned	qual	ty0.1996	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	conditioned	qual	ty0.1938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	conditioned	qual	ty0.1914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	conditioned	qual	ty0.1918	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	conditioned	qual	ty0.1888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	conditioned	qual	ty0.1816	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2106	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	conditioned	qual	ty0.2032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	kemeny	salt- pepper- 0.05	conditioned_	qual	0.2024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	conditioned_	qual	0.1966	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	salt- pepper- 0.05	conditioned_	qual	0.1892	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	conditioned_	qual	0.2032	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	conditioned_	qual	0.2088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	conditioned_	qual	0.2222	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	conditioned_	qual	0.2126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	conditioned_	qual	0.2114	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	conditioned_	qual	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	conditioned_	qual	0.2004	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	conditioned_	qual	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	conditioned_	qual	0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	salt- pepper- 0.05	conditioned_	qual	0.1928	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	salt- pepper- 0.05	conditioned_	qual	0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	salt- pepper- 0.05	conditioned_	qual	0.2078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	salt- pepper- 0.05	conditioned_	qual	0.2244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	salt- pepper- 0.05	conditioned_	qual	0.2054	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	salt- pepper- 0.05	conditioned_	qual	0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	salt- pepper- 0.05	conditioned_	qual	0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	conditioned_	qual	0.2002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	salt- pepper- 0.05	conditioned_	qual	0.2	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	conditioned_	qual	0.1896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	conditioned_	qual	0.1866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2122	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	salt- pepper- 0.05	conditioned_	qual	0.1992	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	salt- pepper- 0.05	conditioned_	qual	0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	salt- pepper- 0.05	conditioned_	qual	0.3862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	salt- pepper- 0.05	conditioned_	qual	0.3716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	borda	salt- pepper- 0.05	conditioned_	qual	0.3844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	borda	salt- pepper- 0.05	conditioned_	qual	0.3808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		borda	salt- pepper- 0.05	condition	Cbar	qual0.3888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		borda	salt- pepper- 0.05	condition	Cbar	qual0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		borda	salt- pepper- 0.05	condition	Cbar	qual0.398	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		borda	salt- pepper- 0.05	condition	Cbar	qual0.4296	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		borda	salt- pepper- 0.05	condition	Cbar	qual0.4482	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.36	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.3818	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.387	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.4062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.4104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.4246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.4584	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		kemeny	salt- pepper- 0.05	condition	Cbar	qual0.4782	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		rrf	salt- pepper- 0.05	condition	Cbar	qual0.3604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		rrf	salt- pepper- 0.05	condition	Cbar	qual0.3518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet24- vit-b16		rrf	salt- pepper- 0.05	condition	Cbar	qual0.3422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet25- vit-b16		rrf	salt- pepper- 0.05	condition	Cbar	qual0.3654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	condition	CBarqual	0.3752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	condition	CBarqual	0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	condition	CBarqual	0.3906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	condition	CBarqual	0.4048	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	condition	CBarqual	0.4402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	condition	CBarqual	0.4518	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	condition	CBarqual	0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	condition	CBarqual	0.3724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	condition	CBarqual	0.35	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	condition	CBarqual	0.3726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	condition	CBarqual	0.3798	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	condition	CBarqual	0.3974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	condition	CBarqual	0.3974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	condition	CBarqual	0.3968	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	salt- pepper- 0.05	condition	CBarqual	0.4432	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	salt- pepper- 0.05	condition	CBarqual	0.4552	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleav	salt- pepper- 0.05	condition	CBarqual	0.3676	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleav	salt- pepper- 0.05	condition	CBarqual	0.3678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleav	salt- pepper- 0.05	condition	CBarqual	0.3638	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3792	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3788	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3916	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3948	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3952	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned_	bar_qual	0.3958	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	borda	salt- pepper- 0.05	conditioned_	qual	0.4408	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	borda	salt- pepper- 0.05	conditioned_	qual	0.4142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	borda	salt- pepper- 0.05	conditioned_	qual	0.4126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	borda	salt- pepper- 0.05	conditioned_	qual	0.4322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	borda	salt- pepper- 0.05	conditioned_	qual	0.4356	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	borda	salt- pepper- 0.05	conditioned_	qual	0.4129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	borda	salt- pepper- 0.05	conditioned_	qual	0.41238	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	borda	salt- pepper- 0.05	conditioned_	qual	0.4125	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	borda	salt- pepper- 0.05	conditioned_	qual	0.41234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	borda	salt- pepper- 0.05	conditioned_	qual	0.4117	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	kemeny	salt- pepper- 0.05	conditioned_	qual	0.4408	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	kemeny	salt- pepper- 0.05	conditioned_	qual	0.4145	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.522	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.45	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.38	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.264	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.398	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.492	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.41	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.366	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.282	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.408	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1384	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1404	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.141	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1408	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1306	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.1244	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.14	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.1418	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.1454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.1434	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.145	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.1366	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.135	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.133	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.1314	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	condition	F _{0.5}	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	condition	F _{0.5}	0.29	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	condition	F _{0.5}	0.2766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	condition	F _{0.5}	0.2862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	condition	F _{0.5}	0.2838	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	condition	F _{0.5}	0.2888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	condition	F _{0.5}	0.2914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	condition	F _{0.5}	0.3014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	condition	F _{0.5}	0.3338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	condition	F _{0.5}	0.3484	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.2624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.2872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.2918	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.3122	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.3076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.3258	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.3588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.378	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2776	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2894	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2922	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.3068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.3382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.3492	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.3012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.3012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	conditioned_	cd_quality	0.3464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	conditioned_	cd_quality	0.3558	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2672	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.284	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2818	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleav	salt- pepper- 0.05	conditioned_	cd_quality	0.2982	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	conditioned_	cd_quality	0.1604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	speckle- 0.15	conditioned_	cd_quality	0.1192	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned_	cd_quality	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned_	cd_quality	0.1392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned_	cd_quality	0.1398	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned_	cd_quality	0.1346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned_	cd_quality	0.1278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	borda	speckle-	conditioned_	quality	1244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle-	conditioned_	quality	119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	borda	speckle-	conditioned_	quality	117	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle-	conditioned_	quality	1604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle-	conditioned_	quality	163	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle-	conditioned_	quality	1648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle-	conditioned_	quality	1556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle-	conditioned_	quality	1496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle-	conditioned_	quality	1476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle-	conditioned_	quality	1448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle-	conditioned_	quality	1414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle-	conditioned_	quality	1288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	speckle-	conditioned_	quality	1256	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	speckle-	conditioned_	quality	158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	speckle-	conditioned_	quality	151	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	speckle-	conditioned_	quality	1574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	speckle-	conditioned_	quality	1494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	speckle-	conditioned_	quality	15	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	speckle-	conditioned_	quality	1446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle-	conditioned_	quality	404	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	speckle-	conditioned_	quality	402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle-	conditioned_	quality	324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle-	conditioned_	quality	292	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	speckle-	conditioned_	quality	604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	speckle-	conditioned_	quality	484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	speckle-	conditioned_	quality	646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	speckle-	conditioned_	quality	534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	speckle-	conditioned_	quality	446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	speckle-	conditioned_	quality	462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	speckle-	conditioned_	quality	414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	speckle-	conditioned_	quality	362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	speckle-	conditioned_	quality	296	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	speckle-	conditioned_	quality	258	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	speckle-	conditioned_	quality	534	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	speckle-	conditioned_	quality	52	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	speckle-	conditioned_	quality	554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	simpleavg	speckle-	conditioned_	quality	498	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	simpleavg	speckle-	conditioned_	quality	496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	speckle- 0.15	conditioned_	qual	0.452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	speckle- 0.15	conditioned_	qual	0.4394	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleav	speckle- 0.15	conditioned_	qual	0.4376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleav	speckle- 0.15	conditioned_	qual	0.437	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleav	speckle- 0.15	conditioned_	qual	0.4354	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	speckle- 0.15	conditioned_	qual	0.4227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	speckle- 0.15	conditioned_	qual	0.42394	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	speckle- 0.15	conditioned_	qual	0.42312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	speckle- 0.15	conditioned_	qual	0.42416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	speckle- 0.15	conditioned_	qual	0.42614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	speckle- 0.15	conditioned_	qual	0.4269	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	speckle- 0.15	conditioned_	qual	0.42674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	speckle- 0.15	conditioned_	qual	0.4295	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	speckle- 0.15	conditioned_	qual	0.43262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	speckle- 0.15	conditioned_	qual	0.4341	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	speckle- 0.15	conditioned_	qual	0.4227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	speckle- 0.15	conditioned_	qual	0.42234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	speckle- 0.15	conditioned_	qual	0.42128	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	kemeny	speckle- 0.15	conditioned_	qual	0.42492	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	condition	CharQual	0.2684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	condition	CharQual	0.278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	condition	CharQual	0.279	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	condition	CharQual	0.3164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	condition	CharQual	0.3714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	condition	CharQual	0.3798	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	condition	CharQual	0.227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	condition	CharQual	0.2176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	condition	CharQual	0.2126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	condition	CharQual	0.2318	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	condition	CharQual	0.2602	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	condition	CharQual	0.2714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	condition	CharQual	0.276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	condition	CharQual	0.3092	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	speckle- 0.15	condition	CharQual	0.3392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	speckle- 0.15	condition	CharQual	0.3458	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	speckle- 0.15	condition	CharQual	0.227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	speckle- 0.15	condition	CharQual	0.2274	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	speckle- 0.15	condition	CharQual	0.219	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2378	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2704	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.3022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.3518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.3526	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.3202	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2556	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		borda	speckle- 0.15	condition	Ed_qual	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		borda	speckle- 0.15	condition	Ed_qual	0.0744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned	ed_qual	0.9884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned	ed_qual	0.9908	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned	ed_qual	0.9934	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned	ed_qual	0.9922	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	ed_qual	0.9836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	conditioned	ed_qual	0.9822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	conditioned	ed_qual	0.9814	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	conditioned	ed_qual	0.9744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	conditioned	ed_qual	0.9152	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	conditioned	ed_qual	0.9142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	conditioned	ed_qual	0.9148	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	conditioned	ed_qual	0.9088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	conditioned	ed_qual	0.9104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	conditioned	ed_qual	0.9104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	conditioned	ed_qual	0.9998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	conditioned	ed_qual	0.9974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	conditioned	ed_qual	0.987	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	conditioned	ed_qual	0.9824	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	speckle- 0.15	conditioned	ed_qual	0.9132	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	conditioned_	quality034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	speckle- 0.15	conditioned_	quality094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	speckle- 0.15	conditioned_	quality018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	speckle- 0.15	conditioned_	quality018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	speckle- 0.15	conditioned_	quality0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	conditioned_	quality0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	speckle- 0.15	conditioned_	quality0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	conditioned_	quality0878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	conditioned_	quality0846	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	conditioned_	quality1152	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	conditioned_	quality0992	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	conditioned_	quality1146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	conditioned_	quality1054	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	conditioned_	quality0988	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	conditioned_	quality1014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	conditioned_	quality0988	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	conditioned_	quality094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	conditioned_	quality0878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	conditioned_	quality083	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1086	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	conditioned	ed_quality	0.104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1026	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle- 0.15	conditioned	ed_quality	0.104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	conditioned	ed_quality	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	speckle- 0.15	conditioned	ed_quality	0.0896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	conditioned	ed_quality	0.089	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	conditioned	ed_quality	0.0882	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	conditioned	ed_quality	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	ed_quality	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned	ed_quality	0.1618	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned	ed_quality	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned	ed_quality	0.189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned	ed_quality	0.1972	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	ed_quality	0.1946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	conditioned	ed_quality	0.225	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	conditioned	ed_quality	0.253	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	borda	speckle- 0.15	condition	F _{Har} quality	0.2656	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	condition	F _{Har} quality	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	condition	F _{Har} quality	0.1538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	condition	F _{Har} quality	0.1436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	condition	F _{Har} quality	0.1766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	condition	F _{Har} quality	0.1195	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	condition	F _{Har} quality	0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	condition	F _{Har} quality	0.1208	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	condition	F _{Har} quality	0.2452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	condition	F _{Har} quality	0.2976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	condition	F _{Har} quality	0.3062	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	condition	F _{Har} quality	0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	condition	F _{Har} quality	0.1454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	condition	F _{Har} quality	0.1146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	condition	F _{Har} quality	0.1606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	condition	F _{Har} quality	0.1894	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	condition	F _{Har} quality	0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	condition	F _{Har} quality	0.1203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	condition	F _{Har} quality	0.2346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	condition	F _{0.5}	0.2656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	condition	F _{0.5}	0.2688	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	condition	F _{0.5}	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	speckle- 0.15	condition	F _{0.5}	0.1592	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	condition	F _{0.5}	0.1512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	condition	F _{0.5}	0.1674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	condition	F _{0.5}	0.1848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	condition	F _{0.5}	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	condition	F _{0.5}	0.2032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	condition	F _{0.5}	0.2314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	condition	F _{0.5}	0.2782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	condition	F _{0.5}	0.2802	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1602	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	simpleavg	speckle- 0.15	condition	EqualQuality	0.1794	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	condition	EqualQuality	0.183	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	condition	EqualQuality	0.1834	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	clean	quality	C	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	clean	quality	C	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	clean	quality	C	0.1034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	clean	quality	C	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	clean	quality	C	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	clean	quality	C	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	clean	quality	C	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	clean	quality	C	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	clean	quality	C	0.0844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	clean	quality	C	0.0802	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	clean	quality	C	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	clean	quality	C	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	clean	quality	C	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	clean	quality	C	0.1234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	clean	quality	C	0.1142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	clean	quality	C	0.1134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	clean	quality	C	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	clean	quality	C	0.0994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	clean	quality	C	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	clean	quality	C	0.0856	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	clean	quality	C	0.1356	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	clean	quality	C	0.123	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	clean	quality	C	0.1276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	clean	quality	C	0.1196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	clean	quality	C	0.1164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	clean	quality	C	0.1124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	C	0.1074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	clean	quality	C	0.1014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	clean	quality	C	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	clean	quality	C	0.0892	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	clean	quality	C	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	clean	quality	C	0.125	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	clean	quality	C	0.1368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	clean	quality	C	0.1182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	clean	quality	C	0.1126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	clean	quality	C	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	C	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	clean	quality	C	0.1002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	clean	quality	C	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	clean	quality	C	0.0848	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavglean	clean	quality	C	0.132	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavglean	clean	quality	C	0.1198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavglean	clean	quality	C	0.1216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavglean	clean	quality	C	0.1146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavglean	clean	quality	C	0.1158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavglean	clean	quality	C	0.1172	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavglean	clean	quality	C	0.1056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavglean	clean	quality	C	0.1032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavglean	clean	quality	C	0.103	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavglean	clean	quality	C	0.1032	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	clean	quality	Cbar	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	clean	quality	Cbar	0.1508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	clean	quality	Cbar	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	clean	quality	Cbar	0.1632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	clean	quality	Cbar	0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	clean	quality	Cbar	0.1864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	clean	quality	Cbar	0.1866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	clean	quality	Cbar	0.2224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	clean	quality	Cbar	0.2628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	clean	quality	Cbar	0.2866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	clean	quality	Cbar	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	clean	quality	Cbar	0.1464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	clean	quality	Cbar	0.1458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	clean	quality	Cbar	0.1714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	clean	quality	Cbar	0.2028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	clean	quality	Cbar	0.2112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	clean	quality	Cbar	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	clean	quality	Cbar	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	clean	quality	Cbar	0.317	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	clean	quality	Cbar	0.3318	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	clean	quality	Cbar	0.1442	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	clean	quality	Cbar	0.1468	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	clean	quality	Cbar	0.1462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		rrf	clean	quality	Cbar	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		rrf	clean	quality	Cbar	0.1782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		rrf	clean	quality	Cbar	0.1852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		rrf	clean	quality	Cbar	0.1854	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		rrf	clean	quality	Cbar	0.2236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		rrf	clean	quality	Cbar	0.27	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		rrf	clean	quality	Cbar	0.2798	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		schulze	clean	quality	Cbar	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		schulze	clean	quality	Cbar	0.1484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		schulze	clean	quality	Cbar	0.1458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		schulze	clean	quality	Cbar	0.1636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		schulze	clean	quality	Cbar	0.1886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		schulze	clean	quality	Cbar	0.183	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		schulze	clean	quality	Cbar	0.189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		schulze	clean	quality	Cbar	0.2294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		schulze	clean	quality	Cbar	0.2956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		schulze	clean	quality	Cbar	0.2966	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		simpleavg	clean	quality	Cbar	0.1484	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		simpleavg	clean	quality	Cbar	0.1478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	clean	quality	Cbar	0.147	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avg	clean	quality	Cbar	0.1524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avg	clean	quality	Cbar	0.1532	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avg	clean	quality	Cbar	0.1576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	clean	quality	Cbar	0.1706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avg	clean	quality	Cbar	0.1722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	clean	quality	Cbar	0.1738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	clean	quality	Cbar	0.1744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda		clean	quality	F	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda		clean	quality	F	0.0506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda		clean	quality	F	0.0572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda		clean	quality	F	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda		clean	quality	F	0.0604	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda		clean	quality	F	0.066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		clean	quality	F	0.0582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda		clean	quality	F	0.0552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda		clean	quality	F	0.0494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda		clean	quality	F	0.0478	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny		clean	quality	F	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	clean	quality	F	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	clean	quality	F	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	clean	quality	F	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	clean	quality	F	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	clean	quality	F	0.0716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	clean	quality	F	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	clean	quality	F	0.0624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	clean	quality	F	0.0542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	clean	quality	F	0.05	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	clean	quality	F	0.0872	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	F	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	clean	quality	F	0.0804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	clean	quality	F	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	clean	quality	F	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	clean	quality	F	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	F	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	clean	quality	F	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	clean	quality	F	0.0574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	clean	quality	F	0.0538	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	clean	quality	F	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	F	0.0764	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	clean	quality	F	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	clean	quality	F	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	clean	quality	F	0.0698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	clean	quality	F	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	F	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	clean	quality	F	0.0614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	clean	quality	F	0.0552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	clean	quality	F	0.0488	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavglean	clean	quality	F	0.0852	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavglean	clean	quality	F	0.0734	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavglean	clean	quality	F	0.0748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavglean	clean	quality	F	0.0686	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavglean	clean	quality	F	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavglean	clean	quality	F	0.0696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavglean	clean	quality	F	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavglean	clean	quality	F	0.0648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavglean	clean	quality	F	0.064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	simple	avg	quality	F	0.0642	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	clean	quality	Fbar	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	clean	quality	Fbar	0.1026	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	clean	quality	Fbar	0.1076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	clean	quality	Fbar	0.1114	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	clean	quality	Fbar	0.1326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	clean	quality	Fbar	0.1326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	clean	quality	Fbar	0.1334	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	clean	quality	Fbar	0.1634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	clean	quality	Fbar	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	clean	quality	Fbar	0.2256	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	clean	quality	Fbar	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	clean	quality	Fbar	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	clean	quality	Fbar	0.0922	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	clean	quality	Fbar	0.1154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	clean	quality	Fbar	0.1464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	clean	quality	Fbar	0.152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	clean	quality	Fbar	0.143	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	clean	quality	Fbar	0.1934	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	clean	quality	Fbar	0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	clean	quality	Fbar	0.2684	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	clean	quality	Fbar	0.092	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	clean	quality	Fbar	0.096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	clean	quality	Fbar	0.096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	clean	quality	Fbar	0.105	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	clean	quality	Fbar	0.1246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	clean	quality	Fbar	0.1278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	Fbar	0.127	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	clean	quality	Fbar	0.1624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	clean	quality	Fbar	0.2086	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	clean	quality	Fbar	0.2172	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	clean	quality	Fbar	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	clean	quality	Fbar	0.0978	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	clean	quality	Fbar	0.0952	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	clean	quality	Fbar	0.109	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	clean	quality	Fbar	0.1338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	clean	quality	Fbar	0.1302	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	Fbar	0.1302	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	schulze	clean	quality	Fbar	0.1726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	clean	quality	Fbar	0.2342	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	clean	quality	Fbar	0.2336	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleav	clean	quality	Fbar	0.0966	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	clean	quality	Fbar	0.097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleav	clean	quality	Fbar	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleav	clean	quality	Fbar	0.1002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleav	clean	quality	Fbar	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	clean	quality	Fbar	0.1038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	clean	quality	Fbar	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleav	clean	quality	Fbar	0.1164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleav	clean	quality	Fbar	0.1176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleav	clean	quality	Fbar	0.1174	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	adversarial	robustness	CS	0.091	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	robustness	CS	0.1214	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	robustness	CS	0.1042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	robustness	CS	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	robustness	CS	0.092	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	robustness	CS	0.0886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	sara-2- 255	robustness	0.0924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	sara-2- 255	robustness	0.0934	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	sara-2- 255	robustness	0.095	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	adversarial	sara-2- 255	robustness	0.091	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	adversarial	sara-2- 255	robustness	0.0926	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	adversarial	sara-2- 255	robustness	0.0916	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	adversarial	sara-2- 255	robustness	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	adversarial	sara-2- 255	robustness	0.0856	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	adversarial	sara-2- 255	robustness	0.0876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	adversarial	sara-2- 255	robustness	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	adversarial	sara-2- 255	robustness	0.085	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	adversarial	sara-2- 255	robustness	0.084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	adversarial	sara-2- 255	robustness	0.0926	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	adversarial	sara-2- 255	robustness	0.0902	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	adversarial	sara-2- 255	robustness	0.1024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	adversarial	sara-2- 255	robustness	0.0916	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	rrf	adversarial	sara-2- 255	robustness	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	rrf	adversarial	sara-2- 255	robustness	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	robustness	CS	0.0876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	CS	0.0866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	robustness	CS	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	robustness	CS	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	robustness	CS	0.0886	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	robustness	CS	0.091	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	adversarial	robustness	CS	0.0968	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	CS	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	CS	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	CS	0.0856	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	CS	0.0804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	CS	0.0892	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	CS	0.083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	CS	0.0852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	robustness	CS	0.0904	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial	robustness	CS	0.0934	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	adversarial	robustness	CS	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial	robustness	CS	0.083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial	robustness	CS	0.0836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0842	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.08	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0788	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.264	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2686	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2626	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2556	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.2164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	-0.239	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		kemeny	adversarial	robustness	CSbar	-0.2498	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		kemeny	adversarial	robustness	CSbar	-0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		kemeny	adversarial	robustness	CSbar	-0.2376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		kemeny	adversarial	robustness	CSbar	-0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		kemeny	adversarial	robustness	CSbar	-0.246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		kemeny	adversarial	robustness	CSbar	-0.234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		kemeny	adversarial	robustness	CSbar	-0.2166	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		rrf	adversarial	robustness	CSbar	-0.2102	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		rrf	adversarial	robustness	CSbar	-0.2064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		rrf	adversarial	robustness	CSbar	-0.2372	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		rrf	adversarial	robustness	CSbar	-0.268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		rrf	adversarial	robustness	CSbar	-0.2666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		rrf	adversarial	robustness	CSbar	-0.2614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		rrf	adversarial	robustness	CSbar	-0.2572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		rrf	adversarial	robustness	CSbar	-0.2636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		rrf	adversarial	robustness	CSbar	-0.2502	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		rrf	adversarial	robustness	CSbar	-0.2434	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		schulze	adversarial	robustness	CSbar	-0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		schulze	adversarial	robustness	CSbar	-0.1992	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	CSbar	-0.2324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	CSbar	-0.2574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	CSbar	-0.267	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	CSbar	-0.2672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	CSbar	-0.2616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	CSbar	-0.2596	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	CSbar	-0.244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	robustness	CSbar	-0.2418	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	adversarial	robustness	CSbar	-0.2052	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	adversarial	robustness	CSbar	-0.2038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	adversarial	robustness	CSbar	-0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	adversarial	robustness	CSbar	-0.2532	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	adversarial	robustness	CSbar	-0.262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	adversarial	robustness	CSbar	-0.2722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	adversarial	robustness	CSbar	-0.2576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	adversarial	robustness	CSbar	-0.2738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	adversarial	robustness	CSbar	-0.284	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	adversarial	robustness	CSbar	-0.2848	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	adversarial	robustness	CS	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	robustness	sara-2- 255	0.1022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	robustness	sara-2- 255	0.0902	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	robustness	sara-2- 255	0.0782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	robustness	sara-2- 255	0.0778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	robustness	sara-2- 255	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	robustness	sara-2- 255	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	robustness	sara-2- 255	0.0718	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	robustness	sara-2- 255	0.0718	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	robustness	sara-2- 255	0.0736	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	adversarial	robustness	sara-2- 255	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	robustness	sara-2- 255	0.077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	robustness	sara-2- 255	0.0766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	adversarial	robustness	sara-2- 255	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	adversarial	robustness	sara-2- 255	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	adversarial	robustness	sara-2- 255	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	robustness	sara-2- 255	0.0622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	adversarial	robustness	sara-2- 255	0.0638	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	robustness	sara-2- 255	0.0654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	robustness	sara-2- 255	0.0714	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	robustness	sara-2- 255	0.0764	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	sara-2- 255	0.086	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	robustness	sara-2- 255	0.0734	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	robustness	sara-2- 255	0.0678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	robustness	sara-2- 255	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	robustness	sara-2- 255	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	sara-2- 255	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	robustness	sara-2- 255	0.066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	robustness	sara-2- 255	0.0666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	robustness	sara-2- 255	0.0696	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	robustness	sara-2- 255	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	sara-2- 255	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	sara-2- 255	0.0706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	sara-2- 255	0.0744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	sara-2- 255	0.0698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	sara-2- 255	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	sara-2- 255	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	sara-2- 255	0.0642	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	sara-2- 255	0.0652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	adversarial	robustness	$\mathbb{S}$	0.072	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0772	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0676	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	robustness	$\mathbb{S}$	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0632	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.1906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.2242	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.248	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	adversarial	robustness	$\mathbb{S}$ bar	-0.257	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	robustness	Fbar	-0.254	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	robustness	Fbar	-0.2438	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	adversarial	robustness	Fbar	-0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	adversarial	robustness	Fbar	-0.207	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	robustness	Fbar	-0.2344	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	adversarial	robustness	Fbar	-0.2416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	adversarial	robustness	Fbar	-0.2386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	adversarial	robustness	Fbar	-0.2282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	robustness	Fbar	-0.2356	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	adversarial	robustness	Fbar	-0.2382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	robustness	Fbar	-0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	robustness	Fbar	-0.2106	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	robustness	Fbar	-0.204	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	adversarial	robustness	Fbar	-0.2022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	robustness	Fbar	-0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	robustness	Fbar	-0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	robustness	Fbar	-0.2526	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	robustness	Fbar	-0.2504	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	Fbar	-0.2458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	rrf	adversarial	robustness	Fbar	-0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	robustness	Fbar	-0.2426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	robustness	Fbar	-0.238	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	robustness	Fbar	-0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	Fbar	-0.191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	Fbar	-0.225	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	Fbar	-0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	Fbar	-0.2534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	Fbar	-0.2512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	Fbar	-0.2494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	Fbar	-0.2456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	Fbar	-0.2358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	robustness	Fbar	-0.2358	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial	robustness	Fbar	-0.198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	Fbar	-0.1992	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial	robustness	Fbar	-0.2134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial	robustness	Fbar	-0.2444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	robustness	Fbar	-0.2506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	robustness	Fbar	-0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial-robustness	sara-2-255	FSbar	-0.2474	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial-robustness	sara-2-255	FSbar	-0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial-robustness	sara-2-255	FSbar	-0.2698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial-robustness	sara-2-255	FSbar	-0.2696	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	gaussian-robustness	0.15	CS	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	gaussian-robustness	0.15	CS	0.1022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	gaussian-robustness	0.15	CS	0.1066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	gaussian-robustness	0.15	CS	0.1024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	gaussian-robustness	0.15	CS	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	gaussian-robustness	0.15	CS	0.0982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	gaussian-robustness	0.15	CS	0.1064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	gaussian-robustness	0.15	CS	0.11	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	gaussian-robustness	0.15	CS	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	gaussian-robustness	0.15	CS	0.1126	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	gaussian-robustness	0.15	CS	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	gaussian-robustness	0.15	CS	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	gaussian-robustness	0.15	CS	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	kemeny	gaussian-robustness	0.15	CS	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	kemeny	gaussian-robustness	0.15	CS	0.111	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-robustness 0.15	CS	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-robustness 0.15	CS	0.1076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-robustness 0.15	CS	0.1174	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-robustness 0.15	CS	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-robustness 0.15	CS	0.1174	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	gaussian-robustness 0.15	CS	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	gaussian-robustness 0.15	CS	0.1028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	gaussian-robustness 0.15	CS	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	gaussian-robustness 0.15	CS	0.1008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	gaussian-robustness 0.15	CS	0.1096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	gaussian-robustness 0.15	CS	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	gaussian-robustness 0.15	CS	0.1142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	gaussian-robustness 0.15	CS	0.1166	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	gaussian-robustness 0.15	CS	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	gaussian-robustness 0.15	CS	0.1182	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	gaussian-robustness 0.15	CS	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	gaussian-robustness 0.15	CS	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	gaussian-robustness 0.15	CS	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	schulze	gaussian-robustness 0.15	CS	0.101	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness 0.15	$\bar{G}$	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness 0.15	$\bar{G}$	0.0978	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness 0.15	$\bar{G}$	0.109	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness 0.15	$\bar{G}$	0.1158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness 0.15	$\bar{G}$	0.1166	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness 0.15	$\bar{G}$	0.1186	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.0826	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.1106	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.1064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.0994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.1098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	gaussian-robustness 0.15	$\bar{G}$	0.1104	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	gaussian-robustness 0.15	$\bar{G}$ bar	-0.272	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	gaussian-robustness 0.15	$\bar{G}$ bar	-0.3032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	gaussian-robustness 0.15	$\bar{G}$ bar	-0.27	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	borda	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2226	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.272	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2712	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2536	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2566	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2306	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	kemeny	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.1992	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2736	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.273	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2604	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2428	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2304	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.272	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2388	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.209	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2112	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	gaussian-robustness 0.15	$\bar{\epsilon}$	-0.2718	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simple	avggaussian-robustness	CSbar	-0.2798	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avggaussian-robustness	CSbar	-0.279	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avggaussian-robustness	CSbar	-0.292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avggaussian-robustness	CSbar	-0.2868	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avggaussian-robustness	CSbar	-0.294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avggaussian-robustness	CSbar	-0.2862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avggaussian-robustness	CSbar	-0.2884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avggaussian-robustness	CSbar	-0.292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avggaussian-robustness	CSbar	-0.2906	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	gaussian-robustness	CS	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	gaussian-robustness	CS	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	gaussian-robustness	CS	0.0838	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	gaussian-robustness	CS	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	gaussian-robustness	CS	0.0786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	gaussian-robustness	CS	0.0722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	gaussian-robustness	CS	0.075	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	gaussian-robustness	CS	0.0758	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	gaussian-robustness	CS	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	gaussian-robustness	CS	0.0786	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-robustness 0.15	FS	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	gaussian-robustness 0.15	FS	0.0716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-robustness 0.15	FS	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-robustness 0.15	FS	0.0748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-robustness 0.15	FS	0.0842	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-robustness 0.15	FS	0.0822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-robustness 0.15	FS	0.082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-robustness 0.15	FS	0.0848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-robustness 0.15	FS	0.0866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-robustness 0.15	FS	0.0846	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	gaussian-robustness 0.15	FS	0.0736	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	gaussian-robustness 0.15	FS	0.0816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	gaussian-robustness 0.15	FS	0.0812	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	gaussian-robustness 0.15	FS	0.0754	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	gaussian-robustness 0.15	FS	0.0816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	gaussian-robustness 0.15	FS	0.0766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	gaussian-robustness 0.15	FS	0.0814	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	gaussian-robustness 0.15	FS	0.0822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	gaussian-robustness 0.15	FS	0.0794	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	gaussian-robustness 0.15	FS	0.0834	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-robustness 0.15	FS	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-robustness 0.15	FS	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-robustness 0.15	FS	0.085	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-robustness 0.15	FS	0.0766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness 0.15	FS	0.0826	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness 0.15	FS	0.0786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness 0.15	FS	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness 0.15	FS	0.0848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness 0.15	FS	0.084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness 0.15	FS	0.0862	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	gaussian-robustness 0.15	FS	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	gaussian-robustness 0.15	FS	0.0828	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	gaussian-robustness 0.15	FS	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	gaussian-robustness 0.15	FS	0.077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	gaussian-robustness 0.15	FS	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	gaussian-robustness 0.15	FS	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	gaussian-robustness 0.15	FS	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	gaussian-robustness 0.15	FS	0.0792	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	gaussian-robustness	0.15	$\bar{F}$	0.0774	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	gaussian-robustness	0.15	$\bar{F}$	-0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	gaussian-robustness	0.15	$\bar{F}$	-0.2524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	gaussian-robustness	0.15	$\bar{F}$	-0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	gaussian-robustness	0.15	$\bar{F}$	-0.2288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	gaussian-robustness	0.15	$\bar{F}$	-0.213	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	gaussian-robustness	0.15	$\bar{F}$	-0.2164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	gaussian-robustness	0.15	$\bar{F}$	-0.22	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	gaussian-robustness	0.15	$\bar{F}$	-0.1984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	gaussian-robustness	0.15	$\bar{F}$	-0.1898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	gaussian-robustness	0.15	$\bar{F}$	-0.1832	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.2088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.2326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.215	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.2158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.1886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.1636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-robustness	0.15	$\bar{F}$	-0.161	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2246	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2274	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2132	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2264	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.2016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.1936	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	gaussian-robustness	0.15	$\bar{F}$	-0.1912	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.2358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.2116	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.2256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.2172	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.2206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.193	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.1678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness	0.15	$\bar{F}$	-0.1718	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2418	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2428	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2488	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	gaussian-robustness	0.15	$\bar{F}$	-0.2488	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.0904	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.0952	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	robustness	CS	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	CS	0.0958	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	robustness	CS	0.1006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	robustness	CS	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	robustness	CS	0.1014	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	salt- pepper- 0.05	robustness	CS	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	salt- pepper- 0.05	robustness	CS	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	salt- pepper- 0.05	robustness	CS	0.0854	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	salt- pepper- 0.05	robustness	CS	0.084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	salt- pepper- 0.05	robustness	CS	0.0964	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	salt- pepper- 0.05	robustness	CS	0.0902	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	salt- pepper- 0.05	robustness	CS	0.0896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	salt- pepper- 0.05	robustness	CS	0.103	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	salt- pepper- 0.05	robustness	CS	0.1054	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	salt- pepper- 0.05	robustness	CS	0.1036	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	salt- pepper- 0.05	robustness	CS	0.0676	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	salt- pepper- 0.05	robustness	CS	0.0858	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	salt- pepper- 0.05	robustness	CS	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	rrf	salt- pepper- 0.05	robustness	CS	0.093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	CS	0.095	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	CS	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	CS	0.093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	CS	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	CS	0.1014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	CS	0.1036	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	robustness	CS	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	robustness	CS	0.0828	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	robustness	CS	0.0876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	robustness	CS	0.0872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	robustness	CS	0.0958	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	robustness	CS	0.0932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	robustness	CS	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	robustness	CS	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	salt- pepper- 0.05	robustness	CS	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	salt- pepper- 0.05	robustness	CS	0.1018	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	salt- pepper- 0.05	robustness	CS	0.0714	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	salt- pepper- 0.05	robustness	CS	0.0936	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	salt- pepper- 0.05	robustness	CS	0.0948	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0986	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.096	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.1932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.1756	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.1668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.1616	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	-0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.2022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.2104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.1842	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.195	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.1702	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.1414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.1464	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.2162	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.197	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.2052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.1812	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.1702	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.172	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	salt- pepper- 0.05	robustness	$\bar{\epsilon}$	-0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	-0.224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	salt- pepper- 0.05	robustness	CSbar	-0.209	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	salt- pepper- 0.05	robustness	CSbar	-0.1912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	-0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	salt- pepper- 0.05	robustness	CSbar	-0.1674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	robustness	CSbar	-0.1476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	robustness	CSbar	-0.1586	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2192	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.22	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2226	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2214	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	CSbar	-0.2214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	robustness	robustness	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	robustness	0.0636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	robustness	robustness	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	robustness	robustness	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	robustness	robustness	0.0752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	robustness	robustness	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	robustness	0.0656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	robustness	robustness	0.0698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	robustness	robustness	0.074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	robustness	robustness	0.0692	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	robustness	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	robustness	0.0576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	robustness	0.0652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	robustness	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	robustness	0.0722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	robustness	0.0664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	robustness	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	robustness	0.0744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	robustness	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	salt- pepper- 0.05	robustness	FS	0.0764	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	robustness	FS	0.0526	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	robustness	FS	0.068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	robustness	FS	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	robustness	FS	0.0696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	FS	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	FS	0.0636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	FS	0.0666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	FS	0.0704	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	FS	0.072	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	FS	0.0744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	robustness	FS	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	robustness	FS	0.062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	robustness	FS	0.0668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	robustness	FS	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	robustness	FS	0.0712	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	robustness	FS	0.0682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	robustness	FS	0.0622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	robustness	FS	0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	robustness	\$	0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	robustness	\$	0.0756	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	salt- pepper- 0.05	robustness	\$	0.0548	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	salt- pepper- 0.05	robustness	\$	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	salt- pepper- 0.05	robustness	\$	0.0706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	\$	0.0748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	\$	0.0758	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	\$	0.067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	\$	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	\$	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	\$	0.069	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	\$	0.0672	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	robustness	\$bar	-0.1684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	salt- pepper- 0.05	robustness	\$bar	-0.1874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	robustness	\$bar	-0.169	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	robustness	\$bar	-0.1748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	robustness	\$bar	-0.1512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	robustness	\$bar	-0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	\$bar	-0.158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	borda	salt- pepper- 0.05	robustness	Fbar	-0.138	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	robustness	Fbar	-0.1326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	robustness	Fbar	-0.1228	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1718	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1602	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1096	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	Fbar	-0.153	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1296	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	Fbar	-0.132	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	robustness	Fbar	-0.175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	robustness	Fbar	-0.171	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1286	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1122	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1222	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1706	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1838	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1818	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1798	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1808	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	robustness	F	0.0252	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	speckle- 0.15	robustness	F	0.0236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	robustness	F	0.0326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	robustness	F	0.0324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	robustness	F	0.0354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	robustness	F	0.0278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	F	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	robustness	F	0.0332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	robustness	F	0.0346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	robustness	F	0.0368	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	robustness	F	0.0252	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	robustness	F	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	robustness	F	0.0286	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	robustness	F	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	robustness	CS	0.0354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	robustness	CS	0.0342	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	CS	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	robustness	CS	0.042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	robustness	CS	0.0376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	robustness	CS	0.04	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	robustness	CS	0.0224	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	robustness	CS	0.028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	robustness	CS	0.0298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	robustness	CS	0.0298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	robustness	CS	0.0336	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	robustness	CS	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	robustness	CS	0.033	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	robustness	CS	0.0388	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	speckle- 0.15	robustness	CS	0.0378	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	speckle- 0.15	robustness	CS	0.04	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	speckle- 0.15	robustness	CS	0.0252	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	speckle- 0.15	robustness	CS	0.0234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	speckle- 0.15	robustness	CS	0.0278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	robustness	CS	0.0352	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	robustness	CS	0.0334	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	robustness	CS	0.031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	CS	0.0368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	robustness	CS	0.036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	robustness	CS	0.0384	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	robustness	CS	0.041	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	speckle- 0.15	robustness	CS	0.0214	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	speckle- 0.15	robustness	CS	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	speckle- 0.15	robustness	CS	0.0338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	speckle- 0.15	robustness	CS	0.0352	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	speckle- 0.15	robustness	CS	0.0338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	speckle- 0.15	robustness	CS	0.028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	speckle- 0.15	robustness	CS	0.0338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	speckle- 0.15	robustness	CS	0.0344	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	speckle- 0.15	robustness	CS	0.034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	speckle- 0.15	robustness	CS	0.0322	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	speckle- 0.15	robustness	CSbar	-0.081	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	speckle- 0.15	robustness	CSbar	-0.0886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0826	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0544	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.081	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	speckle- 0.15	robustness	$\bar{G}$ bar	-0.048	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	speckle- 0.15	robustness	$\bar{G}$ bar	-0.0828	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0746	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0856	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.066	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.081	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0732	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0858	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.0562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	robustness	$\bar{\epsilon}$	-0.056	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0818	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0788	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avg	speckle- 0.15	robustness	0.63bar	-0.088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avg	speckle- 0.15	robustness	0.63bar	-0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	speckle- 0.15	robustness	0.63bar	-0.0812	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda		speckle- 0.15	robustness	0.63bar	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		speckle- 0.15	robustness	0.63bar	0.0238	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda		speckle- 0.15	robustness	0.63bar	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda		speckle- 0.15	robustness	0.63bar	0.0274	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda		speckle- 0.15	robustness	0.63bar	0.033	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda		speckle- 0.15	robustness	0.63bar	0.0262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		speckle- 0.15	robustness	0.63bar	0.0254	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda		speckle- 0.15	robustness	0.63bar	0.027	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda		speckle- 0.15	robustness	0.63bar	0.032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	borda	speckle- 0.15	robustness	SS	0.0266	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	robustness	SS	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	robustness	SS	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	robustness	SS	0.0278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	robustness	SS	0.0292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	robustness	SS	0.0286	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	robustness	SS	0.0324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	SS	0.026	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	robustness	SS	0.035	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	robustness	SS	0.0328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	robustness	SS	0.0324	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	robustness	SS	0.026	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	robustness	SS	0.0308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	robustness	SS	0.029	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	robustness	SS	0.0256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	robustness	SS	0.028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	robustness	SS	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	robustness	SS	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	robustness	SS	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	robustness	FS	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	robustness	FS	0.0308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	robustness	FS	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	speckle- 0.15	robustness	FS	0.0228	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	robustness	FS	0.0272	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	robustness	FS	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	robustness	FS	0.029	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	robustness	FS	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	FS	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	robustness	FS	0.0326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	robustness	FS	0.0326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	robustness	FS	0.0342	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle- 0.15	robustness	FS	0.0234	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	speckle- 0.15	robustness	FS	0.0306	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle- 0.15	robustness	FS	0.0314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle- 0.15	robustness	FS	0.034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle- 0.15	robustness	FS	0.0348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle- 0.15	robustness	FS	0.031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	robustness	FS	0.0244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	simpleavg	speckle- 0.15	robustness	F	0.0248	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	robustness	F	0.025	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	robustness	F	0.024	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	robustness	Fbar	-0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	Fbar	-0.0666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	robustness	Fbar	-0.0542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	robustness	Fbar	-0.0578	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	robustness	Fbar	-0.0564	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	robustness	Fbar	-0.0646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	Fbar	-0.0612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	robustness	Fbar	-0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	robustness	Fbar	-0.0518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	robustness	Fbar	-0.04	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	robustness	Fbar	-0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	Fbar	-0.0592	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	robustness	Fbar	-0.0514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	robustness	Fbar	-0.0612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	robustness	Fbar	-0.0486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	robustness	Fbar	-0.0562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	$\bar{F}$	-0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	robustness	$\bar{F}$	-0.0518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	robustness	$\bar{F}$	-0.043	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	robustness	$\bar{F}$	-0.0378	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0642	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.05	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.057	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	speckle- 0.15	robustness	$\bar{F}$	-0.0516	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.0614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.0584	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.0588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	robustness	$\bar{F}$	-0.0466	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.0636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.0568	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.0624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.069	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.0654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	speckle- 0.15	robustness	$\bar{F}$	-0.066	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

Table 184: NOISE q-sweep results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	distance aggregation model	n	mean distance	n distances	fit model	fit statistic	fit value	p fit theta	selected q	selected by noise	forced fall-back	methods	selection task id	selection task digest	of json
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 2	1301.6	10000	kendall	0.31904	0.002	0.13167	11	False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 3	3573	15000	kendall	0.636867	0.002	0.4486711		False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 4	4662	20000	kendall	0.496375	0.002	0.2984111		False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 5	4759.3	25000	kendall	0.438933	0.002	0.2800311		False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 6	5098.7	30000	kendall	0.395705	0.002	0.2586311		False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 7	5036.4	35000	kendall	0.423565	0.002	0.2688911		False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1
ImageNet–ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall	kemeny 8	5469.8	40000	kendall	0.404683	0.002	0.2286211		False	True	["GradientAttention"]	d8f42b5961	78C440615F04874999c14338b69b52601b06	1

[illegible]

cell	dataset	model	distance aggregation model	n	mean distance	dis- tances	fit model	fit statis- tic	fit value	p fit theta	selected q	selected by noise	forced fall- back	methods	selection of task id	selection of task di- gest	of json	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	7	4.8111e+05	5000	spearman	0.4432666	0.002	multi0.666139	all	importance	False	tree_syn	GradientDescent	ImageNet-ImageNet-vit-b16-spearman-80045daad3	180415daac	(130409c11b8174f77ae7519b607da5702d1)
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	8	5.4566e+05	5000	spearman	0.4136996	0.002	multi0.666149	all	importance	False	tree_syn	GradientDescent	ImageNet-ImageNet-vit-b16-spearman-80045daad3	180415daac	(130409c11b8174f77ae7519b607da5702d1)
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	9	5.6729e+05	5000	spearman	0.39911496	0.002	multi0.666139	all	importance	False	tree_syn	GradientDescent	ImageNet-ImageNet-vit-b16-spearman-80045daad3	180415daac	(130409c11b8174f77ae7519b607da5702d1)
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	10	5.606e+05	5000	spearman	0.4037536	0.002	multi0.666135	all	importance	False	tree_syn	GradientDescent	ImageNet-ImageNet-vit-b16-spearman-80045daad3	180415daac	(130409c11b8174f77ae7519b607da5702d1)
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	spearmanborda	11	6.1235e+05	5000	spearman	0.4116026	0.002	multi0.666162	all	importance	False	tree_syn	GradientDescent	ImageNet-ImageNet-vit-b16-spearman-80045daad3	180415daac	(130409c11b8174f77ae7519b607da5702d1)

Table 185: NOISE q-sweep results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	C	max	2	0.1352	[2]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	Cbar	min	2	0.146	[2]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	F	max	2	0.0864	[2]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	Fbar	min	2	0.0928	[2]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	GL-sara-2-255	max	3	0.1214	[3]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	Cbar-sara-2-255	max	3	-0.201	[3]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	FL-sara-2-255	max	3	0.1022	[3]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	Fbar-sara-2-255	max	3	-0.1906	[3]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	C-0.15	max	10	0.119	[10]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	Cbar-0.15	max	11	-0.2226	[11]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	F-0.15	max	4	0.0838	[4]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	Fbar-0.15	max	11	-0.1832	[11]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	C-0.05	max	10	0.1044	[10]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	Cbar-0.05	max	11	-0.1616	[11]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	F-0.05	max	6	0.0752	[6]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt-pepper	Fbar-0.05	max	11	-0.1228	[11]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle	C-0.15	max	11	0.0368	[11]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle	Cbar-0.15	max	11	-0.0544	[11]	smallest	[GrWdHbIntAttSolDcRdHout] , "CheferTransformerAttribution", "Occlu"

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle- 0.15	F	max	6	0.033	[6]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle- 0.15	Fbar	max	11	-0.04	[11]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	C	max	3	0.1362	[3,4]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	Cbar	min	4	0.1458	[4]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	F	max	3	0.0874	[3]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	Fbar	min	4	0.0922	[4]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	C	max	3	0.0926	[3,11]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	Cbar	max	2	-0.2096	[2]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	F	max	3	0.077	[3]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	Fbar	max	2	-0.2034	[2]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	C	max	10	0.119	[10]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	Cbar	max	11	-0.1992	[11]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	F	max	10	0.0866	[10]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	Fbar	max	11	-0.161	[11]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	C	max	10	0.1054	[10]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	Cbar	max	10	-0.1414	[10]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	F	max	10	0.079	[10]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	Fbar	max	10	-0.1042	[10]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	C	max	9	0.042	[9]	smallest	$\lfloor \frac{1}{12} \log_{10} \frac{1}{\text{Gravhint_AatesoliteRdHout}} \rfloor$, "CheferTransformerAttribution", "Occlu

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	Cbar	max	11	-0.048	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	F	max	9	0.035	[9]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	Fbar	max	11	-0.0378	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	C	max	2	0.1356	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	Cbar	min	2	0.1442	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	F	max	2	0.0872	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	Fbar	min	2	0.092	[2]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	C	max	3	0.1024	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	Cbar	max	3	-0.2064	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	F	max	3	0.086	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	Fbar	max	3	-0.2022	[3]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	C	max	11	0.1182	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	Cbar	max	11	-0.2304	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	F	max	11	0.0834	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	Fbar	max	11	-0.1912	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	C	max	11	0.1036	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	Cbar	max	10	-0.1702	[10]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	F	max	11	0.0744	[11]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	Fbar	max	10	-0.1296	[10]	smallest	[Grw17]bint_AutoSoliteRdHout ,"CheferTransformerAttribution", "Occlu

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	C	max	11	0.04	[11]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	Cbar	max	11	-0.066	[11]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	F	max	9	0.0312	[9]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	Fbar	max	3	-0.0494	[3]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	C	max	4	0.1368	[4]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	Cbar	min	4	0.1458	[4]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	F	max	4	0.0874	[4]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	Fbar	min	2	0.0928	[2]	smallest	12	["Gradients", "Attribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversarial- sara-2- 255	C	max	3	0.0968	[3]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversarial- sara-2- 255	Cbar	max	3	-0.1992	[3]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversarial- sara-2- 255	F	max	3	0.079	[3]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversarial- sara-2- 255	Fbar	max	3	-0.191	[3]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	C	max	11	0.1186	[11]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	Cbar	max	10	-0.209	[10]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	F	max	11	0.0862	[11]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	Fbar	max	10	-0.1678	[10]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	C	max	11	0.1018	[11]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	Cbar	max	10	-0.1476	[10]	smallest	12	["Gradients", "Attribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	F	max	11	0.0756	[11]	smallest	12	["Gradients", "Attribution", "Occlusion"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	salt- pepper- 0.05	F		max	6	0.0758	[6]	smallest	$\frac{1}{12} \frac{G_{\text{width}}}{G_{\text{depth}}} \frac{A_{\text{relative}}}{A_{\text{absolute}}} \frac{R_{\text{dout}}}{R_{\text{dout}}}$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	salt- pepper- 0.05	Fbar		max	2	-0.1706	[2]	smallest	$\frac{1}{12} \frac{G_{\text{width}}}{G_{\text{depth}}} \frac{A_{\text{relative}}}{A_{\text{absolute}}} \frac{R_{\text{dout}}}{R_{\text{dout}}}$, "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	C		max	5	0.0352	[5]	smallest	$\frac{1}{12} \frac{G_{\text{width}}}{G_{\text{depth}}} \frac{A_{\text{relative}}}{A_{\text{absolute}}} \frac{R_{\text{dout}}}{R_{\text{dout}}}$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	Cbar		max	3	-0.0762	[3]	smallest	$\frac{1}{12} \frac{G_{\text{width}}}{G_{\text{depth}}} \frac{A_{\text{relative}}}{A_{\text{absolute}}} \frac{R_{\text{dout}}}{R_{\text{dout}}}$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	F		max	6	0.0348	[6]	smallest	$\frac{1}{12} \frac{G_{\text{width}}}{G_{\text{depth}}} \frac{A_{\text{relative}}}{A_{\text{absolute}}} \frac{R_{\text{dout}}}{R_{\text{dout}}}$, "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	Fbar		max	3	-0.0568	[3]	smallest	$\frac{1}{12} \frac{G_{\text{width}}}{G_{\text{depth}}} \frac{A_{\text{relative}}}{A_{\text{absolute}}} \frac{R_{\text{dout}}}{R_{\text{dout}}}$, "CheferTransformerAttribution", "Occlu

Table 186: NOISE q-sweep results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival co in the source file.

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F per-turbed-gaussian-0.15	Fbar per-turbed-gaussian-0.15	C per-turbed-gaussian-0.15	Cbar per-turbed-gaussian-0.15	F per-turbed-salt-pepper-0.05	Fbar per-turbed-salt-pepper-0.05	C per-turbed-salt-pepper-0.05	Cbar per-turbed-salt-pepper-0.05	F per-turbed-speckle-0.15	Fbar per-turbed-speckle-0.15	C per-turbed-speckle-0.15	Cbar per-turbed-speckle-0.15	F per-turbed-adversarial-sara-255	Fbar per-turbed-adversarial-sara-255	C per-turbed-adversarial-sara-255	Cbar per-turbed-adversarial-sara-255
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	simpleavg	False	["GradientDescent", "0.132hef", "0.144sfo", "0.152at", "0.157on"]	0.0352	0.0961	0.132	0.144	0.152	0.157	0.2146	0.4202	0.14	0.2672	0.2034	0.3676	0.1086	0.1602	0.1534	0.2302	0.1624	0.2946	0.2962	0.2962
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	borda	False	["GradientDescent", "0.132hef", "0.146sfo", "0.159at", "0.155on"]	0.0364	0.0928	0.135	0.146	0.159	0.155	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2962	0.2962
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	rrf	False	["GradientDescent", "0.135hef", "0.142sfo", "0.160at", "0.156on"]	0.0372	0.0931	0.135	0.142	0.160	0.156	0.2218	0.4178	0.1398	0.2612	0.2032	0.3604	0.1132	0.1562	0.158	0.227	0.1636	0.296	0.296	0.296
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	kemeny	False	["GradientDescent", "0.135hef", "0.146sfo", "0.159at", "0.155on"]	0.0364	0.0928	0.135	0.146	0.159	0.155	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2962	0.2962
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	2	schulze	False	["GradientDescent", "0.135hef", "0.146sfo", "0.159at", "0.155on"]	0.0364	0.0928	0.135	0.146	0.159	0.155	0.2198	0.418	0.1408	0.2612	0.2036	0.3596	0.1152	0.1544	0.1604	0.227	0.1624	0.2962	0.2962	0.2962
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet8-vit-b16	8	simpleavg	False	["GradientDescent", "0.108hef", "0.145sfo", "0.156at", "0.152on", "0.0227sion", "0.1276"]	0.0344	0.0931	0.108	0.145	0.156	0.152	0.14276	0.1418	0.2708	0.2134	0.3678	0.104	0.1538	0.152	0.224	0.1486	0.2962	0.2962	0.2962	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet8-vit-b16	8	borda	False	["GradientDescent", "0.109hef", "0.150sfo", "0.162at", "0.155on", "0.0067sion", "0.1454"]	0.0366	0.0928	0.109	0.150	0.162	0.155	0.1142	0.29	0.186	0.3862	0.0744	0.1692	0.1192	0.2394	0.1528	0.2932	0.2932	0.2932	0.2932	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet8-vit-b16	8	rrf	False	["GradientDescent", "0.123hef", "0.146sfo", "0.164at", "0.152on", "0.0225sion", "0.1198"]	0.0326	0.0961	0.123	0.146	0.164	0.152	0.1406	0.2518	0.2088	0.3518	0.1034	0.1454	0.151	0.2176	0.1586	0.2982	0.2982	0.2982	0.2982	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet8-vit-b16	8	kemeny	False	["GradientDescent", "0.136hef", "0.146sfo", "0.159at", "0.155on", "0.0226sion", "0.1176"]	0.0372	0.0946	0.136	0.146	0.159	0.155	0.145	0.2624	0.2152	0.36	0.1142	0.1538	0.163	0.2234	0.1644	0.3016	0.3016	0.3016	0.3016	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet8-vit-b16	8	schulze	False	["GradientDescent", "0.125hef", "0.144sfo", "0.160at", "0.1336n", "0.0221sion", "0.1348"]	0.0364	0.0928	0.125	0.144	0.160	0.1336	0.1384	0.2728	0.2078	0.3724	0.0992	0.1592	0.1484	0.2274	0.1554	0.2888	0.2888	0.2888	0.2888	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet4-vit-b16	4	simpleavg	False	["GradientDescent", "0.121hef", "0.147sfo", "0.158at", "0.1526n", "0.0232sion", "0.126"]	0.0348	0.0951	0.121	0.147	0.158	0.1526	0.126	0.1451	0.2672	0.2164	0.3638	0.1062	0.1572	0.1554	0.2266	0.1424	0.309	0.309	0.309	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet4-vit-b16	4	borda	False	["GradientDescent", "0.103hef", "0.152sfo", "0.164at", "0.1288n", "0.0231sion", "0.1272"]	0.0372	0.0928	0.103	0.152	0.164	0.1288	0.1272	0.1261	0.2766	0.1994	0.3716	0.0884	0.1618	0.136	0.2312	0.1474	0.3318	0.3318	0.3318	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet4-vit-b16	4	rrf	False	["GradientDescent", "0.127hef", "0.146sfo", "0.161at", "0.1064n", "0.0232sion", "0.1405"]	0.0364	0.0931	0.127	0.146	0.161	0.1064	0.1405	0.2466	0.2222	0.3422	0.1094	0.146	0.1574	0.2126	0.1538	0.3222	0.3222	0.3222	0.3222	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet4-vit-b16	4	kemeny	False	["GradientDescent", "0.136hef", "0.145sfo", "0.166at", "0.1011on", "0.0234sion", "0.1399"]	0.0372	0.0931	0.136	0.145	0.166	0.1011	0.1399	0.2644	0.2216	0.348	0.1148	0.1436	0.1648	0.2128	0.1636	0.3266	0.3266	0.3266	0.3266	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet4-vit-b16	4	schulze	False	["GradientDescent", "0.136hef", "0.145sfo", "0.172at", "0.1066n", "0.0244sion", "0.1051"]	0.0372	0.0931	0.136	0.145	0.172	0.1066	0.1051	0.2594	0.2244	0.35	0.1146	0.1512	0.1646	0.219	0.158	0.3202	0.3202	0.3202	0.3202	
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet5-vit-b16	5	simpleavg	False	["GradientDescent", "0.101hef", "0.159sfo", "0.165at", "0.148on", "0.0221sion", "0.1444"]	0.0366	0.0928	0.101	0.159	0.165	0.148	0.1444	0.2843	0.2122	0.348	0.1026	0.1664	0.1498	0.236	0.1374	0.3446	0.3446	0.3446	0.3446	

[illegible]

Table 187: NOISE q-sweep results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance q	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 2	borda	clean	quality	C	0.1352	max	0.1352	kendall_0.311901	0.311901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 3	borda	clean	quality	C	0.0956	max	0.0956	kendall_0.656867	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 4	borda	clean	quality	C	0.1034	max	0.1034	kendall_0.496275	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 5	borda	clean	quality	C	0.1068	max	0.1068	kendall_0.458333	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 6	borda	clean	quality	C	0.1044	max	0.1044	kendall_0.395705	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 7	borda	clean	quality	C	0.1068	max	0.1068	kendall_0.423565	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 8	borda	clean	quality	C	0.0956	max	0.0956	kendall_0.404683	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 9	borda	clean	quality	C	0.0912	max	0.0912	kendall_0.387434	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 10	borda	clean	quality	C	0.0844	max	0.0844	kendall_0.389212	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 11	borda	clean	quality	C	0.0802	max	0.0802	kendall_0.399779	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 2	kemeny	clean	quality	C	0.1352	max	0.1352	kendall_0.311901	0.311901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 3	kemeny	clean	quality	C	0.1362	max	0.1362	kendall_0.656867	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 4	kemeny	clean	quality	C	0.1362	max	0.1362	kendall_0.496275	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 5	kemeny	clean	quality	C	0.1234	max	0.1234	kendall_0.458333	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 6	kemeny	clean	quality	C	0.1142	max	0.1142	kendall_0.395705	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 7	kemeny	clean	quality	C	0.1134	max	0.1134	kendall_0.423565	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 8	kemeny	clean	quality	C	0.1136	max	0.1136	kendall_0.404683	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	clean	quality	C	0.0994	max	0.0994	kendall_0.387434	0.387434	-exact_-0.002	0.002	ce	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	clean	quality	C	0.0912	max	0.0912	kendall_0.389212	0.389212	-exact_-0.002	0.002	ce	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	clean	quality	C	0.0856	max	0.0856	kendall_0.399779	0.399779	-exact_-0.002	0.002	ce	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	clean	quality	C	0.1356	max	0.1356	kendall_0.31901	0.31901	-exact_-0.002	0.002	ce	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	C	0.123	max	0.123	kendall_0.656867	0.656867	-exact_-0.002	0.002	ce	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	C	0.1276	max	0.1276	kendall_0.496275	0.496275	-exact_-0.002	0.002	ce	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	C	0.1196	max	0.1196	kendall_0.458333	0.458333	-exact_-0.002	0.002	ce	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	C	0.1164	max	0.1164	kendall_0.395705	0.395705	-exact_-0.002	0.002	ce	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	clean	quality	C	0.1124	max	0.1124	kendall_0.423565	0.423565	-exact_-0.002	0.002	ce	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	clean	quality	C	0.1074	max	0.1074	kendall_0.404683	0.404683	-exact_-0.002	0.002	ce	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	clean	quality	C	0.1014	max	0.1014	kendall_0.387434	0.387434	-exact_-0.002	0.002	ce	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	clean	quality	C	0.0946	max	0.0946	kendall_0.389212	0.389212	-exact_-0.002	0.002	ce	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	clean	quality	C	0.0892	max	0.0892	kendall_0.399779	0.399779	-exact_-0.002	0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	clean	quality	C	0.1352	max	0.1352	kendall_0.31901	0.31901	-exact_-0.002	0.002	ce	1301.6	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	clean	quality	C	0.125	max	0.125	kendall_0.656867	0.656867	-exact_-0.002	0.002	ce	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	clean	quality	C	0.1368	max	0.1368	kendall_0.496275	0.496275	-exact_-0.002	0.002	ce	4662	11	False	True	4	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	clean	quality	C	0.1182	max	0.1182	kendall_0.458333	0.458333	-exact_-0.002	0.002	ce	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	clean	quality	C	0.1126	max	0.1126	kendall_0.395705	0.395705	-exact_-0.002	0.002	ce	5098.7	11	False	True	4	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	clean	quality	C	0.1152	max	0.1152	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	clean	quality	C	0.1046	max	0.1046	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	clean	quality	C	0.1002	max	0.1002	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	clean	quality	C	0.0912	max	0.0912	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	C	0.0848	max	0.0848	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleav	glean	quality	C	0.132	max	0.132	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleav	glean	quality	C	0.1198	max	0.1198	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleav	glean	quality	C	0.1216	max	0.1216	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleav	glean	quality	C	0.1146	max	0.1146	kendall_0.458333-exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleav	glean	quality	C	0.1158	max	0.1158	kendall_0.395705-exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleav	glean	quality	C	0.1172	max	0.1172	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleav	glean	quality	C	0.1056	max	0.1056	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleav	glean	quality	C	0.1032	max	0.1032	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleav	glean	quality	C	0.103	max	0.103	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleav	glean	quality	C	0.1032	max	0.1032	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	clean	quality	Cbar	0.146	min	-0.146	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	clean	quality	Cbar	0.1508	min	-0.1508	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	clean	quality	Cbar	0.1572	min	-0.1572	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	clean	quality	Cbar	0.1632	min	-0.1632	kendall_0.458333-exact_ds0.002	0.458333	0.458333	4759.3	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	clean	quality	Cbar	0.1876	min	-0.1876	kendall_0.395705-exact_ds0.002	0.395705	0.395705	5098.7	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	clean	quality	Cbar	0.1864	min	-0.1864	kendall_0.423565-exact_ds0.002	0.423565	0.423565	5036.4	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	clean	quality	Cbar	0.1866	min	-0.1866	kendall_0.404683-exact_ds0.002	0.404683	0.404683	5469.8	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	clean	quality	Cbar	0.2224	min	-0.2224	kendall_0.387434-exact_ds0.002	0.387434	0.387434	5646.5	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	clean	quality	Cbar	0.2628	min	-0.2628	kendall_0.389212-exact_ds0.002	0.389212	0.389212	5641.2	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	clean	quality	Cbar	0.2866	min	-0.2866	kendall_0.399779-exact_ds0.002	0.399779	0.399779	5940.5	11	True	True	2	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	clean	quality	Cbar	0.146	min	-0.146	kendall_0.31901-exact_ds0.002	0.31901	0.31901	1301.6	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	clean	quality	Cbar	0.1464	min	-0.1464	kendall_0.656867-exact_ds0.002	0.656867	0.656867	3573	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	clean	quality	Cbar	0.1458	min	-0.1458	kendall_0.496275-exact_ds0.002	0.496275	0.496275	4662	11	False	True	4	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	clean	quality	Cbar	0.1714	min	-0.1714	kendall_0.458333-exact_ds0.002	0.458333	0.458333	4759.3	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	clean	quality	Cbar	0.2028	min	-0.2028	kendall_0.395705-exact_ds0.002	0.395705	0.395705	5098.7	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	clean	quality	Cbar	0.2112	min	-0.2112	kendall_0.423565-exact_ds0.002	0.423565	0.423565	5036.4	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	clean	quality	Cbar	0.201	min	-0.201	kendall_0.404683-exact_ds0.002	0.404683	0.404683	5469.8	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	clean	quality	Cbar	0.2544	min	-0.2544	kendall_0.387434-exact_ds0.002	0.387434	0.387434	5646.5	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	clean	quality	Cbar	0.317	min	-0.317	kendall_0.389212-exact_ds0.002	0.389212	0.389212	5641.2	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	clean	quality	Cbar	0.3318	min	-0.3318	kendall_0.399779-exact_ds0.002	0.399779	0.399779	5940.5	11	True	True	4	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	clean	quality	Cbar	0.1442	min	-0.1442	kendall_0.31901-exact_ds0.002	0.31901	0.31901	1301.6	11	False	True	2	True	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	Cbar	0.1468	min	-0.1468	kendall_0.656867	0.656867	-exact_0.656867	-0.002	3573	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	Cbar	0.1462	min	-0.1462	kendall_0.496275	0.496275	-exact_0.496275	-0.002	4662	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	Cbar	0.1572	min	-0.1572	kendall_0.458333	0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	Cbar	0.1782	min	-0.1782	kendall_0.395705	0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	clean	quality	Cbar	0.1852	min	-0.1852	kendall_0.423565	0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	clean	quality	Cbar	0.1854	min	-0.1854	kendall_0.404683	0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	clean	quality	Cbar	0.2236	min	-0.2236	kendall_0.387434	0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	clean	quality	Cbar	0.27	min	-0.27	kendall_0.389212	0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	clean	quality	Cbar	0.2798	min	-0.2798	kendall_0.399779	0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	2	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	clean	quality	Cbar	0.146	min	-0.146	kendall_0.31901	0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	clean	quality	Cbar	0.1484	min	-0.1484	kendall_0.656867	0.656867	-exact_0.656867	-0.002	3573	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	clean	quality	Cbar	0.1458	min	-0.1458	kendall_0.496275	0.496275	-exact_0.496275	-0.002	4662	11	False	True	4	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	clean	quality	Cbar	0.1636	min	-0.1636	kendall_0.458333	0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	clean	quality	Cbar	0.1886	min	-0.1886	kendall_0.395705	0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	clean	quality	Cbar	0.183	min	-0.183	kendall_0.423565	0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	clean	quality	Cbar	0.189	min	-0.189	kendall_0.404683	0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	clean	quality	Cbar	0.2294	min	-0.2294	kendall_0.387434	0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	clean	quality	Cbar	0.2956	min	-0.2956	kendall_0.389212	0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	4	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	clean	quality	Cbar	0.2966	min	-0.2966	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	4	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	clean	quality	Cbar	0.1484	min	-0.1484	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	clean	quality	Cbar	0.1478	min	-0.1478	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	clean	quality	Cbar	0.147	min	-0.147	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	4	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	clean	quality	Cbar	0.1524	min	-0.1524	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	clean	quality	Cbar	0.1532	min	-0.1532	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	clean	quality	Cbar	0.1576	min	-0.1576	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	clean	quality	Cbar	0.1706	min	-0.1706	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	clean	quality	Cbar	0.1722	min	-0.1722	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	clean	quality	Cbar	0.1738	min	-0.1738	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	clean	quality	Cbar	0.1744	min	-0.1744	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	4	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	clean	quality	F	0.0864	max	0.0864	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	2	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	clean	quality	F	0.0506	max	0.0506	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	clean	quality	F	0.0572	max	0.0572	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	clean	quality	F	0.0634	max	0.0634	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	clean	quality	F	0.0604	max	0.0604	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	clean	quality	F	0.066	max	0.066	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	clean	quality	F	0.0582	max	0.0582	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	2	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	clean	quality	F	0.0552	max	0.0552	kendall_0.387434	0.387434	-exact_-0.002	0.002	ce	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	clean	quality	F	0.0494	max	0.0494	kendall_0.389212	0.389212	-exact_-0.002	0.002	ce	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	clean	quality	F	0.0478	max	0.0478	kendall_0.399779	0.399779	-exact_-0.002	0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	clean	quality	F	0.0864	max	0.0864	kendall_0.31901	0.31901	-exact_-0.002	0.002	ce	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	clean	quality	F	0.0874	max	0.0874	kendall_0.656867	0.656867	-exact_-0.002	0.002	ce	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	clean	quality	F	0.087	max	0.087	kendall_0.496275	0.496275	-exact_-0.002	0.002	ce	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	clean	quality	F	0.0796	max	0.0796	kendall_0.458333	0.458333	-exact_-0.002	0.002	ce	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	clean	quality	F	0.0728	max	0.0728	kendall_0.395705	0.395705	-exact_-0.002	0.002	ce	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	clean	quality	F	0.0716	max	0.0716	kendall_0.423565	0.423565	-exact_-0.002	0.002	ce	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	clean	quality	F	0.0738	max	0.0738	kendall_0.404683	0.404683	-exact_-0.002	0.002	ce	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	clean	quality	F	0.0624	max	0.0624	kendall_0.387434	0.387434	-exact_-0.002	0.002	ce	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	clean	quality	F	0.0542	max	0.0542	kendall_0.389212	0.389212	-exact_-0.002	0.002	ce	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	clean	quality	F	0.05	max	0.05	kendall_0.399779	0.399779	-exact_-0.002	0.002	ce	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	clean	quality	F	0.0872	max	0.0872	kendall_0.31901	0.31901	-exact_-0.002	0.002	ce	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	F	0.0726	max	0.0726	kendall_0.656867	0.656867	-exact_-0.002	0.002	ce	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	F	0.0804	max	0.0804	kendall_0.496275	0.496275	-exact_-0.002	0.002	ce	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	F	0.0762	max	0.0762	kendall_0.458333	0.458333	-exact_-0.002	0.002	ce	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	F	0.0738	max	0.0738	kendall_0.395705	0.395705	-exact_-0.002	0.002	ce	5098.7	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	clean	quality	F	0.073	max	0.073	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	clean	quality	F	0.0688	max	0.0688	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	clean	quality	F	0.0634	max	0.0634	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	clean	quality	F	0.0574	max	0.0574	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	clean	quality	F	0.0538	max	0.0538	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	clean	quality	F	0.0864	max	0.0864	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	clean	quality	F	0.0764	max	0.0764	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	clean	quality	F	0.0874	max	0.0874	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	4	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	clean	quality	F	0.0742	max	0.0742	kendall_0.458333-exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	clean	quality	F	0.0698	max	0.0698	kendall_0.395705-exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	clean	quality	F	0.0726	max	0.0726	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	clean	quality	F	0.0684	max	0.0684	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	clean	quality	F	0.0614	max	0.0614	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	clean	quality	F	0.0552	max	0.0552	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	F	0.0488	max	0.0488	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	clean	quality	F	0.0852	max	0.0852	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	clean	quality	F	0.0734	max	0.0734	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	clean	quality	F	0.0748	max	0.0748	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	clean	quality	F	0.0686	max	0.0686	kendall_0.458333	-exact_-ds0.002	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	clean	quality	F	0.0692	max	0.0692	kendall_0.395705	-exact_-ds0.002	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	clean	quality	F	0.0696	max	0.0696	kendall_0.423565	-exact_-ds0.002	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	clean	quality	F	0.0662	max	0.0662	kendall_0.404683	-exact_-ds0.002	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	clean	quality	F	0.0648	max	0.0648	kendall_0.387434	-exact_-ds0.002	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	clean	quality	F	0.064	max	0.064	kendall_0.389212	-exact_-ds0.002	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	clean	quality	F	0.0642	max	0.0642	kendall_0.399779	-exact_-ds0.002	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	clean	quality	Fbar	0.0928	min	-0.0928	kendall_0.31901	-exact_-ds0.002	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	clean	quality	Fbar	0.1026	min	-0.1026	kendall_0.656867	-exact_-ds0.002	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	clean	quality	Fbar	0.1076	min	-0.1076	kendall_0.496275	-exact_-ds0.002	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	clean	quality	Fbar	0.1114	min	-0.1114	kendall_0.458333	-exact_-ds0.002	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	clean	quality	Fbar	0.1326	min	-0.1326	kendall_0.395705	-exact_-ds0.002	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	clean	quality	Fbar	0.1326	min	-0.1326	kendall_0.423565	-exact_-ds0.002	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	clean	quality	Fbar	0.1334	min	-0.1334	kendall_0.404683	-exact_-ds0.002	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	clean	quality	Fbar	0.1634	min	-0.1634	kendall_0.387434	-exact_-ds0.002	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	clean	quality	Fbar	0.2012	min	-0.2012	kendall_0.389212	-exact_-ds0.002	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	clean	quality	Fbar	0.2256	min	-0.2256	kendall_0.399779	-exact_-ds0.002	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	clean	quality	Fbar	0.0928	min	-0.0928	kendall_0.31901	-exact_-ds0.002	0.31901	1301.6	11	False	True	4	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	clean	quality	Fbar	0.0946	min	-0.0946	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	clean	quality	Fbar	0.0922	min	-0.0922	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	4	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	clean	quality	Fbar	0.1154	min	-0.1154	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	clean	quality	Fbar	0.1464	min	-0.1464	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	clean	quality	Fbar	0.152	min	-0.152	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	clean	quality	Fbar	0.143	min	-0.143	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	clean	quality	Fbar	0.1934	min	-0.1934	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	clean	quality	Fbar	0.2546	min	-0.2546	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	clean	quality	Fbar	0.2684	min	-0.2684	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	clean	quality	Fbar	0.092	min	-0.092	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	Fbar	0.096	min	-0.096	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	Fbar	0.096	min	-0.096	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	Fbar	0.105	min	-0.105	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	Fbar	0.1246	min	-0.1246	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	clean	quality	Fbar	0.1278	min	-0.1278	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	clean	quality	Fbar	0.127	min	-0.127	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	clean	quality	Fbar	0.1624	min	-0.1624	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	clean	quality	Fbar	0.2086	min	-0.2086	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance	q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	p	mean	noise	selected	noise	best	q	is	opti-	q11	ref-	method
			model				kind			direction	value	model	statis- tic	score	value	dis- tance	se- lected	by noise	forced fall- back			mal	q	erence	prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	clean	quality	Fbar	0.2172	min	-0.2172	kendall_	0.399779	-exact_	0.399779	0.002	ce	5940.5	11	True	True	2	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	clean	quality	Fbar	0.0928	min	-0.0928	kendall_	0.31901	-exact_	0.31901	0.002	ce	1301.6	11	False	True	2	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	clean	quality	Fbar	0.0978	min	-0.0978	kendall_	0.656867	-exact_	0.656867	0.002	ce	3573	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	clean	quality	Fbar	0.0952	min	-0.0952	kendall_	0.496275	-exact_	0.496275	0.002	ce	4662	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	clean	quality	Fbar	0.109	min	-0.109	kendall_	0.458333	-exact_	0.458333	0.002	ce	4759.3	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	clean	quality	Fbar	0.1338	min	-0.1338	kendall_	0.395705	-exact_	0.395705	0.002	ce	5098.7	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	clean	quality	Fbar	0.1302	min	-0.1302	kendall_	0.423565	-exact_	0.423565	0.002	ce	5036.4	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	clean	quality	Fbar	0.1302	min	-0.1302	kendall_	0.404683	-exact_	0.404683	0.002	ce	5469.8	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	clean	quality	Fbar	0.1726	min	-0.1726	kendall_	0.387434	-exact_	0.387434	0.002	ce	5646.5	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	clean	quality	Fbar	0.2342	min	-0.2342	kendall_	0.389212	-exact_	0.389212	0.002	ce	5641.2	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	Fbar	0.2336	min	-0.2336	kendall_	0.399779	-exact_	0.399779	0.002	ce	5940.5	11	True	True	2	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	clean	quality	Fbar	0.0966	min	-0.0966	kendall_	0.31901	-exact_	0.31901	0.002	ce	1301.6	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	clean	quality	Fbar	0.097	min	-0.097	kendall_	0.656867	-exact_	0.656867	0.002	ce	3573	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	clean	quality	Fbar	0.0956	min	-0.0956	kendall_	0.496275	-exact_	0.496275	0.002	ce	4662	11	False	True	4	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	clean	quality	Fbar	0.1002	min	-0.1002	kendall_	0.458333	-exact_	0.458333	0.002	ce	4759.3	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	clean	quality	Fbar	0.0998	min	-0.0998	kendall_	0.395705	-exact_	0.395705	0.002	ce	5098.7	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	clean	quality	Fbar	0.1038	min	-0.1038	kendall_	0.423565	-exact_	0.423565	0.002	ce	5036.4	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	clean	quality	Fbar	0.1152	min	-0.1152	kendall_	0.404683	-exact_	0.404683	0.002	ce	5469.8	11	False	True	4	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	clean	quality	Fbar	0.1164	min	-0.1164	kendall_0.387434-exact_ds0.002ce	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	clean	quality	Fbar	0.1176	min	-0.1176	kendall_0.389212-exact_ds0.002ce	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	clean	quality	Fbar	0.1174	min	-0.1174	kendall_0.399779-exact_ds0.002ce	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	Fbar	0.091	max	0.091	kendall_0.31901-exact_ds0.002ce	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	Fbar	0.1214	max	0.1214	kendall_0.656867-exact_ds0.002ce	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	Fbar	0.1042	max	0.1042	kendall_0.496275-exact_ds0.002ce	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	Fbar	0.0962	max	0.0962	kendall_0.458333-exact_ds0.002ce	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	Fbar	0.092	max	0.092	kendall_0.395705-exact_ds0.002ce	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	adversarial	robustness	Fbar	0.0886	max	0.0886	kendall_0.423565-exact_ds0.002ce	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	adversarial	robustness	Fbar	0.0998	max	0.0998	kendall_0.404683-exact_ds0.002ce	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	adversarial	robustness	Fbar	0.0924	max	0.0924	kendall_0.387434-exact_ds0.002ce	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	adversarial	robustness	Fbar	0.0934	max	0.0934	kendall_0.389212-exact_ds0.002ce	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	adversarial	robustness	Fbar	0.095	max	0.095	kendall_0.399779-exact_ds0.002ce	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	adversarial	robustness	Fbar	0.091	max	0.091	kendall_0.31901-exact_ds0.002ce	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	adversarial	robustness	Fbar	0.0926	max	0.0926	kendall_0.656867-exact_ds0.002ce	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	adversarial	robustness	Fbar	0.0916	max	0.0916	kendall_0.496275-exact_ds0.002ce	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	adversarial	robustness	Fbar	0.087	max	0.087	kendall_0.458333-exact_ds0.002ce	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	adversarial	robustness	Fbar	0.0856	max	0.0856	kendall_0.395705-exact_ds0.002ce	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	adversarial	robustness	G	0.0876	max	0.0876	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	adversarial	robustness	G	0.0808	max	0.0808	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	adversarial	robustness	G	0.085	max	0.085	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	adversarial	robustness	G	0.084	max	0.084	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	adversarial	robustness	G	0.0926	max	0.0926	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	adversarial	robustness	G	0.0902	max	0.0902	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	adversarial	robustness	G	0.1024	max	0.1024	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	adversarial	robustness	G	0.0916	max	0.0916	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	adversarial	robustness	G	0.0864	max	0.0864	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	adversarial	robustness	G	0.0834	max	0.0834	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	adversarial	robustness	G	0.0876	max	0.0876	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	adversarial	robustness	G	0.0866	max	0.0866	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	adversarial	robustness	G	0.0862	max	0.0862	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	adversarial	robustness	G	0.0846	max	0.0846	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	adversarial	robustness	G	0.0886	max	0.0886	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	adversarial	robustness	G	0.091	max	0.091	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	adversarial	robustness	G	0.0968	max	0.0968	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	adversarial	robustness	G	0.0834	max	0.0834	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	CS	0.0912	max	0.0912	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	CS	0.0856	max	0.0856	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	CS	0.0804	max	0.0804	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	CS	0.0892	max	0.0892	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	CS	0.083	max	0.083	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	CS	0.0852	max	0.0852	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	CS	0.0904	max	0.0904	kendall_0.399779-exact_distance	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	CS	0.0934	max	0.0934	kendall_0.31901-exact_distance	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	CS	0.0928	max	0.0928	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	CS	0.083	max	0.083	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	CS	0.0836	max	0.0836	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	CS	0.078	max	0.078	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	CS	0.0782	max	0.0782	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	CS	0.0822	max	0.0822	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	CS	0.0842	max	0.0842	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	CS	0.08	max	0.08	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	CS	0.0788	max	0.0788	kendall_0.399779-exact_distance	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	CSbar	-0.2096	max	-0.2096	kendall_0.31901-exact_distance	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	Gbar	-0.201	max	-0.201	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	Gbar	-0.2358	max	-0.2358	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	Gbar	-0.2572	max	-0.2572	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	Gbar	-0.264	max	-0.264	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	adversarial	robustness	Gbar	-0.2686	max	-0.2686	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	adversarial	robustness	Gbar	-0.2654	max	-0.2654	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	adversarial	robustness	Gbar	-0.2664	max	-0.2664	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	adversarial	robustness	Gbar	-0.2626	max	-0.2626	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	adversarial	robustness	Gbar	-0.2556	max	-0.2556	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	adversarial	robustness	Gbar	-0.2096	max	-0.2096	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	adversarial	robustness	Gbar	-0.2164	max	-0.2164	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	adversarial	robustness	Gbar	-0.239	max	-0.239	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	adversarial	robustness	Gbar	-0.2498	max	-0.2498	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	adversarial	robustness	Gbar	-0.2486	max	-0.2486	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	adversarial	robustness	Gbar	-0.2376	max	-0.2376	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	adversarial	robustness	Gbar	-0.2486	max	-0.2486	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	adversarial	robustness	Gbar	-0.246	max	-0.246	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	adversarial	robustness	Gbar	-0.234	max	-0.234	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	adversarial	robustness	Gbar	-0.2166	max	-0.2166	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	adversarial	robustness	Gbar	-0.2102	max	-0.2102	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	adversarial	robustness	Gbar	-0.2064	max	-0.2064	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	adversarial	robustness	Gbar	-0.2372	max	-0.2372	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	adversarial	robustness	Gbar	-0.268	max	-0.268	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	adversarial	robustness	Gbar	-0.2666	max	-0.2666	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	adversarial	robustness	Gbar	-0.2614	max	-0.2614	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	adversarial	robustness	Gbar	-0.2572	max	-0.2572	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	adversarial	robustness	Gbar	-0.2636	max	-0.2636	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	adversarial	robustness	Gbar	-0.2502	max	-0.2502	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	adversarial	robustness	Gbar	-0.2434	max	-0.2434	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	adversarial	robustness	Gbar	-0.2096	max	-0.2096	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	adversarial	robustness	Gbar	-0.1992	max	-0.1992	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	adversarial	robustness	Gbar	-0.2324	max	-0.2324	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	Gbar	-0.2574	max	-0.2574	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	Gbar	-0.267	max	-0.267	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	Gbar	-0.2672	max	-0.2672	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	Gbar	-0.2616	max	-0.2616	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	3	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	Gbar	-0.2596	max	-0.2596	kendall_0.387434	-exact_-0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	Gbar	-0.244	max	-0.244	kendall_0.389212	-exact_-0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	Gbar	-0.2418	max	-0.2418	kendall_0.399779	-exact_-0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	Gbar	-0.2052	max	-0.2052	kendall_0.31901	-exact_-0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	Gbar	-0.2038	max	-0.2038	kendall_0.656867	-exact_-0.656867	-0.002	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	Gbar	-0.2204	max	-0.2204	kendall_0.496275	-exact_-0.496275	-0.002	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	Gbar	-0.2532	max	-0.2532	kendall_0.458333	-exact_-0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	Gbar	-0.262	max	-0.262	kendall_0.395705	-exact_-0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	Gbar	-0.2722	max	-0.2722	kendall_0.423565	-exact_-0.423565	-0.002	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	Gbar	-0.2576	max	-0.2576	kendall_0.404683	-exact_-0.404683	-0.002	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	Gbar	-0.2738	max	-0.2738	kendall_0.387434	-exact_-0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	Gbar	-0.284	max	-0.284	kendall_0.389212	-exact_-0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	Gbar	-0.2848	max	-0.2848	kendall_0.399779	-exact_-0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	F	0.076	max	0.076	kendall_0.31901	-exact_-0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	F	0.1022	max	0.1022	kendall_0.656867	-exact_-0.656867	-0.002	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	F	0.0902	max	0.0902	kendall_0.496275	-exact_-0.496275	-0.002	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	F	0.0782	max	0.0782	kendall_0.458333	-exact_-0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	F	0.0778	max	0.0778	kendall_0.395705	-exact_-0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	adversarial	robustness	0.0726	max	0.0726	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	adversarial	robustness	0.0808	max	0.0808	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	adversarial	robustness	0.0718	max	0.0718	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	adversarial	robustness	0.0718	max	0.0718	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	adversarial	robustness	0.0736	max	0.0736	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	adversarial	robustness	0.076	max	0.076	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	adversarial	robustness	0.077	max	0.077	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	adversarial	robustness	0.0766	max	0.0766	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	adversarial	robustness	0.0688	max	0.0688	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	adversarial	robustness	0.0672	max	0.0672	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	adversarial	robustness	0.0688	max	0.0688	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	adversarial	robustness	0.0622	max	0.0622	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	adversarial	robustness	0.0638	max	0.0638	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	adversarial	robustness	0.0654	max	0.0654	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	adversarial	robustness	0.0714	max	0.0714	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	adversarial	robustness	0.0764	max	0.0764	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	adversarial	robustness	0.086	max	0.086	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	adversarial	robustness	0.0734	max	0.0734	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	adversarial	robustness	F	0.0678	max	0.0678	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	adversarial	robustness	F	0.0662	max	0.0662	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	adversarial	robustness	F	0.0672	max	0.0672	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	adversarial	robustness	F	0.065	max	0.065	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	adversarial	robustness	F	0.066	max	0.066	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	adversarial	robustness	F	0.0666	max	0.0666	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	adversarial	robustness	F	0.0696	max	0.0696	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	adversarial	robustness	F	0.076	max	0.076	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	adversarial	robustness	F	0.079	max	0.079	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	adversarial	robustness	F	0.0706	max	0.0706	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	F	0.0744	max	0.0744	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	F	0.0698	max	0.0698	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	F	0.065	max	0.065	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	F	0.0692	max	0.0692	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	F	0.0642	max	0.0642	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	F	0.0652	max	0.0652	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	F	0.072	max	0.072	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	F	0.0772	max	0.0772	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	F	0.0752	max	0.0752	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	F	0.0676	max	0.0676	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	F	0.0688	max	0.0688	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	F	0.0648	max	0.0648	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	F	0.0646	max	0.0646	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	F	0.0672	max	0.0672	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	F	0.0672	max	0.0672	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	F	0.065	max	0.065	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	F	0.0632	max	0.0632	kendall_0.399779-exact_distance	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	Fbar	-0.2034	max	-0.2034	kendall_0.31901-exact_distance	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	Fbar	-0.1906	max	-0.1906	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	Fbar	-0.2242	max	-0.2242	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	Fbar	-0.248	max	-0.248	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	Fbar	-0.256	max	-0.256	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	adversarial	robustness	Fbar	-0.2546	max	-0.2546	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	adversarial	robustness	Fbar	-0.2486	max	-0.2486	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	adversarial	robustness	Fbar	-0.257	max	-0.257	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	adversarial	robustness	Fbar	-0.254	max	-0.254	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	adversarial	robustness	Fbar	-0.2438	max	-0.2438	kendall_robustness	0.399779	-exact_distance	0.399779	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	adversarial	robustness	Fbar	-0.2034	max	-0.2034	kendall_robustness	0.31901	-exact_distance	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	adversarial	robustness	Fbar	-0.207	max	-0.207	kendall_robustness	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	adversarial	robustness	Fbar	-0.2344	max	-0.2344	kendall_robustness	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	adversarial	robustness	Fbar	-0.2416	max	-0.2416	kendall_robustness	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	adversarial	robustness	Fbar	-0.2386	max	-0.2386	kendall_robustness	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	adversarial	robustness	Fbar	-0.2282	max	-0.2282	kendall_robustness	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	adversarial	robustness	Fbar	-0.2356	max	-0.2356	kendall_robustness	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	adversarial	robustness	Fbar	-0.2382	max	-0.2382	kendall_robustness	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	adversarial	robustness	Fbar	-0.2262	max	-0.2262	kendall_robustness	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	adversarial	robustness	Fbar	-0.2106	max	-0.2106	kendall_robustness	0.399779	-exact_distance	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	adversarial	robustness	Fbar	-0.204	max	-0.204	kendall_robustness	0.31901	-exact_distance	0.31901	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	adversarial	robustness	Fbar	-0.2022	max	-0.2022	kendall_robustness	0.656867	-exact_distance	0.656867	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	adversarial	robustness	Fbar	-0.2262	max	-0.2262	kendall_robustness	0.496275	-exact_distance	0.496275	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	adversarial	robustness	Fbar	-0.2546	max	-0.2546	kendall_robustness	0.458333	-exact_distance	0.458333	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	adversarial	robustness	Fbar	-0.2526	max	-0.2526	kendall_robustness	0.395705	-exact_distance	0.395705	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	adversarial	robustness	Fbar	-0.2504	max	-0.2504	kendall_robustness	0.423565	-exact_distance	0.423565	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	adversarial	robustness	Fbar	-0.2458	max	-0.2458	kendall_robustness	0.404683	-exact_distance	0.404683	5469.8	11	False	True	3	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	adversarial	robustness	Fbar	-0.2544	max	-0.2544	kendall_0.387434	-exact_0.387434	-0.002	0.387434	5646.5	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	adversarial	robustness	Fbar	-0.2426	max	-0.2426	kendall_0.389212	-exact_0.389212	-0.002	0.389212	5641.2	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	adversarial	robustness	Fbar	-0.238	max	-0.238	kendall_0.399779	-exact_0.399779	-0.002	0.399779	5940.5	11	True	True	3	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	adversarial	robustness	Fbar	-0.2034	max	-0.2034	kendall_0.31901	-exact_0.31901	-0.002	0.31901	1301.6	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	adversarial	robustness	Fbar	-0.191	max	-0.191	kendall_0.656867	-exact_0.656867	-0.002	0.656867	3573	11	False	True	3	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	adversarial	robustness	Fbar	-0.225	max	-0.225	kendall_0.496275	-exact_0.496275	-0.002	0.496275	4662	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	Fbar	-0.2486	max	-0.2486	kendall_0.458333	-exact_0.458333	-0.002	0.458333	4759.3	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	Fbar	-0.2534	max	-0.2534	kendall_0.395705	-exact_0.395705	-0.002	0.395705	5098.7	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	Fbar	-0.2512	max	-0.2512	kendall_0.423565	-exact_0.423565	-0.002	0.423565	5036.4	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	Fbar	-0.2494	max	-0.2494	kendall_0.404683	-exact_0.404683	-0.002	0.404683	5469.8	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	Fbar	-0.2456	max	-0.2456	kendall_0.387434	-exact_0.387434	-0.002	0.387434	5646.5	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	Fbar	-0.2358	max	-0.2358	kendall_0.389212	-exact_0.389212	-0.002	0.389212	5641.2	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	Fbar	-0.2358	max	-0.2358	kendall_0.399779	-exact_0.399779	-0.002	0.399779	5940.5	11	True	True	3	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	Fbar	-0.198	max	-0.198	kendall_0.31901	-exact_0.31901	-0.002	0.31901	1301.6	11	False	True	2	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	Fbar	-0.1992	max	-0.1992	kendall_0.656867	-exact_0.656867	-0.002	0.656867	3573	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	Fbar	-0.2134	max	-0.2134	kendall_0.496275	-exact_0.496275	-0.002	0.496275	4662	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	Fbar	-0.2444	max	-0.2444	kendall_0.458333	-exact_0.458333	-0.002	0.458333	4759.3	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	Fbar	-0.2506	max	-0.2506	kendall_0.395705	-exact_0.395705	-0.002	0.395705	5098.7	11	False	True	2	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	FSBar	-0.2612	max	-0.2612	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	FSBar	-0.2474	max	-0.2474	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	FSBar	-0.2612	max	-0.2612	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	FSBar	-0.2698	max	-0.2698	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	FSBar	-0.2696	max	-0.2696	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	gaussian	robustness	G	0.0846	max	0.0846	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	gaussian	robustness	G	0.1022	max	0.1022	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	gaussian	robustness	G	0.1066	max	0.1066	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	gaussian	robustness	G	0.1024	max	0.1024	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	gaussian	robustness	G	0.1052	max	0.1052	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	gaussian	robustness	G	0.0982	max	0.0982	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	gaussian	robustness	G	0.1064	max	0.1064	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	gaussian	robustness	G	0.11	max	0.11	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	gaussian	robustness	G	0.119	max	0.119	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	gaussian	robustness	G	0.1126	max	0.1126	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	gaussian	robustness	G	0.0846	max	0.0846	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	gaussian	robustness	G	0.0906	max	0.0906	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	gaussian	robustness	G	0.0984	max	0.0984	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	gaussian-robustness	0.15	G	0.0962	max	0.0962	kendall_0.458333	exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	gaussian-robustness	0.15	G	0.111	max	0.111	kendall_0.395705	exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	gaussian-robustness	0.15	G	0.1052	max	0.1052	kendall_0.423565	exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	gaussian-robustness	0.15	G	0.1076	max	0.1076	kendall_0.404683	exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	gaussian-robustness	0.15	G	0.1174	max	0.1174	kendall_0.387434	exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	gaussian-robustness	0.15	G	0.119	max	0.119	kendall_0.389212	exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	gaussian-robustness	0.15	G	0.1174	max	0.1174	kendall_0.399779	exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	gaussian-robustness	0.15	G	0.0862	max	0.0862	kendall_0.31901	exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	gaussian-robustness	0.15	G	0.1028	max	0.1028	kendall_0.656867	exact_distance	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	gaussian-robustness	0.15	G	0.1046	max	0.1046	kendall_0.496275	exact_distance	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	gaussian-robustness	0.15	G	0.1008	max	0.1008	kendall_0.458333	exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	gaussian-robustness	0.15	G	0.1096	max	0.1096	kendall_0.395705	exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	gaussian-robustness	0.15	G	0.1044	max	0.1044	kendall_0.423565	exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	gaussian-robustness	0.15	G	0.1142	max	0.1142	kendall_0.404683	exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	gaussian-robustness	0.15	G	0.1166	max	0.1166	kendall_0.387434	exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	gaussian-robustness	0.15	G	0.1136	max	0.1136	kendall_0.389212	exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	gaussian-robustness	0.15	G	0.1182	max	0.1182	kendall_0.399779	exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	gaussian-robustness	0.15	G	0.0846	max	0.0846	kendall_0.31901	exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	gaussian-robustness 0.15	CS	0.0962	max	0.0962	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	gaussian-robustness 0.15	CS	0.1046	max	0.1046	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	gaussian-robustness 0.15	CS	0.101	max	0.101	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	gaussian-robustness 0.15	CS	0.1136	max	0.1136	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	gaussian-robustness 0.15	CS	0.0978	max	0.0978	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	gaussian-robustness 0.15	CS	0.109	max	0.109	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	gaussian-robustness 0.15	CS	0.1158	max	0.1158	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	gaussian-robustness 0.15	CS	0.1166	max	0.1166	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	gaussian-robustness 0.15	CS	0.1186	max	0.1186	kendall_0.399779-exact_distance	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	gaussian-robustness 0.15	CS	0.0826	max	0.0826	kendall_0.31901-exact_distance	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	gaussian-robustness 0.15	CS	0.108	max	0.108	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	gaussian-robustness 0.15	CS	0.1106	max	0.1106	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	gaussian-robustness 0.15	CS	0.1064	max	0.1064	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	gaussian-robustness 0.15	CS	0.108	max	0.108	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	gaussian-robustness 0.15	CS	0.0994	max	0.0994	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	gaussian-robustness 0.15	CS	0.1098	max	0.1098	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	gaussian-robustness 0.15	CS	0.1136	max	0.1136	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	9	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	gaussian-robustness 0.15	CS	0.112	max	0.112	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	9	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	gaussian-robustness	0.1104	max	0.1104	kendall_0.399779	-exact_distance	0.399779	0.399779	5940.5	11	True	True	9	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	gaussian-robustness	-0.272	max	-0.272	kendall_0.31901	-exact_distance	0.31901	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	gaussian-robustness	-0.3032	max	-0.3032	kendall_0.656867	-exact_distance	0.656867	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	gaussian-robustness	-0.27	max	-0.27	kendall_0.496275	-exact_distance	0.496275	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	gaussian-robustness	-0.278	max	-0.278	kendall_0.458333	-exact_distance	0.458333	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	gaussian-robustness	-0.2582	max	-0.2582	kendall_0.395705	-exact_distance	0.395705	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	gaussian-robustness	-0.2622	max	-0.2622	kendall_0.423565	-exact_distance	0.423565	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	gaussian-robustness	-0.2684	max	-0.2684	kendall_0.404683	-exact_distance	0.404683	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	gaussian-robustness	-0.2422	max	-0.2422	kendall_0.387434	-exact_distance	0.387434	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	gaussian-robustness	-0.2304	max	-0.2304	kendall_0.389212	-exact_distance	0.389212	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	gaussian-robustness	-0.2226	max	-0.2226	kendall_0.399779	-exact_distance	0.399779	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	gaussian-robustness	-0.272	max	-0.272	kendall_0.31901	-exact_distance	0.31901	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	gaussian-robustness	-0.2712	max	-0.2712	kendall_0.656867	-exact_distance	0.656867	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	gaussian-robustness	-0.2536	max	-0.2536	kendall_0.496275	-exact_distance	0.496275	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	gaussian-robustness	-0.277	max	-0.277	kendall_0.458333	-exact_distance	0.458333	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	gaussian-robustness	-0.2466	max	-0.2466	kendall_0.395705	-exact_distance	0.395705	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	gaussian-robustness	-0.2566	max	-0.2566	kendall_0.423565	-exact_distance	0.423565	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	gaussian-robustness	-0.2588	max	-0.2588	kendall_0.404683	-exact_distance	0.404683	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	gaussian-robustness	0.15	Gbar	-0.2306	max	-0.2306	kendall_0.387434	-exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	gaussian-robustness	0.15	Gbar	-0.2028	max	-0.2028	kendall_0.389212	-exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	gaussian-robustness	0.15	Gbar	-0.1992	max	-0.1992	kendall_0.399779	-exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	gaussian-robustness	0.15	Gbar	-0.2736	max	-0.2736	kendall_0.31901	-exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	gaussian-robustness	0.15	Gbar	-0.273	max	-0.273	kendall_0.656867	-exact_distance	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	gaussian-robustness	0.15	Gbar	-0.2588	max	-0.2588	kendall_0.496275	-exact_distance	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	gaussian-robustness	0.15	Gbar	-0.276	max	-0.276	kendall_0.458333	-exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	gaussian-robustness	0.15	Gbar	-0.2604	max	-0.2604	kendall_0.395705	-exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	gaussian-robustness	0.15	Gbar	-0.2706	max	-0.2706	kendall_0.423565	-exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	gaussian-robustness	0.15	Gbar	-0.2622	max	-0.2622	kendall_0.404683	-exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	gaussian-robustness	0.15	Gbar	-0.2428	max	-0.2428	kendall_0.387434	-exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	gaussian-robustness	0.15	Gbar	-0.2338	max	-0.2338	kendall_0.389212	-exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	gaussian-robustness	0.15	Gbar	-0.2304	max	-0.2304	kendall_0.399779	-exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	gaussian-robustness	0.15	Gbar	-0.272	max	-0.272	kendall_0.31901	-exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	gaussian-robustness	0.15	Gbar	-0.2864	max	-0.2864	kendall_0.656867	-exact_distance	0.656867	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	gaussian-robustness	0.15	Gbar	-0.2594	max	-0.2594	kendall_0.496275	-exact_distance	0.496275	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	gaussian-robustness	0.15	Gbar	-0.2744	max	-0.2744	kendall_0.458333	-exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	gaussian-robustness	0.15	Gbar	-0.252	max	-0.252	kendall_0.395705	-exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	gaussian-robustness	Gbar	-0.266	max	-0.266	kendall_0.423565	-0.423565	-exact_distance	-0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	gaussian-robustness	Gbar	-0.2628	max	-0.2628	kendall_0.404683	-0.404683	-exact_distance	-0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	gaussian-robustness	Gbar	-0.2388	max	-0.2388	kendall_0.387434	-0.387434	-exact_distance	-0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	gaussian-robustness	Gbar	-0.209	max	-0.209	kendall_0.389212	-0.389212	-exact_distance	-0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	gaussian-robustness	Gbar	-0.2112	max	-0.2112	kendall_0.399779	-0.399779	-exact_distance	-0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	gaussian-robustness	Gbar	-0.2718	max	-0.2718	kendall_0.31901	-0.31901	-exact_distance	-0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	gaussian-robustness	Gbar	-0.2798	max	-0.2798	kendall_0.656867	-0.656867	-exact_distance	-0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	gaussian-robustness	Gbar	-0.279	max	-0.279	kendall_0.496275	-0.496275	-exact_distance	-0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	gaussian-robustness	Gbar	-0.292	max	-0.292	kendall_0.458333	-0.458333	-exact_distance	-0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	gaussian-robustness	Gbar	-0.2868	max	-0.2868	kendall_0.395705	-0.395705	-exact_distance	-0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	gaussian-robustness	Gbar	-0.294	max	-0.294	kendall_0.423565	-0.423565	-exact_distance	-0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	gaussian-robustness	Gbar	-0.2862	max	-0.2862	kendall_0.404683	-0.404683	-exact_distance	-0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	gaussian-robustness	Gbar	-0.2884	max	-0.2884	kendall_0.387434	-0.387434	-exact_distance	-0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	gaussian-robustness	Gbar	-0.292	max	-0.292	kendall_0.389212	-0.389212	-exact_distance	-0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	gaussian-robustness	Gbar	-0.2906	max	-0.2906	kendall_0.399779	-0.399779	-exact_distance	-0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	gaussian-robustness	F	0.073	max	0.073	kendall_0.31901	-0.31901	-exact_distance	-0.31901	0.002	1301.6	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	gaussian-robustness	F	0.0796	max	0.0796	kendall_0.656867	-0.656867	-exact_distance	-0.656867	0.002	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	gaussian-robustness	F	0.0838	max	0.0838	kendall_0.496275	-0.496275	-exact_distance	-0.496275	0.002	4662	11	False	True	4	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	gaussian-robustness	0.0762	max	0.0762	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	gaussian-robustness	0.0786	max	0.0786	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	gaussian-robustness	0.0722	max	0.0722	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	gaussian-robustness	0.075	max	0.075	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	gaussian-robustness	0.0758	max	0.0758	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	gaussian-robustness	0.0834	max	0.0834	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	gaussian-robustness	0.0786	max	0.0786	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	gaussian-robustness	0.073	max	0.073	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	gaussian-robustness	0.0716	max	0.0716	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	gaussian-robustness	0.079	max	0.079	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	gaussian-robustness	0.0748	max	0.0748	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	gaussian-robustness	0.0842	max	0.0842	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	gaussian-robustness	0.0822	max	0.0822	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	gaussian-robustness	0.082	max	0.082	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	gaussian-robustness	0.0848	max	0.0848	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	gaussian-robustness	0.0866	max	0.0866	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	gaussian-robustness	0.0846	max	0.0846	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	gaussian-robustness	0.0736	max	0.0736	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	gaussian-robustness	0.15	F	0.0816	max	0.0816	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	gaussian-robustness	0.15	F	0.0812	max	0.0812	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	gaussian-robustness	0.15	F	0.0754	max	0.0754	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	gaussian-robustness	0.15	F	0.0816	max	0.0816	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	gaussian-robustness	0.15	F	0.0766	max	0.0766	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	gaussian-robustness	0.15	F	0.0814	max	0.0814	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	gaussian-robustness	0.15	F	0.0822	max	0.0822	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	gaussian-robustness	0.15	F	0.0794	max	0.0794	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	gaussian-robustness	0.15	F	0.0834	max	0.0834	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	gaussian-robustness	0.15	F	0.073	max	0.073	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	gaussian-robustness	0.15	F	0.0742	max	0.0742	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	gaussian-robustness	0.15	F	0.085	max	0.085	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	gaussian-robustness	0.15	F	0.0766	max	0.0766	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	gaussian-robustness	0.15	F	0.0826	max	0.0826	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	gaussian-robustness	0.15	F	0.0786	max	0.0786	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	gaussian-robustness	0.15	F	0.0784	max	0.0784	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	gaussian-robustness	0.15	F	0.0848	max	0.0848	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	gaussian-robustness	0.15	F	0.084	max	0.084	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	gaussian-robustness	F	0.0862	max	0.0862	kendall_0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	gaussian-robustness	F	0.0672	max	0.0672	kendall_0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	gaussian-robustness	F	0.0828	max	0.0828	kendall_0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	gaussian-robustness	F	0.0834	max	0.0834	kendall_0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	4	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	gaussian-robustness	F	0.077	max	0.077	kendall_0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	gaussian-robustness	F	0.0784	max	0.0784	kendall_0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	gaussian-robustness	F	0.0742	max	0.0742	kendall_0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	gaussian-robustness	F	0.0762	max	0.0762	kendall_0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	gaussian-robustness	F	0.0792	max	0.0792	kendall_0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	gaussian-robustness	F	0.0784	max	0.0784	kendall_0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	gaussian-robustness	F	0.0774	max	0.0774	kendall_0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	gaussian-robustness	Fbar	-0.223	max	-0.223	kendall_0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	gaussian-robustness	Fbar	-0.2524	max	-0.2524	kendall_0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	gaussian-robustness	Fbar	-0.2212	max	-0.2212	kendall_0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	gaussian-robustness	Fbar	-0.2288	max	-0.2288	kendall_0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	gaussian-robustness	Fbar	-0.213	max	-0.213	kendall_0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	gaussian-robustness	Fbar	-0.2164	max	-0.2164	kendall_0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	gaussian-robustness	Fbar	-0.22	max	-0.22	kendall_0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	gaussian-robustness	FSbar	-0.1984	max	-0.1984	kendall_0.387434	-exact_0.387434	-0.002	0.002	ce	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	gaussian-robustness	FSbar	-0.1898	max	-0.1898	kendall_0.389212	-exact_0.389212	-0.002	0.002	ce	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	gaussian-robustness	FSbar	-0.1832	max	-0.1832	kendall_0.399779	-exact_0.399779	-0.002	0.002	ce	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	gaussian-robustness	FSbar	-0.223	max	-0.223	kendall_0.31901	-exact_0.31901	-0.002	0.002	ce	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	gaussian-robustness	FSbar	-0.2204	max	-0.2204	kendall_0.656867	-exact_0.656867	-0.002	0.002	ce	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	gaussian-robustness	FSbar	-0.2088	max	-0.2088	kendall_0.496275	-exact_0.496275	-0.002	0.002	ce	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	gaussian-robustness	FSbar	-0.2326	max	-0.2326	kendall_0.458333	-exact_0.458333	-0.002	0.002	ce	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	gaussian-robustness	FSbar	-0.2006	max	-0.2006	kendall_0.395705	-exact_0.395705	-0.002	0.002	ce	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	gaussian-robustness	FSbar	-0.215	max	-0.215	kendall_0.423565	-exact_0.423565	-0.002	0.002	ce	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	gaussian-robustness	FSbar	-0.2158	max	-0.2158	kendall_0.404683	-exact_0.404683	-0.002	0.002	ce	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	gaussian-robustness	FSbar	-0.1886	max	-0.1886	kendall_0.387434	-exact_0.387434	-0.002	0.002	ce	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	gaussian-robustness	FSbar	-0.1636	max	-0.1636	kendall_0.389212	-exact_0.389212	-0.002	0.002	ce	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	gaussian-robustness	FSbar	-0.161	max	-0.161	kendall_0.399779	-exact_0.399779	-0.002	0.002	ce	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	gaussian-robustness	FSbar	-0.2246	max	-0.2246	kendall_0.31901	-exact_0.31901	-0.002	0.002	ce	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	gaussian-robustness	FSbar	-0.224	max	-0.224	kendall_0.656867	-exact_0.656867	-0.002	0.002	ce	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	gaussian-robustness	FSbar	-0.2104	max	-0.2104	kendall_0.496275	-exact_0.496275	-0.002	0.002	ce	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	gaussian-robustness	FSbar	-0.2274	max	-0.2274	kendall_0.458333	-exact_0.458333	-0.002	0.002	ce	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	gaussian-robustness	FSbar	-0.2132	max	-0.2132	kendall_0.395705	-exact_0.395705	-0.002	0.002	ce	5098.7	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	gaussian-robustness	$\bar{S}$	-0.2264	max	-0.2264	kendall_0.423565	exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	gaussian-robustness	$\bar{S}$	-0.2196	max	-0.2196	kendall_0.404683	exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	gaussian-robustness	$\bar{S}$	-0.2016	max	-0.2016	kendall_0.387434	exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	gaussian-robustness	$\bar{S}$	-0.1936	max	-0.1936	kendall_0.389212	exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	gaussian-robustness	$\bar{S}$	-0.1912	max	-0.1912	kendall_0.399779	exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	gaussian-robustness	$\bar{S}$	-0.223	max	-0.223	kendall_0.31901	exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	gaussian-robustness	$\bar{S}$	-0.2358	max	-0.2358	kendall_0.656867	exact_distance	0.656867	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	gaussian-robustness	$\bar{S}$	-0.2116	max	-0.2116	kendall_0.496275	exact_distance	0.496275	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	gaussian-robustness	$\bar{S}$	-0.2256	max	-0.2256	kendall_0.458333	exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	gaussian-robustness	$\bar{S}$	-0.2084	max	-0.2084	kendall_0.395705	exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	gaussian-robustness	$\bar{S}$	-0.2172	max	-0.2172	kendall_0.423565	exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	gaussian-robustness	$\bar{S}$	-0.2206	max	-0.2206	kendall_0.404683	exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	gaussian-robustness	$\bar{S}$	-0.193	max	-0.193	kendall_0.387434	exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	gaussian-robustness	$\bar{S}$	-0.1678	max	-0.1678	kendall_0.389212	exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	gaussian-robustness	$\bar{S}$	-0.1718	max	-0.1718	kendall_0.399779	exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	gaussian-robustness	$\bar{S}$	-0.2204	max	-0.2204	kendall_0.31901	exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	gaussian-robustness	$\bar{S}$	-0.2322	max	-0.2322	kendall_0.656867	exact_distance	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	gaussian-robustness	$\bar{S}$	-0.2312	max	-0.2312	kendall_0.496275	exact_distance	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	gaussian-robustness	FSbar	-0.2478	max	-0.2478	kendall_0.458333	-exact_0.458333	-ds0002	ce	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	gaussian-robustness	FSbar	-0.2418	max	-0.2418	kendall_0.395705	-exact_0.395705	-ds0002	ce	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	gaussian-robustness	FSbar	-0.2496	max	-0.2496	kendall_0.423565	-exact_0.423565	-ds0002	ce	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	gaussian-robustness	FSbar	-0.2428	max	-0.2428	kendall_0.404683	-exact_0.404683	-ds0002	ce	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	gaussian-robustness	FSbar	-0.2444	max	-0.2444	kendall_0.387434	-exact_0.387434	-ds0002	ce	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	gaussian-robustness	FSbar	-0.2488	max	-0.2488	kendall_0.389212	-exact_0.389212	-ds0002	ce	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	gaussian-robustness	FSbar	-0.2488	max	-0.2488	kendall_0.399779	-exact_0.399779	-ds0002	ce	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	salt-pepper-0.05	robustness	FS	0.0684	max	0.0684	kendall_0.31901	-exact_0.31901	-ds0002	ce	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	salt-pepper-0.05	robustness	FS	0.0904	max	0.0904	kendall_0.656867	-exact_0.656867	-ds0002	ce	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	salt-pepper-0.05	robustness	FS	0.096	max	0.096	kendall_0.496275	-exact_0.496275	-ds0002	ce	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	salt-pepper-0.05	robustness	FS	0.094	max	0.094	kendall_0.458333	-exact_0.458333	-ds0002	ce	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	salt-pepper-0.05	robustness	FS	0.0952	max	0.0952	kendall_0.395705	-exact_0.395705	-ds0002	ce	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	salt-pepper-0.05	robustness	FS	0.087	max	0.087	kendall_0.423565	-exact_0.423565	-ds0002	ce	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	salt-pepper-0.05	robustness	FS	0.0958	max	0.0958	kendall_0.404683	-exact_0.404683	-ds0002	ce	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	salt-pepper-0.05	robustness	FS	0.1006	max	0.1006	kendall_0.387434	-exact_0.387434	-ds0002	ce	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	salt-pepper-0.05	robustness	FS	0.1044	max	0.1044	kendall_0.389212	-exact_0.389212	-ds0002	ce	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	salt-pepper-0.05	robustness	FS	0.1014	max	0.1014	kendall_0.399779	-exact_0.399779	-ds0002	ce	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	salt-pepper-0.05	robustness	FS	0.0684	max	0.0684	kendall_0.31901	-exact_0.31901	-ds0002	ce	1301.6	11	False	True	10	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	CS	0.079	max	0.079	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	CS	0.0854	max	0.0854	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	CS	0.084	max	0.084	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	CS	0.0964	max	0.0964	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	CS	0.0902	max	0.0902	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	CS	0.0896	max	0.0896	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	CS	0.103	max	0.103	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	CS	0.1054	max	0.1054	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	salt- pepper- 0.05	robustness	CS	0.1036	max	0.1036	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	salt- pepper- 0.05	robustness	CS	0.0676	max	0.0676	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	salt- pepper- 0.05	robustness	CS	0.0858	max	0.0858	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	salt- pepper- 0.05	robustness	CS	0.0946	max	0.0946	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	salt- pepper- 0.05	robustness	CS	0.093	max	0.093	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	salt- pepper- 0.05	robustness	CS	0.095	max	0.095	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	salt- pepper- 0.05	robustness	CS	0.0906	max	0.0906	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	salt- pepper- 0.05	robustness	CS	0.093	max	0.093	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	salt- pepper- 0.05	robustness	CS	0.0998	max	0.0998	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	salt- pepper- 0.05	robustness	CS	0.1014	max	0.1014	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	salt- pepper- 0.05	robustness	CS	0.1036	max	0.1036	kendall_0.399779	-exact_distance	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	salt- pepper- 0.05	robustness	CS	0.0684	max	0.0684	kendall_0.31901	-exact_distance	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	salt- pepper- 0.05	robustness	CS	0.0828	max	0.0828	kendall_0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	salt- pepper- 0.05	robustness	CS	0.0876	max	0.0876	kendall_0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	salt- pepper- 0.05	robustness	CS	0.0872	max	0.0872	kendall_0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	salt- pepper- 0.05	robustness	CS	0.0958	max	0.0958	kendall_0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	salt- pepper- 0.05	robustness	CS	0.0932	max	0.0932	kendall_0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	salt- pepper- 0.05	robustness	CS	0.0956	max	0.0956	kendall_0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	salt- pepper- 0.05	robustness	CS	0.0998	max	0.0998	kendall_0.387434	-exact_distance	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	salt- pepper- 0.05	robustness	CS	0.0984	max	0.0984	kendall_0.389212	-exact_distance	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	salt- pepper- 0.05	robustness	CS	0.1018	max	0.1018	kendall_0.399779	-exact_distance	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	salt- pepper- 0.05	robustness	CS	0.0714	max	0.0714	kendall_0.31901	-exact_distance	0.31901	1301.6	11	False	True	9	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	salt- pepper- 0.05	robustness	CS	0.0936	max	0.0936	kendall_0.656867	-exact_distance	0.656867	3573	11	False	True	9	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	salt- pepper- 0.05	robustness	CS	0.0948	max	0.0948	kendall_0.496275	-exact_distance	0.496275	4662	11	False	True	9	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	salt- pepper- 0.05	robustness	CS	0.0976	max	0.0976	kendall_0.458333	-exact_distance	0.458333	4759.3	11	False	True	9	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	salt- pepper- 0.05	robustness	CS	0.0984	max	0.0984	kendall_0.395705	-exact_distance	0.395705	5098.7	11	False	True	9	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	salt- pepper- 0.05	robustness	CS	0.0884	max	0.0884	kendall_0.423565	-exact_distance	0.423565	5036.4	11	False	True	9	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	salt- pepper- 0.05	robustness	CS	0.0956	max	0.0956	kendall_0.404683	-exact_distance	0.404683	5469.8	11	False	True	9	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	salt- pepper- 0.05	robustness	G	0.0986	max	0.0986	kendall_0.387434	-exact_-0.387434	-0.002	5646.5	11	False	True	9	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	salt- pepper- 0.05	robustness	G	0.0976	max	0.0976	kendall_0.389212	-exact_-0.389212	-0.002	5641.2	11	False	True	9	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	salt- pepper- 0.05	robustness	G	0.096	max	0.096	kendall_0.399779	-exact_-0.399779	-0.002	5940.5	11	True	True	9	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	kendall_0.31901	-exact_-0.31901	-0.002	1301.6	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt- pepper- 0.05	robustness	Gbar	-0.2354	max	-0.2354	kendall_0.656867	-exact_-0.656867	-0.002	3573	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt- pepper- 0.05	robustness	Gbar	-0.2144	max	-0.2144	kendall_0.496275	-exact_-0.496275	-0.002	4662	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt- pepper- 0.05	robustness	Gbar	-0.2212	max	-0.2212	kendall_0.458333	-exact_-0.458333	-0.002	4759.3	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt- pepper- 0.05	robustness	Gbar	-0.1932	max	-0.1932	kendall_0.395705	-exact_-0.395705	-0.002	5098.7	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	salt- pepper- 0.05	robustness	Gbar	-0.2024	max	-0.2024	kendall_0.423565	-exact_-0.423565	-0.002	5036.4	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	salt- pepper- 0.05	robustness	Gbar	-0.2006	max	-0.2006	kendall_0.404683	-exact_-0.404683	-0.002	5469.8	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	salt- pepper- 0.05	robustness	Gbar	-0.1756	max	-0.1756	kendall_0.387434	-exact_-0.387434	-0.002	5646.5	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	salt- pepper- 0.05	robustness	Gbar	-0.1668	max	-0.1668	kendall_0.389212	-exact_-0.389212	-0.002	5641.2	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	salt- pepper- 0.05	robustness	Gbar	-0.1616	max	-0.1616	kendall_0.399779	-exact_-0.399779	-0.002	5940.5	11	True	True	11	True	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	kendall_0.31901	-exact_-0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	kendall_0.656867	-exact_-0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2022	max	-0.2022	kendall_0.496275	-exact_-0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2104	max	-0.2104	kendall_0.458333	-exact_-0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1842	max	-0.1842	kendall_0.395705	-exact_-0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.195	max	-0.195	kendall_0.423565	-exact_-0.423565	-0.002	5036.4	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.203	max	-0.203	kendall_0.404683	-exact_-0.404683	-0.002	5469.8	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1702	max	-0.1702	kendall_0.387434	-exact_-0.387434	-0.002	5646.5	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1414	max	-0.1414	kendall_0.389212	-exact_-0.389212	-0.002	5641.2	11	False	True	10	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1464	max	-0.1464	kendall_0.399779	-exact_-0.399779	-0.002	5940.5	11	True	True	10	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2162	max	-0.2162	kendall_0.31901	-exact_-0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	salt- pepper- 0.05	robustness	Gbar	-0.205	max	-0.205	kendall_0.656867	-exact_-0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	salt- pepper- 0.05	robustness	Gbar	-0.196	max	-0.196	kendall_0.496275	-exact_-0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2082	max	-0.2082	kendall_0.458333	-exact_-0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	salt- pepper- 0.05	robustness	Gbar	-0.197	max	-0.197	kendall_0.395705	-exact_-0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	salt- pepper- 0.05	robustness	Gbar	-0.202	max	-0.202	kendall_0.423565	-exact_-0.423565	-0.002	5036.4	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2052	max	-0.2052	kendall_0.404683	-exact_-0.404683	-0.002	5469.8	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	salt- pepper- 0.05	robustness	Gbar	-0.1812	max	-0.1812	kendall_0.387434	-exact_-0.387434	-0.002	5646.5	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	salt- pepper- 0.05	robustness	Gbar	-0.1702	max	-0.1702	kendall_0.389212	-exact_-0.389212	-0.002	5641.2	11	False	True	10	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	salt- pepper- 0.05	robustness	Gbar	-0.172	max	-0.172	kendall_0.399779	-exact_-0.399779	-0.002	5940.5	11	True	True	10	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	kendall_0.31901	-exact_-0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	salt- pepper- 0.05	robustness	Gbar	-0.224	max	-0.224	kendall_0.656867	-exact_-0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2042	max	-0.2042	kendall_0.496275	-exact_-0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	salt- pepper- 0.05	robustness	-0.209	max	-0.209	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	salt- pepper- 0.05	robustness	-0.1912	max	-0.1912	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	salt- pepper- 0.05	robustness	-0.2144	max	-0.2144	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	salt- pepper- 0.05	robustness	-0.2084	max	-0.2084	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	salt- pepper- 0.05	robustness	-0.1674	max	-0.1674	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	salt- pepper- 0.05	robustness	-0.1476	max	-0.1476	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	10	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	salt- pepper- 0.05	robustness	-0.1586	max	-0.1586	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	10	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	salt- pepper- 0.05	robustness	-0.2192	max	-0.2192	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	salt- pepper- 0.05	robustness	-0.22	max	-0.22	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	salt- pepper- 0.05	robustness	-0.2168	max	-0.2168	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	4	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	salt- pepper- 0.05	robustness	-0.2268	max	-0.2268	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	salt- pepper- 0.05	robustness	-0.2256	max	-0.2256	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	salt- pepper- 0.05	robustness	-0.232	max	-0.232	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	salt- pepper- 0.05	robustness	-0.221	max	-0.221	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	salt- pepper- 0.05	robustness	-0.2226	max	-0.2226	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	salt- pepper- 0.05	robustness	-0.2214	max	-0.2214	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	salt- pepper- 0.05	robustness	-0.2214	max	-0.2214	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	4	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	salt- pepper- 0.05	robustness	0.0544	max	0.0544	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	6	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt- pepper- 0.05	robustness	F	0.0636	max	0.0636	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt- pepper- 0.05	robustness	F	0.0688	max	0.0688	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt- pepper- 0.05	robustness	F	0.0688	max	0.0688	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt- pepper- 0.05	robustness	F	0.0752	max	0.0752	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	6	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	salt- pepper- 0.05	robustness	F	0.063	max	0.063	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	salt- pepper- 0.05	robustness	F	0.0656	max	0.0656	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	salt- pepper- 0.05	robustness	F	0.0698	max	0.0698	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	salt- pepper- 0.05	robustness	F	0.074	max	0.074	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	salt- pepper- 0.05	robustness	F	0.0692	max	0.0692	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	6	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	salt- pepper- 0.05	robustness	F	0.0544	max	0.0544	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	F	0.0576	max	0.0576	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	F	0.0652	max	0.0652	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	F	0.063	max	0.063	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	F	0.0722	max	0.0722	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	F	0.0664	max	0.0664	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	F	0.063	max	0.063	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	F	0.0744	max	0.0744	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	F	0.079	max	0.079	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	10	True	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	salt- pepper- 0.05	robustness	0.0764	max	0.0764	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	salt- pepper- 0.05	robustness	0.0526	max	0.0526	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	salt- pepper- 0.05	robustness	0.068	max	0.068	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	salt- pepper- 0.05	robustness	0.0688	max	0.0688	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	salt- pepper- 0.05	robustness	0.0696	max	0.0696	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	salt- pepper- 0.05	robustness	0.0672	max	0.0672	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	salt- pepper- 0.05	robustness	0.0636	max	0.0636	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	salt- pepper- 0.05	robustness	0.0666	max	0.0666	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	salt- pepper- 0.05	robustness	0.0704	max	0.0704	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	salt- pepper- 0.05	robustness	0.072	max	0.072	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	salt- pepper- 0.05	robustness	0.0744	max	0.0744	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	salt- pepper- 0.05	robustness	0.0544	max	0.0544	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	salt- pepper- 0.05	robustness	0.062	max	0.062	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	salt- pepper- 0.05	robustness	0.0668	max	0.0668	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	salt- pepper- 0.05	robustness	0.0662	max	0.0662	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	salt- pepper- 0.05	robustness	0.0712	max	0.0712	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	salt- pepper- 0.05	robustness	0.0682	max	0.0682	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	salt- pepper- 0.05	robustness	0.0622	max	0.0622	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	salt- pepper- 0.05	robustness	F	0.0708	max	0.0708	kendall_0.387434-exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	salt- pepper- 0.05	robustness	F	0.0708	max	0.0708	kendall_0.389212-exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	salt- pepper- 0.05	robustness	F	0.0756	max	0.0756	kendall_0.399779-exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	salt- pepper- 0.05	robustness	F	0.0548	max	0.0548	kendall_0.31901-exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	salt- pepper- 0.05	robustness	F	0.0684	max	0.0684	kendall_0.656867-exact_distance	0.656867	0.656867	0.002	3573	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	salt- pepper- 0.05	robustness	F	0.0706	max	0.0706	kendall_0.496275-exact_distance	0.496275	0.496275	0.002	4662	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	salt- pepper- 0.05	robustness	F	0.0748	max	0.0748	kendall_0.458333-exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	salt- pepper- 0.05	robustness	F	0.0758	max	0.0758	kendall_0.395705-exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	6	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	salt- pepper- 0.05	robustness	F	0.067	max	0.067	kendall_0.423565-exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	salt- pepper- 0.05	robustness	F	0.0688	max	0.0688	kendall_0.404683-exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	salt- pepper- 0.05	robustness	F	0.0692	max	0.0692	kendall_0.387434-exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	salt- pepper- 0.05	robustness	F	0.069	max	0.069	kendall_0.389212-exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	salt- pepper- 0.05	robustness	F	0.0672	max	0.0672	kendall_0.399779-exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	6	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	salt- pepper- 0.05	robustness	Fbar	-0.1684	max	-0.1684	kendall_0.31901-exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt- pepper- 0.05	robustness	Fbar	-0.1874	max	-0.1874	kendall_0.656867-exact_distance	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt- pepper- 0.05	robustness	Fbar	-0.169	max	-0.169	kendall_0.496275-exact_distance	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt- pepper- 0.05	robustness	Fbar	-0.1748	max	-0.1748	kendall_0.458333-exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt- pepper- 0.05	robustness	Fbar	-0.1512	max	-0.1512	kendall_0.395705-exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	salt- pepper- 0.05	robustness	Fbar	-0.1562	max	-0.1562	kendall_0.423565	-exact_-0.423565	-0.002	5036.4	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	salt- pepper- 0.05	robustness	Fbar	-0.158	max	-0.158	kendall_0.404683	-exact_-0.404683	-0.002	5469.8	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	salt- pepper- 0.05	robustness	Fbar	-0.138	max	-0.138	kendall_0.387434	-exact_-0.387434	-0.002	5646.5	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	salt- pepper- 0.05	robustness	Fbar	-0.1326	max	-0.1326	kendall_0.389212	-exact_-0.389212	-0.002	5641.2	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	salt- pepper- 0.05	robustness	Fbar	-0.1228	max	-0.1228	kendall_0.399779	-exact_-0.399779	-0.002	5940.5	11	True	True	11	True	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1684	max	-0.1684	kendall_0.31901	-exact_-0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1678	max	-0.1678	kendall_0.656867	-exact_-0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1622	max	-0.1622	kendall_0.496275	-exact_-0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1718	max	-0.1718	kendall_0.458333	-exact_-0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1454	max	-0.1454	kendall_0.395705	-exact_-0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1602	max	-0.1602	kendall_0.423565	-exact_-0.423565	-0.002	5036.4	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1646	max	-0.1646	kendall_0.404683	-exact_-0.404683	-0.002	5469.8	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1324	max	-0.1324	kendall_0.387434	-exact_-0.387434	-0.002	5646.5	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1042	max	-0.1042	kendall_0.389212	-exact_-0.389212	-0.002	5641.2	11	False	True	10	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1096	max	-0.1096	kendall_0.399779	-exact_-0.399779	-0.002	5940.5	11	True	True	10	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1692	max	-0.1692	kendall_0.31901	-exact_-0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1558	max	-0.1558	kendall_0.656867	-exact_-0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1506	max	-0.1506	kendall_0.496275	-exact_-0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1666	max	-0.1666	kendall_0.458333-exact_ds0.002ce	0.458333	0.458333	4759.3	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	salt- pepper- 0.05	robustness	Fbar	-0.153	max	-0.153	kendall_0.395705-exact_ds0.002ce	0.395705	0.395705	5098.7	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1616	max	-0.1616	kendall_0.423565-exact_ds0.002ce	0.423565	0.423565	5036.4	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1652	max	-0.1652	kendall_0.404683-exact_ds0.002ce	0.404683	0.404683	5469.8	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1444	max	-0.1444	kendall_0.387434-exact_ds0.002ce	0.387434	0.387434	5646.5	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	salt- pepper- 0.05	robustness	Fbar	-0.1296	max	-0.1296	kendall_0.389212-exact_ds0.002ce	0.389212	0.389212	5641.2	11	False	True	10	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	salt- pepper- 0.05	robustness	Fbar	-0.132	max	-0.132	kendall_0.399779-exact_ds0.002ce	0.399779	0.399779	5940.5	11	True	True	10	False	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1684	max	-0.1684	kendall_0.31901-exact_ds0.002ce	0.31901	0.31901	1301.6	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	salt- pepper- 0.05	robustness	Fbar	-0.175	max	-0.175	kendall_0.656867-exact_ds0.002ce	0.656867	0.656867	3573	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1582	max	-0.1582	kendall_0.496275-exact_ds0.002ce	0.496275	0.496275	4662	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1688	max	-0.1688	kendall_0.458333-exact_ds0.002ce	0.458333	0.458333	4759.3	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1506	max	-0.1506	kendall_0.395705-exact_ds0.002ce	0.395705	0.395705	5098.7	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	salt- pepper- 0.05	robustness	Fbar	-0.171	max	-0.171	kendall_0.423565-exact_ds0.002ce	0.423565	0.423565	5036.4	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1696	max	-0.1696	kendall_0.404683-exact_ds0.002ce	0.404683	0.404683	5469.8	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1286	max	-0.1286	kendall_0.387434-exact_ds0.002ce	0.387434	0.387434	5646.5	11	False	True	10	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1122	max	-0.1122	kendall_0.389212-exact_ds0.002ce	0.389212	0.389212	5641.2	11	False	True	10	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	salt- pepper- 0.05	robustness	Fbar	-0.1222	max	-0.1222	kendall_0.399779-exact_ds0.002ce	0.399779	0.399779	5940.5	11	True	True	10	False	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	salt- pepper- 0.05	robustness	Fbar	-0.1706	max	-0.1706	kendall_0.31901-exact_ds0.002ce	0.31901	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1738	max	-0.1738	kendall_0.656867	0.656867	-exact_ds002	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1716	max	-0.1716	kendall_0.496275	0.496275	-exact_ds002	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1838	max	-0.1838	kendall_0.458333	0.458333	-exact_ds002	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.182	max	-0.182	kendall_0.395705	0.395705	-exact_ds002	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1876	max	-0.1876	kendall_0.423565	0.423565	-exact_ds002	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1786	max	-0.1786	kendall_0.404683	0.404683	-exact_ds002	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1818	max	-0.1818	kendall_0.387434	0.387434	-exact_ds002	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1798	max	-0.1798	kendall_0.389212	0.389212	-exact_ds002	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	galt- pepper- 0.05	robustness	FSbar	-0.1808	max	-0.1808	kendall_0.399779	0.399779	-exact_ds002	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	speckle- 0.15	robustness	CS	0.0252	max	0.0252	kendall_0.31901	0.31901	-exact_ds002	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	speckle- 0.15	robustness	CS	0.0236	max	0.0236	kendall_0.656867	0.656867	-exact_ds002	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	speckle- 0.15	robustness	CS	0.0326	max	0.0326	kendall_0.496275	0.496275	-exact_ds002	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	speckle- 0.15	robustness	CS	0.0324	max	0.0324	kendall_0.458333	0.458333	-exact_ds002	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	speckle- 0.15	robustness	CS	0.0354	max	0.0354	kendall_0.395705	0.395705	-exact_ds002	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	speckle- 0.15	robustness	CS	0.0278	max	0.0278	kendall_0.423565	0.423565	-exact_ds002	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	speckle- 0.15	robustness	CS	0.0322	max	0.0322	kendall_0.404683	0.404683	-exact_ds002	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	speckle- 0.15	robustness	CS	0.0332	max	0.0332	kendall_0.387434	0.387434	-exact_ds002	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	speckle- 0.15	robustness	CS	0.0346	max	0.0346	kendall_0.389212	0.389212	-exact_ds002	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	speckle- 0.15	robustness	0.0368	max	0.0368	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	speckle- 0.15	robustness	0.0252	max	0.0252	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	speckle- 0.15	robustness	0.0268	max	0.0268	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	speckle- 0.15	robustness	0.0286	max	0.0286	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	speckle- 0.15	robustness	0.0322	max	0.0322	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	speckle- 0.15	robustness	0.0354	max	0.0354	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	speckle- 0.15	robustness	0.0342	max	0.0342	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	speckle- 0.15	robustness	0.0312	max	0.0312	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	speckle- 0.15	robustness	0.042	max	0.042	kendall_	0.387434	-exact_	0.387434	0.002	5646.5	11	False	True	9	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	speckle- 0.15	robustness	0.0376	max	0.0376	kendall_	0.389212	-exact_	0.389212	0.002	5641.2	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	speckle- 0.15	robustness	0.04	max	0.04	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	9	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	speckle- 0.15	robustness	0.0224	max	0.0224	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	speckle- 0.15	robustness	0.028	max	0.028	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	speckle- 0.15	robustness	0.0298	max	0.0298	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	speckle- 0.15	robustness	0.0298	max	0.0298	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	speckle- 0.15	robustness	0.0336	max	0.0336	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	speckle- 0.15	robustness	0.0322	max	0.0322	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	speckle- 0.15	robustness	0.033	max	0.033	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	CS	0.0388	max	0.0388	kendall_0.387434	0.387434	-exact_distance	0.002	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	CS	0.0378	max	0.0378	kendall_0.389212	0.389212	-exact_distance	0.002	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	CS	0.04	max	0.04	kendall_0.399779	0.399779	-exact_distance	0.002	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	CS	0.0252	max	0.0252	kendall_0.31901	0.31901	-exact_distance	0.002	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	CS	0.0234	max	0.0234	kendall_0.656867	0.656867	-exact_distance	0.002	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	CS	0.0278	max	0.0278	kendall_0.496275	0.496275	-exact_distance	0.002	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	CS	0.0352	max	0.0352	kendall_0.458333	0.458333	-exact_distance	0.002	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	CS	0.0334	max	0.0334	kendall_0.395705	0.395705	-exact_distance	0.002	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	CS	0.031	max	0.031	kendall_0.423565	0.423565	-exact_distance	0.002	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	CS	0.0368	max	0.0368	kendall_0.404683	0.404683	-exact_distance	0.002	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	CS	0.036	max	0.036	kendall_0.387434	0.387434	-exact_distance	0.002	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	CS	0.0384	max	0.0384	kendall_0.389212	0.389212	-exact_distance	0.002	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	CS	0.041	max	0.041	kendall_0.399779	0.399779	-exact_distance	0.002	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	CS	0.0214	max	0.0214	kendall_0.31901	0.31901	-exact_distance	0.002	1301.6	11	False	True	5	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	CS	0.0322	max	0.0322	kendall_0.656867	0.656867	-exact_distance	0.002	3573	11	False	True	5	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	CS	0.0338	max	0.0338	kendall_0.496275	0.496275	-exact_distance	0.002	4662	11	False	True	5	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	CS	0.0352	max	0.0352	kendall_0.458333	0.458333	-exact_distance	0.002	4759.3	11	False	True	5	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	CS	0.0338	max	0.0338	kendall_0.395705	0.395705	-exact_distance	0.002	5098.7	11	False	True	5	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	G	0.028	max	0.028	kendall_0.423565	-exact_-ds0.002	0.423565	0.423565	0.002	5036.4	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	G	0.0338	max	0.0338	kendall_0.404683	-exact_-ds0.002	0.404683	0.404683	0.002	5469.8	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	G	0.0344	max	0.0344	kendall_0.387434	-exact_-ds0.002	0.387434	0.387434	0.002	5646.5	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	G	0.034	max	0.034	kendall_0.389212	-exact_-ds0.002	0.389212	0.389212	0.002	5641.2	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	speckle- 0.15	robustness	G	0.0322	max	0.0322	kendall_0.399779	-exact_-ds0.002	0.399779	0.399779	0.002	5940.5	11	True	True	5	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	speckle- 0.15	robustness	Gbar	-0.081	max	-0.081	kendall_0.31901	-exact_-ds0.002	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	speckle- 0.15	robustness	Gbar	-0.0886	max	-0.0886	kendall_0.656867	-exact_-ds0.002	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	speckle- 0.15	robustness	Gbar	-0.074	max	-0.074	kendall_0.496275	-exact_-ds0.002	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	speckle- 0.15	robustness	Gbar	-0.0784	max	-0.0784	kendall_0.458333	-exact_-ds0.002	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	speckle- 0.15	robustness	Gbar	-0.0738	max	-0.0738	kendall_0.395705	-exact_-ds0.002	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	speckle- 0.15	robustness	Gbar	-0.0826	max	-0.0826	kendall_0.423565	-exact_-ds0.002	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	speckle- 0.15	robustness	Gbar	-0.0808	max	-0.0808	kendall_0.404683	-exact_-ds0.002	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	speckle- 0.15	robustness	Gbar	-0.0726	max	-0.0726	kendall_0.387434	-exact_-ds0.002	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	speckle- 0.15	robustness	Gbar	-0.0634	max	-0.0634	kendall_0.389212	-exact_-ds0.002	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	speckle- 0.15	robustness	Gbar	-0.0544	max	-0.0544	kendall_0.399779	-exact_-ds0.002	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	speckle- 0.15	robustness	Gbar	-0.081	max	-0.081	kendall_0.31901	-exact_-ds0.002	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	speckle- 0.15	robustness	Gbar	-0.077	max	-0.077	kendall_0.656867	-exact_-ds0.002	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	speckle- 0.15	robustness	Gbar	-0.067	max	-0.067	kendall_0.496275	-exact_-ds0.002	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	speckle- 0.15	robustness	Gbar	-0.0778	max	-0.0778	kendall_0.458333	-exact_ds0.002	0.458333	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	speckle- 0.15	robustness	Gbar	-0.0656	max	-0.0656	kendall_0.395705	-exact_ds0.002	0.395705	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	speckle- 0.15	robustness	Gbar	-0.0668	max	-0.0668	kendall_0.423565	-exact_ds0.002	0.423565	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	speckle- 0.15	robustness	Gbar	-0.078	max	-0.078	kendall_0.404683	-exact_ds0.002	0.404683	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	speckle- 0.15	robustness	Gbar	-0.062	max	-0.062	kendall_0.387434	-exact_ds0.002	0.387434	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	speckle- 0.15	robustness	Gbar	-0.0544	max	-0.0544	kendall_0.389212	-exact_ds0.002	0.389212	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	speckle- 0.15	robustness	Gbar	-0.048	max	-0.048	kendall_0.399779	-exact_ds0.002	0.399779	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	speckle- 0.15	robustness	Gbar	-0.0828	max	-0.0828	kendall_0.31901	-exact_ds0.002	0.31901	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	speckle- 0.15	robustness	Gbar	-0.0708	max	-0.0708	kendall_0.656867	-exact_ds0.002	0.656867	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	speckle- 0.15	robustness	Gbar	-0.0664	max	-0.0664	kendall_0.496275	-exact_ds0.002	0.496275	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	speckle- 0.15	robustness	Gbar	-0.0746	max	-0.0746	kendall_0.458333	-exact_ds0.002	0.458333	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	speckle- 0.15	robustness	Gbar	-0.082	max	-0.082	kendall_0.395705	-exact_ds0.002	0.395705	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	speckle- 0.15	robustness	Gbar	-0.0862	max	-0.0862	kendall_0.423565	-exact_ds0.002	0.423565	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	kendall_0.404683	-exact_ds0.002	0.404683	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	Gbar	-0.0856	max	-0.0856	kendall_0.387434	-exact_ds0.002	0.387434	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	Gbar	-0.0692	max	-0.0692	kendall_0.389212	-exact_ds0.002	0.389212	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	Gbar	-0.066	max	-0.066	kendall_0.399779	-exact_ds0.002	0.399779	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	Gbar	-0.081	max	-0.081	kendall_0.31901	-exact_ds0.002	0.31901	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	Gbar	-0.079	max	-0.079	kendall_0.656867	-exact_ds0.656867	-0.002	3573	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	Gbar	-0.0732	max	-0.0732	kendall_0.496275	-exact_ds0.496275	-0.002	4662	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	Gbar	-0.0742	max	-0.0742	kendall_0.458333	-exact_ds0.458333	-0.002	4759.3	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	Gbar	-0.0708	max	-0.0708	kendall_0.395705	-exact_ds0.395705	-0.002	5098.7	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	Gbar	-0.0874	max	-0.0874	kendall_0.423565	-exact_ds0.423565	-0.002	5036.4	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	Gbar	-0.0858	max	-0.0858	kendall_0.404683	-exact_ds0.404683	-0.002	5469.8	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	Gbar	-0.0728	max	-0.0728	kendall_0.387434	-exact_ds0.387434	-0.002	5646.5	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	Gbar	-0.0562	max	-0.0562	kendall_0.389212	-exact_ds0.389212	-0.002	5641.2	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	Gbar	-0.056	max	-0.056	kendall_0.399779	-exact_ds0.399779	-0.002	5940.5	11	True	True	11	True	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	Gbar	-0.0818	max	-0.0818	kendall_0.31901	-exact_ds0.31901	-0.002	1301.6	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	Gbar	-0.0762	max	-0.0762	kendall_0.656867	-exact_ds0.656867	-0.002	3573	11	False	True	3	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	Gbar	-0.0796	max	-0.0796	kendall_0.496275	-exact_ds0.496275	-0.002	4662	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	Gbar	-0.0836	max	-0.0836	kendall_0.458333	-exact_ds0.458333	-0.002	4759.3	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	Gbar	-0.0788	max	-0.0788	kendall_0.395705	-exact_ds0.395705	-0.002	5098.7	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	Gbar	-0.088	max	-0.088	kendall_0.423565	-exact_ds0.423565	-0.002	5036.4	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	Gbar	-0.0808	max	-0.0808	kendall_0.404683	-exact_ds0.404683	-0.002	5469.8	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	Gbar	-0.079	max	-0.079	kendall_0.387434	-exact_ds0.387434	-0.002	5646.5	11	False	True	3	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	Gbar	-0.0808	max	-0.0808	kendall_0.389212	-exact_ds0.389212	-0.002	5641.2	11	False	True	3	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	speckle- 0.15	robustness	-0.0812	max	-0.0812	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	speckle- 0.15	robustness	0.0288	max	0.0288	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	speckle- 0.15	robustness	0.0238	max	0.0238	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	speckle- 0.15	robustness	0.0312	max	0.0312	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	speckle- 0.15	robustness	0.0274	max	0.0274	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	speckle- 0.15	robustness	0.033	max	0.033	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	6	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	speckle- 0.15	robustness	0.0262	max	0.0262	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	speckle- 0.15	robustness	0.0254	max	0.0254	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	speckle- 0.15	robustness	0.027	max	0.027	kendall_	0.387434	-exact_	0.387434	0.002	5646.5	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	speckle- 0.15	robustness	0.032	max	0.032	kendall_	0.389212	-exact_	0.389212	0.002	5641.2	11	False	True	6	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	speckle- 0.15	robustness	0.0266	max	0.0266	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	6	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	speckle- 0.15	robustness	0.0288	max	0.0288	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	speckle- 0.15	robustness	0.0268	max	0.0268	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	speckle- 0.15	robustness	0.0278	max	0.0278	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	speckle- 0.15	robustness	0.0292	max	0.0292	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	speckle- 0.15	robustness	0.0286	max	0.0286	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	speckle- 0.15	robustness	0.0324	max	0.0324	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	speckle- 0.15	robustness	0.026	max	0.026	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	9	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	speckle- 0.15	robustness	F	0.035	max	0.035	kendall_0.387434	0.387434	-exact_distance	0.002	5646.5	11	False	True	9	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	speckle- 0.15	robustness	F	0.0328	max	0.0328	kendall_0.389212	0.389212	-exact_distance	0.002	5641.2	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	speckle- 0.15	robustness	F	0.0324	max	0.0324	kendall_0.399779	0.399779	-exact_distance	0.002	5940.5	11	True	True	9	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	speckle- 0.15	robustness	F	0.026	max	0.026	kendall_0.31901	0.31901	-exact_distance	0.002	1301.6	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	speckle- 0.15	robustness	F	0.0308	max	0.0308	kendall_0.656867	0.656867	-exact_distance	0.002	3573	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	speckle- 0.15	robustness	F	0.029	max	0.029	kendall_0.496275	0.496275	-exact_distance	0.002	4662	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	speckle- 0.15	robustness	F	0.0256	max	0.0256	kendall_0.458333	0.458333	-exact_distance	0.002	4759.3	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	speckle- 0.15	robustness	F	0.028	max	0.028	kendall_0.395705	0.395705	-exact_distance	0.002	5098.7	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	speckle- 0.15	robustness	F	0.0268	max	0.0268	kendall_0.423565	0.423565	-exact_distance	0.002	5036.4	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	speckle- 0.15	robustness	F	0.0268	max	0.0268	kendall_0.404683	0.404683	-exact_distance	0.002	5469.8	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	F	0.0312	max	0.0312	kendall_0.387434	0.387434	-exact_distance	0.002	5646.5	11	False	True	9	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	F	0.0304	max	0.0304	kendall_0.389212	0.389212	-exact_distance	0.002	5641.2	11	False	True	9	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	F	0.0308	max	0.0308	kendall_0.399779	0.399779	-exact_distance	0.002	5940.5	11	True	True	9	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	F	0.0288	max	0.0288	kendall_0.31901	0.31901	-exact_distance	0.002	1301.6	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	F	0.0228	max	0.0228	kendall_0.656867	0.656867	-exact_distance	0.002	3573	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	F	0.0272	max	0.0272	kendall_0.496275	0.496275	-exact_distance	0.002	4662	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	F	0.0312	max	0.0312	kendall_0.458333	0.458333	-exact_distance	0.002	4759.3	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	F	0.029	max	0.029	kendall_0.395705	0.395705	-exact_distance	0.002	5098.7	11	False	True	11	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	F	0.0288	max	0.0288	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	F	0.0304	max	0.0304	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	F	0.0326	max	0.0326	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	F	0.0326	max	0.0326	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	F	0.0342	max	0.0342	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	F	0.0234	max	0.0234	kendall_0.311901	exact_distance	0.311901	0.002	1301.6	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	F	0.0306	max	0.0306	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	F	0.0314	max	0.0314	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	F	0.034	max	0.034	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	F	0.0348	max	0.0348	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	6	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	F	0.031	max	0.031	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	F	0.0244	max	0.0244	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	F	0.0248	max	0.0248	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	F	0.025	max	0.025	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	speckle- 0.15	robustness	F	0.024	max	0.024	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	6	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	speckle- 0.15	robustness	Fbar	-0.0616	max	-0.0616	kendall_0.311901	exact_distance	0.311901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	speckle- 0.15	robustness	Fbar	-0.0666	max	-0.0666	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	speckle- 0.15	robustness	Fbar	-0.0542	max	-0.0542	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	speckle- 0.15	robustness	Fbar	-0.0578	max	-0.0578	kendall_0.458333	-exact_0.458333	-0.002	-0.002	4759.3	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	speckle- 0.15	robustness	Fbar	-0.0564	max	-0.0564	kendall_0.395705	-exact_0.395705	-0.002	-0.002	5098.7	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	speckle- 0.15	robustness	Fbar	-0.0646	max	-0.0646	kendall_0.423565	-exact_0.423565	-0.002	-0.002	5036.4	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	speckle- 0.15	robustness	Fbar	-0.0612	max	-0.0612	kendall_0.404683	-exact_0.404683	-0.002	-0.002	5469.8	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	speckle- 0.15	robustness	Fbar	-0.0616	max	-0.0616	kendall_0.387434	-exact_0.387434	-0.002	-0.002	5646.5	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	speckle- 0.15	robustness	Fbar	-0.0518	max	-0.0518	kendall_0.389212	-exact_0.389212	-0.002	-0.002	5641.2	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	speckle- 0.15	robustness	Fbar	-0.04	max	-0.04	kendall_0.399779	-exact_0.399779	-0.002	-0.002	5940.5	11	True	True	11	True	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	speckle- 0.15	robustness	Fbar	-0.0616	max	-0.0616	kendall_0.31901	-exact_0.31901	-0.002	-0.002	1301.6	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	speckle- 0.15	robustness	Fbar	-0.0592	max	-0.0592	kendall_0.656867	-exact_0.656867	-0.002	-0.002	3573	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	speckle- 0.15	robustness	Fbar	-0.0514	max	-0.0514	kendall_0.496275	-exact_0.496275	-0.002	-0.002	4662	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	speckle- 0.15	robustness	Fbar	-0.0612	max	-0.0612	kendall_0.458333	-exact_0.458333	-0.002	-0.002	4759.3	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	speckle- 0.15	robustness	Fbar	-0.0486	max	-0.0486	kendall_0.395705	-exact_0.395705	-0.002	-0.002	5098.7	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	speckle- 0.15	robustness	Fbar	-0.0562	max	-0.0562	kendall_0.423565	-exact_0.423565	-0.002	-0.002	5036.4	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	speckle- 0.15	robustness	Fbar	-0.065	max	-0.065	kendall_0.404683	-exact_0.404683	-0.002	-0.002	5469.8	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	speckle- 0.15	robustness	Fbar	-0.0518	max	-0.0518	kendall_0.387434	-exact_0.387434	-0.002	-0.002	5646.5	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	speckle- 0.15	robustness	Fbar	-0.043	max	-0.043	kendall_0.389212	-exact_0.389212	-0.002	-0.002	5641.2	11	False	True	11	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	speckle- 0.15	robustness	Fbar	-0.0378	max	-0.0378	kendall_0.399779	-exact_0.399779	-0.002	-0.002	5940.5	11	True	True	11	True	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	speckle- 0.15	robustness	Fbar	-0.0642	max	-0.0642	kendall_0.31901	-exact_0.31901	-0.002	-0.002	1301.6	11	False	True	3	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	speckle- 0.15	robustness	FSbar	-0.0494	max	-0.0494	kendall_0.656867	0.656867	-exact_0.656867	-0.002	3573	11	False	True	3	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	speckle- 0.15	robustness	FSbar	-0.05	max	-0.05	kendall_0.496275	0.496275	-exact_0.496275	-0.002	4662	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	speckle- 0.15	robustness	FSbar	-0.0556	max	-0.0556	kendall_0.458333	0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	speckle- 0.15	robustness	FSbar	-0.0648	max	-0.0648	kendall_0.395705	0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	speckle- 0.15	robustness	FSbar	-0.0728	max	-0.0728	kendall_0.423565	0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	speckle- 0.15	robustness	FSbar	-0.076	max	-0.076	kendall_0.404683	0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	FSbar	-0.0722	max	-0.0722	kendall_0.387434	0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	FSbar	-0.057	max	-0.057	kendall_0.389212	0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	FSbar	-0.0516	max	-0.0516	kendall_0.399779	0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	3	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	FSbar	-0.0616	max	-0.0616	kendall_0.31901	0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	FSbar	-0.0614	max	-0.0614	kendall_0.656867	0.656867	-exact_0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	FSbar	-0.056	max	-0.056	kendall_0.496275	0.496275	-exact_0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	FSbar	-0.0584	max	-0.0584	kendall_0.458333	0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	FSbar	-0.051	max	-0.051	kendall_0.395705	0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	FSbar	-0.0728	max	-0.0728	kendall_0.423565	0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	FSbar	-0.073	max	-0.073	kendall_0.404683	0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	FSbar	-0.0588	max	-0.0588	kendall_0.387434	0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	FSbar	-0.044	max	-0.044	kendall_0.389212	0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	10	True	False	["Gradient	

cell	dataset	model	distance q	rule	condition	value	metric	value	objective	objective	fit	fit	fit	fit	p	mean	noise	selected	noise	best q	is opti-	q11 ref-	method
			model		kind				direction	value	model	statistic	score	value	distance		selected q	by noise	forced fall-back	q	mal q	erence	prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	FSbar	-0.0466	max	-0.0466	kendall_0.399779	-exact_0.399779	0.002	0.002	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	FSbar	-0.0636	max	-0.0636	kendall_0.31901	-exact_0.31901	0.002	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	FSbar	-0.0568	max	-0.0568	kendall_0.656867	-exact_0.656867	0.002	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	FSbar	-0.0616	max	-0.0616	kendall_0.496275	-exact_0.496275	0.002	0.002	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	FSbar	-0.0662	max	-0.0662	kendall_0.458333	-exact_0.458333	0.002	0.002	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	FSbar	-0.0624	max	-0.0624	kendall_0.395705	-exact_0.395705	0.002	0.002	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	FSbar	-0.069	max	-0.069	kendall_0.423565	-exact_0.423565	0.002	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	FSbar	-0.063	max	-0.063	kendall_0.404683	-exact_0.404683	0.002	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	FSbar	-0.063	max	-0.063	kendall_0.387434	-exact_0.387434	0.002	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	FSbar	-0.0654	max	-0.0654	kendall_0.389212	-exact_0.389212	0.002	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	speckle- 0.15	robustness	FSbar	-0.066	max	-0.066	kendall_0.399779	-exact_0.399779	0.002	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	clean	quality	C	0.1352	max	0.1352	spearman_0.586008	-multi0.586008	0.002	0.002	40627	11	False	synt	metric_2approx	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	clean	quality	C	0.0956	max	0.0956	spearman_0.647046	-multi0.647046	0.002	0.002	31086	11	False	synt	metric_2approx	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	clean	quality	C	0.1034	max	0.1034	spearman_0.470553	-multi0.470553	0.002	0.002	43612	11	False	synt	metric_2approx	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	clean	quality	C	0.1068	max	0.1068	spearman_0.469363	-multi0.469363	0.002	0.002	45223	11	False	synt	metric_2approx	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	clean	quality	C	0.1044	max	0.1044	spearman_0.412269	-multi0.412269	0.002	0.002	48013	11	False	synt	metric_2approx	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	clean	quality	C	0.1068	max	0.1068	spearman_0.443266	-multi0.443266	0.002	0.002	48116	11	False	synt	metric_2approx	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	clean	quality	C	0.0956	max	0.0956	spearman_0.413699	-multi0.413699	0.002	0.002	45666	11	False	synt	metric_2approx	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	clean	quality	C	0.0912	max	0.0912	spearman0.399149	vs_multi0.002	pos1.6729e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	clean	quality	C	0.0844	max	0.0844	spearman0.403753	vs_multi0.002	pos1.606e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	clean	quality	C	0.0802	max	0.0802	spearman0.411602	vs_multi0.002	pos1.1235e+05	force_biTrue	syTrue	metric_2	approx	False	ion	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	clean	quality	C	0.1352	max	0.1352	spearman0.586008	vs_multi0.002	pos4.0627e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	clean	quality	C	0.1362	max	0.1362	spearman0.647046	vs_multi0.002	pos3.1086e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	clean	quality	C	0.1362	max	0.1362	spearman0.470553	vs_multi0.002	pos4.3612e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	clean	quality	C	0.1234	max	0.1234	spearman0.469363	vs_multi0.002	pos4.5228e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	clean	quality	C	0.1142	max	0.1142	spearman0.412269	vs_multi0.002	pos4.8013e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	clean	quality	C	0.1134	max	0.1134	spearman0.443266	vs_multi0.002	pos4.8116e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	clean	quality	C	0.1136	max	0.1136	spearman0.413699	vs_multi0.002	pos4.4566e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	clean	quality	C	0.0994	max	0.0994	spearman0.399149	vs_multi0.002	pos1.6729e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	C	0.0912	max	0.0912	spearman0.403753	vs_multi0.002	pos1.606e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	clean	quality	C	0.0856	max	0.0856	spearman0.411602	vs_multi0.002	pos1.1235e+05	force_biTrue	syTrue	metric_3	approx	False	ion	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	clean	quality	C	0.1356	max	0.1356	spearman0.586008	vs_multi0.002	pos4.0627e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	clean	quality	C	0.123	max	0.123	spearman0.647046	vs_multi0.002	pos3.1086e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	clean	quality	C	0.1276	max	0.1276	spearman0.470553	vs_multi0.002	pos4.3612e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	clean	quality	C	0.1196	max	0.1196	spearman0.469363	vs_multi0.002	pos4.5228e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	clean	quality	C	0.1164	max	0.1164	spearman0.412269	vs_multi0.002	pos4.8013e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	C	0.1124	max	0.1124	spearman0.443266	0.443266	0.002	pos	1.8116e+05	inco	False	syn	metric2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	C	0.1074	max	0.1074	spearman0.413699	0.413699	0.002	pos	1.4566e+05	inco	False	syn	metric2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	C	0.1014	max	0.1014	spearman0.399149	0.399149	0.002	pos	1.6729e+05	inco	False	syn	metric2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	C	0.0946	max	0.0946	spearman0.403753	0.403753	0.002	pos	1.6066e+05	inco	False	syn	metric2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	clean	quality	C	0.0892	max	0.0892	spearman0.411602	0.411602	0.002	pos	1.1235e+05	inco	True	syn	metric2	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	clean	quality	C	0.1352	max	0.1352	spearman0.586008	0.586008	0.002	pos	1.0627e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	clean	quality	C	0.125	max	0.125	spearman0.647046	0.647046	0.002	pos	1.1086e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	clean	quality	C	0.1368	max	0.1368	spearman0.470553	0.470553	0.002	pos	1.3612e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	clean	quality	C	0.1182	max	0.1182	spearman0.469363	0.469363	0.002	pos	1.5228e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	clean	quality	C	0.1126	max	0.1126	spearman0.412269	0.412269	0.002	pos	1.8013e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	clean	quality	C	0.1152	max	0.1152	spearman0.443266	0.443266	0.002	pos	1.8116e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	clean	quality	C	0.1046	max	0.1046	spearman0.413699	0.413699	0.002	pos	1.4566e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	clean	quality	C	0.1002	max	0.1002	spearman0.399149	0.399149	0.002	pos	1.6729e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	C	0.0912	max	0.0912	spearman0.403753	0.403753	0.002	pos	1.6066e+05	inco	False	syn	metric4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	C	0.0848	max	0.0848	spearman0.411602	0.411602	0.002	pos	1.1235e+05	inco	True	syn	metric4	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	clean	quality	C	0.132	max	0.132	spearman0.586008	0.586008	0.002	pos	1.0627e+05	inco	False	syn	metric2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	clean	quality	C	0.1198	max	0.1198	spearman0.647046	0.647046	0.002	pos	1.1086e+05	inco	False	syn	metric2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	clean	quality	C	0.1216	max	0.1216	spearman0.470553	0.470553	0.002	pos	1.3612e+05	inco	False	syn	metric2	approx	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	clean	quality	C	0.1146	max	0.1146	spearman0.469363	0.469363	0.002	pos	1.5228	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	clean	quality	C	0.1158	max	0.1158	spearman0.412269	0.412269	0.002	pos	1.8013	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	clean	quality	C	0.1172	max	0.1172	spearman0.443266	0.443266	0.002	pos	1.8113	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	clean	quality	C	0.1056	max	0.1056	spearman0.413699	0.413699	0.002	pos	1.4566	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	clean	quality	C	0.1032	max	0.1032	spearman0.399149	0.399149	0.002	pos	1.6729	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	clean	quality	C	0.103	max	0.103	spearman0.403753	0.403753	0.002	pos	1.6066	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	clean	quality	C	0.1032	max	0.1032	spearman0.411602	0.411602	0.002	pos	1.1235	+0.05	force_b	True	synt	metric_2	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	clean	quality	Cbar	0.146	min	-0.146	spearman0.586008	0.586008	0.002	pos	1.0627	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	clean	quality	Cbar	0.1508	min	-0.1508	spearman0.647046	0.647046	0.002	pos	1.1086	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	clean	quality	Cbar	0.1572	min	-0.1572	spearman0.470553	0.470553	0.002	pos	1.3612	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	clean	quality	Cbar	0.1632	min	-0.1632	spearman0.469363	0.469363	0.002	pos	1.5228	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	clean	quality	Cbar	0.1876	min	-0.1876	spearman0.412269	0.412269	0.002	pos	1.8013	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	clean	quality	Cbar	0.1864	min	-0.1864	spearman0.443266	0.443266	0.002	pos	1.8113	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	clean	quality	Cbar	0.1866	min	-0.1866	spearman0.413699	0.413699	0.002	pos	1.4566	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	clean	quality	Cbar	0.2224	min	-0.2224	spearman0.399149	0.399149	0.002	pos	1.6729	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	clean	quality	Cbar	0.2628	min	-0.2628	spearman0.403753	0.403753	0.002	pos	1.6066	+0.05	force_b	False	synt	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	clean	quality	Cbar	0.2866	min	-0.2866	spearman0.411602	0.411602	0.002	pos	1.1235	+0.05	force_b	True	synt	metric_2	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	clean	quality	Cbar	0.146	min	-0.146	spearman0.586008	0.586008	0.002	pos	1.0627	+0.05	force_b	False	synt	metric_4	approx	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	clean	quality	Cbar	0.1464	min	-0.1464	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	clean	quality	Cbar	0.1458	min	-0.1458	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	clean	quality	Cbar	0.1714	min	-0.1714	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	clean	quality	Cbar	0.2028	min	-0.2028	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	clean	quality	Cbar	0.2112	min	-0.2112	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8113e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	clean	quality	Cbar	0.201	min	-0.201	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	clean	quality	Cbar	0.2544	min	-0.2544	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	Cbar	0.317	min	-0.317	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	inforce_bifalse	synTmetric4	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	clean	quality	Cbar	0.3318	min	-0.3318	spearman0.411602	0.411602	0.411602	0.411602	0.002	pos1.1235e+05	inforce_bifalse	synTmetric4	approxifusion	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	clean	quality	Cbar	0.1442	min	-0.1442	spearman0.586008	0.586008	0.586008	0.586008	0.002	pos1.0627e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	clean	quality	Cbar	0.1468	min	-0.1468	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	clean	quality	Cbar	0.1462	min	-0.1462	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	clean	quality	Cbar	0.1572	min	-0.1572	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	clean	quality	Cbar	0.1782	min	-0.1782	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	Cbar	0.1852	min	-0.1852	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8113e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	Cbar	0.1854	min	-0.1854	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	Cbar	0.2236	min	-0.2236	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	Cbar	0.27	min	-0.27	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	inforce_bifalse	synTmetric2	approxifusion	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	rrf	clean	quality	Cbar	0.2798	min	-0.2798	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	clean	quality	Cbar	0.146	min	-0.146	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	clean	quality	Cbar	0.1484	min	-0.1484	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	clean	quality	Cbar	0.1458	min	-0.1458	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	clean	quality	Cbar	0.1636	min	-0.1636	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	clean	quality	Cbar	0.1886	min	-0.1886	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	clean	quality	Cbar	0.183	min	-0.183	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	clean	quality	Cbar	0.189	min	-0.189	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	clean	quality	Cbar	0.2294	min	-0.2294	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	Cbar	0.2956	min	-0.2956	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	Cbar	0.2966	min	-0.2966	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_4approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	clean	quality	Cbar	0.1484	min	-0.1484	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	clean	quality	Cbar	0.1478	min	-0.1478	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	clean	quality	Cbar	0.147	min	-0.147	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	clean	quality	Cbar	0.1524	min	-0.1524	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	clean	quality	Cbar	0.1532	min	-0.1532	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	clean	quality	Cbar	0.1576	min	-0.1576	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	clean	quality	Cbar	0.1706	min	-0.1706	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_4approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	clean	quality	F	0.0716	max	0.0716	spearman0.443266 _vs_multi0.002	0.443266	posad1.8116e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	clean	quality	F	0.0738	max	0.0738	spearman0.413699 _vs_multi0.002	0.413699	posad1.4566e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	clean	quality	F	0.0624	max	0.0624	spearman0.399149 _vs_multi0.002	0.399149	posad1.6729e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	F	0.0542	max	0.0542	spearman0.403753 _vs_multi0.002	0.403753	posad1.6066e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	clean	quality	F	0.05	max	0.05	spearman0.411602 _vs_multi0.002	0.411602	posad1.1235e+05	inced_bifalse	syTmetric3approxifalsion	True	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	clean	quality	F	0.0872	max	0.0872	spearman0.586008 _vs_multi0.002	0.586008	posad1.0627e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	clean	quality	F	0.0726	max	0.0726	spearman0.647046 _vs_multi0.002	0.647046	posad1.1086e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	clean	quality	F	0.0804	max	0.0804	spearman0.470553 _vs_multi0.002	0.470553	posad1.3612e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	clean	quality	F	0.0762	max	0.0762	spearman0.469363 _vs_multi0.002	0.469363	posad1.5228e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	clean	quality	F	0.0738	max	0.0738	spearman0.412269 _vs_multi0.002	0.412269	posad1.8013e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	F	0.073	max	0.073	spearman0.443266 _vs_multi0.002	0.443266	posad1.8116e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	F	0.0688	max	0.0688	spearman0.413699 _vs_multi0.002	0.413699	posad1.4566e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	F	0.0634	max	0.0634	spearman0.399149 _vs_multi0.002	0.399149	posad1.6729e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	F	0.0574	max	0.0574	spearman0.403753 _vs_multi0.002	0.403753	posad1.6066e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	clean	quality	F	0.0538	max	0.0538	spearman0.411602 _vs_multi0.002	0.411602	posad1.1235e+05	inced_bifalse	syTmetric2approxifalsion	True	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	clean	quality	F	0.0864	max	0.0864	spearman0.586008 _vs_multi0.002	0.586008	posad1.0627e+05	inced_bifalse	syTmetric4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	clean	quality	F	0.0764	max	0.0764	spearman0.647046 _vs_multi0.002	0.647046	posad1.1086e+05	inced_bifalse	syTmetric4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	clean	quality	F	0.0874	max	0.0874	spearman0.470553 _vs_multi0.002	0.470553	posad1.3612e+05	inced_bifalse	syTmetric4approxifalsion	False	["GradientAttention					

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	clean	quality	F	0.0742	max	0.0742	spearman0.469363	vs_multi0.002	posad1.5228+05	nce_biFalse_syTme	metric_4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	clean	quality	F	0.0698	max	0.0698	spearman0.412269	vs_multi0.002	posad1.8013+05	nce_biFalse_syTme	metric_4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	clean	quality	F	0.0726	max	0.0726	spearman0.443266	vs_multi0.002	posad1.8116+05	nce_biFalse_syTme	metric_4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	clean	quality	F	0.0684	max	0.0684	spearman0.413699	vs_multi0.002	posad1.4566+05	nce_biFalse_syTme	metric_4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	clean	quality	F	0.0614	max	0.0614	spearman0.399149	vs_multi0.002	posad1.6729+05	nce_biFalse_syTme	metric_4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	F	0.0552	max	0.0552	spearman0.403753	vs_multi0.002	posad1.6066+05	nce_biFalse_syTme	metric_4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	F	0.0488	max	0.0488	spearman0.411602	vs_multi0.002	posad1.1235+05	nce_biTrue_syTme	metric_4approxifalsion	True	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavglean	quality	F	0.0852	max	0.0852	spearman0.586008	vs_multi0.002	posad0.627	portance_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavglean	quality	F	0.0734	max	0.0734	spearman0.647046	vs_multi0.002	posad1.1086+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavglean	quality	F	0.0748	max	0.0748	spearman0.470553	vs_multi0.002	posad1.3612+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavglean	quality	F	0.0686	max	0.0686	spearman0.469363	vs_multi0.002	posad1.5228+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavglean	quality	F	0.0692	max	0.0692	spearman0.412269	vs_multi0.002	posad1.8013+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavglean	quality	F	0.0696	max	0.0696	spearman0.443266	vs_multi0.002	posad1.8116+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavglean	quality	F	0.0662	max	0.0662	spearman0.413699	vs_multi0.002	posad1.4566+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavglean	quality	F	0.0648	max	0.0648	spearman0.399149	vs_multi0.002	posad1.6729+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavglean	quality	F	0.064	max	0.064	spearman0.403753	vs_multi0.002	posad1.6066+05	nce_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavglean	quality	F	0.0642	max	0.0642	spearman0.411602	vs_multi0.002	posad1.1235+05	nce_biTrue_syTme	metric_2approxifalsion	True	["GradientAttention						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	clean	quality	Fbar	0.0928	min	-0.0928	spearman0.586008	vs_multi0.002	posad0.627	portance_biFalse_syTme	metric_2approxifalsion	False	["GradientAttention					

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	clean	quality	Fbar	0.1026	min	-0.1026	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	clean	quality	Fbar	0.1076	min	-0.1076	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	clean	quality	Fbar	0.1114	min	-0.1114	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	clean	quality	Fbar	0.1326	min	-0.1326	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	clean	quality	Fbar	0.1326	min	-0.1326	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	clean	quality	Fbar	0.1334	min	-0.1334	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	clean	quality	Fbar	0.1634	min	-0.1634	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	clean	quality	Fbar	0.2012	min	-0.2012	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric2	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	clean	quality	Fbar	0.2256	min	-0.2256	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	inforce_bifalse	syTmetric2	approxifalsion	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	clean	quality	Fbar	0.0928	min	-0.0928	spearman0.586008	0.586008	0.586008	multi0.002	posad1.0627e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	clean	quality	Fbar	0.0946	min	-0.0946	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	clean	quality	Fbar	0.0922	min	-0.0922	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	clean	quality	Fbar	0.1154	min	-0.1154	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	clean	quality	Fbar	0.1464	min	-0.1464	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	clean	quality	Fbar	0.152	min	-0.152	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	clean	quality	Fbar	0.143	min	-0.143	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	clean	quality	Fbar	0.1934	min	-0.1934	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	Fbar	0.2546	min	-0.2546	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric4	approxifalsion	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	kemeny	clean	quality	Fbar	0.2684	min	-0.2684	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_4approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	clean	quality	Fbar	0.092	min	-0.092	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	clean	quality	Fbar	0.096	min	-0.096	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	clean	quality	Fbar	0.096	min	-0.096	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	clean	quality	Fbar	0.105	min	-0.105	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	clean	quality	Fbar	0.1246	min	-0.1246	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	Fbar	0.1278	min	-0.1278	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	Fbar	0.127	min	-0.127	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	Fbar	0.1624	min	-0.1624	spearman	0.399149	0.399149	0.399149	0.002	pos	4.6729e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	Fbar	0.2086	min	-0.2086	spearman	0.403753	0.403753	0.403753	0.002	pos	4.6066e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	clean	quality	Fbar	0.2172	min	-0.2172	spearman	0.411602	0.411602	0.411602	0.002	pos	4.1235e+05	importance_bif	True	sy	True	metric_2approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	clean	quality	Fbar	0.0928	min	-0.0928	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	clean	quality	Fbar	0.0978	min	-0.0978	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	clean	quality	Fbar	0.0952	min	-0.0952	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	clean	quality	Fbar	0.109	min	-0.109	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	clean	quality	Fbar	0.1338	min	-0.1338	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	clean	quality	Fbar	0.1302	min	-0.1302	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	clean	quality	Fbar	0.1302	min	-0.1302	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	importance_bif	False	sy	True	metric_2approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	schulze	clean	quality	Fbar	0.1726	min	-0.1726	spearman	0.399149	0.399149	multi0.002	posad1.6729e+05	posance_bifalse_sy	True	metric_2	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	schulze	clean	quality	Fbar	0.2342	min	-0.2342	spearman	0.403753	0.403753	multi0.002	posad1.606e+05	posance_bifalse_sy	True	metric_2	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	schulze	clean	quality	Fbar	0.2336	min	-0.2336	spearman	0.411602	0.411602	multi0.002	posad1.1235e+05	posance_bifalse_sy	True	metric_2	approx	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.0966	min	-0.0966	spearman	0.586008	0.586008	multi0.002	posad0.627e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.097	min	-0.097	spearman	0.647046	0.647046	multi0.002	posad1.1086e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.0956	min	-0.0956	spearman	0.470553	0.470553	multi0.002	posad1.3612e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.1002	min	-0.1002	spearman	0.469363	0.469363	multi0.002	posad1.5228e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.0998	min	-0.0998	spearman	0.412269	0.412269	multi0.002	posad1.8013e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.1038	min	-0.1038	spearman	0.443266	0.443266	multi0.002	posad1.811e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.1152	min	-0.1152	spearman	0.413699	0.413699	multi0.002	posad1.4566e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.1164	min	-0.1164	spearman	0.399149	0.399149	multi0.002	posad1.6729e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.1176	min	-0.1176	spearman	0.403753	0.403753	multi0.002	posad1.606e+05	posance_bifalse_sy	True	metric_4	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	simpleavg	clean	quality	Fbar	0.1174	min	-0.1174	spearman	0.411602	0.411602	multi0.002	posad1.1235e+05	posance_bifalse_sy	True	metric_4	approx	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	borda	adversarial	robustness	G	0.091	max	0.091	spearman	0.586008	0.586008	multi0.002	posad0.627e+05	posance_bifalse_sy	True	metric_3	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	borda	adversarial	robustness	G	0.1214	max	0.1214	spearman	0.647046	0.647046	multi0.002	posad1.1086e+05	posance_bifalse_sy	True	metric_3	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	borda	adversarial	robustness	G	0.1042	max	0.1042	spearman	0.470553	0.470553	multi0.002	posad1.3612e+05	posance_bifalse_sy	True	metric_3	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	borda	adversarial	robustness	G	0.0962	max	0.0962	spearman	0.469363	0.469363	multi0.002	posad1.5228e+05	posance_bifalse_sy	True	metric_3	approx	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	borda	adversarial	robustness	G	0.092	max	0.092	spearman	0.412269	0.412269	multi0.002	posad1.8013e+05	posance_bifalse_sy	True	metric_3	approx	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	adversarial	robustness	G	0.0864	max	0.0864	spearman0.469363	vs_multi0.002	0.469363	posad1.5228	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	adversarial	robustness	G	0.0834	max	0.0834	spearman0.412269	vs_multi0.002	0.412269	posad1.8013	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	adversarial	robustness	G	0.0876	max	0.0876	spearman0.443266	vs_multi0.002	0.443266	posad1.8116	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	adversarial	robustness	G	0.0866	max	0.0866	spearman0.413699	vs_multi0.002	0.413699	posad1.4566	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	adversarial	robustness	G	0.0862	max	0.0862	spearman0.399149	vs_multi0.002	0.399149	posad1.6729	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	adversarial	robustness	G	0.0846	max	0.0846	spearman0.403753	vs_multi0.002	0.403753	posad1.6066	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	adversarial	robustness	G	0.0886	max	0.0886	spearman0.411602	vs_multi0.002	0.411602	posad1.1235	+0.05	force_bifalse	syTmetric3	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	adversarial	robustness	G	0.091	max	0.091	spearman0.586008	vs_multi0.002	0.586008	posad1.0627	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	adversarial	robustness	G	0.0968	max	0.0968	spearman0.647046	vs_multi0.002	0.647046	posad1.1086	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	adversarial	robustness	G	0.0834	max	0.0834	spearman0.470553	vs_multi0.002	0.470553	posad1.3612	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	adversarial	robustness	G	0.0912	max	0.0912	spearman0.469363	vs_multi0.002	0.469363	posad1.5228	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	adversarial	robustness	G	0.0856	max	0.0856	spearman0.412269	vs_multi0.002	0.412269	posad1.8013	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	adversarial	robustness	G	0.0804	max	0.0804	spearman0.443266	vs_multi0.002	0.443266	posad1.8116	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	adversarial	robustness	G	0.0892	max	0.0892	spearman0.413699	vs_multi0.002	0.413699	posad1.4566	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	adversarial	robustness	G	0.083	max	0.083	spearman0.399149	vs_multi0.002	0.399149	posad1.6729	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	G	0.0852	max	0.0852	spearman0.403753	vs_multi0.002	0.403753	posad1.6066	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	G	0.0904	max	0.0904	spearman0.411602	vs_multi0.002	0.411602	posad1.1235	+0.05	force_bifalse	syTmetric3	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	adversarial	robustness	G	0.0934	max	0.0934	spearman0.586008	vs_multi0.002	0.586008	posad1.0627	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	adversarial	robustness	G	0.0928	max	0.0928	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	adversarial	robustness	G	0.083	max	0.083	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	adversarial	robustness	G	0.0836	max	0.0836	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	adversarial	robustness	G	0.078	max	0.078	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	adversarial	robustness	G	0.0782	max	0.0782	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8116e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	adversarial	robustness	G	0.0822	max	0.0822	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	adversarial	robustness	G	0.0842	max	0.0842	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	G	0.08	max	0.08	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	adversarial	robustness	G	0.0788	max	0.0788	spearman0.411602	0.411602	0.411602	0.411602	0.002	pos1.1235e+05	force_bifalse	syTmetric2	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	adversarial	robustness	Gbar	-0.2096	max	-0.2096	spearman0.586008	0.586008	0.586008	0.586008	0.002	pos1.0627e+05	portance_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	adversarial	robustness	Gbar	-0.201	max	-0.201	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	adversarial	robustness	Gbar	-0.2358	max	-0.2358	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	adversarial	robustness	Gbar	-0.2572	max	-0.2572	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	adversarial	robustness	Gbar	-0.264	max	-0.264	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	adversarial	robustness	Gbar	-0.2686	max	-0.2686	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8116e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	adversarial	robustness	Gbar	-0.2654	max	-0.2654	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	adversarial	robustness	Gbar	-0.2664	max	-0.2664	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	adversarial	robustness	Gbar	-0.2626	max	-0.2626	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	force_bifalse	syTmetric3	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	borda	adversarial	robustness	Gbar	-0.2556	max	-0.2556	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1835e+05	force_bi	True	sy	True	metric_3	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	adversarial	robustness	Gbar	-0.2096	max	-0.2096	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	adversarial	robustness	Gbar	-0.2164	max	-0.2164	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	adversarial	robustness	Gbar	-0.239	max	-0.239	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	adversarial	robustness	Gbar	-0.2498	max	-0.2498	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	adversarial	robustness	Gbar	-0.2486	max	-0.2486	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	adversarial	robustness	Gbar	-0.2376	max	-0.2376	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	adversarial	robustness	Gbar	-0.2486	max	-0.2486	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	adversarial	robustness	Gbar	-0.246	max	-0.246	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	adversarial	robustness	Gbar	-0.234	max	-0.234	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bi	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	adversarial	robustness	Gbar	-0.2166	max	-0.2166	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1835e+05	force_bi	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	adversarial	robustness	Gbar	-0.2102	max	-0.2102	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	adversarial	robustness	Gbar	-0.2064	max	-0.2064	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	adversarial	robustness	Gbar	-0.2372	max	-0.2372	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	adversarial	robustness	Gbar	-0.268	max	-0.268	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	adversarial	robustness	Gbar	-0.2666	max	-0.2666	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	adversarial	robustness	Gbar	-0.2614	max	-0.2614	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	adversarial	robustness	Gbar	-0.2572	max	-0.2572	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bi	False	sy	True	metric_3	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	adversarial	robustness	Gbar	-0.2636	max	-0.2636	spearman0.399149	0.399149	multi0.002	posad1.6729e+05	0.6729e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	adversarial	robustness	Gbar	-0.2502	max	-0.2502	spearman0.403753	0.403753	multi0.002	posad1.606e+05	1.606e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	adversarial	robustness	Gbar	-0.2434	max	-0.2434	spearman0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235e+05	ance_b	True	sy	True	metric_3	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	adversarial	robustness	Gbar	-0.2096	max	-0.2096	spearman0.586008	0.586008	multi0.002	posad0.627e+05	0.627e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	adversarial	robustness	Gbar	-0.1992	max	-0.1992	spearman0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	adversarial	robustness	Gbar	-0.2324	max	-0.2324	spearman0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	adversarial	robustness	Gbar	-0.2574	max	-0.2574	spearman0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	adversarial	robustness	Gbar	-0.267	max	-0.267	spearman0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	adversarial	robustness	Gbar	-0.2672	max	-0.2672	spearman0.443266	0.443266	multi0.002	posad1.8116e+05	1.8116e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	adversarial	robustness	Gbar	-0.2616	max	-0.2616	spearman0.413699	0.413699	multi0.002	posad1.4566e+05	1.4566e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	adversarial	robustness	Gbar	-0.2596	max	-0.2596	spearman0.399149	0.399149	multi0.002	posad1.6729e+05	1.6729e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	Gbar	-0.244	max	-0.244	spearman0.403753	0.403753	multi0.002	posad1.606e+05	1.606e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	Gbar	-0.2418	max	-0.2418	spearman0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235e+05	ance_b	True	sy	True	metric_3	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	adversarial	robustness	Gbar	-0.2052	max	-0.2052	spearman0.586008	0.586008	multi0.002	posad0.627e+05	0.627e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	adversarial	robustness	Gbar	-0.2038	max	-0.2038	spearman0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	adversarial	robustness	Gbar	-0.2204	max	-0.2204	spearman0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	adversarial	robustness	Gbar	-0.2532	max	-0.2532	spearman0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	adversarial	robustness	Gbar	-0.262	max	-0.262	spearman0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013e+05	ance_b	False	sy	True	metric_3	approx	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	adversarial	robustness	Gbar	-0.2722	max	-0.2722	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	adversarial	robustness	Gbar	-0.2576	max	-0.2576	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	adversarial	robustness	Gbar	-0.2738	max	-0.2738	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	Gbar	-0.284	max	-0.284	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	adversarial	robustness	Gbar	-0.2848	max	-0.2848	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inco_b	True	syTmetric3	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	adversarial	robustness	G	0.076	max	0.076	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	adversarial	robustness	G	0.1022	max	0.1022	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	adversarial	robustness	G	0.0902	max	0.0902	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	adversarial	robustness	G	0.0782	max	0.0782	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	adversarial	robustness	G	0.0778	max	0.0778	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	adversarial	robustness	G	0.0726	max	0.0726	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	adversarial	robustness	G	0.0808	max	0.0808	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	adversarial	robustness	G	0.0718	max	0.0718	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	adversarial	robustness	G	0.0718	max	0.0718	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	adversarial	robustness	G	0.0736	max	0.0736	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inco_b	True	syTmetric3	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	adversarial	robustness	G	0.076	max	0.076	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	kemeny	adversarial	robustness	G	0.077	max	0.077	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	kemeny	adversarial	robustness	G	0.0766	max	0.0766	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inco_b	False	syTmetric3	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	adversarial	robustness	F	0.079	max	0.079	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	adversarial	robustness	F	0.0706	max	0.0706	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	adversarial	robustness	F	0.0744	max	0.0744	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	adversarial	robustness	F	0.0698	max	0.0698	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	adversarial	robustness	F	0.065	max	0.065	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	adversarial	robustness	F	0.0692	max	0.0692	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	adversarial	robustness	F	0.0642	max	0.0642	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	F	0.0652	max	0.0652	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inco_bifalse	syTmetric3	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	F	0.072	max	0.072	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inco_bifalse	syTmetric3	approxifusion	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	adversarial	robustness	F	0.0772	max	0.0772	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	portance_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	adversarial	robustness	F	0.0752	max	0.0752	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	adversarial	robustness	F	0.0676	max	0.0676	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	adversarial	robustness	F	0.0688	max	0.0688	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	adversarial	robustness	F	0.0648	max	0.0648	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	adversarial	robustness	F	0.0646	max	0.0646	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	adversarial	robustness	F	0.0672	max	0.0672	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	adversarial	robustness	F	0.0672	max	0.0672	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	F	0.065	max	0.065	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inco_bifalse	syTmetric2	approxifusion	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	simpleavg	adversarial	robustness	F	0.0632	max	0.0632	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric2	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	adversarial	robustness	Fbar	-0.2034	max	-0.2034	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	adversarial	robustness	Fbar	-0.1906	max	-0.1906	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	adversarial	robustness	Fbar	-0.2242	max	-0.2242	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	adversarial	robustness	Fbar	-0.248	max	-0.248	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5228e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	adversarial	robustness	Fbar	-0.256	max	-0.256	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	adversarial	robustness	Fbar	-0.2546	max	-0.2546	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	adversarial	robustness	Fbar	-0.2486	max	-0.2486	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	adversarial	robustness	Fbar	-0.257	max	-0.257	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	adversarial	robustness	Fbar	-0.254	max	-0.254	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	adversarial	robustness	Fbar	-0.2438	max	-0.2438	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric3	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	adversarial	robustness	Fbar	-0.2034	max	-0.2034	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	adversarial	robustness	Fbar	-0.207	max	-0.207	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	adversarial	robustness	Fbar	-0.2344	max	-0.2344	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	adversarial	robustness	Fbar	-0.2416	max	-0.2416	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5228e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	adversarial	robustness	Fbar	-0.2386	max	-0.2386	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	adversarial	robustness	Fbar	-0.2282	max	-0.2282	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	adversarial	robustness	Fbar	-0.2356	max	-0.2356	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric2	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	kemeny	adversarial	robustness	Fbar	-0.2382	max	-0.2382	spearman0.399149	0.399149	0.399149	0.399149	0.6729	0.6729	0.6729	0.6729	0.6729	0.6729	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	kemeny	adversarial	robustness	Fbar	-0.2262	max	-0.2262	spearman0.403753	0.403753	0.403753	0.403753	0.6066	0.6066	0.6066	0.6066	0.6066	0.6066	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	kemeny	adversarial	robustness	Fbar	-0.2106	max	-0.2106	spearman0.411602	0.411602	0.411602	0.411602	0.1235	0.1235	0.1235	0.1235	0.1235	0.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	rrf	adversarial	robustness	Fbar	-0.204	max	-0.204	spearman0.586008	0.586008	0.586008	0.586008	0.627	0.627	0.627	0.627	0.627	0.627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	rrf	adversarial	robustness	Fbar	-0.2022	max	-0.2022	spearman0.647046	0.647046	0.647046	0.647046	0.1086	0.1086	0.1086	0.1086	0.1086	0.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	rrf	adversarial	robustness	Fbar	-0.2262	max	-0.2262	spearman0.470553	0.470553	0.470553	0.470553	0.3612	0.3612	0.3612	0.3612	0.3612	0.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	rrf	adversarial	robustness	Fbar	-0.2546	max	-0.2546	spearman0.469363	0.469363	0.469363	0.469363	0.5228	0.5228	0.5228	0.5228	0.5228	0.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	rrf	adversarial	robustness	Fbar	-0.2526	max	-0.2526	spearman0.412269	0.412269	0.412269	0.412269	0.8013	0.8013	0.8013	0.8013	0.8013	0.8013	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	rrf	adversarial	robustness	Fbar	-0.2504	max	-0.2504	spearman0.443266	0.443266	0.443266	0.443266	0.8116	0.8116	0.8116	0.8116	0.8116	0.8116	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	rrf	adversarial	robustness	Fbar	-0.2458	max	-0.2458	spearman0.413699	0.413699	0.413699	0.413699	0.4566	0.4566	0.4566	0.4566	0.4566	0.4566	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	rrf	adversarial	robustness	Fbar	-0.2544	max	-0.2544	spearman0.399149	0.399149	0.399149	0.399149	0.6729	0.6729	0.6729	0.6729	0.6729	0.6729	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	rrf	adversarial	robustness	Fbar	-0.2426	max	-0.2426	spearman0.403753	0.403753	0.403753	0.403753	0.6066	0.6066	0.6066	0.6066	0.6066	0.6066	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	rrf	adversarial	robustness	Fbar	-0.238	max	-0.238	spearman0.411602	0.411602	0.411602	0.411602	0.1235	0.1235	0.1235	0.1235	0.1235	0.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	schulze	adversarial	robustness	Fbar	-0.2034	max	-0.2034	spearman0.586008	0.586008	0.586008	0.586008	0.627	0.627	0.627	0.627	0.627	0.627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	schulze	adversarial	robustness	Fbar	-0.191	max	-0.191	spearman0.647046	0.647046	0.647046	0.647046	0.1086	0.1086	0.1086	0.1086	0.1086	0.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	schulze	adversarial	robustness	Fbar	-0.225	max	-0.225	spearman0.470553	0.470553	0.470553	0.470553	0.3612	0.3612	0.3612	0.3612	0.3612	0.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	schulze	adversarial	robustness	Fbar	-0.2486	max	-0.2486	spearman0.469363	0.469363	0.469363	0.469363	0.5228	0.5228	0.5228	0.5228	0.5228	0.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	schulze	adversarial	robustness	Fbar	-0.2534	max	-0.2534	spearman0.412269	0.412269	0.412269	0.412269	0.8013	0.8013	0.8013	0.8013	0.8013	0.8013	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	adversarial	robustness	Fbar	-0.2512	max	-0.2512	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.811e+05	inco_bifalse	synthetic	metric3	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	adversarial	robustness	Fbar	-0.2494	max	-0.2494	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.456e+05	inco_bifalse	synthetic	metric3	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	adversarial	robustness	Fbar	-0.2456	max	-0.2456	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.672e+05	inco_bifalse	synthetic	metric3	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	Fbar	-0.2358	max	-0.2358	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	inco_bifalse	synthetic	metric3	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	Fbar	-0.2358	max	-0.2358	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.123e+05	inco_bifused	synthetic	metric3	approxifusion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	adversarial	robustness	Fbar	-0.198	max	-0.198	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.062e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	adversarial	robustness	Fbar	-0.1992	max	-0.1992	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.108e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	adversarial	robustness	Fbar	-0.2134	max	-0.2134	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.361e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	adversarial	robustness	Fbar	-0.2444	max	-0.2444	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.522e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	adversarial	robustness	Fbar	-0.2506	max	-0.2506	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.801e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	adversarial	robustness	Fbar	-0.2612	max	-0.2612	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.811e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	adversarial	robustness	Fbar	-0.2474	max	-0.2474	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.456e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	adversarial	robustness	Fbar	-0.2612	max	-0.2612	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.672e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	Fbar	-0.2698	max	-0.2698	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	inco_bifalse	synthetic	metric2	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	adversarial	robustness	Fbar	-0.2696	max	-0.2696	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.123e+05	inco_bifused	synthetic	metric2	approxifusion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	gaussian	robustness	G	0.0846	max	0.0846	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.062e+05	inco_bifalse	synthetic	metric1	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	gaussian	robustness	G	0.1022	max	0.1022	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.108e+05	inco_bifalse	synthetic	metric1	approxifusion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	gaussian	robustness	G	0.1066	max	0.1066	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.361e+05	inco_bifalse	synthetic	metric1	approxifusion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	gaussian-robustness	0.15	CS	0.1028	max	0.1028	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	gaussian-robustness	0.15	CS	0.1046	max	0.1046	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	gaussian-robustness	0.15	CS	0.1008	max	0.1008	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	gaussian-robustness	0.15	CS	0.1096	max	0.1096	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	gaussian-robustness	0.15	CS	0.1044	max	0.1044	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8116e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	gaussian-robustness	0.15	CS	0.1142	max	0.1142	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	gaussian-robustness	0.15	CS	0.1166	max	0.1166	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	0.15	CS	0.1136	max	0.1136	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	gaussian-robustness	0.15	CS	0.1182	max	0.1182	spearman0.411602	0.411602	0.411602	0.411602	0.002	pos1.1235e+05	force_bifalse	syTmetric_1	approxifalse	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	gaussian-robustness	0.15	CS	0.0846	max	0.0846	spearman0.586008	0.586008	0.586008	0.586008	0.002	pos1.0627e+05	portance_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	gaussian-robustness	0.15	CS	0.0962	max	0.0962	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	gaussian-robustness	0.15	CS	0.1046	max	0.1046	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	gaussian-robustness	0.15	CS	0.101	max	0.101	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	gaussian-robustness	0.15	CS	0.1136	max	0.1136	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	gaussian-robustness	0.15	CS	0.0978	max	0.0978	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8116e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	gaussian-robustness	0.15	CS	0.109	max	0.109	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	gaussian-robustness	0.15	CS	0.1158	max	0.1158	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	0.15	CS	0.1166	max	0.1166	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	schulze	gaussian-robustness	S	CS	0.1186	max	0.1186	spearman	0.411602	vs_multi0.002	posad1.1235	+0.05	force_bi	True	syTmetric_1	approximate	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleav	gaussian-robustness	S	CS	0.0826	max	0.0826	spearman	0.586008	vs_multi0.002	posad1.0627	+0.14	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleav	gaussian-robustness	S	CS	0.108	max	0.108	spearman	0.647046	vs_multi0.002	posad1.1086	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleav	gaussian-robustness	S	CS	0.1106	max	0.1106	spearman	0.470553	vs_multi0.002	posad1.3612	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleav	gaussian-robustness	S	CS	0.1064	max	0.1064	spearman	0.469363	vs_multi0.002	posad1.5223	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleav	gaussian-robustness	S	CS	0.108	max	0.108	spearman	0.412269	vs_multi0.002	posad1.8013	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleav	gaussian-robustness	S	CS	0.0994	max	0.0994	spearman	0.443266	vs_multi0.002	posad1.8116	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleav	gaussian-robustness	S	CS	0.1098	max	0.1098	spearman	0.413699	vs_multi0.002	posad1.4566	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleav	gaussian-robustness	S	CS	0.1136	max	0.1136	spearman	0.399149	vs_multi0.002	posad1.6729	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleav	gaussian-robustness	S	CS	0.112	max	0.112	spearman	0.403753	vs_multi0.002	posad1.6066	+0.05	force_bi	False	syTmetric_9	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleav	gaussian-robustness	S	CS	0.1104	max	0.1104	spearman	0.411602	vs_multi0.002	posad1.1235	+0.05	force_bi	True	syTmetric_9	approximate	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	gaussian-robustness	Sbar	CSbar	-0.272	max	-0.272	spearman	0.586008	vs_multi0.002	posad1.0627	+0.14	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	gaussian-robustness	Sbar	CSbar	-0.3032	max	-0.3032	spearman	0.647046	vs_multi0.002	posad1.1086	+0.05	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	gaussian-robustness	Sbar	CSbar	-0.27	max	-0.27	spearman	0.470553	vs_multi0.002	posad1.3612	+0.05	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	gaussian-robustness	Sbar	CSbar	-0.278	max	-0.278	spearman	0.469363	vs_multi0.002	posad1.5223	+0.05	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	gaussian-robustness	Sbar	CSbar	-0.2582	max	-0.2582	spearman	0.412269	vs_multi0.002	posad1.8013	+0.05	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	gaussian-robustness	Sbar	CSbar	-0.2622	max	-0.2622	spearman	0.443266	vs_multi0.002	posad1.8116	+0.05	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	gaussian-robustness	Sbar	CSbar	-0.2684	max	-0.2684	spearman	0.413699	vs_multi0.002	posad1.4566	+0.05	force_bi	False	syTmetric_1	approximate	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	gaussian-robustness	CSbar	0.15	-0.2706	max	-0.2706	spearman0.443266vs_multi0.002posad1.8111e+05	0.443266	0.002	0.443266	0.002	posad1.8111e+05	0.002	posad1.8111e+05	0.002	posad1.8111e+05	0.002	posad1.8111e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	gaussian-robustness	CSbar	0.15	-0.2622	max	-0.2622	spearman0.413609vs_multi0.002posad1.4566e+05	0.413699	0.002	0.413699	0.002	posad1.4566e+05	0.002	posad1.4566e+05	0.002	posad1.4566e+05	0.002	posad1.4566e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	gaussian-robustness	CSbar	0.15	-0.2428	max	-0.2428	spearman0.399149vs_multi0.002posad1.6729e+05	0.399149	0.002	0.399149	0.002	posad1.6729e+05	0.002	posad1.6729e+05	0.002	posad1.6729e+05	0.002	posad1.6729e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	CSbar	0.15	-0.2338	max	-0.2338	spearman0.403753vs_multi0.002posad1.6066e+05	0.403753	0.002	0.403753	0.002	posad1.6066e+05	0.002	posad1.6066e+05	0.002	posad1.6066e+05	0.002	posad1.6066e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	gaussian-robustness	CSbar	0.15	-0.2304	max	-0.2304	spearman0.411602vs_multi0.002posad1.1235e+05	0.411602	0.002	0.411602	0.002	posad1.1235e+05	0.002	posad1.1235e+05	0.002	posad1.1235e+05	0.002	posad1.1235e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	gaussian-robustness	CSbar	0.15	-0.272	max	-0.272	spearman0.586008vs_multi0.002posad1.0627e+05	0.586008	0.002	0.586008	0.002	posad1.0627e+05	0.002	posad1.0627e+05	0.002	posad1.0627e+05	0.002	posad1.0627e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	gaussian-robustness	CSbar	0.15	-0.2864	max	-0.2864	spearman0.647046vs_multi0.002posad1.1086e+05	0.647046	0.002	0.647046	0.002	posad1.1086e+05	0.002	posad1.1086e+05	0.002	posad1.1086e+05	0.002	posad1.1086e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	gaussian-robustness	CSbar	0.15	-0.2594	max	-0.2594	spearman0.470553vs_multi0.002posad1.3612e+05	0.470553	0.002	0.470553	0.002	posad1.3612e+05	0.002	posad1.3612e+05	0.002	posad1.3612e+05	0.002	posad1.3612e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	gaussian-robustness	CSbar	0.15	-0.2744	max	-0.2744	spearman0.469363vs_multi0.002posad1.5228e+05	0.469363	0.002	0.469363	0.002	posad1.5228e+05	0.002	posad1.5228e+05	0.002	posad1.5228e+05	0.002	posad1.5228e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	gaussian-robustness	CSbar	0.15	-0.252	max	-0.252	spearman0.412269vs_multi0.002posad1.8013e+05	0.412269	0.002	0.412269	0.002	posad1.8013e+05	0.002	posad1.8013e+05	0.002	posad1.8013e+05	0.002	posad1.8013e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	gaussian-robustness	CSbar	0.15	-0.266	max	-0.266	spearman0.443266vs_multi0.002posad1.8111e+05	0.443266	0.002	0.443266	0.002	posad1.8111e+05	0.002	posad1.8111e+05	0.002	posad1.8111e+05	0.002	posad1.8111e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	gaussian-robustness	CSbar	0.15	-0.2628	max	-0.2628	spearman0.413609vs_multi0.002posad1.4566e+05	0.413699	0.002	0.413699	0.002	posad1.4566e+05	0.002	posad1.4566e+05	0.002	posad1.4566e+05	0.002	posad1.4566e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	gaussian-robustness	CSbar	0.15	-0.2388	max	-0.2388	spearman0.399149vs_multi0.002posad1.6729e+05	0.399149	0.002	0.399149	0.002	posad1.6729e+05	0.002	posad1.6729e+05	0.002	posad1.6729e+05	0.002	posad1.6729e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	CSbar	0.15	-0.209	max	-0.209	spearman0.403753vs_multi0.002posad1.6066e+05	0.403753	0.002	0.403753	0.002	posad1.6066e+05	0.002	posad1.6066e+05	0.002	posad1.6066e+05	0.002	posad1.6066e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	gaussian-robustness	CSbar	0.15	-0.2112	max	-0.2112	spearman0.411602vs_multi0.002posad1.1235e+05	0.411602	0.002	0.411602	0.002	posad1.1235e+05	0.002	posad1.1235e+05	0.002	posad1.1235e+05	0.002	posad1.1235e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	gaussian-robustness	CSbar	0.15	-0.2718	max	-0.2718	spearman0.586008vs_multi0.002posad1.0627e+05	0.586008	0.002	0.586008	0.002	posad1.0627e+05	0.002	posad1.0627e+05	0.002	posad1.0627e+05	0.002	posad1.0627e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	gaussian-robustness	CSbar	0.15	-0.2798	max	-0.2798	spearman0.647046vs_multi0.002posad1.1086e+05	0.647046	0.002	0.647046	0.002	posad1.1086e+05	0.002	posad1.1086e+05	0.002	posad1.1086e+05	0.002	posad1.1086e+05
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	gaussian-robustness	CSbar	0.15	-0.279	max	-0.279	spearman0.470553vs_multi0.002posad1.3612e+05	0.470553	0.002	0.470553	0.002	posad1.3612e+05	0.002	posad1.3612e+05	0.002	posad1.3612e+05	0.002	posad1.3612e+05

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleav	gaussian-robustness	Sbar	0.15	-0.292	max	-0.292	spearman0.469363	vs_multi0.002	posad1.5228	+0.01	nce_bi	False	sy	True	metric2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleav	gaussian-robustness	Sbar	0.15	-0.2868	max	-0.2868	spearman0.412269	vs_multi0.002	posad1.8013	+0.01	nce_bi	False	sy	True	metric2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleav	gaussian-robustness	Sbar	0.15	-0.294	max	-0.294	spearman0.443266	vs_multi0.002	posad1.8116	+0.01	nce_bi	False	sy	True	metric2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleav	gaussian-robustness	Sbar	0.15	-0.2862	max	-0.2862	spearman0.413699	vs_multi0.002	posad1.4566	+0.01	nce_bi	False	sy	True	metric2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleav	gaussian-robustness	Sbar	0.15	-0.2884	max	-0.2884	spearman0.399149	vs_multi0.002	posad1.6729	+0.01	nce_bi	False	sy	True	metric2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleav	gaussian-robustness	Sbar	0.15	-0.292	max	-0.292	spearman0.403753	vs_multi0.002	posad1.6066	+0.01	nce_bi	False	sy	True	metric2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleav	gaussian-robustness	Sbar	0.15	-0.2906	max	-0.2906	spearman0.411602	vs_multi0.002	posad1.1235	+0.01	nce_bi	True	sy	True	metric2	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	gaussian-robustness	S	0.15	0.073	max	0.073	spearman0.586008	vs_multi0.002	posad0.627	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	gaussian-robustness	S	0.15	0.0796	max	0.0796	spearman0.647046	vs_multi0.002	posad1.1086	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	gaussian-robustness	S	0.15	0.0838	max	0.0838	spearman0.470553	vs_multi0.002	posad1.3612	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	gaussian-robustness	S	0.15	0.0762	max	0.0762	spearman0.469363	vs_multi0.002	posad1.5228	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	gaussian-robustness	S	0.15	0.0786	max	0.0786	spearman0.412269	vs_multi0.002	posad1.8013	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	gaussian-robustness	S	0.15	0.0722	max	0.0722	spearman0.443266	vs_multi0.002	posad1.8116	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	gaussian-robustness	S	0.15	0.075	max	0.075	spearman0.413699	vs_multi0.002	posad1.4566	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	gaussian-robustness	S	0.15	0.0758	max	0.0758	spearman0.399149	vs_multi0.002	posad1.6729	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	gaussian-robustness	S	0.15	0.0834	max	0.0834	spearman0.403753	vs_multi0.002	posad1.6066	+0.01	nce_bi	False	sy	True	metric4	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	gaussian-robustness	S	0.15	0.0786	max	0.0786	spearman0.411602	vs_multi0.002	posad1.1235	+0.01	nce_bi	True	sy	True	metric4	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	gaussian-robustness	S	0.15	0.073	max	0.073	spearman0.586008	vs_multi0.002	posad0.627	+0.01	nce_bi	False	sy	True	metric10	approx	False	ion

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	gaussian-robustness	0.15	F	0.0716	max	0.0716	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	gaussian-robustness	0.15	F	0.079	max	0.079	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	gaussian-robustness	0.15	F	0.0748	max	0.0748	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	gaussian-robustness	0.15	F	0.0842	max	0.0842	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	gaussian-robustness	0.15	F	0.0822	max	0.0822	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8113e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	gaussian-robustness	0.15	F	0.082	max	0.082	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	gaussian-robustness	0.15	F	0.0848	max	0.0848	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	gaussian-robustness	0.15	F	0.0866	max	0.0866	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	inco_bifalse	syTmetric_10	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	gaussian-robustness	0.15	F	0.0846	max	0.0846	spearman0.411602	0.411602	0.411602	0.411602	0.002	pos1.1235e+05	inco_bifalse	syTmetric_10	approxifalsion	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	gaussian-robustness	0.15	F	0.0736	max	0.0736	spearman0.586008	0.586008	0.586008	0.586008	0.002	pos1.0627e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	gaussian-robustness	0.15	F	0.0816	max	0.0816	spearman0.647046	0.647046	0.647046	0.647046	0.002	pos1.1086e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	gaussian-robustness	0.15	F	0.0812	max	0.0812	spearman0.470553	0.470553	0.470553	0.470553	0.002	pos1.3612e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	rrf	gaussian-robustness	0.15	F	0.0754	max	0.0754	spearman0.469363	0.469363	0.469363	0.469363	0.002	pos1.5228e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	rrf	gaussian-robustness	0.15	F	0.0816	max	0.0816	spearman0.412269	0.412269	0.412269	0.412269	0.002	pos1.8013e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	rrf	gaussian-robustness	0.15	F	0.0766	max	0.0766	spearman0.443266	0.443266	0.443266	0.443266	0.002	pos1.8113e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	rrf	gaussian-robustness	0.15	F	0.0814	max	0.0814	spearman0.413699	0.413699	0.413699	0.413699	0.002	pos1.4566e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	rrf	gaussian-robustness	0.15	F	0.0822	max	0.0822	spearman0.399149	0.399149	0.399149	0.399149	0.002	pos1.6729e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	0.15	F	0.0794	max	0.0794	spearman0.403753	0.403753	0.403753	0.403753	0.002	pos1.6066e+05	inco_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	rrf	gaussian-robustness	0.15	F	0.0834	max	0.0834	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_1	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	gaussian-robustness	0.15	F	0.073	max	0.073	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	gaussian-robustness	0.15	F	0.0742	max	0.0742	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	gaussian-robustness	0.15	F	0.085	max	0.085	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	gaussian-robustness	0.15	F	0.0766	max	0.0766	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	gaussian-robustness	0.15	F	0.0826	max	0.0826	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	gaussian-robustness	0.15	F	0.0786	max	0.0786	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	gaussian-robustness	0.15	F	0.0784	max	0.0784	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	gaussian-robustness	0.15	F	0.0848	max	0.0848	spearman	0.399149	0.399149	0.399149	0.002	pos	4.6729e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	0.15	F	0.084	max	0.084	spearman	0.403753	0.403753	0.403753	0.002	pos	4.6066e+05	force_bif	False	sy	True	metric_1	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	gaussian-robustness	0.15	F	0.0862	max	0.0862	spearman	0.411602	0.411602	0.411602	0.002	pos	4.1235e+05	force_bif	True	sy	True	metric_1	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	gaussian-robustness	0.15	F	0.0672	max	0.0672	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	gaussian-robustness	0.15	F	0.0828	max	0.0828	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	gaussian-robustness	0.15	F	0.0834	max	0.0834	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	gaussian-robustness	0.15	F	0.077	max	0.077	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	gaussian-robustness	0.15	F	0.0784	max	0.0784	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	gaussian-robustness	0.15	F	0.0742	max	0.0742	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	gaussian-robustness	0.15	F	0.0762	max	0.0762	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	9	simpleavg	gaussian-robustness	S	0.0792	max	0.0792	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bi	False	sy	True	metric_4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	10	simpleavg	gaussian-robustness	S	0.0784	max	0.0784	spearman	0.403753	vs_multi	0.002	pos	1.606e+05	force_bi	False	sy	True	metric_4	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	11	simpleavg	gaussian-robustness	S	0.0774	max	0.0774	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bi	True	sy	True	metric_4	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	2	borda	gaussian-robustness	Sbar	-0.223	max	-0.223	spearman	0.586008	vs_multi	0.002	pos	4.0627e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	3	borda	gaussian-robustness	Sbar	-0.2524	max	-0.2524	spearman	0.647046	vs_multi	0.002	pos	3.1086e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	4	borda	gaussian-robustness	Sbar	-0.2212	max	-0.2212	spearman	0.470553	vs_multi	0.002	pos	4.3612e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	5	borda	gaussian-robustness	Sbar	-0.2288	max	-0.2288	spearman	0.469363	vs_multi	0.002	pos	4.5228e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	6	borda	gaussian-robustness	Sbar	-0.213	max	-0.213	spearman	0.412269	vs_multi	0.002	pos	4.8013e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	7	borda	gaussian-robustness	Sbar	-0.2164	max	-0.2164	spearman	0.443266	vs_multi	0.002	pos	4.8116e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	8	borda	gaussian-robustness	Sbar	-0.22	max	-0.22	spearman	0.413699	vs_multi	0.002	pos	4.4566e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	9	borda	gaussian-robustness	Sbar	-0.1984	max	-0.1984	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	10	borda	gaussian-robustness	Sbar	-0.1898	max	-0.1898	spearman	0.403753	vs_multi	0.002	pos	1.606e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	11	borda	gaussian-robustness	Sbar	-0.1832	max	-0.1832	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bi	True	sy	True	metric_1	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	2	kemeny	gaussian-robustness	Sbar	-0.223	max	-0.223	spearman	0.586008	vs_multi	0.002	pos	4.0627e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	3	kemeny	gaussian-robustness	Sbar	-0.2204	max	-0.2204	spearman	0.647046	vs_multi	0.002	pos	3.1086e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	4	kemeny	gaussian-robustness	Sbar	-0.2088	max	-0.2088	spearman	0.470553	vs_multi	0.002	pos	4.3612e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	5	kemeny	gaussian-robustness	Sbar	-0.2326	max	-0.2326	spearman	0.469363	vs_multi	0.002	pos	4.5228e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman	6	kemeny	gaussian-robustness	Sbar	-0.2006	max	-0.2006	spearman	0.412269	vs_multi	0.002	pos	4.8013e+05	force_bi	False	sy	True	metric_1	approx	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	gaussian-robustness	0.15	FSbar	-0.215	max	-0.215	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	gaussian-robustness	0.15	FSbar	-0.2158	max	-0.2158	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	gaussian-robustness	0.15	FSbar	-0.1886	max	-0.1886	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	gaussian-robustness	0.15	FSbar	-0.1636	max	-0.1636	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	gaussian-robustness	0.15	FSbar	-0.161	max	-0.161	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric_1	approxifusion	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	gaussian-robustness	0.15	FSbar	-0.2246	max	-0.2246	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	gaussian-robustness	0.15	FSbar	-0.224	max	-0.224	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	gaussian-robustness	0.15	FSbar	-0.2104	max	-0.2104	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	rrf	gaussian-robustness	0.15	FSbar	-0.2274	max	-0.2274	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	rrf	gaussian-robustness	0.15	FSbar	-0.2132	max	-0.2132	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	rrf	gaussian-robustness	0.15	FSbar	-0.2264	max	-0.2264	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	rrf	gaussian-robustness	0.15	FSbar	-0.2196	max	-0.2196	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	rrf	gaussian-robustness	0.15	FSbar	-0.2016	max	-0.2016	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	0.15	FSbar	-0.1936	max	-0.1936	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	gaussian-robustness	0.15	FSbar	-0.1912	max	-0.1912	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric_1	approxifusion	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	gaussian-robustness	0.15	FSbar	-0.223	max	-0.223	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	gaussian-robustness	0.15	FSbar	-0.2358	max	-0.2358	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	gaussian-robustness	0.15	FSbar	-0.2116	max	-0.2116	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric_1	approxifusion	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direction	value	model	statistic	score	value	distance	selected q	by noise	forced fall-back	q	mal q	erence	prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	gaussian-robustness	Sbar	0.15	-0.2256	max	-0.2256	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	gaussian-robustness	Sbar	0.15	-0.2084	max	-0.2084	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	gaussian-robustness	Sbar	0.15	-0.2172	max	-0.2172	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	gaussian-robustness	Sbar	0.15	-0.2206	max	-0.2206	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	gaussian-robustness	Sbar	0.15	-0.193	max	-0.193	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	Sbar	0.15	-0.1678	max	-0.1678	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	gaussian-robustness	Sbar	0.15	-0.1718	max	-0.1718	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_10	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	gaussian-robustness	Sbar	0.15	-0.2204	max	-0.2204	spearman0.586008	vs_multi0.002	posad0.627	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	gaussian-robustness	Sbar	0.15	-0.2322	max	-0.2322	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	gaussian-robustness	Sbar	0.15	-0.2312	max	-0.2312	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	gaussian-robustness	Sbar	0.15	-0.2478	max	-0.2478	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	gaussian-robustness	Sbar	0.15	-0.2418	max	-0.2418	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	gaussian-robustness	Sbar	0.15	-0.2496	max	-0.2496	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	gaussian-robustness	Sbar	0.15	-0.2428	max	-0.2428	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	gaussian-robustness	Sbar	0.15	-0.2444	max	-0.2444	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	gaussian-robustness	Sbar	0.15	-0.2488	max	-0.2488	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_2	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	gaussian-robustness	Sbar	0.15	-0.2488	max	-0.2488	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_2	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	salt-pepper-robustness	S	0.05	0.0684	max	0.0684	spearman0.586008	vs_multi0.002	posad0.627	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	borda	salt-pepper-0.05	robustness	CS	0.0904	max	0.0904	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	borda	salt-pepper-0.05	robustness	CS	0.096	max	0.096	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	borda	salt-pepper-0.05	robustness	CS	0.094	max	0.094	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	borda	salt-pepper-0.05	robustness	CS	0.0952	max	0.0952	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	borda	salt-pepper-0.05	robustness	CS	0.087	max	0.087	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8116e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	borda	salt-pepper-0.05	robustness	CS	0.0958	max	0.0958	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	borda	salt-pepper-0.05	robustness	CS	0.1006	max	0.1006	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	borda	salt-pepper-0.05	robustness	CS	0.1044	max	0.1044	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	borda	salt-pepper-0.05	robustness	CS	0.1014	max	0.1014	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	inforce_bifalse	syTmetric_10	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman12	kemeny	salt-pepper-0.05	robustness	CS	0.0684	max	0.0684	spearman0.586008	0.586008	0.586008	multi0.002	posad1.0627e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman13	kemeny	salt-pepper-0.05	robustness	CS	0.079	max	0.079	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman14	kemeny	salt-pepper-0.05	robustness	CS	0.0854	max	0.0854	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman15	kemeny	salt-pepper-0.05	robustness	CS	0.084	max	0.084	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman16	kemeny	salt-pepper-0.05	robustness	CS	0.0964	max	0.0964	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman17	kemeny	salt-pepper-0.05	robustness	CS	0.0902	max	0.0902	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8116e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman18	kemeny	salt-pepper-0.05	robustness	CS	0.0896	max	0.0896	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman19	kemeny	salt-pepper-0.05	robustness	CS	0.103	max	0.103	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	kemeny	salt-pepper-0.05	robustness	CS	0.1054	max	0.1054	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric_10	approxifalse	True	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	kemeny	salt- pepper- 0.05	robustness	CS	0.1036	max	0.1036	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_10	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	salt- pepper- 0.05	robustness	CS	0.0676	max	0.0676	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	salt- pepper- 0.05	robustness	CS	0.0858	max	0.0858	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	salt- pepper- 0.05	robustness	CS	0.0946	max	0.0946	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	salt- pepper- 0.05	robustness	CS	0.093	max	0.093	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	salt- pepper- 0.05	robustness	CS	0.095	max	0.095	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	salt- pepper- 0.05	robustness	CS	0.0906	max	0.0906	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	salt- pepper- 0.05	robustness	CS	0.093	max	0.093	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	salt- pepper- 0.05	robustness	CS	0.0998	max	0.0998	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	salt- pepper- 0.05	robustness	CS	0.1014	max	0.1014	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	salt- pepper- 0.05	robustness	CS	0.1036	max	0.1036	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_11	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	salt- pepper- 0.05	robustness	CS	0.0684	max	0.0684	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	salt- pepper- 0.05	robustness	CS	0.0828	max	0.0828	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	salt- pepper- 0.05	robustness	CS	0.0876	max	0.0876	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	salt- pepper- 0.05	robustness	CS	0.0872	max	0.0872	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	salt- pepper- 0.05	robustness	CS	0.0958	max	0.0958	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	salt- pepper- 0.05	robustness	CS	0.0932	max	0.0932	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	salt- pepper- 0.05	robustness	CS	0.0956	max	0.0956	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_11	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	schulze	salt-pepper-0.05	robustness	S	0.0998	max	0.0998	spearman	0.399149	0.399149	multi0.002	posad1.6729e+05	0.6729e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	schulze	salt-pepper-0.05	robustness	S	0.0984	max	0.0984	spearman	0.403753	0.403753	multi0.002	posad1.606e+05	1.606e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	schulze	salt-pepper-0.05	robustness	S	0.1018	max	0.1018	spearman	0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235e+05	force_bifalse	syTmetric_1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0714	max	0.0714	spearman	0.586008	0.586008	multi0.002	posad0.627e+05	6.27e+04	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0936	max	0.0936	spearman	0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0948	max	0.0948	spearman	0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0976	max	0.0976	spearman	0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0984	max	0.0984	spearman	0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0884	max	0.0884	spearman	0.443266	0.443266	multi0.002	posad1.8116e+05	1.8116e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0956	max	0.0956	spearman	0.413699	0.413699	multi0.002	posad1.4566e+05	1.4566e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0986	max	0.0986	spearman	0.399149	0.399149	multi0.002	posad1.6729e+05	1.6729e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.0976	max	0.0976	spearman	0.403753	0.403753	multi0.002	posad1.606e+05	1.606e+05	force_bifalse	syTmetric_9	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	S	0.096	max	0.096	spearman	0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235e+05	force_bifalse	syTmetric_9	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Sbar	-0.2136	max	-0.2136	spearman	0.586008	0.586008	multi0.002	posad0.627e+05	6.27e+04	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Sbar	-0.2354	max	-0.2354	spearman	0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Sbar	-0.2144	max	-0.2144	spearman	0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Sbar	-0.2212	max	-0.2212	spearman	0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Sbar	-0.1932	max	-0.1932	spearman	0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	salt- pepper- 0.05	robustness	Gbar	-0.2024	max	-0.2024	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	salt- pepper- 0.05	robustness	Gbar	-0.2006	max	-0.2006	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	salt- pepper- 0.05	robustness	Gbar	-0.1756	max	-0.1756	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	salt- pepper- 0.05	robustness	Gbar	-0.1668	max	-0.1668	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	salt- pepper- 0.05	robustness	Gbar	-0.1616	max	-0.1616	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric_1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2022	max	-0.2022	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.2104	max	-0.2104	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1842	max	-0.1842	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.195	max	-0.195	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.203	max	-0.203	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1702	max	-0.1702	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1414	max	-0.1414	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	salt- pepper- 0.05	robustness	Gbar	-0.1464	max	-0.1464	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric_1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2162	max	-0.2162	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	salt- pepper- 0.05	robustness	Gbar	-0.205	max	-0.205	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	salt- pepper- 0.05	robustness	Gbar	-0.196	max	-0.196	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direction	value	model	statistic	score	value	distance	selected q	by noise	forced fall-back		mal q	erence	prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2082	max	-0.2082	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	salt- pepper- 0.05	robustness	Gbar	-0.197	max	-0.197	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	salt- pepper- 0.05	robustness	Gbar	-0.202	max	-0.202	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	salt- pepper- 0.05	robustness	Gbar	-0.2052	max	-0.2052	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	salt- pepper- 0.05	robustness	Gbar	-0.1812	max	-0.1812	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	salt- pepper- 0.05	robustness	Gbar	-0.1702	max	-0.1702	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	salt- pepper- 0.05	robustness	Gbar	-0.172	max	-0.172	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_10	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2136	max	-0.2136	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	salt- pepper- 0.05	robustness	Gbar	-0.224	max	-0.224	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2042	max	-0.2042	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	salt- pepper- 0.05	robustness	Gbar	-0.209	max	-0.209	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	salt- pepper- 0.05	robustness	Gbar	-0.1912	max	-0.1912	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2144	max	-0.2144	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	salt- pepper- 0.05	robustness	Gbar	-0.2084	max	-0.2084	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	salt- pepper- 0.05	robustness	Gbar	-0.1674	max	-0.1674	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	salt- pepper- 0.05	robustness	Gbar	-0.1476	max	-0.1476	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	salt- pepper- 0.05	robustness	Gbar	-0.1586	max	-0.1586	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_10	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2192	max	-0.2192	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bi	False	sy	True	metric_4	approx	False	ion

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.22	max	-0.22	spearman0.647046	vs_multi0.002	0.647046	posai1.1086e+05	0.002	posai1.1086e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2168	max	-0.2168	spearman0.470553	vs_multi0.002	0.470553	posai1.3612e+05	0.002	posai1.3612e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2268	max	-0.2268	spearman0.469363	vs_multi0.002	0.469363	posai1.5228e+05	0.002	posai1.5228e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2256	max	-0.2256	spearman0.412269	vs_multi0.002	0.412269	posai1.8013e+05	0.002	posai1.8013e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.232	max	-0.232	spearman0.443266	vs_multi0.002	0.443266	posai1.8116e+05	0.002	posai1.8116e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.221	max	-0.221	spearman0.413699	vs_multi0.002	0.413699	posai1.4566e+05	0.002	posai1.4566e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2226	max	-0.2226	spearman0.399149	vs_multi0.002	0.399149	posai1.6729e+05	0.002	posai1.6729e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2214	max	-0.2214	spearman0.403753	vs_multi0.002	0.403753	posai1.6066e+05	0.002	posai1.6066e+05	force_bi	False	syTmetric_4	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	salt- pepper- 0.05	robustness	Gbar	-0.2214	max	-0.2214	spearman0.411602	vs_multi0.002	0.411602	posai1.1235e+05	0.002	posai1.1235e+05	force_bi	True	syTmetric_4	approxifi	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	salt- pepper- 0.05	robustness	S	0.0544	max	0.0544	spearman0.586008	vs_multi0.002	0.586008	posai1.0627e+05	0.002	posai1.0627e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	salt- pepper- 0.05	robustness	S	0.0636	max	0.0636	spearman0.647046	vs_multi0.002	0.647046	posai1.1086e+05	0.002	posai1.1086e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	salt- pepper- 0.05	robustness	S	0.0688	max	0.0688	spearman0.470553	vs_multi0.002	0.470553	posai1.3612e+05	0.002	posai1.3612e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	salt- pepper- 0.05	robustness	S	0.0688	max	0.0688	spearman0.469363	vs_multi0.002	0.469363	posai1.5228e+05	0.002	posai1.5228e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	salt- pepper- 0.05	robustness	S	0.0752	max	0.0752	spearman0.412269	vs_multi0.002	0.412269	posai1.8013e+05	0.002	posai1.8013e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	salt- pepper- 0.05	robustness	S	0.063	max	0.063	spearman0.443266	vs_multi0.002	0.443266	posai1.8116e+05	0.002	posai1.8116e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	salt- pepper- 0.05	robustness	S	0.0656	max	0.0656	spearman0.413699	vs_multi0.002	0.413699	posai1.4566e+05	0.002	posai1.4566e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	salt- pepper- 0.05	robustness	S	0.0698	max	0.0698	spearman0.399149	vs_multi0.002	0.399149	posai1.6729e+05	0.002	posai1.6729e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	salt- pepper- 0.05	robustness	S	0.074	max	0.074	spearman0.403753	vs_multi0.002	0.403753	posai1.6066e+05	0.002	posai1.6066e+05	force_bi	False	syTmetric_6	approxifi	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman1	borda	salt-pepper-0.05	robustness	F	0.0692	max	0.0692	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_6	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	kemeny	salt-pepper-0.05	robustness	F	0.0544	max	0.0544	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	kemeny	salt-pepper-0.05	robustness	F	0.0576	max	0.0576	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	kemeny	salt-pepper-0.05	robustness	F	0.0652	max	0.0652	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	kemeny	salt-pepper-0.05	robustness	F	0.063	max	0.063	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	kemeny	salt-pepper-0.05	robustness	F	0.0722	max	0.0722	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	kemeny	salt-pepper-0.05	robustness	F	0.0664	max	0.0664	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	kemeny	salt-pepper-0.05	robustness	F	0.063	max	0.063	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	kemeny	salt-pepper-0.05	robustness	F	0.0744	max	0.0744	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	kemeny	salt-pepper-0.05	robustness	F	0.079	max	0.079	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_b	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	kemeny	salt-pepper-0.05	robustness	F	0.0764	max	0.0764	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_10	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	rrf	salt-pepper-0.05	robustness	F	0.0526	max	0.0526	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	rrf	salt-pepper-0.05	robustness	F	0.068	max	0.068	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	rrf	salt-pepper-0.05	robustness	F	0.0688	max	0.0688	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	rrf	salt-pepper-0.05	robustness	F	0.0696	max	0.0696	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	rrf	salt-pepper-0.05	robustness	F	0.0672	max	0.0672	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	rrf	salt-pepper-0.05	robustness	F	0.0636	max	0.0636	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	rrf	salt-pepper-0.05	robustness	F	0.0666	max	0.0666	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_11	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	rrf	salt-pepper-0.05	robustness	F	0.0704	max	0.0704	spearman0.3991149	0.3991149	0.3991149	0.3991149	0.002	posad1.6729e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	rrf	salt-pepper-0.05	robustness	F	0.072	max	0.072	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	rrf	salt-pepper-0.05	robustness	F	0.0744	max	0.0744	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	force_bifalse	syTmetric_1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman12	schulze	salt-pepper-0.05	robustness	F	0.0544	max	0.0544	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad0.627e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman13	schulze	salt-pepper-0.05	robustness	F	0.062	max	0.062	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman14	schulze	salt-pepper-0.05	robustness	F	0.0668	max	0.0668	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman15	schulze	salt-pepper-0.05	robustness	F	0.0662	max	0.0662	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman16	schulze	salt-pepper-0.05	robustness	F	0.0712	max	0.0712	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman17	schulze	salt-pepper-0.05	robustness	F	0.0682	max	0.0682	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman18	schulze	salt-pepper-0.05	robustness	F	0.0622	max	0.0622	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman19	schulze	salt-pepper-0.05	robustness	F	0.0708	max	0.0708	spearman0.3991149	0.3991149	0.3991149	0.3991149	0.002	posad1.6729e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	schulze	salt-pepper-0.05	robustness	F	0.0708	max	0.0708	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	force_bifalse	syTmetric_1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	schulze	salt-pepper-0.05	robustness	F	0.0756	max	0.0756	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	force_bifalse	syTmetric_1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman12	simpleavg	salt-pepper-0.05	robustness	F	0.0548	max	0.0548	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad0.627e+05	force_bifalse	syTmetric_6	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman13	simpleavg	salt-pepper-0.05	robustness	F	0.0684	max	0.0684	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	force_bifalse	syTmetric_6	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman14	simpleavg	salt-pepper-0.05	robustness	F	0.0706	max	0.0706	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	force_bifalse	syTmetric_6	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman15	simpleavg	salt-pepper-0.05	robustness	F	0.0748	max	0.0748	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	force_bifalse	syTmetric_6	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman16	simpleavg	salt-pepper-0.05	robustness	F	0.0758	max	0.0758	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	force_bifalse	syTmetric_6	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix						
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	salt- pepper- 0.05	robustness	F	0.067	max	0.067	spearman	0.443266	0.443266	0.443266	0.002	pos	1.811602	0.05	inco	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	salt- pepper- 0.05	robustness	F	0.0688	max	0.0688	spearman	0.413699	0.413699	0.413699	0.002	pos	1.456608	0.05	inco	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	salt- pepper- 0.05	robustness	F	0.0692	max	0.0692	spearman	0.399149	0.399149	0.399149	0.002	pos	1.67229	0.05	inco	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	salt- pepper- 0.05	robustness	F	0.069	max	0.069	spearman	0.403753	0.403753	0.403753	0.002	pos	1.606665	0.05	inco	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	salt- pepper- 0.05	robustness	F	0.0672	max	0.0672	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235	0.05	inco	True	sy	True	metric6	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	salt- pepper- 0.05	robustness	Fbar	-0.1684	max	-0.1684	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627	0.1	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	salt- pepper- 0.05	robustness	Fbar	-0.1874	max	-0.1874	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	salt- pepper- 0.05	robustness	Fbar	-0.169	max	-0.169	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	salt- pepper- 0.05	robustness	Fbar	-0.1748	max	-0.1748	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5228	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	salt- pepper- 0.05	robustness	Fbar	-0.1512	max	-0.1512	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	salt- pepper- 0.05	robustness	Fbar	-0.1562	max	-0.1562	spearman	0.443266	0.443266	0.443266	0.002	pos	1.811602	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	salt- pepper- 0.05	robustness	Fbar	-0.158	max	-0.158	spearman	0.413699	0.413699	0.413699	0.002	pos	1.456608	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	salt- pepper- 0.05	robustness	Fbar	-0.138	max	-0.138	spearman	0.399149	0.399149	0.399149	0.002	pos	1.67229	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	salt- pepper- 0.05	robustness	Fbar	-0.1326	max	-0.1326	spearman	0.403753	0.403753	0.403753	0.002	pos	1.606665	0.05	inco	False	sy	True	metric11	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	salt- pepper- 0.05	robustness	Fbar	-0.1228	max	-0.1228	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235	0.05	inco	True	sy	True	metric11	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1684	max	-0.1684	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627	0.1	inco	False	sy	True	metric10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1678	max	-0.1678	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086	0.05	inco	False	sy	True	metric10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	kemeny	salt- pepper- 0.05	robustness	Fbar	-0.1622	max	-0.1622	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612	0.05	inco	False	sy	True	metric10	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc-	value	model	statis-	score	value	dis-	se-	by	forced		mal q	erence	prefix
									tion			tic			tance	lected	noise	fall-	q	q		
																q	noise	back				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1718	max	-0.1718	spearman0.469363	vs_multi0.002	0.469363	posai1.5228e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1454	max	-0.1454	spearman0.412269	vs_multi0.002	0.412269	posai1.8013e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1602	max	-0.1602	spearman0.443266	vs_multi0.002	0.443266	posai1.8116e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1646	max	-0.1646	spearman0.413699	vs_multi0.002	0.413699	posai1.4566e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1324	max	-0.1324	spearman0.399149	vs_multi0.002	0.399149	posai1.6729e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1042	max	-0.1042	spearman0.403753	vs_multi0.002	0.403753	posai1.6066e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	salt- pepper- 0.05	robustness	FSbar	-0.1096	max	-0.1096	spearman0.411602	vs_multi0.002	0.411602	posai1.1235e+05	nce_bi	True	sy	True	metric_10	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1692	max	-0.1692	spearman0.586008	vs_multi0.002	0.586008	posai1.0627e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1558	max	-0.1558	spearman0.647046	vs_multi0.002	0.647046	posai1.1089e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1506	max	-0.1506	spearman0.470553	vs_multi0.002	0.470553	posai1.3612e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1666	max	-0.1666	spearman0.469363	vs_multi0.002	0.469363	posai1.5228e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	rrf	salt- pepper- 0.05	robustness	FSbar	-0.153	max	-0.153	spearman0.412269	vs_multi0.002	0.412269	posai1.8013e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1616	max	-0.1616	spearman0.443266	vs_multi0.002	0.443266	posai1.8116e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1652	max	-0.1652	spearman0.413699	vs_multi0.002	0.413699	posai1.4566e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1444	max	-0.1444	spearman0.399149	vs_multi0.002	0.399149	posai1.6729e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	salt- pepper- 0.05	robustness	FSbar	-0.1296	max	-0.1296	spearman0.403753	vs_multi0.002	0.403753	posai1.6066e+05	nce_bi	False	sy	True	metric_10	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	salt- pepper- 0.05	robustness	FSbar	-0.132	max	-0.132	spearman0.411602	vs_multi0.002	0.411602	posai1.1235e+05	nce_bi	True	sy	True	metric_10	approx	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1684	max	-0.1684	spearman0.586008	vs_multi0.002	0.586008	posai1.0627e+05	nce_bi	False	sy	True	metric_10	approx	False	ion

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	salt- pepper- 0.05	robustness	FSbar	-0.175	max	-0.175	spearman0.647046	fs_multi0.002	0.647046	posai1.1086e+05	0.002	posai1.1086e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1582	max	-0.1582	spearman0.470553	fs_multi0.002	0.470553	posai1.3612e+05	0.002	posai1.3612e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1688	max	-0.1688	spearman0.469363	fs_multi0.002	0.469363	posai1.5228e+05	0.002	posai1.5228e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1506	max	-0.1506	spearman0.412269	fs_multi0.002	0.412269	posai1.8013e+05	0.002	posai1.8013e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	salt- pepper- 0.05	robustness	FSbar	-0.171	max	-0.171	spearman0.443266	fs_multi0.002	0.443266	posai1.8116e+05	0.002	posai1.8116e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1696	max	-0.1696	spearman0.413699	fs_multi0.002	0.413699	posai1.4566e+05	0.002	posai1.4566e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1286	max	-0.1286	spearman0.399149	fs_multi0.002	0.399149	posai1.6729e+05	0.002	posai1.6729e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1122	max	-0.1122	spearman0.403753	fs_multi0.002	0.403753	posai1.6066e+05	0.002	posai1.6066e+05	force_bi	False	symme- tric_10	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	salt- pepper- 0.05	robustness	FSbar	-0.1222	max	-0.1222	spearman0.411602	fs_multi0.002	0.411602	posai1.1235e+05	0.002	posai1.1235e+05	force_bi	True	symme- tric_10	approxi- mation	True	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1706	max	-0.1706	spearman0.586008	fs_multi0.002	0.586008	posai1.0627e+05	0.002	posai1.0627e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1738	max	-0.1738	spearman0.647046	fs_multi0.002	0.647046	posai1.1086e+05	0.002	posai1.1086e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1716	max	-0.1716	spearman0.470553	fs_multi0.002	0.470553	posai1.3612e+05	0.002	posai1.3612e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1838	max	-0.1838	spearman0.469363	fs_multi0.002	0.469363	posai1.5228e+05	0.002	posai1.5228e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.182	max	-0.182	spearman0.412269	fs_multi0.002	0.412269	posai1.8013e+05	0.002	posai1.8013e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1876	max	-0.1876	spearman0.443266	fs_multi0.002	0.443266	posai1.8116e+05	0.002	posai1.8116e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1786	max	-0.1786	spearman0.413699	fs_multi0.002	0.413699	posai1.4566e+05	0.002	posai1.4566e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1818	max	-0.1818	spearman0.399149	fs_multi0.002	0.399149	posai1.6729e+05	0.002	posai1.6729e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	salt- pepper- 0.05	robustness	FSbar	-0.1798	max	-0.1798	spearman0.403753	fs_multi0.002	0.403753	posai1.6066e+05	0.002	posai1.6066e+05	force_bi	False	symme- tric_2	approxi- mation	False	["Gradient

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman1	simpleavg	galt-pepper-0.05	robustness	bar	-0.1808	max	-0.1808	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	borda	speckle-0.15	robustness		0.0252	max	0.0252	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	borda	speckle-0.15	robustness		0.0236	max	0.0236	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	borda	speckle-0.15	robustness		0.0326	max	0.0326	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	borda	speckle-0.15	robustness		0.0324	max	0.0324	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	borda	speckle-0.15	robustness		0.0354	max	0.0354	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	borda	speckle-0.15	robustness		0.0278	max	0.0278	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	borda	speckle-0.15	robustness		0.0322	max	0.0322	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	borda	speckle-0.15	robustness		0.0332	max	0.0332	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	borda	speckle-0.15	robustness		0.0346	max	0.0346	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	borda	speckle-0.15	robustness		0.0368	max	0.0368	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_1	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	kemeny	speckle-0.15	robustness		0.0252	max	0.0252	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	kemeny	speckle-0.15	robustness		0.0268	max	0.0268	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	kemeny	speckle-0.15	robustness		0.0286	max	0.0286	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	kemeny	speckle-0.15	robustness		0.0322	max	0.0322	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	kemeny	speckle-0.15	robustness		0.0354	max	0.0354	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	kemeny	speckle-0.15	robustness		0.0342	max	0.0342	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	kemeny	speckle-0.15	robustness		0.0312	max	0.0312	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_9	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	speckle- 0.15	robustness	CS	0.042	max	0.042	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bif	False	synthetic	metric_9	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	speckle- 0.15	robustness	CS	0.0376	max	0.0376	spearman	0.403753	vs_multi	0.002	pos	1.606e+05	force_bif	False	synthetic	metric_9	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	speckle- 0.15	robustness	CS	0.04	max	0.04	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bif	True	synthetic	metric_9	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	speckle- 0.15	robustness	CS	0.0224	max	0.0224	spearman	0.586008	vs_multi	0.002	pos	4.0627e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	speckle- 0.15	robustness	CS	0.028	max	0.028	spearman	0.647046	vs_multi	0.002	pos	3.1086e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	speckle- 0.15	robustness	CS	0.0298	max	0.0298	spearman	0.470553	vs_multi	0.002	pos	1.3612e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	speckle- 0.15	robustness	CS	0.0298	max	0.0298	spearman	0.469363	vs_multi	0.002	pos	1.5228e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	speckle- 0.15	robustness	CS	0.0336	max	0.0336	spearman	0.412269	vs_multi	0.002	pos	1.8013e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	speckle- 0.15	robustness	CS	0.0322	max	0.0322	spearman	0.443266	vs_multi	0.002	pos	1.8116e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	speckle- 0.15	robustness	CS	0.033	max	0.033	spearman	0.413699	vs_multi	0.002	pos	1.4566e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	speckle- 0.15	robustness	CS	0.0388	max	0.0388	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	speckle- 0.15	robustness	CS	0.0378	max	0.0378	spearman	0.403753	vs_multi	0.002	pos	1.606e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	speckle- 0.15	robustness	CS	0.04	max	0.04	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bif	True	synthetic	metric_1	approx	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	speckle- 0.15	robustness	CS	0.0252	max	0.0252	spearman	0.586008	vs_multi	0.002	pos	4.0627e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	speckle- 0.15	robustness	CS	0.0234	max	0.0234	spearman	0.647046	vs_multi	0.002	pos	3.1086e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	speckle- 0.15	robustness	CS	0.0278	max	0.0278	spearman	0.470553	vs_multi	0.002	pos	1.3612e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	speckle- 0.15	robustness	CS	0.0352	max	0.0352	spearman	0.469363	vs_multi	0.002	pos	1.5228e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	speckle- 0.15	robustness	CS	0.0334	max	0.0334	spearman	0.412269	vs_multi	0.002	pos	1.8013e+05	force_bif	False	synthetic	metric_1	approx	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc-	value	model	statis-	score	value	dis-	se-	by	forced		mal q	erence	prefix
									tion			tic			tance	lected	noise	fall-				
																q	noise	back				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	Gbar	-0.0784	max	-0.0784	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	Gbar	-0.0738	max	-0.0738	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	Gbar	-0.0826	max	-0.0826	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	Gbar	-0.0808	max	-0.0808	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	speckle- 0.15	robustness	Gbar	-0.0726	max	-0.0726	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	speckle- 0.15	robustness	Gbar	-0.0634	max	-0.0634	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	speckle- 0.15	robustness	Gbar	-0.0544	max	-0.0544	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	speckle- 0.15	robustness	Gbar	-0.081	max	-0.081	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	speckle- 0.15	robustness	Gbar	-0.077	max	-0.077	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	speckle- 0.15	robustness	Gbar	-0.067	max	-0.067	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	speckle- 0.15	robustness	Gbar	-0.0778	max	-0.0778	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	speckle- 0.15	robustness	Gbar	-0.0656	max	-0.0656	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	speckle- 0.15	robustness	Gbar	-0.0668	max	-0.0668	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	speckle- 0.15	robustness	Gbar	-0.078	max	-0.078	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	speckle- 0.15	robustness	Gbar	-0.062	max	-0.062	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	speckle- 0.15	robustness	Gbar	-0.0544	max	-0.0544	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	speckle- 0.15	robustness	Gbar	-0.048	max	-0.048	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_1	approx	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	speckle- 0.15	robustness	Gbar	-0.0828	max	-0.0828	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bi	False	sy	True	metric_1	approx	False	ion

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method	
									direction	value	model	statis- tic	score	value	dis- tance	se- lected	by noise	forced fall- back		mal q	erence	prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	speckle- 0.15	robustness	Gbar	-0.0708	max	-0.0708	spearman0.647046	vs_multi0.002	posai1.086e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	speckle- 0.15	robustness	Gbar	-0.0664	max	-0.0664	spearman0.470553	vs_multi0.002	posai1.3612e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	speckle- 0.15	robustness	Gbar	-0.0746	max	-0.0746	spearman0.469363	vs_multi0.002	posai1.5228e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	speckle- 0.15	robustness	Gbar	-0.082	max	-0.082	spearman0.412269	vs_multi0.002	posai1.8013e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	speckle- 0.15	robustness	Gbar	-0.0862	max	-0.0862	spearman0.443266	vs_multi0.002	posai1.8116e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	speckle- 0.15	robustness	Gbar	-0.0906	max	-0.0906	spearman0.413699	vs_multi0.002	posai1.4566e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	speckle- 0.15	robustness	Gbar	-0.0856	max	-0.0856	spearman0.399149	vs_multi0.002	posai1.6729e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	speckle- 0.15	robustness	Gbar	-0.0692	max	-0.0692	spearman0.403753	vs_multi0.002	posai1.6066e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	speckle- 0.15	robustness	Gbar	-0.066	max	-0.066	spearman0.411602	vs_multi0.002	posai1.1235e+05	nce_bi	True	sy	True	metric_1	approx	True	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	speckle- 0.15	robustness	Gbar	-0.081	max	-0.081	spearman0.586008	vs_multi0.002	posai1.0627e+05	portance_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	speckle- 0.15	robustness	Gbar	-0.079	max	-0.079	spearman0.647046	vs_multi0.002	posai1.1086e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	speckle- 0.15	robustness	Gbar	-0.0732	max	-0.0732	spearman0.470553	vs_multi0.002	posai1.3612e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	speckle- 0.15	robustness	Gbar	-0.0742	max	-0.0742	spearman0.469363	vs_multi0.002	posai1.5228e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	speckle- 0.15	robustness	Gbar	-0.0708	max	-0.0708	spearman0.412269	vs_multi0.002	posai1.8013e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	speckle- 0.15	robustness	Gbar	-0.0874	max	-0.0874	spearman0.443266	vs_multi0.002	posai1.8116e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	speckle- 0.15	robustness	Gbar	-0.0858	max	-0.0858	spearman0.413699	vs_multi0.002	posai1.4566e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	speckle- 0.15	robustness	Gbar	-0.0728	max	-0.0728	spearman0.399149	vs_multi0.002	posai1.6729e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	speckle- 0.15	robustness	Gbar	-0.0562	max	-0.0562	spearman0.403753	vs_multi0.002	posai1.6066e+05	nce_bi	False	sy	True	metric_1	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	schulze	speckle- 0.15	robustness	Gbar	-0.056	max	-0.056	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bi	True	sy	True	metric_1	approximation	True	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	speckle- 0.15	robustness	Gbar	-0.0818	max	-0.0818	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	speckle- 0.15	robustness	Gbar	-0.0762	max	-0.0762	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	speckle- 0.15	robustness	Gbar	-0.0796	max	-0.0796	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	speckle- 0.15	robustness	Gbar	-0.0836	max	-0.0836	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	speckle- 0.15	robustness	Gbar	-0.0788	max	-0.0788	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	speckle- 0.15	robustness	Gbar	-0.088	max	-0.088	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	speckle- 0.15	robustness	Gbar	-0.0808	max	-0.0808	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	speckle- 0.15	robustness	Gbar	-0.079	max	-0.079	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	Gbar	-0.0808	max	-0.0808	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	importance_bi	False	sy	True	metric_3	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	Gbar	-0.0812	max	-0.0812	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	importance_bi	True	sy	True	metric_3	approximation	True	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	speckle- 0.15	robustness	S	0.0288	max	0.0288	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	speckle- 0.15	robustness	S	0.0238	max	0.0238	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	speckle- 0.15	robustness	S	0.0312	max	0.0312	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	S	0.0274	max	0.0274	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	S	0.033	max	0.033	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	S	0.0262	max	0.0262	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	S	0.0254	max	0.0254	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	importance_bi	False	sy	True	metric_6	approximation	False	["Gradient Descent"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	speckle-robustness	0.15	F	0.027	max	0.027	spearman	0.399149	0.399149	0.399149	0.6729	0.6729	Force_bifalse_sy	True	metric_6approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	speckle-robustness	0.15	F	0.032	max	0.032	spearman	0.403753	0.403753	0.403753	0.6066	0.6066	Force_bifalse_sy	True	metric_6approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	speckle-robustness	0.15	F	0.0266	max	0.0266	spearman	0.411602	0.411602	0.411602	0.1235	0.1235	Force_bifalse_sy	True	metric_6approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0288	max	0.0288	spearman	0.586008	0.586008	0.586008	0.6271	0.6271	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0268	max	0.0268	spearman	0.647046	0.647046	0.647046	3.1086	3.1086	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0278	max	0.0278	spearman	0.470553	0.470553	0.470553	4.3612	4.3612	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0292	max	0.0292	spearman	0.469363	0.469363	0.469363	4.5228	4.5228	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0286	max	0.0286	spearman	0.412269	0.412269	0.412269	4.8013	4.8013	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0324	max	0.0324	spearman	0.443266	0.443266	0.443266	4.8116	4.8116	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.026	max	0.026	spearman	0.413699	0.413699	0.413699	4.4566	4.4566	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.035	max	0.035	spearman	0.399149	0.399149	0.399149	4.6729	4.6729	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0328	max	0.0328	spearman	0.403753	0.403753	0.403753	4.6066	4.6066	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	kemeny	speckle-robustness	0.15	F	0.0324	max	0.0324	spearman	0.411602	0.411602	0.411602	3.1235	3.1235	Force_bifalse_sy	True	metric_9approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	rrf	speckle-robustness	0.15	F	0.026	max	0.026	spearman	0.586008	0.586008	0.586008	0.6271	0.6271	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	rrf	speckle-robustness	0.15	F	0.0308	max	0.0308	spearman	0.647046	0.647046	0.647046	3.1086	3.1086	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	rrf	speckle-robustness	0.15	F	0.029	max	0.029	spearman	0.470553	0.470553	0.470553	4.3612	4.3612	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	rrf	speckle-robustness	0.15	F	0.0256	max	0.0256	spearman	0.469363	0.469363	0.469363	4.5228	4.5228	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	rrf	speckle-robustness	0.15	F	0.028	max	0.028	spearman	0.412269	0.412269	0.412269	4.8013	4.8013	Force_bifalse_sy	True	metric_9approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	speckle- 0.15	robustness	F	0.034	max	0.034	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	ince_b	False	syTmetric6	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	speckle- 0.15	robustness	F	0.0348	max	0.0348	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	ince_b	False	syTmetric6	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	speckle- 0.15	robustness	F	0.031	max	0.031	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	ince_b	False	syTmetric6	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	speckle- 0.15	robustness	F	0.0244	max	0.0244	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	ince_b	False	syTmetric6	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	speckle- 0.15	robustness	F	0.0248	max	0.0248	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	ince_b	False	syTmetric6	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	F	0.025	max	0.025	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	ince_b	False	syTmetric6	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	F	0.024	max	0.024	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	ince_b	True	syTmetric6	approxifusion	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	speckle- 0.15	robustness	Fbar	-0.0616	max	-0.0616	spearman0.586008	vs_multi0.002	posad0.627	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	speckle- 0.15	robustness	Fbar	-0.0666	max	-0.0666	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	speckle- 0.15	robustness	Fbar	-0.0542	max	-0.0542	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	Fbar	-0.0578	max	-0.0578	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	Fbar	-0.0564	max	-0.0564	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	Fbar	-0.0646	max	-0.0646	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	Fbar	-0.0612	max	-0.0612	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	speckle- 0.15	robustness	Fbar	-0.0616	max	-0.0616	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	speckle- 0.15	robustness	Fbar	-0.0518	max	-0.0518	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	speckle- 0.15	robustness	Fbar	-0.04	max	-0.04	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	importance_b	True	syTmetric11	approxifusion	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	speckle- 0.15	robustness	Fbar	-0.0616	max	-0.0616	spearman0.586008	vs_multi0.002	posad0.627	+0.05	importance_b	False	syTmetric11	approxifusion	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method
									direc-	value	model	statis-	score	value	dis-	se-	by	forced		mal q	erence	prefix
									tion			tic			tance	lected	noise	fall-				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	speckle- 0.15	robustness	Sbar	-0.0592	max	-0.0592	spearman0.647046	vs_multi0.002	0.647046	posai1.086e+05	0.002	posai1.086e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	speckle- 0.15	robustness	Sbar	-0.0514	max	-0.0514	spearman0.470553	vs_multi0.002	0.470553	posai1.3612e+05	0.002	posai1.3612e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	speckle- 0.15	robustness	Sbar	-0.0612	max	-0.0612	spearman0.469363	vs_multi0.002	0.469363	posai1.5228e+05	0.002	posai1.5228e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	speckle- 0.15	robustness	Sbar	-0.0486	max	-0.0486	spearman0.412269	vs_multi0.002	0.412269	posai1.8013e+05	0.002	posai1.8013e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	speckle- 0.15	robustness	Sbar	-0.0562	max	-0.0562	spearman0.443266	vs_multi0.002	0.443266	posai1.8116e+05	0.002	posai1.8116e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	speckle- 0.15	robustness	Sbar	-0.065	max	-0.065	spearman0.413699	vs_multi0.002	0.413699	posai1.4566e+05	0.002	posai1.4566e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	speckle- 0.15	robustness	Sbar	-0.0518	max	-0.0518	spearman0.399149	vs_multi0.002	0.399149	posai1.6729e+05	0.002	posai1.6729e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	speckle- 0.15	robustness	Sbar	-0.043	max	-0.043	spearman0.403753	vs_multi0.002	0.403753	posai1.6066e+05	0.002	posai1.6066e+05	nce_bi	False	syTmetric_1	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	speckle- 0.15	robustness	Sbar	-0.0378	max	-0.0378	spearman0.411602	vs_multi0.002	0.411602	posai1.1235e+05	0.002	posai1.1235e+05	nce_bi	True	syTmetric_1	approxifi	True	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	speckle- 0.15	robustness	Sbar	-0.0642	max	-0.0642	spearman0.586008	vs_multi0.002	0.586008	posai0.627	0.002	posai0.627	ortance_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	speckle- 0.15	robustness	Sbar	-0.0494	max	-0.0494	spearman0.647046	vs_multi0.002	0.647046	posai1.1086e+05	0.002	posai1.1086e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	speckle- 0.15	robustness	Sbar	-0.05	max	-0.05	spearman0.470553	vs_multi0.002	0.470553	posai1.3612e+05	0.002	posai1.3612e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	speckle- 0.15	robustness	Sbar	-0.0556	max	-0.0556	spearman0.469363	vs_multi0.002	0.469363	posai1.5228e+05	0.002	posai1.5228e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	speckle- 0.15	robustness	Sbar	-0.0648	max	-0.0648	spearman0.412269	vs_multi0.002	0.412269	posai1.8013e+05	0.002	posai1.8013e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	speckle- 0.15	robustness	Sbar	-0.0728	max	-0.0728	spearman0.443266	vs_multi0.002	0.443266	posai1.8116e+05	0.002	posai1.8116e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	speckle- 0.15	robustness	Sbar	-0.076	max	-0.076	spearman0.413699	vs_multi0.002	0.413699	posai1.4566e+05	0.002	posai1.4566e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	speckle- 0.15	robustness	Sbar	-0.0722	max	-0.0722	spearman0.399149	vs_multi0.002	0.399149	posai1.6729e+05	0.002	posai1.6729e+05	nce_bi	False	syTmetric_3	approxifi	False	ion
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	speckle- 0.15	robustness	Sbar	-0.057	max	-0.057	spearman0.403753	vs_multi0.002	0.403753	posai1.6066e+05	0.002	posai1.6066e+05	nce_bi	False	syTmetric_3	approxifi	False	ion

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	direction	objective	value	model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	rrf	speckle- 0.15	robustness	Sbar	-0.0516	max	-0.0516	spearman	0.411602	vs_multi0.002	posad1.1235e+05	nce_bi	True	sy	True	metric_3	approx	False	True	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	speckle- 0.15	robustness	Sbar	-0.0616	max	-0.0616	spearman	0.586008	vs_multi0.002	posad1.0627e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	speckle- 0.15	robustness	Sbar	-0.0614	max	-0.0614	spearman	0.647046	vs_multi0.002	posad1.1086e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	speckle- 0.15	robustness	Sbar	-0.056	max	-0.056	spearman	0.470553	vs_multi0.002	posad1.3612e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	speckle- 0.15	robustness	Sbar	-0.0584	max	-0.0584	spearman	0.469363	vs_multi0.002	posad1.5223e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	speckle- 0.15	robustness	Sbar	-0.051	max	-0.051	spearman	0.412269	vs_multi0.002	posad1.8013e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	speckle- 0.15	robustness	Sbar	-0.0728	max	-0.0728	spearman	0.443266	vs_multi0.002	posad1.8116e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	speckle- 0.15	robustness	Sbar	-0.073	max	-0.073	spearman	0.413699	vs_multi0.002	posad1.4566e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	speckle- 0.15	robustness	Sbar	-0.0588	max	-0.0588	spearman	0.399149	vs_multi0.002	posad1.6729e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	speckle- 0.15	robustness	Sbar	-0.044	max	-0.044	spearman	0.403753	vs_multi0.002	posad1.6066e+05	nce_bi	False	sy	True	metric_10	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	speckle- 0.15	robustness	Sbar	-0.0466	max	-0.0466	spearman	0.411602	vs_multi0.002	posad1.1235e+05	nce_bi	True	sy	True	metric_10	approx	False	True	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	speckle- 0.15	robustness	Sbar	-0.0636	max	-0.0636	spearman	0.586008	vs_multi0.002	posad1.0627e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	speckle- 0.15	robustness	Sbar	-0.0568	max	-0.0568	spearman	0.647046	vs_multi0.002	posad1.1086e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	speckle- 0.15	robustness	Sbar	-0.0616	max	-0.0616	spearman	0.470553	vs_multi0.002	posad1.3612e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	speckle- 0.15	robustness	Sbar	-0.0662	max	-0.0662	spearman	0.469363	vs_multi0.002	posad1.5223e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	speckle- 0.15	robustness	Sbar	-0.0624	max	-0.0624	spearman	0.412269	vs_multi0.002	posad1.8013e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	speckle- 0.15	robustness	Sbar	-0.069	max	-0.069	spearman	0.443266	vs_multi0.002	posad1.8116e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	speckle- 0.15	robustness	Sbar	-0.063	max	-0.063	spearman	0.413699	vs_multi0.002	posad1.4566e+05	nce_bi	False	sy	True	metric_3	approx	False	False	["Gradi	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	speckle- 0.15	robustness	Bar	-0.063	max	-0.063	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	False	True	metric_3approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	Bar	-0.0654	max	-0.0654	spearman	0.403753	0.403753	0.403753	0.002	pos	1.606e+05	False	True	metric_3approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	Bar	-0.066	max	-0.066	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	True	True	metric_3approx	True	["GradientAttention

Table 188: NOISE q-sweep diagnostics results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	adversarial	conditioned	cd_qual	0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	adversarial	conditioned	cd_qual	0.217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	conditioned	cd_qual	0.2076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	conditioned	cd_qual	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	conditioned	cd_qual	0.1964	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	conditioned	cd_qual	0.1954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	conditioned	cd_qual	0.1954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	conditioned	cd_qual	0.1836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	conditioned	cd_qual	0.1778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	conditioned	cd_qual	0.1752	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	adversarial	conditioned	cd_qual	0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	adversarial	conditioned	cd_qual	0.2288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	adversarial	conditioned	cd_qual	0.2278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	adversarial	conditioned	cd_qual	0.2104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	adversarial	conditioned	cd_qual	0.1998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	adversarial	conditioned	cd_qual	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	adversarial	conditioned	cd_qual	0.1944	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	adversarial	conditioned	cd_qual	0.1844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	sara-2- 255	ad-conditioned_	qual0.752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	sara-2- 255	ad-conditioned_	qual0.782	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.258	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.254	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.2192	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.1998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.2	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.194	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.1792	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	sara-2- 255	ad-conditioned_	qual0.1778	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.2218	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.2202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.2094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.1982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.1956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	sara-2- 255	ad-conditioned_	qual0.1938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	schulze	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1764	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1752	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.2254	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.2126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.2046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.1874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.183	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	simpleavg	adversarial	ad-conditioned_sara-2-255	fid_quality	0.182	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	adversarial	ad-conditioned_barquality	0.3556	False	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	ad-conditioned_barquality	0.3518	False	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	ad-conditioned_barquality	0.393	False	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	ad-conditioned_barquality	0.4204	False	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	ad-conditioned_barquality	0.4516	False	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	ad-conditioned_barquality	0.455	False	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	borda	adversarial	condition6- sara-2- 255	Barqual	0.452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	borda	adversarial	condition6- sara-2- 255	Barqual	0.4888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	borda	adversarial	condition6- sara-2- 255	Barqual	0.5254	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	borda	adversarial	condition6- sara-2- 255	Barqual	0.5422	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.3556	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.3628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.3848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.4212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.4514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.4488	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.4496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.5004	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet110- vit-b16	110	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.551	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet111- vit-b16	111	kemeny	adversarial	condition6- sara-2- 255	Barqual	0.5484	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	rrf	adversarial	condition6- sara-2- 255	Barqual	0.3544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	rrf	adversarial	condition6- sara-2- 255	Barqual	0.3532	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	rrf	adversarial	condition6- sara-2- 255	Barqual	0.3834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	rrf	adversarial	condition6- sara-2- 255	Barqual	0.4252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	rrf	adversarial	condition6- sara-2- 255	Barqual	0.4448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	condition	CBarqual	0.4466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	condition	CBarqual	0.4426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	condition	CBarqual	0.4872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	condition	CBarqual	0.5202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	condition	CBarqual	0.5232	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	adversarial	condition	CBarqual	0.3556	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	adversarial	condition	CBarqual	0.3476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	adversarial	condition	CBarqual	0.3782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	adversarial	condition	CBarqual	0.421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	adversarial	condition	CBarqual	0.4556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	adversarial	condition	CBarqual	0.4502	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	adversarial	condition	CBarqual	0.4506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	adversarial	condition	CBarqual	0.489	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	adversarial	condition	CBarqual	0.5396	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	adversarial	condition	CBarqual	0.5384	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	adversarial	condition	CBarqual	0.3536	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	adversarial	condition	CBarqual	0.3516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	adversarial	condition	CBarqual	0.3674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	simpleavg	adversarial	condition	CBarqual	0.4056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	conditioned_qualified	Barquality	0.4152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	conditioned_qualified	Barquality	0.4298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	conditioned_qualified	Barquality	0.4282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	conditioned_qualified	Barquality	0.446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	conditioned_qualified	Barquality	0.4578	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	conditioned_qualified	Barquality	0.4592	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	adversarial	conditioned_qualified	Barquality	0.4624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	adversarial	conditioned_qualified	Barquality	0.4528	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	adversarial	conditioned_qualified	Barquality	0.4474	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	adversarial	conditioned_qualified	Barquality	0.4416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	adversarial	conditioned_qualified	Barquality	0.4382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	adversarial	conditioned_qualified	Barquality	0.4386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	adversarial	conditioned_qualified	Barquality	0.439	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	adversarial	conditioned_qualified	Barquality	0.427	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	adversarial	conditioned_qualified	Barquality	0.4212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	adversarial	conditioned_qualified	Barquality	0.4214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	adversarial	conditioned_qualified	Barquality	0.4624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	adversarial	conditioned_qualified	Barquality	0.4644	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	adversarial	conditioned_qualified	Barquality	0.4636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.4	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.404	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.36	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		kemeny	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.586	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.44	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.4	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.24	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		rrf	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.234	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1396	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1208	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1624	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1424	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1342	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1334	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.132	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.1274	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	adversarial	ad-conditioned_sara-2-255	Fed_quality	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	condition	F ₁ harqual	0.2932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	condition	F ₁ harqual	0.3318	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	condition	F ₁ harqual	0.3594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	condition	F ₁ harqual	0.3886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	condition	F ₁ harqual	0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	condition	F ₁ harqual	0.382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	condition	F ₁ harqual	0.4204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	condition	F ₁ harqual	0.4552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	condition	F ₁ harqual	0.4694	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	adversarial	condition	F ₁ harqual	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	adversarial	condition	F ₁ harqual	0.3016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	condition	F ₁ harqual	0.3266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	adversarial	condition	F ₁ harqual	0.357	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	adversarial	condition	F ₁ harqual	0.385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	adversarial	condition	F ₁ harqual	0.3802	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	condition	F ₁ harqual	0.3786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	adversarial	condition	F ₁ harqual	0.4316	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	condition	F ₁ harqual	0.4808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	condition	F ₁ harqual	0.479	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	condition	F _{bar} equal	0.296	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	condition	F _{bar} equal	0.2982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	condition	F _{bar} equal	0.3222	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	condition	F _{bar} equal	0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	condition	F _{bar} equal	0.3772	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	condition	F _{bar} equal	0.3782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	condition	F _{bar} equal	0.3728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	condition	F _{bar} equal	0.4168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	condition	F _{bar} equal	0.4512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	condition	F _{bar} equal	0.4552	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	condition	F _{bar} equal	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	condition	F _{bar} equal	0.2888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	condition	F _{bar} equal	0.3202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	condition	F _{bar} equal	0.3576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	condition	F _{bar} equal	0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	condition	F _{bar} equal	0.3814	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	condition	F _{bar} equal	0.3796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	condition	F _{bar} equal	0.4182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	condition	F _{bar} equal	0.47	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	adversarial-condition	0.4694	F ₁ equality	0.4694	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial-condition	0.2946	F ₁ equality	0.2946	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	adversarial-condition	0.2962	F ₁ equality	0.2962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial-condition	0.309	F ₁ equality	0.309	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial-condition	0.3446	F ₁ equality	0.3446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial-condition	0.3504	F ₁ equality	0.3504	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial-condition	0.365	F ₁ equality	0.365	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial-condition	0.3626	F ₁ equality	0.3626	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial-condition	0.3776	F ₁ equality	0.3776	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial-condition	0.3874	F ₁ equality	0.3874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial-condition	0.387	F ₁ equality	0.387	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	gaussian-condition	0.2198	F ₁ equality	0.2198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	gaussian-condition	0.1978	F ₁ equality	0.1978	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	gaussian-condition	0.21	F ₁ equality	0.21	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	gaussian-condition	0.2092	F ₁ equality	0.2092	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	gaussian-condition	0.2096	F ₁ equality	0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	gaussian-condition	0.205	F ₁ equality	0.205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	gaussian-condition	0.202	F ₁ equality	0.202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	gaussian-condition	0.2012	F ₁ equality	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	conditionvalue kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	gaussian-conditioned_qualified_0.15	ed_qualif	0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	gaussian-conditioned_qualified_0.15	ed_qualif	0.1928	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.2102	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-conditioned_qualified_0.15	ed_qualif	0.203	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.2218	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.2258	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.2322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.226	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-conditioned_qualified_0.15	ed_qualif	0.2216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	conditionvalue kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	rrf	gaussian-conditioned_0.15	cd_qual	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-conditioned_0.15	cd_qual	0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	gaussian-conditioned_0.15	cd_qual	0.2074	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-conditioned_0.15	cd_qual	0.2198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-conditioned_0.15	cd_qual	0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-conditioned_0.15	cd_qual	0.2414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-conditioned_0.15	cd_qual	0.2192	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-conditioned_0.15	cd_qual	0.2262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-conditioned_0.15	cd_qual	0.213	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-conditioned_0.15	cd_qual	0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-conditioned_0.15	cd_qual	0.216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-conditioned_0.15	cd_qual	0.2078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	gaussian-conditioned_0.15	cd_qual	0.2034	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleav	gaussian-conditioned_0.15	cd_qual	0.2146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	gaussian-conditioned_0.15	cd_qual	0.2278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleav	gaussian-conditioned_0.15	cd_qual	0.2322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleav	gaussian-conditioned_0.15	cd_qual	0.221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleav	gaussian-conditioned_0.15	cd_qual	0.2238	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	gaussian-conditioned_0.15	cd_qual	0.2166	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	conditionvalue kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	simpleavg	gaussian-conditioned 0.15	ed_quality	0.2154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	simpleavg	gaussian-conditioned 0.15	ed_quality	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	simpleavg	gaussian-conditioned 0.15	ed_quality	0.215	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	simpleavg	gaussian-conditioned 0.15	ed_quality	0.2136	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	borda	gaussian-conditioned 0.15	ed_quality	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	borda	gaussian-conditioned 0.15	ed_quality	0.2154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	borda	gaussian-conditioned 0.15	ed_quality	0.2272	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	borda	gaussian-conditioned 0.15	ed_quality	0.2412	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	borda	gaussian-conditioned 0.15	ed_quality	0.2458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	borda	gaussian-conditioned 0.15	ed_quality	0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	borda	gaussian-conditioned 0.15	ed_quality	0.2455	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	borda	gaussian-conditioned 0.15	ed_quality	0.2464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	borda	gaussian-conditioned 0.15	ed_quality	0.24932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	borda	gaussian-conditioned 0.15	ed_quality	0.25092	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	kemeny	gaussian-conditioned 0.15	ed_quality	0.218	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	kemeny	gaussian-conditioned 0.15	ed_quality	0.2176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet24- vit-b16	24	kemeny	gaussian-conditioned 0.15	ed_quality	0.23994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet25- vit-b16	25	kemeny	gaussian-conditioned 0.15	ed_quality	0.24484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet26- vit-b16	26	kemeny	gaussian-conditioned 0.15	ed_quality	0.24494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-condition	0.15	CBarqual	0.4678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-condition	0.15	CBarqual	0.4598	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-condition	0.15	CBarqual	0.485	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-condition	0.15	CBarqual	0.5198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-condition	0.15	CBarqual	0.531	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	gaussian-condition	0.15	CBarqual	0.4178	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	gaussian-condition	0.15	CBarqual	0.4198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	gaussian-condition	0.15	CBarqual	0.405	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	gaussian-condition	0.15	CBarqual	0.4332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	gaussian-condition	0.15	CBarqual	0.4386	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	gaussian-condition	0.15	CBarqual	0.4558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	gaussian-condition	0.15	CBarqual	0.4476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	gaussian-condition	0.15	CBarqual	0.4664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	gaussian-condition	0.15	CBarqual	0.5038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	gaussian-condition	0.15	CBarqual	0.5102	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	gaussian-condition	0.15	CBarqual	0.418	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	gaussian-condition	0.15	CBarqual	0.4348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	gaussian-condition	0.15	CBarqual	0.4052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	schulze	gaussian-condition	0.15	CBarqual	0.438	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-condition	0.15	Barquality	0.4406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-condition	0.15	Barquality	0.449	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-condition	0.15	Barquality	0.4518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-condition	0.15	Barquality	0.4682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-condition	0.15	Barquality	0.5046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-condition	0.15	Barquality	0.5078	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	gaussian-condition	0.15	Barquality	0.4202	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	gaussian-condition	0.15	Barquality	0.4276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	gaussian-condition	0.15	Barquality	0.426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	gaussian-condition	0.15	Barquality	0.4444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	gaussian-condition	0.15	Barquality	0.44	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	gaussian-condition	0.15	Barquality	0.4516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	gaussian-condition	0.15	Barquality	0.4568	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	gaussian-condition	0.15	Barquality	0.4606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	gaussian-condition	0.15	Barquality	0.4658	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	gaussian-condition	0.15	Barquality	0.465	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	gaussian-condition	0.15	Ed_quality	0.1594	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	gaussian-condition	0.15	Ed_quality	0.1302	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	gaussian-condition	0.15	Ed_quality	0.141	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	borda	gaussian-conditioned_0.15	ed_quality	0.396	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	borda	gaussian-conditioned_0.15	ed_quality	0.39	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	borda	gaussian-conditioned_0.15	ed_quality	0.382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	borda	gaussian-conditioned_0.15	ed_quality	0.332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	borda	gaussian-conditioned_0.15	ed_quality	0.31	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	borda	gaussian-conditioned_0.15	ed_quality	0.328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	borda	gaussian-conditioned_0.15	ed_quality	0.264	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	kemeny	gaussian-conditioned_0.15	ed_quality	0.594	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	kemeny	gaussian-conditioned_0.15	ed_quality	0.59	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	kemeny	gaussian-conditioned_0.15	ed_quality	0.66	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	kemeny	gaussian-conditioned_0.15	ed_quality	0.544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	kemeny	gaussian-conditioned_0.15	ed_quality	0.57	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	kemeny	gaussian-conditioned_0.15	ed_quality	0.538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	kemeny	gaussian-conditioned_0.15	ed_quality	0.558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	kemeny	gaussian-conditioned_0.15	ed_quality	0.472	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	kemeny	gaussian-conditioned_0.15	ed_quality	0.408	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	kemeny	gaussian-conditioned_0.15	ed_quality	0.346	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	rrf	gaussian-conditioned_0.15	ed_quality	0.608	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	rrf	gaussian-conditioned_0.15	ed_quality	0.542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-conditioned 0.15	Fed_quality	1616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-conditioned 0.15	Fed_quality	1516	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-conditioned 0.15	Fed_quality	1554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-conditioned 0.15	Fed_quality	1496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-conditioned 0.15	Fed_quality	1502	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-conditioned 0.15	Fed_quality	1456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-conditioned 0.15	Fed_quality	1368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	gaussian-conditioned 0.15	Fed_quality	1372	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-conditioned 0.15	Fed_quality	1594	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-conditioned 0.15	Fed_quality	1506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-conditioned 0.15	Fed_quality	1724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-conditioned 0.15	Fed_quality	1508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-conditioned 0.15	Fed_quality	1524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-conditioned 0.15	Fed_quality	1512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-conditioned 0.15	Fed_quality	1468	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-conditioned 0.15	Fed_quality	1462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-conditioned 0.15	Fed_quality	1392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-conditioned 0.15	Fed_quality	135	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	gaussian-conditioned 0.15	Fed_quality	1524	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avggaussian-conditioned_0.15	Fid	0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avggaussian-conditioned_0.15	Fid	0.1582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avggaussian-conditioned_0.15	Fid	0.1456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avggaussian-conditioned_0.15	Fid	0.1476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avggaussian-conditioned_0.15	Fid	0.1438	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avggaussian-conditioned_0.15	Fid	0.1424	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avggaussian-conditioned_0.15	Fid	0.144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avggaussian-conditioned_0.15	Fid	0.1424	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avggaussian-conditioned_0.15	Fid	0.1416	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	gaussian-conditioned_0.15	Fid	0.3158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	gaussian-conditioned_0.15	Fid	0.355	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	gaussian-conditioned_0.15	Fid	0.3288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	gaussian-conditioned_0.15	Fid	0.3402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	gaussian-conditioned_0.15	Fid	0.3456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	gaussian-conditioned_0.15	Fid	0.349	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	gaussian-conditioned_0.15	Fid	0.3534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	gaussian-conditioned_0.15	Fid	0.3618	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	gaussian-conditioned_0.15	Fid	0.391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	gaussian-conditioned_0.15	Fid	0.4088	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-condition	0.15	F _H equality	0.3158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-condition	0.15	F _H equality	0.315	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-condition	0.15	F _H equality	0.301	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-condition	0.15	F _H equality	0.348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-condition	0.15	F _H equality	0.347	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-condition	0.15	F _H equality	0.367	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-condition	0.15	F _H equality	0.3588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-condition	0.15	F _H equality	0.382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-condition	0.15	F _H equality	0.4182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-condition	0.15	F _H equality	0.4294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-condition	0.15	F _H equality	0.3166	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-condition	0.15	F _H equality	0.32	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-condition	0.15	F _H equality	0.3064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-condition	0.15	F _H equality	0.3324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-condition	0.15	F _H equality	0.3378	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-condition	0.15	F _H equality	0.3542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-condition	0.15	F _H equality	0.3466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-condition	0.15	F _H equality	0.364	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-condition	0.15	F _H equality	0.4022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	gaussian-condition	0.15	F ₁ equality	0.4084	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-condition	0.15	F ₁ equality	0.3158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-condition	0.15	F ₁ equality	0.3336	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-condition	0.15	F ₁ equality	0.3068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-condition	0.15	F ₁ equality	0.3346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-condition	0.15	F ₁ equality	0.3422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-condition	0.15	F ₁ equality	0.3474	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-condition	0.15	F ₁ equality	0.3508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-condition	0.15	F ₁ equality	0.3656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-condition	0.15	F ₁ equality	0.402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-condition	0.15	F ₁ equality	0.4054	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	gaussian-condition	0.15	F ₁ equality	0.317	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	gaussian-condition	0.15	F ₁ equality	0.348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	gaussian-condition	0.15	F ₁ equality	0.358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	gaussian-condition	0.15	F ₁ equality	0.3608	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	gaussian-condition	EL	quality:0.3664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	gaussian-condition	EL	quality:0.3662	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	conditioned	cd_quality	0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	salt- pepper- 0.05	conditioned	cd_quality	0.186	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	conditioned	cd_quality	0.2008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1996	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1918	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	conditioned	cd_quality	0.1816	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2106	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	conditioned	cd_quality	0.2032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	kemeny	salt- pepper- 0.05	conditioned_	qual	0.2024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	conditioned_	qual	0.1966	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	salt- pepper- 0.05	conditioned_	qual	0.1892	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	conditioned_	qual	0.2032	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	conditioned_	qual	0.2088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	conditioned_	qual	0.2222	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	conditioned_	qual	0.2126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	conditioned_	qual	0.2114	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	conditioned_	qual	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	conditioned_	qual	0.2004	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	conditioned_	qual	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	conditioned_	qual	0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	salt- pepper- 0.05	conditioned_	qual	0.1928	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	salt- pepper- 0.05	conditioned_	qual	0.2036	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	salt- pepper- 0.05	conditioned_	qual	0.2078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	salt- pepper- 0.05	conditioned_	qual	0.2244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	salt- pepper- 0.05	conditioned_	qual	0.2054	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	salt- pepper- 0.05	conditioned_	qual	0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	salt- pepper- 0.05	conditioned_	qual	0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	conditioned_	qual	0.2002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	salt- pepper- 0.05	conditioned_	qual	0.2	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	conditioned_	qual	0.1896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	conditioned_	qual	0.1866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2122	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	salt- pepper- 0.05	conditioned_	qual	0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	salt- pepper- 0.05	conditioned_	qual	0.1992	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	salt- pepper- 0.05	conditioned_	qual	0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	salt- pepper- 0.05	conditioned_	qual	0.3862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	salt- pepper- 0.05	conditioned_	qual	0.3716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	borda	salt- pepper- 0.05	conditioned_	qual	0.3844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	borda	salt- pepper- 0.05	conditioned_	qual	0.3808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	condition	Cbar	quality3888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	condition	Cbar	quality3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	condition	Cbar	quality398	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	condition	Cbar	quality4296	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	condition	Cbar	quality4482	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	salt- pepper- 0.05	condition	Cbar	quality3596	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	salt- pepper- 0.05	condition	Cbar	quality36	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	salt- pepper- 0.05	condition	Cbar	quality348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	salt- pepper- 0.05	condition	Cbar	quality3818	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	salt- pepper- 0.05	condition	Cbar	quality387	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	salt- pepper- 0.05	condition	Cbar	quality4062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	salt- pepper- 0.05	condition	Cbar	quality4104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	salt- pepper- 0.05	condition	Cbar	quality4246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	salt- pepper- 0.05	condition	Cbar	quality4584	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	salt- pepper- 0.05	condition	Cbar	quality4782	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	salt- pepper- 0.05	condition	Cbar	quality3604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	salt- pepper- 0.05	condition	Cbar	quality3518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	salt- pepper- 0.05	condition	Cbar	quality3422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	rrf	salt- pepper- 0.05	condition	Cbar	quality3654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	condition	CBarqual	0.3752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	condition	CBarqual	0.3872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	condition	CBarqual	0.3906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	condition	CBarqual	0.4048	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	condition	CBarqual	0.4402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	condition	CBarqual	0.4518	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	condition	CBarqual	0.3596	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	condition	CBarqual	0.3724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	condition	CBarqual	0.35	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	condition	CBarqual	0.3726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	condition	CBarqual	0.3798	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	condition	CBarqual	0.3974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	condition	CBarqual	0.3974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	condition	CBarqual	0.3968	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	salt- pepper- 0.05	condition	CBarqual	0.4432	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	salt- pepper- 0.05	condition	CBarqual	0.4552	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleav	salt- pepper- 0.05	condition	CBarqual	0.3676	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleav	salt- pepper- 0.05	condition	CBarqual	0.3678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleav	salt- pepper- 0.05	condition	CBarqual	0.3638	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3792	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3788	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3916	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3948	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3952	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned_	quality	0.3958	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	borda	salt- pepper- 0.05	conditioned_	quality	0.4408	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	borda	salt- pepper- 0.05	conditioned_	quality	0.4142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	borda	salt- pepper- 0.05	conditioned_	quality	0.4126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	borda	salt- pepper- 0.05	conditioned_	quality	0.4322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	borda	salt- pepper- 0.05	conditioned_	quality	0.4356	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	borda	salt- pepper- 0.05	conditioned_	quality	0.4129	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	borda	salt- pepper- 0.05	conditioned_	quality	0.4238	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	borda	salt- pepper- 0.05	conditioned_	quality	0.4125	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	borda	salt- pepper- 0.05	conditioned_	quality	0.4234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	borda	salt- pepper- 0.05	conditioned_	quality	0.4117	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	kemeny	salt- pepper- 0.05	conditioned_	quality	0.4408	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	kemeny	salt- pepper- 0.05	conditioned_	quality	0.4145	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.522	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.45	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.38	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	salt- pepper- 0.05	conditioned	ed_quality	0.264	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.398	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.406	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.492	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.41	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.366	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	conditioned	ed_quality	0.282	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.408	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.384	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.404	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.41	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.408	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.306	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.26	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	conditioned	ed_quality	0.244	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.4	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.418	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.434	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.45	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.366	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.35	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.34	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.33	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	conditioned	ed_quality	0.314	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.29	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.2766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.2862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.2838	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.2888	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.2914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.3014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.3338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	condition	F _{Har} qual	0.3484	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.2624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.2872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.2918	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.3122	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.3076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.3258	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	condition	F _{Har} qual	0.3588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	salt- pepper- 0.05	condition	F _{0.5}	0.378	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2776	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2894	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.2922	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.3068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.3382	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	condition	F _{0.5}	0.3492	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.3012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.2998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	condition	F _{0.5}	0.3012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	conditioned	fid_quality	0.3464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	conditioned	fid_quality	0.3558	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2672	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.284	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2818	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2914	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2938	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleav	salt- pepper- 0.05	conditioned	fid_quality	0.2982	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	conditioned	fid_quality	0.1604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	speckle- 0.15	conditioned	fid_quality	0.1192	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned	fid_quality	0.136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned	fid_quality	0.1392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned	fid_quality	0.1398	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned	fid_quality	0.1346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	fid_quality	0.1278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	borda	speckle-	conditioned_	quality	1244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle-	conditioned_	quality	119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	borda	speckle-	conditioned_	quality	117	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle-	conditioned_	quality	1604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle-	conditioned_	quality	163	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle-	conditioned_	quality	1648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle-	conditioned_	quality	1556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle-	conditioned_	quality	1496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle-	conditioned_	quality	1476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle-	conditioned_	quality	1448	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle-	conditioned_	quality	1414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle-	conditioned_	quality	1288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	speckle-	conditioned_	quality	1256	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	speckle-	conditioned_	quality	158	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	speckle-	conditioned_	quality	151	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	speckle-	conditioned_	quality	1574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	speckle-	conditioned_	quality	1494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	speckle-	conditioned_	quality	15	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	speckle-	conditioned_	quality	1446	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle-	conditioned_	quality	404	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	speckle-	conditioned_	quality	402	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle-	conditioned_	quality	324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle-	conditioned_	quality	292	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle-	conditioned_	quality	604	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	speckle-	conditioned_	quality	484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle-	conditioned_	quality	646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle-	conditioned_	quality	534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle-	conditioned_	quality	46	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle-	conditioned_	quality	462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle-	conditioned_	quality	414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle-	conditioned_	quality	362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle-	conditioned_	quality	296	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle-	conditioned_	quality	258	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle-	conditioned_	quality	534	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	speckle-	conditioned_	quality	52	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle-	conditioned_	quality	554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle-	conditioned_	quality	498	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle-	conditioned_	quality	496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle- 0.15	conditioned	ed_qual	0.452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	conditioned	ed_qual	0.4394	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	speckle- 0.15	conditioned	ed_qual	0.4376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	conditioned	ed_qual	0.437	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	conditioned	ed_qual	0.4354	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	conditioned	ed_qual	0.227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	speckle- 0.15	conditioned	ed_qual	0.2394	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned	ed_qual	0.2312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned	ed_qual	0.2416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned	ed_qual	0.2614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned	ed_qual	0.269	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	ed_qual	0.2674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	conditioned	ed_qual	0.295	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	conditioned	ed_qual	0.3262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	conditioned	ed_qual	0.341	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	conditioned	ed_qual	0.227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	conditioned	ed_qual	0.2234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	conditioned	ed_qual	0.2128	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	conditioned	ed_qual	0.2492	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	condition	CharQual	0.2684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	condition	CharQual	0.278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	condition	CharQual	0.279	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	condition	CharQual	0.3164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	condition	CharQual	0.3714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	condition	CharQual	0.3798	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	condition	CharQual	0.227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	condition	CharQual	0.2176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	condition	CharQual	0.2126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	condition	CharQual	0.2318	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	condition	CharQual	0.2602	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	condition	CharQual	0.2714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	condition	CharQual	0.276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	condition	CharQual	0.3092	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	speckle- 0.15	condition	CharQual	0.3392	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	speckle- 0.15	condition	CharQual	0.3458	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	speckle- 0.15	condition	CharQual	0.227	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	speckle- 0.15	condition	CharQual	0.2274	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	speckle- 0.15	condition	CharQual	0.219	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2378	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2704	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.2748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.3022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.3518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		schulze	speckle- 0.15	condition	Barqual	0.3526	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.3302	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		simpleav	speckle- 0.15	condition	Barqual	0.2556	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		borda	speckle- 0.15	condition	Ed_qual	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		borda	speckle- 0.15	condition	Ed_qual	0.0744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned_	quality	0.9884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned_	quality	0.9908	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned_	quality	0.9934	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned_	quality	0.9922	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned_	quality	0.9836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	conditioned_	quality	0.9822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	conditioned_	quality	0.9814	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	conditioned_	quality	0.9744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	conditioned_	quality	0.9152	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	conditioned_	quality	0.9142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	conditioned_	quality	0.9148	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	conditioned_	quality	0.9088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	conditioned_	quality	0.9104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	conditioned_	quality	0.9104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	conditioned_	quality	0.9998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	conditioned_	quality	0.9974	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	conditioned_	quality	0.987	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	conditioned_	quality	0.9824	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	speckle- 0.15	conditioned_	quality	0.9132	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	conditioned_	quality	0.1034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	speckle- 0.15	conditioned_	quality	0.1094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	speckle- 0.15	conditioned_	quality	0.1018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	speckle- 0.15	conditioned_	quality	0.1018	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	speckle- 0.15	conditioned_	quality	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	conditioned_	quality	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	speckle- 0.15	conditioned_	quality	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	conditioned_	quality	0.0878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	conditioned_	quality	0.0846	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	conditioned_	quality	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	conditioned_	quality	0.0992	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	conditioned_	quality	0.1146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	conditioned_	quality	0.1054	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	conditioned_	quality	0.0988	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	conditioned_	quality	0.1014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	conditioned_	quality	0.0988	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	conditioned_	quality	0.094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	conditioned_	quality	0.0878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	conditioned_	quality	0.083	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1086	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	conditioned	ed_quality	0.104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1026	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle- 0.15	conditioned	ed_quality	0.104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle- 0.15	conditioned	ed_quality	0.1006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	conditioned	ed_quality	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	speckle- 0.15	conditioned	ed_quality	0.0896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	conditioned	ed_quality	0.089	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	conditioned	ed_quality	0.0882	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	conditioned	ed_quality	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	ed_quality	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	conditioned	ed_quality	0.1618	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	conditioned	ed_quality	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	conditioned	ed_quality	0.189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	conditioned	ed_quality	0.1972	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	conditioned	ed_quality	0.1946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	conditioned	ed_quality	0.225	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	conditioned	ed_quality	0.253	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	borda	speckle- 0.15	condition	F _H quality	0.2656	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	condition	F _H quality	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	condition	F _H quality	0.1538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	condition	F _H quality	0.1436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	condition	F _H quality	0.1766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	condition	F _H quality	0.1195	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	condition	F _H quality	0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	condition	F _H quality	0.1208	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	condition	F _H quality	0.2452	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	condition	F _H quality	0.2976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	condition	F _H quality	0.3062	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	condition	F _H quality	0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	condition	F _H quality	0.1454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	condition	F _H quality	0.1146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	condition	F _H quality	0.1606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	condition	F _H quality	0.1894	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	condition	F _H quality	0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	condition	F _H quality	0.1203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	condition	F _H quality	0.2346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	condition	F _{0.5}	0.2656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	condition	F _{0.5}	0.2688	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	condition	F _{0.5}	0.1544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	speckle- 0.15	condition	F _{0.5}	0.1592	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	condition	F _{0.5}	0.1512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	condition	F _{0.5}	0.1674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	condition	F _{0.5}	0.1848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	condition	F _{0.5}	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	condition	F _{0.5}	0.2032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	condition	F _{0.5}	0.2314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	condition	F _{0.5}	0.2782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	condition	F _{0.5}	0.2802	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1602	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1538	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle- 0.15	condition	F _{0.5}	0.1782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	simpleavg	speckle- 0.15	condition	EqualQuality	0.1794	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	condition	EqualQuality	0.183	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	condition	EqualQuality	0.1834	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	clean	quality	C	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	clean	quality	C	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	clean	quality	C	0.1034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	clean	quality	C	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	clean	quality	C	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	clean	quality	C	0.1068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	clean	quality	C	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	clean	quality	C	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	clean	quality	C	0.0844	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	clean	quality	C	0.0802	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	clean	quality	C	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	clean	quality	C	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	clean	quality	C	0.1362	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	clean	quality	C	0.1234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	clean	quality	C	0.1142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	clean	quality	C	0.1134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	clean	quality	C	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	clean	quality	C	0.0994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	clean	quality	C	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	clean	quality	C	0.0856	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	clean	quality	C	0.1356	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	clean	quality	C	0.123	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	clean	quality	C	0.1276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	clean	quality	C	0.1196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	clean	quality	C	0.1164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	clean	quality	C	0.1124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	C	0.1074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	clean	quality	C	0.1014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	clean	quality	C	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	clean	quality	C	0.0892	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	clean	quality	C	0.1352	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	clean	quality	C	0.125	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	clean	quality	C	0.1368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	clean	quality	C	0.1182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	clean	quality	C	0.1126	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	clean	quality	C	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	C	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	clean	quality	C	0.1002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	clean	quality	C	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	clean	quality	C	0.0848	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavglean	clean	quality	C	0.132	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavglean	clean	quality	C	0.1198	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavglean	clean	quality	C	0.1216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavglean	clean	quality	C	0.1146	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavglean	clean	quality	C	0.1158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavglean	clean	quality	C	0.1172	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavglean	clean	quality	C	0.1056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavglean	clean	quality	C	0.1032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavglean	clean	quality	C	0.103	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavglean	clean	quality	C	0.1032	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	clean	quality	Cbar	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	clean	quality	Cbar	0.1508	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	clean	quality	Cbar	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	borda	clean	quality	Cbar	0.1632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	clean	quality	Cbar	0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	clean	quality	Cbar	0.1864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	clean	quality	Cbar	0.1866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	clean	quality	Cbar	0.2224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	clean	quality	Cbar	0.2628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	clean	quality	Cbar	0.2866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	clean	quality	Cbar	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	clean	quality	Cbar	0.1464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	clean	quality	Cbar	0.1458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	clean	quality	Cbar	0.1714	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	clean	quality	Cbar	0.2028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	clean	quality	Cbar	0.2112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	clean	quality	Cbar	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	clean	quality	Cbar	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	clean	quality	Cbar	0.317	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	clean	quality	Cbar	0.3318	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	clean	quality	Cbar	0.1442	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	clean	quality	Cbar	0.1468	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	clean	quality	Cbar	0.1462	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		rrf	clean	quality	Cbar	0.1572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		rrf	clean	quality	Cbar	0.1782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		rrf	clean	quality	Cbar	0.1852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		rrf	clean	quality	Cbar	0.1854	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		rrf	clean	quality	Cbar	0.2236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		rrf	clean	quality	Cbar	0.27	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		rrf	clean	quality	Cbar	0.2798	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		schulze	clean	quality	Cbar	0.146	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		schulze	clean	quality	Cbar	0.1484	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		schulze	clean	quality	Cbar	0.1458	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		schulze	clean	quality	Cbar	0.1636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		schulze	clean	quality	Cbar	0.1886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		schulze	clean	quality	Cbar	0.183	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		schulze	clean	quality	Cbar	0.189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		schulze	clean	quality	Cbar	0.2294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		schulze	clean	quality	Cbar	0.2956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		schulze	clean	quality	Cbar	0.2966	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		simpleavg	clean	quality	Cbar	0.1484	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		simpleavg	clean	quality	Cbar	0.1478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix	
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	clean	quality	Cbar	0.147	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avg	clean	quality	Cbar	0.1524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avg	clean	quality	Cbar	0.1532	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avg	clean	quality	Cbar	0.1576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	clean	quality	Cbar	0.1706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avg	clean	quality	Cbar	0.1722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	clean	quality	Cbar	0.1738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	clean	quality	Cbar	0.1744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	clean		quality	F	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	clean		quality	F	0.0506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	clean		quality	F	0.0572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	clean		quality	F	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	clean		quality	F	0.0604	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	clean		quality	F	0.066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	clean		quality	F	0.0582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	clean		quality	F	0.0552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	clean		quality	F	0.0494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	clean		quality	F	0.0478	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	clean		quality	F	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	clean	quality	F	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	clean	quality	F	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	clean	quality	F	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	clean	quality	F	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	clean	quality	F	0.0716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	clean	quality	F	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	clean	quality	F	0.0624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	clean	quality	F	0.0542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	clean	quality	F	0.05	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	clean	quality	F	0.0872	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	F	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	clean	quality	F	0.0804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	clean	quality	F	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	clean	quality	F	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	clean	quality	F	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	F	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	clean	quality	F	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	clean	quality	F	0.0574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	clean	quality	F	0.0538	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	clean	quality	F	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	F	0.0764	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	clean	quality	F	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	clean	quality	F	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	clean	quality	F	0.0698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	clean	quality	F	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	F	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	clean	quality	F	0.0614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	clean	quality	F	0.0552	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	clean	quality	F	0.0488	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavglean	clean	quality	F	0.0852	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavglean	clean	quality	F	0.0734	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavglean	clean	quality	F	0.0748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavglean	clean	quality	F	0.0686	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavglean	clean	quality	F	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavglean	clean	quality	F	0.0696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavglean	clean	quality	F	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavglean	clean	quality	F	0.0648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavglean	clean	quality	F	0.064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	simple	avg	quality	F	0.0642	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	clean	quality	Fbar	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	clean	quality	Fbar	0.1026	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	clean	quality	Fbar	0.1076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	clean	quality	Fbar	0.1114	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	clean	quality	Fbar	0.1326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	clean	quality	Fbar	0.1326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	clean	quality	Fbar	0.1334	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	clean	quality	Fbar	0.1634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	clean	quality	Fbar	0.2012	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	clean	quality	Fbar	0.2256	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	clean	quality	Fbar	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	clean	quality	Fbar	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	clean	quality	Fbar	0.0922	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	clean	quality	Fbar	0.1154	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	clean	quality	Fbar	0.1464	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	clean	quality	Fbar	0.152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	clean	quality	Fbar	0.143	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	clean	quality	Fbar	0.1934	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	clean	quality	Fbar	0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	clean	quality	Fbar	0.2684	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	clean	quality	Fbar	0.092	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	clean	quality	Fbar	0.096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	clean	quality	Fbar	0.096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	clean	quality	Fbar	0.105	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	clean	quality	Fbar	0.1246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	clean	quality	Fbar	0.1278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	clean	quality	Fbar	0.127	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	clean	quality	Fbar	0.1624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	clean	quality	Fbar	0.2086	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	clean	quality	Fbar	0.2172	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	clean	quality	Fbar	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	clean	quality	Fbar	0.0978	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	clean	quality	Fbar	0.0952	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	clean	quality	Fbar	0.109	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	clean	quality	Fbar	0.1338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	clean	quality	Fbar	0.1302	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	clean	quality	Fbar	0.1302	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	schulze	clean	quality	Fbar	0.1726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	clean	quality	Fbar	0.2342	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	clean	quality	Fbar	0.2336	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleav	clean	quality	Fbar	0.0966	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleav	clean	quality	Fbar	0.097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleav	clean	quality	Fbar	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleav	clean	quality	Fbar	0.1002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleav	clean	quality	Fbar	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleav	clean	quality	Fbar	0.1038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleav	clean	quality	Fbar	0.1152	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleav	clean	quality	Fbar	0.1164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleav	clean	quality	Fbar	0.1176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleav	clean	quality	Fbar	0.1174	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	adversarial	robustness	F	0.091	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	adversarial	robustness	F	0.1214	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	robustness	F	0.1042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	robustness	F	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	robustness	F	0.092	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	robustness	F	0.0886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	sara-2- 255	robustness	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	sara-2- 255	robustness	0.0924	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	sara-2- 255	robustness	0.0934	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	sara-2- 255	robustness	0.095	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	adversarial	sara-2- 255	robustness	0.091	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	adversarial	sara-2- 255	robustness	0.0926	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	adversarial	sara-2- 255	robustness	0.0916	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	adversarial	sara-2- 255	robustness	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	adversarial	sara-2- 255	robustness	0.0856	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	adversarial	sara-2- 255	robustness	0.0876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	adversarial	sara-2- 255	robustness	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	adversarial	sara-2- 255	robustness	0.085	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	adversarial	sara-2- 255	robustness	0.084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	adversarial	sara-2- 255	robustness	0.0926	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	adversarial	sara-2- 255	robustness	0.0902	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	adversarial	sara-2- 255	robustness	0.1024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	adversarial	sara-2- 255	robustness	0.0916	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	rrf	adversarial	sara-2- 255	robustness	0.0864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	rrf	adversarial	sara-2- 255	robustness	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	robustness	CS	0.0876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	CS	0.0866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	robustness	CS	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	robustness	CS	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	robustness	CS	0.0886	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	adversarial	robustness	CS	0.091	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	adversarial	robustness	CS	0.0968	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	adversarial	robustness	CS	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	adversarial	robustness	CS	0.0912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	adversarial	robustness	CS	0.0856	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	adversarial	robustness	CS	0.0804	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	adversarial	robustness	CS	0.0892	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	adversarial	robustness	CS	0.083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	adversarial	robustness	CS	0.0852	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	adversarial	robustness	CS	0.0904	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	adversarial	robustness	CS	0.0934	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	adversarial	robustness	CS	0.0928	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	adversarial	robustness	CS	0.083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	simpleavg	adversarial	robustness	CS	0.0836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0842	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.08	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	robustness	$\bar{\epsilon}_S$	0.0788	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.201	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.264	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2686	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2626	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2556	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.2164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	adversarial	robustness	$\bar{\epsilon}_{Sbar}$	0.239	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.2498	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.2376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.246	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		kemeny	adversarial	sara-2- 255	robustness	0.2166	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2102	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2372	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2572	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2502	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		rrf	adversarial	sara-2- 255	robustness	0.2434	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		schulze	adversarial	sara-2- 255	robustness	0.2096	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		schulze	adversarial	sara-2- 255	robustness	0.1992	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	CSbar	0.2324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	CSbar	0.2574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	CSbar	0.267	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	CSbar	0.2672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	CSbar	0.2616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	CSbar	0.2596	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	CSbar	0.244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	robustness	CSbar	0.2418	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	adversarial	robustness	CSbar	0.2052	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	adversarial	robustness	CSbar	0.2038	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	adversarial	robustness	CSbar	0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	adversarial	robustness	CSbar	0.2532	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	adversarial	robustness	CSbar	0.262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	adversarial	robustness	CSbar	0.2722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	adversarial	robustness	CSbar	0.2576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	adversarial	robustness	CSbar	0.2738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleavg	adversarial	robustness	CSbar	0.284	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleavg	adversarial	robustness	CSbar	0.2848	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	adversarial	robustness	CS	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	robustness	sara-2- 255	0.1022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	adversarial	robustness	sara-2- 255	0.0902	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	adversarial	robustness	sara-2- 255	0.0782	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	adversarial	robustness	sara-2- 255	0.0778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	adversarial	robustness	sara-2- 255	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	adversarial	robustness	sara-2- 255	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	adversarial	robustness	sara-2- 255	0.0718	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	robustness	sara-2- 255	0.0718	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	robustness	sara-2- 255	0.0736	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	adversarial	robustness	sara-2- 255	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	robustness	sara-2- 255	0.077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	robustness	sara-2- 255	0.0766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	adversarial	robustness	sara-2- 255	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	adversarial	robustness	sara-2- 255	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	adversarial	robustness	sara-2- 255	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	robustness	sara-2- 255	0.0622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	adversarial	robustness	sara-2- 255	0.0638	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	robustness	sara-2- 255	0.0654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	robustness	sara-2- 255	0.0714	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	robustness	sara-2- 255	0.0764	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	sara-2- 255	0.086	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	robustness	sara-2- 255	0.0734	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	robustness	sara-2- 255	0.0678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	robustness	sara-2- 255	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	robustness	sara-2- 255	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	sara-2- 255	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	adversarial	robustness	sara-2- 255	0.066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	robustness	sara-2- 255	0.0666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	robustness	sara-2- 255	0.0696	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	robustness	sara-2- 255	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	sara-2- 255	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	sara-2- 255	0.0706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	sara-2- 255	0.0744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	sara-2- 255	0.0698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	sara-2- 255	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	sara-2- 255	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	sara-2- 255	0.0642	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	sara-2- 255	0.0652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	schulze	adversarial	robustness	$\mathbb{S}$	0.072	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0772	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0676	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	robustness	$\mathbb{S}$	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	robustness	$\mathbb{S}$	0.0632	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	adversarial	robustness	$\mathbb{S}$ bar	0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	adversarial	robustness	$\mathbb{S}$ bar	0.1906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	adversarial	robustness	$\mathbb{S}$ bar	0.2242	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	adversarial	robustness	$\mathbb{S}$ bar	0.248	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	adversarial	robustness	$\mathbb{S}$ bar	0.256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	adversarial	robustness	$\mathbb{S}$ bar	0.2546	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	adversarial	robustness	$\mathbb{S}$ bar	0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	adversarial	robustness	$\mathbb{S}$ bar	0.257	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	adversarial	robustness	Fbar	0.254	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	adversarial	robustness	Fbar	0.2438	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	adversarial	robustness	Fbar	0.2034	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	adversarial	robustness	Fbar	0.207	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	adversarial	robustness	Fbar	0.2344	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	adversarial	robustness	Fbar	0.2416	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	adversarial	robustness	Fbar	0.2386	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	adversarial	robustness	Fbar	0.2282	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	adversarial	robustness	Fbar	0.2356	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	adversarial	robustness	Fbar	0.2382	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	adversarial	robustness	Fbar	0.2262	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	adversarial	robustness	Fbar	0.2106	True	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	adversarial	robustness	Fbar	0.204	False	["GradientAttentionRollout","CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	adversarial	robustness	Fbar	0.2022	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	adversarial	robustness	Fbar	0.2262	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	adversarial	robustness	Fbar	0.2546	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	adversarial	robustness	Fbar	0.2526	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	adversarial	robustness	Fbar	0.2504	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	adversarial	robustness	Fbar	0.2458	False	["GradientAttentionRollout","CheferTransformerAttribution","Occlusion","In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	rrf	adversarial	robustness	Fbar	0.2544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	adversarial	robustness	Fbar	0.2426	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	adversarial	robustness	Fbar	0.238	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	adversarial	robustness	Fbar	0.2034	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	Fbar	0.191	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	adversarial	robustness	Fbar	0.225	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	adversarial	robustness	Fbar	0.2486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	adversarial	robustness	Fbar	0.2534	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	adversarial	robustness	Fbar	0.2512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	adversarial	robustness	Fbar	0.2494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	adversarial	robustness	Fbar	0.2456	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	adversarial	robustness	Fbar	0.2358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	adversarial	robustness	Fbar	0.2358	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	adversarial	robustness	Fbar	0.198	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	Fbar	0.1992	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	adversarial	robustness	Fbar	0.2134	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	adversarial	robustness	Fbar	0.2444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	adversarial	robustness	Fbar	0.2506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	adversarial	robustness	Fbar	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	adversarial	robustness	Fbar	0.2474	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	adversarial	robustness	Fbar	0.2612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	adversarial	robustness	Fbar	0.2698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	adversarial	robustness	Fbar	0.2696	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	borda	gaussian	robustness	F	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	borda	gaussian	robustness	F	0.1022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	borda	gaussian	robustness	F	0.1066	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	borda	gaussian	robustness	F	0.1024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	borda	gaussian	robustness	F	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	borda	gaussian	robustness	F	0.0982	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	borda	gaussian	robustness	F	0.1064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	borda	gaussian	robustness	F	0.11	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	borda	gaussian	robustness	F	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	borda	gaussian	robustness	F	0.1126	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	kemeny	gaussian	robustness	F	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	kemeny	gaussian	robustness	F	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	kemeny	gaussian	robustness	F	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	kemeny	gaussian	robustness	F	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	kemeny	gaussian	robustness	F	0.111	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-robustness 0.15	CS	0.1052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-robustness 0.15	CS	0.1076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-robustness 0.15	CS	0.1174	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-robustness 0.15	CS	0.119	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-robustness 0.15	CS	0.1174	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	gaussian-robustness 0.15	CS	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	gaussian-robustness 0.15	CS	0.1028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	gaussian-robustness 0.15	CS	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	gaussian-robustness 0.15	CS	0.1008	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	gaussian-robustness 0.15	CS	0.1096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	gaussian-robustness 0.15	CS	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	gaussian-robustness 0.15	CS	0.1142	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	gaussian-robustness 0.15	CS	0.1166	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	gaussian-robustness 0.15	CS	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	gaussian-robustness 0.15	CS	0.1182	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	gaussian-robustness 0.15	CS	0.0846	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	gaussian-robustness 0.15	CS	0.0962	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	gaussian-robustness 0.15	CS	0.1046	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	schulze	gaussian-robustness 0.15	CS	0.101	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.0978	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.109	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1166	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1186	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.0826	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1106	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1064	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.108	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.0994	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1098	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.112	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	gaussian-robustness 0.15	$\bar{\mathcal{G}}$	0.1104	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	gaussian-robustness 0.15	$\bar{\mathcal{G}}$ bar	0.272	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	gaussian-robustness 0.15	$\bar{\mathcal{G}}$ bar	0.3032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	gaussian-robustness 0.15	$\bar{\mathcal{G}}$ bar	0.27	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	borda	gaussian-robustness 0.15	$\bar{CS}$	0.278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	borda	gaussian-robustness 0.15	$\bar{CS}$	0.2582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	borda	gaussian-robustness 0.15	$\bar{CS}$	0.2622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	borda	gaussian-robustness 0.15	$\bar{CS}$	0.2684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	borda	gaussian-robustness 0.15	$\bar{CS}$	0.2422	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	borda	gaussian-robustness 0.15	$\bar{CS}$	0.2304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	borda	gaussian-robustness 0.15	$\bar{CS}$	0.2226	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.272	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2712	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2536	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2566	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2306	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.2028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	kemeny	gaussian-robustness 0.15	$\bar{CS}$	0.1992	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.2736	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	rrf	gaussian-robustness 0.15	$\bar{CS}$	0.273	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.276	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2604	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2428	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2304	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.272	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2864	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.252	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.266	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2628	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2388	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.209	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2112	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	gaussian-robustness 0.15	$\bar{\epsilon}$	0.2718	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.2798	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	gaussian-robustness	CSbar	0.279	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avg	gaussian-robustness	CSbar	0.292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avg	gaussian-robustness	CSbar	0.2868	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avg	gaussian-robustness	CSbar	0.294	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	gaussian-robustness	CSbar	0.2862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avg	gaussian-robustness	CSbar	0.2884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	gaussian-robustness	CSbar	0.292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	gaussian-robustness	CSbar	0.2906	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda		gaussian-robustness	CS	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		gaussian-robustness	CS	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda		gaussian-robustness	CS	0.0838	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda		gaussian-robustness	CS	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda		gaussian-robustness	CS	0.0786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda		gaussian-robustness	CS	0.0722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		gaussian-robustness	CS	0.075	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda		gaussian-robustness	CS	0.0758	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda		gaussian-robustness	CS	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda		gaussian-robustness	CS	0.0786	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	conditionvalue kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	gaussian-robustness 0.15	FS	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-robustness 0.15	FS	0.0716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	gaussian-robustness 0.15	FS	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	gaussian-robustness 0.15	FS	0.0748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	gaussian-robustness 0.15	FS	0.0842	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	gaussian-robustness 0.15	FS	0.0822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	gaussian-robustness 0.15	FS	0.082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	gaussian-robustness 0.15	FS	0.0848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-robustness 0.15	FS	0.0866	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-robustness 0.15	FS	0.0846	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-robustness 0.15	FS	0.0736	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness 0.15	FS	0.0816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-robustness 0.15	FS	0.0812	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-robustness 0.15	FS	0.0754	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-robustness 0.15	FS	0.0816	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-robustness 0.15	FS	0.0766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness 0.15	FS	0.0814	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-robustness 0.15	FS	0.0822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-robustness 0.15	FS	0.0794	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	rrf	gaussian-robustness 0.15	FS	0.0834	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-robustness 0.15	FS	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	gaussian-robustness 0.15	FS	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-robustness 0.15	FS	0.085	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-robustness 0.15	FS	0.0766	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness 0.15	FS	0.0826	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness 0.15	FS	0.0786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness 0.15	FS	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness 0.15	FS	0.0848	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness 0.15	FS	0.084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness 0.15	FS	0.0862	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleavg	gaussian-robustness 0.15	FS	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleavg	gaussian-robustness 0.15	FS	0.0828	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleavg	gaussian-robustness 0.15	FS	0.0834	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleavg	gaussian-robustness 0.15	FS	0.077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleavg	gaussian-robustness 0.15	FS	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleavg	gaussian-robustness 0.15	FS	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleavg	gaussian-robustness 0.15	FS	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleavg	gaussian-robustness 0.15	FS	0.0792	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	gaussian-robustness 0.15	$\bar{F}$	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	simple	avg	gaussian-robustness 0.15	$\bar{F}$	0.0774	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.2524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.2288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.213	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.2164	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.22	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.1984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.1898	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda		gaussian-robustness 0.15	$\bar{F}$ bar	0.1832	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.2088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.2326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.215	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny		gaussian-robustness 0.15	$\bar{F}$ bar	0.2158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.1886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.1636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	gaussian-robustness	0.15	$\bar{F}$	0.161	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2246	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness	0.15	$\bar{F}$	0.224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2274	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2132	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2264	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	gaussian-robustness	0.15	$\bar{F}$	0.2016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	gaussian-robustness	0.15	$\bar{F}$	0.1936	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	gaussian-robustness	0.15	$\bar{F}$	0.1912	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	gaussian-robustness	0.15	$\bar{F}$	0.223	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness	0.15	$\bar{F}$	0.2358	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	gaussian-robustness	0.15	$\bar{F}$	0.2116	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	gaussian-robustness	0.15	$\bar{F}$	0.2256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	gaussian-robustness	0.15	$\bar{F}$	0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	gaussian-robustness	0.15	$\bar{F}$	0.2172	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	gaussian-robustness	0.15	$\bar{F}$	0.2206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	gaussian-robustness	0.15	$\bar{F}$	0.193	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	gaussian-robustness	0.15	$\bar{F}$	0.1678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	gaussian-robustness	0.15	$\bar{F}$	0.1718	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2204	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2478	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2418	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2496	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2428	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2488	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	gaussian-robustness	0.15	$\bar{F}$	0.2488	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.0904	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.096	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.094	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	borda	salt- pepper- 0.05	robustness	$\bar{G}$	0.0952	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	robustness	CS	0.087	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	CS	0.0958	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	robustness	CS	0.1006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	robustness	CS	0.1044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	robustness	CS	0.1014	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	salt- pepper- 0.05	robustness	CS	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	salt- pepper- 0.05	robustness	CS	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	salt- pepper- 0.05	robustness	CS	0.0854	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	salt- pepper- 0.05	robustness	CS	0.084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	salt- pepper- 0.05	robustness	CS	0.0964	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	salt- pepper- 0.05	robustness	CS	0.0902	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	salt- pepper- 0.05	robustness	CS	0.0896	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	salt- pepper- 0.05	robustness	CS	0.103	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	salt- pepper- 0.05	robustness	CS	0.1054	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	salt- pepper- 0.05	robustness	CS	0.1036	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	salt- pepper- 0.05	robustness	CS	0.0676	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	rrf	salt- pepper- 0.05	robustness	CS	0.0858	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	rrf	salt- pepper- 0.05	robustness	CS	0.0946	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	rrf	salt- pepper- 0.05	robustness	CS	0.093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	CS	0.095	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	CS	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	CS	0.093	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	CS	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	CS	0.1014	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	CS	0.1036	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	robustness	CS	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	robustness	CS	0.0828	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	robustness	CS	0.0876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	robustness	CS	0.0872	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	robustness	CS	0.0958	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	robustness	CS	0.0932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	robustness	CS	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	robustness	CS	0.0998	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	salt- pepper- 0.05	robustness	CS	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	salt- pepper- 0.05	robustness	CS	0.1018	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	salt- pepper- 0.05	robustness	CS	0.0714	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	salt- pepper- 0.05	robustness	CS	0.0936	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	salt- pepper- 0.05	robustness	CS	0.0948	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0984	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0884	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0956	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0986	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.0976	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	$\bar{G}$	0.096	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16	12	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16	13	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16	14	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16	15	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2212	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16	16	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.1932	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16	17	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2024	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16	18	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2006	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16	19	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.1756	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16	20	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.1668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16	21	borda	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.1616	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16	22	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16	23	kemeny	salt- pepper- 0.05	robustness	$\bar{G}$ bar	0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2022	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	CSbar	0.2104	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	CSbar	0.1842	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	CSbar	0.195	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	CSbar	0.203	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	CSbar	0.1702	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	CSbar	0.1414	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	salt- pepper- 0.05	robustness	CSbar	0.1464	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	robustness	CSbar	0.2162	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	robustness	CSbar	0.205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	robustness	CSbar	0.196	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	robustness	CSbar	0.2082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	CSbar	0.197	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	CSbar	0.202	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	CSbar	0.2052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	CSbar	0.1812	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	CSbar	0.1702	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	CSbar	0.172	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	salt- pepper- 0.05	robustness	CSbar	0.2136	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.224	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	salt- pepper- 0.05	robustness	CSbar	0.2042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	salt- pepper- 0.05	robustness	CSbar	0.209	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	salt- pepper- 0.05	robustness	CSbar	0.1912	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	salt- pepper- 0.05	robustness	CSbar	0.2144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	salt- pepper- 0.05	robustness	CSbar	0.2084	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	salt- pepper- 0.05	robustness	CSbar	0.1674	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	robustness	CSbar	0.1476	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	robustness	CSbar	0.1586	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2192	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.22	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2168	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.232	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.221	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2226	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2214	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	CSbar	0.2214	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	robustness	robustness	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	robustness	0.0636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	robustness	robustness	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	robustness	robustness	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	robustness	robustness	0.0752	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	robustness	robustness	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	robustness	0.0656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	salt- pepper- 0.05	robustness	robustness	0.0698	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	robustness	robustness	0.074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	robustness	robustness	0.0692	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	robustness	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	robustness	0.0576	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	robustness	0.0652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	robustness	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	robustness	0.0722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	robustness	0.0664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	robustness	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	robustness	0.0744	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	robustness	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	kemeny	salt- pepper- 0.05	robustness	F	0.0764	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	robustness	F	0.0526	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	rrf	salt- pepper- 0.05	robustness	F	0.068	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	robustness	F	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	robustness	F	0.0696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	F	0.0672	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	F	0.0636	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	F	0.0666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	F	0.0704	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	F	0.072	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	F	0.0744	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	robustness	F	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	robustness	F	0.062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	robustness	F	0.0668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	robustness	F	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	robustness	F	0.0712	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	robustness	F	0.0682	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	robustness	F	0.0622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	robustness	F	0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	salt- pepper- 0.05	robustness	$\bar{F}$	0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	salt- pepper- 0.05	robustness	$\bar{F}$	0.0756	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0548	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0684	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0706	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0758	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.069	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	$\bar{F}$	0.0672	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.1684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.1874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.169	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.1748	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.1512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.1562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	salt- pepper- 0.05	robustness	$\bar{F}$ bar	0.158	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	borda	salt- pepper- 0.05	robustness	Fbar	0.138	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	salt- pepper- 0.05	robustness	Fbar	0.1326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	salt- pepper- 0.05	robustness	Fbar	0.1228	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1718	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1454	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1602	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1096	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	rrf	salt- pepper- 0.05	robustness	Fbar	0.1692	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	Fbar	0.1558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	salt- pepper- 0.05	robustness	Fbar	0.1506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	salt- pepper- 0.05	robustness	Fbar	0.1666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	salt- pepper- 0.05	robustness	Fbar	0.153	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	salt- pepper- 0.05	robustness	Fbar	0.1616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	salt- pepper- 0.05	robustness	Fbar	0.1652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	salt- pepper- 0.05	robustness	Fbar	0.1444	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	salt- pepper- 0.05	robustness	Fbar	0.1296	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	salt- pepper- 0.05	robustness	Fbar	0.132	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	schulze	salt- pepper- 0.05	robustness	Fbar	0.1684	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	schulze	salt- pepper- 0.05	robustness	Fbar	0.175	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	schulze	salt- pepper- 0.05	robustness	Fbar	0.1582	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	schulze	salt- pepper- 0.05	robustness	Fbar	0.1688	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	schulze	salt- pepper- 0.05	robustness	Fbar	0.1506	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	schulze	salt- pepper- 0.05	robustness	Fbar	0.171	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	schulze	salt- pepper- 0.05	robustness	Fbar	0.1696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	schulze	salt- pepper- 0.05	robustness	Fbar	0.1286	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	schulze	salt- pepper- 0.05	robustness	Fbar	0.1122	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	schulze	salt- pepper- 0.05	robustness	Fbar	0.1222	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1706	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1716	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1838	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.182	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1876	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1786	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1818	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1798	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1808	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	robustness	F	0.0252	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	borda	speckle- 0.15	robustness	F	0.0236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	robustness	F	0.0326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	robustness	F	0.0324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	robustness	F	0.0354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	robustness	F	0.0278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	F	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	robustness	F	0.0332	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	robustness	F	0.0346	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	robustness	F	0.0368	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	robustness	F	0.0252	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	robustness	F	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	robustness	F	0.0286	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	robustness	F	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	robustness	CS	0.0354	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	robustness	CS	0.0342	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	CS	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	robustness	CS	0.042	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	robustness	CS	0.0376	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	robustness	CS	0.04	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	robustness	CS	0.0224	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	robustness	CS	0.028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	robustness	CS	0.0298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	robustness	CS	0.0298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	robustness	CS	0.0336	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	robustness	CS	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	robustness	CS	0.033	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	robustness	CS	0.0388	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	speckle- 0.15	robustness	CS	0.0378	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	speckle- 0.15	robustness	CS	0.04	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	speckle- 0.15	robustness	CS	0.0252	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	speckle- 0.15	robustness	CS	0.0234	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	speckle- 0.15	robustness	CS	0.0278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet5- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.0352	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet6- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.0334	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet7- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet8- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.0368	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet9- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.036	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet10- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.0384	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet11- vit-b16		schulze	speckle-	robustness 0.15	$\bar{G}$	0.041	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet12- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0214	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet13- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0322	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet14- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet15- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0352	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet16- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet17- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet18- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0338	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet19- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0344	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet20- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet21- vit-b16		simpleavg	speckle-	robustness 0.15	$\bar{G}$	0.0322	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet22- vit-b16		borda	speckle-	robustness 0.15	$\bar{G}$ bar	0.081	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet23- vit-b16		borda	speckle-	robustness 0.15	$\bar{G}$ bar	0.0886	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle-	robustness 0.15	$\bar{CS}$	0.074	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0784	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0738	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0826	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0726	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0634	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle-	robustness 0.15	$\bar{CS}$	0.0544	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.081	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.077	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.0778	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.0656	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.0668	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.078	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.062	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.0544	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	kemeny	speckle-	robustness 0.15	$\bar{CS}$	0.048	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	rrf	speckle-	robustness 0.15	$\bar{CS}$	0.0828	False	["GradientAttentionRollout", "CheferTransformerAttribution"]

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	robustness	CSbar	0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	rrf	speckle- 0.15	robustness	CSbar	0.0664	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	rrf	speckle- 0.15	robustness	CSbar	0.0746	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	rrf	speckle- 0.15	robustness	CSbar	0.082	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	rrf	speckle- 0.15	robustness	CSbar	0.0862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	rrf	speckle- 0.15	robustness	CSbar	0.0906	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	rrf	speckle- 0.15	robustness	CSbar	0.0856	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle- 0.15	robustness	CSbar	0.0692	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle- 0.15	robustness	CSbar	0.066	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle- 0.15	robustness	CSbar	0.081	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	CSbar	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle- 0.15	robustness	CSbar	0.0732	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle- 0.15	robustness	CSbar	0.0742	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle- 0.15	robustness	CSbar	0.0708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	robustness	CSbar	0.0874	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	CSbar	0.0858	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	robustness	CSbar	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	robustness	CSbar	0.0562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	robustness	CSbar	0.056	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simple	avg	speckle- 0.15	robustness	0.0818	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	speckle- 0.15	robustness	0.0762	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simple	avg	speckle- 0.15	robustness	0.0796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simple	avg	speckle- 0.15	robustness	0.0836	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simple	avg	speckle- 0.15	robustness	0.0788	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simple	avg	speckle- 0.15	robustness	0.088	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simple	avg	speckle- 0.15	robustness	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	simple	avg	speckle- 0.15	robustness	0.079	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simple	avg	speckle- 0.15	robustness	0.0808	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simple	avg	speckle- 0.15	robustness	0.0812	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda		speckle- 0.15	robustness	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		speckle- 0.15	robustness	0.0238	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda		speckle- 0.15	robustness	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda		speckle- 0.15	robustness	0.0274	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda		speckle- 0.15	robustness	0.033	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda		speckle- 0.15	robustness	0.0262	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda		speckle- 0.15	robustness	0.0254	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda		speckle- 0.15	robustness	0.027	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda		speckle- 0.15	robustness	0.032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	1	borda	speckle- 0.15	robustness	SS	0.0266	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	robustness	SS	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	kemeny	speckle- 0.15	robustness	SS	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	robustness	SS	0.0278	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	robustness	SS	0.0292	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	robustness	SS	0.0286	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	robustness	SS	0.0324	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	SS	0.026	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	robustness	SS	0.035	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	robustness	SS	0.0328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	robustness	SS	0.0324	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	robustness	SS	0.026	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	robustness	SS	0.0308	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	robustness	SS	0.029	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	robustness	SS	0.0256	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	robustness	SS	0.028	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	robustness	SS	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	robustness	SS	0.0268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	robustness	SS	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	rrf	speckle-	robustness 0.15	SS	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	rrf	speckle-	robustness 0.15	SS	0.0308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	schulze	speckle-	robustness 0.15	SS	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	schulze	speckle-	robustness 0.15	SS	0.0228	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	schulze	speckle-	robustness 0.15	SS	0.0272	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	schulze	speckle-	robustness 0.15	SS	0.0312	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	schulze	speckle-	robustness 0.15	SS	0.029	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle-	robustness 0.15	SS	0.0288	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle-	robustness 0.15	SS	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle-	robustness 0.15	SS	0.0326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle-	robustness 0.15	SS	0.0326	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle-	robustness 0.15	SS	0.0342	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	simpleavg	speckle-	robustness 0.15	SS	0.0234	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	3	simpleavg	speckle-	robustness 0.15	SS	0.0306	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	simpleavg	speckle-	robustness 0.15	SS	0.0314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	simpleavg	speckle-	robustness 0.15	SS	0.034	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	simpleavg	speckle-	robustness 0.15	SS	0.0348	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	simpleavg	speckle-	robustness 0.15	SS	0.031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	simpleavg	speckle-	robustness 0.15	SS	0.0244	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	0	simpleavg	speckle- 0.15	robustness	F	0.0248	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	simpleavg	speckle- 0.15	robustness	F	0.025	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	simpleavg	speckle- 0.15	robustness	F	0.024	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	borda	speckle- 0.15	robustness	Fbar	0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	Fbar	0.0666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	borda	speckle- 0.15	robustness	Fbar	0.0542	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	borda	speckle- 0.15	robustness	Fbar	0.0578	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	borda	speckle- 0.15	robustness	Fbar	0.0564	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	borda	speckle- 0.15	robustness	Fbar	0.0646	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	borda	speckle- 0.15	robustness	Fbar	0.0612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	borda	speckle- 0.15	robustness	Fbar	0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	borda	speckle- 0.15	robustness	Fbar	0.0518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	borda	speckle- 0.15	robustness	Fbar	0.04	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	2	kemeny	speckle- 0.15	robustness	Fbar	0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	Fbar	0.0592	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	4	kemeny	speckle- 0.15	robustness	Fbar	0.0514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	5	kemeny	speckle- 0.15	robustness	Fbar	0.0612	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	6	kemeny	speckle- 0.15	robustness	Fbar	0.0486	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	kemeny	speckle- 0.15	robustness	Fbar	0.0562	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 ref- erence	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	kemeny	speckle- 0.15	robustness	$\bar{F}$	0.065	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	kemeny	speckle- 0.15	robustness	$\bar{F}$	0.0518	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	kemeny	speckle- 0.15	robustness	$\bar{F}$	0.043	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	kemeny	speckle- 0.15	robustness	$\bar{F}$	0.0378	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0642	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0494	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	rrf	speckle- 0.15	robustness	$\bar{F}$	0.05	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0556	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0648	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	rrf	speckle- 0.15	robustness	$\bar{F}$	0.076	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0722	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	rrf	speckle- 0.15	robustness	$\bar{F}$	0.057	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	rrf	speckle- 0.15	robustness	$\bar{F}$	0.0516	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	22	schulze	speckle- 0.15	robustness	$\bar{F}$	0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	23	schulze	speckle- 0.15	robustness	$\bar{F}$	0.0614	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	24	schulze	speckle- 0.15	robustness	$\bar{F}$	0.056	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	25	schulze	speckle- 0.15	robustness	$\bar{F}$	0.0584	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	26	schulze	speckle- 0.15	robustness	$\bar{F}$	0.051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

cell	dataset	model	q	rule	condition	value kind	metric	value	q11 reference	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	7	schulze	speckle- 0.15	robustness	Fbar	0.0728	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	8	schulze	speckle- 0.15	robustness	Fbar	0.073	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	9	schulze	speckle- 0.15	robustness	Fbar	0.0588	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	10	schulze	speckle- 0.15	robustness	Fbar	0.044	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	11	schulze	speckle- 0.15	robustness	Fbar	0.0466	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	12	simpleav	speckle- 0.15	robustness	Fbar	0.0636	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	13	simpleav	speckle- 0.15	robustness	Fbar	0.0568	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	14	simpleav	speckle- 0.15	robustness	Fbar	0.0616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	15	simpleav	speckle- 0.15	robustness	Fbar	0.0662	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	16	simpleav	speckle- 0.15	robustness	Fbar	0.0624	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	17	simpleav	speckle- 0.15	robustness	Fbar	0.069	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	18	simpleav	speckle- 0.15	robustness	Fbar	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	19	simpleav	speckle- 0.15	robustness	Fbar	0.063	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	20	simpleav	speckle- 0.15	robustness	Fbar	0.0654	False	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	21	simpleav	speckle- 0.15	robustness	Fbar	0.066	True	["GradientAttentionRollout", "CheferTransformerAttribution", "Occlusion", "In

Table 189: NOISE q-sweep diagnostics results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	C	max	2	0.1352	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	Cbar	min	2	0.146	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	F	max	2	0.0864	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	quality	clean	Fbar	min	2	0.0928	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	GL- sara-2- 255	min	7	0.0886	[7]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	Cbar sara-2- 255	min	3	0.201	[3]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	FL- sara-2- 255	min	9	0.0718	[9,10]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	adversarial	Fbar sara-2- 255	min	3	0.1906	[3]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	C 0.15	min	2	0.0846	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	Cbar 0.15	min	11	0.2226	[11]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	F 0.15	min	7	0.0722	[7]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	gaussian	Fbar 0.15	min	11	0.1832	[11]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt- pepper- 0.05	C	min	2	0.0684	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt- pepper- 0.05	Cbar	min	11	0.1616	[11]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt- pepper- 0.05	F	min	2	0.0544	[2]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	salt- pepper- 0.05	Fbar	min	11	0.1228	[11]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle- 0.15	C	min	3	0.0236	[3]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle- 0.15	Cbar	min	11	0.0544	[11]	smallest	[GrWd]bint_AutoSolutionRdHout ,"CheferTransformerAttribution","Occlu

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle- 0.15	F	min	3	0.0238	[3]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	borda	robustness	speckle- 0.15	Fbar	min	11	0.04	[11]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	C	max	3	0.1362	[3,4]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	Cbar	min	4	0.1458	[4]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	F	max	3	0.0874	[3]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	quality	clean	Fbar	min	4	0.0922	[4]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	G	min	8	0.0808	[8]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	Gbar	min	2	0.2096	[2]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	F	min	8	0.0622	[8]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	adversari- sara-2- 255	Fbar	min	2	0.2034	[2]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	C	min	2	0.0846	[2]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	Cbar	min	11	0.1992	[11]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	F	min	3	0.0716	[3]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	gaussian- 0.15	Fbar	min	11	0.161	[11]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	C	min	2	0.0684	[2]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	Cbar	min	10	0.1414	[10]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	F	min	2	0.0544	[2]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	salt- pepper- 0.05	Fbar	min	10	0.1042	[10]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	C	min	2	0.0252	[2]	smallest	[Grw17bint_AutoSoliteRdHout] , "CheferTransformerAttribution"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	Cbar	min	11	0.048	[11]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	F	min	8	0.026	[8]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kemeny	robustness	speckle- 0.15	Fbar	min	11	0.0378	[11]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	C	max	2	0.1356	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	Cbar	min	2	0.1442	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	F	max	2	0.0872	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		quality	clean	Fbar	min	2	0.092	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	C	min	6	0.0834	[6]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	Cbar	min	3	0.2064	[3]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	F	min	8	0.065	[8]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	adversari- sara-2- 255	Fbar	min	3	0.2022	[3]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	C	min	2	0.0862	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	Cbar	min	11	0.2304	[11]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	F	min	2	0.0736	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	gaussian- 0.15	Fbar	min	11	0.1912	[11]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	C	min	2	0.0676	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	Cbar	min	10	0.1702	[10]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	F	min	2	0.0526	[2]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNetrf vit-b16		robustness	salt- pepper- 0.05	Fbar	min	10	0.1296	[10]	smallest_12	[tGwdbint_Aatsolotter_RdHout], "CheferTransformerAttribution", "Occlu

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	C	min	2	0.0224	[2]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	Cbar	min	11	0.066	[11]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	F	min	5	0.0256	[5]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-rf vit-b16	robustness	speckle- 0.15	Fbar	min	3	0.0494	[3]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	C	max	4	0.1368	[4]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	Cbar	min	4	0.1458	[4]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	F	max	4	0.0874	[4]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	quality	clean	Fbar	min	2	0.0928	[2]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	C	min	7	0.0804	[7]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	Cbar	min	3	0.1992	[3]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	F	min	9	0.0642	[9]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	adversari- sara-2- 255	Fbar	min	3	0.191	[3]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	C	min	2	0.0846	[2]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	Cbar	min	10	0.209	[10]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	F	min	2	0.073	[2]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	gaussian- 0.15	Fbar	min	10	0.1678	[10]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	C	min	2	0.0684	[2]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	Cbar	min	10	0.1476	[10]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution","Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet-schulze vit-b16	robustness	salt- pepper- 0.05	F	min	2	0.0544	[2]		smallest	[Grw17b]Int_AutoSoliteRdHout ,"CheferTransformerAttribution"]

cell	dataset	model	rule	value kind	condition	metric	direction	best q	best value	tied q	tie pol- icy	method prefix
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	salt- pepper- 0.05	F		min	2	0.0548	[2]	smallest	[GrwDibint_AbsoluteRobout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	salt- pepper- 0.05	Fbar		min	2	0.1706	[2]	smallest	[GrwDibint_AbsoluteRobout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	C		min	2	0.0214	[2]	smallest	[GrwDibint_AbsoluteRobout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	Cbar		min	3	0.0762	[3]	smallest	[GrwDibint_AbsoluteRobout] , "CheferTransformerAttribution", "Occlu
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	F		min	2	0.0234	[2]	smallest	[GrwDibint_AbsoluteRobout] , "CheferTransformerAttribution"]
ImageNet– ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	simpleavgobustness	speckle- 0.15	Fbar		min	3	0.0568	[3]	smallest	[GrwDibint_AbsoluteRobout] , "CheferTransformerAttribution", "Occlu

Table 190: NOISE q-sweep diagnostics results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

cell	dataset	model	distance q	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 2	borda	clean	quality	C	0.1352	max	0.1352	kendall_0.311901	0.311901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 3	borda	clean	quality	C	0.0956	max	0.0956	kendall_0.656867	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 4	borda	clean	quality	C	0.1034	max	0.1034	kendall_0.496275	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 5	borda	clean	quality	C	0.1068	max	0.1068	kendall_0.458333	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 6	borda	clean	quality	C	0.1044	max	0.1044	kendall_0.395705	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 7	borda	clean	quality	C	0.1068	max	0.1068	kendall_0.423565	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 8	borda	clean	quality	C	0.0956	max	0.0956	kendall_0.404683	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 9	borda	clean	quality	C	0.0912	max	0.0912	kendall_0.387434	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 10	borda	clean	quality	C	0.0844	max	0.0844	kendall_0.389212	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 11	borda	clean	quality	C	0.0802	max	0.0802	kendall_0.399779	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 2	kemeny	clean	quality	C	0.1352	max	0.1352	kendall_0.311901	0.311901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 3	kemeny	clean	quality	C	0.1362	max	0.1362	kendall_0.656867	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 4	kemeny	clean	quality	C	0.1362	max	0.1362	kendall_0.496275	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 5	kemeny	clean	quality	C	0.1234	max	0.1234	kendall_0.458333	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 6	kemeny	clean	quality	C	0.1142	max	0.1142	kendall_0.395705	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 7	kemeny	clean	quality	C	0.1134	max	0.1134	kendall_0.423565	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet-ImageNet-vit-b16	ImageNet	ImageNet-vit-b16	kendall 8	kemeny	clean	quality	C	0.1136	max	0.1136	kendall_0.404683	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	clean	quality	C	0.0994	max	0.0994	kendall_0.387434	0.387434	-exact_distance	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	clean	quality	C	0.0912	max	0.0912	kendall_0.389212	0.389212	-exact_distance	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	clean	quality	C	0.0856	max	0.0856	kendall_0.399779	0.399779	-exact_distance	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	clean	quality	C	0.1356	max	0.1356	kendall_0.31901	0.31901	-exact_distance	0.002	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	C	0.123	max	0.123	kendall_0.656867	0.656867	-exact_distance	0.002	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	C	0.1276	max	0.1276	kendall_0.496275	0.496275	-exact_distance	0.002	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	C	0.1196	max	0.1196	kendall_0.458333	0.458333	-exact_distance	0.002	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	C	0.1164	max	0.1164	kendall_0.395705	0.395705	-exact_distance	0.002	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	clean	quality	C	0.1124	max	0.1124	kendall_0.423565	0.423565	-exact_distance	0.002	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	clean	quality	C	0.1074	max	0.1074	kendall_0.404683	0.404683	-exact_distance	0.002	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	clean	quality	C	0.1014	max	0.1014	kendall_0.387434	0.387434	-exact_distance	0.002	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	clean	quality	C	0.0946	max	0.0946	kendall_0.389212	0.389212	-exact_distance	0.002	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	clean	quality	C	0.0892	max	0.0892	kendall_0.399779	0.399779	-exact_distance	0.002	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	clean	quality	C	0.1352	max	0.1352	kendall_0.31901	0.31901	-exact_distance	0.002	1301.6	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	clean	quality	C	0.125	max	0.125	kendall_0.656867	0.656867	-exact_distance	0.002	3573	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	clean	quality	C	0.1368	max	0.1368	kendall_0.496275	0.496275	-exact_distance	0.002	4662	11	False	True	4	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	clean	quality	C	0.1182	max	0.1182	kendall_0.458333	0.458333	-exact_distance	0.002	4759.3	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	clean	quality	C	0.1126	max	0.1126	kendall_0.395705	0.395705	-exact_distance	0.002	5098.7	11	False	True	4	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	clean	quality	C	0.1152	max	0.1152	kendall_0.423565-exact_distance	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	clean	quality	C	0.1046	max	0.1046	kendall_0.404683-exact_distance	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	clean	quality	C	0.1002	max	0.1002	kendall_0.387434-exact_distance	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	clean	quality	C	0.0912	max	0.0912	kendall_0.389212-exact_distance	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	C	0.0848	max	0.0848	kendall_0.399779-exact_distance	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	clean	quality	C	0.132	max	0.132	kendall_0.31901-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	clean	quality	C	0.1198	max	0.1198	kendall_0.656867-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	clean	quality	C	0.1216	max	0.1216	kendall_0.496275-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	clean	quality	C	0.1146	max	0.1146	kendall_0.458333-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	clean	quality	C	0.1158	max	0.1158	kendall_0.395705-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	clean	quality	C	0.1172	max	0.1172	kendall_0.423565-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	clean	quality	C	0.1056	max	0.1056	kendall_0.404683-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	clean	quality	C	0.1032	max	0.1032	kendall_0.387434-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	clean	quality	C	0.103	max	0.103	kendall_0.389212-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	clean	quality	C	0.1032	max	0.1032	kendall_0.399779-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	clean	quality	Cbar	0.146	min	-0.146	kendall_0.31901-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	clean	quality	Cbar	0.1508	min	-0.1508	kendall_0.656867-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	clean	quality	Cbar	0.1572	min	-0.1572	kendall_0.496275-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	clean	quality	Cbar	0.1632	min	-0.1632	kendall_0.458333-exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	clean	quality	Cbar	0.1876	min	-0.1876	kendall_0.395705-exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	clean	quality	Cbar	0.1864	min	-0.1864	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	clean	quality	Cbar	0.1866	min	-0.1866	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	clean	quality	Cbar	0.2224	min	-0.2224	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	clean	quality	Cbar	0.2628	min	-0.2628	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	clean	quality	Cbar	0.2866	min	-0.2866	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	clean	quality	Cbar	0.146	min	-0.146	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	clean	quality	Cbar	0.1464	min	-0.1464	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	clean	quality	Cbar	0.1458	min	-0.1458	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	4	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	clean	quality	Cbar	0.1714	min	-0.1714	kendall_0.458333-exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	clean	quality	Cbar	0.2028	min	-0.2028	kendall_0.395705-exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	clean	quality	Cbar	0.2112	min	-0.2112	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	clean	quality	Cbar	0.201	min	-0.201	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	clean	quality	Cbar	0.2544	min	-0.2544	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	clean	quality	Cbar	0.317	min	-0.317	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	clean	quality	Cbar	0.3318	min	-0.3318	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	clean	quality	Cbar	0.1442	min	-0.1442	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	Cbar	0.1468	min	-0.1468	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	Cbar	0.1462	min	-0.1462	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	Cbar	0.1572	min	-0.1572	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	Cbar	0.1782	min	-0.1782	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	clean	quality	Cbar	0.1852	min	-0.1852	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	clean	quality	Cbar	0.1854	min	-0.1854	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	clean	quality	Cbar	0.2236	min	-0.2236	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	clean	quality	Cbar	0.27	min	-0.27	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	clean	quality	Cbar	0.2798	min	-0.2798	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	2	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	clean	quality	Cbar	0.146	min	-0.146	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	clean	quality	Cbar	0.1484	min	-0.1484	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	clean	quality	Cbar	0.1458	min	-0.1458	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	4	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	clean	quality	Cbar	0.1636	min	-0.1636	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	clean	quality	Cbar	0.1886	min	-0.1886	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	clean	quality	Cbar	0.183	min	-0.183	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	clean	quality	Cbar	0.189	min	-0.189	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	clean	quality	Cbar	0.2294	min	-0.2294	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	clean	quality	Cbar	0.2956	min	-0.2956	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	4	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	Cbar	0.2966	min	-0.2966	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	4	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	clean	quality	Cbar	0.1484	min	-0.1484	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	clean	quality	Cbar	0.1478	min	-0.1478	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	clean	quality	Cbar	0.147	min	-0.147	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	4	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	clean	quality	Cbar	0.1524	min	-0.1524	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	clean	quality	Cbar	0.1532	min	-0.1532	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	clean	quality	Cbar	0.1576	min	-0.1576	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	clean	quality	Cbar	0.1706	min	-0.1706	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	clean	quality	Cbar	0.1722	min	-0.1722	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	clean	quality	Cbar	0.1738	min	-0.1738	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	4	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	clean	quality	Cbar	0.1744	min	-0.1744	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	4	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	clean	quality	F	0.0864	max	0.0864	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	2	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	clean	quality	F	0.0506	max	0.0506	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	clean	quality	F	0.0572	max	0.0572	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	clean	quality	F	0.0634	max	0.0634	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	clean	quality	F	0.0604	max	0.0604	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	clean	quality	F	0.066	max	0.066	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	clean	quality	F	0.0582	max	0.0582	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	2	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	clean	quality	F	0.0552	max	0.0552	kendall_0.387434	0.387434	-exact_-0.002	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	clean	quality	F	0.0494	max	0.0494	kendall_0.389212	0.389212	-exact_-0.002	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	clean	quality	F	0.0478	max	0.0478	kendall_0.399779	0.399779	-exact_-0.002	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	clean	quality	F	0.0864	max	0.0864	kendall_0.31901	0.31901	-exact_-0.002	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	clean	quality	F	0.0874	max	0.0874	kendall_0.656867	0.656867	-exact_-0.002	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	clean	quality	F	0.087	max	0.087	kendall_0.496275	0.496275	-exact_-0.002	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	clean	quality	F	0.0796	max	0.0796	kendall_0.458333	0.458333	-exact_-0.002	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	clean	quality	F	0.0728	max	0.0728	kendall_0.395705	0.395705	-exact_-0.002	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	clean	quality	F	0.0716	max	0.0716	kendall_0.423565	0.423565	-exact_-0.002	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	clean	quality	F	0.0738	max	0.0738	kendall_0.404683	0.404683	-exact_-0.002	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	clean	quality	F	0.0624	max	0.0624	kendall_0.387434	0.387434	-exact_-0.002	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	clean	quality	F	0.0542	max	0.0542	kendall_0.389212	0.389212	-exact_-0.002	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	clean	quality	F	0.05	max	0.05	kendall_0.399779	0.399779	-exact_-0.002	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	clean	quality	F	0.0872	max	0.0872	kendall_0.31901	0.31901	-exact_-0.002	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	clean	quality	F	0.0726	max	0.0726	kendall_0.656867	0.656867	-exact_-0.002	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	clean	quality	F	0.0804	max	0.0804	kendall_0.496275	0.496275	-exact_-0.002	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	clean	quality	F	0.0762	max	0.0762	kendall_0.458333	0.458333	-exact_-0.002	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	clean	quality	F	0.0738	max	0.0738	kendall_0.395705	0.395705	-exact_-0.002	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	clean	quality	F	0.073	max	0.073	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	clean	quality	F	0.0688	max	0.0688	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	clean	quality	F	0.0634	max	0.0634	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	clean	quality	F	0.0574	max	0.0574	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	clean	quality	F	0.0538	max	0.0538	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	clean	quality	F	0.0864	max	0.0864	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	clean	quality	F	0.0764	max	0.0764	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	clean	quality	F	0.0874	max	0.0874	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	4	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	clean	quality	F	0.0742	max	0.0742	kendall_0.458333-exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	clean	quality	F	0.0698	max	0.0698	kendall_0.395705-exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	clean	quality	F	0.0726	max	0.0726	kendall_0.423565-exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	clean	quality	F	0.0684	max	0.0684	kendall_0.404683-exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	clean	quality	F	0.0614	max	0.0614	kendall_0.387434-exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	clean	quality	F	0.0552	max	0.0552	kendall_0.389212-exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	F	0.0488	max	0.0488	kendall_0.399779-exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	clean	quality	F	0.0852	max	0.0852	kendall_0.31901-exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	clean	quality	F	0.0734	max	0.0734	kendall_0.656867-exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	clean	quality	F	0.0748	max	0.0748	kendall_0.496275-exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	clean	quality	F	0.0686	max	0.0686	kendall_0.458333-exact_ds002	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	clean	quality	F	0.0692	max	0.0692	kendall_0.395705-exact_ds002	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	clean	quality	F	0.0696	max	0.0696	kendall_0.423565-exact_ds002	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	clean	quality	F	0.0662	max	0.0662	kendall_0.404683-exact_ds002	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	clean	quality	F	0.0648	max	0.0648	kendall_0.387434-exact_ds002	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	clean	quality	F	0.064	max	0.064	kendall_0.389212-exact_ds002	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	clean	quality	F	0.0642	max	0.0642	kendall_0.399779-exact_ds002	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	clean	quality	Fbar	0.0928	min	-0.0928	kendall_0.31901-exact_ds002	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	clean	quality	Fbar	0.1026	min	-0.1026	kendall_0.656867-exact_ds002	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	clean	quality	Fbar	0.1076	min	-0.1076	kendall_0.496275-exact_ds002	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	clean	quality	Fbar	0.1114	min	-0.1114	kendall_0.458333-exact_ds002	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	clean	quality	Fbar	0.1326	min	-0.1326	kendall_0.395705-exact_ds002	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	clean	quality	Fbar	0.1326	min	-0.1326	kendall_0.423565-exact_ds002	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	clean	quality	Fbar	0.1334	min	-0.1334	kendall_0.404683-exact_ds002	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	clean	quality	Fbar	0.1634	min	-0.1634	kendall_0.387434-exact_ds002	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	clean	quality	Fbar	0.2012	min	-0.2012	kendall_0.389212-exact_ds002	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	clean	quality	Fbar	0.2256	min	-0.2256	kendall_0.399779-exact_ds002	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	clean	quality	Fbar	0.0928	min	-0.0928	kendall_0.31901-exact_ds002	0.31901	0.002	1301.6	11	False	True	4	False	False	["GradientAttention		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	clean	quality	Fbar	0.2172	min	-0.2172	kendall_0.399779	-exact_0.399779	-0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	clean	quality	Fbar	0.0928	min	-0.0928	kendall_0.31901	-exact_0.31901	-0.002	ce	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	clean	quality	Fbar	0.0978	min	-0.0978	kendall_0.656867	-exact_0.656867	-0.002	ce	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	clean	quality	Fbar	0.0952	min	-0.0952	kendall_0.496275	-exact_0.496275	-0.002	ce	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	clean	quality	Fbar	0.109	min	-0.109	kendall_0.458333	-exact_0.458333	-0.002	ce	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	clean	quality	Fbar	0.1338	min	-0.1338	kendall_0.395705	-exact_0.395705	-0.002	ce	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	clean	quality	Fbar	0.1302	min	-0.1302	kendall_0.423565	-exact_0.423565	-0.002	ce	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	clean	quality	Fbar	0.1302	min	-0.1302	kendall_0.404683	-exact_0.404683	-0.002	ce	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	clean	quality	Fbar	0.1726	min	-0.1726	kendall_0.387434	-exact_0.387434	-0.002	ce	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	clean	quality	Fbar	0.2342	min	-0.2342	kendall_0.389212	-exact_0.389212	-0.002	ce	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	clean	quality	Fbar	0.2336	min	-0.2336	kendall_0.399779	-exact_0.399779	-0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	clean	quality	Fbar	0.0966	min	-0.0966	kendall_0.31901	-exact_0.31901	-0.002	ce	1301.6	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	clean	quality	Fbar	0.097	min	-0.097	kendall_0.656867	-exact_0.656867	-0.002	ce	3573	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	clean	quality	Fbar	0.0956	min	-0.0956	kendall_0.496275	-exact_0.496275	-0.002	ce	4662	11	False	True	4	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	clean	quality	Fbar	0.1002	min	-0.1002	kendall_0.458333	-exact_0.458333	-0.002	ce	4759.3	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	clean	quality	Fbar	0.0998	min	-0.0998	kendall_0.395705	-exact_0.395705	-0.002	ce	5098.7	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	clean	quality	Fbar	0.1038	min	-0.1038	kendall_0.423565	-exact_0.423565	-0.002	ce	5036.4	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	clean	quality	Fbar	0.1152	min	-0.1152	kendall_0.404683	-exact_0.404683	-0.002	ce	5469.8	11	False	True	4	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	clean	quality	Fbar	0.1164	min	-0.1164	kendall_0.387434-exact_ds0.002	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	clean	quality	Fbar	0.1176	min	-0.1176	kendall_0.389212-exact_ds0.002	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	4	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	clean	quality	Fbar	0.1174	min	-0.1174	kendall_0.399779-exact_ds0.002	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	4	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	Fbar	0.091	min	-0.091	kendall_0.31901-exact_ds0.002	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	Fbar	0.1214	min	-0.1214	kendall_0.656867-exact_ds0.002	0.656867	0.656867	0.656867	0.002	3573	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	Fbar	0.1042	min	-0.1042	kendall_0.496275-exact_ds0.002	0.496275	0.496275	0.496275	0.002	4662	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	Fbar	0.0962	min	-0.0962	kendall_0.458333-exact_ds0.002	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	Fbar	0.092	min	-0.092	kendall_0.395705-exact_ds0.002	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	adversarial	robustness	Fbar	0.0886	min	-0.0886	kendall_0.423565-exact_ds0.002	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	7	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	adversarial	robustness	Fbar	0.0998	min	-0.0998	kendall_0.404683-exact_ds0.002	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	adversarial	robustness	Fbar	0.0924	min	-0.0924	kendall_0.387434-exact_ds0.002	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	adversarial	robustness	Fbar	0.0934	min	-0.0934	kendall_0.389212-exact_ds0.002	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	adversarial	robustness	Fbar	0.095	min	-0.095	kendall_0.399779-exact_ds0.002	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	7	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	adversarial	robustness	Fbar	0.091	min	-0.091	kendall_0.31901-exact_ds0.002	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	adversarial	robustness	Fbar	0.0926	min	-0.0926	kendall_0.656867-exact_ds0.002	0.656867	0.656867	0.656867	0.002	3573	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	adversarial	robustness	Fbar	0.0916	min	-0.0916	kendall_0.496275-exact_ds0.002	0.496275	0.496275	0.496275	0.002	4662	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	adversarial	robustness	Fbar	0.087	min	-0.087	kendall_0.458333-exact_ds0.002	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	adversarial	robustness	Fbar	0.0856	min	-0.0856	kendall_0.395705-exact_ds0.002	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	8	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	adversarial	robustness	0.0876	min	-0.0876	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	8	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	adversarial	robustness	0.0808	min	-0.0808	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	8	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	adversarial	robustness	0.085	min	-0.085	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	8	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	adversarial	robustness	0.084	min	-0.084	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	8	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	adversarial	robustness	0.0926	min	-0.0926	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	8	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	adversarial	robustness	0.0902	min	-0.0902	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	adversarial	robustness	0.1024	min	-0.1024	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	adversarial	robustness	0.0916	min	-0.0916	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	adversarial	robustness	0.0864	min	-0.0864	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	adversarial	robustness	0.0834	min	-0.0834	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	6	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	adversarial	robustness	0.0876	min	-0.0876	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	adversarial	robustness	0.0866	min	-0.0866	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	adversarial	robustness	0.0862	min	-0.0862	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	adversarial	robustness	0.0846	min	-0.0846	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	adversarial	robustness	0.0886	min	-0.0886	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	6	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	adversarial	robustness	0.091	min	-0.091	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	adversarial	robustness	0.0968	min	-0.0968	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	adversarial	robustness	0.0834	min	-0.0834	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	7	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	G	0.0912	min	-0.0912	kendall_0.458333	-exact_ds002	0.458333	0.458333	4759.3	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	G	0.0856	min	-0.0856	kendall_0.395705	-exact_ds002	0.395705	0.395705	5098.7	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	G	0.0804	min	-0.0804	kendall_0.423565	-exact_ds002	0.423565	0.423565	5036.4	11	False	True	7	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	G	0.0892	min	-0.0892	kendall_0.404683	-exact_ds002	0.404683	0.404683	5469.8	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	G	0.083	min	-0.083	kendall_0.387434	-exact_ds002	0.387434	0.387434	5646.5	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	G	0.0852	min	-0.0852	kendall_0.389212	-exact_ds002	0.389212	0.389212	5641.2	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	G	0.0904	min	-0.0904	kendall_0.399779	-exact_ds002	0.399779	0.399779	5940.5	11	True	True	7	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	G	0.0934	min	-0.0934	kendall_0.31901	-exact_ds002	0.31901	0.31901	1301.6	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	G	0.0928	min	-0.0928	kendall_0.656867	-exact_ds002	0.656867	0.656867	3573	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	G	0.083	min	-0.083	kendall_0.496275	-exact_ds002	0.496275	0.496275	4662	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	G	0.0836	min	-0.0836	kendall_0.458333	-exact_ds002	0.458333	0.458333	4759.3	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	G	0.078	min	-0.078	kendall_0.395705	-exact_ds002	0.395705	0.395705	5098.7	11	False	True	6	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	G	0.0782	min	-0.0782	kendall_0.423565	-exact_ds002	0.423565	0.423565	5036.4	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	G	0.0822	min	-0.0822	kendall_0.404683	-exact_ds002	0.404683	0.404683	5469.8	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	G	0.0842	min	-0.0842	kendall_0.387434	-exact_ds002	0.387434	0.387434	5646.5	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	G	0.08	min	-0.08	kendall_0.389212	-exact_ds002	0.389212	0.389212	5641.2	11	False	True	6	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	G	0.0788	min	-0.0788	kendall_0.399779	-exact_ds002	0.399779	0.399779	5940.5	11	True	True	6	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	Gbar	0.2096	min	-0.2096	kendall_0.31901	-exact_ds002	0.31901	0.31901	1301.6	11	False	True	3	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	Gbar	0.201	min	-0.201	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	3	True	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	Gbar	0.2358	min	-0.2358	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	Gbar	0.2572	min	-0.2572	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	Gbar	0.264	min	-0.264	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	adversarial	robustness	Gbar	0.2686	min	-0.2686	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	adversarial	robustness	Gbar	0.2654	min	-0.2654	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	adversarial	robustness	Gbar	0.2664	min	-0.2664	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	adversarial	robustness	Gbar	0.2626	min	-0.2626	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	3	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	adversarial	robustness	Gbar	0.2556	min	-0.2556	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	3	False	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	adversarial	robustness	Gbar	0.2096	min	-0.2096	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	2	True	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	adversarial	robustness	Gbar	0.2164	min	-0.2164	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	adversarial	robustness	Gbar	0.239	min	-0.239	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	adversarial	robustness	Gbar	0.2498	min	-0.2498	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	adversarial	robustness	Gbar	0.2486	min	-0.2486	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	adversarial	robustness	Gbar	0.2376	min	-0.2376	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	adversarial	robustness	Gbar	0.2486	min	-0.2486	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	adversarial	robustness	Gbar	0.246	min	-0.246	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	adversarial	robustness	Gbar	0.234	min	-0.234	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	adversarial	robustness	Gbar	0.2166	min	-0.2166	kendall_0.399779	0.399779	-exact_0.399779	-ds0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	adversarial	robustness	Gbar	0.2102	min	-0.2102	kendall_0.31901	0.31901	-exact_0.31901	-ds0.002	ce	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	adversarial	robustness	Gbar	0.2064	min	-0.2064	kendall_0.656867	0.656867	-exact_0.656867	-ds0.002	ce	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	adversarial	robustness	Gbar	0.2372	min	-0.2372	kendall_0.496275	0.496275	-exact_0.496275	-ds0.002	ce	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	adversarial	robustness	Gbar	0.268	min	-0.268	kendall_0.458333	0.458333	-exact_0.458333	-ds0.002	ce	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	adversarial	robustness	Gbar	0.2666	min	-0.2666	kendall_0.395705	0.395705	-exact_0.395705	-ds0.002	ce	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	adversarial	robustness	Gbar	0.2614	min	-0.2614	kendall_0.423565	0.423565	-exact_0.423565	-ds0.002	ce	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	adversarial	robustness	Gbar	0.2572	min	-0.2572	kendall_0.404683	0.404683	-exact_0.404683	-ds0.002	ce	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	adversarial	robustness	Gbar	0.2636	min	-0.2636	kendall_0.387434	0.387434	-exact_0.387434	-ds0.002	ce	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	adversarial	robustness	Gbar	0.2502	min	-0.2502	kendall_0.389212	0.389212	-exact_0.389212	-ds0.002	ce	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	adversarial	robustness	Gbar	0.2434	min	-0.2434	kendall_0.399779	0.399779	-exact_0.399779	-ds0.002	ce	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	adversarial	robustness	Gbar	0.2096	min	-0.2096	kendall_0.31901	0.31901	-exact_0.31901	-ds0.002	ce	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	adversarial	robustness	Gbar	0.1992	min	-0.1992	kendall_0.656867	0.656867	-exact_0.656867	-ds0.002	ce	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	adversarial	robustness	Gbar	0.2324	min	-0.2324	kendall_0.496275	0.496275	-exact_0.496275	-ds0.002	ce	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	Gbar	0.2574	min	-0.2574	kendall_0.458333	0.458333	-exact_0.458333	-ds0.002	ce	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	Gbar	0.267	min	-0.267	kendall_0.395705	0.395705	-exact_0.395705	-ds0.002	ce	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	Gbar	0.2672	min	-0.2672	kendall_0.423565	0.423565	-exact_0.423565	-ds0.002	ce	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	Gbar	0.2616	min	-0.2616	kendall_0.404683	0.404683	-exact_0.404683	-ds0.002	ce	5469.8	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	Gbar	0.2596	min	-0.2596	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	Gbar	0.244	min	-0.244	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	Gbar	0.2418	min	-0.2418	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	3	False	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	Gbar	0.2052	min	-0.2052	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	Gbar	0.2038	min	-0.2038	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	3	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	Gbar	0.2204	min	-0.2204	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	Gbar	0.2532	min	-0.2532	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	Gbar	0.262	min	-0.262	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	Gbar	0.2722	min	-0.2722	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	Gbar	0.2576	min	-0.2576	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	Gbar	0.2738	min	-0.2738	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	Gbar	0.284	min	-0.284	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	Gbar	0.2848	min	-0.2848	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	3	False	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	F	0.076	min	-0.076	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	9	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	F	0.1022	min	-0.1022	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	9	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	F	0.0902	min	-0.0902	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	9	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	F	0.0782	min	-0.0782	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	9	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	F	0.0778	min	-0.0778	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	9	False	False	["GradientAttention		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	adversarial	robustness	0.0726	min	-0.0726	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	adversarial	robustness	0.0808	min	-0.0808	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	adversarial	robustness	0.0718	min	-0.0718	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	9	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	adversarial	robustness	0.0718	min	-0.0718	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	adversarial	robustness	0.0736	min	-0.0736	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	9	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	adversarial	robustness	0.076	min	-0.076	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	adversarial	robustness	0.077	min	-0.077	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	adversarial	robustness	0.0766	min	-0.0766	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	adversarial	robustness	0.0688	min	-0.0688	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	adversarial	robustness	0.0672	min	-0.0672	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	adversarial	robustness	0.0688	min	-0.0688	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	adversarial	robustness	0.0622	min	-0.0622	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	8	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	adversarial	robustness	0.0638	min	-0.0638	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	adversarial	robustness	0.0654	min	-0.0654	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	adversarial	robustness	0.0714	min	-0.0714	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	8	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	adversarial	robustness	0.0764	min	-0.0764	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	adversarial	robustness	0.086	min	-0.086	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	adversarial	robustness	0.0734	min	-0.0734	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	8	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	adversarial	robustness	0.0678	min	-0.0678	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	adversarial	robustness	0.0662	min	-0.0662	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	adversarial	robustness	0.0672	min	-0.0672	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	adversarial	robustness	0.065	min	-0.065	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	8	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	adversarial	robustness	0.066	min	-0.066	kendall_	0.387434	-exact_	0.387434	0.002	5646.5	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	adversarial	robustness	0.0666	min	-0.0666	kendall_	0.389212	-exact_	0.389212	0.002	5641.2	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	adversarial	robustness	0.0696	min	-0.0696	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	8	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	adversarial	robustness	0.076	min	-0.076	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	adversarial	robustness	0.079	min	-0.079	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	adversarial	robustness	0.0706	min	-0.0706	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	adversarial	robustness	0.0744	min	-0.0744	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	adversarial	robustness	0.0698	min	-0.0698	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	adversarial	robustness	0.065	min	-0.065	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	adversarial	robustness	0.0692	min	-0.0692	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	adversarial	robustness	0.0642	min	-0.0642	kendall_	0.387434	-exact_	0.387434	0.002	5646.5	11	False	True	9	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	adversarial	robustness	0.0652	min	-0.0652	kendall_	0.389212	-exact_	0.389212	0.002	5641.2	11	False	True	9	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	adversarial	robustness	0.072	min	-0.072	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	9	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	adversarial	robustness	0.0772	min	-0.0772	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	F	0.0752	min	-0.0752	kendall_0.656867	exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	F	0.0676	min	-0.0676	kendall_0.496275	exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	F	0.0688	min	-0.0688	kendall_0.458333	exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	F	0.0648	min	-0.0648	kendall_0.395705	exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial	robustness	F	0.0646	min	-0.0646	kendall_0.423565	exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial	robustness	F	0.0672	min	-0.0672	kendall_0.404683	exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial	robustness	F	0.0672	min	-0.0672	kendall_0.387434	exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial	robustness	F	0.065	min	-0.065	kendall_0.389212	exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial	robustness	F	0.0632	min	-0.0632	kendall_0.399779	exact_ds002	0.399779	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	adversarial	robustness	Fbar	0.2034	min	-0.2034	kendall_0.31901	exact_ds002	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	adversarial	robustness	Fbar	0.1906	min	-0.1906	kendall_0.656867	exact_ds002	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	adversarial	robustness	Fbar	0.2242	min	-0.2242	kendall_0.496275	exact_ds002	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	adversarial	robustness	Fbar	0.248	min	-0.248	kendall_0.458333	exact_ds002	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	adversarial	robustness	Fbar	0.256	min	-0.256	kendall_0.395705	exact_ds002	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	adversarial	robustness	Fbar	0.2546	min	-0.2546	kendall_0.423565	exact_ds002	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	adversarial	robustness	Fbar	0.2486	min	-0.2486	kendall_0.404683	exact_ds002	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	adversarial	robustness	Fbar	0.257	min	-0.257	kendall_0.387434	exact_ds002	0.387434	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	adversarial	robustness	Fbar	0.254	min	-0.254	kendall_0.389212	exact_ds002	0.389212	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	adversarial	robustness	Fbar	0.2438	min	-0.2438	kendall_robustness-exact_ds002	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	adversarial	robustness	Fbar	0.2034	min	-0.2034	kendall_robustness-exact_ds002	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	adversarial	robustness	Fbar	0.207	min	-0.207	kendall_robustness-exact_ds002	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	adversarial	robustness	Fbar	0.2344	min	-0.2344	kendall_robustness-exact_ds002	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	adversarial	robustness	Fbar	0.2416	min	-0.2416	kendall_robustness-exact_ds002	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	adversarial	robustness	Fbar	0.2386	min	-0.2386	kendall_robustness-exact_ds002	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	adversarial	robustness	Fbar	0.2282	min	-0.2282	kendall_robustness-exact_ds002	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	adversarial	robustness	Fbar	0.2356	min	-0.2356	kendall_robustness-exact_ds002	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	adversarial	robustness	Fbar	0.2382	min	-0.2382	kendall_robustness-exact_ds002	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	adversarial	robustness	Fbar	0.2262	min	-0.2262	kendall_robustness-exact_ds002	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	adversarial	robustness	Fbar	0.2106	min	-0.2106	kendall_robustness-exact_ds002	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	adversarial	robustness	Fbar	0.204	min	-0.204	kendall_robustness-exact_ds002	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	adversarial	robustness	Fbar	0.2022	min	-0.2022	kendall_robustness-exact_ds002	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	adversarial	robustness	Fbar	0.2262	min	-0.2262	kendall_robustness-exact_ds002	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	adversarial	robustness	Fbar	0.2546	min	-0.2546	kendall_robustness-exact_ds002	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	adversarial	robustness	Fbar	0.2526	min	-0.2526	kendall_robustness-exact_ds002	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	adversarial	robustness	Fbar	0.2504	min	-0.2504	kendall_robustness-exact_ds002	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	adversarial	robustness	Fbar	0.2458	min	-0.2458	kendall_robustness-exact_ds002	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	adversarial	robustness	Fbar	0.2544	min	-0.2544	kendall_0.387434-exact_ds002	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	adversarial	robustness	Fbar	0.2426	min	-0.2426	kendall_0.389212-exact_ds002	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	adversarial	robustness	Fbar	0.238	min	-0.238	kendall_0.399779-exact_ds002	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	adversarial	robustness	Fbar	0.2034	min	-0.2034	kendall_0.31901-exact_ds002	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	adversarial	robustness	Fbar	0.191	min	-0.191	kendall_0.656867-exact_ds002	0.656867	0.656867	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	adversarial	robustness	Fbar	0.225	min	-0.225	kendall_0.496275-exact_ds002	0.496275	0.496275	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	adversarial	robustness	Fbar	0.2486	min	-0.2486	kendall_0.458333-exact_ds002	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	adversarial	robustness	Fbar	0.2534	min	-0.2534	kendall_0.395705-exact_ds002	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	adversarial	robustness	Fbar	0.2512	min	-0.2512	kendall_0.423565-exact_ds002	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	adversarial	robustness	Fbar	0.2494	min	-0.2494	kendall_0.404683-exact_ds002	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	adversarial	robustness	Fbar	0.2456	min	-0.2456	kendall_0.387434-exact_ds002	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	adversarial	robustness	Fbar	0.2358	min	-0.2358	kendall_0.389212-exact_ds002	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	adversarial	robustness	Fbar	0.2358	min	-0.2358	kendall_0.399779-exact_ds002	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	adversarial	robustness	Fbar	0.198	min	-0.198	kendall_0.31901-exact_ds002	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	adversarial	robustness	Fbar	0.1992	min	-0.1992	kendall_0.656867-exact_ds002	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	adversarial	robustness	Fbar	0.2134	min	-0.2134	kendall_0.496275-exact_ds002	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	adversarial	robustness	Fbar	0.2444	min	-0.2444	kendall_0.458333-exact_ds002	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	adversarial	robustness	Fbar	0.2506	min	-0.2506	kendall_0.395705-exact_ds002	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	adversarial-robustness	FSBar	0.2612	min	-0.2612	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	adversarial-robustness	FSBar	0.2474	min	-0.2474	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	adversarial-robustness	FSBar	0.2612	min	-0.2612	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	adversarial-robustness	FSBar	0.2698	min	-0.2698	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	adversarial-robustness	FSBar	0.2696	min	-0.2696	kendall_0.399779-exact_distance	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	gaussian-robustness	G0.15	0.0846	min	-0.0846	kendall_0.31901-exact_distance	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	gaussian-robustness	G0.15	0.1022	min	-0.1022	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	gaussian-robustness	G0.15	0.1066	min	-0.1066	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	gaussian-robustness	G0.15	0.1024	min	-0.1024	kendall_0.458333-exact_distance	0.458333	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	gaussian-robustness	G0.15	0.1052	min	-0.1052	kendall_0.395705-exact_distance	0.395705	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	gaussian-robustness	G0.15	0.0982	min	-0.0982	kendall_0.423565-exact_distance	0.423565	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	gaussian-robustness	G0.15	0.1064	min	-0.1064	kendall_0.404683-exact_distance	0.404683	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	gaussian-robustness	G0.15	0.11	min	-0.11	kendall_0.387434-exact_distance	0.387434	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	gaussian-robustness	G0.15	0.119	min	-0.119	kendall_0.389212-exact_distance	0.389212	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	gaussian-robustness	G0.15	0.1126	min	-0.1126	kendall_0.399779-exact_distance	0.399779	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	gaussian-robustness	G0.15	0.0846	min	-0.0846	kendall_0.31901-exact_distance	0.31901	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	gaussian-robustness	G0.15	0.0906	min	-0.0906	kendall_0.656867-exact_distance	0.656867	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	gaussian-robustness	G0.15	0.0984	min	-0.0984	kendall_0.496275-exact_distance	0.496275	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	gaussian-robustness	0.15	CS	0.0962	min	-0.0962	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	gaussian-robustness	0.15	CS	0.111	min	-0.111	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	gaussian-robustness	0.15	CS	0.1052	min	-0.1052	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	gaussian-robustness	0.15	CS	0.1076	min	-0.1076	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	gaussian-robustness	0.15	CS	0.1174	min	-0.1174	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	gaussian-robustness	0.15	CS	0.119	min	-0.119	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	gaussian-robustness	0.15	CS	0.1174	min	-0.1174	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	gaussian-robustness	0.15	CS	0.0862	min	-0.0862	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	gaussian-robustness	0.15	CS	0.1028	min	-0.1028	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	gaussian-robustness	0.15	CS	0.1046	min	-0.1046	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	gaussian-robustness	0.15	CS	0.1008	min	-0.1008	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	gaussian-robustness	0.15	CS	0.1096	min	-0.1096	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	gaussian-robustness	0.15	CS	0.1044	min	-0.1044	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	gaussian-robustness	0.15	CS	0.1142	min	-0.1142	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	gaussian-robustness	0.15	CS	0.1166	min	-0.1166	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	gaussian-robustness	0.15	CS	0.1136	min	-0.1136	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	gaussian-robustness	0.15	CS	0.1182	min	-0.1182	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	gaussian-robustness	0.15	CS	0.0846	min	-0.0846	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	gaussian-robustness 0.15	0.0962	G	0.0962	min	-0.0962	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	gaussian-robustness 0.15	0.1046	G	0.1046	min	-0.1046	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	gaussian-robustness 0.15	0.101	G	0.101	min	-0.101	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	gaussian-robustness 0.15	0.1136	G	0.1136	min	-0.1136	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	gaussian-robustness 0.15	0.0978	G	0.0978	min	-0.0978	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	gaussian-robustness 0.15	0.109	G	0.109	min	-0.109	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	gaussian-robustness 0.15	0.1158	G	0.1158	min	-0.1158	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	gaussian-robustness 0.15	0.1166	G	0.1166	min	-0.1166	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	gaussian-robustness 0.15	0.1186	G	0.1186	min	-0.1186	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	gaussian-robustness 0.15	0.0826	G	0.0826	min	-0.0826	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	gaussian-robustness 0.15	0.108	G	0.108	min	-0.108	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	gaussian-robustness 0.15	0.1106	G	0.1106	min	-0.1106	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	gaussian-robustness 0.15	0.1064	G	0.1064	min	-0.1064	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	gaussian-robustness 0.15	0.108	G	0.108	min	-0.108	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	gaussian-robustness 0.15	0.0994	G	0.0994	min	-0.0994	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	gaussian-robustness 0.15	0.1098	G	0.1098	min	-0.1098	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	gaussian-robustness 0.15	0.1136	G	0.1136	min	-0.1136	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	gaussian-robustness 0.15	0.112	G	0.112	min	-0.112	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	gaussian-robustness	G	0.1104	min	-0.1104	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	gaussian-robustness	Gbar	0.272	min	-0.272	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	gaussian-robustness	Gbar	0.3032	min	-0.3032	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	gaussian-robustness	Gbar	0.27	min	-0.27	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	gaussian-robustness	Gbar	0.278	min	-0.278	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	gaussian-robustness	Gbar	0.2582	min	-0.2582	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	gaussian-robustness	Gbar	0.2622	min	-0.2622	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	gaussian-robustness	Gbar	0.2684	min	-0.2684	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	gaussian-robustness	Gbar	0.2422	min	-0.2422	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	gaussian-robustness	Gbar	0.2304	min	-0.2304	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	gaussian-robustness	Gbar	0.2226	min	-0.2226	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	gaussian-robustness	Gbar	0.272	min	-0.272	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	gaussian-robustness	Gbar	0.2712	min	-0.2712	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	gaussian-robustness	Gbar	0.2536	min	-0.2536	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	gaussian-robustness	Gbar	0.277	min	-0.277	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	gaussian-robustness	Gbar	0.2466	min	-0.2466	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	gaussian-robustness	Gbar	0.2566	min	-0.2566	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	gaussian-robustness	Gbar	0.2588	min	-0.2588	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition kind	value	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	gaussian-robustness	0.15	Gbar	0.2306	min	-0.2306	kendall_0.387434	-exact_0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	gaussian-robustness	0.15	Gbar	0.2028	min	-0.2028	kendall_0.389212	-exact_0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	gaussian-robustness	0.15	Gbar	0.1992	min	-0.1992	kendall_0.399779	-exact_0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	gaussian-robustness	0.15	Gbar	0.2736	min	-0.2736	kendall_0.31901	-exact_0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	gaussian-robustness	0.15	Gbar	0.273	min	-0.273	kendall_0.656867	-exact_0.656867	-0.002	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	gaussian-robustness	0.15	Gbar	0.2588	min	-0.2588	kendall_0.496275	-exact_0.496275	-0.002	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	gaussian-robustness	0.15	Gbar	0.276	min	-0.276	kendall_0.458333	-exact_0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	gaussian-robustness	0.15	Gbar	0.2604	min	-0.2604	kendall_0.395705	-exact_0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	gaussian-robustness	0.15	Gbar	0.2706	min	-0.2706	kendall_0.423565	-exact_0.423565	-0.002	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	gaussian-robustness	0.15	Gbar	0.2622	min	-0.2622	kendall_0.404683	-exact_0.404683	-0.002	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	gaussian-robustness	0.15	Gbar	0.2428	min	-0.2428	kendall_0.387434	-exact_0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	gaussian-robustness	0.15	Gbar	0.2338	min	-0.2338	kendall_0.389212	-exact_0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	gaussian-robustness	0.15	Gbar	0.2304	min	-0.2304	kendall_0.399779	-exact_0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	gaussian-robustness	0.15	Gbar	0.272	min	-0.272	kendall_0.31901	-exact_0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	gaussian-robustness	0.15	Gbar	0.2864	min	-0.2864	kendall_0.656867	-exact_0.656867	-0.002	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	gaussian-robustness	0.15	Gbar	0.2594	min	-0.2594	kendall_0.496275	-exact_0.496275	-0.002	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	gaussian-robustness	0.15	Gbar	0.2744	min	-0.2744	kendall_0.458333	-exact_0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	gaussian-robustness	0.15	Gbar	0.252	min	-0.252	kendall_0.395705	-exact_0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	gaussian-robustness	0.266	min	-0.266	kendall_0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	gaussian-robustness	0.2628	min	-0.2628	kendall_0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	gaussian-robustness	0.2388	min	-0.2388	kendall_0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	gaussian-robustness	0.209	min	-0.209	kendall_0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	gaussian-robustness	0.2112	min	-0.2112	kendall_0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	gaussian-robustness	0.2718	min	-0.2718	kendall_0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	gaussian-robustness	0.2798	min	-0.2798	kendall_0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	gaussian-robustness	0.279	min	-0.279	kendall_0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	gaussian-robustness	0.292	min	-0.292	kendall_0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	gaussian-robustness	0.2868	min	-0.2868	kendall_0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	gaussian-robustness	0.294	min	-0.294	kendall_0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	gaussian-robustness	0.2862	min	-0.2862	kendall_0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	gaussian-robustness	0.2884	min	-0.2884	kendall_0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	gaussian-robustness	0.292	min	-0.292	kendall_0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	gaussian-robustness	0.2906	min	-0.2906	kendall_0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	gaussian-robustness	0.073	min	-0.073	kendall_0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	gaussian-robustness	0.0796	min	-0.0796	kendall_0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	7	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	gaussian-robustness	0.0838	min	-0.0838	kendall_0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	7	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p dis- tance	mean	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	gaussian-robustness 0.15	F	0.0762	min	-0.0762	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	gaussian-robustness 0.15	F	0.0786	min	-0.0786	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	gaussian-robustness 0.15	F	0.0722	min	-0.0722	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	7	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	gaussian-robustness 0.15	F	0.075	min	-0.075	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	gaussian-robustness 0.15	F	0.0758	min	-0.0758	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	gaussian-robustness 0.15	F	0.0834	min	-0.0834	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	7	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	gaussian-robustness 0.15	F	0.0786	min	-0.0786	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	7	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	gaussian-robustness 0.15	F	0.073	min	-0.073	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	gaussian-robustness 0.15	F	0.0716	min	-0.0716	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	gaussian-robustness 0.15	F	0.079	min	-0.079	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	gaussian-robustness 0.15	F	0.0748	min	-0.0748	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	gaussian-robustness 0.15	F	0.0842	min	-0.0842	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	gaussian-robustness 0.15	F	0.0822	min	-0.0822	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	gaussian-robustness 0.15	F	0.082	min	-0.082	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	gaussian-robustness 0.15	F	0.0848	min	-0.0848	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	gaussian-robustness 0.15	F	0.0866	min	-0.0866	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	gaussian-robustness 0.15	F	0.0846	min	-0.0846	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	gaussian-robustness 0.15	F	0.0736	min	-0.0736	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	gaussian-robustness 0.15	F	0.0816	min	-0.0816	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	gaussian-robustness 0.15	F	0.0812	min	-0.0812	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	gaussian-robustness 0.15	F	0.0754	min	-0.0754	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	gaussian-robustness 0.15	F	0.0816	min	-0.0816	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	gaussian-robustness 0.15	F	0.0766	min	-0.0766	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	gaussian-robustness 0.15	F	0.0814	min	-0.0814	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	gaussian-robustness 0.15	F	0.0822	min	-0.0822	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	gaussian-robustness 0.15	F	0.0794	min	-0.0794	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	gaussian-robustness 0.15	F	0.0834	min	-0.0834	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	gaussian-robustness 0.15	F	0.073	min	-0.073	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	gaussian-robustness 0.15	F	0.0742	min	-0.0742	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	gaussian-robustness 0.15	F	0.085	min	-0.085	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	gaussian-robustness 0.15	F	0.0766	min	-0.0766	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	gaussian-robustness 0.15	F	0.0826	min	-0.0826	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	gaussian-robustness 0.15	F	0.0786	min	-0.0786	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	gaussian-robustness 0.15	F	0.0784	min	-0.0784	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	gaussian-robustness 0.15	F	0.0848	min	-0.0848	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	gaussian-robustness 0.15	F	0.084	min	-0.084	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	gaussian-robustness	0.0862	min	-0.0862	kendall_0.399779	exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	gaussian-robustness	0.0672	min	-0.0672	kendall_0.31901	exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	gaussian-robustness	0.0828	min	-0.0828	kendall_0.656867	exact_distance	0.656867	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	gaussian-robustness	0.0834	min	-0.0834	kendall_0.496275	exact_distance	0.496275	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	gaussian-robustness	0.077	min	-0.077	kendall_0.458333	exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	gaussian-robustness	0.0784	min	-0.0784	kendall_0.395705	exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	gaussian-robustness	0.0742	min	-0.0742	kendall_0.423565	exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	gaussian-robustness	0.0762	min	-0.0762	kendall_0.404683	exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	gaussian-robustness	0.0792	min	-0.0792	kendall_0.387434	exact_distance	0.387434	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	gaussian-robustness	0.0784	min	-0.0784	kendall_0.389212	exact_distance	0.389212	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	gaussian-robustness	0.0774	min	-0.0774	kendall_0.399779	exact_distance	0.399779	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	gaussian-robustness	0.223	min	-0.223	kendall_0.31901	exact_distance	0.31901	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	gaussian-robustness	0.2524	min	-0.2524	kendall_0.656867	exact_distance	0.656867	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	gaussian-robustness	0.2212	min	-0.2212	kendall_0.496275	exact_distance	0.496275	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	gaussian-robustness	0.2288	min	-0.2288	kendall_0.458333	exact_distance	0.458333	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	gaussian-robustness	0.213	min	-0.213	kendall_0.395705	exact_distance	0.395705	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	gaussian-robustness	0.2164	min	-0.2164	kendall_0.423565	exact_distance	0.423565	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	gaussian-robustness	0.22	min	-0.22	kendall_0.404683	exact_distance	0.404683	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	gaussian-robustness	0.1984	min	-0.1984	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	gaussian-robustness	0.1898	min	-0.1898	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	gaussian-robustness	0.1832	min	-0.1832	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	gaussian-robustness	0.223	min	-0.223	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	gaussian-robustness	0.2204	min	-0.2204	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	gaussian-robustness	0.2088	min	-0.2088	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	gaussian-robustness	0.2326	min	-0.2326	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	gaussian-robustness	0.2006	min	-0.2006	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	gaussian-robustness	0.215	min	-0.215	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	gaussian-robustness	0.2158	min	-0.2158	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	gaussian-robustness	0.1886	min	-0.1886	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	gaussian-robustness	0.1636	min	-0.1636	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	gaussian-robustness	0.161	min	-0.161	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	gaussian-robustness	0.2246	min	-0.2246	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	gaussian-robustness	0.224	min	-0.224	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	gaussian-robustness	0.2104	min	-0.2104	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	gaussian-robustness	0.2274	min	-0.2274	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	gaussian-robustness	0.2132	min	-0.2132	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	gaussian-robustness	FSbar	0.2264	min	-0.2264	kendall_0.423565	exact_ds002	0.423565	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	gaussian-robustness	FSbar	0.2196	min	-0.2196	kendall_0.404683	exact_ds002	0.404683	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	gaussian-robustness	FSbar	0.2016	min	-0.2016	kendall_0.387434	exact_ds002	0.387434	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	gaussian-robustness	FSbar	0.1936	min	-0.1936	kendall_0.389212	exact_ds002	0.389212	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	gaussian-robustness	FSbar	0.1912	min	-0.1912	kendall_0.399779	exact_ds002	0.399779	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	gaussian-robustness	FSbar	0.223	min	-0.223	kendall_0.31901	exact_ds002	0.31901	0.31901	1301.6	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	gaussian-robustness	FSbar	0.2358	min	-0.2358	kendall_0.656867	exact_ds002	0.656867	0.656867	3573	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	gaussian-robustness	FSbar	0.2116	min	-0.2116	kendall_0.496275	exact_ds002	0.496275	0.496275	4662	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	gaussian-robustness	FSbar	0.2256	min	-0.2256	kendall_0.458333	exact_ds002	0.458333	0.458333	4759.3	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	gaussian-robustness	FSbar	0.2084	min	-0.2084	kendall_0.395705	exact_ds002	0.395705	0.395705	5098.7	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	gaussian-robustness	FSbar	0.2172	min	-0.2172	kendall_0.423565	exact_ds002	0.423565	0.423565	5036.4	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	gaussian-robustness	FSbar	0.2206	min	-0.2206	kendall_0.404683	exact_ds002	0.404683	0.404683	5469.8	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	gaussian-robustness	FSbar	0.193	min	-0.193	kendall_0.387434	exact_ds002	0.387434	0.387434	5646.5	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	gaussian-robustness	FSbar	0.1678	min	-0.1678	kendall_0.389212	exact_ds002	0.389212	0.389212	5641.2	11	False	True	10	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	gaussian-robustness	FSbar	0.1718	min	-0.1718	kendall_0.399779	exact_ds002	0.399779	0.399779	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	gaussian-robustness	FSbar	0.2204	min	-0.2204	kendall_0.31901	exact_ds002	0.31901	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	gaussian-robustness	FSbar	0.2322	min	-0.2322	kendall_0.656867	exact_ds002	0.656867	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	gaussian-robustness	FSbar	0.2312	min	-0.2312	kendall_0.496275	exact_ds002	0.496275	0.496275	4662	11	False	True	2	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	gaussian-robustness	0.15	FSbar	0.2478	min	-0.2478	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	gaussian-robustness	0.15	FSbar	0.2418	min	-0.2418	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	gaussian-robustness	0.15	FSbar	0.2496	min	-0.2496	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	gaussian-robustness	0.15	FSbar	0.2428	min	-0.2428	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	gaussian-robustness	0.15	FSbar	0.2444	min	-0.2444	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	gaussian-robustness	0.15	FSbar	0.2488	min	-0.2488	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	gaussian-robustness	0.15	FSbar	0.2488	min	-0.2488	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	salt-pepper-0.05	robustness	CS	0.0684	min	-0.0684	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt-pepper-0.05	robustness	CS	0.0904	min	-0.0904	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt-pepper-0.05	robustness	CS	0.096	min	-0.096	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt-pepper-0.05	robustness	CS	0.094	min	-0.094	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt-pepper-0.05	robustness	CS	0.0952	min	-0.0952	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	salt-pepper-0.05	robustness	CS	0.087	min	-0.087	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	salt-pepper-0.05	robustness	CS	0.0958	min	-0.0958	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	salt-pepper-0.05	robustness	CS	0.1006	min	-0.1006	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	salt-pepper-0.05	robustness	CS	0.1044	min	-0.1044	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	salt-pepper-0.05	robustness	CS	0.1014	min	-0.1014	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	salt-pepper-0.05	robustness	CS	0.0684	min	-0.0684	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	CS	0.079	min	-0.079	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	CS	0.0854	min	-0.0854	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	CS	0.084	min	-0.084	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	CS	0.0964	min	-0.0964	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	CS	0.0902	min	-0.0902	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	CS	0.0896	min	-0.0896	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	CS	0.103	min	-0.103	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	CS	0.1054	min	-0.1054	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	salt- pepper- 0.05	robustness	CS	0.1036	min	-0.1036	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	salt- pepper- 0.05	robustness	CS	0.0676	min	-0.0676	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	salt- pepper- 0.05	robustness	CS	0.0858	min	-0.0858	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	salt- pepper- 0.05	robustness	CS	0.0946	min	-0.0946	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	salt- pepper- 0.05	robustness	CS	0.093	min	-0.093	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	salt- pepper- 0.05	robustness	CS	0.095	min	-0.095	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	salt- pepper- 0.05	robustness	CS	0.0906	min	-0.0906	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	salt- pepper- 0.05	robustness	CS	0.093	min	-0.093	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	salt- pepper- 0.05	robustness	CS	0.0998	min	-0.0998	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	salt- pepper- 0.05	robustness	CS	0.1014	min	-0.1014	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	salt- pepper- 0.05	robustness	0.1036	min	-0.1036	kendall_0.399779	-exact_distance	0.399779	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	salt- pepper- 0.05	robustness	0.0684	min	-0.0684	kendall_0.31901	-exact_distance	0.31901	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	salt- pepper- 0.05	robustness	0.0828	min	-0.0828	kendall_0.656867	-exact_distance	0.656867	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	salt- pepper- 0.05	robustness	0.0876	min	-0.0876	kendall_0.496275	-exact_distance	0.496275	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	salt- pepper- 0.05	robustness	0.0872	min	-0.0872	kendall_0.458333	-exact_distance	0.458333	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	salt- pepper- 0.05	robustness	0.0958	min	-0.0958	kendall_0.395705	-exact_distance	0.395705	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	salt- pepper- 0.05	robustness	0.0932	min	-0.0932	kendall_0.423565	-exact_distance	0.423565	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	salt- pepper- 0.05	robustness	0.0956	min	-0.0956	kendall_0.404683	-exact_distance	0.404683	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	salt- pepper- 0.05	robustness	0.0998	min	-0.0998	kendall_0.387434	-exact_distance	0.387434	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	salt- pepper- 0.05	robustness	0.0984	min	-0.0984	kendall_0.389212	-exact_distance	0.389212	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	salt- pepper- 0.05	robustness	0.1018	min	-0.1018	kendall_0.399779	-exact_distance	0.399779	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	salt- pepper- 0.05	robustness	0.0714	min	-0.0714	kendall_0.31901	-exact_distance	0.31901	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	salt- pepper- 0.05	robustness	0.0936	min	-0.0936	kendall_0.656867	-exact_distance	0.656867	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	salt- pepper- 0.05	robustness	0.0948	min	-0.0948	kendall_0.496275	-exact_distance	0.496275	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	salt- pepper- 0.05	robustness	0.0976	min	-0.0976	kendall_0.458333	-exact_distance	0.458333	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	salt- pepper- 0.05	robustness	0.0984	min	-0.0984	kendall_0.395705	-exact_distance	0.395705	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	salt- pepper- 0.05	robustness	0.0884	min	-0.0884	kendall_0.423565	-exact_distance	0.423565	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	salt- pepper- 0.05	robustness	0.0956	min	-0.0956	kendall_0.404683	-exact_distance	0.404683	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	salt- pepper- 0.05	robustness	G	0.0986	min	-0.0986	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	salt- pepper- 0.05	robustness	G	0.0976	min	-0.0976	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	2	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	salt- pepper- 0.05	robustness	G	0.096	min	-0.096	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	2	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	salt- pepper- 0.05	robustness	Gbar	0.2136	min	-0.2136	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt- pepper- 0.05	robustness	Gbar	0.2354	min	-0.2354	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt- pepper- 0.05	robustness	Gbar	0.2144	min	-0.2144	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt- pepper- 0.05	robustness	Gbar	0.2212	min	-0.2212	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt- pepper- 0.05	robustness	Gbar	0.1932	min	-0.1932	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	salt- pepper- 0.05	robustness	Gbar	0.2024	min	-0.2024	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	salt- pepper- 0.05	robustness	Gbar	0.2006	min	-0.2006	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	salt- pepper- 0.05	robustness	Gbar	0.1756	min	-0.1756	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	salt- pepper- 0.05	robustness	Gbar	0.1668	min	-0.1668	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	salt- pepper- 0.05	robustness	Gbar	0.1616	min	-0.1616	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	11	True	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2136	min	-0.2136	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2136	min	-0.2136	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2022	min	-0.2022	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	Gbar	0.2104	min	-0.2104	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	Gbar	0.1842	min	-0.1842	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	Gbar	0.195	min	-0.195	kendall_0.423565	-exact_-0.423565	-0.423565	-0.423565	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	Gbar	0.203	min	-0.203	kendall_0.404683	-exact_-0.404683	-0.404683	-0.404683	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	Gbar	0.1702	min	-0.1702	kendall_0.387434	-exact_-0.387434	-0.387434	-0.387434	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	Gbar	0.1414	min	-0.1414	kendall_0.389212	-exact_-0.389212	-0.389212	-0.389212	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	salt- pepper- 0.05	robustness	Gbar	0.1464	min	-0.1464	kendall_0.399779	-exact_-0.399779	-0.399779	-0.399779	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	salt- pepper- 0.05	robustness	Gbar	0.2162	min	-0.2162	kendall_0.31901	-exact_-0.31901	-0.31901	-0.31901	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	salt- pepper- 0.05	robustness	Gbar	0.205	min	-0.205	kendall_0.656867	-exact_-0.656867	-0.656867	-0.656867	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	salt- pepper- 0.05	robustness	Gbar	0.196	min	-0.196	kendall_0.496275	-exact_-0.496275	-0.496275	-0.496275	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	salt- pepper- 0.05	robustness	Gbar	0.2082	min	-0.2082	kendall_0.458333	-exact_-0.458333	-0.458333	-0.458333	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	salt- pepper- 0.05	robustness	Gbar	0.197	min	-0.197	kendall_0.395705	-exact_-0.395705	-0.395705	-0.395705	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	salt- pepper- 0.05	robustness	Gbar	0.202	min	-0.202	kendall_0.423565	-exact_-0.423565	-0.423565	-0.423565	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	salt- pepper- 0.05	robustness	Gbar	0.2052	min	-0.2052	kendall_0.404683	-exact_-0.404683	-0.404683	-0.404683	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	salt- pepper- 0.05	robustness	Gbar	0.1812	min	-0.1812	kendall_0.387434	-exact_-0.387434	-0.387434	-0.387434	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	salt- pepper- 0.05	robustness	Gbar	0.1702	min	-0.1702	kendall_0.389212	-exact_-0.389212	-0.389212	-0.389212	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	salt- pepper- 0.05	robustness	Gbar	0.172	min	-0.172	kendall_0.399779	-exact_-0.399779	-0.399779	-0.399779	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	salt- pepper- 0.05	robustness	Gbar	0.2136	min	-0.2136	kendall_0.31901	-exact_-0.31901	-0.31901	-0.31901	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	salt- pepper- 0.05	robustness	Gbar	0.224	min	-0.224	kendall_0.656867	-exact_-0.656867	-0.656867	-0.656867	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	salt- pepper- 0.05	robustness	Gbar	0.2042	min	-0.2042	kendall_0.496275	-exact_-0.496275	-0.496275	-0.496275	4662	11	False	True	10	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	salt- pepper- 0.05	robustness	0.209	min	-0.209	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	salt- pepper- 0.05	robustness	0.1912	min	-0.1912	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	salt- pepper- 0.05	robustness	0.2144	min	-0.2144	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	salt- pepper- 0.05	robustness	0.2084	min	-0.2084	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	schulze	salt- pepper- 0.05	robustness	0.1674	min	-0.1674	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	10	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	schulze	salt- pepper- 0.05	robustness	0.1476	min	-0.1476	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	10	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	schulze	salt- pepper- 0.05	robustness	0.1586	min	-0.1586	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	10	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	simpleavg	salt- pepper- 0.05	robustness	0.2192	min	-0.2192	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	simpleavg	salt- pepper- 0.05	robustness	0.22	min	-0.22	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	simpleavg	salt- pepper- 0.05	robustness	0.2168	min	-0.2168	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	4	True	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	simpleavg	salt- pepper- 0.05	robustness	0.2268	min	-0.2268	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	simpleavg	salt- pepper- 0.05	robustness	0.2256	min	-0.2256	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	simpleavg	salt- pepper- 0.05	robustness	0.232	min	-0.232	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	simpleavg	salt- pepper- 0.05	robustness	0.221	min	-0.221	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	simpleavg	salt- pepper- 0.05	robustness	0.2226	min	-0.2226	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	simpleavg	salt- pepper- 0.05	robustness	0.2214	min	-0.2214	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	4	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	salt- pepper- 0.05	robustness	0.2214	min	-0.2214	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	4	False	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	salt- pepper- 0.05	robustness	0.0544	min	-0.0544	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	2	True	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt- pepper- 0.05	robustness	F	0.0636	min	-0.0636	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt- pepper- 0.05	robustness	F	0.0688	min	-0.0688	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt- pepper- 0.05	robustness	F	0.0688	min	-0.0688	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt- pepper- 0.05	robustness	F	0.0752	min	-0.0752	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	salt- pepper- 0.05	robustness	F	0.063	min	-0.063	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	salt- pepper- 0.05	robustness	F	0.0656	min	-0.0656	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	salt- pepper- 0.05	robustness	F	0.0698	min	-0.0698	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	salt- pepper- 0.05	robustness	F	0.074	min	-0.074	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	salt- pepper- 0.05	robustness	F	0.0692	min	-0.0692	kendall_0.399779	0.399779	-exact_distance	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	salt- pepper- 0.05	robustness	F	0.0544	min	-0.0544	kendall_0.31901	0.31901	-exact_distance	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	salt- pepper- 0.05	robustness	F	0.0576	min	-0.0576	kendall_0.656867	0.656867	-exact_distance	0.656867	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	salt- pepper- 0.05	robustness	F	0.0652	min	-0.0652	kendall_0.496275	0.496275	-exact_distance	0.496275	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	salt- pepper- 0.05	robustness	F	0.063	min	-0.063	kendall_0.458333	0.458333	-exact_distance	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	salt- pepper- 0.05	robustness	F	0.0722	min	-0.0722	kendall_0.395705	0.395705	-exact_distance	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	salt- pepper- 0.05	robustness	F	0.0664	min	-0.0664	kendall_0.423565	0.423565	-exact_distance	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	salt- pepper- 0.05	robustness	F	0.063	min	-0.063	kendall_0.404683	0.404683	-exact_distance	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	salt- pepper- 0.05	robustness	F	0.0744	min	-0.0744	kendall_0.387434	0.387434	-exact_distance	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	salt- pepper- 0.05	robustness	F	0.079	min	-0.079	kendall_0.389212	0.389212	-exact_distance	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	salt- pepper- 0.05	robustness	0.0764	min	-0.0764	kendall_0.399779	exact_distance	0.399779	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	salt- pepper- 0.05	robustness	0.0526	min	-0.0526	kendall_0.31901	exact_distance	0.31901	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	salt- pepper- 0.05	robustness	0.068	min	-0.068	kendall_0.656867	exact_distance	0.656867	0.656867	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	salt- pepper- 0.05	robustness	0.0688	min	-0.0688	kendall_0.496275	exact_distance	0.496275	0.496275	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	salt- pepper- 0.05	robustness	0.0696	min	-0.0696	kendall_0.458333	exact_distance	0.458333	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	salt- pepper- 0.05	robustness	0.0672	min	-0.0672	kendall_0.395705	exact_distance	0.395705	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	salt- pepper- 0.05	robustness	0.0636	min	-0.0636	kendall_0.423565	exact_distance	0.423565	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	salt- pepper- 0.05	robustness	0.0666	min	-0.0666	kendall_0.404683	exact_distance	0.404683	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	rrf	salt- pepper- 0.05	robustness	0.0704	min	-0.0704	kendall_0.387434	exact_distance	0.387434	0.387434	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	rrf	salt- pepper- 0.05	robustness	0.072	min	-0.072	kendall_0.389212	exact_distance	0.389212	0.389212	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	rrf	salt- pepper- 0.05	robustness	0.0744	min	-0.0744	kendall_0.399779	exact_distance	0.399779	0.399779	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	schulze	salt- pepper- 0.05	robustness	0.0544	min	-0.0544	kendall_0.31901	exact_distance	0.31901	0.31901	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	schulze	salt- pepper- 0.05	robustness	0.062	min	-0.062	kendall_0.656867	exact_distance	0.656867	0.656867	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	schulze	salt- pepper- 0.05	robustness	0.0668	min	-0.0668	kendall_0.496275	exact_distance	0.496275	0.496275	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	schulze	salt- pepper- 0.05	robustness	0.0662	min	-0.0662	kendall_0.458333	exact_distance	0.458333	0.458333	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	schulze	salt- pepper- 0.05	robustness	0.0712	min	-0.0712	kendall_0.395705	exact_distance	0.395705	0.395705	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	schulze	salt- pepper- 0.05	robustness	0.0682	min	-0.0682	kendall_0.423565	exact_distance	0.423565	0.423565	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	schulze	salt- pepper- 0.05	robustness	0.0622	min	-0.0622	kendall_0.404683	exact_distance	0.404683	0.404683	5469.8	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	salt- pepper- 0.05	robustness	F	0.0708	min	-0.0708	kendall_0.387434	0.387434	-exact_-0.387434	0.002	ce	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	salt- pepper- 0.05	robustness	F	0.0708	min	-0.0708	kendall_0.389212	0.389212	-exact_-0.389212	0.002	ce	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	salt- pepper- 0.05	robustness	F	0.0756	min	-0.0756	kendall_0.399779	0.399779	-exact_-0.399779	0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	salt- pepper- 0.05	robustness	F	0.0548	min	-0.0548	kendall_0.31901	0.31901	-exact_-0.31901	0.002	ce	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	salt- pepper- 0.05	robustness	F	0.0684	min	-0.0684	kendall_0.656867	0.656867	-exact_-0.656867	0.002	ce	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	salt- pepper- 0.05	robustness	F	0.0706	min	-0.0706	kendall_0.496275	0.496275	-exact_-0.496275	0.002	ce	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	salt- pepper- 0.05	robustness	F	0.0748	min	-0.0748	kendall_0.458333	0.458333	-exact_-0.458333	0.002	ce	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	salt- pepper- 0.05	robustness	F	0.0758	min	-0.0758	kendall_0.395705	0.395705	-exact_-0.395705	0.002	ce	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	salt- pepper- 0.05	robustness	F	0.067	min	-0.067	kendall_0.423565	0.423565	-exact_-0.423565	0.002	ce	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	salt- pepper- 0.05	robustness	F	0.0688	min	-0.0688	kendall_0.404683	0.404683	-exact_-0.404683	0.002	ce	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	salt- pepper- 0.05	robustness	F	0.0692	min	-0.0692	kendall_0.387434	0.387434	-exact_-0.387434	0.002	ce	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	salt- pepper- 0.05	robustness	F	0.069	min	-0.069	kendall_0.389212	0.389212	-exact_-0.389212	0.002	ce	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	salt- pepper- 0.05	robustness	F	0.0672	min	-0.0672	kendall_0.399779	0.399779	-exact_-0.399779	0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	salt- pepper- 0.05	robustness	Fbar	0.1684	min	-0.1684	kendall_0.31901	0.31901	-exact_-0.31901	0.002	ce	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	salt- pepper- 0.05	robustness	Fbar	0.1874	min	-0.1874	kendall_0.656867	0.656867	-exact_-0.656867	0.002	ce	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	salt- pepper- 0.05	robustness	Fbar	0.169	min	-0.169	kendall_0.496275	0.496275	-exact_-0.496275	0.002	ce	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	salt- pepper- 0.05	robustness	Fbar	0.1748	min	-0.1748	kendall_0.458333	0.458333	-exact_-0.458333	0.002	ce	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	salt- pepper- 0.05	robustness	Fbar	0.1512	min	-0.1512	kendall_0.395705	0.395705	-exact_-0.395705	0.002	ce	5098.7	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	salt- pepper- 0.05	robustness	0.1562	min	-0.1562	kendall_0.423565-exact_ds0.002ce	0.423565	0.423565	0.423565	5036.4	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	salt- pepper- 0.05	robustness	0.158	min	-0.158	kendall_0.404683-exact_ds0.002ce	0.404683	0.404683	0.404683	5469.8	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	salt- pepper- 0.05	robustness	0.138	min	-0.138	kendall_0.387434-exact_ds0.002ce	0.387434	0.387434	0.387434	5646.5	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	salt- pepper- 0.05	robustness	0.1326	min	-0.1326	kendall_0.389212-exact_ds0.002ce	0.389212	0.389212	0.389212	5641.2	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	salt- pepper- 0.05	robustness	0.1228	min	-0.1228	kendall_0.399779-exact_ds0.002ce	0.399779	0.399779	0.399779	5940.5	11	True	True	11	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	salt- pepper- 0.05	robustness	0.1684	min	-0.1684	kendall_0.31901-exact_ds0.002ce	0.31901	0.31901	0.31901	1301.6	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	salt- pepper- 0.05	robustness	0.1678	min	-0.1678	kendall_0.656867-exact_ds0.002ce	0.656867	0.656867	0.656867	3573	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	salt- pepper- 0.05	robustness	0.1622	min	-0.1622	kendall_0.496275-exact_ds0.002ce	0.496275	0.496275	0.496275	4662	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	salt- pepper- 0.05	robustness	0.1718	min	-0.1718	kendall_0.458333-exact_ds0.002ce	0.458333	0.458333	0.458333	4759.3	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	salt- pepper- 0.05	robustness	0.1454	min	-0.1454	kendall_0.395705-exact_ds0.002ce	0.395705	0.395705	0.395705	5098.7	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	salt- pepper- 0.05	robustness	0.1602	min	-0.1602	kendall_0.423565-exact_ds0.002ce	0.423565	0.423565	0.423565	5036.4	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	salt- pepper- 0.05	robustness	0.1646	min	-0.1646	kendall_0.404683-exact_ds0.002ce	0.404683	0.404683	0.404683	5469.8	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	salt- pepper- 0.05	robustness	0.1324	min	-0.1324	kendall_0.387434-exact_ds0.002ce	0.387434	0.387434	0.387434	5646.5	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	salt- pepper- 0.05	robustness	0.1042	min	-0.1042	kendall_0.389212-exact_ds0.002ce	0.389212	0.389212	0.389212	5641.2	11	False	True	10	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	salt- pepper- 0.05	robustness	0.1096	min	-0.1096	kendall_0.399779-exact_ds0.002ce	0.399779	0.399779	0.399779	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	salt- pepper- 0.05	robustness	0.1692	min	-0.1692	kendall_0.31901-exact_ds0.002ce	0.31901	0.31901	0.31901	1301.6	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	salt- pepper- 0.05	robustness	0.1558	min	-0.1558	kendall_0.656867-exact_ds0.002ce	0.656867	0.656867	0.656867	3573	11	False	True	10	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	salt- pepper- 0.05	robustness	0.1506	min	-0.1506	kendall_0.496275-exact_ds0.002ce	0.496275	0.496275	0.496275	4662	11	False	True	10	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	salt- pepper- 0.05	robustness	Fbar	0.1666	min	-0.1666	kendall_0.1666	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	salt- pepper- 0.05	robustness	Fbar	0.153	min	-0.153	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	salt- pepper- 0.05	robustness	Fbar	0.1616	min	-0.1616	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	salt- pepper- 0.05	robustness	Fbar	0.1652	min	-0.1652	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	salt- pepper- 0.05	robustness	Fbar	0.1444	min	-0.1444	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	salt- pepper- 0.05	robustness	Fbar	0.1296	min	-0.1296	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	salt- pepper- 0.05	robustness	Fbar	0.132	min	-0.132	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	salt- pepper- 0.05	robustness	Fbar	0.1684	min	-0.1684	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	salt- pepper- 0.05	robustness	Fbar	0.175	min	-0.175	kendall_0.656867	0.656867	-exact_distance	0.656867	0.002	3573	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	salt- pepper- 0.05	robustness	Fbar	0.1582	min	-0.1582	kendall_0.496275	0.496275	-exact_distance	0.496275	0.002	4662	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	salt- pepper- 0.05	robustness	Fbar	0.1688	min	-0.1688	kendall_0.458333	0.458333	-exact_distance	0.458333	0.002	4759.3	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	salt- pepper- 0.05	robustness	Fbar	0.1506	min	-0.1506	kendall_0.395705	0.395705	-exact_distance	0.395705	0.002	5098.7	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	salt- pepper- 0.05	robustness	Fbar	0.171	min	-0.171	kendall_0.423565	0.423565	-exact_distance	0.423565	0.002	5036.4	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	salt- pepper- 0.05	robustness	Fbar	0.1696	min	-0.1696	kendall_0.404683	0.404683	-exact_distance	0.404683	0.002	5469.8	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	salt- pepper- 0.05	robustness	Fbar	0.1286	min	-0.1286	kendall_0.387434	0.387434	-exact_distance	0.387434	0.002	5646.5	11	False	True	10	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	salt- pepper- 0.05	robustness	Fbar	0.1122	min	-0.1122	kendall_0.389212	0.389212	-exact_distance	0.389212	0.002	5641.2	11	False	True	10	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	salt- pepper- 0.05	robustness	Fbar	0.1222	min	-0.1222	kendall_0.399779	0.399779	-exact_distance	0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	salt- pepper- 0.05	robustness	Fbar	0.1706	min	-0.1706	kendall_0.31901	0.31901	-exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1738	min	-0.1738	kendall_0.656867	0.656867	-exact_ds0.002	0.656867	3573	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1716	min	-0.1716	kendall_0.496275	0.496275	-exact_ds0.002	0.496275	4662	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1838	min	-0.1838	kendall_0.458333	0.458333	-exact_ds0.002	0.458333	4759.3	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.182	min	-0.182	kendall_0.395705	0.395705	-exact_ds0.002	0.395705	5098.7	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1876	min	-0.1876	kendall_0.423565	0.423565	-exact_ds0.002	0.423565	5036.4	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1786	min	-0.1786	kendall_0.404683	0.404683	-exact_ds0.002	0.404683	5469.8	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1818	min	-0.1818	kendall_0.387434	0.387434	-exact_ds0.002	0.387434	5646.5	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1798	min	-0.1798	kendall_0.389212	0.389212	-exact_ds0.002	0.389212	5641.2	11	False	True	2	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	galt- pepper- 0.05	robustness	FSbar	0.1808	min	-0.1808	kendall_0.399779	0.399779	-exact_ds0.002	0.399779	5940.5	11	True	True	2	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	speckle- 0.15	robustness	CS	0.0252	min	-0.0252	kendall_0.31901	0.31901	-exact_ds0.002	0.31901	1301.6	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	speckle- 0.15	robustness	CS	0.0236	min	-0.0236	kendall_0.656867	0.656867	-exact_ds0.002	0.656867	3573	11	False	True	3	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	speckle- 0.15	robustness	CS	0.0326	min	-0.0326	kendall_0.496275	0.496275	-exact_ds0.002	0.496275	4662	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	speckle- 0.15	robustness	CS	0.0324	min	-0.0324	kendall_0.458333	0.458333	-exact_ds0.002	0.458333	4759.3	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	speckle- 0.15	robustness	CS	0.0354	min	-0.0354	kendall_0.395705	0.395705	-exact_ds0.002	0.395705	5098.7	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	speckle- 0.15	robustness	CS	0.0278	min	-0.0278	kendall_0.423565	0.423565	-exact_ds0.002	0.423565	5036.4	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	speckle- 0.15	robustness	CS	0.0322	min	-0.0322	kendall_0.404683	0.404683	-exact_ds0.002	0.404683	5469.8	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	speckle- 0.15	robustness	CS	0.0332	min	-0.0332	kendall_0.387434	0.387434	-exact_ds0.002	0.387434	5646.5	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	speckle- 0.15	robustness	CS	0.0346	min	-0.0346	kendall_0.389212	0.389212	-exact_ds0.002	0.389212	5641.2	11	False	True	3	False	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	speckle- 0.15	robustness	0.0368	min	-0.0368	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	speckle- 0.15	robustness	0.0252	min	-0.0252	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	speckle- 0.15	robustness	0.0268	min	-0.0268	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	speckle- 0.15	robustness	0.0286	min	-0.0286	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	speckle- 0.15	robustness	0.0322	min	-0.0322	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	speckle- 0.15	robustness	0.0354	min	-0.0354	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	speckle- 0.15	robustness	0.0342	min	-0.0342	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	speckle- 0.15	robustness	0.0312	min	-0.0312	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	kemeny	speckle- 0.15	robustness	0.042	min	-0.042	kendall_	0.387434	-exact_	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	kemeny	speckle- 0.15	robustness	0.0376	min	-0.0376	kendall_	0.389212	-exact_	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	kemeny	speckle- 0.15	robustness	0.04	min	-0.04	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	rrf	speckle- 0.15	robustness	0.0224	min	-0.0224	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	rrf	speckle- 0.15	robustness	0.028	min	-0.028	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	rrf	speckle- 0.15	robustness	0.0298	min	-0.0298	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	rrf	speckle- 0.15	robustness	0.0298	min	-0.0298	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	rrf	speckle- 0.15	robustness	0.0336	min	-0.0336	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	rrf	speckle- 0.15	robustness	0.0322	min	-0.0322	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	rrf	speckle- 0.15	robustness	0.033	min	-0.033	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	CS	0.0388	min	-0.0388	kendall_0.387434	-exact_0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	CS	0.0378	min	-0.0378	kendall_0.389212	-exact_0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	CS	0.04	min	-0.04	kendall_0.399779	-exact_0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	CS	0.0252	min	-0.0252	kendall_0.31901	-exact_0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	CS	0.0234	min	-0.0234	kendall_0.656867	-exact_0.656867	-0.002	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	CS	0.0278	min	-0.0278	kendall_0.496275	-exact_0.496275	-0.002	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	CS	0.0352	min	-0.0352	kendall_0.458333	-exact_0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	CS	0.0334	min	-0.0334	kendall_0.395705	-exact_0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	CS	0.031	min	-0.031	kendall_0.423565	-exact_0.423565	-0.002	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	CS	0.0368	min	-0.0368	kendall_0.404683	-exact_0.404683	-0.002	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	CS	0.036	min	-0.036	kendall_0.387434	-exact_0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	CS	0.0384	min	-0.0384	kendall_0.389212	-exact_0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	CS	0.041	min	-0.041	kendall_0.399779	-exact_0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	CS	0.0214	min	-0.0214	kendall_0.31901	-exact_0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	CS	0.0322	min	-0.0322	kendall_0.656867	-exact_0.656867	-0.002	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	CS	0.0338	min	-0.0338	kendall_0.496275	-exact_0.496275	-0.002	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	CS	0.0352	min	-0.0352	kendall_0.458333	-exact_0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	CS	0.0338	min	-0.0338	kendall_0.395705	-exact_0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	G	0.028	min	-0.028	kendall_0.423565	-exact_0.423565	-0.002	0.002	ce	5036.4	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	G	0.0338	min	-0.0338	kendall_0.404683	-exact_0.404683	-0.002	0.002	ce	5469.8	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	G	0.0344	min	-0.0344	kendall_0.387434	-exact_0.387434	-0.002	0.002	ce	5646.5	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	G	0.034	min	-0.034	kendall_0.389212	-exact_0.389212	-0.002	0.002	ce	5641.2	11	False	True	2	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	speckle- 0.15	robustness	G	0.0322	min	-0.0322	kendall_0.399779	-exact_0.399779	-0.002	0.002	ce	5940.5	11	True	True	2	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	speckle- 0.15	robustness	Gbar	0.081	min	-0.081	kendall_0.31901	-exact_0.31901	-0.002	0.002	ce	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	speckle- 0.15	robustness	Gbar	0.0886	min	-0.0886	kendall_0.656867	-exact_0.656867	-0.002	0.002	ce	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	speckle- 0.15	robustness	Gbar	0.074	min	-0.074	kendall_0.496275	-exact_0.496275	-0.002	0.002	ce	4662	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	speckle- 0.15	robustness	Gbar	0.0784	min	-0.0784	kendall_0.458333	-exact_0.458333	-0.002	0.002	ce	4759.3	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	speckle- 0.15	robustness	Gbar	0.0738	min	-0.0738	kendall_0.395705	-exact_0.395705	-0.002	0.002	ce	5098.7	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	speckle- 0.15	robustness	Gbar	0.0826	min	-0.0826	kendall_0.423565	-exact_0.423565	-0.002	0.002	ce	5036.4	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	speckle- 0.15	robustness	Gbar	0.0808	min	-0.0808	kendall_0.404683	-exact_0.404683	-0.002	0.002	ce	5469.8	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	speckle- 0.15	robustness	Gbar	0.0726	min	-0.0726	kendall_0.387434	-exact_0.387434	-0.002	0.002	ce	5646.5	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	speckle- 0.15	robustness	Gbar	0.0634	min	-0.0634	kendall_0.389212	-exact_0.389212	-0.002	0.002	ce	5641.2	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	speckle- 0.15	robustness	Gbar	0.0544	min	-0.0544	kendall_0.399779	-exact_0.399779	-0.002	0.002	ce	5940.5	11	True	True	11	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	speckle- 0.15	robustness	Gbar	0.081	min	-0.081	kendall_0.31901	-exact_0.31901	-0.002	0.002	ce	1301.6	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	speckle- 0.15	robustness	Gbar	0.077	min	-0.077	kendall_0.656867	-exact_0.656867	-0.002	0.002	ce	3573	11	False	True	11	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	speckle- 0.15	robustness	Gbar	0.067	min	-0.067	kendall_0.496275	-exact_0.496275	-0.002	0.002	ce	4662	11	False	True	11	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	speckle- 0.15	robustness	Gbar	0.0778	min	-0.0778	kendall_0.458333	-exact_ds0.458333	-0.002	4759.3	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	speckle- 0.15	robustness	Gbar	0.0656	min	-0.0656	kendall_0.395705	-exact_ds0.395705	-0.002	5098.7	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	speckle- 0.15	robustness	Gbar	0.0668	min	-0.0668	kendall_0.423565	-exact_ds0.423565	-0.002	5036.4	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	speckle- 0.15	robustness	Gbar	0.078	min	-0.078	kendall_0.404683	-exact_ds0.404683	-0.002	5469.8	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	speckle- 0.15	robustness	Gbar	0.062	min	-0.062	kendall_0.387434	-exact_ds0.387434	-0.002	5646.5	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	speckle- 0.15	robustness	Gbar	0.0544	min	-0.0544	kendall_0.389212	-exact_ds0.389212	-0.002	5641.2	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	speckle- 0.15	robustness	Gbar	0.048	min	-0.048	kendall_0.399779	-exact_ds0.399779	-0.002	5940.5	11	True	True	11	True	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	speckle- 0.15	robustness	Gbar	0.0828	min	-0.0828	kendall_0.31901	-exact_ds0.31901	-0.002	1301.6	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	speckle- 0.15	robustness	Gbar	0.0708	min	-0.0708	kendall_0.656867	-exact_ds0.656867	-0.002	3573	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	speckle- 0.15	robustness	Gbar	0.0664	min	-0.0664	kendall_0.496275	-exact_ds0.496275	-0.002	4662	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	speckle- 0.15	robustness	Gbar	0.0746	min	-0.0746	kendall_0.458333	-exact_ds0.458333	-0.002	4759.3	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	speckle- 0.15	robustness	Gbar	0.082	min	-0.082	kendall_0.395705	-exact_ds0.395705	-0.002	5098.7	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	speckle- 0.15	robustness	Gbar	0.0862	min	-0.0862	kendall_0.423565	-exact_ds0.423565	-0.002	5036.4	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	speckle- 0.15	robustness	Gbar	0.0906	min	-0.0906	kendall_0.404683	-exact_ds0.404683	-0.002	5469.8	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	Gbar	0.0856	min	-0.0856	kendall_0.387434	-exact_ds0.387434	-0.002	5646.5	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	Gbar	0.0692	min	-0.0692	kendall_0.389212	-exact_ds0.389212	-0.002	5641.2	11	False	True	11	False	False	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	Gbar	0.066	min	-0.066	kendall_0.399779	-exact_ds0.399779	-0.002	5940.5	11	True	True	11	True	True	["Gradient		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	Gbar	0.081	min	-0.081	kendall_0.31901	-exact_ds0.31901	-0.002	1301.6	11	False	True	11	False	False	["Gradient		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	Gbar	0.079	min	-0.079	kendall_0.656867	-exact_ds0.656867	-0.002	3573	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	Gbar	0.0732	min	-0.0732	kendall_0.496275	-exact_ds0.496275	-0.002	4662	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	Gbar	0.0742	min	-0.0742	kendall_0.458333	-exact_ds0.458333	-0.002	4759.3	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	Gbar	0.0708	min	-0.0708	kendall_0.395705	-exact_ds0.395705	-0.002	5098.7	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	Gbar	0.0874	min	-0.0874	kendall_0.423565	-exact_ds0.423565	-0.002	5036.4	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	Gbar	0.0858	min	-0.0858	kendall_0.404683	-exact_ds0.404683	-0.002	5469.8	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	Gbar	0.0728	min	-0.0728	kendall_0.387434	-exact_ds0.387434	-0.002	5646.5	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	Gbar	0.0562	min	-0.0562	kendall_0.389212	-exact_ds0.389212	-0.002	5641.2	11	False	True	11	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	Gbar	0.056	min	-0.056	kendall_0.399779	-exact_ds0.399779	-0.002	5940.5	11	True	True	11	True	True	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	Gbar	0.0818	min	-0.0818	kendall_0.31901	-exact_ds0.31901	-0.002	1301.6	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	Gbar	0.0762	min	-0.0762	kendall_0.656867	-exact_ds0.656867	-0.002	3573	11	False	True	3	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	Gbar	0.0796	min	-0.0796	kendall_0.496275	-exact_ds0.496275	-0.002	4662	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	Gbar	0.0836	min	-0.0836	kendall_0.458333	-exact_ds0.458333	-0.002	4759.3	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	Gbar	0.0788	min	-0.0788	kendall_0.395705	-exact_ds0.395705	-0.002	5098.7	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	Gbar	0.088	min	-0.088	kendall_0.423565	-exact_ds0.423565	-0.002	5036.4	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	Gbar	0.0808	min	-0.0808	kendall_0.404683	-exact_ds0.404683	-0.002	5469.8	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	Gbar	0.079	min	-0.079	kendall_0.387434	-exact_ds0.387434	-0.002	5646.5	11	False	True	3	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	Gbar	0.0808	min	-0.0808	kendall_0.389212	-exact_ds0.389212	-0.002	5641.2	11	False	True	3	False	False	["GradientAttention		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	simpleavg	speckle- 0.15	robustness	0.0812	min	-0.0812	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	borda	speckle- 0.15	robustness	0.0288	min	-0.0288	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	borda	speckle- 0.15	robustness	0.0238	min	-0.0238	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	borda	speckle- 0.15	robustness	0.0312	min	-0.0312	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	borda	speckle- 0.15	robustness	0.0274	min	-0.0274	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	borda	speckle- 0.15	robustness	0.033	min	-0.033	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	borda	speckle- 0.15	robustness	0.0262	min	-0.0262	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	borda	speckle- 0.15	robustness	0.0254	min	-0.0254	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	9	borda	speckle- 0.15	robustness	0.027	min	-0.027	kendall_	0.387434	-exact_	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	10	borda	speckle- 0.15	robustness	0.032	min	-0.032	kendall_	0.389212	-exact_	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	11	borda	speckle- 0.15	robustness	0.0266	min	-0.0266	kendall_	0.399779	-exact_	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	2	kemeny	speckle- 0.15	robustness	0.0288	min	-0.0288	kendall_	0.31901	-exact_	0.31901	0.002	1301.6	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	3	kemeny	speckle- 0.15	robustness	0.0268	min	-0.0268	kendall_	0.656867	-exact_	0.656867	0.002	3573	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	4	kemeny	speckle- 0.15	robustness	0.0278	min	-0.0278	kendall_	0.496275	-exact_	0.496275	0.002	4662	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	5	kemeny	speckle- 0.15	robustness	0.0292	min	-0.0292	kendall_	0.458333	-exact_	0.458333	0.002	4759.3	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	6	kemeny	speckle- 0.15	robustness	0.0286	min	-0.0286	kendall_	0.395705	-exact_	0.395705	0.002	5098.7	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	7	kemeny	speckle- 0.15	robustness	0.0324	min	-0.0324	kendall_	0.423565	-exact_	0.423565	0.002	5036.4	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall	8	kemeny	speckle- 0.15	robustness	0.026	min	-0.026	kendall_	0.404683	-exact_	0.404683	0.002	5469.8	11	False	True	8	True	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	speckle- 0.15	robustness	F	0.035	min	-0.035	kendall_0.387434	-exact_0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	speckle- 0.15	robustness	F	0.0328	min	-0.0328	kendall_0.389212	-exact_0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	8	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	speckle- 0.15	robustness	F	0.0324	min	-0.0324	kendall_0.399779	-exact_0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	8	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	speckle- 0.15	robustness	F	0.026	min	-0.026	kendall_0.31901	-exact_0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	speckle- 0.15	robustness	F	0.0308	min	-0.0308	kendall_0.656867	-exact_0.656867	-0.002	0.656867	0.002	3573	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	speckle- 0.15	robustness	F	0.029	min	-0.029	kendall_0.496275	-exact_0.496275	-0.002	0.496275	0.002	4662	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	speckle- 0.15	robustness	F	0.0256	min	-0.0256	kendall_0.458333	-exact_0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	5	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	speckle- 0.15	robustness	F	0.028	min	-0.028	kendall_0.395705	-exact_0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	speckle- 0.15	robustness	F	0.0268	min	-0.0268	kendall_0.423565	-exact_0.423565	-0.002	0.423565	0.002	5036.4	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	speckle- 0.15	robustness	F	0.0268	min	-0.0268	kendall_0.404683	-exact_0.404683	-0.002	0.404683	0.002	5469.8	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	F	0.0312	min	-0.0312	kendall_0.387434	-exact_0.387434	-0.002	0.387434	0.002	5646.5	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	F	0.0304	min	-0.0304	kendall_0.389212	-exact_0.389212	-0.002	0.389212	0.002	5641.2	11	False	True	5	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	F	0.0308	min	-0.0308	kendall_0.399779	-exact_0.399779	-0.002	0.399779	0.002	5940.5	11	True	True	5	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	F	0.0288	min	-0.0288	kendall_0.31901	-exact_0.31901	-0.002	0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	F	0.0228	min	-0.0228	kendall_0.656867	-exact_0.656867	-0.002	0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	F	0.0272	min	-0.0272	kendall_0.496275	-exact_0.496275	-0.002	0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	F	0.0312	min	-0.0312	kendall_0.458333	-exact_0.458333	-0.002	0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	F	0.029	min	-0.029	kendall_0.395705	-exact_0.395705	-0.002	0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	objective fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	F	0.0288	min	-0.0288	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	F	0.0304	min	-0.0304	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	F	0.0326	min	-0.0326	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	F	0.0326	min	-0.0326	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	F	0.0342	min	-0.0342	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	F	0.0234	min	-0.0234	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	2	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	F	0.0306	min	-0.0306	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	F	0.0314	min	-0.0314	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	F	0.034	min	-0.034	kendall_0.458333	exact_distance	0.458333	0.002	4759.3	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	F	0.0348	min	-0.0348	kendall_0.395705	exact_distance	0.395705	0.002	5098.7	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	F	0.031	min	-0.031	kendall_0.423565	exact_distance	0.423565	0.002	5036.4	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	F	0.0244	min	-0.0244	kendall_0.404683	exact_distance	0.404683	0.002	5469.8	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	F	0.0248	min	-0.0248	kendall_0.387434	exact_distance	0.387434	0.002	5646.5	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	F	0.025	min	-0.025	kendall_0.389212	exact_distance	0.389212	0.002	5641.2	11	False	True	2	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	speckle- 0.15	robustness	F	0.024	min	-0.024	kendall_0.399779	exact_distance	0.399779	0.002	5940.5	11	True	True	2	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	borda	speckle- 0.15	robustness	Fbar	0.0616	min	-0.0616	kendall_0.31901	exact_distance	0.31901	0.002	1301.6	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	borda	speckle- 0.15	robustness	Fbar	0.0666	min	-0.0666	kendall_0.656867	exact_distance	0.656867	0.002	3573	11	False	True	11	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	borda	speckle- 0.15	robustness	Fbar	0.0542	min	-0.0542	kendall_0.496275	exact_distance	0.496275	0.002	4662	11	False	True	11	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	borda	speckle- 0.15	robustness	Sbar	0.0578	min	-0.0578	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	11	False	False	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	borda	speckle- 0.15	robustness	Sbar	0.0564	min	-0.0564	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	borda	speckle- 0.15	robustness	Sbar	0.0646	min	-0.0646	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	borda	speckle- 0.15	robustness	Sbar	0.0612	min	-0.0612	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	borda	speckle- 0.15	robustness	Sbar	0.0616	min	-0.0616	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	borda	speckle- 0.15	robustness	Sbar	0.0518	min	-0.0518	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	borda	speckle- 0.15	robustness	Sbar	0.04	min	-0.04	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	11	True	True	11	True	True	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	kemeny	speckle- 0.15	robustness	Sbar	0.0616	min	-0.0616	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	kemeny	speckle- 0.15	robustness	Sbar	0.0592	min	-0.0592	kendall_0.656867	-exact_0.656867	-0.002	3573	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	kemeny	speckle- 0.15	robustness	Sbar	0.0514	min	-0.0514	kendall_0.496275	-exact_0.496275	-0.002	4662	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	kemeny	speckle- 0.15	robustness	Sbar	0.0612	min	-0.0612	kendall_0.458333	-exact_0.458333	-0.002	4759.3	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	kemeny	speckle- 0.15	robustness	Sbar	0.0486	min	-0.0486	kendall_0.395705	-exact_0.395705	-0.002	5098.7	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	kemeny	speckle- 0.15	robustness	Sbar	0.0562	min	-0.0562	kendall_0.423565	-exact_0.423565	-0.002	5036.4	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	kemeny	speckle- 0.15	robustness	Sbar	0.065	min	-0.065	kendall_0.404683	-exact_0.404683	-0.002	5469.8	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	kemeny	speckle- 0.15	robustness	Sbar	0.0518	min	-0.0518	kendall_0.387434	-exact_0.387434	-0.002	5646.5	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	kemeny	speckle- 0.15	robustness	Sbar	0.043	min	-0.043	kendall_0.389212	-exact_0.389212	-0.002	5641.2	11	False	True	11	False	True	11	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	kemeny	speckle- 0.15	robustness	Sbar	0.0378	min	-0.0378	kendall_0.399779	-exact_0.399779	-0.002	5940.5	11	True	True	11	True	True	11	True	True	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	rrf	speckle- 0.15	robustness	Sbar	0.0642	min	-0.0642	kendall_0.31901	-exact_0.31901	-0.002	1301.6	11	False	True	3	False	True	11	False	False	["Gradient

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	rrf	speckle- 0.15	robustness	FSbar	0.0494	min	-0.0494	kendall_0.656867	0.656867	-exact_ds0.002	0.656867	3573	11	False	True	3	True	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	rrf	speckle- 0.15	robustness	FSbar	0.05	min	-0.05	kendall_0.496275	0.496275	-exact_ds0.002	0.496275	4662	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	rrf	speckle- 0.15	robustness	FSbar	0.0556	min	-0.0556	kendall_0.458333	0.458333	-exact_ds0.002	0.458333	4759.3	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	rrf	speckle- 0.15	robustness	FSbar	0.0648	min	-0.0648	kendall_0.395705	0.395705	-exact_ds0.002	0.395705	5098.7	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	rrf	speckle- 0.15	robustness	FSbar	0.0728	min	-0.0728	kendall_0.423565	0.423565	-exact_ds0.002	0.423565	5036.4	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	rrf	speckle- 0.15	robustness	FSbar	0.076	min	-0.076	kendall_0.404683	0.404683	-exact_ds0.002	0.404683	5469.8	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	rrf	speckle- 0.15	robustness	FSbar	0.0722	min	-0.0722	kendall_0.387434	0.387434	-exact_ds0.002	0.387434	5646.5	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	rrf	speckle- 0.15	robustness	FSbar	0.057	min	-0.057	kendall_0.389212	0.389212	-exact_ds0.002	0.389212	5641.2	11	False	True	3	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	rrf	speckle- 0.15	robustness	FSbar	0.0516	min	-0.0516	kendall_0.399779	0.399779	-exact_ds0.002	0.399779	5940.5	11	True	True	3	False	True	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	schulze	speckle- 0.15	robustness	FSbar	0.0616	min	-0.0616	kendall_0.31901	0.31901	-exact_ds0.002	0.31901	1301.6	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	schulze	speckle- 0.15	robustness	FSbar	0.0614	min	-0.0614	kendall_0.656867	0.656867	-exact_ds0.002	0.656867	3573	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	schulze	speckle- 0.15	robustness	FSbar	0.056	min	-0.056	kendall_0.496275	0.496275	-exact_ds0.002	0.496275	4662	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	schulze	speckle- 0.15	robustness	FSbar	0.0584	min	-0.0584	kendall_0.458333	0.458333	-exact_ds0.002	0.458333	4759.3	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	schulze	speckle- 0.15	robustness	FSbar	0.051	min	-0.051	kendall_0.395705	0.395705	-exact_ds0.002	0.395705	5098.7	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	schulze	speckle- 0.15	robustness	FSbar	0.0728	min	-0.0728	kendall_0.423565	0.423565	-exact_ds0.002	0.423565	5036.4	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	schulze	speckle- 0.15	robustness	FSbar	0.073	min	-0.073	kendall_0.404683	0.404683	-exact_ds0.002	0.404683	5469.8	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	schulze	speckle- 0.15	robustness	FSbar	0.0588	min	-0.0588	kendall_0.387434	0.387434	-exact_ds0.002	0.387434	5646.5	11	False	True	10	False	False	["Gradient	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	schulze	speckle- 0.15	robustness	FSbar	0.044	min	-0.044	kendall_0.389212	0.389212	-exact_ds0.002	0.389212	5641.2	11	False	True	10	True	False	["Gradient	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	objective fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	schulze	speckle- 0.15	robustness	Sbar	0.0466	min	-0.0466	kendall_0.399779	-exact_0.399779	0.002	5940.5	11	True	True	10	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 2	simpleavg	speckle- 0.15	robustness	Sbar	0.0636	min	-0.0636	kendall_0.31901	-exact_0.31901	0.002	1301.6	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 3	simpleavg	speckle- 0.15	robustness	Sbar	0.0568	min	-0.0568	kendall_0.656867	-exact_0.656867	0.002	3573	11	False	True	3	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 4	simpleavg	speckle- 0.15	robustness	Sbar	0.0616	min	-0.0616	kendall_0.496275	-exact_0.496275	0.002	4662	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 5	simpleavg	speckle- 0.15	robustness	Sbar	0.0662	min	-0.0662	kendall_0.458333	-exact_0.458333	0.002	4759.3	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 6	simpleavg	speckle- 0.15	robustness	Sbar	0.0624	min	-0.0624	kendall_0.395705	-exact_0.395705	0.002	5098.7	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 7	simpleavg	speckle- 0.15	robustness	Sbar	0.069	min	-0.069	kendall_0.423565	-exact_0.423565	0.002	5036.4	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 8	simpleavg	speckle- 0.15	robustness	Sbar	0.063	min	-0.063	kendall_0.404683	-exact_0.404683	0.002	5469.8	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 9	simpleavg	speckle- 0.15	robustness	Sbar	0.063	min	-0.063	kendall_0.387434	-exact_0.387434	0.002	5646.5	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 10	simpleavg	speckle- 0.15	robustness	Sbar	0.0654	min	-0.0654	kendall_0.389212	-exact_0.389212	0.002	5641.2	11	False	True	3	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	kendall 11	simpleavg	speckle- 0.15	robustness	Sbar	0.066	min	-0.066	kendall_0.399779	-exact_0.399779	0.002	5940.5	11	True	True	3	False	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	clean	quality	C	0.1352	max	0.1352	spearman_0.586008	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	clean	quality	C	0.0956	max	0.0956	spearman_0.647046	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	clean	quality	C	0.1034	max	0.1034	spearman_0.470553	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	clean	quality	C	0.1068	max	0.1068	spearman_0.469363	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	clean	quality	C	0.1044	max	0.1044	spearman_0.412269	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	clean	quality	C	0.1068	max	0.1068	spearman_0.443266	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	clean	quality	C	0.0956	max	0.0956	spearman_0.413699	-multi_0.002	positional_0.002	importance_0.002	11	False	syntactic	2	approximate	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	borda	clean	quality	C	0.0912	max	0.0912	spearman0.399149	vs_multi0.002	pos1.6729e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	borda	clean	quality	C	0.0844	max	0.0844	spearman0.403753	vs_multi0.002	pos1.606e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	borda	clean	quality	C	0.0802	max	0.0802	spearman0.411602	vs_multi0.002	pos1.1235e+05	force_biTrue	syTrue	metric_2	approx	False	ion	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	kemeny	clean	quality	C	0.1352	max	0.1352	spearman0.586008	vs_multi0.002	pos4.0627e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	kemeny	clean	quality	C	0.1362	max	0.1362	spearman0.647046	vs_multi0.002	pos3.1086e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	kemeny	clean	quality	C	0.1362	max	0.1362	spearman0.470553	vs_multi0.002	pos1.3612e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	kemeny	clean	quality	C	0.1234	max	0.1234	spearman0.469363	vs_multi0.002	pos1.5228e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	kemeny	clean	quality	C	0.1142	max	0.1142	spearman0.412269	vs_multi0.002	pos1.8013e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	kemeny	clean	quality	C	0.1134	max	0.1134	spearman0.443266	vs_multi0.002	pos1.8116e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	kemeny	clean	quality	C	0.1136	max	0.1136	spearman0.413699	vs_multi0.002	pos1.4566e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	kemeny	clean	quality	C	0.0994	max	0.0994	spearman0.399149	vs_multi0.002	pos1.6729e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	kemeny	clean	quality	C	0.0912	max	0.0912	spearman0.403753	vs_multi0.002	pos1.606e+05	force_biFalse	syTrue	metric_3	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	kemeny	clean	quality	C	0.0856	max	0.0856	spearman0.411602	vs_multi0.002	pos1.1235e+05	force_biTrue	syTrue	metric_3	approx	False	ion	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	rrf	clean	quality	C	0.1356	max	0.1356	spearman0.586008	vs_multi0.002	pos4.0627e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	rrf	clean	quality	C	0.123	max	0.123	spearman0.647046	vs_multi0.002	pos3.1086e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	rrf	clean	quality	C	0.1276	max	0.1276	spearman0.470553	vs_multi0.002	pos1.3612e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	rrf	clean	quality	C	0.1196	max	0.1196	spearman0.469363	vs_multi0.002	pos1.5228e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	rrf	clean	quality	C	0.1164	max	0.1164	spearman0.412269	vs_multi0.002	pos1.8013e+05	force_biFalse	syTrue	metric_2	approx	False	ion	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	C	0.1124	max	0.1124	spearman0.443266 _multi0.002	0.443266	0.443266	0.443266	posad1.811e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	C	0.1074	max	0.1074	spearman0.413699 _multi0.002	0.413699	0.413699	0.413699	posad1.456e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	C	0.1014	max	0.1014	spearman0.399149 _multi0.002	0.399149	0.399149	0.399149	posad1.672e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	C	0.0946	max	0.0946	spearman0.403753 _multi0.002	0.403753	0.403753	0.403753	posad1.606e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	clean	quality	C	0.0892	max	0.0892	spearman0.411602 _multi0.002	0.411602	0.411602	0.411602	posad1.123e+05	inforce_bifalse	syTmetric2	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	clean	quality	C	0.1352	max	0.1352	spearman0.586008 _multi0.002	0.586008	0.586008	0.586008	posad1.062e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	clean	quality	C	0.125	max	0.125	spearman0.647046 _multi0.002	0.647046	0.647046	0.647046	posad1.108e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	clean	quality	C	0.1368	max	0.1368	spearman0.470553 _multi0.002	0.470553	0.470553	0.470553	posad1.361e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	clean	quality	C	0.1182	max	0.1182	spearman0.469363 _multi0.002	0.469363	0.469363	0.469363	posad1.522e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	clean	quality	C	0.1126	max	0.1126	spearman0.412269 _multi0.002	0.412269	0.412269	0.412269	posad1.801e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	clean	quality	C	0.1152	max	0.1152	spearman0.443266 _multi0.002	0.443266	0.443266	0.443266	posad1.811e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	clean	quality	C	0.1046	max	0.1046	spearman0.413699 _multi0.002	0.413699	0.413699	0.413699	posad1.456e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	clean	quality	C	0.1002	max	0.1002	spearman0.399149 _multi0.002	0.399149	0.399149	0.399149	posad1.672e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	C	0.0912	max	0.0912	spearman0.403753 _multi0.002	0.403753	0.403753	0.403753	posad1.606e+05	inforce_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	C	0.0848	max	0.0848	spearman0.411602 _multi0.002	0.411602	0.411602	0.411602	posad1.123e+05	inforce_bifalse	syTmetric4	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	clean	quality	C	0.132	max	0.132	spearman0.586008 _multi0.002	0.586008	0.586008	0.586008	posad1.062e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	clean	quality	C	0.1198	max	0.1198	spearman0.647046 _multi0.002	0.647046	0.647046	0.647046	posad1.108e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	clean	quality	C	0.1216	max	0.1216	spearman0.470553 _multi0.002	0.470553	0.470553	0.470553	posad1.361e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simple	avg	clean	quality	C	0.1146	max	0.1146	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simple	avg	clean	quality	C	0.1158	max	0.1158	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simple	avg	clean	quality	C	0.1172	max	0.1172	spearman0.443266	vs_multi0.002	posad1.8113	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simple	avg	clean	quality	C	0.1056	max	0.1056	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simple	avg	clean	quality	C	0.1032	max	0.1032	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simple	avg	clean	quality	C	0.103	max	0.103	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simple	avg	clean	quality	C	0.1032	max	0.1032	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	ince_b	True	syTmetric2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	clean		quality	Cbar	0.146	min	-0.146	spearman0.586008	vs_multi0.002	posad0.627	importance_b	False	syTmetric2	approx	False	ion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	clean		quality	Cbar	0.1508	min	-0.1508	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	clean		quality	Cbar	0.1572	min	-0.1572	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	clean		quality	Cbar	0.1632	min	-0.1632	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	clean		quality	Cbar	0.1876	min	-0.1876	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	clean		quality	Cbar	0.1864	min	-0.1864	spearman0.443266	vs_multi0.002	posad1.8113	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	clean		quality	Cbar	0.1866	min	-0.1866	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	clean		quality	Cbar	0.2224	min	-0.2224	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	clean		quality	Cbar	0.2628	min	-0.2628	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	ince_b	False	syTmetric2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	clean		quality	Cbar	0.2866	min	-0.2866	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	ince_b	True	syTmetric2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	clean		quality	Cbar	0.146	min	-0.146	spearman0.586008	vs_multi0.002	posad0.627	importance_b	False	syTmetric4	approx	False	ion	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	clean	quality	Cbar	0.1464	min	-0.1464	spearman0.647046	0.647046	multi0.002	posai.1086e+05	0.002	posai.1086e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	clean	quality	Cbar	0.1458	min	-0.1458	spearman0.470553	0.470553	multi0.002	posai.3612e+05	0.002	posai.3612e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	clean	quality	Cbar	0.1714	min	-0.1714	spearman0.469363	0.469363	multi0.002	posai.5228e+05	0.002	posai.5228e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	clean	quality	Cbar	0.2028	min	-0.2028	spearman0.412269	0.412269	multi0.002	posai.8013e+05	0.002	posai.8013e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	clean	quality	Cbar	0.2112	min	-0.2112	spearman0.443266	0.443266	multi0.002	posai.8113e+05	0.002	posai.8113e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	clean	quality	Cbar	0.201	min	-0.201	spearman0.413699	0.413699	multi0.002	posai.4566e+05	0.002	posai.4566e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	clean	quality	Cbar	0.2544	min	-0.2544	spearman0.399149	0.399149	multi0.002	posai.6729e+05	0.002	posai.6729e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	Cbar	0.317	min	-0.317	spearman0.403753	0.403753	multi0.002	posai.6066e+05	0.002	posai.6066e+05	inforce_bifalse_syT	metric_4	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	clean	quality	Cbar	0.3318	min	-0.3318	spearman0.411602	0.411602	multi0.002	posai.1233e+05	0.002	posai.1233e+05	inforce_bifalse_syT	metric_4	approxifi	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	clean	quality	Cbar	0.1442	min	-0.1442	spearman0.586008	0.586008	multi0.002	posai.0627	0.002	posai.0627	ortance_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	clean	quality	Cbar	0.1468	min	-0.1468	spearman0.647046	0.647046	multi0.002	posai.1086e+05	0.002	posai.1086e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	clean	quality	Cbar	0.1462	min	-0.1462	spearman0.470553	0.470553	multi0.002	posai.3612e+05	0.002	posai.3612e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	clean	quality	Cbar	0.1572	min	-0.1572	spearman0.469363	0.469363	multi0.002	posai.5228e+05	0.002	posai.5228e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	clean	quality	Cbar	0.1782	min	-0.1782	spearman0.412269	0.412269	multi0.002	posai.8013e+05	0.002	posai.8013e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	Cbar	0.1852	min	-0.1852	spearman0.443266	0.443266	multi0.002	posai.8113e+05	0.002	posai.8113e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	Cbar	0.1854	min	-0.1854	spearman0.413699	0.413699	multi0.002	posai.4566e+05	0.002	posai.4566e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	Cbar	0.2236	min	-0.2236	spearman0.399149	0.399149	multi0.002	posai.6729e+05	0.002	posai.6729e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	Cbar	0.27	min	-0.27	spearman0.403753	0.403753	multi0.002	posai.6066e+05	0.002	posai.6066e+05	inforce_bifalse_syT	metric_2	approxifi	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	rrf	clean	quality	Cbar	0.2798	min	-0.2798	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	clean	quality	Cbar	0.146	min	-0.146	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	clean	quality	Cbar	0.1484	min	-0.1484	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	clean	quality	Cbar	0.1458	min	-0.1458	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	clean	quality	Cbar	0.1636	min	-0.1636	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	clean	quality	Cbar	0.1886	min	-0.1886	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	clean	quality	Cbar	0.183	min	-0.183	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	clean	quality	Cbar	0.189	min	-0.189	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	clean	quality	Cbar	0.2294	min	-0.2294	spearman	0.399149	0.399149	0.399149	0.002	pos	4.6729e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	Cbar	0.2956	min	-0.2956	spearman	0.403753	0.403753	0.403753	0.002	pos	5.6066e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	Cbar	0.2966	min	-0.2966	spearman	0.411602	0.411602	0.411602	0.002	pos	4.1235e+05	force_bif	True	sy	True	metric_4	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	clean	quality	Cbar	0.1484	min	-0.1484	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	clean	quality	Cbar	0.1478	min	-0.1478	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	clean	quality	Cbar	0.147	min	-0.147	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	clean	quality	Cbar	0.1524	min	-0.1524	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	clean	quality	Cbar	0.1532	min	-0.1532	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	clean	quality	Cbar	0.1576	min	-0.1576	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	clean	quality	Cbar	0.1706	min	-0.1706	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	force_bif	False	sy	True	metric_4	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	clean	quality	Cbar	0.1722	min	-0.1722	spearman0.399149	0.399149	0.662	posad1.6729	+0.05	force_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	clean	quality	Cbar	0.1738	min	-0.1738	spearman0.403753	0.403753	0.662	posad1.6066	+0.05	force_bifalse	syTmetric4	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	clean	quality	Cbar	0.1744	min	-0.1744	spearman0.411602	0.411602	0.662	posad1.1235	+0.05	force_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	clean	quality	F	0.0864	max	0.0864	spearman0.586008	0.586008	0.662	posad0.627	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	clean	quality	F	0.0506	max	0.0506	spearman0.647046	0.647046	0.662	posad1.1086	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	clean	quality	F	0.0572	max	0.0572	spearman0.470553	0.470553	0.662	posad1.3612	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	clean	quality	F	0.0634	max	0.0634	spearman0.469363	0.469363	0.662	posad1.5228	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	clean	quality	F	0.0604	max	0.0604	spearman0.412269	0.412269	0.662	posad1.8013	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	clean	quality	F	0.066	max	0.066	spearman0.443266	0.443266	0.662	posad1.8116	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	clean	quality	F	0.0582	max	0.0582	spearman0.413699	0.413699	0.662	posad1.4566	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	clean	quality	F	0.0552	max	0.0552	spearman0.399149	0.399149	0.662	posad1.6729	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	clean	quality	F	0.0494	max	0.0494	spearman0.403753	0.403753	0.662	posad1.6066	+0.05	force_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	clean	quality	F	0.0478	max	0.0478	spearman0.411602	0.411602	0.662	posad1.1235	+0.05	force_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	clean	quality	F	0.0864	max	0.0864	spearman0.586008	0.586008	0.662	posad0.627	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	clean	quality	F	0.0874	max	0.0874	spearman0.647046	0.647046	0.662	posad1.1086	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	clean	quality	F	0.087	max	0.087	spearman0.470553	0.470553	0.662	posad1.3612	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	clean	quality	F	0.0796	max	0.0796	spearman0.469363	0.469363	0.662	posad1.5228	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	clean	quality	F	0.0728	max	0.0728	spearman0.412269	0.412269	0.662	posad1.8013	+0.05	force_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	clean	quality	F	0.0716	max	0.0716	spearman0.443266 _vs_multi0.002	0.443266	posad1.8116e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	clean	quality	F	0.0738	max	0.0738	spearman0.413699 _vs_multi0.002	0.413699	posad1.4566e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	clean	quality	F	0.0624	max	0.0624	spearman0.399149 _vs_multi0.002	0.399149	posad1.6729e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	F	0.0542	max	0.0542	spearman0.403753 _vs_multi0.002	0.403753	posad1.6066e+05	inced_bifalse	syTmetric3approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	clean	quality	F	0.05	max	0.05	spearman0.411602 _vs_multi0.002	0.411602	posad1.1235e+05	inced_bifalse	syTmetric3approxifalsion	True	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	clean	quality	F	0.0872	max	0.0872	spearman0.586008 _vs_multi0.002	0.586008	posad1.0627e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	clean	quality	F	0.0726	max	0.0726	spearman0.647046 _vs_multi0.002	0.647046	posad1.1086e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	clean	quality	F	0.0804	max	0.0804	spearman0.470553 _vs_multi0.002	0.470553	posad1.3612e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	rrf	clean	quality	F	0.0762	max	0.0762	spearman0.469363 _vs_multi0.002	0.469363	posad1.5228e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	rrf	clean	quality	F	0.0738	max	0.0738	spearman0.412269 _vs_multi0.002	0.412269	posad1.8013e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	rrf	clean	quality	F	0.073	max	0.073	spearman0.443266 _vs_multi0.002	0.443266	posad1.8116e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	rrf	clean	quality	F	0.0688	max	0.0688	spearman0.413699 _vs_multi0.002	0.413699	posad1.4566e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	rrf	clean	quality	F	0.0634	max	0.0634	spearman0.399149 _vs_multi0.002	0.399149	posad1.6729e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	F	0.0574	max	0.0574	spearman0.403753 _vs_multi0.002	0.403753	posad1.6066e+05	inced_bifalse	syTmetric2approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	clean	quality	F	0.0538	max	0.0538	spearman0.411602 _vs_multi0.002	0.411602	posad1.1235e+05	inced_bifalse	syTmetric2approxifalsion	True	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	clean	quality	F	0.0864	max	0.0864	spearman0.586008 _vs_multi0.002	0.586008	posad1.0627e+05	inced_bifalse	syTmetric4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	clean	quality	F	0.0764	max	0.0764	spearman0.647046 _vs_multi0.002	0.647046	posad1.1086e+05	inced_bifalse	syTmetric4approxifalsion	False	["GradientAttention					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	clean	quality	F	0.0874	max	0.0874	spearman0.470553 _vs_multi0.002	0.470553	posad1.3612e+05	inced_bifalse	syTmetric4approxifalsion	False	["GradientAttention					

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p	mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	clean	quality	F	0.0742	max	0.0742	spearman0.469363	vs_multi0.002	posad1.5228e+05	nce_biFalse	syTme	metric4	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	clean	quality	F	0.0698	max	0.0698	spearman0.412269	vs_multi0.002	posad1.8013e+05	nce_biFalse	syTme	metric4	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	clean	quality	F	0.0726	max	0.0726	spearman0.443266	vs_multi0.002	posad1.8116e+05	nce_biFalse	syTme	metric4	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	clean	quality	F	0.0684	max	0.0684	spearman0.413699	vs_multi0.002	posad1.4566e+05	nce_biFalse	syTme	metric4	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	clean	quality	F	0.0614	max	0.0614	spearman0.399149	vs_multi0.002	posad1.6729e+05	nce_biFalse	syTme	metric4	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	F	0.0552	max	0.0552	spearman0.403753	vs_multi0.002	posad1.6066e+05	nce_biFalse	syTme	metric4	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	F	0.0488	max	0.0488	spearman0.411602	vs_multi0.002	posad1.1235e+05	nce_biTrue	syTme	metric4	approxiFalsi	on	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavglean		quality	F	0.0852	max	0.0852	spearman0.586008	vs_multi0.002	posad0.627	ortance_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavglean		quality	F	0.0734	max	0.0734	spearman0.647046	vs_multi0.002	posad1.1086e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavglean		quality	F	0.0748	max	0.0748	spearman0.470553	vs_multi0.002	posad1.3612e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavglean		quality	F	0.0686	max	0.0686	spearman0.469363	vs_multi0.002	posad1.5228e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavglean		quality	F	0.0692	max	0.0692	spearman0.412269	vs_multi0.002	posad1.8013e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavglean		quality	F	0.0696	max	0.0696	spearman0.443266	vs_multi0.002	posad1.8116e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavglean		quality	F	0.0662	max	0.0662	spearman0.413699	vs_multi0.002	posad1.4566e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavglean		quality	F	0.0648	max	0.0648	spearman0.399149	vs_multi0.002	posad1.6729e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavglean		quality	F	0.064	max	0.064	spearman0.403753	vs_multi0.002	posad1.6066e+05	nce_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavglean		quality	F	0.0642	max	0.0642	spearman0.411602	vs_multi0.002	posad1.1235e+05	nce_biTrue	syTme	metric2	approxiFalsi	on	True	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	clean	quality	Fbar	0.0928	min	-0.0928	spearman0.586008	vs_multi0.002	posad0.627	ortance_biFalse	syTme	metric2	approxiFalsi	on	False	False	["GradientAttention		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	clean	quality	Fbar	0.1026	min	-0.1026	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	clean	quality	Fbar	0.1076	min	-0.1076	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	clean	quality	Fbar	0.1114	min	-0.1114	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	clean	quality	Fbar	0.1326	min	-0.1326	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	clean	quality	Fbar	0.1326	min	-0.1326	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	clean	quality	Fbar	0.1334	min	-0.1334	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	clean	quality	Fbar	0.1634	min	-0.1634	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	clean	quality	Fbar	0.2012	min	-0.2012	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	clean	quality	Fbar	0.2256	min	-0.2256	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	inforce_bifalse	syTmetric2	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	clean	quality	Fbar	0.0928	min	-0.0928	spearman0.586008	0.586008	0.586008	multi0.002	posad1.0627e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	kemeny	clean	quality	Fbar	0.0946	min	-0.0946	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	kemeny	clean	quality	Fbar	0.0922	min	-0.0922	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	kemeny	clean	quality	Fbar	0.1154	min	-0.1154	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	kemeny	clean	quality	Fbar	0.1464	min	-0.1464	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	kemeny	clean	quality	Fbar	0.152	min	-0.152	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	kemeny	clean	quality	Fbar	0.143	min	-0.143	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	kemeny	clean	quality	Fbar	0.1934	min	-0.1934	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	clean	quality	Fbar	0.2546	min	-0.2546	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric4	approxifalse	True	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	kemeny	clean	quality	Fbar	0.2684	min	-0.2684	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_4approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	clean	quality	Fbar	0.092	min	-0.092	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	clean	quality	Fbar	0.096	min	-0.096	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	clean	quality	Fbar	0.096	min	-0.096	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	clean	quality	Fbar	0.105	min	-0.105	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	clean	quality	Fbar	0.1246	min	-0.1246	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	clean	quality	Fbar	0.1278	min	-0.1278	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	clean	quality	Fbar	0.127	min	-0.127	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	clean	quality	Fbar	0.1624	min	-0.1624	spearman	0.399149	0.399149	0.399149	0.002	pos	4.6729e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	clean	quality	Fbar	0.2086	min	-0.2086	spearman	0.403753	0.403753	0.403753	0.002	pos	4.6069e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	clean	quality	Fbar	0.2172	min	-0.2172	spearman	0.411602	0.411602	0.411602	0.002	pos	4.1235e+05	force_bif	True	sy	True	metric_2approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	clean	quality	Fbar	0.0928	min	-0.0928	spearman	0.586008	0.586008	0.586008	0.002	pos	4.0627e+04	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	clean	quality	Fbar	0.0978	min	-0.0978	spearman	0.647046	0.647046	0.647046	0.002	pos	3.1086e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	clean	quality	Fbar	0.0952	min	-0.0952	spearman	0.470553	0.470553	0.470553	0.002	pos	4.3612e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	clean	quality	Fbar	0.109	min	-0.109	spearman	0.469363	0.469363	0.469363	0.002	pos	4.5223e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	clean	quality	Fbar	0.1338	min	-0.1338	spearman	0.412269	0.412269	0.412269	0.002	pos	4.8013e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	clean	quality	Fbar	0.1302	min	-0.1302	spearman	0.443266	0.443266	0.443266	0.002	pos	4.8116e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	clean	quality	Fbar	0.1302	min	-0.1302	spearman	0.413699	0.413699	0.413699	0.002	pos	4.4566e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	clean	quality	Fbar	0.1726	min	-0.1726	spearman0.399149	0.399149	multi0.002	posad1.6729e+05	0.6729	0.6729	0.6729	0.6729	0.6729	0.6729	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	clean	quality	Fbar	0.2342	min	-0.2342	spearman0.403753	0.403753	multi0.002	posad1.606e+05	1.606	1.606	1.606	1.606	1.606	1.606	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	clean	quality	Fbar	0.2336	min	-0.2336	spearman0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235	1.1235	1.1235	1.1235	1.1235	1.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	clean	quality	Fbar	0.0966	min	-0.0966	spearman0.586008	0.586008	multi0.002	posad0.627e+05	0.627	0.627	0.627	0.627	0.627	0.627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	clean	quality	Fbar	0.097	min	-0.097	spearman0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086	1.1086	1.1086	1.1086	1.1086	1.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	clean	quality	Fbar	0.0956	min	-0.0956	spearman0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612	1.3612	1.3612	1.3612	1.3612	1.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	clean	quality	Fbar	0.1002	min	-0.1002	spearman0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228	1.5228	1.5228	1.5228	1.5228	1.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	clean	quality	Fbar	0.0998	min	-0.0998	spearman0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013	1.8013	1.8013	1.8013	1.8013	1.8013	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	clean	quality	Fbar	0.1038	min	-0.1038	spearman0.443266	0.443266	multi0.002	posad1.811e+05	1.811	1.811	1.811	1.811	1.811	1.811	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	clean	quality	Fbar	0.1152	min	-0.1152	spearman0.413699	0.413699	multi0.002	posad1.4566e+05	1.4566	1.4566	1.4566	1.4566	1.4566	1.4566	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	clean	quality	Fbar	0.1164	min	-0.1164	spearman0.399149	0.399149	multi0.002	posad1.6729e+05	1.6729	1.6729	1.6729	1.6729	1.6729	1.6729	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	clean	quality	Fbar	0.1176	min	-0.1176	spearman0.403753	0.403753	multi0.002	posad1.606e+05	1.606	1.606	1.606	1.606	1.606	1.606	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	clean	quality	Fbar	0.1174	min	-0.1174	spearman0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235	1.1235	1.1235	1.1235	1.1235	1.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	adversarial	robustness	G	0.091	min	-0.091	spearman0.586008	0.586008	multi0.002	posad0.627e+05	0.627	0.627	0.627	0.627	0.627	0.627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	adversarial	robustness	G	0.1214	min	-0.1214	spearman0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086	1.1086	1.1086	1.1086	1.1086	1.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	adversarial	robustness	G	0.1042	min	-0.1042	spearman0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612	1.3612	1.3612	1.3612	1.3612	1.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	adversarial	robustness	G	0.0962	min	-0.0962	spearman0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228	1.5228	1.5228	1.5228	1.5228	1.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	adversarial	robustness	G	0.092	min	-0.092	spearman0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013	1.8013	1.8013	1.8013	1.8013	1.8013	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	adversarial	robustness	G	0.0864	min	-0.0864	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	adversarial	robustness	G	0.0834	min	-0.0834	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	adversarial	robustness	G	0.0876	min	-0.0876	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	adversarial	robustness	G	0.0866	min	-0.0866	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	adversarial	robustness	G	0.0862	min	-0.0862	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	adversarial	robustness	G	0.0846	min	-0.0846	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	adversarial	robustness	G	0.0886	min	-0.0886	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_b	True	sy	True	metric6	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	adversarial	robustness	G	0.091	min	-0.091	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	adversarial	robustness	G	0.0968	min	-0.0968	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	adversarial	robustness	G	0.0834	min	-0.0834	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	adversarial	robustness	G	0.0912	min	-0.0912	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	adversarial	robustness	G	0.0856	min	-0.0856	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	adversarial	robustness	G	0.0804	min	-0.0804	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	adversarial	robustness	G	0.0892	min	-0.0892	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	adversarial	robustness	G	0.083	min	-0.083	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	G	0.0852	min	-0.0852	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_b	False	sy	True	metric7	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	G	0.0904	min	-0.0904	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_b	True	sy	True	metric7	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	adversarial	robustness	G	0.0934	min	-0.0934	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_b	False	sy	True	metric6	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	adversarial	robustness	G	0.0928	min	-0.0928	spearman0.647046	vs_multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	adversarial	robustness	G	0.083	min	-0.083	spearman0.470553	vs_multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	adversarial	robustness	G	0.0836	min	-0.0836	spearman0.469363	vs_multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	adversarial	robustness	G	0.078	min	-0.078	spearman0.412269	vs_multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	adversarial	robustness	G	0.0782	min	-0.0782	spearman0.443266	vs_multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	adversarial	robustness	G	0.0822	min	-0.0822	spearman0.413699	vs_multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	adversarial	robustness	G	0.0842	min	-0.0842	spearman0.399149	vs_multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	G	0.08	min	-0.08	spearman0.403753	vs_multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric6	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	adversarial	robustness	G	0.0788	min	-0.0788	spearman0.411602	vs_multi0.002	posad1.1235e+05	inforce_bifalse	syTmetric6	approxifalse	True	True	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	adversarial	robustness	Gbar	0.2096	min	-0.2096	spearman0.586008	vs_multi0.002	posad1.0627e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	adversarial	robustness	Gbar	0.201	min	-0.201	spearman0.647046	vs_multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	adversarial	robustness	Gbar	0.2358	min	-0.2358	spearman0.470553	vs_multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	adversarial	robustness	Gbar	0.2572	min	-0.2572	spearman0.469363	vs_multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	adversarial	robustness	Gbar	0.264	min	-0.264	spearman0.412269	vs_multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	adversarial	robustness	Gbar	0.2686	min	-0.2686	spearman0.443266	vs_multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	adversarial	robustness	Gbar	0.2654	min	-0.2654	spearman0.413699	vs_multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	adversarial	robustness	Gbar	0.2664	min	-0.2664	spearman0.399149	vs_multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	adversarial	robustness	Gbar	0.2626	min	-0.2626	spearman0.403753	vs_multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric3	approxifalse	True	False	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	borda	adversarial	robustness	Gbar	0.2556	min	-0.2556	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1835e+05	force_bif	True	sy	True	metric_3approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	adversarial	robustness	Gbar	0.2096	min	-0.2096	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	adversarial	robustness	Gbar	0.2164	min	-0.2164	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	adversarial	robustness	Gbar	0.239	min	-0.239	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	adversarial	robustness	Gbar	0.2498	min	-0.2498	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	adversarial	robustness	Gbar	0.2486	min	-0.2486	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	adversarial	robustness	Gbar	0.2376	min	-0.2376	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	adversarial	robustness	Gbar	0.2486	min	-0.2486	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	adversarial	robustness	Gbar	0.246	min	-0.246	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	adversarial	robustness	Gbar	0.234	min	-0.234	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6069e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	adversarial	robustness	Gbar	0.2166	min	-0.2166	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1835e+05	force_bif	True	sy	True	metric_2approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	adversarial	robustness	Gbar	0.2102	min	-0.2102	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	adversarial	robustness	Gbar	0.2064	min	-0.2064	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	adversarial	robustness	Gbar	0.2372	min	-0.2372	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	adversarial	robustness	Gbar	0.268	min	-0.268	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	adversarial	robustness	Gbar	0.2666	min	-0.2666	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	adversarial	robustness	Gbar	0.2614	min	-0.2614	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	adversarial	robustness	Gbar	0.2572	min	-0.2572	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_3approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	adversarial	robustness	Gbar	0.2636	min	-0.2636	spearman0.399149	0.399149	vs_multi0.002	pos0.6729	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	adversarial	robustness	Gbar	0.2502	min	-0.2502	spearman0.403753	0.403753	vs_multi0.002	pos0.6066	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	adversarial	robustness	Gbar	0.2434	min	-0.2434	spearman0.411602	0.411602	vs_multi0.002	pos0.1235	+0.05	force_bifalse	syTrue	metric3	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	adversarial	robustness	Gbar	0.2096	min	-0.2096	spearman0.586008	0.586008	vs_multi0.002	pos0.627	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	adversarial	robustness	Gbar	0.1992	min	-0.1992	spearman0.647046	0.647046	vs_multi0.002	pos0.1086	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	adversarial	robustness	Gbar	0.2324	min	-0.2324	spearman0.470553	0.470553	vs_multi0.002	pos0.3612	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	adversarial	robustness	Gbar	0.2574	min	-0.2574	spearman0.469363	0.469363	vs_multi0.002	pos0.5228	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	adversarial	robustness	Gbar	0.267	min	-0.267	spearman0.412269	0.412269	vs_multi0.002	pos0.8013	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	adversarial	robustness	Gbar	0.2672	min	-0.2672	spearman0.443266	0.443266	vs_multi0.002	pos0.8116	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	adversarial	robustness	Gbar	0.2616	min	-0.2616	spearman0.413699	0.413699	vs_multi0.002	pos0.4566	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	adversarial	robustness	Gbar	0.2596	min	-0.2596	spearman0.399149	0.399149	vs_multi0.002	pos0.6729	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	Gbar	0.244	min	-0.244	spearman0.403753	0.403753	vs_multi0.002	pos0.6066	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	Gbar	0.2418	min	-0.2418	spearman0.411602	0.411602	vs_multi0.002	pos0.1235	+0.05	force_bifalse	syTrue	metric3	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	adversarial	robustness	Gbar	0.2052	min	-0.2052	spearman0.586008	0.586008	vs_multi0.002	pos0.627	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	adversarial	robustness	Gbar	0.2038	min	-0.2038	spearman0.647046	0.647046	vs_multi0.002	pos0.1086	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	adversarial	robustness	Gbar	0.2204	min	-0.2204	spearman0.470553	0.470553	vs_multi0.002	pos0.3612	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	adversarial	robustness	Gbar	0.2532	min	-0.2532	spearman0.469363	0.469363	vs_multi0.002	pos0.5228	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	adversarial	robustness	Gbar	0.262	min	-0.262	spearman0.412269	0.412269	vs_multi0.002	pos0.8013	+0.05	force_bifalse	syTrue	metric3	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	adversarial	robustness	Gbar	0.2722	min	-0.2722	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.811e+05	inco_b	False	syTmetric3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	adversarial	robustness	Gbar	0.2576	min	-0.2576	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.456e+05	inco_b	False	syTmetric3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	adversarial	robustness	Gbar	0.2738	min	-0.2738	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.672e+05	inco_b	False	syTmetric3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	Gbar	0.284	min	-0.284	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	inco_b	False	syTmetric3approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	adversarial	robustness	Gbar	0.2848	min	-0.2848	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.123e+05	inco_b	True	syTmetric3approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	adversarial	robustness	G	0.076	min	-0.076	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.062e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	adversarial	robustness	G	0.1022	min	-0.1022	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.108e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	adversarial	robustness	G	0.0902	min	-0.0902	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.361e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	borda	adversarial	robustness	G	0.0782	min	-0.0782	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.522e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	borda	adversarial	robustness	G	0.0778	min	-0.0778	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.801e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	borda	adversarial	robustness	G	0.0726	min	-0.0726	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.811e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	borda	adversarial	robustness	G	0.0808	min	-0.0808	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.456e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	borda	adversarial	robustness	G	0.0718	min	-0.0718	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.672e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	adversarial	robustness	G	0.0718	min	-0.0718	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	inco_b	False	syTmetric9approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	adversarial	robustness	G	0.0736	min	-0.0736	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.123e+05	inco_b	True	syTmetric9approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	adversarial	robustness	G	0.076	min	-0.076	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.062e+05	inco_b	False	syTmetric8approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	kemeny	adversarial	robustness	G	0.077	min	-0.077	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.108e+05	inco_b	False	syTmetric8approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	kemeny	adversarial	robustness	G	0.0766	min	-0.0766	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.361e+05	inco_b	False	syTmetric8approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	adversarial	robustness	F	0.079	min	-0.079	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	adversarial	robustness	F	0.0706	min	-0.0706	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	adversarial	robustness	F	0.0744	min	-0.0744	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	adversarial	robustness	F	0.0698	min	-0.0698	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	adversarial	robustness	F	0.065	min	-0.065	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8116e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	adversarial	robustness	F	0.0692	min	-0.0692	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	adversarial	robustness	F	0.0642	min	-0.0642	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	F	0.0652	min	-0.0652	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric_9	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	F	0.072	min	-0.072	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	inforce_bifalse	syTmetric_9	approxifalsion	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	adversarial	robustness	F	0.0772	min	-0.0772	spearman0.586008	0.586008	0.586008	multi0.002	posad1.0627e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	adversarial	robustness	F	0.0752	min	-0.0752	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	adversarial	robustness	F	0.0676	min	-0.0676	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	adversarial	robustness	F	0.0688	min	-0.0688	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	adversarial	robustness	F	0.0648	min	-0.0648	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	adversarial	robustness	F	0.0646	min	-0.0646	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8116e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	adversarial	robustness	F	0.0672	min	-0.0672	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	adversarial	robustness	F	0.0672	min	-0.0672	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	F	0.065	min	-0.065	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric_11	approxifalsion	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	simpleavg	adversarial	robustness	F	0.0632	min	-0.0632	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_1	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	adversarial	robustness	Fbar	0.2034	min	-0.2034	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	adversarial	robustness	Fbar	0.1906	min	-0.1906	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	adversarial	robustness	Fbar	0.2242	min	-0.2242	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	adversarial	robustness	Fbar	0.248	min	-0.248	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	adversarial	robustness	Fbar	0.256	min	-0.256	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	adversarial	robustness	Fbar	0.2546	min	-0.2546	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	adversarial	robustness	Fbar	0.2486	min	-0.2486	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	adversarial	robustness	Fbar	0.257	min	-0.257	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	adversarial	robustness	Fbar	0.254	min	-0.254	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6069e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	adversarial	robustness	Fbar	0.2438	min	-0.2438	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_3	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	adversarial	robustness	Fbar	0.2034	min	-0.2034	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	adversarial	robustness	Fbar	0.207	min	-0.207	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	adversarial	robustness	Fbar	0.2344	min	-0.2344	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	adversarial	robustness	Fbar	0.2416	min	-0.2416	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	adversarial	robustness	Fbar	0.2386	min	-0.2386	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	adversarial	robustness	Fbar	0.2282	min	-0.2282	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	adversarial	robustness	Fbar	0.2356	min	-0.2356	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_2	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	adversarial	robustness	Fbar	0.2382	min	-0.2382	spearman0.399149	0.399149	vs_multi0.002	pos0.6729	+0.05	ance_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	adversarial	robustness	Fbar	0.2262	min	-0.2262	spearman0.403753	0.403753	vs_multi0.002	pos0.6066	+0.05	ance_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	adversarial	robustness	Fbar	0.2106	min	-0.2106	spearman0.411602	0.411602	vs_multi0.002	pos0.1235	+0.05	ance_bifalse	syTmetric_2	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	adversarial	robustness	Fbar	0.204	min	-0.204	spearman0.586008	0.586008	vs_multi0.002	pos0.627	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	adversarial	robustness	Fbar	0.2022	min	-0.2022	spearman0.647046	0.647046	vs_multi0.002	pos0.1086	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	adversarial	robustness	Fbar	0.2262	min	-0.2262	spearman0.470553	0.470553	vs_multi0.002	pos0.3612	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	adversarial	robustness	Fbar	0.2546	min	-0.2546	spearman0.469363	0.469363	vs_multi0.002	pos0.5228	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	adversarial	robustness	Fbar	0.2526	min	-0.2526	spearman0.412269	0.412269	vs_multi0.002	pos0.8013	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	adversarial	robustness	Fbar	0.2504	min	-0.2504	spearman0.443266	0.443266	vs_multi0.002	pos0.8116	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	adversarial	robustness	Fbar	0.2458	min	-0.2458	spearman0.413699	0.413699	vs_multi0.002	pos0.4566	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	adversarial	robustness	Fbar	0.2544	min	-0.2544	spearman0.399149	0.399149	vs_multi0.002	pos0.6729	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	adversarial	robustness	Fbar	0.2426	min	-0.2426	spearman0.403753	0.403753	vs_multi0.002	pos0.6066	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	adversarial	robustness	Fbar	0.238	min	-0.238	spearman0.411602	0.411602	vs_multi0.002	pos0.1235	+0.05	ance_bifalse	syTmetric_3	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	adversarial	robustness	Fbar	0.2034	min	-0.2034	spearman0.586008	0.586008	vs_multi0.002	pos0.627	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	adversarial	robustness	Fbar	0.191	min	-0.191	spearman0.647046	0.647046	vs_multi0.002	pos0.1086	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	adversarial	robustness	Fbar	0.225	min	-0.225	spearman0.470553	0.470553	vs_multi0.002	pos0.3612	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	adversarial	robustness	Fbar	0.2486	min	-0.2486	spearman0.469363	0.469363	vs_multi0.002	pos0.5228	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	adversarial	robustness	Fbar	0.2534	min	-0.2534	spearman0.412269	0.412269	vs_multi0.002	pos0.8013	+0.05	ance_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	adversarial	robustness	Fbar	0.2512	min	-0.2512	spearman0.443266	0.443266	vs_multi0.002	posad1.8116e+05	1.8116e+05	inforce_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	adversarial	robustness	Fbar	0.2494	min	-0.2494	spearman0.413699	0.413699	vs_multi0.002	posad1.4566e+05	1.4566e+05	inforce_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	adversarial	robustness	Fbar	0.2456	min	-0.2456	spearman0.399149	0.399149	vs_multi0.002	posad1.6729e+05	1.6729e+05	inforce_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	adversarial	robustness	Fbar	0.2358	min	-0.2358	spearman0.403753	0.403753	vs_multi0.002	posad1.6066e+05	1.6066e+05	inforce_bifalse	syTmetric3	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	adversarial	robustness	Fbar	0.2358	min	-0.2358	spearman0.411602	0.411602	vs_multi0.002	posad1.1235e+05	1.1235e+05	inforce_biftrue	syTmetric3	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	adversarial	robustness	Fbar	0.198	min	-0.198	spearman0.586008	0.586008	vs_multi0.002	posad10627	port1dnce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	adversarial	robustness	Fbar	0.1992	min	-0.1992	spearman0.647046	0.647046	vs_multi0.002	posad1.1086e+05	1.1086e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	adversarial	robustness	Fbar	0.2134	min	-0.2134	spearman0.470553	0.470553	vs_multi0.002	posad1.3612e+05	1.3612e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	adversarial	robustness	Fbar	0.2444	min	-0.2444	spearman0.469363	0.469363	vs_multi0.002	posad1.5228e+05	1.5228e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	adversarial	robustness	Fbar	0.2506	min	-0.2506	spearman0.412269	0.412269	vs_multi0.002	posad1.8013e+05	1.8013e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	adversarial	robustness	Fbar	0.2612	min	-0.2612	spearman0.443266	0.443266	vs_multi0.002	posad1.8116e+05	1.8116e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	adversarial	robustness	Fbar	0.2474	min	-0.2474	spearman0.413699	0.413699	vs_multi0.002	posad1.4566e+05	1.4566e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	adversarial	robustness	Fbar	0.2612	min	-0.2612	spearman0.399149	0.399149	vs_multi0.002	posad1.6729e+05	1.6729e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	adversarial	robustness	Fbar	0.2698	min	-0.2698	spearman0.403753	0.403753	vs_multi0.002	posad1.6066e+05	1.6066e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	adversarial	robustness	Fbar	0.2696	min	-0.2696	spearman0.411602	0.411602	vs_multi0.002	posad1.1235e+05	1.1235e+05	inforce_biftrue	syTmetric2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	gaussian-robustness	G	0.0846	min	-0.0846	spearman0.586008	0.586008	vs_multi0.002	posad10627	port1dnce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	gaussian-robustness	G	0.1022	min	-0.1022	spearman0.647046	0.647046	vs_multi0.002	posad1.1086e+05	1.1086e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention		
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	gaussian-robustness	G	0.1066	min	-0.1066	spearman0.470553	0.470553	vs_multi0.002	posad1.3612e+05	1.3612e+05	inforce_bifalse	syTmetric2	approxifalse	False	False	["GradientAttention		

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	gaussian-robustness	0.15	CS	0.1028	min	-0.1028	spearman0.647046	0.647046	vs_multi0.002	pos4.1086e+05	1.1086	pos4.1086e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	gaussian-robustness	0.15	CS	0.1046	min	-0.1046	spearman0.470553	0.470553	vs_multi0.002	pos4.3612e+05	1.3612	pos4.3612e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	gaussian-robustness	0.15	CS	0.1008	min	-0.1008	spearman0.469363	0.469363	vs_multi0.002	pos4.5228e+05	1.5228	pos4.5228e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	gaussian-robustness	0.15	CS	0.1096	min	-0.1096	spearman0.412269	0.412269	vs_multi0.002	pos4.8013e+05	1.8013	pos4.8013e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	gaussian-robustness	0.15	CS	0.1044	min	-0.1044	spearman0.443266	0.443266	vs_multi0.002	pos4.8116e+05	1.8116	pos4.8116e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	gaussian-robustness	0.15	CS	0.1142	min	-0.1142	spearman0.413699	0.413699	vs_multi0.002	pos4.4566e+05	1.4566	pos4.4566e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	gaussian-robustness	0.15	CS	0.1166	min	-0.1166	spearman0.399149	0.399149	vs_multi0.002	pos4.6729e+05	1.6729	pos4.6729e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	0.15	CS	0.1136	min	-0.1136	spearman0.403753	0.403753	vs_multi0.002	pos4.6066e+05	1.6066	pos4.6066e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	gaussian-robustness	0.15	CS	0.1182	min	-0.1182	spearman0.411602	0.411602	vs_multi0.002	pos4.1235e+05	1.1235	pos4.1235e+05	force_bifalse	syTmetric_2	approxifalse	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	gaussian-robustness	0.15	CS	0.0846	min	-0.0846	spearman0.586008	0.586008	vs_multi0.002	pos4.0627e+05	1.0627	pos4.0627e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	gaussian-robustness	0.15	CS	0.0962	min	-0.0962	spearman0.647046	0.647046	vs_multi0.002	pos4.1086e+05	1.1086	pos4.1086e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	gaussian-robustness	0.15	CS	0.1046	min	-0.1046	spearman0.470553	0.470553	vs_multi0.002	pos4.3612e+05	1.3612	pos4.3612e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	gaussian-robustness	0.15	CS	0.101	min	-0.101	spearman0.469363	0.469363	vs_multi0.002	pos4.5228e+05	1.5228	pos4.5228e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	gaussian-robustness	0.15	CS	0.1136	min	-0.1136	spearman0.412269	0.412269	vs_multi0.002	pos4.8013e+05	1.8013	pos4.8013e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	gaussian-robustness	0.15	CS	0.0978	min	-0.0978	spearman0.443266	0.443266	vs_multi0.002	pos4.8116e+05	1.8116	pos4.8116e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	gaussian-robustness	0.15	CS	0.109	min	-0.109	spearman0.413699	0.413699	vs_multi0.002	pos4.4566e+05	1.4566	pos4.4566e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	gaussian-robustness	0.15	CS	0.1158	min	-0.1158	spearman0.399149	0.399149	vs_multi0.002	pos4.6729e+05	1.6729	pos4.6729e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	0.15	CS	0.1166	min	-0.1166	spearman0.403753	0.403753	vs_multi0.002	pos4.6066e+05	1.6066	pos4.6066e+05	force_bifalse	syTmetric_2	approxifalse	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	schulze	gaussian-robustness	S	CS	0.1186	min	-0.1186	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleav	gaussian-robustness	S	CS	0.0826	min	-0.0826	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleav	gaussian-robustness	S	CS	0.108	min	-0.108	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleav	gaussian-robustness	S	CS	0.1106	min	-0.1106	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleav	gaussian-robustness	S	CS	0.1064	min	-0.1064	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleav	gaussian-robustness	S	CS	0.108	min	-0.108	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleav	gaussian-robustness	S	CS	0.0994	min	-0.0994	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleav	gaussian-robustness	S	CS	0.1098	min	-0.1098	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleav	gaussian-robustness	S	CS	0.1136	min	-0.1136	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleav	gaussian-robustness	S	CS	0.112	min	-0.112	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric_2approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleav	gaussian-robustness	S	CS	0.1104	min	-0.1104	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	gaussian-robustness	S	Sbar	0.272	min	-0.272	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	gaussian-robustness	S	Sbar	0.3032	min	-0.3032	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	gaussian-robustness	S	Sbar	0.27	min	-0.27	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	gaussian-robustness	S	Sbar	0.278	min	-0.278	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	gaussian-robustness	S	Sbar	0.2582	min	-0.2582	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	gaussian-robustness	S	Sbar	0.2622	min	-0.2622	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	gaussian-robustness	S	Sbar	0.2684	min	-0.2684	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_1approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	gaussian-robustness	0.15	Gbar	0.2706	min	-0.2706	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	gaussian-robustness	0.15	Gbar	0.2622	min	-0.2622	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	gaussian-robustness	0.15	Gbar	0.2428	min	-0.2428	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	0.15	Gbar	0.2338	min	-0.2338	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	gaussian-robustness	0.15	Gbar	0.2304	min	-0.2304	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	gaussian-robustness	0.15	Gbar	0.272	min	-0.272	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	gaussian-robustness	0.15	Gbar	0.2864	min	-0.2864	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	gaussian-robustness	0.15	Gbar	0.2594	min	-0.2594	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	gaussian-robustness	0.15	Gbar	0.2744	min	-0.2744	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	gaussian-robustness	0.15	Gbar	0.252	min	-0.252	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	gaussian-robustness	0.15	Gbar	0.266	min	-0.266	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	gaussian-robustness	0.15	Gbar	0.2628	min	-0.2628	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	gaussian-robustness	0.15	Gbar	0.2388	min	-0.2388	spearman0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	0.15	Gbar	0.209	min	-0.209	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	gaussian-robustness	0.15	Gbar	0.2112	min	-0.2112	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	gaussian-robustness	0.15	Gbar	0.2718	min	-0.2718	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	gaussian-robustness	0.15	Gbar	0.2798	min	-0.2798	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	gaussian-robustness	0.15	Gbar	0.279	min	-0.279	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric2	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleav	gaussian-robustness	Sbar	0.292	min	-0.292	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleav	gaussian-robustness	Sbar	0.2868	min	-0.2868	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleav	gaussian-robustness	Sbar	0.294	min	-0.294	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleav	gaussian-robustness	Sbar	0.2862	min	-0.2862	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleav	gaussian-robustness	Sbar	0.2884	min	-0.2884	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleav	gaussian-robustness	Sbar	0.292	min	-0.292	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleav	gaussian-robustness	Sbar	0.2906	min	-0.2906	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bifalse	syTmetric2	approxifalse	tion	True	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	gaussian-robustness	S	0.073	min	-0.073	spearman0.586008	vs_multi0.002	posad0.627	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	gaussian-robustness	S	0.0796	min	-0.0796	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	gaussian-robustness	S	0.0838	min	-0.0838	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	gaussian-robustness	S	0.0762	min	-0.0762	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	gaussian-robustness	S	0.0786	min	-0.0786	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	gaussian-robustness	S	0.0722	min	-0.0722	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	gaussian-robustness	S	0.075	min	-0.075	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	gaussian-robustness	S	0.0758	min	-0.0758	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	gaussian-robustness	S	0.0834	min	-0.0834	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	False	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	gaussian-robustness	S	0.0786	min	-0.0786	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bifalse	syTmetric7	approxifalse	tion	True	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	gaussian-robustness	S	0.073	min	-0.073	spearman0.586008	vs_multi0.002	posad0.627	+0.05	nce_bifalse	syTmetric3	approxifalse	tion	False	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective	objective	fit	fit	fit	fit	p mean	noise	selected	noise	best q	is opti-	q11 ref-	method	
									direction	value	model	statis- tic	score	value	dis- tance	se- lected q	by noise	forced fall- back		mal q	erence	prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	rrf	gaussian-robustness	0.15	F	0.0834	min	-0.0834	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric2	approxi	False	True	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	gaussian-robustness	0.15	F	0.073	min	-0.073	spearman0.586008	vs_multi0.002	posad1.0627	+0.14	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	gaussian-robustness	0.15	F	0.0742	min	-0.0742	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	gaussian-robustness	0.15	F	0.085	min	-0.085	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	gaussian-robustness	0.15	F	0.0766	min	-0.0766	spearman0.469363	vs_multi0.002	posad1.5223	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	gaussian-robustness	0.15	F	0.0826	min	-0.0826	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	gaussian-robustness	0.15	F	0.0786	min	-0.0786	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	gaussian-robustness	0.15	F	0.0784	min	-0.0784	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	gaussian-robustness	0.15	F	0.0848	min	-0.0848	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	0.15	F	0.084	min	-0.084	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	gaussian-robustness	0.15	F	0.0862	min	-0.0862	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric2	approxi	False	True	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	gaussian-robustness	0.15	F	0.0672	min	-0.0672	spearman0.586008	vs_multi0.002	posad1.0627	+0.14	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	gaussian-robustness	0.15	F	0.0828	min	-0.0828	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	gaussian-robustness	0.15	F	0.0834	min	-0.0834	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	gaussian-robustness	0.15	F	0.077	min	-0.077	spearman0.469363	vs_multi0.002	posad1.5223	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	gaussian-robustness	0.15	F	0.0784	min	-0.0784	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	gaussian-robustness	0.15	F	0.0742	min	-0.0742	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	gaussian-robustness	0.15	F	0.0762	min	-0.0762	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric2	approxi	False	False	["Gradient

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	gaussian-robustness	0.15	FS	0.0792	min	-0.0792	spearman0.3991149	0.3991149	0.399149	0.399149	0.002	posad1.6729e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	gaussian-robustness	0.15	FS	0.0784	min	-0.0784	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	gaussian-robustness	0.15	FS	0.0774	min	-0.0774	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	force_bifalse	syTmetric2	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	gaussian-robustness	0.15	FSbar	0.223	min	-0.223	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad0.627e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	gaussian-robustness	0.15	FSbar	0.2524	min	-0.2524	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.108e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	gaussian-robustness	0.15	FSbar	0.2212	min	-0.2212	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	gaussian-robustness	0.15	FSbar	0.2288	min	-0.2288	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	gaussian-robustness	0.15	FSbar	0.213	min	-0.213	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	gaussian-robustness	0.15	FSbar	0.2164	min	-0.2164	spearman0.443266	0.443266	0.443266	0.443266	0.002	posad1.811e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	gaussian-robustness	0.15	FSbar	0.22	min	-0.22	spearman0.413699	0.413699	0.413699	0.413699	0.002	posad1.456e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	gaussian-robustness	0.15	FSbar	0.1984	min	-0.1984	spearman0.3991149	0.3991149	0.399149	0.399149	0.002	posad1.6729e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	gaussian-robustness	0.15	FSbar	0.1898	min	-0.1898	spearman0.403753	0.403753	0.403753	0.403753	0.002	posad1.606e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	gaussian-robustness	0.15	FSbar	0.1832	min	-0.1832	spearman0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	force_bifalse	syTmetric1	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	gaussian-robustness	0.15	FSbar	0.223	min	-0.223	spearman0.586008	0.586008	0.586008	0.586008	0.002	posad0.627e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	gaussian-robustness	0.15	FSbar	0.2204	min	-0.2204	spearman0.647046	0.647046	0.647046	0.647046	0.002	posad1.108e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	gaussian-robustness	0.15	FSbar	0.2088	min	-0.2088	spearman0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	gaussian-robustness	0.15	FSbar	0.2326	min	-0.2326	spearman0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	gaussian-robustness	0.15	FSbar	0.2006	min	-0.2006	spearman0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	force_bifalse	syTmetric1	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	gaussian-robustness	0.15	0.215	min	-0.215	spearman0.443266	0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	gaussian-robustness	0.15	0.2158	min	-0.2158	spearman0.413699	0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	gaussian-robustness	0.15	0.1886	min	-0.1886	spearman0.399149	0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	gaussian-robustness	0.15	0.1636	min	-0.1636	spearman0.403753	0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	gaussian-robustness	0.15	0.161	min	-0.161	spearman0.411602	0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric_1	approxifusion	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	gaussian-robustness	0.15	0.2246	min	-0.2246	spearman0.586008	0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	gaussian-robustness	0.15	0.224	min	-0.224	spearman0.647046	0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	gaussian-robustness	0.15	0.2104	min	-0.2104	spearman0.470553	0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	rrf	gaussian-robustness	0.15	0.2274	min	-0.2274	spearman0.469363	0.469363	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	rrf	gaussian-robustness	0.15	0.2132	min	-0.2132	spearman0.412269	0.412269	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	rrf	gaussian-robustness	0.15	0.2264	min	-0.2264	spearman0.443266	0.443266	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	rrf	gaussian-robustness	0.15	0.2196	min	-0.2196	spearman0.413699	0.413699	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	rrf	gaussian-robustness	0.15	0.2016	min	-0.2016	spearman0.399149	0.399149	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	gaussian-robustness	0.15	0.1936	min	-0.1936	spearman0.403753	0.403753	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	gaussian-robustness	0.15	0.1912	min	-0.1912	spearman0.411602	0.411602	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inforce_biftrue	syTmetric_1	approxifusion	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	gaussian-robustness	0.15	0.223	min	-0.223	spearman0.586008	0.586008	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	gaussian-robustness	0.15	0.2358	min	-0.2358	spearman0.647046	0.647046	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	gaussian-robustness	0.15	0.2116	min	-0.2116	spearman0.470553	0.470553	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inforce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	gaussian-robustness	Sbar	0.2256	min	-0.2256	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_b	False	sy	True	metric_10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	gaussian-robustness	Sbar	0.2084	min	-0.2084	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_b	False	sy	True	metric_10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	gaussian-robustness	Sbar	0.2172	min	-0.2172	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_b	False	sy	True	metric_10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	gaussian-robustness	Sbar	0.2206	min	-0.2206	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_b	False	sy	True	metric_10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	gaussian-robustness	Sbar	0.193	min	-0.193	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_b	False	sy	True	metric_10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	gaussian-robustness	Sbar	0.1678	min	-0.1678	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_b	False	sy	True	metric_10	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	gaussian-robustness	Sbar	0.1718	min	-0.1718	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_b	True	sy	True	metric_10	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	gaussian-robustness	Sbar	0.2204	min	-0.2204	spearman0.586008	vs_multi0.002	posad0.627	importance_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	gaussian-robustness	Sbar	0.2322	min	-0.2322	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	gaussian-robustness	Sbar	0.2312	min	-0.2312	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	gaussian-robustness	Sbar	0.2478	min	-0.2478	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	gaussian-robustness	Sbar	0.2418	min	-0.2418	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	gaussian-robustness	Sbar	0.2496	min	-0.2496	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	gaussian-robustness	Sbar	0.2428	min	-0.2428	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	gaussian-robustness	Sbar	0.2444	min	-0.2444	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	gaussian-robustness	Sbar	0.2488	min	-0.2488	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	gaussian-robustness	Sbar	0.2488	min	-0.2488	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_b	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	salt-pepper-robustness	S	0.0684	min	-0.0684	spearman0.586008	vs_multi0.002	posad0.627	importance_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	salt- pepper- 0.05	robustness	CS	0.0904	min	-0.0904	spearman0.647046vs_multi0.002posad1.1086e+05	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	salt- pepper- 0.05	robustness	CS	0.096	min	-0.096	spearman0.470553vs_multi0.002posad1.3612e+05	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	salt- pepper- 0.05	robustness	CS	0.094	min	-0.094	spearman0.469363vs_multi0.002posad1.5228e+05	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	salt- pepper- 0.05	robustness	CS	0.0952	min	-0.0952	spearman0.412269vs_multi0.002posad1.8013e+05	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	salt- pepper- 0.05	robustness	CS	0.087	min	-0.087	spearman0.443266vs_multi0.002posad1.8116e+05	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	salt- pepper- 0.05	robustness	CS	0.0958	min	-0.0958	spearman0.413699vs_multi0.002posad1.4566e+05	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	salt- pepper- 0.05	robustness	CS	0.1006	min	-0.1006	spearman0.399149vs_multi0.002posad1.6729e+05	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	salt- pepper- 0.05	robustness	CS	0.1044	min	-0.1044	spearman0.403753vs_multi0.002posad1.6066e+05	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	salt- pepper- 0.05	robustness	CS	0.1014	min	-0.1014	spearman0.411602vs_multi0.002posad1.1235e+05	0.411602	0.411602	0.411602	0.002	posad1.1235e+05	inco_bifalse_syTmetric2	approxifusion	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	kemeny	salt- pepper- 0.05	robustness	CS	0.0684	min	-0.0684	spearman0.586008vs_multi0.002posad1.0627e+05	0.586008	0.586008	0.586008	0.002	posad1.0627e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	kemeny	salt- pepper- 0.05	robustness	CS	0.079	min	-0.079	spearman0.647046vs_multi0.002posad1.1086e+05	0.647046	0.647046	0.647046	0.002	posad1.1086e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	kemeny	salt- pepper- 0.05	robustness	CS	0.0854	min	-0.0854	spearman0.470553vs_multi0.002posad1.3612e+05	0.470553	0.470553	0.470553	0.002	posad1.3612e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	kemeny	salt- pepper- 0.05	robustness	CS	0.084	min	-0.084	spearman0.469363vs_multi0.002posad1.5228e+05	0.469363	0.469363	0.469363	0.002	posad1.5228e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	kemeny	salt- pepper- 0.05	robustness	CS	0.0964	min	-0.0964	spearman0.412269vs_multi0.002posad1.8013e+05	0.412269	0.412269	0.412269	0.002	posad1.8013e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	kemeny	salt- pepper- 0.05	robustness	CS	0.0902	min	-0.0902	spearman0.443266vs_multi0.002posad1.8116e+05	0.443266	0.443266	0.443266	0.002	posad1.8116e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	kemeny	salt- pepper- 0.05	robustness	CS	0.0896	min	-0.0896	spearman0.413699vs_multi0.002posad1.4566e+05	0.413699	0.413699	0.413699	0.002	posad1.4566e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	kemeny	salt- pepper- 0.05	robustness	CS	0.103	min	-0.103	spearman0.399149vs_multi0.002posad1.6729e+05	0.399149	0.399149	0.399149	0.002	posad1.6729e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	salt- pepper- 0.05	robustness	CS	0.1054	min	-0.1054	spearman0.403753vs_multi0.002posad1.6066e+05	0.403753	0.403753	0.403753	0.002	posad1.6066e+05	inco_bifalse_syTmetric2	approxifusion	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	kemeny	salt- pepper- 0.05	robustness	CS	0.1036	min	-0.1036	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	salt- pepper- 0.05	robustness	CS	0.0676	min	-0.0676	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	salt- pepper- 0.05	robustness	CS	0.0858	min	-0.0858	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	salt- pepper- 0.05	robustness	CS	0.0946	min	-0.0946	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	salt- pepper- 0.05	robustness	CS	0.093	min	-0.093	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	salt- pepper- 0.05	robustness	CS	0.095	min	-0.095	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	salt- pepper- 0.05	robustness	CS	0.0906	min	-0.0906	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	salt- pepper- 0.05	robustness	CS	0.093	min	-0.093	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	salt- pepper- 0.05	robustness	CS	0.0998	min	-0.0998	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	salt- pepper- 0.05	robustness	CS	0.1014	min	-0.1014	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	salt- pepper- 0.05	robustness	CS	0.1036	min	-0.1036	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	salt- pepper- 0.05	robustness	CS	0.0684	min	-0.0684	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	salt- pepper- 0.05	robustness	CS	0.0828	min	-0.0828	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	salt- pepper- 0.05	robustness	CS	0.0876	min	-0.0876	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	salt- pepper- 0.05	robustness	CS	0.0872	min	-0.0872	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	salt- pepper- 0.05	robustness	CS	0.0958	min	-0.0958	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	salt- pepper- 0.05	robustness	CS	0.0932	min	-0.0932	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	salt- pepper- 0.05	robustness	CS	0.0956	min	-0.0956	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	schulze	salt-pepper-0.05	robustness	G	0.0998	min	-0.0998	spearman	0.399149	vs_multi0.002	pos	1.6729e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	schulze	salt-pepper-0.05	robustness	G	0.0984	min	-0.0984	spearman	0.403753	vs_multi0.002	pos	1.606e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	schulze	salt-pepper-0.05	robustness	G	0.1018	min	-0.1018	spearman	0.411602	vs_multi0.002	pos	1.1235e+05	ance_bifalse	syTmetric_2	approx	False	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0714	min	-0.0714	spearman	0.586008	vs_multi0.002	pos	4.627e+05	portance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0936	min	-0.0936	spearman	0.647046	vs_multi0.002	pos	3.1086e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0948	min	-0.0948	spearman	0.470553	vs_multi0.002	pos	1.3612e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0976	min	-0.0976	spearman	0.469363	vs_multi0.002	pos	1.5228e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0984	min	-0.0984	spearman	0.412269	vs_multi0.002	pos	1.8013e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0884	min	-0.0884	spearman	0.443266	vs_multi0.002	pos	1.8116e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0956	min	-0.0956	spearman	0.413699	vs_multi0.002	pos	1.4566e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0986	min	-0.0986	spearman	0.399149	vs_multi0.002	pos	1.6729e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.0976	min	-0.0976	spearman	0.403753	vs_multi0.002	pos	1.606e+05	ance_bifalse	syTmetric_2	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	simpleavg	salt-pepper-0.05	robustness	G	0.096	min	-0.096	spearman	0.411602	vs_multi0.002	pos	1.1235e+05	ance_bifalse	syTmetric_2	approx	False	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Gbar	0.2136	min	-0.2136	spearman	0.586008	vs_multi0.002	pos	4.627e+05	portance_bifalse	syTmetric_1	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Gbar	0.2354	min	-0.2354	spearman	0.647046	vs_multi0.002	pos	3.1086e+05	ance_bifalse	syTmetric_1	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Gbar	0.2144	min	-0.2144	spearman	0.470553	vs_multi0.002	pos	1.3612e+05	ance_bifalse	syTmetric_1	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Gbar	0.2212	min	-0.2212	spearman	0.469363	vs_multi0.002	pos	1.5228e+05	ance_bifalse	syTmetric_1	approx	False	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	borda	salt-pepper-0.05	robustness	Gbar	0.1932	min	-0.1932	spearman	0.412269	vs_multi0.002	pos	1.8013e+05	ance_bifalse	syTmetric_1	approx	False	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	salt- pepper- 0.05	robustness	Gbar	0.2082	min	-0.2082	spearman0.469363	0.469363	vs_multi0.002	posad1.5228	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	salt- pepper- 0.05	robustness	Gbar	0.197	min	-0.197	spearman0.412269	0.412269	vs_multi0.002	posad1.8013	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	salt- pepper- 0.05	robustness	Gbar	0.202	min	-0.202	spearman0.443266	0.443266	vs_multi0.002	posad1.8116	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	salt- pepper- 0.05	robustness	Gbar	0.2052	min	-0.2052	spearman0.413699	0.413699	vs_multi0.002	posad1.4566	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	salt- pepper- 0.05	robustness	Gbar	0.1812	min	-0.1812	spearman0.399149	0.399149	vs_multi0.002	posad1.6729	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	salt- pepper- 0.05	robustness	Gbar	0.1702	min	-0.1702	spearman0.403753	0.403753	vs_multi0.002	posad1.6066	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	salt- pepper- 0.05	robustness	Gbar	0.172	min	-0.172	spearman0.411602	0.411602	vs_multi0.002	posad1.1235	+0.05	inforce_b	True	synthetic	metric_10	approximate	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	salt- pepper- 0.05	robustness	Gbar	0.2136	min	-0.2136	spearman0.586008	0.586008	vs_multi0.002	posad1.0627	+0.05	importance	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	salt- pepper- 0.05	robustness	Gbar	0.224	min	-0.224	spearman0.647046	0.647046	vs_multi0.002	posad1.1086	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	salt- pepper- 0.05	robustness	Gbar	0.2042	min	-0.2042	spearman0.470553	0.470553	vs_multi0.002	posad1.3612	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	salt- pepper- 0.05	robustness	Gbar	0.209	min	-0.209	spearman0.469363	0.469363	vs_multi0.002	posad1.5228	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	salt- pepper- 0.05	robustness	Gbar	0.1912	min	-0.1912	spearman0.412269	0.412269	vs_multi0.002	posad1.8013	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	salt- pepper- 0.05	robustness	Gbar	0.2144	min	-0.2144	spearman0.443266	0.443266	vs_multi0.002	posad1.8116	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	salt- pepper- 0.05	robustness	Gbar	0.2084	min	-0.2084	spearman0.413699	0.413699	vs_multi0.002	posad1.4566	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	salt- pepper- 0.05	robustness	Gbar	0.1674	min	-0.1674	spearman0.399149	0.399149	vs_multi0.002	posad1.6729	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	salt- pepper- 0.05	robustness	Gbar	0.1476	min	-0.1476	spearman0.403753	0.403753	vs_multi0.002	posad1.6066	+0.05	inforce_b	False	synthetic	metric_10	approximate	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	salt- pepper- 0.05	robustness	Gbar	0.1586	min	-0.1586	spearman0.411602	0.411602	vs_multi0.002	posad1.1235	+0.05	inforce_b	True	synthetic	metric_10	approximate	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	salt- pepper- 0.05	robustness	Gbar	0.2192	min	-0.2192	spearman0.586008	0.586008	vs_multi0.002	posad1.0627	+0.05	importance	False	synthetic	metric_4	approximate	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.22	min	-0.22	spearman0.647046	0.647046	0.647046	multi0.002	pos1.1086e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.2168	min	-0.2168	spearman0.470553	0.470553	0.470553	multi0.002	pos1.3612e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.2268	min	-0.2268	spearman0.469363	0.469363	0.469363	multi0.002	pos1.5228e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.2256	min	-0.2256	spearman0.412269	0.412269	0.412269	multi0.002	pos1.8013e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.232	min	-0.232	spearman0.443266	0.443266	0.443266	multi0.002	pos1.8116e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.221	min	-0.221	spearman0.413699	0.413699	0.413699	multi0.002	pos1.4566e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.2226	min	-0.2226	spearman0.399149	0.399149	0.399149	multi0.002	pos1.6729e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.2214	min	-0.2214	spearman0.403753	0.403753	0.403753	multi0.002	pos1.6066e+05	inforce_bifalse	syTmetric_4	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	salt- pepper- 0.05	robustness	Sbar	0.2214	min	-0.2214	spearman0.411602	0.411602	0.411602	multi0.002	pos1.1235e+05	inforce_bifalse	syTmetric_4	approxifalse	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	salt- pepper- 0.05	robustness	S	0.0544	min	-0.0544	spearman0.586008	0.586008	0.586008	multi0.002	pos1.0627e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	salt- pepper- 0.05	robustness	S	0.0636	min	-0.0636	spearman0.647046	0.647046	0.647046	multi0.002	pos1.1086e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	salt- pepper- 0.05	robustness	S	0.0688	min	-0.0688	spearman0.470553	0.470553	0.470553	multi0.002	pos1.3612e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	salt- pepper- 0.05	robustness	S	0.0688	min	-0.0688	spearman0.469363	0.469363	0.469363	multi0.002	pos1.5228e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	salt- pepper- 0.05	robustness	S	0.0752	min	-0.0752	spearman0.412269	0.412269	0.412269	multi0.002	pos1.8013e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	salt- pepper- 0.05	robustness	S	0.063	min	-0.063	spearman0.443266	0.443266	0.443266	multi0.002	pos1.8116e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	salt- pepper- 0.05	robustness	S	0.0656	min	-0.0656	spearman0.413699	0.413699	0.413699	multi0.002	pos1.4566e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	salt- pepper- 0.05	robustness	S	0.0698	min	-0.0698	spearman0.399149	0.399149	0.399149	multi0.002	pos1.6729e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	salt- pepper- 0.05	robustness	S	0.074	min	-0.074	spearman0.403753	0.403753	0.403753	multi0.002	pos1.6066e+05	inforce_bifalse	syTmetric_2	approxifalse	True	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix					
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	borda	salt- pepper- 0.05	robustness	F	0.0692	min	-0.0692	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	salt- pepper- 0.05	robustness	F	0.0544	min	-0.0544	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	salt- pepper- 0.05	robustness	F	0.0576	min	-0.0576	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	salt- pepper- 0.05	robustness	F	0.0652	min	-0.0652	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	salt- pepper- 0.05	robustness	F	0.063	min	-0.063	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	salt- pepper- 0.05	robustness	F	0.0722	min	-0.0722	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	salt- pepper- 0.05	robustness	F	0.0664	min	-0.0664	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	salt- pepper- 0.05	robustness	F	0.063	min	-0.063	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	salt- pepper- 0.05	robustness	F	0.0744	min	-0.0744	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	salt- pepper- 0.05	robustness	F	0.079	min	-0.079	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	salt- pepper- 0.05	robustness	F	0.0764	min	-0.0764	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_2	approx	False	ion	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	salt- pepper- 0.05	robustness	F	0.0526	min	-0.0526	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	salt- pepper- 0.05	robustness	F	0.068	min	-0.068	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	salt- pepper- 0.05	robustness	F	0.0688	min	-0.0688	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	salt- pepper- 0.05	robustness	F	0.0696	min	-0.0696	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	salt- pepper- 0.05	robustness	F	0.0672	min	-0.0672	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	salt- pepper- 0.05	robustness	F	0.0636	min	-0.0636	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	salt- pepper- 0.05	robustness	F	0.0666	min	-0.0666	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_2	approx	False	ion	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	rrf	salt-pepper-0.05	robustness	F	0.0704	min	-0.0704	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	1.6729e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	rrf	salt-pepper-0.05	robustness	F	0.072	min	-0.072	spearman0.403753	0.403753	0.403753	multi0.002	posad1.606e+05	1.606e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	rrf	salt-pepper-0.05	robustness	F	0.0744	min	-0.0744	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235e+05	force_bifalse	syTmetric2	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	schulze	salt-pepper-0.05	robustness	F	0.0544	min	-0.0544	spearman0.586008	0.586008	0.586008	multi0.002	posad0.627e+05	0.627e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	schulze	salt-pepper-0.05	robustness	F	0.062	min	-0.062	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	schulze	salt-pepper-0.05	robustness	F	0.0668	min	-0.0668	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	schulze	salt-pepper-0.05	robustness	F	0.0662	min	-0.0662	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	schulze	salt-pepper-0.05	robustness	F	0.0712	min	-0.0712	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	schulze	salt-pepper-0.05	robustness	F	0.0682	min	-0.0682	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8116e+05	1.8116e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	schulze	salt-pepper-0.05	robustness	F	0.0622	min	-0.0622	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	1.4566e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	schulze	salt-pepper-0.05	robustness	F	0.0708	min	-0.0708	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	1.6729e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	schulze	salt-pepper-0.05	robustness	F	0.0708	min	-0.0708	spearman0.403753	0.403753	0.403753	multi0.002	posad1.606e+05	1.606e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	schulze	salt-pepper-0.05	robustness	F	0.0756	min	-0.0756	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	1.1235e+05	force_bifalse	syTmetric2	approxifalse	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	simpleavgalt	salt-pepper-0.05	robustness	F	0.0548	min	-0.0548	spearman0.586008	0.586008	0.586008	multi0.002	posad0.627e+05	0.627e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	simpleavgalt	salt-pepper-0.05	robustness	F	0.0684	min	-0.0684	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	1.1086e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	simpleavgalt	salt-pepper-0.05	robustness	F	0.0706	min	-0.0706	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	1.3612e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	simpleavgalt	salt-pepper-0.05	robustness	F	0.0748	min	-0.0748	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	1.5228e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	simpleavgalt	salt-pepper-0.05	robustness	F	0.0758	min	-0.0758	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	1.8013e+05	force_bifalse	syTmetric2	approxifalse	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	salt- pepper- 0.05	robustness	F	0.067	min	-0.067	spearman	0.443266	0.443266	0.443266	0.002	pos	1.811602	0.002	pos	1.811602	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	salt- pepper- 0.05	robustness	F	0.0688	min	-0.0688	spearman	0.413699	0.413699	0.413699	0.002	pos	1.456608	0.002	pos	1.456608	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	salt- pepper- 0.05	robustness	F	0.0692	min	-0.0692	spearman	0.399149	0.399149	0.399149	0.002	pos	1.67229	0.002	pos	1.67229	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	salt- pepper- 0.05	robustness	F	0.069	min	-0.069	spearman	0.403753	0.403753	0.403753	0.002	pos	1.606665	0.002	pos	1.606665	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	salt- pepper- 0.05	robustness	F	0.0672	min	-0.0672	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235	0.002	pos	1.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	salt- pepper- 0.05	robustness	Fbar	0.1684	min	-0.1684	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627	0.002	pos	1.0627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	salt- pepper- 0.05	robustness	Fbar	0.1874	min	-0.1874	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086	0.002	pos	1.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	salt- pepper- 0.05	robustness	Fbar	0.169	min	-0.169	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612	0.002	pos	1.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	salt- pepper- 0.05	robustness	Fbar	0.1748	min	-0.1748	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5228	0.002	pos	1.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	salt- pepper- 0.05	robustness	Fbar	0.1512	min	-0.1512	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013	0.002	pos	1.8013	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	salt- pepper- 0.05	robustness	Fbar	0.1562	min	-0.1562	spearman	0.443266	0.443266	0.443266	0.002	pos	1.811602	0.002	pos	1.811602	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	salt- pepper- 0.05	robustness	Fbar	0.158	min	-0.158	spearman	0.413699	0.413699	0.413699	0.002	pos	1.456608	0.002	pos	1.456608	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	salt- pepper- 0.05	robustness	Fbar	0.138	min	-0.138	spearman	0.399149	0.399149	0.399149	0.002	pos	1.67229	0.002	pos	1.67229	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	salt- pepper- 0.05	robustness	Fbar	0.1326	min	-0.1326	spearman	0.403753	0.403753	0.403753	0.002	pos	1.606665	0.002	pos	1.606665	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	salt- pepper- 0.05	robustness	Fbar	0.1228	min	-0.1228	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235	0.002	pos	1.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1684	min	-0.1684	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627	0.002	pos	1.0627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1678	min	-0.1678	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086	0.002	pos	1.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	salt- pepper- 0.05	robustness	Fbar	0.1622	min	-0.1622	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612	0.002	pos	1.3612	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1718	min	-0.1718	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1454	min	-0.1454	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1602	min	-0.1602	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1646	min	-0.1646	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1324	min	-0.1324	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1042	min	-0.1042	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	salt- pepper- 0.05	robustness	FSbar	0.1096	min	-0.1096	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_10	approx	True	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	rrf	salt- pepper- 0.05	robustness	FSbar	0.1692	min	-0.1692	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	rrf	salt- pepper- 0.05	robustness	FSbar	0.1558	min	-0.1558	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	rrf	salt- pepper- 0.05	robustness	FSbar	0.1506	min	-0.1506	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	rrf	salt- pepper- 0.05	robustness	FSbar	0.1666	min	-0.1666	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	rrf	salt- pepper- 0.05	robustness	FSbar	0.153	min	-0.153	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	rrf	salt- pepper- 0.05	robustness	FSbar	0.1616	min	-0.1616	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	rrf	salt- pepper- 0.05	robustness	FSbar	0.1652	min	-0.1652	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	rrf	salt- pepper- 0.05	robustness	FSbar	0.1444	min	-0.1444	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	salt- pepper- 0.05	robustness	FSbar	0.1296	min	-0.1296	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	salt- pepper- 0.05	robustness	FSbar	0.132	min	-0.132	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bi	True	sy	True	metric_10	approx	True	ion	["Gradient Descent"]
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	salt- pepper- 0.05	robustness	FSbar	0.1684	min	-0.1684	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bi	False	sy	True	metric_10	approx	False	ion	["Gradient Descent"]

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	salt- pepper- 0.05	robustness	Fbar	0.175	min	-0.175	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	salt- pepper- 0.05	robustness	Fbar	0.1582	min	-0.1582	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	salt- pepper- 0.05	robustness	Fbar	0.1688	min	-0.1688	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	salt- pepper- 0.05	robustness	Fbar	0.1506	min	-0.1506	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	salt- pepper- 0.05	robustness	Fbar	0.171	min	-0.171	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	salt- pepper- 0.05	robustness	Fbar	0.1696	min	-0.1696	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	salt- pepper- 0.05	robustness	Fbar	0.1286	min	-0.1286	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	salt- pepper- 0.05	robustness	Fbar	0.1122	min	-0.1122	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric_10	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	salt- pepper- 0.05	robustness	Fbar	0.1222	min	-0.1222	spearman0.411602	0.411602	0.411602	multi0.002	posad1.1235e+05	inforce_bifalse	syTmetric_10	approxifusion	True	True	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1706	min	-0.1706	spearman0.586008	0.586008	0.586008	multi0.002	posad1.0627e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1738	min	-0.1738	spearman0.647046	0.647046	0.647046	multi0.002	posad1.1086e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1716	min	-0.1716	spearman0.470553	0.470553	0.470553	multi0.002	posad1.3612e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1838	min	-0.1838	spearman0.469363	0.469363	0.469363	multi0.002	posad1.5228e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.182	min	-0.182	spearman0.412269	0.412269	0.412269	multi0.002	posad1.8013e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1876	min	-0.1876	spearman0.443266	0.443266	0.443266	multi0.002	posad1.8113e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1786	min	-0.1786	spearman0.413699	0.413699	0.413699	multi0.002	posad1.4566e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1818	min	-0.1818	spearman0.399149	0.399149	0.399149	multi0.002	posad1.6729e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavgalt	salt- pepper- 0.05	robustness	Fbar	0.1798	min	-0.1798	spearman0.403753	0.403753	0.403753	multi0.002	posad1.6066e+05	inforce_bifalse	syTmetric_2	approxifusion	False	False	["GradientAttention	

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	simpleavg	galt- pepper- 0.05	robustness	bar	0.1808	min	-0.1808	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_2	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	speckle- 0.15	robustness	bar	0.0252	min	-0.0252	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	speckle- 0.15	robustness	bar	0.0236	min	-0.0236	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	speckle- 0.15	robustness	bar	0.0326	min	-0.0326	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	bar	0.0324	min	-0.0324	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	bar	0.0354	min	-0.0354	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	bar	0.0278	min	-0.0278	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	bar	0.0322	min	-0.0322	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	speckle- 0.15	robustness	bar	0.0332	min	-0.0332	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	speckle- 0.15	robustness	bar	0.0346	min	-0.0346	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_bif	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	speckle- 0.15	robustness	bar	0.0368	min	-0.0368	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_bif	True	sy	True	metric_3	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	speckle- 0.15	robustness	bar	0.0252	min	-0.0252	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	speckle- 0.15	robustness	bar	0.0268	min	-0.0268	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	speckle- 0.15	robustness	bar	0.0286	min	-0.0286	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	speckle- 0.15	robustness	bar	0.0322	min	-0.0322	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	speckle- 0.15	robustness	bar	0.0354	min	-0.0354	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	speckle- 0.15	robustness	bar	0.0342	min	-0.0342	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	speckle- 0.15	robustness	bar	0.0312	min	-0.0312	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_bif	False	sy	True	metric_2	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	9	kemeny	speckle-robustness	CS	0.042	min	-0.042	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	10	kemeny	speckle-robustness	CS	0.0376	min	-0.0376	spearman	0.403753	vs_multi	0.002	pos	1.606e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	11	kemeny	speckle-robustness	CS	0.04	min	-0.04	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bif	True	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	2	rrf	speckle-robustness	CS	0.0224	min	-0.0224	spearman	0.586008	vs_multi	0.002	pos	4.627e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	3	rrf	speckle-robustness	CS	0.028	min	-0.028	spearman	0.647046	vs_multi	0.002	pos	3.1086e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	4	rrf	speckle-robustness	CS	0.0298	min	-0.0298	spearman	0.470553	vs_multi	0.002	pos	1.3612e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	5	rrf	speckle-robustness	CS	0.0298	min	-0.0298	spearman	0.469363	vs_multi	0.002	pos	1.5228e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	6	rrf	speckle-robustness	CS	0.0336	min	-0.0336	spearman	0.412269	vs_multi	0.002	pos	1.8013e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	7	rrf	speckle-robustness	CS	0.0322	min	-0.0322	spearman	0.443266	vs_multi	0.002	pos	1.8116e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	8	rrf	speckle-robustness	CS	0.033	min	-0.033	spearman	0.413699	vs_multi	0.002	pos	1.4566e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	9	rrf	speckle-robustness	CS	0.0388	min	-0.0388	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	10	rrf	speckle-robustness	CS	0.0378	min	-0.0378	spearman	0.403753	vs_multi	0.002	pos	1.606e+05	force_bif	False	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	11	rrf	speckle-robustness	CS	0.04	min	-0.04	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bif	True	synthetic	metric_2	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	2	schulze	speckle-robustness	CS	0.0252	min	-0.0252	spearman	0.586008	vs_multi	0.002	pos	4.627e+05	force_bif	False	synthetic	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	3	schulze	speckle-robustness	CS	0.0234	min	-0.0234	spearman	0.647046	vs_multi	0.002	pos	3.1086e+05	force_bif	False	synthetic	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	4	schulze	speckle-robustness	CS	0.0278	min	-0.0278	spearman	0.470553	vs_multi	0.002	pos	1.3612e+05	force_bif	False	synthetic	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	5	schulze	speckle-robustness	CS	0.0352	min	-0.0352	spearman	0.469363	vs_multi	0.002	pos	1.5228e+05	force_bif	False	synthetic	metric_3	approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman	6	schulze	speckle-robustness	CS	0.0334	min	-0.0334	spearman	0.412269	vs_multi	0.002	pos	1.8013e+05	force_bif	False	synthetic	metric_3	approx	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	speckle- 0.15	robustness	G	0.031	min	-0.031	spearman0.443266	0.443266	0.002	pos	1.811602	0.002	pos	1.811602	0.002	pos	1.811602	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	speckle- 0.15	robustness	G	0.0368	min	-0.0368	spearman0.413699	0.413699	0.002	pos	1.456608	0.002	pos	1.456608	0.002	pos	1.456608	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	speckle- 0.15	robustness	G	0.036	min	-0.036	spearman0.399149	0.399149	0.002	pos	1.672905	0.002	pos	1.672905	0.002	pos	1.672905	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	speckle- 0.15	robustness	G	0.0384	min	-0.0384	spearman0.403753	0.403753	0.002	pos	1.606665	0.002	pos	1.606665	0.002	pos	1.606665	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	speckle- 0.15	robustness	G	0.041	min	-0.041	spearman0.411602	0.411602	0.002	pos	1.123505	0.002	pos	1.123505	0.002	pos	1.123505	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	simpleavg	speckle- 0.15	robustness	G	0.0214	min	-0.0214	spearman0.586008	0.586008	0.002	pos	1.062701	0.002	pos	1.062701	0.002	pos	1.062701	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	simpleavg	speckle- 0.15	robustness	G	0.0322	min	-0.0322	spearman0.647046	0.647046	0.002	pos	1.108605	0.002	pos	1.108605	0.002	pos	1.108605	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	simpleavg	speckle- 0.15	robustness	G	0.0338	min	-0.0338	spearman0.470553	0.470553	0.002	pos	1.361205	0.002	pos	1.361205	0.002	pos	1.361205	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	simpleavg	speckle- 0.15	robustness	G	0.0352	min	-0.0352	spearman0.469363	0.469363	0.002	pos	1.522805	0.002	pos	1.522805	0.002	pos	1.522805	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	simpleavg	speckle- 0.15	robustness	G	0.0338	min	-0.0338	spearman0.412269	0.412269	0.002	pos	1.801305	0.002	pos	1.801305	0.002	pos	1.801305	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	simpleavg	speckle- 0.15	robustness	G	0.028	min	-0.028	spearman0.443266	0.443266	0.002	pos	1.811602	0.002	pos	1.811602	0.002	pos	1.811602	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	simpleavg	speckle- 0.15	robustness	G	0.0338	min	-0.0338	spearman0.413699	0.413699	0.002	pos	1.456608	0.002	pos	1.456608	0.002	pos	1.456608	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	simpleavg	speckle- 0.15	robustness	G	0.0344	min	-0.0344	spearman0.399149	0.399149	0.002	pos	1.672905	0.002	pos	1.672905	0.002	pos	1.672905	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	G	0.034	min	-0.034	spearman0.403753	0.403753	0.002	pos	1.606665	0.002	pos	1.606665	0.002	pos	1.606665	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	G	0.0322	min	-0.0322	spearman0.411602	0.411602	0.002	pos	1.123505	0.002	pos	1.123505	0.002	pos	1.123505	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	borda	speckle- 0.15	robustness	Gbar	0.081	min	-0.081	spearman0.586008	0.586008	0.002	pos	1.062701	0.002	pos	1.062701	0.002	pos	1.062701	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	borda	speckle- 0.15	robustness	Gbar	0.0886	min	-0.0886	spearman0.647046	0.647046	0.002	pos	1.108605	0.002	pos	1.108605	0.002	pos	1.108605	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	borda	speckle- 0.15	robustness	Gbar	0.074	min	-0.074	spearman0.470553	0.470553	0.002	pos	1.361205	0.002	pos	1.361205	0.002	pos	1.361205	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	Gbar	0.0784	min	-0.0784	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	Gbar	0.0738	min	-0.0738	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	Gbar	0.0826	min	-0.0826	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	Gbar	0.0808	min	-0.0808	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	speckle- 0.15	robustness	Gbar	0.0726	min	-0.0726	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	speckle- 0.15	robustness	Gbar	0.0634	min	-0.0634	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	speckle- 0.15	robustness	Gbar	0.0544	min	-0.0544	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bifalse	syTmetric_1	approxifusion	True	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	speckle- 0.15	robustness	Gbar	0.081	min	-0.081	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	speckle- 0.15	robustness	Gbar	0.077	min	-0.077	spearman0.647046	vs_multi0.002	posad1.1086	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	speckle- 0.15	robustness	Gbar	0.067	min	-0.067	spearman0.470553	vs_multi0.002	posad1.3612	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	speckle- 0.15	robustness	Gbar	0.0778	min	-0.0778	spearman0.469363	vs_multi0.002	posad1.5228	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	speckle- 0.15	robustness	Gbar	0.0656	min	-0.0656	spearman0.412269	vs_multi0.002	posad1.8013	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	speckle- 0.15	robustness	Gbar	0.0668	min	-0.0668	spearman0.443266	vs_multi0.002	posad1.8116	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	speckle- 0.15	robustness	Gbar	0.078	min	-0.078	spearman0.413699	vs_multi0.002	posad1.4566	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	speckle- 0.15	robustness	Gbar	0.062	min	-0.062	spearman0.399149	vs_multi0.002	posad1.6729	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	speckle- 0.15	robustness	Gbar	0.0544	min	-0.0544	spearman0.403753	vs_multi0.002	posad1.6066	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	speckle- 0.15	robustness	Gbar	0.048	min	-0.048	spearman0.411602	vs_multi0.002	posad1.1235	+0.05	nce_bifalse	syTmetric_1	approxifusion	True	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	speckle- 0.15	robustness	Gbar	0.0828	min	-0.0828	spearman0.586008	vs_multi0.002	posad1.0627	+0.05	nce_bifalse	syTmetric_1	approxifusion	False	["GradientAttention			

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	speckle- 0.15	robustness	Gbar	0.0708	min	-0.0708	spearman0.647046	vs_multi0.002	posad1.1086e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	speckle- 0.15	robustness	Gbar	0.0664	min	-0.0664	spearman0.470553	vs_multi0.002	posad1.3612e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	speckle- 0.15	robustness	Gbar	0.0746	min	-0.0746	spearman0.469363	vs_multi0.002	posad1.5228e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	speckle- 0.15	robustness	Gbar	0.082	min	-0.082	spearman0.412269	vs_multi0.002	posad1.8013e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	speckle- 0.15	robustness	Gbar	0.0862	min	-0.0862	spearman0.443266	vs_multi0.002	posad1.8116e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	speckle- 0.15	robustness	Gbar	0.0906	min	-0.0906	spearman0.413699	vs_multi0.002	posad1.4566e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	speckle- 0.15	robustness	Gbar	0.0856	min	-0.0856	spearman0.399149	vs_multi0.002	posad1.6729e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	speckle- 0.15	robustness	Gbar	0.0692	min	-0.0692	spearman0.403753	vs_multi0.002	posad1.6066e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	rrf	speckle- 0.15	robustness	Gbar	0.066	min	-0.066	spearman0.411602	vs_multi0.002	posad1.1235e+05	nce_bifalse	syTmetric_1	approxifalse	ion	True	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman12	schulze	speckle- 0.15	robustness	Gbar	0.081	min	-0.081	spearman0.586008	vs_multi0.002	posad1.0627e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman13	schulze	speckle- 0.15	robustness	Gbar	0.079	min	-0.079	spearman0.647046	vs_multi0.002	posad1.1086e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman14	schulze	speckle- 0.15	robustness	Gbar	0.0732	min	-0.0732	spearman0.470553	vs_multi0.002	posad1.3612e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman15	schulze	speckle- 0.15	robustness	Gbar	0.0742	min	-0.0742	spearman0.469363	vs_multi0.002	posad1.5228e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman16	schulze	speckle- 0.15	robustness	Gbar	0.0708	min	-0.0708	spearman0.412269	vs_multi0.002	posad1.8013e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman17	schulze	speckle- 0.15	robustness	Gbar	0.0874	min	-0.0874	spearman0.443266	vs_multi0.002	posad1.8116e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman18	schulze	speckle- 0.15	robustness	Gbar	0.0858	min	-0.0858	spearman0.413699	vs_multi0.002	posad1.4566e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman19	schulze	speckle- 0.15	robustness	Gbar	0.0728	min	-0.0728	spearman0.399149	vs_multi0.002	posad1.6729e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman20	schulze	speckle- 0.15	robustness	Gbar	0.0562	min	-0.0562	spearman0.403753	vs_multi0.002	posad1.6066e+05	nce_bifalse	syTmetric_1	approxifalse	ion	False	["GradientAttention			

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statis- tic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix				
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	schulze	speckle- 0.15	robustness	Gbar	0.056	min	-0.056	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_1	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	speckle- 0.15	robustness	Gbar	0.0818	min	-0.0818	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	speckle- 0.15	robustness	Gbar	0.0762	min	-0.0762	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	speckle- 0.15	robustness	Gbar	0.0796	min	-0.0796	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	speckle- 0.15	robustness	Gbar	0.0836	min	-0.0836	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	speckle- 0.15	robustness	Gbar	0.0788	min	-0.0788	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	speckle- 0.15	robustness	Gbar	0.088	min	-0.088	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	speckle- 0.15	robustness	Gbar	0.0808	min	-0.0808	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	speckle- 0.15	robustness	Gbar	0.079	min	-0.079	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	Gbar	0.0808	min	-0.0808	spearman	0.403753	0.403753	0.403753	0.002	pos	1.6066e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	Gbar	0.0812	min	-0.0812	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	force_b	True	sy	True	metric_3	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	speckle- 0.15	robustness	S	0.0288	min	-0.0288	spearman	0.586008	0.586008	0.586008	0.002	pos	1.0627e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	speckle- 0.15	robustness	S	0.0238	min	-0.0238	spearman	0.647046	0.647046	0.647046	0.002	pos	1.1086e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	speckle- 0.15	robustness	S	0.0312	min	-0.0312	spearman	0.470553	0.470553	0.470553	0.002	pos	1.3612e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	S	0.0274	min	-0.0274	spearman	0.469363	0.469363	0.469363	0.002	pos	1.5223e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	S	0.033	min	-0.033	spearman	0.412269	0.412269	0.412269	0.002	pos	1.8013e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	S	0.0262	min	-0.0262	spearman	0.443266	0.443266	0.443266	0.002	pos	1.8116e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	S	0.0254	min	-0.0254	spearman	0.413699	0.413699	0.413699	0.002	pos	1.4566e+05	force_b	False	sy	True	metric_3	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	borda	speckle-robustness	0.15	F	0.027	min	-0.027	spearman0.3991149	0.3991149	0.3991149	0.3991149	0.6729	0.6729	0.6729	0.6729	0.6729	0.6729	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	borda	speckle-robustness	0.15	F	0.032	min	-0.032	spearman0.403753	0.403753	0.403753	0.403753	0.6066	0.6066	0.6066	0.6066	0.6066	0.6066	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	borda	speckle-robustness	0.15	F	0.0266	min	-0.0266	spearman0.411602	0.411602	0.411602	0.411602	0.1235	0.1235	0.1235	0.1235	0.1235	0.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	kemeny	speckle-robustness	0.15	F	0.0288	min	-0.0288	spearman0.586008	0.586008	0.586008	0.586008	0.627	0.627	0.627	0.627	0.627	0.627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	kemeny	speckle-robustness	0.15	F	0.0268	min	-0.0268	spearman0.647046	0.647046	0.647046	0.647046	0.1086	0.1086	0.1086	0.1086	0.1086	0.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	kemeny	speckle-robustness	0.15	F	0.0278	min	-0.0278	spearman0.470553	0.470553	0.470553	0.470553	0.3612	0.3612	0.3612	0.3612	0.3612	0.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	kemeny	speckle-robustness	0.15	F	0.0292	min	-0.0292	spearman0.469363	0.469363	0.469363	0.469363	0.5228	0.5228	0.5228	0.5228	0.5228	0.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	kemeny	speckle-robustness	0.15	F	0.0286	min	-0.0286	spearman0.412269	0.412269	0.412269	0.412269	0.8013	0.8013	0.8013	0.8013	0.8013	0.8013	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman7	kemeny	speckle-robustness	0.15	F	0.0324	min	-0.0324	spearman0.443266	0.443266	0.443266	0.443266	0.8116	0.8116	0.8116	0.8116	0.8116	0.8116	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman8	kemeny	speckle-robustness	0.15	F	0.026	min	-0.026	spearman0.413699	0.413699	0.413699	0.413699	0.4566	0.4566	0.4566	0.4566	0.4566	0.4566	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman9	kemeny	speckle-robustness	0.15	F	0.035	min	-0.035	spearman0.3991149	0.3991149	0.3991149	0.3991149	0.6729	0.6729	0.6729	0.6729	0.6729	0.6729	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman10	kemeny	speckle-robustness	0.15	F	0.0328	min	-0.0328	spearman0.403753	0.403753	0.403753	0.403753	0.6066	0.6066	0.6066	0.6066	0.6066	0.6066	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman11	kemeny	speckle-robustness	0.15	F	0.0324	min	-0.0324	spearman0.411602	0.411602	0.411602	0.411602	0.1235	0.1235	0.1235	0.1235	0.1235	0.1235	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman2	rrf	speckle-robustness	0.15	F	0.026	min	-0.026	spearman0.586008	0.586008	0.586008	0.586008	0.627	0.627	0.627	0.627	0.627	0.627	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman3	rrf	speckle-robustness	0.15	F	0.0308	min	-0.0308	spearman0.647046	0.647046	0.647046	0.647046	0.1086	0.1086	0.1086	0.1086	0.1086	0.1086	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman4	rrf	speckle-robustness	0.15	F	0.029	min	-0.029	spearman0.470553	0.470553	0.470553	0.470553	0.3612	0.3612	0.3612	0.3612	0.3612	0.3612	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman5	rrf	speckle-robustness	0.15	F	0.0256	min	-0.0256	spearman0.469363	0.469363	0.469363	0.469363	0.5228	0.5228	0.5228	0.5228	0.5228	0.5228	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet-vit-b16	spearman6	rrf	speckle-robustness	0.15	F	0.028	min	-0.028	spearman0.412269	0.412269	0.412269	0.412269	0.8013	0.8013	0.8013	0.8013	0.8013	0.8013	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	speckle- 0.15	robustness	F	0.034	min	-0.034	spearman0.469363	0.469363	multi0.002	posad1.5228	+0.05	importance_b	False	syntmetric_2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	speckle- 0.15	robustness	F	0.0348	min	-0.0348	spearman0.412269	0.412269	multi0.002	posad1.8013	+0.05	importance_b	False	syntmetric_2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	speckle- 0.15	robustness	F	0.031	min	-0.031	spearman0.443266	0.443266	multi0.002	posad1.8116	+0.05	importance_b	False	syntmetric_2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	speckle- 0.15	robustness	F	0.0244	min	-0.0244	spearman0.413699	0.413699	multi0.002	posad1.4566	+0.05	importance_b	False	syntmetric_2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	speckle- 0.15	robustness	F	0.0248	min	-0.0248	spearman0.399149	0.399149	multi0.002	posad1.6729	+0.05	importance_b	False	syntmetric_2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	F	0.025	min	-0.025	spearman0.403753	0.403753	multi0.002	posad1.6066	+0.05	importance_b	False	syntmetric_2	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	F	0.024	min	-0.024	spearman0.411602	0.411602	multi0.002	posad1.1235	+0.05	importance_b	True	syntmetric_2	approxifusion	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	borda	speckle- 0.15	robustness	Fbar	0.0616	min	-0.0616	spearman0.586008	0.586008	multi0.002	posad0.627	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	borda	speckle- 0.15	robustness	Fbar	0.0666	min	-0.0666	spearman0.647046	0.647046	multi0.002	posad1.1086	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	borda	speckle- 0.15	robustness	Fbar	0.0542	min	-0.0542	spearman0.470553	0.470553	multi0.002	posad1.3612	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	borda	speckle- 0.15	robustness	Fbar	0.0578	min	-0.0578	spearman0.469363	0.469363	multi0.002	posad1.5228	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	borda	speckle- 0.15	robustness	Fbar	0.0564	min	-0.0564	spearman0.412269	0.412269	multi0.002	posad1.8013	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	borda	speckle- 0.15	robustness	Fbar	0.0646	min	-0.0646	spearman0.443266	0.443266	multi0.002	posad1.8116	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	borda	speckle- 0.15	robustness	Fbar	0.0612	min	-0.0612	spearman0.413699	0.413699	multi0.002	posad1.4566	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	borda	speckle- 0.15	robustness	Fbar	0.0616	min	-0.0616	spearman0.399149	0.399149	multi0.002	posad1.6729	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	borda	speckle- 0.15	robustness	Fbar	0.0518	min	-0.0518	spearman0.403753	0.403753	multi0.002	posad1.6066	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	borda	speckle- 0.15	robustness	Fbar	0.04	min	-0.04	spearman0.411602	0.411602	multi0.002	posad1.1235	+0.05	importance_b	True	syntmetric_1	approxifusion	True	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	kemeny	speckle- 0.15	robustness	Fbar	0.0616	min	-0.0616	spearman0.586008	0.586008	multi0.002	posad0.627	+0.05	importance_b	False	syntmetric_1	approxifusion	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direc- tion	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	kemeny	speckle- 0.15	robustness	FSbar	0.0592	min	-0.0592	spearman0.647046	fs_multi0.647046	0.002	posai1.086e+05	0.002	posai1.086e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	kemeny	speckle- 0.15	robustness	FSbar	0.0514	min	-0.0514	spearman0.470553	fs_multi0.470553	0.002	posai1.361e+05	0.002	posai1.361e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	kemeny	speckle- 0.15	robustness	FSbar	0.0612	min	-0.0612	spearman0.469363	fs_multi0.469363	0.002	posai1.522e+05	0.002	posai1.522e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	kemeny	speckle- 0.15	robustness	FSbar	0.0486	min	-0.0486	spearman0.412269	fs_multi0.412269	0.002	posai1.801e+05	0.002	posai1.801e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	kemeny	speckle- 0.15	robustness	FSbar	0.0562	min	-0.0562	spearman0.443266	fs_multi0.443266	0.002	posai1.811e+05	0.002	posai1.811e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	kemeny	speckle- 0.15	robustness	FSbar	0.065	min	-0.065	spearman0.413699	fs_multi0.413699	0.002	posai1.456e+05	0.002	posai1.456e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	kemeny	speckle- 0.15	robustness	FSbar	0.0518	min	-0.0518	spearman0.399149	fs_multi0.399149	0.002	posai1.672e+05	0.002	posai1.672e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	kemeny	speckle- 0.15	robustness	FSbar	0.043	min	-0.043	spearman0.403753	fs_multi0.403753	0.002	posai1.606e+05	0.002	posai1.606e+05	force_bifalse	syTmetric_1	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	kemeny	speckle- 0.15	robustness	FSbar	0.0378	min	-0.0378	spearman0.411602	fs_multi0.411602	0.002	posai1.123e+05	0.002	posai1.123e+05	force_biftrue	syTmetric_1	approxifalse	True	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	rrf	speckle- 0.15	robustness	FSbar	0.0642	min	-0.0642	spearman0.586008	fs_multi0.586008	0.002	posai1.062e+05	0.002	posai1.062e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	rrf	speckle- 0.15	robustness	FSbar	0.0494	min	-0.0494	spearman0.647046	fs_multi0.647046	0.002	posai1.108e+05	0.002	posai1.108e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	rrf	speckle- 0.15	robustness	FSbar	0.05	min	-0.05	spearman0.470553	fs_multi0.470553	0.002	posai1.361e+05	0.002	posai1.361e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	rrf	speckle- 0.15	robustness	FSbar	0.0556	min	-0.0556	spearman0.469363	fs_multi0.469363	0.002	posai1.522e+05	0.002	posai1.522e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	rrf	speckle- 0.15	robustness	FSbar	0.0648	min	-0.0648	spearman0.412269	fs_multi0.412269	0.002	posai1.801e+05	0.002	posai1.801e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	rrf	speckle- 0.15	robustness	FSbar	0.0728	min	-0.0728	spearman0.443266	fs_multi0.443266	0.002	posai1.811e+05	0.002	posai1.811e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	rrf	speckle- 0.15	robustness	FSbar	0.076	min	-0.076	spearman0.413699	fs_multi0.413699	0.002	posai1.456e+05	0.002	posai1.456e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	rrf	speckle- 0.15	robustness	FSbar	0.0722	min	-0.0722	spearman0.399149	fs_multi0.399149	0.002	posai1.672e+05	0.002	posai1.672e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	rrf	speckle- 0.15	robustness	FSbar	0.057	min	-0.057	spearman0.403753	fs_multi0.403753	0.002	posai1.606e+05	0.002	posai1.606e+05	force_bifalse	syTmetric_3	approxifalse	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean dis- tance	noise se- lected q	selected by noise	noise forced fall- back	best q	is opti- mal q	q11 ref- erence	method prefix			
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman1	rrf	speckle- 0.15	robustness	Sbar	0.0516	min	-0.0516	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bi	True	sy	True	metric_3	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	schulze	speckle- 0.15	robustness	Sbar	0.0616	min	-0.0616	spearman	0.586008	vs_multi	0.002	pos	1.0627e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	schulze	speckle- 0.15	robustness	Sbar	0.0614	min	-0.0614	spearman	0.647046	vs_multi	0.002	pos	1.1086e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	schulze	speckle- 0.15	robustness	Sbar	0.056	min	-0.056	spearman	0.470553	vs_multi	0.002	pos	1.3612e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	schulze	speckle- 0.15	robustness	Sbar	0.0584	min	-0.0584	spearman	0.469363	vs_multi	0.002	pos	1.5223e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	schulze	speckle- 0.15	robustness	Sbar	0.051	min	-0.051	spearman	0.412269	vs_multi	0.002	pos	1.8013e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	schulze	speckle- 0.15	robustness	Sbar	0.0728	min	-0.0728	spearman	0.443266	vs_multi	0.002	pos	1.8116e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	schulze	speckle- 0.15	robustness	Sbar	0.073	min	-0.073	spearman	0.413699	vs_multi	0.002	pos	1.4566e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	schulze	speckle- 0.15	robustness	Sbar	0.0588	min	-0.0588	spearman	0.399149	vs_multi	0.002	pos	1.6729e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	schulze	speckle- 0.15	robustness	Sbar	0.044	min	-0.044	spearman	0.403753	vs_multi	0.002	pos	1.6066e+05	force_bi	False	sy	True	metric_10	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	schulze	speckle- 0.15	robustness	Sbar	0.0466	min	-0.0466	spearman	0.411602	vs_multi	0.002	pos	1.1235e+05	force_bi	True	sy	True	metric_10	approx	False	True	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman2	simpleavg	speckle- 0.15	robustness	Sbar	0.0636	min	-0.0636	spearman	0.586008	vs_multi	0.002	pos	1.0627e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman3	simpleavg	speckle- 0.15	robustness	Sbar	0.0568	min	-0.0568	spearman	0.647046	vs_multi	0.002	pos	1.1086e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman4	simpleavg	speckle- 0.15	robustness	Sbar	0.0616	min	-0.0616	spearman	0.470553	vs_multi	0.002	pos	1.3612e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman5	simpleavg	speckle- 0.15	robustness	Sbar	0.0662	min	-0.0662	spearman	0.469363	vs_multi	0.002	pos	1.5223e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman6	simpleavg	speckle- 0.15	robustness	Sbar	0.0624	min	-0.0624	spearman	0.412269	vs_multi	0.002	pos	1.8013e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman7	simpleavg	speckle- 0.15	robustness	Sbar	0.069	min	-0.069	spearman	0.443266	vs_multi	0.002	pos	1.8116e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman8	simpleavg	speckle- 0.15	robustness	Sbar	0.063	min	-0.063	spearman	0.413699	vs_multi	0.002	pos	1.4566e+05	force_bi	False	sy	True	metric_3	approx	False	False	["GradientAttention

cell	dataset	model	distance q model	rule	condition	value kind	metric	value	objective direction	objective value	fit model	fit statistic	fit score	fit value	p mean distance	noise selected q	selected by noise	noise forced fall-back	best q	is optimal q	q11 reference	method prefix	
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman9	simpleavg	speckle- 0.15	robustness	Bar	0.063	min	-0.063	spearman	0.399149	0.399149	0.399149	0.002	pos	1.6729e+05	False	sy	True	metric_3approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman10	simpleavg	speckle- 0.15	robustness	Bar	0.0654	min	-0.0654	spearman	0.403753	0.403753	0.403753	0.002	pos	1.606e+05	False	sy	True	metric_3approx	False	["GradientAttention
ImageNet- ImageNet-vit- b16	ImageNet	ImageNet- vit-b16	spearman11	simpleavg	speckle- 0.15	robustness	Bar	0.066	min	-0.066	spearman	0.411602	0.411602	0.411602	0.002	pos	1.1235e+05	True	sy	True	metric_3approx	True	["GradientAttention

Table 191: NOISE selector diagnostics results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

cell	rule	q	predicted score	delta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95
ImageNet– ImageNet-vit- b16	borda	2	0.0822976.1161312.3547		0.0864	2	2	0	True	
ImageNet– ImageNet-vit- b16	borda	3	0.0737512.8168569.873		0.0506	2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	4	0.0779822.42513811.1934		0.0572	2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	5	0.0808812.35586	11.429640.0634		2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	6	0.07856	2.23870511.829460.0604		2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	7	0.0783462.25500311.773850.066			2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	8	0.07437	2.11455112.2524	0.0582	2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	9	0.0719	2.05972712.438510.0552		2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	10	0.0657062.07266412.394640.0494			2	2	0	False	
ImageNet– ImageNet-vit- b16	borda	11	0.0633291.92219412.902490.0478			2	2	0	False	
ImageNet– ImageNet-vit- b16	kemeny	2	0.0822976.1161312.3547		0.0864	3	3	0	True	
ImageNet– ImageNet-vit- b16	kemeny	3	0.0834763.8135246.8206		0.0874	3	3	0	True	
ImageNet– ImageNet-vit- b16	kemeny	4	0.0834692.9745669.35465		0.087	3	3	0	True	
ImageNet– ImageNet-vit- b16	kemeny	5	0.0815692.74921410.098160.0796			3	3	0	False	
ImageNet– ImageNet-vit- b16	kemeny	6	0.0780642.51624	10.883460.0728		3	3	0	False	
ImageNet– ImageNet-vit- b16	kemeny	7	0.0792862.56839410.7066		0.0716	3	3	0	False	
ImageNet– ImageNet-vit- b16	kemeny	8	0.0778492.39024411.312350.0738			3	3	0	False	

cell	rule	q	predicted score	delta	mean dis- tance	actual F	predicted q	NOISE q	actual regret	actual near opti- mal 95
ImageNet– ImageNet-vit- b16	kemeny	9	0.0737252	3.04354	11.60542	0.0624	3	3	0	False
ImageNet– ImageNet-vit- b16	kemeny	10	0.06103	2.31326	711.575	0.0542	3	3	0	False
ImageNet– ImageNet-vit- b16	kemeny	11	0.0565992	1.15098	12.12847	0.05	3	3	0	False

Table 192: main comparison results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet	vit	test	5000	best_ind	0.0881	0.095	0.1336	0.1426	0.0222	0.1256	0.0442	0.1552	0.0134	0.09	0.0346	0.1222	0.008	0.0152	0.0102	0.025	0.0422	0.0298	0.0538	0.0346
ImageNet	ImageNet	vit	test	5000	simpleavg	0.0732	0.1014	0.1134	0.1546	0.0638	0.2342	0.0844	0.2832	0.0538	0.1724	0.071	0.2164	0.0252	0.068	0.0244	0.0852	0.061	0.2726	0.0758	0.0442
ImageNet	ImageNet	vit	test	5000	borda	0.0706	0.1056	0.105	0.16	0.0626	0.2252	0.0846	0.2738	0.0554	0.1784	0.0788	0.2232	0.0236	0.06	0.0268	0.0786	0.0676	0.2478	0.0896	0.0442
ImageNet	ImageNet	vit	test	5000	kemeny	0.0728	0.1102	0.112	0.1654	0.0626	0.2398	0.082	0.286	0.0536	0.1818	0.0726	0.225	0.0234	0.0676	0.0236	0.0822	0.0748	0.265	0.0936	0.0442
ImageNet	ImageNet	vit	test	5000	rrf	0.0676	0.1094	0.1054	0.1634	0.064	0.2346	0.0874	0.284	0.052	0.1812	0.0704	0.2266	0.0232	0.0698	0.0246	0.0878	0.0776	0.2562	0.0972	0.0442
ImageNet	ImageNet	vit	test	5000	schulze	0.0756	0.111	0.1144	0.1664	0.0652	0.2388	0.0834	0.286	0.0528	0.1786	0.073	0.2208	0.0214	0.0682	0.0232	0.0846	0.0702	0.255	0.089	0.0442

Table 193: main comparison results for ImageNet–ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset–model rows present in the source file.

dataset	model	architecture	split	sample count	method	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s	R Cbar s	R F a	R Fbar a	R C a	R Cbar a
ImageNet	ImageNet	vit	test	5000	best_ind	0.0881	0.095	0.1336	0.1426	0.0222	0.1256	0.0442	0.1552	0.0134	0.09	0.0346	0.1222	0.008	0.0152	0.0102	0.025	0.0422	0.0298	0.0538	0.0346
ImageNet	ImageNet	vit	test	5000	simpleavg	0.0732	0.1014	0.1134	0.1546	0.0638	0.2342	0.0844	0.2832	0.0538	0.1724	0.071	0.2164	0.0252	0.068	0.0244	0.0852	0.061	0.2726	0.0758	0.0442
ImageNet	ImageNet	vit	test	5000	borda	0.0706	0.1056	0.105	0.16	0.0626	0.2252	0.0846	0.2738	0.0554	0.1784	0.0788	0.2232	0.0236	0.06	0.0268	0.0786	0.0676	0.2478	0.0896	0.0442
ImageNet	ImageNet	vit	test	5000	kemeny	0.0728	0.1102	0.112	0.1654	0.0626	0.2398	0.082	0.286	0.0536	0.1818	0.0726	0.225	0.0234	0.0676	0.0236	0.0822	0.0748	0.265	0.0936	0.0442
ImageNet	ImageNet	vit	test	5000	rrf	0.0676	0.1094	0.1054	0.1634	0.064	0.2346	0.0874	0.284	0.052	0.1812	0.0704	0.2266	0.0232	0.0698	0.0246	0.0878	0.0776	0.2562	0.0972	0.0442
ImageNet	ImageNet	vit	test	5000	schulze	0.0756	0.111	0.1144	0.1664	0.0652	0.2388	0.0834	0.286	0.0528	0.1786	0.073	0.2208	0.0214	0.0682	0.0232	0.0846	0.0702	0.255	0.089	0.0442

Table 194: main comparison analysis results for ImageNet-ViT-B/16. This table is a historical snapshot included for archival comparison; it reports only the dataset-model rows present in the source file.

scope	dataset	model	group	comparison method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet vit-b16	all	best_individual	20						
dataset_model	ImageNet	ImageNet vit-b16	all	simpleavg	0	0	0	20			
dataset_model	ImageNet	ImageNet vit-b16	all	borda	0	0	0	20	8	0	12
dataset_model	ImageNet	ImageNet vit-b16	all	kemeny	0	0	0	20	9	0	11
dataset_model	ImageNet	ImageNet vit-b16	all	rrf	0	0	0	20	5	0	15
dataset_model	ImageNet	ImageNet vit-b16	all	schulze	0	0	0	20	9	0	11
dataset_model	ImageNet	ImageNet vit-b16	quality	best_individual	4						
dataset_model	ImageNet	ImageNet vit-b16	quality	simpleavg	0	0	0	4			
dataset_model	ImageNet	ImageNet vit-b16	quality	borda	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	kemeny	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	rrf	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	quality	schulze	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	robustness_all	best_individual	16						
dataset_model	ImageNet	ImageNet vit-b16	robustness_all	simpleavg	0	0	0	16			
dataset_model	ImageNet	ImageNet vit-b16	robustness_all	borda	0	0	0	16	8	0	8
dataset_model	ImageNet	ImageNet vit-b16	robustness_all	kemeny	0	0	0	16	9	0	7
dataset_model	ImageNet	ImageNet vit-b16	robustness_all	rrf	0	0	0	16	5	0	11
dataset_model	ImageNet	ImageNet vit-b16	robustness_all	schulze	0	0	0	16	7	0	9
dataset_model	ImageNet	ImageNet vit-b16	gaussian	best_individual	4						
dataset_model	ImageNet	ImageNet vit-b16	gaussian	simpleavg	0	0	0	4			
dataset_model	ImageNet	ImageNet vit-b16	gaussian	borda	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet vit-b16	gaussian	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet vit-b16	gaussian	rrf	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet vit-b16	gaussian	schulze	0	0	0	4	1	0	3
dataset_model	ImageNet	ImageNet vit-b16	salt_pepper	best_individual	4						
dataset_model	ImageNet	ImageNet vit-b16	salt_pepper	simpleavg	0	0	0	4			

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
dataset_model	ImageNet	ImageNet	salt_pepper	per	borda	0	0	0	4	0	0	4
dataset_model	ImageNet	ImageNet	salt_pepper	per	kemeny	0	0	0	4	1	0	3
dataset_model	ImageNet	ImageNet	salt_pepper	per	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	salt_pepper	per	schulze	0	0	0	4	1	0	3
dataset_model	ImageNet	ImageNet	speckle	4	best_individual							
dataset_model	ImageNet	ImageNet	speckle	4	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	speckle	4	borda	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	speckle	4	kemeny	0	0	0	4	4	0	0
dataset_model	ImageNet	ImageNet	speckle	4	rrf	0	0	0	4	1	0	3
dataset_model	ImageNet	ImageNet	speckle	4	schulze	0	0	0	4	3	0	1
dataset_model	ImageNet	ImageNet	adversarial	1	best_individual							
dataset_model	ImageNet	ImageNet	adversarial	1	simpleavg	0	0	4				
dataset_model	ImageNet	ImageNet	adversarial	1	borda	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	kemeny	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	rrf	0	0	0	4	2	0	2
dataset_model	ImageNet	ImageNet	adversarial	1	schulze	0	0	0	4	2	0	2
overall			all	80	best_individual							
overall			all	80	simpleavg	2	1	77				
overall			all	80	borda	1	3	0	77	44	1	35
overall			all	80	kemeny	1	1	0	79	41	4	35
overall			all	80	rrf	3	3	1	76	43	1	36
overall			all	80	schulze	0	2	0	78	46	1	33
overall			quality	16	best_individual							
overall			quality	16	simpleavg	1	0	15				
overall			quality	16	borda	0	0	0	16	5	0	11
overall			quality	16	kemeny	0	0	0	16	4	1	11
overall			quality	16	rrf	0	0	0	16	6	0	10
overall			quality	16	schulze	0	0	0	16	8	0	8
overall			robustness	64	best_individual							
overall			robustness	64	simpleavg	1	1	62				
overall			robustness	64	borda	1	3	0	61	39	1	24
overall			robustness	64	kemeny	1	1	0	63	37	3	24
overall			robustness	64	rrf	3	3	1	60	37	1	26
overall			robustness	64	schulze	0	2	0	62	38	1	25
overall			gaussian	16	best_individual							
overall			gaussian	16	simpleavg	0	1	15				
overall			gaussian	16	borda	0	1	0	15	11	1	4
overall			gaussian	16	kemeny	0	0	0	16	9	1	6

scope	dataset	model	group	comparison cells	method	wins	vs best better	vs best equal	vs best worse	vs sim- pleavg better	vs sim- pleavg equal	vs sim- pleavg worse
overall			gaussian 16		rrf	2	1	1	14	9	0	7
overall			gaussian 16		schulze	0	0	0	16	8	0	8
overall			salt_pepper		best_individual							
overall			salt_pepper		simpleavg	0	0	0	16			
overall			salt_pepper		borda	0	1	0	15	7	0	9
overall			salt_pepper		kemeny	1	1	0	15	6	2	8
overall			salt_pepper		rrf	0	1	0	15	10	1	5
overall			salt_pepper		schulze	0	1	0	15	8	1	7
overall			speckle 16		best_individual							
overall			speckle 16		simpleavg	1	1	0	15			
overall			speckle 16		borda	1	1	0	15	12	0	4
overall			speckle 16		kemeny	0	0	0	16	12	0	4
overall			speckle 16		rrf	1	1	0	15	10	0	6
overall			speckle 16		schulze	0	1	0	15	12	0	4
overall			adversarial		best_individual							
overall			adversarial		simpleavg	0	0	0	16			
overall			adversarial		borda	0	0	0	16	9	0	7
overall			adversarial		kemeny	0	0	0	16	10	0	6
overall			adversarial		rrf	0	0	0	16	8	0	8
overall			adversarial		schulze	0	0	0	16	10	0	6