

When Does Aggregating Explanations Work?

BloodMNIST Results

Jinhua Xu, Davide Anguita, Fabio Roli, Jing Yuan, and Luca Oneto

This report is generated from the structured result files listed in `RESULT_MANIFEST.json`. It is organised by model and experiment and retains incomplete snapshots together with additional result tables.

Additional result tables

A DenseNet-121

Table 1: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593	False
Simple Average	0.97313	0.98248	0.97488	0.98598	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054	False
Borda (NAIVE)	0.93516	0.99007	0.9375	0.99883	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353	False
RRF (NAIVE)	0.94276	0.99065	0.94626	0.99942	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061	False
Schulze (NAIVE)	0.94568	0.98072	0.95093	0.99065	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696	False
Kemeny- Young (NAIVE)	0.92114	0.99065	0.92407	0.99942	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367	False
Borda (THE- ORY)	0.89252	0.99065	0.89486	0.99942	0.44334	0.29556	0.75526	0.10339	0.35339	0.29439	False
RRF (THE- ORY)	0.8972	0.99065	0.89544	0.99942	0.44918	0.28621	0.75993	0.1028	0.35806	0.29439	False
Schulze (THE- ORY)	0.88902	0.99065	0.8896	0.99942	0.43692	0.27512	0.75175	0.10864	0.34988	0.2868	False
Kemeny- Young (THE- ORY)	0.89603	0.99007	0.8972	0.99883	0.44743	0.2868	0.75876	0.10105	0.35981	0.30432	False

Table 2: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593
SimpleAvg	0.97313	0.98248	0.97488	0.98598	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054
Borda (NAIVE)	0.93516	0.99007	0.9375	0.99883	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353
Borda (THE- ORY)	0.89252	0.99065	0.89486	0.99942	0.44334	0.29556	0.75526	0.10339	0.35339	0.29439
RRF (NAIVE)	0.94276	0.99065	0.94626	0.99942	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061
RRF (THE- ORY)	0.8972	0.99065	0.89544	0.99942	0.44918	0.28621	0.75993	0.1028	0.35806	0.29439
Schulze (NAIVE)	0.94568	0.98072	0.95093	0.99065	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696
Schulze (THE- ORY)	0.88902	0.99065	0.8896	0.99942	0.43692	0.27512	0.75175	0.10864	0.34988	0.2868
Kemeny- Young (NAIVE)	0.92114	0.99065	0.92407	0.99942	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367
Kemeny- Young (THE- ORY)	0.89603	0.99007	0.8972	0.99883	0.44743	0.2868	0.75876	0.10105	0.35981	0.30432

Table 3: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.88435	0.99007	0.88435	1	0.34229	0.17465	0.7465	0.00818	0.14836	0.07593
SimpleAvg	0.891939	0.984813	0.890771	0.991822	0.49416	0.33995	0.83586	0.02336	0.40479	0.34054
Borda	0.874416	0.990654	0.876752	0.999416	0.47313	0.31834	0.7979	0.06075	0.39136	0.33353
RRF	0.882593	0.990654	0.883178	0.999416	0.49299	0.35047	0.80549	0.05199	0.3896	0.33061
Schulze	0.863902	0.990654	0.863902	0.999416	0.48423	0.33995	0.80841	0.04731	0.40129	0.34696
Kemeny- Young	0.885514	0.990654	0.887266	0.999416	0.46495	0.3125	0.78388	0.07418	0.37266	0.31367
Best Ex- planation (Decorr)	0.8843	0.9901	0.8843	1	0.3242	0.139	0.7465	0.0082	0.1484	0.0759
SimpleAvg (Decorr)	0.9731	0.9825	0.9749	0.986	0.4942	0.34	0.8359	0.0234	0.4048	0.3405
Borda (Decorr)	0.8925	0.9907	0.8949	0.9994	0.4433	0.2956	0.7553	0.1034	0.3534	0.2944
RRF (Decorr)	0.8972	0.9907	0.8954	0.9994	0.4492	0.2862	0.7599	0.1028	0.3581	0.2944
Schulze (Decorr)	0.889	0.9907	0.8896	0.9994	0.4369	0.2751	0.7518	0.1086	0.3499	0.2868
Kemeny- Young (Decorr)	0.896	0.9901	0.8972	0.9988	0.4474	0.2868	0.7588	0.1011	0.3598	0.3043

Table 4: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993	False
Simple Average	0.97196	0.98248	0.97488	0.98715	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928	False
Borda (NAIVE)	0.81075	0.98657	0.81367	0.99533	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785	False
RRF (NAIVE)	0.84229	0.9889	0.84521	0.99766	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166	False
Schulze (NAIVE)	0.85339	0.9521	0.85572	0.96086	0.50467	0.37734	0.71612	0.14252	0.49007	0.441	False
Kemeny- Young (NAIVE)	0.78914	0.98949	0.79089	0.99825	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507	False
Borda (THE- ORY)	0.74357	0.99065	0.74708	0.99942	0.39194	0.2646	0.60631	0.25117	0.38843	0.3382	False
RRF (THE- ORY)	0.76168	0.99065	0.76227	0.99942	0.40537	0.27629	0.62442	0.23598	0.40888	0.35572	False
Schulze (THE- ORY)	0.75058	0.98949	0.75467	0.99825	0.39895	0.26869	0.61332	0.24357	0.39778	0.34463	False
Kemeny- Young (THE- ORY)	0.76694	0.99065	0.76928	0.99942	0.40596	0.27687	0.62967	0.22897	0.41472	0.36682	False

Table 5: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993
SimpleAvg	0.97196	0.98248	0.97488	0.98715	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928
Borda (NAIVE)	0.81075	0.98657	0.81367	0.99533	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785
Borda (THE- ORY)	0.74357	0.99065	0.74708	0.99942	0.39194	0.2646	0.60631	0.25117	0.38843	0.3382
RRF (NAIVE)	0.84229	0.9889	0.84521	0.99766	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166
RRF (THE- ORY)	0.76168	0.99065	0.76227	0.99942	0.40537	0.27629	0.62442	0.23598	0.40888	0.35572
Schulze (NAIVE)	0.85339	0.9521	0.85572	0.96086	0.50467	0.37734	0.71612	0.14252	0.49007	0.441
Schulze (THE- ORY)	0.75058	0.98949	0.75467	0.99825	0.39895	0.26869	0.61332	0.24357	0.39778	0.34463
Kemeny- Young (NAIVE)	0.78914	0.98949	0.79089	0.99825	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507
Kemeny- Young (THE- ORY)	0.76694	0.99065	0.76928	0.99942	0.40596	0.27687	0.62967	0.22897	0.41472	0.36682

Table 6: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.68984	0.99065	0.69042	0.99942	0.28037	0.14369	0.55257	0.01577	0.06776	0.00993
SimpleAvg	0.723715	0.982477	0.723715	0.986565	0.60689	0.47313	0.8347	0.02336	0.56776	0.51928
Borda	0.693341	0.99007	0.694509	0.998832	0.46554	0.34463	0.67348	0.18458	0.43925	0.38785
RRF	0.710864	0.99007	0.712033	0.998832	0.49591	0.37442	0.70502	0.15304	0.48189	0.43166
Schulze	0.686916	0.987734	0.688084	0.996495	0.50467	0.37734	0.71612	0.14252	0.49007	0.441
Kemeny- Young	0.716706	0.99007	0.718458	0.998832	0.4264	0.2979	0.65187	0.20736	0.41414	0.36507
Best Ex- planation (Decorr)	0.6898	0.9907	0.6904	0.9994	0.2804	0.1437	0.5526	0.0158	0.0678	0.0099
SimpleAvg (Decorr)	0.972	0.9825	0.9749	0.9871	0.6069	0.4731	0.8347	0.0234	0.5678	0.5193
Borda (Decorr)	0.7436	0.9907	0.7471	0.9994	0.3919	0.2646	0.6063	0.2512	0.3884	0.3382
RRF (Decorr)	0.7617	0.9907	0.7623	0.9994	0.4054	0.2763	0.6244	0.236	0.4089	0.3557
Schulze (Decorr)	0.7506	0.9895	0.7547	0.9982	0.3989	0.2687	0.6133	0.2436	0.3978	0.3446
Kemeny- Young (Decorr)	0.7669	0.9907	0.7693	0.9994	0.406	0.2769	0.6297	0.229	0.4147	0.3668

Table 7: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315	False
Simple Average	0.92348	0.93984	0.92465	0.941	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638	False
Borda (NAIVE)	0.60397	0.95561	0.60456	0.96437	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841	False
RRF (NAIVE)	0.61682	0.9854	0.61857	0.99416	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834	False
Schulze (NAIVE)	0.64311	0.90129	0.64428	0.91005	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813	False
Kemeny- Young (NAIVE)	0.58002	0.97664	0.58002	0.9854	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381	False
Borda (THE- ORY)	0.5111	0.98715	0.5111	0.99591	0.24299	0.13668	0.37383	0.48715	0.2722	0.21787	False
RRF (THE- ORY)	0.51285	0.98715	0.51285	0.99591	0.24825	0.14311	0.37558	0.4854	0.27044	0.21963	False
Schulze (THE- ORY)	0.50701	0.98949	0.50759	0.99708	0.24474	0.13843	0.36974	0.49065	0.26928	0.21612	False
Kemeny- Young (THE- ORY)	0.53096	0.9889	0.53213	0.99766	0.26519	0.16005	0.39369	0.46612	0.28621	0.23598	False

Table 8: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315
SimpleAvg	0.92348	0.93984	0.92465	0.941	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638
Borda (NAIVE)	0.60397	0.95561	0.60456	0.96437	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841
Borda (THE- ORY)	0.5111	0.98715	0.5111	0.99591	0.24299	0.13668	0.37383	0.48715	0.2722	0.21787
RRF (NAIVE)	0.61682	0.9854	0.61857	0.99416	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834
RRF (THE- ORY)	0.51285	0.98715	0.51285	0.99591	0.24825	0.14311	0.37558	0.4854	0.27044	0.21963
Schulze (NAIVE)	0.64311	0.90129	0.64428	0.91005	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813
Schulze (THE- ORY)	0.50701	0.98949	0.50759	0.99708	0.24474	0.13843	0.36974	0.49065	0.26928	0.21612
Kemeny- Young (NAIVE)	0.58002	0.97664	0.58002	0.9854	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381
Kemeny- Young (THE- ORY)	0.53096	0.9889	0.53213	0.99766	0.26519	0.16005	0.39369	0.46612	0.28621	0.23598

Table 9: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.51168	0.99007	0.51285	0.99766	0.22313	0.11273	0.37442	0.04206	0.10164	0.05315
SimpleAvg	0.475467	0.856308	0.476051	0.857477	0.65012	0.5403	0.78621	0.0736	0.64136	0.59638
Borda	0.462617	0.987734	0.463201	0.996495	0.33411	0.23131	0.46671	0.39369	0.35456	0.30841
RRF	0.480724	0.98715	0.481308	0.995911	0.34813	0.24533	0.47956	0.37967	0.36449	0.31834
Schulze	0.451519	0.982477	0.452103	0.991238	0.38143	0.27453	0.50584	0.35397	0.39544	0.34813
Kemeny- Young	0.488318	0.987734	0.488902	0.996495	0.31484	0.21203	0.44276	0.41822	0.33995	0.29381
Best Ex- planation (Decorr)	0.5117	0.9901	0.5129	0.9977	0.2231	0.1127	0.3744	0.0421	0.1016	0.0532
SimpleAvg (Decorr)	0.9235	0.9398	0.9246	0.941	0.6501	0.5403	0.7862	0.0736	0.6414	0.5964
Borda (Decorr)	0.5111	0.9871	0.5111	0.9959	0.243	0.1367	0.3738	0.4871	0.2722	0.2179
RRF (Decorr)	0.5129	0.9871	0.5129	0.9959	0.2482	0.1431	0.3756	0.4854	0.2704	0.2196
Schulze (Decorr)	0.507	0.9895	0.5076	0.9971	0.2447	0.1384	0.3697	0.4907	0.2693	0.2161
Kemeny- Young (Decorr)	0.531	0.9889	0.5321	0.9977	0.2652	0.16	0.3937	0.4661	0.2862	0.236

Table 10: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847	False
Simple Average	0.98773	0.99124	0.99299	0.9965	0.41647	0.24533	0.85105	0.00643	0.316	0.2389	False
Borda (NAIVE)	0.97313	0.99007	0.97547	1	0.42348	0.25175	0.83586	0.02278	0.309	0.24241	False
RRF (NAIVE)	0.97664	0.99065	0.9778	0.99942	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292	False
Schulze (NAIVE)	0.98014	0.9889	0.98423	0.99883	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526	False
Kemeny- Young (NAIVE)	0.97196	0.99007	0.97313	1	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832	False
Borda (THE- ORY)	0.96086	0.99065	0.9597	0.99942	0.43516	0.25467	0.8236	0.03855	0.32301	0.25526	False
RRF (THE- ORY)	0.96495	0.99065	0.96379	0.99942	0.44334	0.25467	0.82769	0.03446	0.30724	0.23773	False
Schulze (THE- ORY)	0.9597	0.99124	0.95853	0.99883	0.4229	0.23248	0.82243	0.03972	0.29264	0.22079	False
Kemeny- Young (THE- ORY)	0.96262	0.99065	0.96028	0.99942	0.42114	0.23949	0.82535	0.03797	0.31834	0.24299	False

Table 11: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847
SimpleAvg	0.98773	0.99124	0.99299	0.9965	0.41647	0.24533	0.85105	0.00643	0.316	0.2389
Borda (NAIVE)	0.97313	0.99007	0.97547	1	0.42348	0.25175	0.83586	0.02278	0.309	0.24241
Borda (THE- ORY)	0.96086	0.99065	0.9597	0.99942	0.43516	0.25467	0.8236	0.03855	0.32301	0.25526
RRF (NAIVE)	0.97664	0.99065	0.9778	0.99942	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292
RRF (THE- ORY)	0.96495	0.99065	0.96379	0.99942	0.44334	0.25467	0.82769	0.03446	0.30724	0.23773
Schulze (NAIVE)	0.98014	0.9889	0.98423	0.99883	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526
Schulze (THE- ORY)	0.9597	0.99124	0.95853	0.99883	0.4229	0.23248	0.82243	0.03972	0.29264	0.22079
Kemeny- Young (NAIVE)	0.97196	0.99007	0.97313	1	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832
Kemeny- Young (THE- ORY)	0.96262	0.99065	0.96028	0.99942	0.42114	0.23949	0.82535	0.03797	0.31834	0.24299

Table 12: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.96671	0.99065	0.96671	1	0.33645	0.14311	0.82886	0.00409	0.16414	0.0847
SimpleAvg	0.964369	0.991822	0.965537	0.998248	0.41647	0.24533	0.85105	0.00643	0.316	0.2389
Borda	0.943925	0.990654	0.943925	0.999416	0.42348	0.25175	0.83586	0.02278	0.309	0.24241
RRF	0.958528	0.990654	0.95736	0.999416	0.4264	0.25409	0.83937	0.02044	0.31776	0.25292
Schulze	0.952103	0.990654	0.949766	0.999416	0.42348	0.2465	0.84287	0.01402	0.31893	0.25526
Kemeny- Young	0.95035	0.990654	0.951519	0.999416	0.41939	0.2389	0.8347	0.02512	0.3014	0.23832
Best Ex- planation (Decorr)	0.9667	0.9912	0.9667	1	0.2611	0.0537	0.8289	0.0047	0.1326	0.0514
SimpleAvg (Decorr)	0.9877	0.9912	0.993	0.9965	0.4165	0.2453	0.8511	0.0064	0.316	0.2389
Borda (Decorr)	0.9609	0.9907	0.9597	0.9994	0.4352	0.2547	0.8236	0.0386	0.323	0.2553
RRF (Decorr)	0.965	0.9907	0.9638	0.9994	0.4433	0.2547	0.8277	0.0345	0.3072	0.2377
Schulze (Decorr)	0.9597	0.9912	0.9585	0.9988	0.4229	0.2325	0.8224	0.0397	0.2926	0.2208
Kemeny- Young (Decorr)	0.9626	0.9907	0.9603	0.9994	0.4211	0.2395	0.8254	0.038	0.3183	0.243

Table 13: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834	False
Simple Average	0.90362	0.90829	0.90479	0.90771	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638	False
Borda (NAIVE)	0.49241	0.89369	0.49241	0.90245	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035	False
RRF (NAIVE)	0.49883	0.96904	0.49942	0.9778	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977	False
Schulze (NAIVE)	0.52336	0.86507	0.52395	0.8715	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605	False
Kemeny- Young (NAIVE)	0.46437	0.93458	0.46495	0.94334	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653	False
Borda (THE- ORY)	0.36157	0.98773	0.36215	0.99416	0.15713	0.0882	0.2243	0.6361	0.13259	0.09112	False
RRF (THE- ORY)	0.36916	0.98598	0.36974	0.99357	0.1764	0.10689	0.23189	0.6285	0.13843	0.09579	False
Schulze (THE- ORY)	0.35105	0.98598	0.35164	0.99474	0.15479	0.08586	0.21379	0.64661	0.12383	0.08294	False
Kemeny- Young (THE- ORY)	0.38902	0.9854	0.3896	0.99416	0.17465	0.10748	0.25175	0.60864	0.15771	0.11507	False

Table 14: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834
SimpleAvg	0.90362	0.90829	0.90479	0.90771	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638
Borda (NAIVE)	0.49241	0.89369	0.49241	0.90245	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035
Borda (THE- ORY)	0.36157	0.98773	0.36215	0.99416	0.15713	0.0882	0.2243	0.6361	0.13259	0.09112
RRF (NAIVE)	0.49883	0.96904	0.49942	0.9778	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977
RRF (THE- ORY)	0.36916	0.98598	0.36974	0.99357	0.1764	0.10689	0.23189	0.6285	0.13843	0.09579
Schulze (NAIVE)	0.52336	0.86507	0.52395	0.8715	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605
Schulze (THE- ORY)	0.35105	0.98598	0.35164	0.99474	0.15479	0.08586	0.21379	0.64661	0.12383	0.08294
Kemeny- Young (NAIVE)	0.46437	0.93458	0.46495	0.94334	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653
Kemeny- Young (THE- ORY)	0.38902	0.9854	0.3896	0.99416	0.17465	0.10748	0.25175	0.60864	0.15771	0.11507

Table 15: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.41706	0.98715	0.41764	0.99591	0.15771	0.05724	0.27979	0.09112	0.10339	0.06834
SimpleAvg	0.321262	0.911799	0.321846	0.911799	0.66355	0.59287	0.76636	0.09346	0.64019	0.59638
Borda	0.313084	0.984813	0.313668	0.992407	0.25935	0.19042	0.35514	0.50584	0.24241	0.20035
RRF	0.319509	0.981308	0.320093	0.988902	0.26577	0.1986	0.36157	0.49883	0.24533	0.19977
Schulze	0.290304	0.97021	0.290888	0.978972	0.28855	0.21554	0.3861	0.4743	0.27044	0.22605
Kemeny- Young	0.34229	0.978388	0.342874	0.98715	0.23773	0.17114	0.3271	0.53329	0.20911	0.1653
Best Ex- planation (Decorr)	0.4171	0.9871	0.4176	0.9959	0.1577	0.0572	0.2798	0.0911	0.1034	0.0683
SimpleAvg (Decorr)	0.9036	0.9083	0.9048	0.9077	0.6636	0.5929	0.7664	0.0935	0.6402	0.5964
Borda (Decorr)	0.3616	0.9877	0.3621	0.9942	0.1571	0.0882	0.2243	0.6361	0.1326	0.0911
RRF (Decorr)	0.3692	0.986	0.3697	0.9936	0.1764	0.1069	0.2319	0.6285	0.1384	0.0958
Schulze (Decorr)	0.3511	0.986	0.3516	0.9947	0.1548	0.0859	0.2138	0.6466	0.1238	0.0829
Kemeny- Young (Decorr)	0.389	0.9854	0.3896	0.9942	0.1746	0.1075	0.2518	0.6086	0.1577	0.1151

Table 16: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374	False
Simple Average	0.96787	0.98481	0.97255	0.99182	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208	False
Borda (NAIVE)	0.91355	0.99007	0.9153	0.99883	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229	False
RRF (NAIVE)	0.92056	0.99007	0.92348	0.99883	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871	False
Schulze (NAIVE)	0.92815	0.97547	0.93049	0.98423	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572	False
Kemeny- Young (NAIVE)	0.89369	0.99007	0.89428	0.99883	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951	False
Borda (THE- ORY)	0.85339	0.99065	0.85572	0.99942	0.45444	0.30607	0.71612	0.14252	0.35164	0.29614	False
RRF (THE- ORY)	0.875	0.99065	0.87558	0.99942	0.46554	0.30958	0.73773	0.12266	0.36974	0.31367	False
Schulze (THE- ORY)	0.8639	0.99065	0.8639	0.99942	0.4597	0.30783	0.72664	0.13435	0.35456	0.2979	False
Kemeny- Young (THE- ORY)	0.87442	0.99065	0.87675	0.99942	0.46846	0.31951	0.73715	0.1215	0.36857	0.31484	False

Table 17: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374
SimpleAvg	0.96787	0.98481	0.97255	0.99182	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208
Borda (NAIVE)	0.91355	0.99007	0.9153	0.99883	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229
Borda (THE- ORY)	0.85339	0.99065	0.85572	0.99942	0.45444	0.30607	0.71612	0.14252	0.35164	0.29614
RRF (NAIVE)	0.92056	0.99007	0.92348	0.99883	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871
RRF (THE- ORY)	0.875	0.99065	0.87558	0.99942	0.46554	0.30958	0.73773	0.12266	0.36974	0.31367
Schulze (NAIVE)	0.92815	0.97547	0.93049	0.98423	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572
Schulze (THE- ORY)	0.8639	0.99065	0.8639	0.99942	0.4597	0.30783	0.72664	0.13435	0.35456	0.2979
Kemeny- Young (NAIVE)	0.89369	0.99007	0.89428	0.99883	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951
Kemeny- Young (THE- ORY)	0.87442	0.99065	0.87675	0.99942	0.46846	0.31951	0.73715	0.1215	0.36857	0.31484

Table 18: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.82068	0.99065	0.82126	0.99942	0.33353	0.17699	0.68283	0.00993	0.11741	0.05374
SimpleAvg	0.891939	0.984813	0.890771	0.991822	0.54614	0.40012	0.83061	0.0257	0.42815	0.37208
Borda	0.874416	0.990654	0.876752	0.999416	0.49942	0.35572	0.77629	0.08294	0.39486	0.34229
RRF	0.882593	0.990654	0.883178	0.999416	0.51869	0.3785	0.78329	0.07477	0.39661	0.34871
Schulze	0.863902	0.990654	0.863902	0.999416	0.52804	0.38493	0.79089	0.06776	0.40421	0.35572
Kemeny- Young	0.885514	0.990654	0.887266	0.999416	0.48423	0.33528	0.75643	0.10397	0.3715	0.31951
Best Ex- planation (Decorr)	0.8207	0.9907	0.8213	0.9994	0.3119	0.1419	0.6828	0.0099	0.1174	0.0537
SimpleAvg (Decorr)	0.9679	0.9848	0.9725	0.9918	0.5461	0.4001	0.8306	0.0257	0.4282	0.3721
Borda (Decorr)	0.8534	0.9907	0.8557	0.9994	0.4544	0.3061	0.7161	0.1425	0.3516	0.2961
RRF (Decorr)	0.875	0.9907	0.8756	0.9994	0.4655	0.3096	0.7377	0.1227	0.3697	0.3137
Schulze (Decorr)	0.8639	0.9907	0.8639	0.9994	0.4597	0.3078	0.7266	0.1343	0.3546	0.2979
Kemeny- Young (Decorr)	0.8744	0.9907	0.8768	0.9994	0.4685	0.3195	0.7371	0.1215	0.3686	0.3148

Table 19: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993	False
Simple Average	0.96612	0.98248	0.97021	0.98657	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301	False
Borda (NAIVE)	0.75759	0.98248	0.75935	0.99124	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486	False
RRF (NAIVE)	0.78154	0.9889	0.78446	0.99766	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472	False
Schulze (NAIVE)	0.809	0.93633	0.81075	0.94509	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633	False
Kemeny- Young (NAIVE)	0.73072	0.98949	0.73364	0.99825	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047	False
Borda (THE- ORY)	0.68925	0.9889	0.69159	0.99766	0.37383	0.24591	0.55199	0.30666	0.39136	0.34112	False
RRF (THE- ORY)	0.70152	0.98949	0.70327	0.99825	0.38785	0.2646	0.56425	0.29498	0.39895	0.35105	False
Schulze (THE- ORY)	0.68692	0.98773	0.68808	0.9965	0.37325	0.24883	0.54965	0.31016	0.3785	0.32944	False
Kemeny- Young (THE- ORY)	0.69334	0.99007	0.69451	0.99883	0.38493	0.25818	0.55607	0.30374	0.38435	0.33411	False

Table 20: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993
SimpleAvg	0.96612	0.98248	0.97021	0.98657	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301
Borda (NAIVE)	0.75759	0.98248	0.75935	0.99124	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486
Borda (THE- ORY)	0.68925	0.9889	0.69159	0.99766	0.37383	0.24591	0.55199	0.30666	0.39136	0.34112
RRF (NAIVE)	0.78154	0.9889	0.78446	0.99766	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472
RRF (THE- ORY)	0.70152	0.98949	0.70327	0.99825	0.38785	0.2646	0.56425	0.29498	0.39895	0.35105
Schulze (NAIVE)	0.809	0.93633	0.81075	0.94509	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633
Schulze (THE- ORY)	0.68692	0.98773	0.68808	0.9965	0.37325	0.24883	0.54965	0.31016	0.3785	0.32944
Kemeny- Young (NAIVE)	0.73072	0.98949	0.73364	0.99825	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047
Kemeny- Young (THE- ORY)	0.69334	0.99007	0.69451	0.99883	0.38493	0.25818	0.55607	0.30374	0.38435	0.33411

Table 21: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.60222	0.99065	0.60514	0.99942	0.25292	0.12909	0.46495	0.02103	0.05374	0.00993
SimpleAvg	0.723715	0.982477	0.723715	0.986565	0.63785	0.52103	0.82886	0.02804	0.61799	0.57301
Borda	0.693341	0.99007	0.694509	0.998832	0.45561	0.34112	0.62033	0.2389	0.43984	0.39486
RRF	0.710864	0.99007	0.712033	0.998832	0.47196	0.35806	0.64428	0.21379	0.45794	0.41472
Schulze	0.686916	0.987734	0.688084	0.996495	0.50759	0.39311	0.67173	0.1875	0.48072	0.43633
Kemeny- Young	0.716706	0.99007	0.718458	0.998832	0.43107	0.31951	0.59346	0.2646	0.39428	0.35047
Best Ex- planation (Decorr)	0.6022	0.9907	0.6051	0.9994	0.2529	0.1291	0.465	0.021	0.0537	0.0099
SimpleAvg (Decorr)	0.9661	0.9825	0.9702	0.9866	0.6379	0.521	0.8289	0.028	0.618	0.573
Borda (Decorr)	0.6893	0.9889	0.6916	0.9977	0.3738	0.2459	0.552	0.3067	0.3914	0.3411
RRF (Decorr)	0.7015	0.9895	0.7033	0.9982	0.3879	0.2646	0.5643	0.295	0.3989	0.3511
Schulze (Decorr)	0.6869	0.9877	0.6881	0.9965	0.3732	0.2488	0.5496	0.3102	0.3785	0.3294
Kemeny- Young (Decorr)	0.6933	0.9901	0.6945	0.9988	0.3849	0.2582	0.5561	0.3037	0.3843	0.3341

Table 22: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893	False
Simple Average	0.8861	0.85631	0.88668	0.85748	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951	False
Borda (NAIVE)	0.56133	0.9153	0.56192	0.92407	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757	False
RRF (NAIVE)	0.56834	0.97956	0.56893	0.98832	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752	False
Schulze (NAIVE)	0.5882	0.88785	0.58879	0.89661	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731	False
Kemeny- Young (NAIVE)	0.53388	0.95502	0.53446	0.96379	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467	False
Borda (THE- ORY)	0.43224	0.98598	0.43283	0.99474	0.20152	0.11916	0.29498	0.56542	0.20911	0.16764	False
RRF (THE- ORY)	0.43925	0.98657	0.43984	0.99533	0.22488	0.13727	0.30199	0.55841	0.21028	0.16998	False
Schulze (THE- ORY)	0.43516	0.98715	0.43516	0.99591	0.21787	0.13201	0.2979	0.56308	0.21145	0.17231	False
Kemeny- Young (THE- ORY)	0.46262	0.98773	0.4632	0.9965	0.23131	0.15304	0.32535	0.53505	0.22313	0.18341	False

Table 23: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893
SimpleAvg	0.8861	0.85631	0.88668	0.85748	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951
Borda (NAIVE)	0.56133	0.9153	0.56192	0.92407	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757
Borda (THE- ORY)	0.43224	0.98598	0.43283	0.99474	0.20152	0.11916	0.29498	0.56542	0.20911	0.16764
RRF (NAIVE)	0.56834	0.97956	0.56893	0.98832	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752
RRF (THE- ORY)	0.43925	0.98657	0.43984	0.99533	0.22488	0.13727	0.30199	0.55841	0.21028	0.16998
Schulze (NAIVE)	0.5882	0.88785	0.58879	0.89661	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731
Schulze (THE- ORY)	0.43516	0.98715	0.43516	0.99591	0.21787	0.13201	0.2979	0.56308	0.21145	0.17231
Kemeny- Young (NAIVE)	0.53388	0.95502	0.53446	0.96379	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467
Kemeny- Young (THE- ORY)	0.46262	0.98773	0.4632	0.9965	0.23131	0.15304	0.32535	0.53505	0.22313	0.18341

Table 24: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.46612	0.98832	0.46671	0.99533	0.20561	0.10514	0.32886	0.05783	0.11332	0.06893
SimpleAvg	0.475467	0.856308	0.476051	0.857477	0.62266	0.53446	0.74883	0.11157	0.61098	0.56951
Borda	0.462617	0.987734	0.463201	0.996495	0.32535	0.2389	0.42407	0.43633	0.31659	0.2757
RRF	0.480724	0.98715	0.481308	0.995911	0.33002	0.24124	0.43107	0.42932	0.31075	0.26752
Schulze	0.451519	0.982477	0.452103	0.991238	0.34638	0.26285	0.45093	0.40946	0.33762	0.29731
Kemeny- Young	0.488318	0.987734	0.488902	0.996495	0.2979	0.21203	0.39661	0.46379	0.29498	0.25467
Best Ex- planation (Decorr)	0.4661	0.9883	0.4667	0.9953	0.2056	0.1051	0.3289	0.0578	0.1133	0.0689
SimpleAvg (Decorr)	0.8861	0.8563	0.8867	0.8575	0.6227	0.5345	0.7488	0.1116	0.611	0.5695
Borda (Decorr)	0.4322	0.986	0.4328	0.9947	0.2015	0.1192	0.295	0.5654	0.2091	0.1676
RRF (Decorr)	0.4393	0.9866	0.4398	0.9953	0.2249	0.1373	0.302	0.5584	0.2103	0.17
Schulze (Decorr)	0.4352	0.9871	0.4352	0.9959	0.2179	0.132	0.2979	0.5631	0.2114	0.1723
Kemeny- Young (Decorr)	0.4626	0.9877	0.4632	0.9965	0.2313	0.153	0.3254	0.535	0.2231	0.1834

Table 25: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061	False
Simple Average	0.99007	0.99182	0.99533	0.99825	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161	False
Borda (NAIVE)	0.96612	0.99007	0.96904	1	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818	False
RRF (NAIVE)	0.96963	0.98949	0.97196	0.99942	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636	False
Schulze (NAIVE)	0.97722	0.9889	0.97956	0.99766	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402	False
Kemeny- Young (NAIVE)	0.96437	0.99007	0.96437	1	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584	False
Borda (THE- ORY)	0.91998	0.99065	0.92231	0.99942	0.42348	0.2535	0.78271	0.07593	0.27921	0.22255	False
RRF (THE- ORY)	0.95035	0.99065	0.94977	0.99942	0.45093	0.27804	0.81308	0.04848	0.2903	0.2243	False
Schulze (THE- ORY)	0.94918	0.99065	0.94918	0.99942	0.45444	0.28213	0.81192	0.04907	0.29498	0.23306	False
Kemeny- Young (THE- ORY)	0.94393	0.99065	0.94393	0.99942	0.44276	0.26928	0.80607	0.05374	0.31484	0.25175	False

Table 26: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061
SimpleAvg	0.99007	0.99182	0.99533	0.99825	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161
Borda (NAIVE)	0.96612	0.99007	0.96904	1	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818
Borda (THE- ORY)	0.91998	0.99065	0.92231	0.99942	0.42348	0.2535	0.78271	0.07593	0.27921	0.22255
RRF (NAIVE)	0.96963	0.98949	0.97196	0.99942	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636
RRF (THE- ORY)	0.95035	0.99065	0.94977	0.99942	0.45093	0.27804	0.81308	0.04848	0.2903	0.2243
Schulze (NAIVE)	0.97722	0.9889	0.97956	0.99766	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402
Schulze (THE- ORY)	0.94918	0.99065	0.94918	0.99942	0.45444	0.28213	0.81192	0.04907	0.29498	0.23306
Kemeny- Young (NAIVE)	0.96437	0.99007	0.96437	1	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584
Kemeny- Young (THE- ORY)	0.94393	0.99065	0.94393	0.99942	0.44276	0.26928	0.80607	0.05374	0.31484	0.25175

Table 27: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.93808	0.99065	0.9375	1	0.34463	0.15654	0.79965	0.00643	0.15713	0.08061
SimpleAvg	0.964369	0.991822	0.965537	0.998248	0.46437	0.29848	0.8528	0.00292	0.33528	0.27161
Borda	0.943925	0.990654	0.943925	0.999416	0.44801	0.28096	0.82886	0.02921	0.31425	0.25818
RRF	0.958528	0.990654	0.95736	0.999416	0.47313	0.30841	0.83236	0.02629	0.31776	0.26636
Schulze	0.952103	0.990654	0.949766	0.999416	0.46203	0.29322	0.83995	0.01869	0.32009	0.26402
Kemeny- Young	0.95035	0.990654	0.951519	0.999416	0.46554	0.29556	0.8271	0.03388	0.31425	0.25584
Best Ex- planation (Decorr)	0.9381	0.9918	0.9375	1	0.2821	0.0853	0.7996	0.0029	0.1443	0.0578
SimpleAvg (Decorr)	0.9901	0.9918	0.9953	0.9982	0.4644	0.2985	0.8528	0.0029	0.3353	0.2716
Borda (Decorr)	0.92	0.9907	0.9223	0.9994	0.4235	0.2535	0.7827	0.0759	0.2792	0.2225
RRF (Decorr)	0.9504	0.9907	0.9498	0.9994	0.4509	0.278	0.8131	0.0485	0.2903	0.2243
Schulze (Decorr)	0.9492	0.9907	0.9492	0.9994	0.4544	0.2821	0.8119	0.0491	0.295	0.2331
Kemeny- Young (Decorr)	0.9439	0.9907	0.9439	0.9994	0.4428	0.2693	0.8061	0.0537	0.3148	0.2518

Table 28: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	is decorrelated
Best Ex- planation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876	False
Simple Average	0.89778	0.9118	0.89836	0.9118	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974	False
Borda (NAIVE)	0.441	0.85806	0.44159	0.86565	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523	False
RRF (NAIVE)	0.44685	0.94743	0.44743	0.95502	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107	False
Schulze (NAIVE)	0.47138	0.83236	0.47196	0.83995	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736	False
Kemeny- Young (NAIVE)	0.45853	0.88026	0.45911	0.88785	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626	False
Borda (THE- ORY)	0.27453	0.98364	0.27512	0.99124	0.10105	0.059	0.13727	0.72313	0.06133	0.02804	False
RRF (THE- ORY)	0.30199	0.98364	0.30257	0.99124	0.13201	0.0993	0.16472	0.69568	0.08937	0.05607	False
Schulze (THE- ORY)	0.26811	0.98423	0.26869	0.99299	0.10572	0.07301	0.13084	0.72956	0.05607	0.0222	False
Kemeny- Young (THE- ORY)	0.31308	0.98481	0.31367	0.99241	0.13551	0.09638	0.17582	0.68458	0.09696	0.06075	False

Table 29: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876
SimpleAvg	0.89778	0.9118	0.89836	0.9118	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974
Borda (NAIVE)	0.441	0.85806	0.44159	0.86565	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523
Borda (THE- ORY)	0.27453	0.98364	0.27512	0.99124	0.10105	0.059	0.13727	0.72313	0.06133	0.02804
RRF (NAIVE)	0.44685	0.94743	0.44743	0.95502	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107
RRF (THE- ORY)	0.30199	0.98364	0.30257	0.99124	0.13201	0.0993	0.16472	0.69568	0.08937	0.05607
Schulze (NAIVE)	0.47138	0.83236	0.47196	0.83995	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736
Schulze (THE- ORY)	0.26811	0.98423	0.26869	0.99299	0.10572	0.07301	0.13084	0.72956	0.05607	0.0222
Kemeny- Young (NAIVE)	0.45853	0.88026	0.45911	0.88785	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626
Kemeny- Young (THE- ORY)	0.31308	0.98481	0.31367	0.99241	0.13551	0.09638	0.17582	0.68458	0.09696	0.06075

Table 30: BloodMNIST–DenseNet-121 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.3347	0.98189	0.33528	0.99182	0.08937	0.00993	0.19568	0.13727	0.05199	0.00876
SimpleAvg	0.321262	0.911799	0.321846	0.911799	0.69334	0.64836	0.76051	0.09988	0.65479	0.61974
Borda	0.313084	0.984813	0.313668	0.992407	0.24182	0.19334	0.30374	0.55666	0.2097	0.17523
RRF	0.319509	0.981308	0.320093	0.988902	0.24241	0.19509	0.30958	0.55082	0.21379	0.18107
Schulze	0.290304	0.97021	0.290888	0.978972	0.26636	0.21145	0.33411	0.52629	0.24065	0.20736
Kemeny- Young	0.34229	0.978388	0.342874	0.98715	0.25876	0.21495	0.32126	0.53914	0.22956	0.19626
Best Ex- planation (Decorr)	0.3347	0.9819	0.3353	0.9918	0.0894	0.0099	0.1957	0.0999	0.052	0.0088
SimpleAvg (Decorr)	0.8978	0.9118	0.8984	0.9118	0.6933	0.6484	0.7605	0.0999	0.6548	0.6197
Borda (Decorr)	0.2745	0.9836	0.2751	0.9912	0.1011	0.059	0.1373	0.7231	0.0613	0.028
RRF (Decorr)	0.302	0.9836	0.3026	0.9912	0.132	0.0993	0.1647	0.6957	0.0894	0.0561
Schulze (Decorr)	0.2681	0.9842	0.2687	0.993	0.1057	0.073	0.1308	0.7296	0.0561	0.0222
Kemeny- Young (Decorr)	0.3131	0.9848	0.3137	0.9924	0.1355	0.0964	0.1758	0.6846	0.097	0.0607

Table 31: BloodMNIST–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.853388	0.855724	0.990654	0.999416
Borda (n=3)	Ensemble	0.874416	0.876752	0.990654	0.999416
Borda (n=4)	Ensemble	0.885514	0.887266	0.990654	0.999416
Borda (n=5)	Ensemble	0.886682	0.88785	0.990654	0.999416
Borda (n=6)	Ensemble	0.893692	0.89486	0.99007	0.998832
Borda (n=7)	Ensemble	0.893692	0.894276	0.99007	0.998832
Borda (n=8)	Ensemble	0.913551	0.915304	0.99007	0.998832
Kemeny-Young (n=2)	Ensemble	0.853388	0.855724	0.990654	0.999416
Kemeny-Young (n=3)	Ensemble	0.874416	0.876752	0.990654	0.999416
Kemeny-Young (n=4)	Ensemble	0.885514	0.887266	0.990654	0.999416
Kemeny-Young (n=5)	Ensemble	0.886682	0.88785	0.990654	0.999416
Kemeny-Young (n=6)	Ensemble	0.893692	0.89486	0.99007	0.998832
Kemeny-Young (n=7)	Ensemble	0.893692	0.894276	0.99007	0.998832
Kemeny-Young (n=8)	Ensemble	0.913551	0.915304	0.99007	0.998832
RRF (n=2)	Ensemble	0.875	0.875584	0.990654	0.999416
RRF (n=3)	Ensemble	0.882593	0.883178	0.990654	0.999416
RRF (n=4)	Ensemble	0.900701	0.901869	0.990654	0.999416
RRF (n=5)	Ensemble	0.911799	0.914136	0.990654	0.998248
RRF (n=6)	Ensemble	0.922897	0.925818	0.991238	0.998832
RRF (n=7)	Ensemble	0.906542	0.910047	0.990654	0.999416
RRF (n=8)	Ensemble	0.920561	0.923481	0.99007	0.998832
Schulze (n=2)	Ensemble	0.872664	0.870911	0.990654	0.999416
Schulze (n=3)	Ensemble	0.863902	0.863902	0.990654	0.999416
Schulze (n=4)	Ensemble	0.91472	0.91472	0.99007	0.998832
Schulze (n=5)	Ensemble	0.924065	0.926402	0.988902	0.997664
Schulze (n=6)	Ensemble	0.932243	0.936332	0.987734	0.996495
Schulze (n=7)	Ensemble	0.921729	0.925234	0.983061	0.991822
Schulze (n=8)	Ensemble	0.928154	0.930491	0.975467	0.984229
norm_ensemble (n=2)	Ensemble	0.867991	0.867407	0.984813	0.991822
norm_ensemble (n=3)	Ensemble	0.891939	0.890771	0.984813	0.991822
norm_ensemble (n=4)	Ensemble	0.928154	0.929322	0.984813	0.991822
norm_ensemble (n=5)	Ensemble	0.945093	0.94743	0.984813	0.991822
norm_ensemble (n=6)	Ensemble	0.955023	0.958528	0.984813	0.991822

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.967874	0.972547	0.984813	0.991822
norm_ensemble (n=8)	Ensemble	0.967874	0.972547	0.984813	0.991822
Deconvolut	Single	0.946846	0.95035	0.990654	0.999416
Deconvolut	Single	0.946846	0.95035	0.990654	0.999416
DeepLIFT_SSAP	Single	0.860724	0.864229	0.868575	0.876752
DeepLIFT_SSAP_base	Single	0.860724	0.864229	0.868575	0.876752
DeepLIFT_SSAP_base	Single	0.860724	0.864229	0.868575	0.876752
DeepLIFT_SSAP_base	Single	0.860724	0.864229	0.868575	0.876752
DeepLIFT_SSAP_base	Single	0.860724	0.864229	0.868575	0.876752
DeepLIFT_Singlines_glb	Single	0.945678	0.944509	0.973715	0.981308
DeepLIFT_Singlines_glb	Single	0.945678	0.944509	0.973715	0.981308
GradientShing	Single	0.933951	0.936382	0.982177	0.991238
GradientShing	Single	0.933951	0.936382	0.982177	0.991238
GradientShing	Single	0.933951	0.936382	0.982177	0.991238
GradientShing	Single	0.933951	0.936382	0.982177	0.991238
GradientShing	Single	0.933951	0.936382	0.982177	0.991238
GuidedBack	Single	0.820678	0.821262	0.988902	0.997664
GuidedBack	Single	0.820678	0.821262	0.988902	0.997664
InputXGra	Single	0.98014	0.988318	0.867407	0.876168
InputXGra	Single	0.98014	0.988318	0.867407	0.876168
IntegratedGradients_base	Single	0.955623	0.966028	0.941005	0.949766
IntegratedGradients_base	Single	0.955623	0.966028	0.941005	0.949766
IntegratedGradients_base	Single	0.955623	0.966028	0.941005	0.949766
IntegratedGradients_base	Single	0.955623	0.966028	0.941005	0.949766
IntegratedGradients_base	Single	0.955623	0.966028	0.941005	0.949766
Saliency	Single	0.969042	0.974299	0.926986	0.935748
Saliency	Single	0.969042	0.974299	0.926986	0.935748

Table 32: BloodMNIST–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.454439	0.306075	0.716121	0.142523	0.351636	0.296145	0.253505	0.030374	0.853388	0.001168	0.112734	0.013435
Borda (n=3)	Ensemble	0.468458	0.319509	0.73715	0.121495	0.368575	0.314836	0.253505	0.028037	0.853388	0.001168	0.113318	0.012266
Borda (n=4)	Ensemble	0.484813	0.328271	0.748248	0.110981	0.39486	0.34229	0.252921	0.026869	0.853388	0.001168	0.111565	0.014019
Borda (n=5)	Ensemble	0.481308	0.334696	0.749416	0.110397	0.380841	0.327687	0.254673	0.027453	0.853388	0.001168	0.114486	0.01285
Borda (n=6)	Ensemble	0.473131	0.32535	0.756425	0.103388	0.388435	0.338785	0.255257	0.023949	0.852804	0.000584	0.113902	0.012266
Borda (n=7)	Ensemble	0.484229	0.33528	0.756425	0.103972	0.371495	0.319509	0.253505	0.026285	0.852804	0.000584	0.113318	0.013435
Borda (n=8)	Ensemble	0.499416	0.355724	0.776285	0.082944	0.39486	0.34229	0.254089	0.027453	0.852804	0.000584	0.113318	0.010514
Kemeny-Young (n=2)	Ensemble	0.454439	0.306075	0.716121	0.142523	0.351636	0.296145	0.253505	0.030374	0.853388	0.001168	0.112734	0.013435
Kemeny-Young (n=3)	Ensemble	0.468458	0.319509	0.73715	0.121495	0.368575	0.314836	0.253505	0.028037	0.853388	0.001168	0.113318	0.012266
Kemeny-Young (n=4)	Ensemble	0.484813	0.328271	0.748248	0.110981	0.39486	0.34229	0.252921	0.026869	0.853388	0.001168	0.111565	0.014019
Kemeny-Young (n=5)	Ensemble	0.481308	0.334696	0.749416	0.110397	0.380841	0.327687	0.254673	0.027453	0.853388	0.001168	0.114486	0.01285
Kemeny-Young (n=6)	Ensemble	0.473131	0.32535	0.756425	0.103388	0.388435	0.338785	0.255257	0.023949	0.852804	0.000584	0.113902	0.012266
Kemeny-Young (n=7)	Ensemble	0.484229	0.33528	0.756425	0.103972	0.371495	0.319509	0.253505	0.026285	0.852804	0.000584	0.113318	0.013435
Kemeny-Young (n=8)	Ensemble	0.499416	0.355724	0.776285	0.082944	0.39486	0.34229	0.254089	0.027453	0.852804	0.000584	0.113318	0.010514
RRF (n=2)	Ensemble	0.465537	0.309579	0.737734	0.122664	0.369743	0.313668	0.254673	0.029206	0.853388	0.001168	0.112734	0.013435
RRF (n=3)	Ensemble	0.473131	0.323598	0.745327	0.11507	0.368575	0.313084	0.255841	0.021028	0.853388	0.001168	0.112734	0.012266
RRF (n=4)	Ensemble	0.492407	0.343458	0.763435	0.096379	0.390771	0.339953	0.257593	0.023949	0.853388	0.001168	0.11215	0.013435
RRF (n=5)	Ensemble	0.508178	0.366822	0.774533	0.084112	0.406542	0.356308	0.255257	0.020444	0.853388	0	0.116238	0.012266
RRF (n=6)	Ensemble	0.511682	0.367991	0.785631	0.07243	0.408879	0.360981	0.25993	0.026285	0.853972	0.000584	0.115654	0.010514
RRF (n=7)	Ensemble	0.492991	0.346963	0.769276	0.088201	0.38493	0.338201	0.26285	0.02979	0.853388	0.001168	0.114486	0.01285
RRF (n=8)	Ensemble	0.518692	0.378505	0.783294	0.074766	0.396612	0.348715	0.25993	0.028621	0.852804	0.000584	0.11507	0.011682
Schulze (n=2)	Ensemble	0.482477	0.327103	0.735397	0.127336	0.366238	0.308411	0.255841	0.025701	0.853388	0.001168	0.11507	0.014019
Schulze (n=3)	Ensemble	0.459696	0.307827	0.726636	0.134346	0.354556	0.297897	0.254673	0.029206	0.853388	0.001168	0.113318	0.013435
Schulze (n=4)	Ensemble	0.497079	0.347547	0.777453	0.083528	0.400701	0.346963	0.256425	0.026285	0.852804	0.000584	0.113902	0.012266
Schulze (n=5)	Ensemble	0.514019	0.370911	0.786799	0.071846	0.390771	0.341121	0.258178	0.023364	0.851636	0.000584	0.111565	0.009346
Schulze (n=6)	Ensemble	0.51986	0.378505	0.794977	0.061916	0.412383	0.367407	0.256425	0.023364	0.850467	0.001752	0.110981	0.009346
Schulze (n=7)	Ensemble	0.508762	0.367991	0.784463	0.073014	0.39778	0.35222	0.250584	0.017523	0.845794	0.006425	0.107477	0.005841
Schulze (n=8)	Ensemble	0.528037	0.38493	0.790888	0.067757	0.404206	0.355724	0.241238	0.014019	0.838201	0.014019	0.100467	0.003505
norm_ensemble (n=2)	Ensemble	0.488902	0.34521	0.730724	0.130841	0.376752	0.323598	0.251752	0.036799	0.847547	0.006425	0.152453	0.070093
norm_ensemble (n=3)	Ensemble	0.509346	0.366822	0.754673	0.107477	0.384346	0.327103	0.252336	0.030374	0.847547	0.006425	0.152453	0.070093
norm_ensemble (n=4)	Ensemble	0.521612	0.372079	0.790888	0.068925	0.411215	0.355724	0.252336	0.025117	0.847547	0.006425	0.152453	0.070093

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.526285	0.38493	0.807827	0.050818	0.402453	0.346379	0.254673	0.01986	0.847547	0.006425	0.152453	0.070093
norm_ensemble (n=6)	Ensemble	0.528621	0.38785	0.817757	0.03972	0.424065	0.373248	0.257009	0.02979	0.847547	0.006425	0.152453	0.070093
norm_ensemble (n=7)	Ensemble	0.525117	0.378505	0.830607	0.025701	0.41764	0.36215	0.346963	0.144276	0.847547	0.006425	0.152453	0.070093
norm_ensemble (n=8)	Ensemble	0.546145	0.400117	0.830607	0.025701	0.428154	0.372079	0.346963	0.144276	0.847547	0.006425	0.152453	0.070093
Deconvolut	Single	0.373248	0.203855	0.808995	0.048481	0.216706	0.156542	0.250584	0.035047	0.853388	0.001168	0.112734	0.016355
Deconvolut	Single	0.373248	0.203855	0.808995	0.048481	0.216706	0.156542	0.250584	0.035047	0.853388	0.001168	0.112734	0.016355
DeepLIFT	SHAP_base0.1408248mbin0.3224706	0.408248	0.244706	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
DeepLIFT	SHAP_base0.1408248mbin0.3224706	0.408248	0.244706	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
DeepLIFT	SHAP_base0.1408248mbin0.3224706	0.408248	0.244706	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
DeepLIFT	SHAP_base0.1408248mbin0.3224706	0.408248	0.244706	0.843458	0.014019	0.307243	0.223715	0.137266	0.074766	0.731308	0.121495	0.045561	0.047897
DeepLIFT	SHAP_lines_glb521612mean	0.521612	0.359813	0.808411	0.053738	0.426986	0.371495	0.244743	0.007009	0.836449	0.016939	0.110981	0.002921
DeepLIFT	SHAP_lines_glb521612mean	0.521612	0.359813	0.808411	0.053738	0.426986	0.371495	0.244743	0.007009	0.836449	0.016939	0.110981	0.002921
GradientSh	SHAP_lines0.501750hed_0.35202sampl706209	0.501750	0.35202	0.61796209	0.061916	0.409463	0.358645	0.251168	0.01986	0.84521	0.007009	0.109229	0.005257
GradientSh	SHAP_lines0.501750hed_0.35202sampl706209	0.501750	0.35202	0.61796209	0.061916	0.409463	0.358645	0.251168	0.01986	0.84521	0.007009	0.109229	0.005257
GradientSh	SHAP_lines0.504675hed_0.353972sampl707807	0.504675	0.353972	0.61797807	0.060748	0.40479	0.349883	0.249416	0.02278	0.845794	0.006425	0.11215	0.012266
GradientSh	SHAP_lines0.504675hed_0.353972sampl707807	0.504675	0.353972	0.61797807	0.060748	0.40479	0.349883	0.249416	0.02278	0.845794	0.006425	0.11215	0.012266
GuidedBack	SHAP	0.333528	0.176986	0.682827	0.176402	0.117407	0.053738	0.263435	0.036799	0.851636	0.000584	0.133178	0.02979
GuidedBack	SHAP	0.333528	0.176986	0.682827	0.176402	0.117407	0.053738	0.263435	0.036799	0.851636	0.000584	0.133178	0.02979
InputXGra	SHAP	0.525701	0.389019	0.842874	0.00993	0.370327	0.327103	0.13493	0.094626	0.73014	0.122079	0.002336	0.106308
InputXGra	SHAP	0.525701	0.389019	0.842874	0.00993	0.370327	0.327103	0.13493	0.094626	0.73014	0.122079	0.002336	0.106308
Integrated	Gradients_base0.002386zero0.65168ps_200817173	0.002386	0.65168ps	200817173	0.037967	0.405374	0.353388	0.211449	0.017523	0.803738	0.048481	0.077103	0.024533
Integrated	Gradients_base0.002386zero0.65168ps_200817173	0.002386	0.65168ps	200817173	0.037967	0.405374	0.353388	0.211449	0.017523	0.803738	0.048481	0.077103	0.024533
Integrated	Gradients_base0.003505zero0.35504ps_50.817757	0.003505	0.35504ps	50.817757	0.037383	0.405374	0.356308	0.211449	0.018692	0.803738	0.048481	0.076519	0.025701
Integrated	Gradients_base0.003505zero0.35504ps_50.817757	0.003505	0.35504ps	50.817757	0.037383	0.405374	0.356308	0.211449	0.018692	0.803738	0.048481	0.076519	0.025701
Saliency	Single	0.601051	0.469042	0.831776	0.023949	0.432243	0.387266	0.192757	0.033879	0.78972	0.0625	0.053738	0.050818
Saliency	Single	0.601051	0.469042	0.831776	0.023949	0.432243	0.387266	0.192757	0.033879	0.78972	0.0625	0.053738	0.050818

Table 33: BloodMNIST–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.689252	0.691589	0.988902	0.997664
Borda (n=3)	Ensemble	0.693341	0.694509	0.99007	0.998832
Borda (n=4)	Ensemble	0.716706	0.718458	0.99007	0.998832
Borda (n=5)	Ensemble	0.726636	0.728388	0.99007	0.998832
Borda (n=6)	Ensemble	0.748248	0.75	0.989486	0.998248
Borda (n=7)	Ensemble	0.730724	0.733645	0.989486	0.998248
Borda (n=8)	Ensemble	0.757593	0.759346	0.982477	0.991238
Kemeny-Young (n=2)	Ensemble	0.689252	0.691589	0.988902	0.997664
Kemeny-Young (n=3)	Ensemble	0.693341	0.694509	0.99007	0.998832
Kemeny-Young (n=4)	Ensemble	0.716706	0.718458	0.99007	0.998832
Kemeny-Young (n=5)	Ensemble	0.726636	0.728388	0.99007	0.998832
Kemeny-Young (n=6)	Ensemble	0.748248	0.75	0.989486	0.998248
Kemeny-Young (n=7)	Ensemble	0.730724	0.733645	0.989486	0.998248
Kemeny-Young (n=8)	Ensemble	0.757593	0.759346	0.982477	0.991238
RRF (n=2)	Ensemble	0.701519	0.703271	0.989486	0.998248
RRF (n=3)	Ensemble	0.710864	0.712033	0.99007	0.998832
RRF (n=4)	Ensemble	0.723715	0.726636	0.99007	0.998832
RRF (n=5)	Ensemble	0.752921	0.754089	0.990654	0.999416
RRF (n=6)	Ensemble	0.775117	0.776285	0.990654	0.999416
RRF (n=7)	Ensemble	0.757593	0.758178	0.989486	0.998248
RRF (n=8)	Ensemble	0.781542	0.784463	0.988902	0.997664
Schulze (n=2)	Ensemble	0.691005	0.693341	0.989486	0.998248
Schulze (n=3)	Ensemble	0.686916	0.688084	0.987734	0.996495
Schulze (n=4)	Ensemble	0.73715	0.74007	0.983645	0.992407
Schulze (n=5)	Ensemble	0.772196	0.775117	0.983061	0.991822
Schulze (n=6)	Ensemble	0.818925	0.821846	0.969626	0.978388
Schulze (n=7)	Ensemble	0.79965	0.801402	0.954439	0.963201
Schulze (n=8)	Ensemble	0.808995	0.810748	0.936332	0.945093
norm_ensemble (n=2)	Ensemble	0.695678	0.695093	0.982477	0.986565
norm_ensemble (n=3)	Ensemble	0.723715	0.723715	0.982477	0.986565
norm_ensemble (n=4)	Ensemble	0.776285	0.779206	0.982477	0.986565
norm_ensemble (n=5)	Ensemble	0.828855	0.829439	0.982477	0.986565
norm_ensemble (n=6)	Ensemble	0.860981	0.863318	0.982477	0.986565

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.966121	0.97021	0.982477	0.986565
norm_ensemble (n=8)	Ensemble	0.966121	0.97021	0.982477	0.986565
Deconvolut	Single	0.905958	0.908879	0.990654	0.999416
Deconvolut	Single	0.905958	0.908879	0.990654	0.999416
DeepLIFT_SSAP	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT_SSAP_base	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT_SSAP_base	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT_SSAP_base	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT_SSAP_base	Single	0.96028	0.96028	0.797897	0.804907
DeepLIFT_Singlines_grad	Single	0.808738	0.804322	0.941589	0.949182
DeepLIFT_Singlines_grad	Single	0.808738	0.804322	0.941589	0.949182
GradientShap	Single	0.824189	0.826519	0.902617	0.971379
GradientShap	Single	0.824189	0.826519	0.902617	0.971379
GradientShap	Single	0.811339	0.814252	0.904369	0.973131
GradientShap	Single	0.811339	0.814252	0.904369	0.973131
GuidedBackprop	Single	0.60222	0.60514	0.987734	0.995327
GuidedBackprop	Single	0.60222	0.60514	0.987734	0.995327
InputXGradient	Single	0.971379	0.97722	0.80257	0.810164
InputXGradient	Single	0.971379	0.97722	0.80257	0.810164
IntegratedGradients	Single	0.866288	0.879943	0.900701	0.909463
IntegratedGradients	Single	0.866288	0.879943	0.900701	0.909463
IntegratedGradients	Single	0.867691	0.879943	0.901869	0.910631
IntegratedGradients	Single	0.867691	0.879943	0.901869	0.910631
Saliency	Single	0.909463	0.913551	0.873248	0.882009
Saliency	Single	0.909463	0.913551	0.873248	0.882009

Table 34: BloodMNIST–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.373832	0.245911	0.551986	0.306659	0.391355	0.341121	0.264603	0.041472	0.851636	0.000584	0.120327	0.021612
Borda (n=3)	Ensemble	0.38493	0.258178	0.556075	0.303738	0.384346	0.334112	0.261682	0.040304	0.852804	0.000584	0.122079	0.018692
Borda (n=4)	Ensemble	0.396028	0.27278	0.579439	0.27979	0.412383	0.369743	0.261682	0.037383	0.852804	0.000584	0.122079	0.02278
Borda (n=5)	Ensemble	0.415304	0.292056	0.589369	0.26986	0.41472	0.369743	0.25993	0.035631	0.852804	0.000584	0.120327	0.021028
Borda (n=6)	Ensemble	0.446262	0.330023	0.610981	0.248248	0.445678	0.400117	0.257009	0.03271	0.85222	0	0.122664	0.020444
Borda (n=7)	Ensemble	0.431075	0.319509	0.593458	0.264603	0.394276	0.350467	0.264603	0.037383	0.85222	0	0.122664	0.016939
Borda (n=8)	Ensemble	0.455607	0.341121	0.620327	0.238902	0.439836	0.39486	0.252921	0.025701	0.84521	0.007009	0.117407	0.014019
Kemeny-Young (n=2)	Ensemble	0.373832	0.245911	0.551986	0.306659	0.391355	0.341121	0.264603	0.041472	0.851636	0.000584	0.120327	0.021612
Kemeny-Young (n=3)	Ensemble	0.38493	0.258178	0.556075	0.303738	0.384346	0.334112	0.261682	0.040304	0.852804	0.000584	0.122079	0.018692
Kemeny-Young (n=4)	Ensemble	0.396028	0.27278	0.579439	0.27979	0.412383	0.369743	0.261682	0.037383	0.852804	0.000584	0.122079	0.02278
Kemeny-Young (n=5)	Ensemble	0.415304	0.292056	0.589369	0.26986	0.41472	0.369743	0.25993	0.035631	0.852804	0.000584	0.120327	0.021028
Kemeny-Young (n=6)	Ensemble	0.446262	0.330023	0.610981	0.248248	0.445678	0.400117	0.257009	0.03271	0.85222	0	0.122664	0.020444
Kemeny-Young (n=7)	Ensemble	0.431075	0.319509	0.593458	0.264603	0.394276	0.350467	0.264603	0.037383	0.85222	0	0.122664	0.016939
Kemeny-Young (n=8)	Ensemble	0.455607	0.341121	0.620327	0.238902	0.439836	0.39486	0.252921	0.025701	0.84521	0.007009	0.117407	0.014019
RRF (n=2)	Ensemble	0.38785	0.264603	0.564252	0.294977	0.398949	0.351051	0.258178	0.040304	0.85222	0	0.122079	0.022196
RRF (n=3)	Ensemble	0.400117	0.276869	0.573598	0.286215	0.403621	0.358645	0.261098	0.033294	0.852804	0.000584	0.122079	0.021028
RRF (n=4)	Ensemble	0.405958	0.287967	0.586449	0.271612	0.428738	0.384346	0.262266	0.036799	0.852804	0.000584	0.122664	0.023364
RRF (n=5)	Ensemble	0.436916	0.32243	0.615654	0.244159	0.438084	0.393107	0.263435	0.040888	0.853388	0.001168	0.124416	0.023949
RRF (n=6)	Ensemble	0.463785	0.34521	0.63785	0.221963	0.462617	0.41764	0.264019	0.03972	0.853388	0.001168	0.124416	0.022196
RRF (n=7)	Ensemble	0.448014	0.330023	0.620327	0.24007	0.426402	0.381425	0.261682	0.040304	0.85222	0	0.124416	0.020444
RRF (n=8)	Ensemble	0.471963	0.358061	0.644276	0.213785	0.457944	0.41472	0.26285	0.038551	0.851636	0.000584	0.123832	0.01986
Schulze (n=2)	Ensemble	0.384346	0.250584	0.553738	0.304907	0.398949	0.351051	0.25993	0.037967	0.85222	0	0.123248	0.018692
Schulze (n=3)	Ensemble	0.373248	0.248832	0.54965	0.310164	0.378505	0.329439	0.257593	0.034463	0.850467	0.001752	0.122664	0.022196
Schulze (n=4)	Ensemble	0.420561	0.298481	0.599883	0.258178	0.426402	0.383762	0.255257	0.030374	0.846379	0.005841	0.115654	0.011682
Schulze (n=5)	Ensemble	0.468458	0.350467	0.63493	0.223131	0.436332	0.396028	0.252336	0.032126	0.845794	0.006425	0.113318	0.011098
Schulze (n=6)	Ensemble	0.505841	0.390771	0.681659	0.176402	0.505257	0.463785	0.243575	0.015187	0.83236	0.01986	0.098131	0.001168
Schulze (n=7)	Ensemble	0.487734	0.368575	0.662383	0.196846	0.48014	0.435164	0.224299	0.000584	0.817173	0.035047	0.08528	0.016355
Schulze (n=8)	Ensemble	0.507593	0.393107	0.671729	0.1875	0.480724	0.436332	0.20736	0.015771	0.799065	0.053154	0.068925	0.033294
norm_ensemble (n=2)	Ensemble	0.378505	0.263435	0.558411	0.303154	0.396028	0.341706	0.253505	0.043808	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=3)	Ensemble	0.410047	0.292056	0.586449	0.274533	0.431659	0.380257	0.255841	0.033879	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=4)	Ensemble	0.464953	0.349299	0.639019	0.219042	0.462617	0.415304	0.256425	0.034463	0.84521	0.011682	0.16764	0.079439

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.507009	0.389019	0.691589	0.168808	0.487734	0.4375	0.259346	0.030958	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=6)	Ensemble	0.53271	0.406542	0.723715	0.13493	0.526869	0.479556	0.258178	0.028621	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=7)	Ensemble	0.626168	0.501752	0.828855	0.028037	0.599299	0.556659	0.369159	0.17757	0.84521	0.011682	0.16764	0.079439
norm_ensemble (n=8)	Ensemble	0.63785	0.521028	0.828855	0.028037	0.617991	0.573014	0.369159	0.17757	0.84521	0.011682	0.16764	0.079439
Deconvolut	Single	0.334112	0.205023	0.768692	0.089369	0.167056	0.120911	0.257593	0.04965	0.853388	0.001752	0.126752	0.027453
Deconvolut	Single	0.334112	0.205023	0.768692	0.089369	0.167056	0.120911	0.257593	0.04965	0.853388	0.001752	0.126752	0.027453
DeepLIFT	SHAP_base0.576008mbined0.5074	0.576008	0.405074	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
DeepLIFT	SHAP_base0.576008mbined0.5074	0.576008	0.405074	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
DeepLIFT	SHAP_base0.576008mbined0.5074	0.576008	0.405074	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
DeepLIFT	SHAP_base0.576008mbined0.5074	0.576008	0.405074	0.823014	0.037383	0.45035	0.363902	0.077687	0.115654	0.660631	0.193341	0.019276	0.060748
DeepLIFT	SHAP_lines_g0.689486mean	0.689486	0.353972	0.666472	0.193925	0.502921	0.453855	0.21028	0.009346	0.804322	0.049065	0.096379	0.011098
DeepLIFT	SHAP_lines_g0.689486mean	0.689486	0.353972	0.666472	0.193925	0.502921	0.453855	0.21028	0.009346	0.804322	0.049065	0.096379	0.011098
GradientSh	SHAP_lines0.494159med_0.670327sam	0.494159	0.670327	0.171729	0.475467	0.432243	0.234813	0.014019	0.82535	0.026869	0.099883	0.001168	0.001168
GradientSh	SHAP_lines0.494159med_0.670327sam	0.494159	0.670327	0.171729	0.475467	0.432243	0.234813	0.014019	0.82535	0.026869	0.099883	0.001168	0.001168
GradientSh	SHAP_lines0.494159med_0.671495sam	0.494159	0.671495	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168	0.001168
GradientSh	SHAP_lines0.494159med_0.671495sam	0.494159	0.671495	0.183995	0.478972	0.435164	0.236565	0.012266	0.827103	0.024533	0.104556	0.001168	0.001168
GuidedBac	SHAP_0.252921	0.252921	0.129089	0.464953	0.392523	0.053738	0.00993	0.262266	0.047897	0.850467	0.002921	0.148364	0.051986
GuidedBac	SHAP_0.252921	0.252921	0.129089	0.464953	0.392523	0.053738	0.00993	0.262266	0.047897	0.850467	0.002921	0.148364	0.051986
InputXGra	SHAP_0.609813	0.609813	0.492991	0.834112	0.021028	0.462033	0.414136	0.074766	0.148364	0.665304	0.188084	0.05257	0.150117
InputXGra	SHAP_0.609813	0.609813	0.492991	0.834112	0.021028	0.462033	0.414136	0.074766	0.148364	0.665304	0.188084	0.05257	0.150117
Integrated	Gradients_ba0.616927zero0.687266s	0.616927	0.687266	2.00728972	0.127336	0.498248	0.453271	0.175818	0.045561	0.763435	0.088785	0.057827	0.040888
Integrated	Gradients_ba0.616927zero0.687266s	0.616927	0.687266	2.00728972	0.127336	0.498248	0.453271	0.175818	0.045561	0.763435	0.088785	0.057827	0.040888
Integrated	Gradients_ba0.616927zero0.686006s	0.616927	0.686006	5.0730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
Integrated	Gradients_ba0.616927zero0.686006s	0.616927	0.686006	5.0730724	0.127336	0.499416	0.450935	0.178154	0.040888	0.764603	0.087617	0.058411	0.039136
Saliency	Single	0.598715	0.491238	0.772196	0.084696	0.501168	0.455607	0.14486	0.075935	0.735981	0.116238	0.00993	0.092874
Saliency	Single	0.598715	0.491238	0.772196	0.084696	0.501168	0.455607	0.14486	0.075935	0.735981	0.116238	0.00993	0.092874

Table 35: BloodMNIST–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.432243	0.432827	0.985981	0.994743
Borda (n=3)	Ensemble	0.462617	0.463201	0.987734	0.996495
Borda (n=4)	Ensemble	0.488318	0.488902	0.987734	0.996495
Borda (n=5)	Ensemble	0.523364	0.523949	0.986565	0.995327
Borda (n=6)	Ensemble	0.551986	0.55257	0.978388	0.98715
Borda (n=7)	Ensemble	0.533879	0.534463	0.955023	0.963785
Borda (n=8)	Ensemble	0.561332	0.561916	0.915304	0.924065
Kemeny-Young (n=2)	Ensemble	0.432243	0.432827	0.985981	0.994743
Kemeny-Young (n=3)	Ensemble	0.462617	0.463201	0.987734	0.996495
Kemeny-Young (n=4)	Ensemble	0.488318	0.488902	0.987734	0.996495
Kemeny-Young (n=5)	Ensemble	0.523364	0.523949	0.986565	0.995327
Kemeny-Young (n=6)	Ensemble	0.551986	0.55257	0.978388	0.98715
Kemeny-Young (n=7)	Ensemble	0.533879	0.534463	0.955023	0.963785
Kemeny-Young (n=8)	Ensemble	0.561332	0.561916	0.915304	0.924065
RRF (n=2)	Ensemble	0.439252	0.439836	0.986565	0.995327
RRF (n=3)	Ensemble	0.480724	0.481308	0.98715	0.995911
RRF (n=4)	Ensemble	0.495911	0.496495	0.985397	0.994159
RRF (n=5)	Ensemble	0.541472	0.542056	0.984229	0.992991
RRF (n=6)	Ensemble	0.563084	0.563668	0.985397	0.994159
RRF (n=7)	Ensemble	0.551402	0.551986	0.983061	0.991822
RRF (n=8)	Ensemble	0.568341	0.568925	0.979556	0.988318
Schulze (n=2)	Ensemble	0.435164	0.435164	0.98715	0.995911
Schulze (n=3)	Ensemble	0.451519	0.452103	0.982477	0.991238
Schulze (n=4)	Ensemble	0.504673	0.505257	0.958528	0.96729
Schulze (n=5)	Ensemble	0.561332	0.561916	0.955607	0.964369
Schulze (n=6)	Ensemble	0.61215	0.612734	0.921729	0.930491
Schulze (n=7)	Ensemble	0.574766	0.57535	0.900117	0.908879
Schulze (n=8)	Ensemble	0.588201	0.588785	0.88785	0.896612
norm_ensemble (n=2)	Ensemble	0.445093	0.445678	0.856308	0.857477
norm_ensemble (n=3)	Ensemble	0.475467	0.476051	0.856308	0.857477
norm_ensemble (n=4)	Ensemble	0.525117	0.525701	0.856308	0.857477
norm_ensemble (n=5)	Ensemble	0.606308	0.606893	0.856308	0.857477
norm_ensemble (n=6)	Ensemble	0.656542	0.657126	0.856308	0.857477

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.886098	0.886682	0.856308	0.857477
norm_ensemble (n=8)	Ensemble	0.886098	0.886682	0.856308	0.857477
Deconvolut	Single	0.725467	0.727804	0.988318	0.995327
Deconvolut	Single	0.725467	0.727804	0.988318	0.995327
DeepLIFT_SSHP_base	Single	0.672664	0.687207	0.702687	0.70736
DeepLIFT_SSHP_base	Single	0.672664	0.687207	0.702687	0.70736
DeepLIFT_SSHP_base	Single	0.672664	0.687207	0.702687	0.70736
DeepLIFT_SSHP_base	Single	0.672664	0.687207	0.702687	0.70736
DeepLIFT_SSHP_base	Single	0.672664	0.687207	0.702687	0.70736
DeepLIFT_Singlines_glo	Single	0.54965	0.54965	0.880257	0.886098
DeepLIFT_Singlines_glo	Single	0.54965	0.54965	0.880257	0.886098
GradientShap	Single	0.60608	0.60608	0.925234	0.925234
GradientShap	Single	0.60608	0.60608	0.925234	0.925234
GradientShap	Single	0.59754	0.59818	0.92465	0.92465
GradientShap	Single	0.59754	0.59818	0.92465	0.92465
GuidedBack	Single	0.466121	0.466706	0.984813	0.993575
GuidedBack	Single	0.466121	0.466706	0.984813	0.993575
InputXG	Single	0.936916	0.940421	0.540888	0.544977
InputXG	Single	0.936916	0.940421	0.540888	0.544977
IntegratedGradients	Single	0.840537	0.840537	0.840537	0.840537
IntegratedGradients	Single	0.840537	0.840537	0.840537	0.840537
IntegratedGradients	Single	0.839953	0.839953	0.839953	0.839953
IntegratedGradients	Single	0.839953	0.839953	0.839953	0.839953
Saliency	Single	0.78271	0.783879	0.783294	0.78972
Saliency	Single	0.78271	0.783879	0.783294	0.78972

Table 36: BloodMNIST–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.201519	0.119159	0.294977	0.565421	0.209112	0.16764	0.259346	0.049065	0.848715	0.003505	0.140771	0.044393
Borda (n=3)	Ensemble	0.231308	0.153037	0.32535	0.535047	0.223131	0.183411	0.259346	0.048481	0.850467	0.001752	0.139603	0.04264
Borda (n=4)	Ensemble	0.258762	0.178154	0.351051	0.509346	0.252336	0.212033	0.25993	0.045561	0.850467	0.001752	0.144276	0.044977
Borda (n=5)	Ensemble	0.297313	0.210864	0.386098	0.474299	0.276285	0.233645	0.257593	0.047313	0.849299	0.002921	0.136098	0.033879
Borda (n=6)	Ensemble	0.323598	0.240654	0.41472	0.445678	0.301986	0.25993	0.248832	0.034463	0.841121	0.011098	0.132009	0.032126
Borda (n=7)	Ensemble	0.297897	0.212033	0.396612	0.463785	0.294977	0.254673	0.22722	0.013435	0.817757	0.034463	0.11215	0.011682
Borda (n=8)	Ensemble	0.32535	0.238902	0.424065	0.436332	0.316589	0.275701	0.192173	0.023364	0.778037	0.074182	0.07535	0.027453
Kemeny-Young (n=2)	Ensemble	0.201519	0.119159	0.294977	0.565421	0.209112	0.16764	0.259346	0.049065	0.848715	0.003505	0.140771	0.044393
Kemeny-Young (n=3)	Ensemble	0.231308	0.153037	0.32535	0.535047	0.223131	0.183411	0.259346	0.048481	0.850467	0.001752	0.139603	0.04264
Kemeny-Young (n=4)	Ensemble	0.258762	0.178154	0.351051	0.509346	0.252336	0.212033	0.25993	0.045561	0.850467	0.001752	0.144276	0.044977
Kemeny-Young (n=5)	Ensemble	0.297313	0.210864	0.386098	0.474299	0.276285	0.233645	0.257593	0.047313	0.849299	0.002921	0.136098	0.033879
Kemeny-Young (n=6)	Ensemble	0.323598	0.240654	0.41472	0.445678	0.301986	0.25993	0.248832	0.034463	0.841121	0.011098	0.132009	0.032126
Kemeny-Young (n=7)	Ensemble	0.297897	0.212033	0.396612	0.463785	0.294977	0.254673	0.22722	0.013435	0.817757	0.034463	0.11215	0.011682
Kemeny-Young (n=8)	Ensemble	0.32535	0.238902	0.424065	0.436332	0.316589	0.275701	0.192173	0.023364	0.778037	0.074182	0.07535	0.027453
RRF (n=2)	Ensemble	0.224883	0.137266	0.301986	0.558411	0.21028	0.169977	0.255841	0.049065	0.849299	0.002921	0.143107	0.046145
RRF (n=3)	Ensemble	0.258178	0.178154	0.343458	0.516939	0.238318	0.199182	0.261682	0.048481	0.849883	0.002336	0.140771	0.044977
RRF (n=4)	Ensemble	0.267523	0.182243	0.358645	0.501752	0.250584	0.209112	0.255841	0.044393	0.848131	0.004089	0.141355	0.042056
RRF (n=5)	Ensemble	0.309579	0.222547	0.404206	0.456192	0.297313	0.255841	0.253505	0.046729	0.846963	0.005257	0.138435	0.041472
RRF (n=6)	Ensemble	0.325935	0.242991	0.425818	0.434579	0.300818	0.259346	0.25993	0.04965	0.848131	0.004089	0.140187	0.038551
RRF (n=7)	Ensemble	0.309579	0.225467	0.414136	0.446262	0.289136	0.247664	0.261682	0.045561	0.845794	0.006425	0.137266	0.037967
RRF (n=8)	Ensemble	0.330023	0.241238	0.431075	0.429322	0.310748	0.267523	0.254089	0.042056	0.84229	0.00993	0.136682	0.037967
Schulze (n=2)	Ensemble	0.217874	0.132009	0.297897	0.563084	0.211449	0.172313	0.25993	0.048481	0.849883	0.002336	0.139019	0.043808
Schulze (n=3)	Ensemble	0.227804	0.146612	0.314252	0.546145	0.212617	0.172313	0.258178	0.043808	0.84521	0.007009	0.132593	0.034463
Schulze (n=4)	Ensemble	0.275701	0.199182	0.367407	0.492991	0.25993	0.218458	0.228972	0.018107	0.821262	0.030958	0.110397	0.010514
Schulze (n=5)	Ensemble	0.324182	0.244743	0.424065	0.436332	0.300234	0.257593	0.228388	0.013435	0.818341	0.033879	0.106893	0.005257
Schulze (n=6)	Ensemble	0.377336	0.288551	0.474883	0.385514	0.359229	0.317173	0.198598	0.01986	0.784463	0.067757	0.074182	0.028621
Schulze (n=7)	Ensemble	0.329439	0.246495	0.4375	0.422897	0.321262	0.280374	0.178738	0.047313	0.76285	0.089369	0.053154	0.045561
Schulze (n=8)	Ensemble	0.346379	0.26285	0.450935	0.409463	0.337617	0.297313	0.168224	0.051986	0.750584	0.101636	0.053154	0.040888
norm_ensemble (n=2)	Ensemble	0.222547	0.139019	0.307827	0.55257	0.206776	0.165888	0.135514	0.070093	0.719042	0.140771	0.169977	0.119743
norm_ensemble (n=3)	Ensemble	0.26285	0.181075	0.338201	0.522196	0.238902	0.198598	0.132593	0.078855	0.719042	0.140771	0.169977	0.119743
norm_ensemble (n=4)	Ensemble	0.301986	0.223715	0.38785	0.472547	0.272196	0.23014	0.13493	0.080607	0.719042	0.140771	0.169977	0.119743

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.375584	0.29264	0.469042	0.391355	0.342874	0.29965	0.134346	0.081776	0.719042	0.140771	0.169977	0.119743
norm_ensemble (n=6)	Ensemble	0.411799	0.326519	0.519276	0.341121	0.387266	0.34521	0.135514	0.079439	0.719042	0.140771	0.169977	0.119743
norm_ensemble (n=7)	Ensemble	0.623248	0.53271	0.748832	0.111565	0.602804	0.560164	0.373832	0.278621	0.719042	0.140771	0.169977	0.119743
norm_ensemble (n=8)	Ensemble	0.622664	0.534463	0.748832	0.111565	0.610981	0.569509	0.373832	0.278621	0.719042	0.140771	0.169977	0.119743
DeconvolutSingle	Single	0.353388	0.261682	0.588201	0.270444	0.167056	0.134346	0.276285	0.080607	0.851051	0.002336	0.148949	0.04965
DeconvolutSingle	Single	0.353388	0.261682	0.588201	0.270444	0.167056	0.134346	0.276285	0.080607	0.851051	0.002336	0.148949	0.04965
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421	0.290888	0.005257	0.060748
DeepLIFT_SSHAP	SHAP_based	0.527468	0.382478	0.735397	0.126168	0.52278	0.463201	0.040304	0.117407	0.565421			

Table 37: BloodMNIST–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.919977	0.922313	0.990654	0.999416
Borda (n=3)	Ensemble	0.943925	0.943925	0.990654	0.999416
Borda (n=4)	Ensemble	0.95035	0.951519	0.990654	0.999416
Borda (n=5)	Ensemble	0.96028	0.961449	0.990654	0.999416
Borda (n=6)	Ensemble	0.962033	0.963201	0.99007	1
Borda (n=7)	Ensemble	0.964369	0.964369	0.99007	1
Borda (n=8)	Ensemble	0.966121	0.969042	0.99007	1
Kemeny-Young (n=2)	Ensemble	0.919977	0.922313	0.990654	0.999416
Kemeny-Young (n=3)	Ensemble	0.943925	0.943925	0.990654	0.999416
Kemeny-Young (n=4)	Ensemble	0.95035	0.951519	0.990654	0.999416
Kemeny-Young (n=5)	Ensemble	0.96028	0.961449	0.990654	0.999416
Kemeny-Young (n=6)	Ensemble	0.962033	0.963201	0.99007	1
Kemeny-Young (n=7)	Ensemble	0.964369	0.964369	0.99007	1
Kemeny-Young (n=8)	Ensemble	0.966121	0.969042	0.99007	1
RRF (n=2)	Ensemble	0.95035	0.949766	0.990654	0.999416
RRF (n=3)	Ensemble	0.958528	0.95736	0.990654	0.999416
RRF (n=4)	Ensemble	0.963785	0.962617	0.99007	0.998832
RRF (n=5)	Ensemble	0.968458	0.968458	0.990654	0.999416
RRF (n=6)	Ensemble	0.97021	0.971963	0.99007	1
RRF (n=7)	Ensemble	0.96729	0.967874	0.99007	1
RRF (n=8)	Ensemble	0.969626	0.971963	0.989486	0.999416
Schulze (n=2)	Ensemble	0.949182	0.949182	0.990654	0.999416
Schulze (n=3)	Ensemble	0.952103	0.949766	0.990654	0.999416
Schulze (n=4)	Ensemble	0.970794	0.971379	0.99007	1
Schulze (n=5)	Ensemble	0.976636	0.97722	0.990654	0.999416
Schulze (n=6)	Ensemble	0.975467	0.978388	0.99007	0.998832
Schulze (n=7)	Ensemble	0.974883	0.975467	0.99007	0.998832
Schulze (n=8)	Ensemble	0.97722	0.979556	0.988902	0.997664
norm_ensemble (n=2)	Ensemble	0.95035	0.949182	0.991822	0.998248
norm_ensemble (n=3)	Ensemble	0.964369	0.965537	0.991822	0.998248
norm_ensemble (n=4)	Ensemble	0.973715	0.974883	0.991822	0.998248
norm_ensemble (n=5)	Ensemble	0.980724	0.981893	0.991822	0.998248
norm_ensemble (n=6)	Ensemble	0.978972	0.982477	0.991822	0.998248

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble	Ensemble	0.99007	0.995327	0.991822	0.998248
norm_ensemble	Ensemble	0.99007	0.995327	0.991822	0.998248
Deconvolution	Single	0.975467	0.97722	0.99007	1
Deconvolution	Single	0.975467	0.97722	0.99007	1
DeepLIFT	SHAP_base	0.988348	0.989446	0.92757	0.933995
DeepLIFT	SHAP_base	0.988348	0.989446	0.92757	0.933995
DeepLIFT	SHAP_base	0.988348	0.989446	0.92757	0.933995
DeepLIFT	SHAP_base	0.988348	0.989446	0.92757	0.933995
DeepLIFT	Singelines	0.980724	0.980724	0.984229	0.992991
DeepLIFT	Singelines	0.980724	0.980724	0.984229	0.992991
GradientSHAP	Singelines	0.977511	0.980724	0.99007	0.998832
GradientSHAP	Singelines	0.977511	0.980724	0.99007	0.998832
GradientSHAP	Singelines	0.977511	0.980724	0.99007	0.998832
GradientSHAP	Singelines	0.977511	0.980724	0.99007	0.998832
GuidedBackdrop	Single	0.938084	0.9375	0.990654	0.998248
GuidedBackdrop	Single	0.938084	0.9375	0.990654	0.998248
InputXGradient	Single	0.986565	0.991822	0.931659	0.940421
InputXGradient	Single	0.986565	0.991822	0.931659	0.940421
IntegratedGradients	SHAP_base	0.984229	0.984229	2000.979556	0.988318
IntegratedGradients	SHAP_base	0.984229	0.984229	2000.979556	0.988318
IntegratedGradients	SHAP_base	0.984229	0.984229	2000.979556	0.988318
IntegratedGradients	SHAP_base	0.984229	0.984229	2000.979556	0.988318
Saliency	Single	0.978972	0.984813	0.966706	0.976636
Saliency	Single	0.978972	0.984813	0.966706	0.976636

Table 38: BloodMNIST–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.423481	0.253505	0.78271	0.075935	0.279206	0.222547	0.253505	0.021028	0.853972	0.000584	0.113318	0.006425
Borda (n=3)	Ensemble	0.442757	0.269276	0.806075	0.053738	0.314836	0.251752	0.251168	0.019276	0.853972	0.000584	0.113902	0.007593
Borda (n=4)	Ensemble	0.451519	0.275117	0.813084	0.046729	0.301402	0.238902	0.254089	0.019276	0.853388	0.001168	0.11507	0.007009
Borda (n=5)	Ensemble	0.462033	0.286799	0.823014	0.036799	0.316005	0.254673	0.254673	0.015771	0.853388	0.000584	0.114486	0.007593
Borda (n=6)	Ensemble	0.459112	0.290888	0.824766	0.035047	0.320678	0.257009	0.254673	0.015771	0.852804	0.001168	0.113902	0.009346
Borda (n=7)	Ensemble	0.465537	0.295561	0.827103	0.033879	0.314252	0.255841	0.254089	0.019276	0.852804	0.001752	0.114486	0.008762
Borda (n=8)	Ensemble	0.448014	0.280958	0.828855	0.029206	0.314252	0.258178	0.251168	0.024533	0.852804	0.001752	0.117407	0.007593
Kemeny-Young (n=2)	Ensemble	0.423481	0.253505	0.78271	0.075935	0.279206	0.222547	0.253505	0.021028	0.853972	0.000584	0.113318	0.006425
Kemeny-Young (n=3)	Ensemble	0.442757	0.269276	0.806075	0.053738	0.314836	0.251752	0.251168	0.019276	0.853972	0.000584	0.113902	0.007593
Kemeny-Young (n=4)	Ensemble	0.451519	0.275117	0.813084	0.046729	0.301402	0.238902	0.254089	0.019276	0.853388	0.001168	0.11507	0.007009
Kemeny-Young (n=5)	Ensemble	0.462033	0.286799	0.823014	0.036799	0.316005	0.254673	0.254673	0.015771	0.853388	0.000584	0.114486	0.007593
Kemeny-Young (n=6)	Ensemble	0.459112	0.290888	0.824766	0.035047	0.320678	0.257009	0.254673	0.015771	0.852804	0.001168	0.113902	0.009346
Kemeny-Young (n=7)	Ensemble	0.465537	0.295561	0.827103	0.033879	0.314252	0.255841	0.254089	0.019276	0.852804	0.001752	0.114486	0.008762
Kemeny-Young (n=8)	Ensemble	0.448014	0.280958	0.828855	0.029206	0.314252	0.258178	0.251168	0.024533	0.852804	0.001752	0.117407	0.007593
RRF (n=2)	Ensemble	0.450935	0.278037	0.813084	0.048481	0.290304	0.224299	0.254089	0.018692	0.853972	0.000584	0.113318	0.006425
RRF (n=3)	Ensemble	0.453271	0.272196	0.820678	0.040304	0.304322	0.242407	0.257593	0.017523	0.853972	0.000584	0.11507	0.007009
RRF (n=4)	Ensemble	0.464953	0.284463	0.826519	0.035631	0.304907	0.238902	0.260514	0.018107	0.852804	0.000584	0.113902	0.007009
RRF (n=5)	Ensemble	0.466706	0.293808	0.830607	0.029206	0.313084	0.248248	0.259346	0.017523	0.853388	0.001168	0.113902	0.007009
RRF (n=6)	Ensemble	0.47021	0.301402	0.832944	0.026285	0.317173	0.255257	0.257593	0.021028	0.852804	0.001752	0.113318	0.007593
RRF (n=7)	Ensemble	0.461449	0.291472	0.830023	0.030374	0.319509	0.262266	0.257593	0.021612	0.852804	0.001752	0.113902	0.008178
RRF (n=8)	Ensemble	0.473131	0.308411	0.83236	0.026285	0.317757	0.266355	0.260514	0.024533	0.85222	0.001168	0.113318	0.007593
Schulze (n=2)	Ensemble	0.454439	0.282126	0.811916	0.049065	0.294977	0.233061	0.253505	0.016939	0.853388	0.001168	0.113318	0.008762
Schulze (n=3)	Ensemble	0.443925	0.267523	0.814836	0.048481	0.292056	0.229556	0.255257	0.01986	0.853388	0.001168	0.113902	0.009346
Schulze (n=4)	Ensemble	0.462033	0.290888	0.832944	0.026285	0.29965	0.234813	0.254089	0.018107	0.853388	0.001168	0.113318	0.010514
Schulze (n=5)	Ensemble	0.46729	0.298481	0.839369	0.021028	0.309579	0.244743	0.255257	0.017523	0.853388	0.001168	0.112734	0.007009
Schulze (n=6)	Ensemble	0.461449	0.297897	0.838201	0.01986	0.311332	0.254673	0.253505	0.021612	0.852804	0.000584	0.112734	0.007009
Schulze (n=7)	Ensemble	0.448014	0.275701	0.837617	0.02278	0.310164	0.252336	0.256425	0.020444	0.852804	0.000584	0.112734	0.008762
Schulze (n=8)	Ensemble	0.462033	0.293224	0.839953	0.018692	0.320093	0.264019	0.252336	0.016355	0.851636	0.000584	0.110397	0.007009
norm_ensemble (n=2)	Ensemble	0.485981	0.313084	0.813084	0.049065	0.308411	0.24007	0.250584	0.03271	0.85514	0.000584	0.131425	0.031542
norm_ensemble (n=3)	Ensemble	0.473131	0.307243	0.827103	0.03271	0.318925	0.25	0.257009	0.025701	0.85514	0.000584	0.131425	0.031542
norm_ensemble (n=4)	Ensemble	0.48014	0.310748	0.836449	0.023364	0.314836	0.251752	0.256425	0.019276	0.854556	0	0.131425	0.031542

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.473715	0.305491	0.842874	0.015771	0.309579	0.244743	0.256425	0.022196	0.854556	0.000584	0.131425	0.031542
norm_ensemble (n=6)	Ensemble	0.461449	0.292056	0.841706	0.015771	0.317173	0.25993	0.25993	0.026285	0.854556	0	0.131425	0.031542
norm_ensemble (n=7)	Ensemble	0.45736	0.285631	0.852804	0.002921	0.329439	0.269276	0.26285	0.040888	0.854556	0	0.131425	0.031542
norm_ensemble (n=8)	Ensemble	0.464369	0.298481	0.852804	0.002921	0.33528	0.271612	0.26285	0.040888	0.854556	0	0.131425	0.031542
Deconvolutional	Single	0.358061	0.168808	0.838201	0.021028	0.21729	0.136682	0.255841	0.032126	0.852804	0.001752	0.11215	0.012266
Deconvolutional	Single	0.358061	0.168808	0.838201	0.021028	0.21729	0.136682	0.255841	0.032126	0.852804	0.001752	0.11215	0.012266
DeepLIFT	SHAP_base	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_base	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_base	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_base	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
DeepLIFT	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
GradientSHAP	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
GradientSHAP	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
GradientSHAP	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
GradientSHAP	SHAP_lines	0.08035mb	0.014495	0.851051	0.008762	0.211449	0.120327	0.192173	0.027453	0.790304	0.064252	0.078855	0.018692
GuidedBackdoor	Single	0.344626	0.156542	0.79965	0.060748	0.157126	0.080607	0.258178	0.026285	0.853388	0	0.122079	0.015771
GuidedBackdoor	Single	0.344626	0.156542	0.79965	0.060748	0.157126	0.080607	0.258178	0.026285	0.853388	0	0.122079	0.015771
InputXGradient	Single	0.438084	0.277453	0.849299	0.006425	0.293224	0.240654	0.193925	0.038551	0.794393	0.057827	0.058995	0.051402
InputXGradient	Single	0.438084	0.277453	0.849299	0.006425	0.293224	0.240654	0.193925	0.038551	0.794393	0.057827	0.058995	0.051402
IntegratedGradients	SHAP_lines	base102757 zero0.051769s	200841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336	0.002336
IntegratedGradients	SHAP_lines	base102757 zero0.051769s	200841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336	0.002336
IntegratedGradients	SHAP_lines	base102757 zero0.051769s	200841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336	0.002336
IntegratedGradients	SHAP_lines	base102757 zero0.051769s	200841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336	0.002336
IntegratedGradients	SHAP_lines	base102757 zero0.051769s	200841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336	0.002336
IntegratedGradients	SHAP_lines	base102757 zero0.051769s	200841706	0.014019	0.296729	0.24007	0.245327	0.00993	0.84229	0.010514	0.10514	0.002336	0.002336
Saliency	Single	0.526869	0.365654	0.841706	0.013435	0.33528	0.283294	0.228972	0	0.829439	0.021612	0.089369	0.016939
Saliency	Single	0.526869	0.365654	0.841706	0.013435	0.33528	0.283294	0.228972	0	0.829439	0.021612	0.089369	0.016939

Table 39: BloodMNIST–DenseNet-121 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.274533	0.275117	0.983645	0.991238
Borda (n=3)	Ensemble	0.313084	0.313668	0.984813	0.992407
Borda (n=4)	Ensemble	0.34229	0.342874	0.978388	0.98715
Borda (n=5)	Ensemble	0.393692	0.394276	0.967874	0.976636
Borda (n=6)	Ensemble	0.436916	0.4375	0.920561	0.928154
Borda (n=7)	Ensemble	0.458528	0.459112	0.880257	0.88785
Borda (n=8)	Ensemble	0.441005	0.441589	0.858061	0.865654
Kemeny-Young (n=2)	Ensemble	0.274533	0.275117	0.983645	0.991238
Kemeny-Young (n=3)	Ensemble	0.313084	0.313668	0.984813	0.992407
Kemeny-Young (n=4)	Ensemble	0.34229	0.342874	0.978388	0.98715
Kemeny-Young (n=5)	Ensemble	0.393692	0.394276	0.967874	0.976636
Kemeny-Young (n=6)	Ensemble	0.436916	0.4375	0.920561	0.928154
Kemeny-Young (n=7)	Ensemble	0.458528	0.459112	0.880257	0.88785
Kemeny-Young (n=8)	Ensemble	0.441005	0.441589	0.858061	0.865654
RRF (n=2)	Ensemble	0.301986	0.30257	0.983645	0.991238
RRF (n=3)	Ensemble	0.319509	0.320093	0.981308	0.988902
RRF (n=4)	Ensemble	0.363318	0.363902	0.979556	0.98715
RRF (n=5)	Ensemble	0.404206	0.40479	0.978388	0.98715
RRF (n=6)	Ensemble	0.444509	0.444509	0.971963	0.979556
RRF (n=7)	Ensemble	0.428738	0.428738	0.964369	0.971963
RRF (n=8)	Ensemble	0.446846	0.44743	0.94743	0.955023
Schulze (n=2)	Ensemble	0.268107	0.268692	0.984229	0.992991
Schulze (n=3)	Ensemble	0.290304	0.290888	0.97021	0.978972
Schulze (n=4)	Ensemble	0.352804	0.353388	0.922897	0.930491
Schulze (n=5)	Ensemble	0.428738	0.429322	0.910047	0.918808
Schulze (n=6)	Ensemble	0.487734	0.488318	0.870327	0.877921
Schulze (n=7)	Ensemble	0.452103	0.452687	0.83528	0.841706
Schulze (n=8)	Ensemble	0.471379	0.471963	0.83236	0.839953
norm_ensemble (n=2)	Ensemble	0.311332	0.3125	0.911799	0.911799
norm_ensemble (n=3)	Ensemble	0.321262	0.321846	0.911799	0.911799
norm_ensemble (n=4)	Ensemble	0.375584	0.376168	0.911799	0.911799
norm_ensemble (n=5)	Ensemble	0.467874	0.468458	0.911799	0.911799
norm_ensemble (n=6)	Ensemble	0.516939	0.517523	0.911799	0.911799

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble (n=7)	Ensemble	0.89778	0.898364	0.911799	0.911799
norm_ensemble (n=8)	Ensemble	0.89778	0.898364	0.911799	0.911799
Deconvolut	Single	0.671729	0.674065	0.981893	0.988318
Deconvolut	Single	0.671729	0.674065	0.981893	0.988318
DeepLIFT_SSAP_base	Single	0.574474	0.574474	0.595794	0.599883
DeepLIFT_SSAP_base	Single	0.574474	0.574474	0.595794	0.599883
DeepLIFT_SSAP_base	Single	0.574474	0.574474	0.595794	0.599883
DeepLIFT_SSAP_base	Single	0.574474	0.574474	0.595794	0.599883
DeepLIFT_SSAP_base	Single	0.574474	0.574474	0.595794	0.599883
DeepLIFT_Singlines_glb	Single	0.40771	0.40771	0.807243	0.813084
DeepLIFT_Singlines_glb	Single	0.40771	0.40771	0.807243	0.813084
GradientShingbaseline_0.445598	Single	0.445598	0.449162	0.842058	0.851051
GradientShingbaseline_0.445598	Single	0.445598	0.449162	0.842058	0.851051
GradientShingbaseline_0.462033	Single	0.462033	0.462617	0.847547	0.85514
GradientShingbaseline_0.462033	Single	0.462033	0.462617	0.847547	0.85514
GuidedBack	Single	0.334696	0.33528	0.981893	0.991822
GuidedBack	Single	0.334696	0.33528	0.981893	0.991822
InputXGra	Single	0.858645	0.860981	0.30257	0.306075
InputXGra	Single	0.858645	0.860981	0.30257	0.306075
IntegratedGradients_base_0.580605	Single	0.580605	0.580605	2000.731893	0.738902
IntegratedGradients_base_0.580605	Single	0.580605	0.580605	2000.731893	0.738902
IntegratedGradients_base_0.574766	Single	0.574766	0.574766	50.732477	0.739486
IntegratedGradients_base_0.574766	Single	0.574766	0.574766	50.732477	0.739486
Saliency	Single	0.652453	0.653037	0.661799	0.668224
Saliency	Single	0.652453	0.653037	0.661799	0.668224

Table 40: BloodMNIST–DenseNet-121 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.101051	0.058995	0.137266	0.723131	0.061332	0.028037	0.256425	0.04965	0.846379	0.007009	0.160047	0.061916
Borda (n=3)	Ensemble	0.135514	0.096379	0.175818	0.684579	0.096963	0.060748	0.265187	0.059579	0.847547	0.005841	0.161799	0.0625
Borda (n=4)	Ensemble	0.162967	0.122664	0.205023	0.655374	0.120327	0.085864	0.259346	0.054322	0.841121	0.011098	0.15479	0.055491
Borda (n=5)	Ensemble	0.204439	0.167056	0.256425	0.603972	0.167056	0.133178	0.247664	0.042056	0.830607	0.021612	0.144276	0.043224
Borda (n=6)	Ensemble	0.245911	0.203855	0.29965	0.560748	0.216121	0.181659	0.196846	0.002921	0.783294	0.070093	0.103972	0.001752
Borda (n=7)	Ensemble	0.258762	0.214953	0.321262	0.539136	0.229556	0.196262	0.164136	0.044393	0.742991	0.110397	0.070678	0.028037
Borda (n=8)	Ensemble	0.241822	0.193341	0.303738	0.556659	0.209696	0.175234	0.143692	0.058411	0.720794	0.132593	0.04965	0.051986
Kemeny-Young (n=2)	Ensemble	0.101051	0.058995	0.137266	0.723131	0.061332	0.028037	0.256425	0.04965	0.846379	0.007009	0.160047	0.061916
Kemeny-Young (n=3)	Ensemble	0.135514	0.096379	0.175818	0.684579	0.096963	0.060748	0.265187	0.059579	0.847547	0.005841	0.161799	0.0625
Kemeny-Young (n=4)	Ensemble	0.162967	0.122664	0.205023	0.655374	0.120327	0.085864	0.259346	0.054322	0.841121	0.011098	0.15479	0.055491
Kemeny-Young (n=5)	Ensemble	0.204439	0.167056	0.256425	0.603972	0.167056	0.133178	0.247664	0.042056	0.830607	0.021612	0.144276	0.043224
Kemeny-Young (n=6)	Ensemble	0.245911	0.203855	0.29965	0.560748	0.216121	0.181659	0.196846	0.002921	0.783294	0.070093	0.103972	0.001752
Kemeny-Young (n=7)	Ensemble	0.258762	0.214953	0.321262	0.539136	0.229556	0.196262	0.164136	0.044393	0.742991	0.110397	0.070678	0.028037
Kemeny-Young (n=8)	Ensemble	0.241822	0.193341	0.303738	0.556659	0.209696	0.175234	0.143692	0.058411	0.720794	0.132593	0.04965	0.051986
RRF (n=2)	Ensemble	0.132009	0.099299	0.16472	0.695678	0.089369	0.056075	0.258178	0.050818	0.846379	0.007009	0.162967	0.065421
RRF (n=3)	Ensemble	0.14778	0.114486	0.182243	0.678154	0.099883	0.064836	0.264603	0.056659	0.844042	0.009346	0.158879	0.064836
RRF (n=4)	Ensemble	0.188668	0.148949	0.226051	0.634346	0.140771	0.107477	0.263435	0.055491	0.84229	0.011098	0.156542	0.0625
RRF (n=5)	Ensemble	0.215537	0.175234	0.266939	0.593458	0.178154	0.14486	0.258762	0.057827	0.841121	0.011098	0.15479	0.057243
RRF (n=6)	Ensemble	0.245327	0.202687	0.307243	0.553738	0.213201	0.17757	0.254089	0.04965	0.834696	0.018692	0.154206	0.056659
RRF (n=7)	Ensemble	0.223131	0.182827	0.291472	0.569509	0.195093	0.158294	0.242991	0.042056	0.827103	0.026285	0.154206	0.051986
RRF (n=8)	Ensemble	0.242407	0.195093	0.309579	0.550818	0.213785	0.181075	0.226636	0.025701	0.810164	0.043224	0.138435	0.038551
Schulze (n=2)	Ensemble	0.105724	0.073014	0.130841	0.729556	0.056075	0.022196	0.262266	0.060164	0.846963	0.005257	0.158294	0.061916
Schulze (n=3)	Ensemble	0.116822	0.084696	0.153037	0.70736	0.078855	0.045561	0.247079	0.046145	0.832944	0.019276	0.147196	0.050234
Schulze (n=4)	Ensemble	0.165304	0.124416	0.215537	0.64486	0.127921	0.096379	0.198598	0.001752	0.785631	0.067757	0.106308	0.007593
Schulze (n=5)	Ensemble	0.231308	0.195678	0.291472	0.568925	0.189836	0.153621	0.192173	0.017523	0.77278	0.079439	0.081776	0.016939
Schulze (n=6)	Ensemble	0.290304	0.245327	0.350467	0.50993	0.255257	0.22021	0.149533	0.053154	0.733061	0.120327	0.054907	0.042056
Schulze (n=7)	Ensemble	0.241238	0.195678	0.314836	0.545561	0.221963	0.185748	0.110397	0.094626	0.698014	0.156542	0.029206	0.070093
Schulze (n=8)	Ensemble	0.266355	0.211449	0.334112	0.526285	0.240654	0.20736	0.113318	0.087617	0.695093	0.158294	0.037383	0.054907
norm_ensemble (n=2)	Ensemble	0.14778	0.107477	0.174065	0.685748	0.091121	0.058411	0.19743	0.011682	0.774533	0.086449	0.205023	0.154206
norm_ensemble (n=3)	Ensemble	0.152453	0.117991	0.183995	0.676402	0.098715	0.064836	0.196262	0.010514	0.774533	0.086449	0.205023	0.154206
norm_ensemble (n=4)	Ensemble	0.202103	0.165304	0.238318	0.622079	0.146028	0.113318	0.198014	0.011682	0.774533	0.086449	0.205023	0.154206

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.286215	0.248248	0.330607	0.52979	0.23014	0.192757	0.202103	0.004089	0.774533	0.086449	0.205023	0.154206
norm_ensemble (n=6)	Ensemble	0.321262	0.277453	0.379673	0.480724	0.275701	0.24007	0.21028	0.003505	0.774533	0.086449	0.205023	0.154206
norm_ensemble (n=7)	Ensemble	0.691005	0.646612	0.760514	0.099883	0.648949	0.614486	0.390187	0.286215	0.773949	0.085864	0.205023	0.154206
norm_ensemble (n=8)	Ensemble	0.693341	0.648364	0.760514	0.099883	0.65479	0.619743	0.390187	0.286215	0.773949	0.085864	0.205023	0.154206
Deconvolut	Single	0.297897	0.203855	0.534463	0.324182	0.116238	0.074766	0.344042	0.160047	0.844626	0.009346	0.166472	0.077687
Deconvolut	Single	0.297897	0.203855	0.534463	0.324182	0.116238	0.074766	0.344042	0.160047	0.844626	0.009346	0.166472	0.077687
DeepLIFT	SHAP_base0.144580mbin0.23502	0.607477	0.607477	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
DeepLIFT	SHAP_base0.144580mbin0.23502	0.607477	0.607477	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
DeepLIFT	SHAP_base0.144580mbin0.23502	0.607477	0.607477	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
DeepLIFT	SHAP_base0.144580mbin0.23502	0.607477	0.607477	0.607477	0.252921	0.478388	0.428738	0.040888	0.09521	0.458528	0.398364	0.047897	0.109229
DeepLIFT	SHAP_lines_g10124007mean	0.199766	0.199766	0.26986	0.590537	0.195093	0.161215	0.089953	0.097547	0.669977	0.185164	0.023364	0.066589
DeepLIFT	SHAP_lines_g10124007mean	0.199766	0.199766	0.26986	0.590537	0.195093	0.161215	0.089953	0.097547	0.669977	0.185164	0.023364	0.066589
GradientSh	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GradientSh	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GradientSh	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GradientSh	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GradientSh	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GuidedBac	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GuidedBac	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
GuidedBac	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
InputXGra	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
InputXGra	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
Integrated	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
Integrated	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
Integrated	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
Integrated	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
Integrated	SHAP_lines0.245503med_0.1824706	0.549065	0.213201	0.178154	0.132009	0.051986	0.706192	0.146612	0.044977	0.044977	0.044977	0.044977	0.044977
Saliency	Single	0.440421	0.396028	0.515187	0.34521	0.382009	0.348715	0.061916	0.268107	0.524533	0.330023	0.152453	0.252336
Saliency	Single	0.440421	0.396028	0.515187	0.34521	0.382009	0.348715	0.061916	0.268107	0.524533	0.330023	0.152453	0.252336

Table 41: BloodMNIST–DenseNet-121 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	DenseNet-121	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.09	6.6774e+09	
BloodMNIST	DenseNet-121	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	DenseNet-121	FeatureAbandon	passed	blocked	true	true	1	true	1				
BloodMNIST	DenseNet-121	Occlusion	passed	blocked	true	true	1	true	1				
BloodMNIST	DenseNet-121	DeepLift	passed	blocked	true	true	1	true	1	1	0.031206	6.6007e+08	
BloodMNIST	DenseNet-121	GradientShap	passed	blocked	true	true	1	true	1				
BloodMNIST	DenseNet-121	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.031542	1.7365e+09	
BloodMNIST	DenseNet-121	LRP	passed	blocked	true	true	1	true	1				

B EfficientNet-B0

Table 42: BloodMNIST-EfficientNet-B0 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST-B0	EfficientNet-B0	Saliency	failed	blocked	true	true	1	true	1	1	0.369449	3.8024e+08	RuntimeError: Deterministic repeat check failed
BloodMNIST-B0	EfficientNet-B0	InputXGradient	failed	blocked	true	true	1	true	1	1	0.238209	3.8265e+08	
BloodMNIST-B0	EfficientNet-B0	Integrated Gradients	failed	blocked	false	false	1		1				
BloodMNIST-B0	EfficientNet-B0	GuidedBackprop	failed	blocked	true	true	1	true	1				
BloodMNIST-B0	EfficientNet-B0	Deconvolution	failed	blocked	true	true	1	true	1				
BloodMNIST-B0	EfficientNet-B0	FeatureAbundance	failed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
BloodMNIST-B0	EfficientNet-B0	Occlusion	failed	blocked	true	true	1	true	1				
BloodMNIST-B0	EfficientNet-B0	DeepLift	failed	blocked	true	true	1	true	1	1	0.023019	2.7867e+08	
BloodMNIST-B0	EfficientNet-B0	GradientShapley	failed	blocked	false	false	1		1				
BloodMNIST-B0	EfficientNet-B0	DeepLiftShapley	failed	blocked	true	true	1	true	1	1	0.023704	6.5474e+08	
BloodMNIST-B0	EfficientNet-B0	LRP	failed	blocked	false								RuntimeError: No explanation batch candidate passed

C MobileNetV3-Large

Table 43: BloodMNIST–MobileNetV3-Large results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST Large	MobileNetV3-Large	Sparsity	failed	blocked	true	true	1	true	1				RuntimeError: No explanation batch candidate passed
BloodMNIST Large	MobileNetV3-Large	InputXGradient	failed	blocked	true	true	1	true	1				
BloodMNIST Large	MobileNetV3-Large	Integrated Gradients	failed	blocked	true	true	1	true	1	1	0.022833	2.4103e+09	
BloodMNIST Large	MobileNetV3-Large	GuidedBackprop	failed	blocked	true	true	1	true	1				
BloodMNIST Large	MobileNetV3-Large	Deconvolution	failed	blocked	true	true	1	true	1				
BloodMNIST Large	MobileNetV3-Large	FeatureAbstraction	failed	blocked	true	true	1	true	1				
BloodMNIST Large	MobileNetV3-Large	Oclusion	failed	blocked	true	true	1	true	1				
BloodMNIST Large	MobileNetV3-Large	DeepLift	failed	blocked	true	true	1	true	1	1	0.023025	2.2835e+08	
BloodMNIST Large	MobileNetV3-Large	GradientShap	failed	blocked	true	true	1	true	1				
BloodMNIST Large	MobileNetV3-Large	DeepLiftShap	failed	blocked	true	true	1	true	1	1	0.022708	4.9991e+08	
BloodMNIST Large	MobileNetV3-Large	LRP	failed	blocked	false								

D ResNet-18

Table 44: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
SimpleAvg	0.89311	0.91297	0.96437	0.9965	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda (NAIVE)	0.89194	0.91063	0.93283	0.99825	0.00759	0.0035	0.04673	0.02687	0.01869	0.00526
Borda (THE- ORY)	0.88493	0.91063	0.91472	0.99825	0.00526	0.00175	0.0625	0.03213	0.01285	0.00701
RRF (NAIVE)	0.89019	0.91121	0.93341	0.99766	0.00467	0.00701	0.04498	0.01519	0.01986	0.00409
RRF (THE- ORY)	0.88727	0.91063	0.91589	0.99825	0.00467	0	0.06659	0.03037	0.01051	0.00643
Schulze (NAIVE)	0.89194	0.91121	0.93575	0.99766	0.0035	0.00526	0.03972	0.00701	0.01519	0.00292
Schulze (THE- ORY)	0.8861	0.91238	0.91355	0.99766	0.00409	0.00292	0.0625	0.03154	0.01752	0.00935
Kemeny- Young (NAIVE)	0.88902	0.91121	0.93224	0.99766	0.00117	0.00526	0.04731	0.02745	0.01577	0.00467
Kemeny- Young (THE- ORY)	0.89019	0.91063	0.93458	0.99825	0.00058	0.00759	0.05023	0.03563	0.01694	0.00818

Table 45: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
SimpleAvg	0.893107	0.911215	0.960864	0.996495	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda	0.889019	0.910631	0.925818	0.997079	0.00759	0.0035	0.04673	0.02687	0.01869	0.00526
RRF	0.887266	0.910631	0.922897	0.997079	0.00467	0.00701	0.04498	0.01519	0.01986	0.00409
Schulze	0.887266	0.911799	0.923481	0.997079	0.0035	0.00526	0.03972	0.00701	0.01519	0.00292
Kemeny- Young	0.886682	0.910047	0.926986	0.997664	0.00117	0.00526	0.04731	0.02745	0.01577	0.00467
Best Ex- planation (Decorr)	0.8919	0.913	0.9258	0.9994	0	0.0012	0.0006	0.0093	0.0105	0.0018
SimpleAvg (Decorr)	0.8931	0.913	0.9644	0.9965	0.0047	0.007	0.0444	0.0234	0.0134	0.0029
Borda (Decorr)	0.8849	0.9106	0.9147	0.9982	0.0053	0.0018	0.0625	0.0321	0.0129	0.007
RRF (Decorr)	0.8873	0.9106	0.9159	0.9982	0.0047	0	0.0666	0.0304	0.0105	0.0064
Schulze (Decorr)	0.8861	0.9124	0.9136	0.9977	0.0041	0.0029	0.0625	0.0315	0.0175	0.0093
Kemeny- Young (Decorr)	0.8902	0.9106	0.9346	0.9982	0.0006	0.0076	0.0502	0.0356	0.0169	0.0082

Table 46: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.89077	0.91297	0.92582	0.99942	0	0.00117	0.00058	0.00467	0.00876	0.00175
SimpleAvg	0.89311	0.91297	0.96437	0.9965	0.00467	0.00701	0.04439	0.02336	0.01343	0.00292
Borda	0.88493	0.91063	0.91472	0.99825	0.00526	0.00175	0.0625	0.03213	0.01285	0.00701
RRF	0.88727	0.91063	0.91589	0.99825	0.00467	0	0.06659	0.03037	0.01051	0.00643
Schulze	0.8861	0.91238	0.91355	0.99766	0.00409	0.00292	0.0625	0.03154	0.01752	0.00935
Kemeny- Young	0.89019	0.91063	0.93458	0.99825	0.00058	0.00759	0.05023	0.03563	0.01694	0.00818
Best Ex- planation (Decorr)	0.8919	0.913	0.9258	0.9994	0	0.0012	0.0006	0.0093	0.0105	0.0018
SimpleAvg (Decorr)	0.8931	0.913	0.9644	0.9965	0.0047	0.007	0.0444	0.0234	0.0134	0.0029
Borda (Decorr)	0.8849	0.9106	0.9147	0.9982	0.0053	0.0018	0.0625	0.0321	0.0129	0.007
RRF (Decorr)	0.8873	0.9106	0.9159	0.9982	0.0047	0	0.0666	0.0304	0.0105	0.0064
Schulze (Decorr)	0.8861	0.9124	0.9136	0.9977	0.0041	0.0029	0.0625	0.0315	0.0175	0.0093
Kemeny- Young (Decorr)	0.8902	0.9106	0.9346	0.9982	0.0006	0.0076	0.0502	0.0356	0.0169	0.0082

Table 47: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
SimpleAvg	0.88318	0.9118	0.94451	0.99065	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda (NAIVE)	0.88143	0.91005	0.91063	0.9965	0.00759	0.00584	0.06075	0.03797	0.02278	0.00292
Borda (THE- ORY)	0.87383	0.91005	0.89369	0.99766	0.01227	0.00643	0.08002	0.05432	0.00058	0.00818
RRF (NAIVE)	0.8785	0.91063	0.90829	0.99591	0.00292	0.00117	0.05257	0.02629	0.01636	0.00234
RRF (THE- ORY)	0.8715	0.90829	0.90713	0.99591	0.00234	0.00058	0.07185	0.05958	0.00584	0.00117
Schulze (NAIVE)	0.88084	0.91063	0.91706	0.9965	0.00584	0.01227	0.04264	0.0222	0.0146	0.00935
Schulze (THE- ORY)	0.875	0.91121	0.89603	0.99591	0.01168	0.00818	0.07301	0.05082	0.00584	0.00117
Kemeny- Young (NAIVE)	0.88259	0.91005	0.9118	0.9965	0.00643	0.00467	0.0625	0.04556	0.01811	0.00643
Kemeny- Young (THE- ORY)	0.87617	0.91063	0.90829	0.99591	0.00058	0.00175	0.06133	0.04556	0.01227	0.00175

Table 48: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
SimpleAvg	0.892523	0.911215	0.943341	0.992407	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda	0.88493	0.910047	0.902453	0.995327	0.00759	0.00584	0.06075	0.03797	0.02278	0.00292
RRF	0.883178	0.910047	0.898949	0.994159	0.00292	0.00117	0.05257	0.02629	0.01636	0.00234
Schulze	0.88493	0.909463	0.911215	0.994743	0.00584	0.01227	0.04264	0.0222	0.0146	0.00935
Kemeny- Young	0.883762	0.908879	0.909463	0.993575	0.00643	0.00467	0.0625	0.04556	0.01811	0.00643
Best Ex- planation (Decorr)	0.8768	0.9136	0.8984	0.9936	0.0029	0.0012	0	0.007	0.0076	0
SimpleAvg (Decorr)	0.8832	0.9118	0.9445	0.9907	0.0029	0.0041	0.0403	0.0339	0.0181	0.0023
Borda (Decorr)	0.8738	0.91	0.8937	0.9977	0.0123	0.0064	0.08	0.0543	0.0006	0.0082
RRF (Decorr)	0.8715	0.9083	0.9071	0.9959	0.0023	0.0006	0.0718	0.0596	0.0058	0.0012
Schulze (Decorr)	0.875	0.9112	0.896	0.9959	0.0117	0.0082	0.073	0.0508	0.0058	0.0012
Kemeny- Young (Decorr)	0.8762	0.9106	0.9083	0.9959	0.0006	0.0018	0.0613	0.0456	0.0123	0.0018

Table 49: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.87675	0.91355	0.89836	0.9965	0.00117	0	0	0.00584	0.00643	0
SimpleAvg	0.88318	0.9118	0.94451	0.99065	0.00292	0.00409	0.0403	0.03388	0.01811	0.00234
Borda	0.87383	0.91005	0.89369	0.99766	0.01227	0.00643	0.08002	0.05432	0.00058	0.00818
RRF	0.8715	0.90829	0.90713	0.99591	0.00234	0.00058	0.07185	0.05958	0.00584	0.00117
Schulze	0.875	0.91121	0.89603	0.99591	0.01168	0.00818	0.07301	0.05082	0.00584	0.00117
Kemeny- Young	0.87617	0.91063	0.90829	0.99591	0.00058	0.00175	0.06133	0.04556	0.01227	0.00175
Best Ex- planation (Decorr)	0.8768	0.9136	0.8984	0.9936	0.0029	0.0012	0	0.007	0.0076	0
SimpleAvg (Decorr)	0.8832	0.9118	0.9445	0.9907	0.0029	0.0041	0.0403	0.0339	0.0181	0.0023
Borda (Decorr)	0.8738	0.91	0.8937	0.9977	0.0123	0.0064	0.08	0.0543	0.0006	0.0082
RRF (Decorr)	0.8715	0.9083	0.9071	0.9959	0.0023	0.0006	0.0718	0.0596	0.0058	0.0012
Schulze (Decorr)	0.875	0.9112	0.896	0.9959	0.0117	0.0082	0.073	0.0508	0.0058	0.0012
Kemeny- Young (Decorr)	0.8762	0.9106	0.9083	0.9959	0.0006	0.0018	0.0613	0.0456	0.0123	0.0018

Table 50: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
SimpleAvg	0.86098	0.90946	0.90537	0.98248	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda (NAIVE)	0.85047	0.91238	0.86974	0.98949	0.01636	0.02161	0.07769	0.05783	0.02804	0.02395
Borda (THE- ORY)	0.81717	0.9118	0.82418	0.98715	0.00058	0	0.11799	0.06834	0.01811	0.00701
RRF (NAIVE)	0.84755	0.91238	0.85923	0.98832	0.01928	0.01752	0.07769	0.04848	0.02044	0.00993
RRF (THE- ORY)	0.81308	0.91238	0.82769	0.98715	0.00643	0.00526	0.10164	0.06308	0.01869	0.01343
Schulze (NAIVE)	0.85047	0.91238	0.86449	0.98715	0.0146	0.01694	0.07068	0.03563	0.01402	0.00759
Schulze (THE- ORY)	0.82769	0.91121	0.8347	0.99124	0.02395	0.01694	0.08528	0.04381	0.02278	0.0146
Kemeny- Young (NAIVE)	0.84988	0.91121	0.8604	0.98773	0.00993	0.00818	0.07769	0.04965	0.01285	0.00584
Kemeny- Young (THE- ORY)	0.82185	0.9118	0.82418	0.98832	0.01811	0.0146	0.08178	0.03213	0.02745	0.01928

Table 51: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
SimpleAvg	0.834696	0.911215	0.860981	0.984229	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda	0.756425	0.910631	0.751752	0.985397	0.01636	0.02161	0.07769	0.05783	0.02804	0.02395
RRF	0.755841	0.910631	0.755841	0.985981	0.01928	0.01752	0.07769	0.04848	0.02044	0.00993
Schulze	0.764019	0.908879	0.762266	0.983645	0.0146	0.01694	0.07068	0.03563	0.01402	0.00759
Kemeny- Young	0.777453	0.912383	0.781542	0.984813	0.00993	0.00818	0.07769	0.04965	0.01285	0.00584
Best Ex- planation (Decorr)	0.7599	0.9241	0.764	0.9895	0.0018	0.0006	0.0006	0.0105	0.0018	0.0018
SimpleAvg (Decorr)	0.861	0.9095	0.9054	0.9825	0.0082	0.0152	0.0648	0.0421	0.0164	0.0105
Borda (Decorr)	0.8172	0.9118	0.8242	0.9871	0.0006	0	0.118	0.0683	0.0181	0.007
RRF (Decorr)	0.8131	0.9124	0.8277	0.9871	0.0064	0.0053	0.1016	0.0631	0.0187	0.0134
Schulze (Decorr)	0.8277	0.9112	0.8347	0.9912	0.0239	0.0169	0.0853	0.0438	0.0228	0.0146
Kemeny- Young (Decorr)	0.8218	0.9118	0.8242	0.9883	0.0181	0.0146	0.0818	0.0321	0.0275	0.0193

Table 52: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.75993	0.91238	0.76402	0.99007	0.00117	0.00058	0.00058	0.01051	0.00175	0
SimpleAvg	0.86098	0.90946	0.90537	0.98248	0.00818	0.01519	0.06484	0.04206	0.01636	0.01051
Borda	0.81717	0.9118	0.82418	0.98715	0.00058	0	0.11799	0.06834	0.01811	0.00701
RRF	0.81308	0.91238	0.82769	0.98715	0.00643	0.00526	0.10164	0.06308	0.01869	0.01343
Schulze	0.82769	0.91121	0.8347	0.99124	0.02395	0.01694	0.08528	0.04381	0.02278	0.0146
Kemeny- Young	0.82185	0.9118	0.82418	0.98832	0.01811	0.0146	0.08178	0.03213	0.02745	0.01928
Best Ex- planation (Decorr)	0.7599	0.9241	0.764	0.9895	0.0018	0.0006	0.0006	0.0105	0.0018	0.0018
SimpleAvg (Decorr)	0.861	0.9095	0.9054	0.9825	0.0082	0.0152	0.0648	0.0421	0.0164	0.0105
Borda (Decorr)	0.8172	0.9118	0.8242	0.9871	0.0006	0	0.118	0.0683	0.0181	0.007
RRF (Decorr)	0.8131	0.9124	0.8277	0.9871	0.0064	0.0053	0.1016	0.0631	0.0187	0.0134
Schulze (Decorr)	0.8277	0.9112	0.8347	0.9912	0.0239	0.0169	0.0853	0.0438	0.0228	0.0146
Kemeny- Young (Decorr)	0.8218	0.9118	0.8242	0.9883	0.0181	0.0146	0.0818	0.0321	0.0275	0.0193

Table 53: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
SimpleAvg	0.90012	0.9118	0.97488	0.99766	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda (NAIVE)	0.90245	0.91238	0.95269	0.99766	0.00643	0.0035	0.04322	0.01168	0.02044	0.00467
Borda (THE- ORY)	0.9007	0.91121	0.94743	0.99883	0.00175	0.00117	0.06308	0.03797	0.01285	0.00234
RRF (NAIVE)	0.89953	0.91238	0.95152	0.99766	0.00643	0.00175	0.03972	0.00643	0.01636	0.00701
RRF (THE- ORY)	0.90187	0.9118	0.95386	0.99825	0.00818	0.00526	0.03738	0.00935	0.02336	0.00759
Schulze (NAIVE)	0.90421	0.9118	0.95678	0.99825	0.00701	0.0035	0.0403	0.00234	0.0222	0
Schulze (THE- ORY)	0.90245	0.9118	0.94685	0.99942	0.00701	0.00175	0.06075	0.03855	0.01636	0.00058
Kemeny- Young (NAIVE)	0.90362	0.9118	0.95444	0.99825	0.01051	0.00409	0.04089	0.01811	0.02103	0.00993
Kemeny- Young (THE- ORY)	0.90304	0.9118	0.941	0.99825	0.00526	0.00175	0.05783	0.02044	0.01752	0.00467

Table 54: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
SimpleAvg	0.900701	0.912383	0.978388	0.995911	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda	0.898949	0.911799	0.941589	0.998248	0.00643	0.0035	0.04322	0.01168	0.02044	0.00467
RRF	0.901869	0.911799	0.941005	0.998248	0.00643	0.00175	0.03972	0.00643	0.01636	0.00701
Schulze	0.896612	0.911799	0.942173	0.998248	0.00701	0.0035	0.0403	0.00234	0.0222	0
Kemeny- Young	0.898949	0.911799	0.945093	0.998248	0.01051	0.00409	0.04089	0.01811	0.02103	0.00993
Best Ex- planation (Decorr)	0.8984	0.9118	0.9509	0.9994	0.0006	0.0018	0.0088	0.0041	0.0123	0.0023
SimpleAvg (Decorr)	0.9001	0.9118	0.9749	0.9977	0.0029	0.0006	0.0327	0.0129	0.0158	0
Borda (Decorr)	0.9007	0.9112	0.9474	0.9988	0.0018	0.0012	0.0631	0.038	0.0129	0.0023
RRF (Decorr)	0.9019	0.9118	0.9539	0.9982	0.0082	0.0053	0.0374	0.0093	0.0234	0.0076
Schulze (Decorr)	0.9025	0.9118	0.9468	0.9994	0.007	0.0018	0.0607	0.0386	0.0164	0.0006
Kemeny- Young (Decorr)	0.903	0.9118	0.941	0.9982	0.0053	0.0018	0.0578	0.0204	0.0175	0.0047

Table 55: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.8972	0.91238	0.94801	0.99942	0.00058	0.00058	0.00876	0.00058	0.0111	0.00175
SimpleAvg	0.90012	0.9118	0.97488	0.99766	0.00292	0.00058	0.03271	0.01285	0.01577	0
Borda	0.9007	0.91121	0.94743	0.99883	0.00175	0.00117	0.06308	0.03797	0.01285	0.00234
RRF	0.90187	0.9118	0.95386	0.99825	0.00818	0.00526	0.03738	0.00935	0.02336	0.00759
Schulze	0.90245	0.9118	0.94685	0.99942	0.00701	0.00175	0.06075	0.03855	0.01636	0.00058
Kemeny- Young	0.90304	0.9118	0.941	0.99825	0.00526	0.00175	0.05783	0.02044	0.01752	0.00467
Best Ex- planation (Decorr)	0.8984	0.9118	0.9509	0.9994	0.0006	0.0018	0.0088	0.0041	0.0123	0.0023
SimpleAvg (Decorr)	0.9001	0.9118	0.9749	0.9977	0.0029	0.0006	0.0327	0.0129	0.0158	0
Borda (Decorr)	0.9007	0.9112	0.9474	0.9988	0.0018	0.0012	0.0631	0.038	0.0129	0.0023
RRF (Decorr)	0.9019	0.9118	0.9539	0.9982	0.0082	0.0053	0.0374	0.0093	0.0234	0.0076
Schulze (Decorr)	0.9025	0.9118	0.9468	0.9994	0.007	0.0018	0.0607	0.0386	0.0164	0.0006
Kemeny- Young (Decorr)	0.903	0.9118	0.941	0.9982	0.0053	0.0018	0.0578	0.0204	0.0175	0.0047

Table 56: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
SimpleAvg	0.79614	0.90304	0.83353	0.96787	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda (NAIVE)	0.7611	0.90713	0.76343	0.97839	0.02103	0.02453	0.09054	0.0514	0.01636	0.01811
Borda (THE- ORY)	0.70561	0.91063	0.69977	0.97839	0.00467	0	0.16472	0.10456	0.00175	0.00993
RRF (NAIVE)	0.75935	0.90654	0.76928	0.97605	0.01402	0.02453	0.08586	0.04907	0.02103	0.03037
RRF (THE- ORY)	0.71028	0.90829	0.70736	0.97956	0.00643	0.00175	0.13668	0.08528	0.01168	0.00584
Schulze (NAIVE)	0.78096	0.90771	0.77804	0.97488	0.01636	0.02512	0.08703	0.04147	0.03096	0.03096
Schulze (THE- ORY)	0.69568	0.90829	0.69334	0.97839	0.00234	0.00234	0.15421	0.1028	0.00935	0.00818
Kemeny- Young (NAIVE)	0.75759	0.90654	0.7611	0.9778	0.0035	0.01343	0.10047	0.06893	0.0111	0.01402
Kemeny- Young (THE- ORY)	0.70619	0.90946	0.6986	0.97956	0.00584	0.00058	0.11449	0.05841	0.00234	0.00643

Table 57: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
SimpleAvg	0.713201	0.901869	0.723715	0.969042	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda	0.644276	0.905958	0.626168	0.967874	0.02103	0.02453	0.09054	0.0514	0.01636	0.01811
RRF	0.65771	0.90771	0.63785	0.969042	0.01402	0.02453	0.08586	0.04907	0.02103	0.03037
Schulze	0.668224	0.906542	0.64778	0.96729	0.01636	0.02512	0.08703	0.04147	0.03096	0.03096
Kemeny- Young	0.676402	0.908879	0.66472	0.966121	0.0035	0.01343	0.10047	0.06893	0.0111	0.01402
Best Ex- planation (Decorr)	0.6834	0.9095	0.6857	0.9772	0.0029	0	0.0018	0.0082	0.0023	0.0012
SimpleAvg (Decorr)	0.7961	0.903	0.8335	0.9679	0.0204	0.0426	0.0602	0.0397	0.0298	0.0432
Borda (Decorr)	0.7056	0.9106	0.6998	0.9784	0.0047	0	0.1647	0.1046	0.0018	0.0099
RRF (Decorr)	0.7103	0.9083	0.7074	0.9796	0.0064	0.0018	0.1367	0.0853	0.0117	0.0058
Schulze (Decorr)	0.6957	0.9083	0.6933	0.9784	0.0023	0.0023	0.1542	0.1028	0.0093	0.0082
Kemeny- Young (Decorr)	0.7062	0.9095	0.6986	0.9796	0.0058	0.0006	0.1145	0.0584	0.0023	0.0064

Table 58: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.68341	0.90946	0.68575	0.97722	0.00175	0	0.00175	0.00818	0.00234	0.00117
SimpleAvg	0.79614	0.90304	0.83353	0.96787	0.02044	0.04264	0.06016	0.03972	0.02979	0.04322
Borda	0.70561	0.91063	0.69977	0.97839	0.00467	0	0.16472	0.10456	0.00175	0.00993
RRF	0.71028	0.90829	0.70736	0.97956	0.00643	0.00175	0.13668	0.08528	0.01168	0.00584
Schulze	0.69568	0.90829	0.69334	0.97839	0.00234	0.00234	0.15421	0.1028	0.00935	0.00818
Kemeny- Young	0.70619	0.90946	0.6986	0.97956	0.00584	0.00058	0.11449	0.05841	0.00234	0.00643
Best Ex- planation (Decorr)	0.6834	0.9095	0.6857	0.9772	0.0029	0	0.0018	0.0082	0.0023	0.0012
SimpleAvg (Decorr)	0.7961	0.903	0.8335	0.9679	0.0204	0.0426	0.0602	0.0397	0.0298	0.0432
Borda (Decorr)	0.7056	0.9106	0.6998	0.9784	0.0047	0	0.1647	0.1046	0.0018	0.0099
RRF (Decorr)	0.7103	0.9083	0.7074	0.9796	0.0064	0.0018	0.1367	0.0853	0.0117	0.0058
Schulze (Decorr)	0.6957	0.9083	0.6933	0.9784	0.0023	0.0023	0.1542	0.1028	0.0093	0.0082
Kemeny- Young (Decorr)	0.7062	0.9095	0.6986	0.9796	0.0058	0.0006	0.1145	0.0584	0.0023	0.0064

Table 59: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
SimpleAvg	0.88668	0.91238	0.95853	0.99299	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda (NAIVE)	0.88435	0.91005	0.92231	0.9965	0.00117	0.00058	0.06717	0.03621	0.0111	0.00701
Borda (THE- ORY)	0.87909	0.91063	0.90888	0.99708	0.00058	0.0035	0.07944	0.0368	0.00993	0.00175
RRF (NAIVE)	0.8861	0.91005	0.92056	0.9965	0.00234	0.00643	0.06717	0.0257	0.0111	0.00467
RRF (THE- ORY)	0.88084	0.91063	0.91005	0.99708	0.00175	0.0035	0.07944	0.03855	0.0146	0.00117
Schulze (NAIVE)	0.89077	0.91297	0.92815	0.99708	0.00058	0.00526	0.06776	0.0257	0.0146	0.00175
Schulze (THE- ORY)	0.88026	0.91121	0.91121	0.9965	0.00467	0.00409	0.08002	0.03972	0.01343	0.00759
Kemeny- Young (NAIVE)	0.88551	0.91063	0.92407	0.99708	0	0.00759	0.07477	0.04089	0.00993	0.00467
Kemeny- Young (THE- ORY)	0.88435	0.91005	0.92991	0.99766	0.00526	0	0.07301	0.04848	0.00584	0.00234

Table 60: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
SimpleAvg	0.893107	0.911215	0.960864	0.996495	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda	0.889019	0.910631	0.925818	0.997079	0.00117	0.00058	0.06717	0.03621	0.0111	0.00701
RRF	0.887266	0.910631	0.922897	0.997079	0.00234	0.00643	0.06717	0.0257	0.0111	0.00467
Schulze	0.887266	0.911799	0.923481	0.997079	0.00058	0.00526	0.06776	0.0257	0.0146	0.00175
Kemeny- Young	0.886682	0.910047	0.926986	0.997664	0	0.00759	0.07477	0.04089	0.00993	0.00467
Best Ex- planation (Decorr)	0.8838	0.9112	0.9194	0.9953	0	0.0006	0.0012	0.0018	0.0099	0.0006
SimpleAvg (Decorr)	0.8867	0.9124	0.9585	0.993	0.0012	0	0.0555	0.0391	0.0058	0.0012
Borda (Decorr)	0.8791	0.9106	0.9089	0.9971	0.0006	0.0035	0.0794	0.0368	0.0099	0.0018
RRF (Decorr)	0.8808	0.9106	0.91	0.9971	0.0018	0.0035	0.0794	0.0386	0.0146	0.0012
Schulze (Decorr)	0.8803	0.9112	0.9112	0.9965	0.0047	0.0041	0.08	0.0397	0.0134	0.0076
Kemeny- Young (Decorr)	0.8843	0.91	0.9299	0.9977	0.0053	0	0.073	0.0485	0.0058	0.0023

Table 61: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.88376	0.91297	0.91939	0.99766	0	0.00058	0.00117	0.0035	0.00993	0.00058
SimpleAvg	0.88668	0.91238	0.95853	0.99299	0.00117	0	0.05549	0.03914	0.00584	0.00117
Borda	0.87909	0.91063	0.90888	0.99708	0.00058	0.0035	0.07944	0.0368	0.00993	0.00175
RRF	0.88084	0.91063	0.91005	0.99708	0.00175	0.0035	0.07944	0.03855	0.0146	0.00117
Schulze	0.88026	0.91121	0.91121	0.9965	0.00467	0.00409	0.08002	0.03972	0.01343	0.00759
Kemeny- Young	0.88435	0.91005	0.92991	0.99766	0.00526	0	0.07301	0.04848	0.00584	0.00234
Best Ex- planation (Decorr)	0.8838	0.9112	0.9194	0.9953	0	0.0006	0.0012	0.0018	0.0099	0.0006
SimpleAvg (Decorr)	0.8867	0.9124	0.9585	0.993	0.0012	0	0.0555	0.0391	0.0058	0.0012
Borda (Decorr)	0.8791	0.9106	0.9089	0.9971	0.0006	0.0035	0.0794	0.0368	0.0099	0.0018
RRF (Decorr)	0.8808	0.9106	0.91	0.9971	0.0018	0.0035	0.0794	0.0386	0.0146	0.0012
Schulze (Decorr)	0.8803	0.9112	0.9112	0.9965	0.0047	0.0041	0.08	0.0397	0.0134	0.0076
Kemeny- Young (Decorr)	0.8843	0.91	0.9299	0.9977	0.0053	0	0.073	0.0485	0.0058	0.0023

Table 62: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
SimpleAvg	0.88493	0.9118	0.93984	0.99124	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda (NAIVE)	0.88201	0.90946	0.89953	0.99299	0.01051	0.00935	0.09287	0.0368	0.0146	0.00526
Borda (THE- ORY)	0.87266	0.91005	0.89895	0.99357	0.0035	0.00117	0.08178	0.04556	0.00175	0.00117
RRF (NAIVE)	0.88143	0.91005	0.89895	0.99357	0.0146	0.00526	0.09346	0.03914	0.01285	0.00175
RRF (THE- ORY)	0.87617	0.90946	0.90362	0.99299	0	0.00701	0.08645	0.04614	0.00643	0.00409
Schulze (NAIVE)	0.88318	0.91238	0.90654	0.99299	0.01168	0.01519	0.0882	0.03855	0.01402	0.00292
Schulze (THE- ORY)	0.875	0.91063	0.9229	0.99357	0.0035	0.01986	0.0882	0.07477	0.01343	0.01343
Kemeny- Young (NAIVE)	0.87909	0.90888	0.89895	0.99357	0.00935	0.00701	0.09579	0.04439	0.01402	0.00117
Kemeny- Young (THE- ORY)	0.87617	0.90888	0.90187	0.99357	0.00058	0.00584	0.08995	0.05432	0.00292	0.00292

Table 63: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
SimpleAvg	0.892523	0.911215	0.943341	0.992407	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda	0.88493	0.910047	0.902453	0.995327	0.01051	0.00935	0.09287	0.0368	0.0146	0.00526
RRF	0.883178	0.910047	0.898949	0.994159	0.0146	0.00526	0.09346	0.03914	0.01285	0.00175
Schulze	0.88493	0.909463	0.911215	0.994743	0.01168	0.01519	0.0882	0.03855	0.01402	0.00292
Kemeny- Young	0.883762	0.908879	0.909463	0.993575	0.00935	0.00701	0.09579	0.04439	0.01402	0.00117
Best Ex- planation (Decorr)	0.8627	0.9136	0.8791	0.9947	0.0029	0.0012	0.0082	0.0134	0.0012	0.0006
SimpleAvg (Decorr)	0.8849	0.9118	0.9398	0.9912	0.0064	0.0093	0.08	0.052	0.0146	0.0053
Borda (Decorr)	0.8727	0.91	0.8989	0.9936	0.0035	0.0012	0.0818	0.0456	0.0018	0.0012
RRF (Decorr)	0.8762	0.9095	0.9036	0.993	0	0.007	0.0864	0.0461	0.0064	0.0041
Schulze (Decorr)	0.875	0.9106	0.9229	0.9936	0.0035	0.0199	0.0882	0.0748	0.0134	0.0134
Kemeny- Young (Decorr)	0.8762	0.9089	0.9019	0.9936	0.0006	0.0058	0.09	0.0543	0.0029	0.0029

Table 64: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.86273	0.91355	0.87909	0.99474	0	0	0.00818	0.01051	0.00117	0.00058
SimpleAvg	0.88493	0.9118	0.93984	0.99124	0.00643	0.00935	0.08002	0.05199	0.0146	0.00526
Borda	0.87266	0.91005	0.89895	0.99357	0.0035	0.00117	0.08178	0.04556	0.00175	0.00117
RRF	0.87617	0.90946	0.90362	0.99299	0	0.00701	0.08645	0.04614	0.00643	0.00409
Schulze	0.875	0.91063	0.9229	0.99357	0.0035	0.01986	0.0882	0.07477	0.01343	0.01343
Kemeny- Young	0.87617	0.90888	0.90187	0.99357	0.00058	0.00584	0.08995	0.05432	0.00292	0.00292
Best Ex- planation (Decorr)	0.8627	0.9136	0.8791	0.9947	0.0029	0.0012	0.0082	0.0134	0.0012	0.0006
SimpleAvg (Decorr)	0.8849	0.9118	0.9398	0.9912	0.0064	0.0093	0.08	0.052	0.0146	0.0053
Borda (Decorr)	0.8727	0.91	0.8989	0.9936	0.0035	0.0012	0.0818	0.0456	0.0018	0.0012
RRF (Decorr)	0.8762	0.9095	0.9036	0.993	0	0.007	0.0864	0.0461	0.0064	0.0041
Schulze (Decorr)	0.875	0.9106	0.9229	0.9936	0.0035	0.0199	0.0882	0.0748	0.0134	0.0134
Kemeny- Young (Decorr)	0.8762	0.9089	0.9019	0.9936	0.0006	0.0058	0.09	0.0543	0.0029	0.0029

Table 65: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
SimpleAvg	0.84171	0.90596	0.875	0.9778	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda (NAIVE)	0.81308	0.91063	0.82009	0.98481	0.01343	0.0257	0.15421	0.10572	0.0257	0.03505
Borda (THE- ORY)	0.74883	0.91121	0.74241	0.98773	0.00058	0.00234	0.16238	0.09346	0.00584	0.00117
RRF (NAIVE)	0.80082	0.91121	0.80666	0.98364	0.01402	0.02395	0.11565	0.06425	0.00993	0.01519
RRF (THE- ORY)	0.75584	0.91063	0.75584	0.98598	0.00058	0.00701	0.13785	0.07535	0.00818	0.00759
Schulze (NAIVE)	0.82886	0.90829	0.83002	0.98364	0.02745	0.02862	0.14136	0.07886	0.01051	0.01869
Schulze (THE- ORY)	0.75409	0.90713	0.74416	0.9778	0.00643	0.00234	0.17173	0.10047	0.00467	0.00058
Kemeny- Young (NAIVE)	0.80724	0.91121	0.8125	0.98423	0.03096	0.04381	0.15771	0.10689	0.03329	0.03446
Kemeny- Young (THE- ORY)	0.75643	0.91063	0.75175	0.9854	0.00467	0.00935	0.09638	0.03563	0.0111	0.00935

Table 66: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
SimpleAvg	0.834696	0.911215	0.860981	0.984229	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda	0.756425	0.910631	0.751752	0.985397	0.01343	0.0257	0.15421	0.10572	0.0257	0.03505
RRF	0.755841	0.910631	0.755841	0.985981	0.01402	0.02395	0.11565	0.06425	0.00993	0.01519
Schulze	0.764019	0.908879	0.762266	0.983645	0.02745	0.02862	0.14136	0.07886	0.01051	0.01869
Kemeny- Young	0.777453	0.912383	0.781542	0.984813	0.03096	0.04381	0.15771	0.10689	0.03329	0.03446
Best Ex- planation (Decorr)	0.715	0.9071	0.7173	0.9819	0.0023	0	0.0129	0.0275	0.0006	0
SimpleAvg (Decorr)	0.8417	0.906	0.875	0.9778	0.0123	0.0292	0.0917	0.0461	0.0275	0.0286
Borda (Decorr)	0.7488	0.9112	0.7424	0.9877	0.0006	0.0023	0.1624	0.0935	0.0058	0.0012
RRF (Decorr)	0.7558	0.9106	0.7558	0.986	0.0006	0.007	0.1379	0.0754	0.0082	0.0076
Schulze (Decorr)	0.7541	0.9071	0.7442	0.9778	0.0064	0.0023	0.1717	0.1005	0.0047	0.0006
Kemeny- Young (Decorr)	0.7564	0.9106	0.7518	0.9854	0.0047	0.0093	0.0964	0.0356	0.0111	0.0093

Table 67: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.71495	0.90713	0.71729	0.98306	0.00234	0	0.01285	0.02745	0.00058	0
SimpleAvg	0.84171	0.90596	0.875	0.9778	0.01227	0.02921	0.09171	0.04614	0.02745	0.02862
Borda	0.74883	0.91121	0.74241	0.98773	0.00058	0.00234	0.16238	0.09346	0.00584	0.00117
RRF	0.75584	0.91063	0.75584	0.98598	0.00058	0.00701	0.13785	0.07535	0.00818	0.00759
Schulze	0.75409	0.90713	0.74416	0.9778	0.00643	0.00234	0.17173	0.10047	0.00467	0.00058
Kemeny- Young	0.75643	0.91063	0.75175	0.9854	0.00467	0.00935	0.09638	0.03563	0.0111	0.00935
Best Ex- planation (Decorr)	0.715	0.9071	0.7173	0.9819	0.0023	0	0.0129	0.0275	0.0006	0
SimpleAvg (Decorr)	0.8417	0.906	0.875	0.9778	0.0123	0.0292	0.0917	0.0461	0.0275	0.0286
Borda (Decorr)	0.7488	0.9112	0.7424	0.9877	0.0006	0.0023	0.1624	0.0935	0.0058	0.0012
RRF (Decorr)	0.7558	0.9106	0.7558	0.986	0.0006	0.007	0.1379	0.0754	0.0082	0.0076
Schulze (Decorr)	0.7541	0.9071	0.7442	0.9778	0.0064	0.0023	0.1717	0.1005	0.0047	0.0006
Kemeny- Young (Decorr)	0.7564	0.9106	0.7518	0.9854	0.0047	0.0093	0.0964	0.0356	0.0111	0.0093

Table 68: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
SimpleAvg	0.89661	0.91005	0.97371	0.99766	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda (NAIVE)	0.90187	0.91121	0.94743	0.99883	0.00993	0.00058	0.06075	0.02044	0.0111	0.00292
Borda (THE- ORY)	0.89895	0.9118	0.94509	0.99825	0.00234	0.00643	0.06425	0.03213	0.01519	0.0035
RRF (NAIVE)	0.90245	0.91121	0.94626	0.99883	0.00993	0.00175	0.05958	0.01577	0.01051	0.00058
RRF (THE- ORY)	0.90012	0.91121	0.93575	0.99766	0.01285	0.00759	0.07652	0.03329	0.0222	0.00526
Schulze (NAIVE)	0.90245	0.9118	0.9521	0.99825	0.00701	0	0.05549	0.01694	0.01285	0.00643
Schulze (THE- ORY)	0.89661	0.9118	0.94217	0.99825	0.00584	0.00643	0.07126	0.04498	0.0146	0.00234
Kemeny- Young (NAIVE)	0.89895	0.91121	0.94801	0.99883	0.00526	0.00526	0.05958	0.02745	0.01227	0.00058
Kemeny- Young (THE- ORY)	0.90129	0.91121	0.93341	0.99766	0.01577	0.00292	0.07769	0.02979	0.02453	0.00292

Table 69: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
SimpleAvg	0.900701	0.912383	0.978388	0.995911	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda	0.898949	0.911799	0.941589	0.998248	0.00993	0.00058	0.06075	0.02044	0.0111	0.00292
RRF	0.901869	0.911799	0.941005	0.998248	0.00993	0.00175	0.05958	0.01577	0.01051	0.00058
Schulze	0.896612	0.911799	0.942173	0.998248	0.00701	0	0.05549	0.01694	0.01285	0.00643
Kemeny- Young	0.898949	0.911799	0.945093	0.998248	0.00526	0.00526	0.05958	0.02745	0.01227	0.00058
Best Ex- planation (Decorr)	0.8908	0.9159	0.9375	0.9988	0.0018	0	0.0123	0.0029	0.007	0.0006
SimpleAvg (Decorr)	0.8966	0.91	0.9737	0.9977	0.0082	0.0093	0.045	0.0216	0.0093	0.0053
Borda (Decorr)	0.8989	0.9118	0.9451	0.9982	0.0023	0.0064	0.0643	0.0321	0.0152	0.0035
RRF (Decorr)	0.9001	0.9112	0.9357	0.9977	0.0129	0.0076	0.0765	0.0333	0.0222	0.0053
Schulze (Decorr)	0.8966	0.9118	0.9422	0.9982	0.0058	0.0064	0.0713	0.045	0.0146	0.0023
Kemeny- Young (Decorr)	0.9013	0.9112	0.9334	0.9977	0.0158	0.0029	0.0777	0.0298	0.0245	0.0029

Table 70: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.89077	0.91238	0.9375	0.99883	0.00058	0.00117	0.01227	0.0035	0.00701	0.00058
SimpleAvg	0.89661	0.91005	0.97371	0.99766	0.00818	0.00935	0.04498	0.02161	0.00935	0.00526
Borda	0.89895	0.9118	0.94509	0.99825	0.00234	0.00643	0.06425	0.03213	0.01519	0.0035
RRF	0.90012	0.91121	0.93575	0.99766	0.01285	0.00759	0.07652	0.03329	0.0222	0.00526
Schulze	0.89661	0.9118	0.94217	0.99825	0.00584	0.00643	0.07126	0.04498	0.0146	0.00234
Kemeny- Young	0.90129	0.91121	0.93341	0.99766	0.01577	0.00292	0.07769	0.02979	0.02453	0.00292
Best Ex- planation (Decorr)	0.8908	0.9159	0.9375	0.9988	0.0018	0	0.0123	0.0029	0.007	0.0006
SimpleAvg (Decorr)	0.8966	0.91	0.9737	0.9977	0.0082	0.0093	0.045	0.0216	0.0093	0.0053
Borda (Decorr)	0.8989	0.9118	0.9451	0.9982	0.0023	0.0064	0.0643	0.0321	0.0152	0.0035
RRF (Decorr)	0.9001	0.9112	0.9357	0.9977	0.0129	0.0076	0.0765	0.0333	0.0222	0.0053
Schulze (Decorr)	0.8966	0.9118	0.9422	0.9982	0.0058	0.0064	0.0713	0.045	0.0146	0.0023
Kemeny- Young (Decorr)	0.9013	0.9112	0.9334	0.9977	0.0158	0.0029	0.0777	0.0298	0.0245	0.0029

Table 71: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
SimpleAvg	0.7389	0.90012	0.74533	0.96437	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda (NAIVE)	0.67114	0.90421	0.65596	0.96671	0.00993	0.02161	0.11157	0.04439	0.01051	0.00234
Borda (THE- ORY)	0.60572	0.91005	0.59463	0.96671	0.0035	0.00993	0.12792	0.06133	0.01227	0.00467
RRF (NAIVE)	0.66414	0.90421	0.65421	0.97255	0.00759	0.01694	0.09463	0.03037	0.01577	0.00292
RRF (THE- ORY)	0.61215	0.91005	0.59871	0.96554	0.00643	0.00467	0.10572	0.03271	0.01227	0.00876
Schulze (NAIVE)	0.691	0.90129	0.66998	0.96846	0.02979	0.03388	0.11974	0.05315	0.00175	0.00759
Schulze (THE- ORY)	0.66822	0.90654	0.64778	0.96729	0.00467	0.01168	0.11799	0.03972	0.00701	0.0035
Kemeny- Young (NAIVE)	0.65946	0.90421	0.64953	0.96904	0.00526	0.02804	0.12325	0.05549	0.01051	0.00058
Kemeny- Young (THE- ORY)	0.64428	0.90596	0.62617	0.96787	0.00876	0.01519	0.16005	0.08353	0.00935	0.00117

Table 72: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
SimpleAvg	0.713201	0.901869	0.723715	0.969042	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda	0.644276	0.905958	0.626168	0.967874	0.00993	0.02161	0.11157	0.04439	0.01051	0.00234
RRF	0.65771	0.90771	0.63785	0.969042	0.00759	0.01694	0.09463	0.03037	0.01577	0.00292
Schulze	0.668224	0.906542	0.64778	0.96729	0.02979	0.03388	0.11974	0.05315	0.00175	0.00759
Kemeny- Young	0.676402	0.908879	0.66472	0.966121	0.00526	0.02804	0.12325	0.05549	0.01051	0.00058
Best Ex- planation (Decorr)	0.618	0.9042	0.6028	0.972	0.0023	0.0018	0.0187	0.021	0.0012	0.0047
SimpleAvg (Decorr)	0.7389	0.9001	0.7453	0.9644	0.0187	0.0339	0.111	0.0485	0.0193	0.0275
Borda (Decorr)	0.6057	0.91	0.5946	0.9667	0.0035	0.0099	0.1279	0.0613	0.0123	0.0047
RRF (Decorr)	0.6121	0.91	0.5987	0.9655	0.0064	0.0047	0.1057	0.0327	0.0123	0.0088
Schulze (Decorr)	0.6682	0.9065	0.6478	0.9673	0.0047	0.0117	0.118	0.0397	0.007	0.0035
Kemeny- Young (Decorr)	0.6443	0.906	0.6262	0.9679	0.0088	0.0152	0.16	0.0835	0.0093	0.0012

Table 73: BloodMNIST–ResNet-18 results.

Method	Acc ReplaceTop	Acc ReplaceBottom	Cons ReplaceTop	Cons ReplaceBottom	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15
Best Ex- planation	0.61799	0.90421	0.6028	0.97196	0.00234	0.00175	0.01869	0.00584	0.00117	0.00175
SimpleAvg	0.7389	0.90012	0.74533	0.96437	0.01869	0.03388	0.11098	0.04848	0.01928	0.02745
Borda	0.60572	0.91005	0.59463	0.96671	0.0035	0.00993	0.12792	0.06133	0.01227	0.00467
RRF	0.61215	0.91005	0.59871	0.96554	0.00643	0.00467	0.10572	0.03271	0.01227	0.00876
Schulze	0.66822	0.90654	0.64778	0.96729	0.00467	0.01168	0.11799	0.03972	0.00701	0.0035
Kemeny- Young	0.64428	0.90596	0.62617	0.96787	0.00876	0.01519	0.16005	0.08353	0.00935	0.00117
Best Ex- planation (Decorr)	0.618	0.9042	0.6028	0.972	0.0023	0.0018	0.0187	0.021	0.0012	0.0047
SimpleAvg (Decorr)	0.7389	0.9001	0.7453	0.9644	0.0187	0.0339	0.111	0.0485	0.0193	0.0275
Borda (Decorr)	0.6057	0.91	0.5946	0.9667	0.0035	0.0099	0.1279	0.0613	0.0123	0.0047
RRF (Decorr)	0.6121	0.91	0.5987	0.9655	0.0064	0.0047	0.1057	0.0327	0.0123	0.0088
Schulze (Decorr)	0.6682	0.9065	0.6478	0.9673	0.0047	0.0117	0.118	0.0397	0.007	0.0035
Kemeny- Young (Decorr)	0.6443	0.906	0.6262	0.9679	0.0088	0.0152	0.16	0.0835	0.0093	0.0012

Table 74: BloodMNIST–ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.879089	0.908879	0.910631	0.997079
Borda (n=3)	Ensemble	0.889019	0.925818	0.910631	0.997079
Borda (n=4)	Ensemble	0.886682	0.926986	0.910047	0.997664
Borda (n=5)	Ensemble	0.88785	0.933411	0.910631	0.997079
Borda (n=6)	Ensemble	0.884346	0.929907	0.910047	0.997664
Borda (n=7)	Ensemble	0.885514	0.924065	0.910631	0.997079
Borda (n=8)	Ensemble	0.884346	0.922313	0.910047	0.996495
Kemeny-Young (n=2)	Ensemble	0.879089	0.908879	0.910631	0.997079
Kemeny-Young (n=3)	Ensemble	0.889019	0.925818	0.910631	0.997079
Kemeny-Young (n=4)	Ensemble	0.886682	0.926986	0.910047	0.997664
Kemeny-Young (n=5)	Ensemble	0.88785	0.933411	0.910631	0.997079
Kemeny-Young (n=6)	Ensemble	0.884346	0.929907	0.910047	0.997664
Kemeny-Young (n=7)	Ensemble	0.885514	0.924065	0.910631	0.997079
Kemeny-Young (n=8)	Ensemble	0.884346	0.922313	0.910047	0.996495
RRF (n=2)	Ensemble	0.880841	0.910047	0.910631	0.997079
RRF (n=3)	Ensemble	0.887266	0.922897	0.910631	0.997079
RRF (n=4)	Ensemble	0.888435	0.928738	0.910047	0.997664
RRF (n=5)	Ensemble	0.88785	0.929907	0.910631	0.997079
RRF (n=6)	Ensemble	0.885514	0.925234	0.910047	0.997664
RRF (n=7)	Ensemble	0.88785	0.926986	0.910631	0.997079
RRF (n=8)	Ensemble	0.886098	0.920561	0.910047	0.996495
Schulze (n=2)	Ensemble	0.880257	0.911215	0.911215	0.996495
Schulze (n=3)	Ensemble	0.887266	0.923481	0.911799	0.997079
Schulze (n=4)	Ensemble	0.887266	0.94743	0.911799	0.998248
Schulze (n=5)	Ensemble	0.894276	0.934579	0.911215	0.997664
Schulze (n=6)	Ensemble	0.88493	0.931075	0.910047	0.997664
Schulze (n=7)	Ensemble	0.890771	0.930491	0.911799	0.997079
Schulze (n=8)	Ensemble	0.890771	0.928154	0.912967	0.997079
norm_ensemble (n=2)	Ensemble	0.901285	0.962033	0.910631	0.998248
norm_ensemble (n=3)	Ensemble	0.893107	0.960864	0.911215	0.996495
norm_ensemble (n=4)	Ensemble	0.891355	0.96729	0.909463	0.995911
norm_ensemble (n=5)	Ensemble	0.889603	0.964953	0.911215	0.995327
norm_ensemble (n=6)	Ensemble	0.891939	0.965537	0.910631	0.991822

Table 75: BloodMNIST–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.000584	0.003505	0.079439	0.036799	0.00993	0.001752	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Borda (n=3)	Ensemble	0.001752	0.007593	0.091121	0.067757	0.018107	0.002921	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Borda (n=4)	Ensemble	0.004089	0.003505	0.080023	0.060164	0.008762	0.001168	0.004673	0.003505	0.024533	0.012266	0.01285	0.003505
Borda (n=5)	Ensemble	0.002921	0.005841	0.07535	0.054907	0.007593	0.005257	0.005257	0.004089	0.028037	0.010514	0.014019	0.002336
Borda (n=6)	Ensemble	0.005257	0	0.073014	0.048481	0.005841	0.002336	0.004673	0.005841	0.024533	0.009346	0.014019	0.002336
Borda (n=7)	Ensemble	0	0.007593	0.074766	0.040888	0.00993	0.004673	0.005841	0.004673	0.024533	0.008762	0.013435	0.001752
Borda (n=8)	Ensemble	0.001168	0.000584	0.067173	0.036215	0.011098	0.007009	0.003505	0.004673	0.025701	0.009346	0.01285	0.002336
Kemeny-Young (n=2)	Ensemble	0.000584	0.003505	0.079439	0.036799	0.00993	0.001752	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Kemeny-Young (n=3)	Ensemble	0.001752	0.007593	0.091121	0.067757	0.018107	0.002921	0.003505	0.001168	0.026285	0.014019	0.01285	0.002336
Kemeny-Young (n=4)	Ensemble	0.004089	0.003505	0.080023	0.060164	0.008762	0.001168	0.004673	0.003505	0.024533	0.012266	0.01285	0.003505
Kemeny-Young (n=5)	Ensemble	0.002921	0.005841	0.07535	0.054907	0.007593	0.005257	0.005257	0.004089	0.028037	0.010514	0.014019	0.002336
Kemeny-Young (n=6)	Ensemble	0.005257	0	0.073014	0.048481	0.005841	0.002336	0.004673	0.005841	0.024533	0.009346	0.014019	0.002336
Kemeny-Young (n=7)	Ensemble	0	0.007593	0.074766	0.040888	0.00993	0.004673	0.005841	0.004673	0.024533	0.008762	0.013435	0.001752
Kemeny-Young (n=8)	Ensemble	0.001168	0.000584	0.067173	0.036215	0.011098	0.007009	0.003505	0.004673	0.025701	0.009346	0.01285	0.002336
RRF (n=2)	Ensemble	0.001752	0.003505	0.079439	0.038551	0.014603	0.001168	0.002921	0.000584	0.025701	0.014603	0.012266	0.002921
RRF (n=3)	Ensemble	0.001168	0.008178	0.089953	0.067173	0.013435	0.001752	0.004089	0.001752	0.026285	0.014019	0.012266	0.001752
RRF (n=4)	Ensemble	0.001168	0.002921	0.083528	0.059579	0.013435	0.004089	0.004673	0.003505	0.024533	0.012266	0.01285	0.003505
RRF (n=5)	Ensemble	0.004089	0.004089	0.078271	0.048481	0.00993	0.005257	0.004673	0.003505	0.027453	0.00993	0.01285	0.002336
RRF (n=6)	Ensemble	0.002921	0.003505	0.070678	0.04264	0.008178	0.003505	0.005841	0.005841	0.025117	0.008178	0.014019	0.002336
RRF (n=7)	Ensemble	0.000584	0.005257	0.078271	0.04264	0.014603	0.005257	0.006425	0.005257	0.024533	0.009346	0.013435	0.001752
RRF (n=8)	Ensemble	0.002336	0.006425	0.067173	0.025701	0.011098	0.004673	0.004089	0.004089	0.024533	0.007593	0.01285	0.002336
Schulze (n=2)	Ensemble	0.004673	0.004089	0.080023	0.03972	0.013435	0.007593	0.004089	0.000584	0.027453	0.015187	0.015771	0.001752
Schulze (n=3)	Ensemble	0.004089	0.010514	0.093458	0.070093	0.014603	0.004673	0.005257	0.001752	0.026869	0.014019	0.015771	0.001752
Schulze (n=4)	Ensemble	0.001168	0.003505	0.081776	0.070678	0.010514	0.010514	0.006425	0.004089	0.027453	0.015187	0.014603	0.002921
Schulze (n=5)	Ensemble	0.007593	0.002921	0.07243	0.036799	0.020444	0.003505	0.007009	0.004673	0.026285	0.011682	0.014019	0.003505
Schulze (n=6)	Ensemble	0.001752	0.001168	0.074766	0.037383	0.008178	0.000584	0.005257	0.005257	0.025701	0.012266	0.013435	0.001752
Schulze (n=7)	Ensemble	0.001752	0.004673	0.07535	0.035047	0.013435	0.002921	0.007593	0.004089	0.026869	0.011098	0.014603	0.004089
Schulze (n=8)	Ensemble	0.000584	0.005257	0.067757	0.025701	0.014603	0.001752	0.007009	0.003505	0.027453	0.011098	0.015187	0.003505
norm_ensemble (n=2)	Ensemble	0.013435	0.004089	0.047897	0.021028	0.016355	0.005257	0.005257	0.002921	0.026869	0.014603	0.012266	0.004089
norm_ensemble (n=3)	Ensemble	0.002336	0.004089	0.068341	0.043808	0.011098	0.000584	0.005841	0.001168	0.027453	0.015187	0.015187	0.005841
norm_ensemble (n=4)	Ensemble	0	0.004673	0.069509	0.054907	0.016355	0.004673	0.004089	0.002921	0.027453	0.011098	0.011682	0.003505

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian amount 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.002921	0.001752	0.070678	0.051986	0.012266	0.003505	0.005841	0.003505	0.028037	0.007593	0.014019	0.003505
norm_ensemble (n=6)	Ensemble	0.001168	0.007009	0.070093	0.053738	0.00993	0.004089	0.004673	0.000584	0.032126	0.000584	0.011098	0.001168
norm_ensemble (n=7)	Ensemble	0.009346	0.001168	0.057827	0.044977	0.002921	0.001168	0.006425	0.004089	0.028037	0.017523	0.012266	0.001752
norm_ensemble (n=8)	Ensemble	0.001168	0	0.055491	0.039136	0.005841	0.001168	0.005841	0.001168	0.028621	0.011098	0.011682	0.001168
Deconvolut	Single	0.006425	0.001168	0.048481	0.012266	0.00993	0.005257	0.006425	0.002921	0.021612	0.017523	0.013435	0.001752
Deconvolut	Single	0.006425	0.001168	0.048481	0.012266	0.00993	0.005257	0.006425	0.002921	0.021612	0.017523	0.013435	0.001752
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
DeepLIFT_SSHAP_base	SHAP	0.008506	0.002093	0.068341	0.018107	0.014603	0.004673	0.008762	0.002921	0.025701	0.015771	0.016355	0.001168
FeatureAb	Single_patch	0.004089	0.004673	0.037967	0.035631	0.007593	0.000584	0.004089	0.003505	0.02278	0.004673	0.014019	0.002921
FeatureAb	Single_patch	0.004089	0.004673	0.037967	0.035631	0.007593	0.000584	0.004089	0.003505	0.02278	0.004673	0.014019	0.002921
GradientSh	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
GradientSh	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
GradientSh	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
GradientSh	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
GradientSh	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
GradientSh	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
GuidedBack	Single	0.007593	0.000584	0.077103	0.041472	0.013435	0.002336	0.004673	0.000584	0.029206	0.005257	0.014019	0.000584
GuidedBack	Single	0.007593	0.000584	0.077103	0.041472	0.013435	0.002336	0.004673	0.000584	0.029206	0.005257	0.014019	0.000584
InputXGra	Single	0	0.007593	0.001168	0.022196	0.010514	0.00993	0.009346	0.002921	0.030958	0.007593	0.015771	0.004089
InputXGra	Single	0	0.007593	0.001168	0.022196	0.010514	0.00993	0.009346	0.002921	0.030958	0.007593	0.015771	0.004089
Integrated	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
Integrated	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
Integrated	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
Integrated	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
Integrated	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
Integrated	Single	0.003505	0.003505	0.014019	0.017523	0.004673	0.010514	0.004089	0.003505	0.030374	0.010514	0.014603	0.003505
Occlusion	Single	0.004673	0.011098	0.00993	0.005841	0.016355	0.007593	0.004673	0.001168	0.024533	0.01285	0.012266	0.002336
Occlusion	Single	0.004673	0.011098	0.00993	0.005841	0.016355	0.007593	0.004673	0.001168	0.024533	0.01285	0.012266	0.002336
Saliency	Single	0.004673	0.011098	0.00993	0.005841	0.016355	0.007593	0.004673	0.001168	0.024533	0.01285	0.012266	0.002336
Saliency	Single	0.004673	0.011098	0.00993	0.005841	0.016355	0.007593	0.004673	0.001168	0.024533	0.01285	0.012266	0.002336

Table 76: BloodMNIST–ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.890187	0.904206	0.911215	0.992407
Borda (n=3)	Ensemble	0.88493	0.902453	0.910047	0.995327
Borda (n=4)	Ensemble	0.883762	0.909463	0.908879	0.993575
Borda (n=5)	Ensemble	0.876168	0.901869	0.908879	0.993575
Borda (n=6)	Ensemble	0.872664	0.898949	0.910047	0.993575
Borda (n=7)	Ensemble	0.879089	0.898949	0.908879	0.993575
Borda (n=8)	Ensemble	0.882009	0.899533	0.909463	0.992991
Kemeny- Young (n=2)	Ensemble	0.890187	0.904206	0.911215	0.992407
Kemeny- Young (n=3)	Ensemble	0.88493	0.902453	0.910047	0.995327
Kemeny- Young (n=4)	Ensemble	0.883762	0.909463	0.908879	0.993575
Kemeny- Young (n=5)	Ensemble	0.876168	0.901869	0.908879	0.993575
Kemeny- Young (n=6)	Ensemble	0.872664	0.898949	0.910047	0.993575
Kemeny- Young (n=7)	Ensemble	0.879089	0.898949	0.908879	0.993575
Kemeny- Young (n=8)	Ensemble	0.882009	0.899533	0.909463	0.992991
RRF (n=2)	Ensemble	0.889603	0.905374	0.910631	0.992407
RRF (n=3)	Ensemble	0.883178	0.898949	0.910047	0.994159
RRF (n=4)	Ensemble	0.879673	0.911215	0.908879	0.993575
RRF (n=5)	Ensemble	0.876168	0.903621	0.909463	0.992991
RRF (n=6)	Ensemble	0.877336	0.904206	0.909463	0.994159
RRF (n=7)	Ensemble	0.879673	0.901285	0.910631	0.994159
RRF (n=8)	Ensemble	0.881425	0.898949	0.910047	0.993575
Schulze (n=2)	Ensemble	0.886682	0.897196	0.910047	0.993575
Schulze (n=3)	Ensemble	0.88493	0.911215	0.909463	0.994743
Schulze (n=4)	Ensemble	0.875	0.922897	0.910631	0.993575
Schulze (n=5)	Ensemble	0.878505	0.907126	0.910047	0.994743
Schulze (n=6)	Ensemble	0.882009	0.905958	0.910047	0.992407
Schulze (n=7)	Ensemble	0.882009	0.904206	0.911215	0.992407
Schulze (n=8)	Ensemble	0.883178	0.906542	0.912383	0.992991
norm_ense (n=2)	Ensemble	0.894276	0.945678	0.909463	0.992991
norm_ense (n=3)	Ensemble	0.892523	0.943341	0.911215	0.992407
norm_ense (n=4)	Ensemble	0.882009	0.945678	0.911215	0.991822
norm_ense (n=5)	Ensemble	0.882009	0.945678	0.910047	0.991822
norm_ense (n=6)	Ensemble	0.878505	0.940421	0.911215	0.988902

Table 77: BloodMNIST–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.016355	0.014019	0.10514	0.050818	0.010514	0.005841	0.008762	0.003505	0.014603	0.033294	0.014019	0.000584
Borda (n=3)	Ensemble	0.013435	0.014603	0.107477	0.070678	0.016355	0.007593	0.007009	0.004673	0.015187	0.035631	0.013435	0.002921
Borda (n=4)	Ensemble	0.013435	0.015771	0.101636	0.065421	0.01285	0.004673	0.005841	0.001752	0.017523	0.026869	0.01285	0.000584
Borda (n=5)	Ensemble	0.000584	0.005841	0.089953	0.054322	0.002921	0.002921	0.007593	0.003505	0.019276	0.026869	0.014019	0.001752
Borda (n=6)	Ensemble	0.003505	0.001168	0.081776	0.045561	0.001752	0.001168	0.008178	0.004089	0.02278	0.018692	0.014603	0.002336
Borda (n=7)	Ensemble	0.009346	0.007009	0.095794	0.044393	0.014019	0.001168	0.007009	0.004089	0.02278	0.018692	0.010514	0.002921
Borda (n=8)	Ensemble	0.010514	0.009346	0.092874	0.036799	0.014603	0.005257	0.007009	0.002921	0.021612	0.021028	0.012266	0.002336
Kemeny-Young (n=2)	Ensemble	0.016355	0.014019	0.10514	0.050818	0.010514	0.005841	0.008762	0.003505	0.014603	0.033294	0.014019	0.000584
Kemeny-Young (n=3)	Ensemble	0.013435	0.014603	0.107477	0.070678	0.016355	0.007593	0.007009	0.004673	0.015187	0.035631	0.013435	0.002921
Kemeny-Young (n=4)	Ensemble	0.013435	0.015771	0.101636	0.065421	0.01285	0.004673	0.005841	0.001752	0.017523	0.026869	0.01285	0.000584
Kemeny-Young (n=5)	Ensemble	0.000584	0.005841	0.089953	0.054322	0.002921	0.002921	0.007593	0.003505	0.019276	0.026869	0.014019	0.001752
Kemeny-Young (n=6)	Ensemble	0.003505	0.001168	0.081776	0.045561	0.001752	0.001168	0.008178	0.004089	0.02278	0.018692	0.014603	0.002336
Kemeny-Young (n=7)	Ensemble	0.009346	0.007009	0.095794	0.044393	0.014019	0.001168	0.007009	0.004089	0.02278	0.018692	0.010514	0.002921
Kemeny-Young (n=8)	Ensemble	0.010514	0.009346	0.092874	0.036799	0.014603	0.005257	0.007009	0.002921	0.021612	0.021028	0.012266	0.002336
RRF (n=2)	Ensemble	0.014603	0.010514	0.105724	0.051402	0.012266	0.004673	0.007593	0.002921	0.014603	0.03271	0.012266	0.001752
RRF (n=3)	Ensemble	0.015771	0.014019	0.106308	0.064252	0.019276	0.009346	0.007593	0.002921	0.015187	0.034463	0.013435	0.001752
RRF (n=4)	Ensemble	0.00993	0.018107	0.099299	0.070093	0.00993	0.010514	0.005257	0.001168	0.018692	0.025701	0.012266	0.001168
RRF (n=5)	Ensemble	0	0.007009	0.086449	0.046145	0.006425	0.004089	0.008178	0.002921	0.01986	0.025117	0.014603	0.001168
RRF (n=6)	Ensemble	0.004673	0.005257	0.086449	0.048481	0.00993	0.004673	0.006425	0.004673	0.023949	0.015771	0.014019	0.002921
RRF (n=7)	Ensemble	0.009346	0.009346	0.090537	0.041472	0.012266	0.001752	0.008178	0.004089	0.025701	0.015771	0.012266	0.003505
RRF (n=8)	Ensemble	0.014603	0.005257	0.093458	0.039136	0.01285	0.001752	0.007593	0.003505	0.025117	0.017523	0.01285	0.002921
Schulze (n=2)	Ensemble	0.019276	0.010514	0.106893	0.050234	0.010514	0.005257	0.004673	0.002921	0.014603	0.035631	0.011682	0.000584
Schulze (n=3)	Ensemble	0.008762	0.017523	0.109813	0.080607	0.011682	0.004673	0.007593	0.004089	0.013435	0.035631	0.013435	0.004089
Schulze (n=4)	Ensemble	0.003505	0.01986	0.088201	0.074766	0.013435	0.013435	0.008762	0.004089	0.018692	0.030374	0.015187	0.003505
Schulze (n=5)	Ensemble	0.001752	0.003505	0.086449	0.047897	0.014019	0.005257	0.008762	0.005841	0.015187	0.031542	0.015771	0.004673
Schulze (n=6)	Ensemble	0.006425	0.002921	0.092874	0.043224	0.00993	0.001752	0.00993	0.005841	0.016939	0.027453	0.016939	0.004673
Schulze (n=7)	Ensemble	0.011098	0.004089	0.090537	0.038551	0.008762	0.005257	0.010514	0.005257	0.018107	0.026285	0.016355	0.002921
Schulze (n=8)	Ensemble	0.011682	0.015187	0.088201	0.038551	0.014019	0.002921	0.011682	0.004673	0.019276	0.029206	0.016355	0.003505
norm_ensemble (n=2)	Ensemble	0.004673	0.005257	0.071262	0.042056	0.006425	0.001168	0.006425	0.001168	0.018692	0.031542	0.013435	0.001168
norm_ensemble (n=3)	Ensemble	0.004089	0.004089	0.08528	0.049065	0.011682	0.002921	0.008178	0.002921	0.022196	0.028037	0.013435	0
norm_ensemble (n=4)	Ensemble	0.000584	0.00993	0.075935	0.050234	0.011098	0.001168	0.010514	0.003505	0.025117	0.020444	0.016939	0.002921

		AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.002921	0.011682	0.076519	0.049065	0.011098	0.008178	0.009346	0.003505	0.022196	0.018692	0.015771	0.001752
norm_ensemble (n=6)	Ensemble	0.005257	0.007009	0.075935	0.04965	0.006425	0.005841	0.009346	0.001752	0.02979	0.014603	0.011098	0.001168
norm_ensemble (n=7)	Ensemble	0.005257	0.018107	0.077687	0.057243	0.012266	0.011098	0.012266	0.005257	0.031542	0.03271	0.014019	0.001168
norm_ensemble (n=8)	Ensemble	0.006425	0.009346	0.080023	0.051986	0.014603	0.005257	0.009346	0.003505	0.023949	0.02979	0.014019	0.000584
Deconvolutional	Single	0.002921	0.003505	0.046729	0.013435	0.007009	0.008178	0.006425	0.005257	0.006425	0.042056	0.01285	0.008762
Deconvolutional	Single	0.002921	0.003505	0.046729	0.013435	0.007009	0.008178	0.006425	0.005257	0.006425	0.042056	0.01285	0.008762
DeepLIFT_SHAP	SHAP_base0.008506mbined0.04089	0.008506	0.008506	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
DeepLIFT_SHAP	SHAP_base0.008506mbined0.04089	0.008506	0.008506	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
DeepLIFT_SHAP	SHAP_base0.008506mbined0.04089	0.008506	0.008506	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
DeepLIFT_SHAP	SHAP_base0.008506mbined0.04089	0.008506	0.008506	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
DeepLIFT_SHAP	SHAP_base0.008506mbined0.04089	0.008506	0.008506	0.09229	0.028621	0.013435	0.002921	0.014603	0.004673	0.016355	0.031542	0.015771	0
DeepLIFT_Singles	lines_glb0.00994can 0	0.00994	0	0.087617	0.031542	0.00993	0.005257	0.008762	0.004089	0.024533	0.017523	0.015771	0.002336
DeepLIFT_Singles	lines_glb0.00994can 0	0.00994	0	0.087617	0.031542	0.00993	0.005257	0.008762	0.004089	0.024533	0.017523	0.015771	0.002336
FeatureAbstraction	Single_patch0.004108	0.004108	0.002921	0.039136	0.038551	0.007009	0.002336	0.008178	0.003505	0.024533	0.011682	0.010514	0.000584
FeatureAbstraction	Single_patch0.004108	0.004108	0.002921	0.039136	0.038551	0.007009	0.002336	0.008178	0.003505	0.024533	0.011682	0.010514	0.000584
GradientSHAP	Single_baselines0.010514	0.010514	0.010514	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0	
GradientSHAP	Single_baselines0.010514	0.010514	0.010514	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0	
GradientSHAP	Single_baselines0.010514	0.010514	0.010514	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0	
GradientSHAP	Single_baselines0.010514	0.010514	0.010514	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0	
GradientSHAP	Single_baselines0.010514	0.010514	0.010514	0.028037	0.015187	0.008178	0.008762	0.002336	0.015771	0.028621	0.016939	0	
GuidedBackpropagation	Single	0.014603	0.014019	0.085864	0.044393	0.015187	0.004673	0.007593	0.000584	0.025701	0.015771	0.017523	0.000584
GuidedBackpropagation	Single	0.014603	0.014019	0.085864	0.044393	0.015187	0.004673	0.007593	0.000584	0.025701	0.015771	0.017523	0.000584
InputXGradient	Single	0.010514	0.008178	0.008178	0.033879	0.001168	0.003505	0.009346	0.002921	0.025117	0.010514	0.016355	0.000584
InputXGradient	Single	0.010514	0.008178	0.008178	0.033879	0.001168	0.003505	0.009346	0.002921	0.025117	0.010514	0.016355	0.000584
IntegratedGradients	baselines_zero0.009346ps_200051402	0.009346	0.009346	0.026869	0.011098	0.008178	0.004673	0.000584	0.025117	0.013435	0.012266	0.004673	0.004673
IntegratedGradients	baselines_zero0.009346ps_200051402	0.009346	0.009346	0.026869	0.011098	0.008178	0.004673	0.000584	0.025117	0.013435	0.012266	0.004673	0.004673
IntegratedGradients	baselines_zero0.009346ps_50.046729	0.009346	0.009346	0.026869	0.011098	0.008178	0.004673	0.000584	0.025117	0.013435	0.012266	0.004673	0.004673
IntegratedGradients	baselines_zero0.009346ps_50.046729	0.009346	0.009346	0.026869	0.011098	0.008178	0.004673	0.000584	0.025117	0.013435	0.012266	0.004673	0.004673
OcclusionSensitivity	Single_baselines_glb0.00514can 0.006168size 10.10514	0.00514	0.006168	0.10514	0.057827	0.012266	0	0.004089	0.000584	0.022196	0.004673	0.011682	0.005257
OcclusionSensitivity	Single_baselines_glb0.00514can 0.006168size 10.10514	0.00514	0.006168	0.10514	0.057827	0.012266	0	0.004089	0.000584	0.022196	0.004673	0.011682	0.005257
Saliency	Single	0.006425	0.002921	0.012266	0.014019	0.008762	0.000584	0.010514	0.001168	0.027453	0.016939	0.018692	0.001168
Saliency	Single	0.006425	0.002921	0.012266	0.014019	0.008762	0.000584	0.010514	0.001168	0.027453	0.016939	0.018692	0.001168

Table 78: BloodMNIST-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.748832	0.742407	0.911215	0.987734
Borda (n=3)	Ensemble	0.756425	0.751752	0.910631	0.985397
Borda (n=4)	Ensemble	0.777453	0.781542	0.912383	0.984813
Borda (n=5)	Ensemble	0.760514	0.765187	0.909463	0.985397
Borda (n=6)	Ensemble	0.780958	0.783879	0.911215	0.983061
Borda (n=7)	Ensemble	0.807243	0.8125	0.911215	0.984229
Borda (n=8)	Ensemble	0.813084	0.820093	0.910631	0.984813
Kemeny-Young (n=2)	Ensemble	0.748832	0.742407	0.911215	0.987734
Kemeny-Young (n=3)	Ensemble	0.756425	0.751752	0.910631	0.985397
Kemeny-Young (n=4)	Ensemble	0.777453	0.781542	0.912383	0.984813
Kemeny-Young (n=5)	Ensemble	0.760514	0.765187	0.909463	0.985397
Kemeny-Young (n=6)	Ensemble	0.780958	0.783879	0.911215	0.983061
Kemeny-Young (n=7)	Ensemble	0.807243	0.8125	0.911215	0.984229
Kemeny-Young (n=8)	Ensemble	0.813084	0.820093	0.910631	0.984813
RRF (n=2)	Ensemble	0.745911	0.743575	0.910631	0.986565
RRF (n=3)	Ensemble	0.755841	0.755841	0.910631	0.985981
RRF (n=4)	Ensemble	0.770444	0.78271	0.911799	0.983645
RRF (n=5)	Ensemble	0.766355	0.77278	0.908294	0.984813
RRF (n=6)	Ensemble	0.785631	0.786215	0.912383	0.982477
RRF (n=7)	Ensemble	0.782126	0.790304	0.910631	0.982477
RRF (n=8)	Ensemble	0.800818	0.806659	0.911215	0.983645
Schulze (n=2)	Ensemble	0.754089	0.744159	0.907126	0.977804
Schulze (n=3)	Ensemble	0.764019	0.762266	0.908879	0.983645
Schulze (n=4)	Ensemble	0.823014	0.850467	0.910047	0.984229
Schulze (n=5)	Ensemble	0.801986	0.813084	0.910631	0.984813
Schulze (n=6)	Ensemble	0.806659	0.808995	0.911799	0.985397
Schulze (n=7)	Ensemble	0.816005	0.818925	0.910047	0.983061
Schulze (n=8)	Ensemble	0.828855	0.830023	0.908294	0.983645
norm_ensemble (n=2)	Ensemble	0.813084	0.835864	0.910047	0.983061
norm_ensemble (n=3)	Ensemble	0.834696	0.860981	0.911215	0.984229
norm_ensemble (n=4)	Ensemble	0.83236	0.872664	0.909463	0.977804
norm_ensemble (n=5)	Ensemble	0.821262	0.86215	0.910047	0.976636
norm_ensemble (n=6)	Ensemble	0.833528	0.865654	0.910631	0.984229

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble	ensemble	0.833528	0.874416	0.905958	0.980724
norm_ensemble	ensemble	0.841706	0.875	0.905958	0.977804
Deconvolution	Single	0.877336	0.926986	0.881425	0.961449
Deconvolution	Single	0.877336	0.926986	0.881425	0.961449
DeepLIFT	SHAP_base	0.666168	0.687324	0.907126	0.976636
DeepLIFT	SHAP_base	0.666168	0.687324	0.907126	0.976636
DeepLIFT	SHAP_base	0.666168	0.687324	0.907126	0.976636
DeepLIFT	SHAP_base	0.666168	0.687324	0.907126	0.976636
DeepLIFT	SHap_lines	0.847172	0.821846	0.902453	0.979556
DeepLIFT	SHap_lines	0.847172	0.821846	0.902453	0.979556
FeatureAb	Single_patch	0.869813	0.905374	0.883762	0.959112
FeatureAb	Single_patch	0.869813	0.905374	0.883762	0.959112
GradientSHap	SHap_lines	0.865519	0.667140	0.90542	0.983061
GradientSHap	SHap_lines	0.865519	0.667140	0.90542	0.983061
GradientSHap	SHap_lines	0.865519	0.667140	0.90542	0.982477
GradientSHap	SHap_lines	0.865519	0.667140	0.90542	0.982477
GuidedBack	Single	0.714953	0.71729	0.907126	0.981893
GuidedBack	Single	0.714953	0.71729	0.907126	0.981893
InputXGra	Single	0.879089	0.942757	0.890187	0.96028
InputXGra	Single	0.879089	0.942757	0.890187	0.96028
Integrated	SHap_lines	0.831476	0.661565	2000.892523	0.971379
Integrated	SHap_lines	0.831476	0.661565	2000.892523	0.971379
Integrated	SHap_lines	0.831476	0.661565	50.893692	0.973131
Integrated	SHap_lines	0.831476	0.661565	50.893692	0.973131
Occlusion	SHap_lines	0.808624	0.602624	160.892523	0.975467
Occlusion	SHap_lines	0.808624	0.602624	160.892523	0.975467
Saliency	Single	0.886098	0.935748	0.900701	0.963201
Saliency	Single	0.886098	0.935748	0.900701	0.963201

Table 79: BloodMNIST–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.000584	0.002336	0.162383	0.093458	0.005841	0.001168	0.012266	0.00993	0.026869	0.054907	0.012266	0.004673
Borda (n=3)	Ensemble	0.004673	0.009346	0.096379	0.035631	0.011098	0.009346	0.011098	0.004673	0.025117	0.055491	0.014019	0.001752
Borda (n=4)	Ensemble	0.015187	0.026869	0.136098	0.079439	0.020444	0.023949	0.012266	0.004089	0.021612	0.051402	0.015187	0
Borda (n=5)	Ensemble	0.017523	0.009346	0.109229	0.057243	0.015771	0.014019	0.011098	0.005257	0.020444	0.049065	0.013435	0
Borda (n=6)	Ensemble	0.014603	0.007009	0.113902	0.058411	0.01285	0.007593	0.011682	0.002336	0.026285	0.038551	0.012266	0.000584
Borda (n=7)	Ensemble	0.030958	0.043808	0.15771	0.106893	0.033294	0.034463	0.011098	0.004089	0.018692	0.043224	0.01285	0.000584
Borda (n=8)	Ensemble	0.013435	0.025701	0.154206	0.105724	0.025701	0.035047	0.010514	0.004089	0.02278	0.053738	0.014603	0.001752
Kemeny-Young (n=2)	Ensemble	0.000584	0.002336	0.162383	0.093458	0.005841	0.001168	0.012266	0.00993	0.026869	0.054907	0.012266	0.004673
Kemeny-Young (n=3)	Ensemble	0.004673	0.009346	0.096379	0.035631	0.011098	0.009346	0.011098	0.004673	0.025117	0.055491	0.014019	0.001752
Kemeny-Young (n=4)	Ensemble	0.015187	0.026869	0.136098	0.079439	0.020444	0.023949	0.012266	0.004089	0.021612	0.051402	0.015187	0
Kemeny-Young (n=5)	Ensemble	0.017523	0.009346	0.109229	0.057243	0.015771	0.014019	0.011098	0.005257	0.020444	0.049065	0.013435	0
Kemeny-Young (n=6)	Ensemble	0.014603	0.007009	0.113902	0.058411	0.01285	0.007593	0.011682	0.002336	0.026285	0.038551	0.012266	0.000584
Kemeny-Young (n=7)	Ensemble	0.030958	0.043808	0.15771	0.106893	0.033294	0.034463	0.011098	0.004089	0.018692	0.043224	0.01285	0.000584
Kemeny-Young (n=8)	Ensemble	0.013435	0.025701	0.154206	0.105724	0.025701	0.035047	0.010514	0.004089	0.02278	0.053738	0.014603	0.001752
RRF (n=2)	Ensemble	0.002921	0.005841	0.140187	0.077687	0.006425	0	0.01285	0.008762	0.026869	0.053154	0.01285	0.001168
RRF (n=3)	Ensemble	0.000584	0.007009	0.13785	0.07535	0.008178	0.007593	0.012266	0.007009	0.026285	0.054907	0.014019	0.004089
RRF (n=4)	Ensemble	0.004089	0.016355	0.140771	0.087033	0.014019	0.019276	0.012266	0.004673	0.023949	0.047897	0.014603	0
RRF (n=5)	Ensemble	0.016355	0.005841	0.117991	0.056659	0.015187	0.017523	0.011098	0.004673	0.020444	0.046145	0.012266	0.000584
RRF (n=6)	Ensemble	0.009346	0.005841	0.106893	0.044393	0.015771	0.014603	0.014019	0.004089	0.028037	0.030958	0.014019	0.000584
RRF (n=7)	Ensemble	0.001168	0.011098	0.124416	0.071846	0.003505	0.010514	0.00993	0.001168	0.024533	0.032126	0.011098	0.001752
RRF (n=8)	Ensemble	0.014019	0.023949	0.115654	0.064252	0.00993	0.015187	0.00993	0.000584	0.024533	0.043224	0.013435	0.000584
Schulze (n=2)	Ensemble	0.006425	0.002336	0.171729	0.100467	0.004673	0.000584	0.008762	0.002336	0.02278	0.044977	0.011098	0.000584
Schulze (n=3)	Ensemble	0.008178	0.011682	0.086449	0.025701	0.008762	0.008178	0.010514	0.002921	0.023949	0.055491	0.013435	0.001752
Schulze (n=4)	Ensemble	0.021028	0.033294	0.176986	0.148364	0.026869	0.032126	0.016355	0.009346	0.02278	0.054322	0.012266	0.001168
Schulze (n=5)	Ensemble	0.009346	0.001168	0.129089	0.078855	0.001752	0.003505	0.01285	0.002921	0.023949	0.051986	0.014603	0.001752
Schulze (n=6)	Ensemble	0.001168	0.001752	0.122079	0.056659	0.004089	0.007009	0.009346	0.001752	0.027453	0.053738	0.016355	0.004673
Schulze (n=7)	Ensemble	0.011682	0.016355	0.13493	0.076519	0.008178	0.00993	0.011682	0.002336	0.023364	0.050818	0.01285	0
Schulze (n=8)	Ensemble	0.027453	0.028621	0.141355	0.078855	0.010514	0.018692	0.011682	0.003505	0.019276	0.055491	0.011682	0.000584
norm_ensemble (n=2)	Ensemble	0.004089	0	0.103388	0.056659	0.017523	0.008762	0.010514	0.002921	0.036215	0.061332	0.014603	0.002921
norm_ensemble (n=3)	Ensemble	0.008762	0.022196	0.065421	0.010514	0.026869	0.01986	0.012266	0.001752	0.033294	0.059579	0.013435	0.005841
norm_ensemble (n=4)	Ensemble	0.015771	0.036215	0.070678	0.032126	0.021612	0.018692	0.015771	0.001752	0.030374	0.048481	0.013435	0.003505

		AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble(n=5)	Ensemble	0.002921	0.020444	0.0625	0.023949	0.007009	0.004089	0.016939	0	0.028621	0.03972	0.01285	0.002336
norm_ensemble(n=6)	Ensemble	0.005257	0.025117	0.087033	0.035047	0.018107	0.015187	0.017523	0.005257	0.035631	0.050818	0.013435	0.007009
norm_ensemble(n=7)	Ensemble	0.012266	0.042056	0.091121	0.051402	0.018692	0.02979	0.011098	0.002336	0.033294	0.063668	0.008178	0
norm_ensemble(n=8)	Ensemble	0.012266	0.029206	0.091706	0.046145	0.027453	0.028621	0.010514	0	0.032126	0.064252	0.01285	0
Deconvolution	Single	0.002336	0.006425	0.081776	0.046729	0.015771	0.000584	0.01986	0.017523	0.016355	0.097547	0.014019	0.002921
Deconvolution	Single	0.002336	0.006425	0.081776	0.046729	0.015771	0.000584	0.01986	0.017523	0.016355	0.097547	0.014019	0.002921
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264	0.014019	0.013435	0.018692	0.007009	0.030374	0.050234	0.014603	0.005841
DeepLIFT	SHAP_base	0.045528	0.026869	0.110397	0.04264								

Table 80: BloodMNIST-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.901285	0.933411	0.911215	0.997664
Borda (n=3)	Ensemble	0.898949	0.941589	0.911799	0.998248
Borda (n=4)	Ensemble	0.898949	0.945093	0.911799	0.998248
Borda (n=5)	Ensemble	0.901285	0.953271	0.911799	0.998248
Borda (n=6)	Ensemble	0.902453	0.951519	0.911215	0.998832
Borda (n=7)	Ensemble	0.898949	0.948014	0.911215	0.998832
Borda (n=8)	Ensemble	0.901869	0.94743	0.911215	0.998832
Kemeny-Young (n=2)	Ensemble	0.901285	0.933411	0.911215	0.997664
Kemeny-Young (n=3)	Ensemble	0.898949	0.941589	0.911799	0.998248
Kemeny-Young (n=4)	Ensemble	0.898949	0.945093	0.911799	0.998248
Kemeny-Young (n=5)	Ensemble	0.901285	0.953271	0.911799	0.998248
Kemeny-Young (n=6)	Ensemble	0.902453	0.951519	0.911215	0.998832
Kemeny-Young (n=7)	Ensemble	0.898949	0.948014	0.911215	0.998832
Kemeny-Young (n=8)	Ensemble	0.901869	0.94743	0.911215	0.998832
RRF (n=2)	Ensemble	0.900117	0.935748	0.911215	0.997664
RRF (n=3)	Ensemble	0.901869	0.941005	0.911799	0.998248
RRF (n=4)	Ensemble	0.902453	0.946262	0.911799	0.998248
RRF (n=5)	Ensemble	0.903037	0.952103	0.911799	0.998248
RRF (n=6)	Ensemble	0.908294	0.951519	0.911215	0.998832
RRF (n=7)	Ensemble	0.902453	0.948598	0.911215	0.998832
RRF (n=8)	Ensemble	0.902453	0.946262	0.911215	0.998832
Schulze (n=2)	Ensemble	0.900117	0.934579	0.912383	0.997664
Schulze (n=3)	Ensemble	0.896612	0.942173	0.911799	0.998248
Schulze (n=4)	Ensemble	0.898949	0.961449	0.911799	0.998248
Schulze (n=5)	Ensemble	0.901285	0.952687	0.911799	0.998248
Schulze (n=6)	Ensemble	0.904206	0.953271	0.911799	0.998248
Schulze (n=7)	Ensemble	0.901869	0.953271	0.911799	0.998248
Schulze (n=8)	Ensemble	0.902453	0.952103	0.911799	0.998248
norm_ensemble (n=2)	Ensemble	0.901869	0.973715	0.910631	0.998248
norm_ensemble (n=3)	Ensemble	0.900701	0.978388	0.912383	0.995911
norm_ensemble (n=4)	Ensemble	0.900701	0.97722	0.911215	0.997664
norm_ensemble (n=5)	Ensemble	0.900117	0.981308	0.913551	0.996495
norm_ensemble (n=6)	Ensemble	0.901285	0.979556	0.912383	0.996495

Table 81: BloodMNIST–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.015771	0.002921	0.077687	0.02979	0.024533	0.002921	0.002336	0.000584	0.030374	0.006425	0.01285	0.001168
Borda (n=3)	Ensemble	0.005257	0.003505	0.070678	0.044977	0.015187	0	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921
Borda (n=4)	Ensemble	0.002336	0.006425	0.064252	0.032126	0.015187	0.003505	0.004673	0.001168	0.030958	0.005257	0.012266	0.002921
Borda (n=5)	Ensemble	0.005257	0.002921	0.061332	0.039136	0.014019	0.005257	0.004089	0.001752	0.032126	0.002921	0.012266	0.002921
Borda (n=6)	Ensemble	0.007009	0.001752	0.063084	0.035631	0.015187	0.002921	0.004089	0.002921	0.032126	0.002921	0.012266	0.004089
Borda (n=7)	Ensemble	0.005257	0.005257	0.059579	0.027453	0.012266	0.000584	0.003505	0.002336	0.031542	0.004673	0.011682	0.003505
Borda (n=8)	Ensemble	0.00993	0.000584	0.060748	0.020444	0.011098	0.002921	0.003505	0.001168	0.031542	0.004673	0.011682	0.003505
Kemeny-Young (n=2)	Ensemble	0.015771	0.002921	0.077687	0.02979	0.024533	0.002921	0.002336	0.000584	0.030374	0.006425	0.01285	0.001168
Kemeny-Young (n=3)	Ensemble	0.005257	0.003505	0.070678	0.044977	0.015187	0	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921
Kemeny-Young (n=4)	Ensemble	0.002336	0.006425	0.064252	0.032126	0.015187	0.003505	0.004673	0.001168	0.030958	0.005257	0.012266	0.002921
Kemeny-Young (n=5)	Ensemble	0.005257	0.002921	0.061332	0.039136	0.014019	0.005257	0.004089	0.001752	0.032126	0.002921	0.012266	0.002921
Kemeny-Young (n=6)	Ensemble	0.007009	0.001752	0.063084	0.035631	0.015187	0.002921	0.004089	0.002921	0.032126	0.002921	0.012266	0.004089
Kemeny-Young (n=7)	Ensemble	0.005257	0.005257	0.059579	0.027453	0.012266	0.000584	0.003505	0.002336	0.031542	0.004673	0.011682	0.003505
Kemeny-Young (n=8)	Ensemble	0.00993	0.000584	0.060748	0.020444	0.011098	0.002921	0.003505	0.001168	0.031542	0.004673	0.011682	0.003505
RRF (n=2)	Ensemble	0.01285	0.007593	0.076519	0.033294	0.022196	0.005257	0.001752	0	0.02979	0.007009	0.013435	0.001752
RRF (n=3)	Ensemble	0.008178	0.001168	0.070093	0.042056	0.019276	0	0.003505	0.001168	0.031542	0.006425	0.013435	0.002921
RRF (n=4)	Ensemble	0.006425	0.006425	0.065421	0.036799	0.018107	0.001752	0.004089	0.001752	0.030958	0.005257	0.012266	0.002921
RRF (n=5)	Ensemble	0.008178	0.000584	0.063084	0.035631	0.013435	0.005257	0.004089	0.001752	0.03271	0.002336	0.012266	0.002921
RRF (n=6)	Ensemble	0.015187	0.000584	0.070093	0.02979	0.021028	0.005841	0.004089	0.002921	0.03271	0.002336	0.012266	0.004089
RRF (n=7)	Ensemble	0.008762	0.004673	0.0625	0.024533	0.015771	0.001752	0.003505	0.002336	0.030374	0.004673	0.011682	0.003505
RRF (n=8)	Ensemble	0.00993	0.001752	0.059579	0.015771	0.010514	0.000584	0.003505	0.001168	0.030374	0.004673	0.011682	0.003505
Schulze (n=2)	Ensemble	0.016939	0.005841	0.07535	0.030958	0.02278	0.004673	0.003505	0.001168	0.030958	0.007009	0.013435	0.001752
Schulze (n=3)	Ensemble	0.005841	0.006425	0.071262	0.044977	0.014603	0.002336	0.003505	0.001168	0.030958	0.006425	0.013435	0.004089
Schulze (n=4)	Ensemble	0.005257	0.006425	0.060164	0.046729	0.014019	0.006425	0.005257	0.002921	0.030374	0.006425	0.013435	0.004089
Schulze (n=5)	Ensemble	0.011098	0.002336	0.056075	0.025701	0.014019	0	0.004673	0.002336	0.031542	0.005257	0.01285	0.001168
Schulze (n=6)	Ensemble	0.004673	0	0.063084	0.021612	0.014603	0.004089	0.005841	0.002336	0.031542	0.004673	0.012266	0.002921
Schulze (n=7)	Ensemble	0.004673	0.001168	0.060748	0.025701	0.011098	0.004089	0.004673	0.001168	0.031542	0.004673	0.011098	0.002921
Schulze (n=8)	Ensemble	0.007009	0	0.055491	0.016939	0.01285	0.006425	0.005257	0.002921	0.031542	0.004673	0.011682	0.002336
norm_ensemble (n=2)	Ensemble	0.002921	0.002336	0.034463	0.011098	0.015187	0.002921	0.002336	0.000584	0.027453	0.009346	0.011098	0.001752
norm_ensemble (n=3)	Ensemble	0.004089	0.001752	0.055491	0.038551	0.014603	0.001168	0.005257	0.001752	0.02979	0.006425	0.013435	0
norm_ensemble (n=4)	Ensemble	0.000584	0.001168	0.056075	0.038551	0.018107	0.002336	0.004673	0.002336	0.02979	0.007009	0.011682	0.002336

		AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.002336	0.00993	0.057827	0.038551	0.013435	0.009346	0.005841	0.001168	0.032126	0.005841	0.01285	0.001168
norm_ensemble (n=6)	Ensemble	0.003505	0.012266	0.054322	0.032126	0.013435	0.008762	0.005257	0.000584	0.035631	0.002921	0.01285	0.001168
norm_ensemble (n=7)	Ensemble	0.003505	0.001752	0.049065	0.023364	0.00993	0.001752	0.004089	0.002336	0.032126	0.005841	0.010514	0.001168
norm_ensemble (n=8)	Ensemble	0.008178	0.009346	0.044977	0.021612	0.009346	0.005257	0.004673	0.003505	0.030374	0.006425	0.011098	0.002921
Deconvolution	Single	0.005257	0.001168	0.044393	0.012266	0.010514	0.002921	0.002921	0.001168	0.028621	0.007593	0.012266	0.001752
Deconvolution	Single	0.005257	0.001168	0.044393	0.012266	0.010514	0.002921	0.002921	0.001168	0.028621	0.007593	0.012266	0.001752
DeepLIFT	SHAP_base	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
DeepLIFT	SHAP_base	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
DeepLIFT	SHAP_base	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
DeepLIFT	SHAP_base	0.002336	0.007009	0.053154	0.01285	0.020444	0.012266	0.005257	0.001752	0.029206	0.008762	0.014603	0.001752
DeepLIFT	Singles	g0.007593	0.003505	0.061332	0.009346	0.024533	0.007009	0.003505	0.003505	0.032126	0.001752	0.012266	0.000584
DeepLIFT	Singles	g0.007593	0.003505	0.061332	0.009346	0.024533	0.007009	0.003505	0.003505	0.032126	0.001752	0.012266	0.000584
FeatureAbstraction	Single patch	0.00993	0.006425	0.036799	0.031542	0.019276	0.008178	0.001752	0	0.028037	0.002921	0.00993	0
FeatureAbstraction	Single patch	0.00993	0.006425	0.036799	0.031542	0.019276	0.008178	0.001752	0	0.028037	0.002921	0.00993	0
GradientSHAP	Singles	0.005841	0.002921	0.004388	0.008178	0.01285	0.009346	0.004673	0.003505	0.031542	0.005841	0.011682	0.003505
GradientSHAP	Singles	0.005841	0.002921	0.004388	0.008178	0.01285	0.009346	0.004673	0.003505	0.031542	0.005841	0.011682	0.003505
GradientSHAP	Singles	0.005841	0.002921	0.004388	0.003505	0.018692	0.004673	0.005841	0.001168	0.031542	0.005841	0.015771	0.002921
GradientSHAP	Singles	0.005841	0.002921	0.004388	0.003505	0.018692	0.004673	0.005841	0.001168	0.031542	0.005841	0.015771	0.002921
GuidedBackdoor	Single	0.004089	0.001168	0.057827	0.022196	0.015771	0.001752	0.002921	0.000584	0.033879	0.001752	0.013435	0.001752
GuidedBackdoor	Single	0.004089	0.001168	0.057827	0.022196	0.015771	0.001752	0.002921	0.000584	0.033879	0.001752	0.013435	0.001752
InputXGradient	Single	0.004089	0.007009	0.013435	0.016355	0.012266	0.000584	0.007593	0.004089	0.03271	0.004673	0.01285	0.001168
InputXGradient	Single	0.004089	0.007009	0.013435	0.016355	0.012266	0.000584	0.007593	0.004089	0.03271	0.004673	0.01285	0.001168
IntegratedGradients	Singles	0.012266	0.011098	0.004388	0.00993	0.018107	0.004089	0.004673	0.001752	0.027453	0.007009	0.010514	0.000584
IntegratedGradients	Singles	0.012266	0.011098	0.004388	0.00993	0.018107	0.004089	0.004673	0.001752	0.027453	0.007009	0.010514	0.000584
IntegratedGradients	Singles	0.016822	0.010514	500.04264	0.008762	0.018107	0.005257	0.004673	0.001752	0.028037	0.006425	0.010514	0.000584
IntegratedGradients	Singles	0.016822	0.010514	500.04264	0.008762	0.018107	0.005257	0.004673	0.001752	0.028037	0.006425	0.010514	0.000584
Occlusion	Singles	g10.011682	0.002336	0.0070678	0.03972	0.011682	0.001168	0.002336	0.001168	0.030374	0.003505	0.012266	0.001752
Occlusion	Singles	g10.011682	0.002336	0.0070678	0.03972	0.011682	0.001168	0.002336	0.001168	0.030374	0.003505	0.012266	0.001752
Saliency	Single	0.001752	0.007593	0.012266	0.003505	0.007009	0.001168	0.004089	0.005257	0.02979	0.007009	0.011682	0.003505
Saliency	Single	0.001752	0.007593	0.012266	0.003505	0.007009	0.001168	0.004089	0.005257	0.02979	0.007009	0.011682	0.003505

Table 82: BloodMNIST-ResNet-18 results.

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
Borda (n=2)	Ensemble	0.605724	0.594626	0.910047	0.966706
Borda (n=3)	Ensemble	0.644276	0.626168	0.905958	0.967874
Borda (n=4)	Ensemble	0.676402	0.66472	0.908879	0.966121
Borda (n=5)	Ensemble	0.655374	0.636098	0.903037	0.966121
Borda (n=6)	Ensemble	0.669393	0.649533	0.909463	0.967874
Borda (n=7)	Ensemble	0.659463	0.649533	0.904206	0.969042
Borda (n=8)	Ensemble	0.671145	0.655958	0.904206	0.966706
Kemeny-Young (n=2)	Ensemble	0.605724	0.594626	0.910047	0.966706
Kemeny-Young (n=3)	Ensemble	0.644276	0.626168	0.905958	0.967874
Kemeny-Young (n=4)	Ensemble	0.676402	0.66472	0.908879	0.966121
Kemeny-Young (n=5)	Ensemble	0.655374	0.636098	0.903037	0.966121
Kemeny-Young (n=6)	Ensemble	0.669393	0.649533	0.909463	0.967874
Kemeny-Young (n=7)	Ensemble	0.659463	0.649533	0.904206	0.969042
Kemeny-Young (n=8)	Ensemble	0.671145	0.655958	0.904206	0.966706
RRF (n=2)	Ensemble	0.61215	0.598715	0.910047	0.965537
RRF (n=3)	Ensemble	0.65771	0.63785	0.90771	0.969042
RRF (n=4)	Ensemble	0.665304	0.658294	0.909463	0.965537
RRF (n=5)	Ensemble	0.657126	0.65479	0.90479	0.965537
RRF (n=6)	Ensemble	0.66472	0.661215	0.909463	0.96729
RRF (n=7)	Ensemble	0.667056	0.658879	0.905374	0.96729
RRF (n=8)	Ensemble	0.664136	0.654206	0.904206	0.972547
Schulze (n=2)	Ensemble	0.609813	0.595794	0.908294	0.967874
Schulze (n=3)	Ensemble	0.668224	0.64778	0.906542	0.96729
Schulze (n=4)	Ensemble	0.723715	0.74007	0.904206	0.964369
Schulze (n=5)	Ensemble	0.707944	0.702103	0.901285	0.962617
Schulze (n=6)	Ensemble	0.699766	0.691005	0.904206	0.968458
Schulze (n=7)	Ensemble	0.673481	0.659463	0.902453	0.965537
Schulze (n=8)	Ensemble	0.691005	0.669977	0.901285	0.968458
norm_ensemble (n=2)	Ensemble	0.66472	0.65771	0.907126	0.976051
norm_ensemble (n=3)	Ensemble	0.713201	0.723715	0.901869	0.969042
norm_ensemble (n=4)	Ensemble	0.723715	0.742991	0.899533	0.963201
norm_ensemble (n=5)	Ensemble	0.716706	0.73014	0.905374	0.963785
norm_ensemble (n=6)	Ensemble	0.721379	0.734813	0.902453	0.964953

Method	Type	Acc ReplaceTop	Cons ReplaceTop	Acc ReplaceBottom	Cons ReplaceBottom
norm_ensemble	ensemble	0.737734	0.759346	0.901869	0.964953
norm_ensemble	ensemble	0.738902	0.745327	0.900117	0.964369
Deconvolution	Single	0.742991	0.753505	0.858061	0.928154
Deconvolution	Single	0.742991	0.753505	0.858061	0.928154
DeepLIFT	SHAP_base	0.755701	0.761408	0.903037	0.96028
DeepLIFT	SHAP_base	0.755701	0.761408	0.903037	0.96028
DeepLIFT	SHAP_base	0.755701	0.761408	0.903037	0.96028
DeepLIFT	SHAP_base	0.755701	0.761408	0.903037	0.96028
DeepLIFT	SHaplines_glb	0.658294	0.65479	0.890187	0.96028
DeepLIFT	SHaplines_glb	0.658294	0.65479	0.890187	0.96028
FeatureAb	Single_patch	0.846293	0.889603	0.876752	0.948598
FeatureAb	Single_patch	0.846293	0.889603	0.876752	0.948598
GradientSHap	SHaplines_glb	0.755251	0.745911	0.890533	0.956192
GradientSHap	SHaplines_glb	0.755251	0.745911	0.890533	0.956192
GradientSHap	SHaplines_glb	0.755251	0.745911	0.890533	0.956192
GradientSHap	SHaplines_glb	0.755251	0.745911	0.890533	0.956192
GuidedBack	Single	0.617991	0.602804	0.904206	0.971963
GuidedBack	Single	0.617991	0.602804	0.904206	0.971963
InputXGra	Single	0.880257	0.934579	0.866822	0.928738
InputXGra	Single	0.880257	0.934579	0.866822	0.928738
Integrated	SHaplines_glb	0.633643	0.554669	0.200494	0.963201
Integrated	SHaplines_glb	0.633643	0.554669	0.200494	0.963201
Integrated	SHaplines_glb	0.633643	0.554669	0.200494	0.963201
Integrated	SHaplines_glb	0.633643	0.554669	0.200494	0.963201
Occlusion	SHaplines_glb	0.633643	0.554669	0.200494	0.963201
Occlusion	SHaplines_glb	0.633643	0.554669	0.200494	0.963201
Saliency	Single	0.870327	0.917056	0.886682	0.94743
Saliency	Single	0.870327	0.917056	0.886682	0.94743

Table 83: BloodMNIST–ResNet-18 results.

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian std 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
Borda (n=2)	Ensemble	0.003505	0.00993	0.127921	0.061332	0.012266	0.004673	0.032126	0.010514	0.038551	0.071846	0.015771	0.000584
Borda (n=3)	Ensemble	0.008762	0.015187	0.160047	0.083528	0.009346	0.001168	0.021028	0.012266	0.033294	0.074766	0.014603	0
Borda (n=4)	Ensemble	0.010514	0.019276	0.17465	0.104556	0.006425	0.007009	0.023949	0.004673	0.036799	0.075935	0.015771	0.000584
Borda (n=5)	Ensemble	0.01285	0.009346	0.136098	0.060164	0.023364	0.02278	0.01285	0.002921	0.03271	0.067757	0.00993	0.001752
Borda (n=6)	Ensemble	0.001168	0.007593	0.114486	0.041472	0.016355	0.012266	0.018107	0.001168	0.035631	0.058411	0.014019	0.002921
Borda (n=7)	Ensemble	0.005257	0.028037	0.123248	0.055491	0.010514	0.000584	0.012266	0.002921	0.029206	0.068925	0.006425	0.001168
Borda (n=8)	Ensemble	0.00993	0.021612	0.111565	0.044393	0.010514	0.002336	0.014019	0	0.04264	0.086449	0.004673	0.001752
Kemeny-Young (n=2)	Ensemble	0.003505	0.00993	0.127921	0.061332	0.012266	0.004673	0.032126	0.010514	0.038551	0.071846	0.015771	0.000584
Kemeny-Young (n=3)	Ensemble	0.008762	0.015187	0.160047	0.083528	0.009346	0.001168	0.021028	0.012266	0.033294	0.074766	0.014603	0
Kemeny-Young (n=4)	Ensemble	0.010514	0.019276	0.17465	0.104556	0.006425	0.007009	0.023949	0.004673	0.036799	0.075935	0.015771	0.000584
Kemeny-Young (n=5)	Ensemble	0.01285	0.009346	0.136098	0.060164	0.023364	0.02278	0.01285	0.002921	0.03271	0.067757	0.00993	0.001752
Kemeny-Young (n=6)	Ensemble	0.001168	0.007593	0.114486	0.041472	0.016355	0.012266	0.018107	0.001168	0.035631	0.058411	0.014019	0.002921
Kemeny-Young (n=7)	Ensemble	0.005257	0.028037	0.123248	0.055491	0.010514	0.000584	0.012266	0.002921	0.029206	0.068925	0.006425	0.001168
Kemeny-Young (n=8)	Ensemble	0.00993	0.021612	0.111565	0.044393	0.010514	0.002336	0.014019	0	0.04264	0.086449	0.004673	0.001752
RRF (n=2)	Ensemble	0.006425	0.004673	0.105724	0.03271	0.012266	0.008762	0.026869	0.005841	0.038551	0.071846	0.016939	0.000584
RRF (n=3)	Ensemble	0.014019	0.011098	0.174065	0.095794	0.014603	0.01285	0.020444	0.012266	0.037383	0.080023	0.012266	0.000584
RRF (n=4)	Ensemble	0	0.00993	0.160631	0.094626	0.004089	0.010514	0.023364	0.005257	0.033879	0.074766	0.018692	0.001752
RRF (n=5)	Ensemble	0.017523	0.001752	0.118575	0.058995	0.009346	0.008762	0.016355	0.002921	0.033879	0.065421	0.010514	0.004673
RRF (n=6)	Ensemble	0.012266	0.009346	0.096379	0.041472	0.015187	0.001752	0.018107	0.001752	0.033879	0.057243	0.013435	0.004089
RRF (n=7)	Ensemble	0.008178	0.023949	0.120911	0.056659	0.003505	0.004673	0.01285	0.000584	0.036799	0.063668	0.008762	0.001168
RRF (n=8)	Ensemble	0.007593	0.016939	0.094626	0.030374	0.015771	0.002921	0.012266	0.008762	0.03972	0.091121	0.005841	0.004673
Schulze (n=2)	Ensemble	0.007593	0.010514	0.140771	0.068341	0.007593	0	0.026869	0.008178	0.043808	0.083528	0.011098	0
Schulze (n=3)	Ensemble	0.004673	0.011682	0.117991	0.03972	0.007009	0.003505	0.016355	0.007009	0.039136	0.08528	0.01285	0
Schulze (n=4)	Ensemble	0.016355	0.040304	0.201519	0.160631	0.008762	0.016939	0.018107	0.004089	0.038551	0.073598	0.011682	0.001168
Schulze (n=5)	Ensemble	0.007593	0.014603	0.165304	0.102804	0.004089	0.002336	0.008762	0.002921	0.031542	0.074766	0.005841	0.002336
Schulze (n=6)	Ensemble	0.006425	0.012266	0.14486	0.079439	0.004673	0.003505	0.017523	0.006425	0.036215	0.068925	0.00993	0.002921
Schulze (n=7)	Ensemble	0.009346	0.021612	0.131425	0.060748	0.008762	0.000584	0.011682	0.002336	0.037967	0.076519	0.006425	0
Schulze (n=8)	Ensemble	0.02979	0.033879	0.119743	0.053154	0.001752	0.007593	0.009346	0.003505	0.042056	0.093458	0.005257	0.000584
norm_ensemble (n=2)	Ensemble	0.020444	0.015187	0.093458	0.02979	0.004673	0.005257	0.016939	0.005841	0.055491	0.102804	0.00993	0.004673
norm_ensemble (n=3)	Ensemble	0.01986	0.041472	0.063084	0	0.011682	0.024533	0.013435	0.007593	0.04965	0.097547	0.011682	0.004089
norm_ensemble (n=4)	Ensemble	0.016939	0.03972	0.093458	0.034463	0.014019	0.027453	0.016939	0.007593	0.044393	0.088201	0.010514	0.000584

Method	Type	AccRob ReplaceTop gaussian std 0.15	ConsRob ReplaceTop gaussian amount 0.15	AccRob ReplaceTop salt pepper amount 0.05	ConsRob ReplaceTop salt pepper amount 0.05	AccRob ReplaceTop speckle std 0.15	ConsRob ReplaceTop speckle std 0.15	AccRob ReplaceBottom gaussian std 0.15	ConsRob ReplaceBottom gaussian std 0.15	AccRob ReplaceBottom salt pepper amount 0.05	ConsRob ReplaceBottom salt pepper amount 0.05	AccRob ReplaceBottom speckle std 0.15	ConsRob ReplaceBottom speckle std 0.15
norm_ensemble (n=5)	Ensemble	0.00993	0.026285	0.09229	0.028621	0.002921	0.004673	0.016939	0.002921	0.057243	0.077687	0.014603	0.007593
norm_ensemble (n=6)	Ensemble	0.012266	0.028621	0.091121	0.030374	0.004089	0.010514	0.013435	0.002336	0.054907	0.078855	0.007593	0.007593
norm_ensemble (n=7)	Ensemble	0.028621	0.054907	0.111565	0.065421	0.015771	0.044977	0.00993	0.006425	0.051402	0.096379	0.008178	0.000584
norm_ensemble (n=8)	Ensemble	0.018692	0.033879	0.110981	0.048481	0.019276	0.027453	0.01285	0.006425	0.051986	0.101051	0.008178	0.002336
Deconvolut	Single	0.021028	0.01986	0.10514	0.037967	0.001168	0.018107	0.023364	0.019276	0.058995	0.159463	0.007009	0.005841
Deconvolut	Single	0.021028	0.01986	0.10514	0.037967	0.001168	0.018107	0.023364	0.019276	0.058995	0.159463	0.007009	0.005841
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
DeepLIFT	SHAP_base	0.0687388mb	0.0687388mb	0.068925	0.005841	0.035631	0.042056	0.01986	0.008762	0.036215	0.071262	0.013435	0.001168
FeatureAb	Single_patch	0.002921	0.007593	0.011682	0.026285	0.014019	0.013435	0.006425	0.005841	0.031542	0.040888	0.002336	0.005841
FeatureAb	Single_patch	0.002921	0.007593	0.011682	0.026285	0.014019	0.013435	0.006425	0.005841	0.031542	0.040888	0.002336	0.005841
GradientSh	SHAP_lines	0.023641mb	0.023641mb	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089	0.004089
GradientSh	SHAP_lines	0.023641mb	0.023641mb	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089	0.004089
GradientSh	SHAP_lines	0.023641mb	0.023641mb	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089	0.004089
GradientSh	SHAP_lines	0.023641mb	0.023641mb	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089	0.004089
GradientSh	SHAP_lines	0.023641mb	0.023641mb	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089	0.004089
GradientSh	SHAP_lines	0.023641mb	0.023641mb	0.029206	0.018692	0.034463	0.01986	0.002336	0.037383	0.073598	0.015771	0.004089	0.004089
GuidedBac	SHAP_patch	0.002336	0.001752	0.154206	0.09229	0.017523	0.013435	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841
GuidedBac	SHAP_patch	0.002336	0.001752	0.154206	0.09229	0.017523	0.013435	0.013435	0.005841	0.04965	0.047313	0.008178	0.005841
InputXGra	Single	0.007009	0.005841	0.036799	0.080607	0.004089	0.014603	0.00993	0	0.038551	0.021612	0.002336	0.010514
InputXGra	Single	0.007009	0.005841	0.036799	0.080607	0.004089	0.014603	0.00993	0	0.038551	0.021612	0.002336	0.010514
Integrated	SHAP_lines	0.012266zero	0.03320ps	200040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Integrated	SHAP_lines	0.012266zero	0.03320ps	200040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Integrated	SHAP_lines	0.012266zero	0.03320ps	200040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Integrated	SHAP_lines	0.012266zero	0.03320ps	200040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Integrated	SHAP_lines	0.012266zero	0.03320ps	200040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Integrated	SHAP_lines	0.012266zero	0.03320ps	200040888	0.017523	0.008178	0.017523	0.009346	0.007009	0.040304	0.047313	0.011682	0
Occlusion	SHAP_lines	0.061916tan	0.00425size	0.06122664	0.061916	0.001168	0	0.008762	0.005841	0.013435	0.02278	0.00993	0.002921
Occlusion	SHAP_lines	0.061916tan	0.00425size	0.06122664	0.061916	0.001168	0	0.008762	0.005841	0.013435	0.02278	0.00993	0.002921
Saliency	Single	0.003505	0.005257	0.018692	0.026285	0.026869	0.026285	0.019276	0.009346	0.044977	0.063084	0.004089	0.002336
Saliency	Single	0.003505	0.005257	0.018692	0.026285	0.026869	0.026285	0.019276	0.009346	0.044977	0.063084	0.004089	0.002336

Table 84: BloodMNIST-ResNet-18 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	ResNet-18	Saliency	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	InputXGradient	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	Integrated Gradients	passed	blocked	true	true	1	true	1	1	0.033474	1.2722e+09	RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	GuidedBackprop	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	Deconvolution	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	FeatureAbandonment	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	Occlusion	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	DeepLift	passed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	GradientShap	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	DeepLiftShap	passed	blocked	true	true	1	true	1	1	0.016832	4.4585e+08	RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-18	LRP	passed	blocked	true	true	1	true	1				RuntimeError: Deterministic repeat check failed

E ResNet-50

Table 85: BloodMNIST–ResNet-50 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	ResNet-50	Saliency	failed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	InputXGradient	failed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	Integrated Gradients	failed	blocked	true	true	1	true	1	1	0.07787	4.5233e+09	
BloodMNIST	ResNet-50	GuidedBackprop	failed	blocked	true	true	1	true	1				
BloodMNIST	ResNet-50	Deconvolution	failed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	FeatureAbundance	failed	blocked	true	true	1	true	1				
BloodMNIST	ResNet-50	Occlusion	failed	blocked	true	true	1	true	1				
BloodMNIST	ResNet-50	DeepLift	failed	blocked	false	false	1		1				RuntimeError: Deterministic repeat check failed
BloodMNIST	ResNet-50	GradientShapley	failed	blocked	true	true	1	true	1				
BloodMNIST	ResNet-50	DeepLiftShapley	failed	blocked	true	true	1	true	1	1	0.02698	1.2474e+09	
BloodMNIST	ResNet-50	LRP	failed	blocked	false								RuntimeError: No explanation batch candidate passed

F ViT-B/16

Table 86: BloodMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sample count	F	Fbar	C	Cbar	R F g	R F p	R F s	R F a	R C g	R C p	R C s
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	3421	0.19088	0.449089	0.198967	0.458833	0.059242	0.041313	0.04258	0.063724	0.066452	0.048329	0.044139
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	NAIVE	11	3	3421	0.179285	0.477638	0.185911	0.487382	0.063529	0.048426	0.049498	0.056903	0.072104	0.05778	0.051837
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	ind	11	11	3421	0.180064	0.461853	0.186787	0.4715	0.059047	0.049108	0.047939	0.049693	0.068693	0.057586	0.051155
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	NAIVE	11	3	3421	0.181039	0.483192	0.188152	0.493131	0.072006	0.061093	0.053396	0.065575	0.080873	0.070057	0.056027
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	ind	11	11	3421	0.182987	0.452207	0.188834	0.462438	0.078924	0.063724	0.053785	0.058755	0.089448	0.072786	0.056124
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	NAIVE	11	3	3421	0.181234	0.489818	0.188834	0.499659	0.073175	0.058755	0.054955	0.061483	0.081165	0.066355	0.057196
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	ind	11	11	3421	0.18708	0.455422	0.194388	0.465361	0.066939	0.05817	0.051155	0.059047	0.075709	0.064893	0.054078
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	NAIVE	11	3	3421	0.181234	0.501608	0.189126	0.511546	0.069668	0.056611	0.053883	0.060314	0.077073	0.064504	0.056221
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	ind	11	11	3421	0.188834	0.463607	0.196434	0.473546	0.068986	0.056416	0.057001	0.047355	0.07717	0.062847	0.059632
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	NAIVE	11	3	3421	0.1825	0.495079	0.189711	0.504921	0.068011	0.057391	0.052129	0.059632	0.076586	0.06577	0.05437
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	ind	11	11	3421	0.189711	0.450745	0.195557	0.460976	0.068109	0.056124	0.050278	0.055539	0.078632	0.06577	0.053493

Table 87: BloodMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	R C a	R Fbar g	R Fbar p	R Fbar s	R Fbar a	R Cbar g	R Cbar p	R Cbar s	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.064211	0.079509	0.056806	0.044139	-0.023093	0.069375	0.047939	0.044042	-0.023288	0.250122	0.36958	0.265419
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.05817	0.061483	0.044919	0.038585	-0.017636	0.051837	0.036247	0.037806	-0.018123	0.242814	0.416155	0.258014
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	ind	11	11	0.05057	0.075417	0.045893	0.036247	-0.023385	0.065186	0.036247	0.036247	-0.023385	0.239111	0.386437	0.255481
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	NAIVE	11	3	0.066647	0.081068	0.064016	0.055832	-0.019877	0.071032	0.055247	0.05515	-0.019877	0.253045	0.402124	0.269025
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	ind	11	11	0.059924	0.07717	0.055539	0.052909	-0.0228	0.067232	0.047355	0.052032	-0.0228	0.261912	0.375037	0.278281
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	NAIVE	11	3	0.062847	0.068498	0.061873	0.051642	-0.017636	0.05817	0.053006	0.05135	-0.017831	0.254409	0.421319	0.269999
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	ind	11	11	0.059632	0.073663	0.057001	0.049985	-0.021631	0.063724	0.048524	0.049693	-0.021339	0.254019	0.38176	0.270096
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	NAIVE	11	3	0.060898	0.060411	0.049791	0.045016	-0.015395	0.049693	0.040924	0.044626	-0.015493	0.250901	0.441197	0.266199
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	ind	11	11	0.048232	0.068986	0.060216	0.049108	-0.023385	0.058755	0.051447	0.048524	-0.023677	0.257819	0.394621	0.273604
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	NAIVE	11	3	0.061093	0.070934	0.05778	0.050765	-0.017539	0.060801	0.049206	0.05018	-0.017734	0.250512	0.424145	0.266296
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	ind	11	11	0.057001	0.070155	0.049108	0.05057	-0.025431	0.060509	0.040631	0.050278	-0.025431	0.257819	0.38059	0.274189

Table 88: BloodMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.389457	0.232193	0.392283	0.247296	0.410894	0.23346	0.40495	0.243106	0.414791	0.254604	0.472182	0.263178
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.435545	0.227711	0.432719	0.243691	0.451135	0.228783	0.439053	0.237747	0.449576	0.236188	0.495274	0.244081
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	ind	11	11	0.406314	0.229173	0.41596	0.244373	0.435253	0.228004	0.425607	0.237942	0.435253	0.229757	0.485238	0.237357
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	NAIVE	11	3	0.422099	0.242132	0.419176	0.258209	0.437884	0.234434	0.42736	0.244178	0.437981	0.246614	0.503069	0.254799
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	ind	11	11	0.395206	0.246711	0.396668	0.261619	0.415083	0.236773	0.399298	0.244958	0.410406	0.241742	0.475007	0.248758
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	NAIVE	11	3	0.441489	0.239988	0.427945	0.255189	0.446653	0.236188	0.438176	0.246029	0.448309	0.242717	0.507454	0.251681
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	ind	11	11	0.401637	0.24525	0.398422	0.259281	0.416837	0.238234	0.405437	0.248465	0.415668	0.246127	0.477053	0.254019
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	NAIVE	11	3	0.461853	0.237845	0.451817	0.25363	0.470623	0.235116	0.456592	0.245347	0.46692	0.241547	0.517003	0.250024
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	ind	11	11	0.414791	0.24525	0.403391	0.259281	0.422099	0.245835	0.414499	0.256065	0.425022	0.236188	0.486992	0.244665
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	NAIVE	11	3	0.44412	0.239891	0.437299	0.255481	0.455715	0.234629	0.444315	0.244081	0.45474	0.242132	0.512618	0.250804
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	ind	11	11	0.400468	0.245835	0.401637	0.261327	0.420345	0.239988	0.400175	0.24905	0.410699	0.24525	0.476177	0.252558

Table 89: BloodMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	Cbar perturbed a	sd F	sd Fbar	sd C	sd Cbar	sd R F g	sd R F p	sd R F s	sd R F a	sd R C g	sd R C p	sd R C s
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.48212	0.002788	0.009455	0.002381	0.008781	0.002778	0.005232	0.001181	0.007957	0.002636	0.004494	0.001274
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.505505	0.01462	0.017473	0.014323	0.017304	0.006538	0.006907	0.01148	0.007245	0.00677	0.006578	0.010726
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	ind	11	11	0.494885											
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	NAIVE	11	3	0.513008	0.010361	0.016984	0.009974	0.017117	0.003324	0.005172	0.002957	0.007747	0.003655	0.006932	0.003701
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	ind	11	11	0.485238											
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	NAIVE	11	3	0.51749	0.011027	0.010394	0.010816	0.010525	0.002928	0.003094	0.003162	0.001856	0.003042	0.003052	0.001318
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	ind	11	11	0.4867											
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	NAIVE	11	3	0.527039	0.009926	0.005998	0.010632	0.00604	0.000608	0.003925	0.001902	0.00199	0.00161	0.003655	0.001946
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	ind	11	11	0.497223											
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	NAIVE	11	3	0.522654	0.011063	0.006466	0.010933	0.006486	0.000608	0.009217	0.004662	0.00134	0.001054	0.009211	0.004326
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	ind	11	11	0.486407											

Table 90: BloodMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd R C a	sd R Fbar g	sd R Fbar p	sd R Fbar s	sd R Fbar a	sd R Cbar g	sd R Cbar p	sd R Cbar s	sd R Cbar a	sd F perturbed g	sd Fbar perturbed g	sd C perturbed g
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.008484	0.038626	0.028362	0.021339	0.003094	0.037891	0.027354	0.021341	0.003126	0.004903	0.030116	0.004704
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.005998	0.007054	0.007719	0.007464	0.008018	0.007316	0.006985	0.007647	0.008106	0.008228	0.017466	0.00791
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	SimpleAvg	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Borda	NAIVE	11	3	0.007684	0.004588	0.003544	0.005933	0.007458	0.00483	0.004092	0.005878	0.007794	0.00967	0.020732	0.0105
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Borda	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	RRF	NAIVE	11	3	0.003371	0.008949	0.003286	0.005149	0.002943	0.008567	0.003655	0.005671	0.003255	0.010801	0.018293	0.011005
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	RRF	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Kemeny	NAIVE	11	3	0.002986	0.009397	0.002213	0.003663	0.001879	0.009409	0.002548	0.003388	0.001547	0.009356	0.011708	0.009227
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Kemeny	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Schulze	NAIVE	11	3	0.003052	0.007878	0.004643	0.005408	0.003544	0.008427	0.004725	0.005432	0.003487	0.011649	0.012711	0.011776
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	vit	test	Schulze	ind	11	11												

Table 91: BloodMNIST-ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed g	sd F perturbed p	sd Fbar perturbed p	sd C perturbed p	sd Cbar perturbed p	sd F perturbed s	sd Fbar perturbed s	sd C perturbed s	sd Cbar perturbed s	sd F perturbed a	sd Fbar perturbed a	sd C perturbed a
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.029965	0.007851	0.019935	0.006874	0.01947	0.003126	0.013755	0.003207	0.014113	0.009584	0.012492	0.010232
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.018646	0.008232	0.010662	0.008519	0.011071	0.003631	0.013069	0.003815	0.012197	0.0114	0.009469	0.012711
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	NAIVE	11	3	0.020309	0.006571	0.020216	0.006538	0.020581	0.007458	0.019539	0.006538	0.019338	0.01454	0.010552	0.014339
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	NAIVE	11	3	0.017844	0.007946	0.012931	0.007909	0.012852	0.007865	0.015124	0.009962	0.01557	0.011635	0.008803	0.01337
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	NAIVE	11	3	0.011798	0.008839	0.007824	0.009793	0.008074	0.008519	0.002393	0.008795	0.002652	0.011828	0.004339	0.013593
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	ind	11	11												
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	NAIVE	11	3	0.013025	0.005487	0.010632	0.006588	0.010632	0.006413	0.011196	0.006742	0.011071	0.01232	0.003153	0.013942
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	ind	11	11												

Table 92: BloodMNIST–ViT-B/16 results.

cell	dataset	model	architecture	replit	method	setting	q	source count	sd Cbar perturbed a	selected individual
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Best Indi- vidual	best- individual	1	3	0.011752	{ "C": "Gradient AttentionRollout", "Cbar": "CheferTr ansforme rAttribu tion", "F": "Gradient AttentionRollout", "Fbar": "CheferTr ansforme rAttribu tion" }
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	NAIVE	11	3	0.009227	
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	SimpleAvg	ind	11	11		
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	NAIVE	11	3	0.010113	
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Borda	ind	11	11		
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	NAIVE	11	3	0.0088	
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	RRF	ind	11	11		
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	NAIVE	11	3	0.004704	
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Kemeny	ind	11	11		
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	NAIVE	11	3	0.003544	
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	vit	test	Schulze	ind	11	11		

Table 93: BloodMNIST–ViT-B/16 results.

dataset	model	architecture	replit	method	sample count	F	Fbar	C	Cbar	R F g	R Fbar g	R C g	R Cbar g	R F p	R Fbar p	R C p	R Cbar p	R F s	R Fbar s	R C s
bloodmnist	bloodmnistvit-b16	vit	test	best_individual	3421	0.305759	0.377375	0.317451	0.386437	0.081847	0.075417	0.084771	0.064893	0.064309	0.053785	0.066939	0.043847	0.041801	0.029524	0.040047
bloodmnist	bloodmnistvit-b16	vit	test	simpleavg	3421	0.301666	0.408068	0.312774	0.418006	0.059632	0.066063	0.066355	0.059339	0.045893	0.055247	0.052616	0.047647	0.011985	0.008769	0.014031
bloodmnist	bloodmnistvit-b16	vit	test	borda	3421	0.258404	0.444022	0.268635	0.453961	0.072786	0.102309	0.079509	0.095586	0.056416	0.072786	0.064601	0.06577	0.023677	0.0266	0.026308
bloodmnist	bloodmnistvit-b16	vit	test	kemeny	3421	0.278866	0.430576	0.289097	0.43993	0.087986	0.09734	0.095294	0.090909	0.063724	0.074832	0.071616	0.066647	0.034493	0.036831	0.037124
bloodmnist	bloodmnistvit-b16	vit	test	rrf	3421	0.290851	0.416837	0.301374	0.426191	0.077755	0.088571	0.084478	0.081555	0.061386	0.071616	0.068109	0.063724	0.022508	0.026308	0.025139
bloodmnist	bloodmnistvit-b16	vit	test	schulze	3421	0.272143	0.428822	0.282081	0.438176	0.087109	0.095586	0.095294	0.088863	0.063432	0.072786	0.071324	0.064601	0.030108	0.030108	0.033324

Table 94: BloodMNIST-ViT-B/16 results.

dataset	model	architecture	replit	method	R Cbar s	R F a	R Fbar a	R C a	R Cbar a	F perturbed g	Fbar perturbed g	C perturbed g	Cbar perturbed g	F perturbed p	Fbar perturbed p	C perturbed p	Cbar perturbed p	F perturbed s	Fbar perturbed s	C perturbed s
bloodmnist	bloodmnistvit-b16	vit	test	best_indiv	0.028939	0.029231	-0.06197	0.029524	-0.062262	0.387606	0.301958	0.402222	0.321543	0.370067	0.32359	0.384391	0.34259	0.347559	0.347852	0.357498
bloodmnist	bloodmnistvit-b16	vit	test	simpleavg	0.009062	-0.004385	-0.114294	-0.004385	-0.114586	0.361298	0.342005	0.379129	0.358667	0.347559	0.352821	0.36539	0.37036	0.313651	0.399298	0.326805
bloodmnist	bloodmnistvit-b16	vit	test	borda	0.026308	0.03917	-0.096171	0.040339	-0.096171	0.33119	0.341713	0.348144	0.358375	0.31482	0.371236	0.333236	0.388191	0.282081	0.417422	0.294943
bloodmnist	bloodmnistvit-b16	vit	test	kemeny	0.037124	0.038001	-0.08214	0.038293	-0.082432	0.366852	0.333236	0.384391	0.349021	0.34259	0.355744	0.360713	0.373283	0.313359	0.393745	0.32622
bloodmnist	bloodmnistvit-b16	vit	test	rrf	0.026308	0.029231	-0.095294	0.028939	-0.095586	0.368606	0.328267	0.385852	0.344636	0.352236	0.345221	0.369483	0.362467	0.313359	0.390529	0.326513
bloodmnist	bloodmnistvit-b16	vit	test	schulze	0.029816	0.034493	-0.097925	0.035954	-0.098217	0.359252	0.333236	0.377375	0.349313	0.335574	0.356036	0.353405	0.373575	0.302251	0.398714	0.315405

Table 95: BloodMNIST-ViT-B/16 results.

dataset	model	architecture	replit	method	Cbar perturbed s	F perturbed a	Fbar perturbed a	C perturbed a	Cbar perturbed a	selected sources
bloodmnist	bloodmnistvit-b16	vit	test	best_individual	0.637498	0.33499	0.439345	0.346975	0.448699	81fbc3ad 271a7f8a ea403c4a 5cdafec0 a30f2fb3 0352af70 f8e0dbfb 2f0c46cc
bloodmnist	bloodmnistvit-b16	vit	test	simpleavg	0.408945	0.297281	0.522362	0.308389	0.532593	
bloodmnist	bloodmnistvit-b16	vit	test	borda	0.427653	0.297574	0.540193	0.308974	0.550132	
bloodmnist	bloodmnistvit-b16	vit	test	kemeny	0.402806	0.316866	0.512716	0.32739	0.522362	
bloodmnist	bloodmnistvit-b16	vit	test	rrf	0.399883	0.320082	0.512131	0.330313	0.521777	
bloodmnist	bloodmnistvit-b16	vit	test	schulze	0.40836	0.306635	0.526747	0.318036	0.536393	

Table 96: BloodMNIST-ViT-B/16 results.

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
bloodmnist-vit-b16	bloodmnist-vit-b16	best_individual	dataset_model	all	20	9						
bloodmnist-vit-b16	bloodmnist-vit-b16	simpleavg	dataset_model	all	20	0	2	0	18			
bloodmnist-vit-b16	bloodmnist-vit-b16	borda	dataset_model	all	20	4	6	0	14	16	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	kemeny	dataset_model	all	20	7	11	0	9	16	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	rrf	dataset_model	all	20	0	5	1	14	16	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	schulze	dataset_model	all	20	1	11	0	9	16	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	best_individual	dataset_model	quality	4	4						
bloodmnist-vit-b16	bloodmnist-vit-b16	simpleavg	dataset_model	quality	4	0	0	0	4			
bloodmnist-vit-b16	bloodmnist-vit-b16	borda	dataset_model	quality	4	0	0	0	4	0	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	kemeny	dataset_model	quality	4	0	0	0	4	0	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	rrf	dataset_model	quality	4	0	0	0	4	0	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	schulze	dataset_model	quality	4	0	0	0	4	0	0	4
bloodmnist-vit-b16	bloodmnist-vit-b16	best_individual	dataset_model	robustness_all	16	5						
bloodmnist-vit-b16	bloodmnist-vit-b16	simpleavg	dataset_model	robustness_all	16	0	2	0	14			
bloodmnist-vit-b16	bloodmnist-vit-b16	borda	dataset_model	robustness_all	16	4	6	0	10	16	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	kemeny	dataset_model	robustness_all	16	7	11	0	5	16	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	rrf	dataset_model	robustness_all	16	0	5	1	10	16	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	schulze	dataset_model	robustness_all	16	1	11	0	5	16	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	best_individual	dataset_model	gaussian	4	0						
bloodmnist-vit-b16	bloodmnist-vit-b16	simpleavg	dataset_model	gaussian	4	0	0	0	4			
bloodmnist-vit-b16	bloodmnist-vit-b16	borda	dataset_model	gaussian	4	2	2	0	2	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	kemeny	dataset_model	gaussian	4	2	4	0	0	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	rrf	dataset_model	gaussian	4	0	2	0	2	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	schulze	dataset_model	gaussian	4	1	4	0	0	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	best_individual	dataset_model	edit_pepper	4	1						
bloodmnist-vit-b16	bloodmnist-vit-b16	simpleavg	dataset_model	edit_pepper	4	0	2	0	2			
bloodmnist-vit-b16	bloodmnist-vit-b16	borda	dataset_model	edit_pepper	4	0	2	0	2	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	kemeny	dataset_model	edit_pepper	4	3	3	0	1	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	rrf	dataset_model	edit_pepper	4	0	3	0	1	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	schulze	dataset_model	edit_pepper	4	0	3	0	1	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	best_individual	dataset_model	spetckle	4	2						
bloodmnist-vit-b16	bloodmnist-vit-b16	simpleavg	dataset_model	spetckle	4	0	0	0	4			
bloodmnist-vit-b16	bloodmnist-vit-b16	borda	dataset_model	spetckle	4	0	0	0	4	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	kemeny	dataset_model	spetckle	4	2	2	0	2	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	rrf	dataset_model	spetckle	4	0	0	0	4	4	0	0
bloodmnist-vit-b16	bloodmnist-vit-b16	schulze	dataset_model	spetckle	4	0	2	0	2	4	0	0

dataset	model	method	scope	group	comparison cells	wins	vs best better	vs best equal	vs best worse	vs simpleavg better	vs simpleavg equal	vs simpleavg worse
bloodmnist	bloodmnist	best_indiv	dataset_m	adversarial	4	2						
vit-b16												
bloodmnist	bloodmnist	simpleavg	dataset_m	adversarial	4	0	0	0	4			
vit-b16												
bloodmnist	bloodmnist	borda	dataset_m	adversarial	4	2	2	0	2	4	0	0
vit-b16												
bloodmnist	bloodmnist	kemeny	dataset_m	adversarial	4	0	2	0	2	4	0	0
vit-b16												
bloodmnist	bloodmnist	rrf	dataset_m	adversarial	4	0	0	1	3	4	0	0
vit-b16												
bloodmnist	bloodmnist	schulze	dataset_m	adversarial	4	0	2	0	2	4	0	0
vit-b16												
		best_indiv	overall	all	80	28						
		simpleavg	overall	all	80	10	40	2	38			
		borda	overall	all	80	20	45	1	34	54	3	23
		kemeny	overall	all	80	19	49	1	30	44	3	33
		rrf	overall	all	80	5	44	1	35	49	4	27
		schulze	overall	all	80	7	50	0	30	48	4	28
		best_indiv	quality	all	16	14						
		simpleavg	overall	quality	16	2	2	1	13			
		borda	overall	quality	16	0	1	0	15	2	0	14
		kemeny	overall	quality	16	0	1	0	15	2	0	14
		rrf	overall	quality	16	1	1	0	15	5	1	10
		schulze	overall	quality	16	0	1	0	15	1	2	13
		best_indiv	robustness_all	64	14							
		simpleavg	overall	robustness_all	64	8	38	1	25			
		borda	overall	robustness_all	64	20	44	1	19	52	3	9
		kemeny	overall	robustness_all	64	19	48	1	15	42	3	19
		rrf	overall	robustness_all	64	4	43	1	20	44	3	17
		schulze	overall	robustness_all	64	7	49	0	15	47	2	15
		best_indiv	gaussian	16	1							
		simpleavg	overall	gaussian	16	1	10	0	6			
		borda	overall	gaussian	16	6	13	0	3	14	0	2
		kemeny	overall	gaussian	16	8	14	0	2	12	1	3
		rrf	overall	gaussian	16	0	12	0	4	11	1	4
		schulze	overall	gaussian	16	3	14	0	2	12	0	4
		best_indiv	salt_pepper	16	2							
		simpleavg	overall	salt_pepper	16	1	11	1	4			
		borda	overall	salt_pepper	16	3	13	0	3	13	0	3
		kemeny	overall	salt_pepper	16	6	14	0	2	10	0	6
		rrf	overall	salt_pepper	16	2	14	0	2	12	2	2
		schulze	overall	salt_pepper	16	2	14	0	2	14	0	2
		best_indiv	speckle	16	3							
		simpleavg	overall	speckle	16	4	11	0	5			
		borda	overall	speckle	16	5	10	1	5	12	1	3
		kemeny	overall	speckle	16	5	13	0	3	9	2	5
		rrf	overall	speckle	16	0	11	0	5	9	0	7
		schulze	overall	speckle	16	2	13	0	3	9	2	5
		best_indiv	adversarial	16	8							
		simpleavg	overall	adversarial	16	2	6	0	10			
		borda	overall	adversarial	16	6	8	0	8	13	2	1
		kemeny	overall	adversarial	16	0	7	1	8	11	0	5
		rrf	overall	adversarial	16	2	6	1	9	12	0	4
		schulze	overall	adversarial	16	0	8	0	8	12	0	4

124

cell	dataset	model	q	geometry	label	center rule	rule	method prefix	quality	perturbed quality	robustness
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	spearman	NOISE-S	borda	SimpleAvg	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.06460099386144402,"Fbar":0.04267757965507163},"speckle-0.15":{"C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.0397544577608865,"Fbar":0.02280035077462733}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	spearman	NOISE-S	borda	Borda	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.06460099386144402,"Fbar":0.04267757965507163},"speckle-0.15":{"C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.0397544577608865,"Fbar":0.02280035077462733}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	spearman	NOISE-S	borda	RRF	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.0669394913767904,"Cbar":0.0470622624963461,"F":0.06109324758842444,"Fbar":0.05583162817889503},"speckle-0.15":{"C":0.040046769950306926,"Cbar":0.02455422391137096,"F":0.03858520900321544,"Fbar":0.02455422391137096}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	spearman	NOISE-S	borda	Kemeny	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.0669394913767904,"Cbar":0.0470622624963461,"F":0.06109324758842444,"Fbar":0.05583162817889503},"speckle-0.15":{"C":0.040046769950306926,"Cbar":0.02455422391137096,"F":0.03858520900321544,"Fbar":0.0245542239113704}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	spearman	NOISE-S	borda	Schulze	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.06401636948260742,"Cbar":0.04326220403390818,"F":0.05904706226249634,"Fbar":0.051739257527308895},"speckle-0.15":{"C":0.03361590178310436,"Cbar":0.02630809704764686,"F":0.03361590178310436,"Fbar":0.0217850336159018}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	kendall	NOISE-K	kemeny	SimpleAvg	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.06723180356620873,"Cbar":0.0453083893598363,"F":0.06109324758842444,"Fbar":0.05437006723180354},"speckle-0.15":{"C":0.04209295527623502,"Cbar":0.023092662964045607,"F":0.04092370651856181,"Fbar":0.023677287342882214}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	kendall	NOISE-K	kemeny	Borda	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.07044723764980998,"Cbar":0.03507746273019585,"F":0.06460099386144402,"Fbar":0.04267757965507163},"speckle-0.15":{"C":0.04121601870798014,"Cbar":0.023677287342882214,"F":0.0397544577608865,"Fbar":0.02280035077462733}}]			
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	3	kendall	NOISE-K	kemeny	RRF	[{"Gradient":0.798800581274776582,"Cbar":0.006606060656,"Fbar":0.317451037707,"Fbar":0.3592516807950892}, {"sara-2-sara-2-255":{"C":0.23562073787083875575063307806847388865974864,"F":0.36509792458345514,"Fbar":0.45308389359836304},"gaussian-0.15":{"C":0.0904003138403273927,"Cbar":0.0587686600332978066,"Fbar":39462145571747033,"Fbar":0.2993276819643379},"salt-pepper-0.05":{"C":0.38787827530828232763350108935728209206278872575278788941083108821759512043216237,"Fbar":0.0007932399883075128},"salt-0.15":{"C":0.045666705641625257,"Cbar":0.3449283835135925,"F":0.3460976322712657,"Fbar":0.33645133002046185}} {"0.05":{"C":0.0669394913767904,"Cbar":0.0470622624963461,"F":0.06109324758842444,"Fbar":0.05583162817889503},"speckle-0.15":{"C":0.040046769950306926,"Cbar":0.02455422391137096,"F":0.03858520900321544,"Fbar":0.0245542239113704}}]			

Table 98: BloodMNIST-ViT-B/16 results.

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	adversaria	C	borda	conditioned	0.942005	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	adversaria	C	borda	conditioned	0.986839	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	adversaria	C	borda	conditioned	0.982929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	adversaria	C	borda	conditioned	0.953239	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	adversaria	C	borda	conditioned	0.951236	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	adversaria	C	borda	conditioned	0.962487	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	adversaria	C	borda	conditioned	0.951067	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	adversaria	C	borda	conditioned	0.986839	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	adversaria	C	borda	conditioned	0.923632	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	adversaria	C	borda	conditioned	0.98974	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	adversaria	C	kemeny	conditioned	0.942005	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	adversaria	C	kemeny	conditioned	0.959514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	adversaria	C	kemeny	conditioned	0.986144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	adversaria	C	kemeny	conditioned	0.956919	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	adversaria	C	kemeny	conditioned	0.957709	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	adversaria	C	kemeny	conditioned	0.958667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	adversaria	C	kemeny	conditioned	0.958667	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	adversaria	C	kemeny	conditioned	0.942005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	adversaria	C	kemeny	conditioned	0.946514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	adversaria	C	kemeny	conditioned	0.927399	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	adversaria	C	rrf	conditioned	0.942005	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	adversaria	C	rrf	conditioned	0.982314	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	adversaria	C	rrf	conditioned	0.985832	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	adversaria	C	rrf	conditioned	0.962436	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

[illegible]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	adversaria- sara-2- 255	Fbar	simpleavg	conditioned	0.502359	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	gaussian- 0.15	C	borda	conditioned	0.405429	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	gaussian- 0.15	C	borda	conditioned	0.414206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	gaussian- 0.15	C	borda	conditioned	0.414206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	gaussian- 0.15	C	borda	conditioned	0.408652	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	gaussian- 0.15	C	borda	conditioned	0.408945	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	gaussian- 0.15	C	borda	conditioned	0.401929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	gaussian- 0.15	C	borda	conditioned	0.409421	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	gaussian- 0.15	C	borda	conditioned	0.405621	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	gaussian- 0.15	C	borda	conditioned	0.405639	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	gaussian- 0.15	C	borda	conditioned	0.408114	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	gaussian- 0.15	C	kemeny	conditioned	0.405429	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	gaussian- 0.15	C	kemeny	conditioned	0.403291	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	gaussian- 0.15	C	kemeny	conditioned	0.413031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	gaussian- 0.15	C	kemeny	conditioned	0.402831	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	gaussian- 0.15	C	kemeny	conditioned	0.400761	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	gaussian- 0.15	C	kemeny	conditioned	0.405115	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	gaussian- 0.15	C	kemeny	conditioned	0.402514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	gaussian- 0.15	C	kemeny	conditioned	0.406729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	gaussian- 0.15	C	kemeny	conditioned	0.404975	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	gaussian- 0.15	C	kemeny	conditioned	0.404391	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	gaussian- 0.15	C	rrf	conditioned	0.402715	False	["GradientAttentionRollout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	gaussian- 0.15	C	rrf	conditioned	0.419176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	gaussian- 0.15	C	rrf	conditioned	0.418839	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	gaussian- 0.15	C	rrf	conditioned	0.402776	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	speckle- 0.15	Fbar	simpleavg	conditioned	0.99299	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	C	borda	quality	0.302835	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	C	borda	quality	0.331482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	C	borda	quality	0.331482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	C	borda	quality	0.330897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	C	borda	quality	0.318328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	C	borda	quality	0.316282	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	C	borda	quality	0.308389	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	C	borda	quality	0.294943	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	C	borda	quality	0.293189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	C	borda	quality	0.268635	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	C	kemeny	quality	0.302835	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	C	kemeny	quality	0.32242	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	C	kemeny	quality	0.336159	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	C	kemeny	quality	0.318328	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	C	kemeny	quality	0.315989	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	C	kemeny	quality	0.31862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	C	kemeny	quality	0.323297	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	C	kemeny	quality	0.300789	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	C	kemeny	quality	0.301958	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	C	kemeny	quality	0.289097	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	C	rrf	quality	0.304589	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	C	rrf	quality	0.331482	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	C	rrf	quality	0.342005	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	C	rrf	quality	0.33002	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	clean	C	simpleavg	quality	0.312774	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	Cbar	borda	quality	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	Cbar	borda	quality	0.37679	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	Cbar	borda	quality	0.394037	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	Cbar	borda	quality	0.39696	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	Cbar	borda	quality	0.38059	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	Cbar	borda	quality	0.382052	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	Cbar	borda	quality	0.413622	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	Cbar	borda	quality	0.441391	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	Cbar	borda	quality	0.419176	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	Cbar	borda	quality	0.453961	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	Cbar	kemeny	quality	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	Cbar	kemeny	quality	0.37796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	Cbar	kemeny	quality	0.386144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	Cbar	kemeny	quality	0.423853	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	Cbar	kemeny	quality	0.386144	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	Cbar	kemeny	quality	0.391991	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	Cbar	kemeny	quality	0.392575	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	Cbar	kemeny	quality	0.428822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	Cbar	kemeny	quality	0.424145	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	Cbar	kemeny	quality	0.43993	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	Cbar	rrf	quality	0.381467	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	Cbar	rrf	quality	0.369775	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	Cbar	rrf	quality	0.382929	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	Cbar	rrf	quality	0.404268	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	clean	Cbar	simpleavg	quality	0.418006	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	F	borda	quality	0.291435	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	F	borda	quality	0.320666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	F	borda	quality	0.320374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	F	borda	quality	0.320374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	F	borda	quality	0.307512	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	F	borda	quality	0.305759	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	F	borda	quality	0.297574	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	F	borda	quality	0.284127	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	F	borda	quality	0.282374	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	F	borda	quality	0.258404	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	F	kemeny	quality	0.291435	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	F	kemeny	quality	0.31102	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	F	kemeny	quality	0.325051	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	F	kemeny	quality	0.307805	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	F	kemeny	quality	0.305466	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	F	kemeny	quality	0.308097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	F	kemeny	quality	0.312189	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	F	kemeny	quality	0.290558	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	F	kemeny	quality	0.290851	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	F	kemeny	quality	0.278866	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	F	rrf	quality	0.293189	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	F	rrf	quality	0.320666	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	F	rrf	quality	0.330897	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	F	rrf	quality	0.319205	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	clean	F	simpleavg	quality	0.301666	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	Fbar	borda	quality	0.374744	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	Fbar	borda	quality	0.367729	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	Fbar	borda	quality	0.384683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	Fbar	borda	quality	0.387606	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	Fbar	borda	quality	0.371529	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	Fbar	borda	quality	0.373283	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	Fbar	borda	quality	0.403683	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	Fbar	borda	quality	0.43233	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	Fbar	borda	quality	0.409822	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	Fbar	borda	quality	0.444022	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	Fbar	kemeny	quality	0.374744	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	Fbar	kemeny	quality	0.369483	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	Fbar	kemeny	quality	0.377083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	Fbar	kemeny	quality	0.415083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	clean	Fbar	kemeny	quality	0.37796	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	clean	Fbar	kemeny	quality	0.383514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	clean	Fbar	kemeny	quality	0.383514	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	clean	Fbar	kemeny	quality	0.420053	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	clean	Fbar	kemeny	quality	0.415083	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	clean	Fbar	kemeny	quality	0.430576	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "InputShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	clean	Fbar	rrf	quality	0.373283	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	clean	Fbar	rrf	quality	0.361298	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	clean	Fbar	rrf	quality	0.373867	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	clean	Fbar	rrf	quality	0.395206	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	clean	Fbar	simpleavg	quality	0.408068	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	adversarial	C	borda	robustness	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	adversarial	C	borda	robustness	0.049401	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	adversarial	C	borda	robustness	0.051447	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	adversarial	C	borda	robustness	0.042385	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	adversarial	C	borda	robustness	0.052909	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	adversarial	C	borda	robustness	0.046185	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	adversarial	C	borda	robustness	0.042678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	adversarial	C	borda	robustness	0.035954	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	adversarial	C	borda	robustness	0.034493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	adversarial	C	borda	robustness	0.040339	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	adversarial	C	kemeny	robustness	0.03917	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	adversarial	C	kemeny	robustness	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	adversarial	C	kemeny	robustness	0.049985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	adversarial	C	kemeny	robustness	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	adversarial	C	kemeny	robustness	0.041801	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	adversarial	C	kemeny	robustness	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	adversarial	C	kemeny	robustness	0.03537	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	adversarial	C	kemeny	robustness	0.041216	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	adversarial	C	kemeny	robustness	0.038585	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	adversarial	C	kemeny	robustness	0.038293	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	adversarial	C	rrf	robustness	0.038293	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	adversarial	C	rrf	robustness	0.050862	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	adversarial	C	rrf	robustness	0.043847	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	adversarial	C	rrf	robustness	0.037416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	adversaria- sara-2- 255	Fbar	simpleavg	robustness	-0.114294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	gaussian- 0.15	C	borda	robustness	0.092663	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	gaussian- 0.15	C	borda	robustness	0.082724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	gaussian- 0.15	C	borda	robustness	0.082724	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	gaussian- 0.15	C	borda	robustness	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	gaussian- 0.15	C	borda	robustness	0.090617	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	gaussian- 0.15	C	borda	robustness	0.085647	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	gaussian- 0.15	C	borda	robustness	0.071032	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	gaussian- 0.15	C	borda	robustness	0.080678	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	gaussian- 0.15	C	borda	robustness	0.072493	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	gaussian- 0.15	C	borda	robustness	0.079509	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	gaussian- 0.15	C	kemeny	robustness	0.092663	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	gaussian- 0.15	C	kemeny	robustness	0.08097	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	gaussian- 0.15	C	kemeny	robustness	0.076878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	gaussian- 0.15	C	kemeny	robustness	0.079509	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	gaussian- 0.15	C	kemeny	robustness	0.084771	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	gaussian- 0.15	C	kemeny	robustness	0.086524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	gaussian- 0.15	C	kemeny	robustness	0.079217	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	gaussian- 0.15	C	kemeny	robustness	0.08594	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	gaussian- 0.15	C	kemeny	robustness	0.083017	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	gaussian- 0.15	C	kemeny	robustness	0.095294	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	gaussian- 0.15	C	rrf	robustness	0.092955	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	gaussian- 0.15	C	rrf	robustness	0.087694	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	gaussian- 0.15	C	rrf	robustness	0.076878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	gaussian- 0.15	C	rrf	robustness	0.077755	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	1	salt- pepper- 0.05	Fbar	simpleavg	robustness	0.055247	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	speckle- 0.15	C	borda	robustness	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	speckle- 0.15	C	borda	robustness	0.038001	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	speckle- 0.15	C	borda	robustness	0.037124	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	speckle- 0.15	C	borda	robustness	0.0304	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	speckle- 0.15	C	borda	robustness	0.038878	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	speckle- 0.15	C	borda	robustness	0.024554	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	speckle- 0.15	C	borda	robustness	0.014031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	speckle- 0.15	C	borda	robustness	0.026016	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	speckle- 0.15	C	borda	robustness	0.018708	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	speckle- 0.15	C	borda	robustness	0.026308	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	speckle- 0.15	C	kemeny	robustness	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	speckle- 0.15	C	kemeny	robustness	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	speckle- 0.15	C	kemeny	robustness	0.033031	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	speckle- 0.15	C	kemeny	robustness	0.031277	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	speckle- 0.15	C	kemeny	robustness	0.037416	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	speckle- 0.15	C	kemeny	robustness	0.033616	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	speckle- 0.15	C	kemeny	robustness	0.032739	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	speckle- 0.15	C	kemeny	robustness	0.03537	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	speckle- 0.15	C	kemeny	robustness	0.030985	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	speckle- 0.15	C	kemeny	robustness	0.037124	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	2	speckle- 0.15	C	rrf	robustness	0.040339	False	["GradientAttentionRollout", "CheferTransformerAttribution"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	3	speckle- 0.15	C	rrf	robustness	0.040047	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	4	speckle- 0.15	C	rrf	robustness	0.029524	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	5	speckle- 0.15	C	rrf	robustness	0.033908	False	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]	

cell	dataset	model	q	condition	metric	rule	value kind	value	q11 reference	method prefix
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	11	speckle-0.15	Fbar	simpleavg	robustness	0.008769	True	["GradientAttentionRollout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion", "FeatureAblation", "Input"]

Table 99: BloodMNIST-ViT-B/16 results.

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	C	borda	quality	max	3	0.331482	[3,4]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	Cbar	borda	quality	min	3	0.37679	[3]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	F	borda	quality	max	3	0.320666	[3]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	Fbar	borda	quality	min	3	0.367729	[3]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	C	borda	robustness	max	6	0.052909	[6]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	Cbar	borda	robustness	max	2	-0.04677	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	F	borda	robustness	max	6	0.052909	[6]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	Fbar	borda	robustness	max	2	-0.045893	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	C	borda	robustness	max	2	0.092663	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	Cbar	borda	robustness	max	9	0.103186	[9]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	F	borda	robustness	max	2	0.088863	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	Fbar	borda	robustness	max	9	0.110786	[9]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	C	borda	robustness	max	2	0.073078	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Cbar	borda	robustness	max	9	0.067232	[9]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	F	borda	robustness	max	2	0.067524	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Fbar	borda	robustness	max	9	0.075709	[9]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	C	borda	robustness	max	2	0.040047	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Cbar	borda	robustness	max	6	0.035077	[6]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	F	borda	robustness	max	2	0.040631	[2]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Fbar	borda	robustness	max	9	0.035077	[9]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	C	kemeny	quality	max	4	0.336159	[4]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	Cbar	kemeny	quality	min	3	0.37796	[3]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	F	kemeny	quality	max	4	0.325051	[4]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	clean	Fbar	kemeny	quality	min	3	0.369483	[3]	smallest_q 12	["GradientAscent", "ReLU", "CheferTransformerAttribution", "GradientShap"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	C	kemeny	robustness	max	4	0.049985	[4]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	Cbar	kemeny	robustness	max	2	-0.04677	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	F	kemeny	robustness	max	4	0.049985	[4]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	Fbar	kemeny	robustness	max	2	-0.045893	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	C	kemeny	robustness	max	11	0.095294	[11]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	Cbar	kemeny	robustness	max	11	0.090909	[11]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	F	kemeny	robustness	max	2	0.088863	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	Fbar	kemeny	robustness	max	11	0.09734	[11]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	C	kemeny	robustness	max	2	0.073078	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Cbar	kemeny	robustness	max	11	0.066647	[11]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	F	kemeny	robustness	max	2	0.067524	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Fbar	kemeny	robustness	max	11	0.074832	[11]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	C	kemeny	robustness	max	2	0.040047	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Cbar	kemeny	robustness	max	5	0.037708	[5]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	F	kemeny	robustness	max	2	0.040631	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Fbar	kemeny	robustness	max	11	0.036831	[11]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	C	rrf	quality	max	4	0.342005	[4]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	Cbar	rrf	quality	min	3	0.369775	[3]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	F	rrf	quality	max	4	0.330897	[4]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	Fbar	rrf	quality	min	3	0.361298	[3]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	C	rrf	robustness	max	3	0.050862	[3]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	Cbar	rrf	robustness	max	2	-0.048816	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	F	rrf	robustness	max	3	0.051155	[3]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria sara-2- 255	Fbar	rrf	robustness	max	2	-0.047939	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	C	rrf	robustness	max	2	0.092955	[2]	smallest_q 12	["GradientAscent", "ReLUout", "CheferTransformerAttribution"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	Cbar	rrf	robustness	max	9	0.087109	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	F	rrf	robustness	max	2	0.089155	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	Fbar	rrf	robustness	max	9	0.09354	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	salt-pepper-0.05	C	rrf	robustness	max	2	0.073078	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	salt-pepper-0.05	Cbar	rrf	robustness	max	9	0.073078	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	salt-pepper-0.05	F	rrf	robustness	max	2	0.067524	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	salt-pepper-0.05	Fbar	rrf	robustness	max	9	0.080386	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	speckle-0.15	C	rrf	robustness	max	6	0.040631	[6]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	speckle-0.15	Cbar	rrf	robustness	max	9	0.035077	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	speckle-0.15	F	rrf	robustness	max	2	0.040339	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	speckle-0.15	Fbar	rrf	robustness	max	9	0.034785	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	telean	C	schulze	quality	max	4	0.337036	[4]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	telean	Cbar	schulze	quality	min	3	0.371236	[3]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	telean	F	schulze	quality	max	4	0.32622	[4]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	telean	Fbar	schulze	quality	min	3	0.363052	[3]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	adversaria-sara-2-255	C	schulze	robustness	max	3	0.052909	[3]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	adversaria-sara-2-255	Cbar	schulze	robustness	max	2	-0.04677	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	adversaria-sara-2-255	F	schulze	robustness	max	3	0.053493	[3]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	adversaria-sara-2-255	Fbar	schulze	robustness	max	2	-0.045893	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	C	schulze	robustness	max	11	0.095294	[11]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	Cbar	schulze	robustness	max	11	0.088863	[11]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	F	schulze	robustness	max	2	0.088863	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	gaussian-0.15	Fbar	schulze	robustness	max	11	0.095586	[11]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	salt-pepper-0.05	C	schulze	robustness	max	2	0.073078	[2]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	salt-pepper-0.05	Cbar	schulze	robustness	max	9	0.065478	[9]	smallest_q12	GradientAscent, Rollout, "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	F	schulze	robustness	max	2	0.067524	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Fbar	schulze	robustness	max	9	0.073955	[9]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	C	schulze	robustness	max	3	0.042093	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Cbar	schulze	robustness	max	10	0.033324	[10]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	F	schulze	robustness	max	3	0.040924	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Fbar	schulze	robustness	max	2	0.033616	[2,7]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	C	simpleavg	quality	max	5	0.327682	[5]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	Cbar	simpleavg	quality	min	3	0.368606	[3,4]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	F	simpleavg	quality	max	5	0.316574	[5]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	telean	Fbar	simpleavg	quality	min	3	0.359252	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria- sara-2- 255	C	simpleavg	robustness	max	3	0.058755	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria- sara-2- 255	Cbar	simpleavg	robustness	max	2	-0.049693	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria- sara-2- 255	F	simpleavg	robustness	max	3	0.058755	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	adversaria- sara-2- 255	Fbar	simpleavg	robustness	max	2	-0.049401	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	C	simpleavg	robustness	max	6	0.094125	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	Cbar	simpleavg	robustness	max	8	0.064016	[8]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	F	simpleavg	robustness	max	3	0.088278	[3]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	gaussian- 0.15	Fbar	simpleavg	robustness	max	8	0.071032	[8]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP", "Occlusion"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	C	simpleavg	robustness	max	6	0.077755	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Cbar	simpleavg	robustness	max	6	0.049108	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	F	simpleavg	robustness	max	6	0.07074	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	salt- pepper- 0.05	Fbar	simpleavg	robustness	max	6	0.056709	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	C	simpleavg	robustness	max	6	0.047647	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	Cbar	simpleavg	robustness	max	2	0.036831	[2]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution"]
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	speckle- 0.15	F	simpleavg	robustness	max	6	0.045016	[6]	smallest_q 12	["GradientAscent", "CheferTransformerAttribution", "GradientShap", "IntegratedGradients", "Saliency", "PartialLRP"]

cell	dataset	model	condition	metric	rule	value kind	direction	best q	best value	tied q	tie policy	method prefix
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	speckle- 0.15	Fbar	simpleavg	robustness	max	2	0.037124	[2]	smallest_ 12	["GradientAscent", "GradientDescent", "EvolutionaryRollout", "CheferTransformerAttribution"]

204

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
bloodmni-st-vit-b16	bloodmni	bloodmni-2-vit-b16	2	simpleavg	False	["GradientAt 0.296197, Roll 0.136167, C 0.030709, F 0.386144, Fbar 0.376498, Cbar 0.311312, C 0.391991, Cbar 0.33002, F 0.363929, Fbar 0.324467, C 0.380298, Cbar 0.34259, F 0.335282, Fbar 0.340544"]	0.296197	Roll 0.136167	C 0.030709	F 0.386144	Fbar 0.376498	C 0.311312	Cbar 0.391991	Cbar 0.33002	F 0.363929	Fbar 0.324467	C 0.380298	Cbar 0.34259	F 0.335282	Fbar 0.340544
bloodmni-st-vit-b16	bloodmni	bloodmni-2-vit-b16	2	borda	False	["GradientAt 0.291435, Roll 0.136174, C 0.0307835, F 0.382929, Fbar 0.380298, C 0.311312, C 0.395498, Cbar 0.330313, F 0.358959, Fbar 0.325636, C 0.375913, Cbar 0.343467, F 0.332067, Fbar 0.341128"]	0.291435	Roll 0.136174	C 0.0307835	F 0.382929	Fbar 0.380298	C 0.311312	Cbar 0.395498	Cbar 0.330313	F 0.358959	Fbar 0.325636	C 0.375913	Cbar 0.343467	F 0.332067	Fbar 0.341128
bloodmni-st-vit-b16	bloodmni	bloodmni-2-vit-b16	2	rrf	False	["GradientAt 0.293089, Roll 0.136182, C 0.03071589, F 0.381467, Fbar 0.382344, C 0.307512, C 0.397545, Cbar 0.325928, F 0.360713, Fbar 0.325928, C 0.377667, Cbar 0.343759, F 0.333528, Fbar 0.339082"]	0.293089	Roll 0.136182	C 0.03071589	F 0.381467	Fbar 0.382344	C 0.307512	Cbar 0.397545	Cbar 0.325928	F 0.360713	Fbar 0.325928	C 0.377667	Cbar 0.343759	F 0.333528	Fbar 0.339082
bloodmni-st-vit-b16	bloodmni	bloodmni-2-vit-b16	2	kemeny	False	["GradientAt 0.291435, Roll 0.136174, C 0.0307835, F 0.382929, Fbar 0.380298, C 0.311312, C 0.395498, Cbar 0.330313, F 0.358959, Fbar 0.325636, C 0.375913, Cbar 0.343467, F 0.332067, Fbar 0.341128"]	0.291435	Roll 0.136174	C 0.0307835	F 0.382929	Fbar 0.380298	C 0.311312	Cbar 0.395498	Cbar 0.330313	F 0.358959	Fbar 0.325636	C 0.375913	Cbar 0.343467	F 0.332067	Fbar 0.341128
bloodmni-st-vit-b16	bloodmni	bloodmni-2-vit-b16	2	schulze	False	["GradientAt 0.291435, Roll 0.136174, C 0.0307835, F 0.382929, Fbar 0.380298, C 0.311312, C 0.395498, Cbar 0.330313, F 0.358959, Fbar 0.325636, C 0.375913, Cbar 0.343467, F 0.332067, Fbar 0.341128"]	0.291435	Roll 0.136174	C 0.0307835	F 0.382929	Fbar 0.380298	C 0.311312	Cbar 0.395498	Cbar 0.330313	F 0.358959	Fbar 0.325636	C 0.375913	Cbar 0.343467	F 0.332067	Fbar 0.341128
bloodmni-st-vit-b16	bloodmni	bloodmni-3-vit-b16	3	simpleavg	False	["GradientAt 0.296143, Roll 0.136125, C 0.0317454, F 0.368406, Fbar 0.39402, C 0.410406, Cbar 0.316866, F 0.370944, Fbar 0.316574, C 0.387898, Cbar 0.333528, F 0.346098, Fbar 0.336451"]	0.296143	Roll 0.136125	C 0.0317454	F 0.368406	Fbar 0.39402	C 0.410406	Cbar 0.316866	F 0.370944	Fbar 0.316574	C 0.387898	Cbar 0.333528	F 0.346098	Fbar 0.336451	
bloodmni-st-vit-b16	bloodmni	bloodmni-3-vit-b16	3	borda	False	["GradientAt 0.290666, Roll 0.136172, C 0.0387482, F 0.36770, Fbar 0.397837, C 0.414206, Cbar 0.305759, F 0.375913, Fbar 0.304297, C 0.392575, Cbar 0.321543, F 0.35779, Fbar 0.343175"]	0.290666	Roll 0.136172	C 0.0387482	F 0.36770	Fbar 0.397837	C 0.414206	Cbar 0.305759	F 0.375913	Fbar 0.304297	C 0.392575	Cbar 0.321543	F 0.35779	Fbar 0.343175	
bloodmni-st-vit-b16	bloodmni	bloodmni-3-vit-b16	3	rrf	False	["GradientAt 0.290666, Roll 0.136129, C 0.0387482, F 0.369775, Fbar 0.407339, C 0.419176, Cbar 0.308389, F 0.38176, Fbar 0.305466, C 0.398422, Cbar 0.322713, F 0.359252, Fbar 0.336744"]	0.290666	Roll 0.136129	C 0.0387482	F 0.369775	Fbar 0.407339	C 0.419176	Cbar 0.308389	F 0.38176	Fbar 0.305466	C 0.398422	Cbar 0.322713	F 0.359252	Fbar 0.336744	
bloodmni-st-vit-b16	bloodmni	bloodmni-3-vit-b16	3	kemeny	False	["GradientAt 0.121102, Roll 0.136185, C 0.0342242, F 0.36759, Fbar 0.387898, C 0.403391, Cbar 0.319497, F 0.370067, Fbar 0.317743, C 0.386437, Cbar 0.334697, F 0.344636, Fbar 0.342298"]	0.121102	Roll 0.136185	C 0.0342242	F 0.36759	Fbar 0.387898	C 0.403391	Cbar 0.319497	F 0.370067	Fbar 0.317743	C 0.386437	Cbar 0.334697	F 0.344636	Fbar 0.342298	
bloodmni-st-vit-b16	bloodmni	bloodmni-3-vit-b16	3	schulze	False	["GradientAt 0.11605, Roll 0.136105, C 0.0342242, F 0.371236, Fbar 0.394037, C 0.410406, Cbar 0.30722, F 0.372698, Fbar 0.308682, C 0.389652, Cbar 0.325928, F 0.352529, Fbar 0.339374"]	0.11605	Roll 0.136105	C 0.0342242	F 0.371236	Fbar 0.394037	C 0.410406	Cbar 0.30722	F 0.372698	Fbar 0.308682	C 0.389652	Cbar 0.325928	F 0.352529	Fbar 0.339374	
bloodmni-st-vit-b16	bloodmni	bloodmni-4-vit-b16	4	simpleavg	False	["GradientAt 0.295405, Roll 0.136154, C 0.0327518, F 0.368406, Fbar 0.399883, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.295405	Roll 0.136154	C 0.0327518	F 0.368406	Fbar 0.399883	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-4-vit-b16	4	borda	False	["GradientAt 0.290374, Roll 0.136185, C 0.0387482, F 0.364937, Fbar 0.396375, C 0.414206, Cbar 0.305759, F 0.375913, Fbar 0.304297, C 0.392575, Cbar 0.322713, F 0.35779, Fbar 0.343175"]	0.290374	Roll 0.136185	C 0.0387482	F 0.364937	Fbar 0.396375	C 0.414206	Cbar 0.305759	F 0.375913	Fbar 0.304297	C 0.392575	Cbar 0.322713	F 0.35779	Fbar 0.343175	
bloodmni-st-vit-b16	bloodmni	bloodmni-4-vit-b16	4	rrf	False	["GradientAt 0.290397, Roll 0.136186, C 0.0387482, F 0.369775, Fbar 0.407339, C 0.419176, Cbar 0.308389, F 0.38176, Fbar 0.305466, C 0.398422, Cbar 0.322713, F 0.359252, Fbar 0.336744"]	0.290397	Roll 0.136186	C 0.0387482	F 0.369775	Fbar 0.407339	C 0.419176	Cbar 0.308389	F 0.38176	Fbar 0.305466	C 0.398422	Cbar 0.322713	F 0.359252	Fbar 0.336744	
bloodmni-st-vit-b16	bloodmni	bloodmni-4-vit-b16	4	kemeny	False	["GradientAt 0.295051, Roll 0.136185, C 0.03875159, F 0.386144, Fbar 0.395791, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.295051	Roll 0.136185	C 0.03875159	F 0.386144	Fbar 0.395791	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-4-vit-b16	4	schulze	False	["GradientAt 0.122692, Roll 0.136191, C 0.0387836, F 0.384975, Fbar 0.397545, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.122692	Roll 0.136191	C 0.0387836	F 0.384975	Fbar 0.397545	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-5-vit-b16	5	simpleavg	False	["GradientAt 0.295554, Roll 0.136182, C 0.0387682, F 0.381467, Fbar 0.399037, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.295554	Roll 0.136182	C 0.0387682	F 0.381467	Fbar 0.399037	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-5-vit-b16	5	borda	False	["GradientAt 0.290374, Roll 0.136185, C 0.0387482, F 0.364937, Fbar 0.396375, C 0.414206, Cbar 0.305759, F 0.375913, Fbar 0.304297, C 0.392575, Cbar 0.322713, F 0.35779, Fbar 0.343175"]	0.290374	Roll 0.136185	C 0.0387482	F 0.364937	Fbar 0.396375	C 0.414206	Cbar 0.305759	F 0.375913	Fbar 0.304297	C 0.392575	Cbar 0.322713	F 0.35779	Fbar 0.343175	
bloodmni-st-vit-b16	bloodmni	bloodmni-5-vit-b16	5	rrf	False	["GradientAt 0.290205, Roll 0.136120, C 0.0387482, F 0.369775, Fbar 0.407339, C 0.419176, Cbar 0.308389, F 0.38176, Fbar 0.305466, C 0.398422, Cbar 0.322713, F 0.359252, Fbar 0.336744"]	0.290205	Roll 0.136120	C 0.0387482	F 0.369775	Fbar 0.407339	C 0.419176	Cbar 0.308389	F 0.38176	Fbar 0.305466	C 0.398422	Cbar 0.322713	F 0.359252	Fbar 0.336744	
bloodmni-st-vit-b16	bloodmni	bloodmni-5-vit-b16	5	kemeny	False	["GradientAt 0.297805, Roll 0.136185, C 0.0387836, F 0.384975, Fbar 0.397545, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.297805	Roll 0.136185	C 0.0387836	F 0.384975	Fbar 0.397545	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-5-vit-b16	5	schulze	False	["GradientAt 0.122692, Roll 0.136191, C 0.0387836, F 0.384975, Fbar 0.397545, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.122692	Roll 0.136191	C 0.0387836	F 0.384975	Fbar 0.397545	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-6-vit-b16	6	simpleavg	False	["GradientAt 0.295554, Roll 0.136182, C 0.0387682, F 0.381467, Fbar 0.399037, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.295554	Roll 0.136182	C 0.0387682	F 0.381467	Fbar 0.399037	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	
bloodmni-st-vit-b16	bloodmni	bloodmni-6-vit-b16	6	borda	False	["GradientAt 0.290374, Roll 0.136185, C 0.0387482, F 0.364937, Fbar 0.396375, C 0.414206, Cbar 0.305759, F 0.375913, Fbar 0.304297, C 0.392575, Cbar 0.322713, F 0.35779, Fbar 0.343175"]	0.290374	Roll 0.136185	C 0.0387482	F 0.364937	Fbar 0.396375	C 0.414206	Cbar 0.305759	F 0.375913	Fbar 0.304297	C 0.392575	Cbar 0.322713	F 0.35779	Fbar 0.343175	
bloodmni-st-vit-b16	bloodmni	bloodmni-6-vit-b16	6	rrf	False	["GradientAt 0.290205, Roll 0.136120, C 0.0387482, F 0.369775, Fbar 0.407339, C 0.419176, Cbar 0.308389, F 0.38176, Fbar 0.305466, C 0.398422, Cbar 0.322713, F 0.359252, Fbar 0.336744"]	0.290205	Roll 0.136120	C 0.0387482	F 0.369775	Fbar 0.407339	C 0.419176	Cbar 0.308389	F 0.38176	Fbar 0.305466	C 0.398422	Cbar 0.322713	F 0.359252	Fbar 0.336744	
bloodmni-st-vit-b16	bloodmni	bloodmni-6-vit-b16	6	kemeny	False	["GradientAt 0.295554, Roll 0.136182, C 0.0387682, F 0.381467, Fbar 0.399037, C 0.410253, Cbar 0.31482, F 0.379129, Fbar 0.313943, C 0.396375, Cbar 0.330605, F 0.352529, Fbar 0.339667"]	0.295554	Roll 0.136182	C 0.0387682	F 0.381467	Fbar 0.399037	C 0.410253	Cbar 0.31482	F 0.379129	Fbar 0.313943	C 0.396375	Cbar 0.330605	F 0.352529	Fbar 0.339667	

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-6	schulze	False	["Gradient	0.865466	0.617857	0.681758	0.328170	0.384955	0.329603	0.403683	0.308997	0.346659	0.309266	0.385267	0.327974	0.342005	0.345221
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-7	simpleavg	False	["Gradient	0.860558	0.618819	0.680784	0.328129	0.384867	0.329583	0.403528	0.308874	0.344173	0.308205	0.358375	0.354282	0.306343	0.383514
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-7	borda	False	["Gradient	0.860558	0.617828	0.681022	0.328131	0.384939	0.329592	0.403928	0.308929	0.344297	0.308174	0.376206	0.335574	0.327097	0.346682
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-7	rrf	False	["Gradient	0.860558	0.617828	0.681022	0.328131	0.384939	0.329592	0.403928	0.308929	0.344297	0.308174	0.376206	0.335574	0.327097	0.346682
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-7	kemeny	False	["Gradient	0.860558	0.618831	0.681022	0.328131	0.384939	0.329592	0.403928	0.308929	0.344297	0.308174	0.376206	0.335574	0.327097	0.346682
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-7	schulze	False	["Gradient	0.860558	0.618831	0.681022	0.328131	0.384939	0.329592	0.403928	0.308929	0.344297	0.308174	0.376206	0.335574	0.327097	0.346682
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	-8	simpleavg	False	["Gradient	0.860405	0.616079	0.680754	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	-8	borda	False	["Gradient	0.860558	0.616085	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	-8	rrf	False	["Gradient	0.860558	0.616085	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	-8	kemeny	False	["Gradient	0.860558	0.618831	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	-8	schulze	False	["Gradient	0.860558	0.618831	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	-9	simpleavg	False	["Gradient	0.860405	0.616077	0.680754	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	-9	borda	False	["Gradient	0.860405	0.616077	0.680754	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	-9	rrf	False	["Gradient	0.860405	0.616077	0.680754	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	-9	kemeny	False	["Gradient	0.860558	0.616085	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	-9	schulze	False	["Gradient	0.860405	0.616077	0.680754	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	-10	simpleavg	False	["Gradient	0.860405	0.616079	0.681034	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	-10	borda	False	["Gradient	0.860405	0.616082	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	-10	rrf	False	["Gradient	0.860405	0.616082	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	-10	kemeny	False	["Gradient	0.860558	0.616085	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	-10	schulze	False	["Gradient	0.860405	0.616082	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	-11	simpleavg	True	["Gradient	0.860405	0.616080	0.681034	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	-11	borda	True	["Gradient	0.860405	0.616082	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	-11	rrf	True	["Gradient	0.860558	0.616085	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	-11	kemeny	True	["Gradient	0.860405	0.616082	0.680789	0.327422	0.385252	0.336179	0.404048	0.305340	0.34405	0.352826	0.369483	0.312774	0.396668	

cell	dataset	model	q	rule	q11 reference	method prefix	F clean	Fbar clean	C clean	Cbar clean	F perturbed gaussian-0.15	Fbar perturbed gaussian-0.15	C perturbed gaussian-0.15	Cbar perturbed gaussian-0.15	F perturbed salt-pepper-0.05	Fbar perturbed salt-pepper-0.05	C perturbed salt-pepper-0.05	Cbar perturbed salt-pepper-0.05	F perturbed speckle-0.15	Fbar perturbed speckle-0.15
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	11	schulze	True	["Gradient	0.272143	0.408821	0.028703	0.428176	0.359252	0.339236	0.417345	0.349313	0.433574	0.356936	0.435346	0.355733	0.422511	0.398714

Table 101: BloodMNIST–ViT-B/16 results.

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-2	0.346682	0.349313	0.330605	0.427068	0.341128	0.435837	0.079801	0.066355	0.083894	0.056124	0.067232	0.053201	0.072201
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-2	0.342882	0.35019	0.331774	0.420637	0.342005	0.429699	0.088863	0.063432	0.092663	0.052616	0.067524	0.049108	0.073078
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-2	0.344928	0.348144	0.332067	0.421222	0.342882	0.430284	0.089155	0.06577	0.092955	0.055539	0.067524	0.047355	0.073078
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-2	0.342882	0.35019	0.331774	0.420637	0.342005	0.429699	0.088863	0.063432	0.092663	0.052616	0.067524	0.049108	0.073078
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-2	0.342882	0.35019	0.331774	0.420637	0.342005	0.429699	0.088863	0.063432	0.092663	0.052616	0.067524	0.049108	0.073078
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-3	0.358667	0.344928	0.365098	0.453084	0.376206	0.462438	0.088278	0.059924	0.092955	0.051739	0.064601	0.042678	0.070447
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-3	0.369483	0.351652	0.37036	0.432914	0.380883	0.442561	0.07717	0.079217	0.082724	0.071032	0.055247	0.063432	0.061093
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-3	0.371529	0.345221	0.371821	0.423853	0.382344	0.432914	0.082724	0.070155	0.087694	0.061386	0.061093	0.055832	0.066939
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-3	0.356036	0.351652	0.349021	0.428237	0.359544	0.437591	0.076878	0.06957	0.08097	0.058462	0.059047	0.051739	0.064016
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-3	0.364513	0.348144	0.365098	0.422391	0.375329	0.431745	0.082432	0.07337	0.087986	0.064016	0.061093	0.05437	0.067232
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-4	0.365098	0.348728	0.354575	0.484946	0.365683	0.4943	0.084478	0.060801	0.08974	0.053785	0.063724	0.045601	0.069863
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-4	0.368606	0.361882	0.371529	0.469161	0.382929	0.477346	0.076001	0.089448	0.082724	0.082724	0.045308	0.06197	0.05057
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-4	0.371529	0.354282	0.375037	0.451038	0.385852	0.460684	0.07074	0.076586	0.076878	0.069863	0.048524	0.057878	0.054662
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-4	0.36919	0.352529	0.375037	0.461561	0.386144	0.470915	0.07074	0.08594	0.076878	0.078924	0.045601	0.051155	0.051155
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-4	0.36539	0.352236	0.369775	0.455422	0.381175	0.463899	0.071324	0.079509	0.07717	0.073078	0.045016	0.053201	0.050862
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-5	0.361882	0.35779	0.339374	0.499562	0.349605	0.509208	0.073663	0.062555	0.079509	0.055832	0.058755	0.051447	0.064601
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-5	0.361298	0.369483	0.362759	0.474423	0.373283	0.483484	0.070155	0.08974	0.077755	0.082724	0.044724	0.066063	0.052324
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-5	0.363929	0.377375	0.356621	0.479392	0.367436	0.488746	0.07074	0.083601	0.077755	0.078047	0.047939	0.06577	0.054662
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-5	0.349605	0.386144	0.346098	0.499562	0.356913	0.508331	0.071324	0.090617	0.079509	0.083601	0.053201	0.071616	0.061093
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-5	0.362759	0.370944	0.360713	0.477346	0.370944	0.486407	0.07074	0.083017	0.078632	0.075417	0.049693	0.067524	0.057293
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-6	0.346975	0.363052	0.310728	0.4829	0.321251	0.492546	0.087694	0.070447	0.094125	0.062847	0.07074	0.056709	0.077755
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-6	0.357205	0.345513	0.360421	0.454838	0.371236	0.464192	0.083601	0.085647	0.090617	0.07834	0.059924	0.066647	0.067524
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-6	0.360421	0.354867	0.354575	0.453376	0.365098	0.463315	0.077755	0.081555	0.08594	0.074247	0.05817	0.066647	0.06577
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-vit-b16	-6	0.353405	0.354867	0.347267	0.451915	0.35779	0.461853	0.076586	0.071616	0.084771	0.063724	0.06197	0.061093	0.06957

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	6	0.355159	0.353405	0.348436	0.456007	0.358959	0.465361	0.079509	0.08097	0.087694	0.073663	0.061093	0.064309	0.069278
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	0.319205	0.393452	0.311897	0.494008	0.322713	0.503362	0.064309	0.066355	0.070155	0.058755	0.051155	0.049985	0.057001
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	0.340836	0.356913	0.351067	0.462146	0.362467	0.471207	0.078632	0.085355	0.085647	0.077755	0.052324	0.055832	0.059924
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	0.35779	0.352236	0.345513	0.460976	0.356621	0.469746	0.078047	0.080678	0.085063	0.073078	0.055832	0.054078	0.063139
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	0.352236	0.358082	0.347267	0.461269	0.358667	0.470038	0.078632	0.080094	0.086524	0.072786	0.062262	0.061386	0.06957
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	7	0.352821	0.349021	0.348728	0.455422	0.359252	0.464484	0.07454	0.079217	0.081555	0.071616	0.050862	0.059339	0.058462
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	0.325928	0.405729	0.296112	0.512716	0.30722	0.522362	0.062847	0.071032	0.068986	0.064016	0.049401	0.05437	0.056416
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	0.32242	0.38936	0.341128	0.488454	0.351067	0.4981	0.065186	0.090909	0.071032	0.084186	0.043262	0.056124	0.05057
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	0.358375	0.368898	0.349605	0.475884	0.360129	0.485823	0.07337	0.081555	0.079217	0.074247	0.051155	0.06577	0.057878
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	0.356036	0.359836	0.348144	0.476761	0.358667	0.485531	0.072493	0.080678	0.079217	0.07337	0.050862	0.064309	0.057878
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	8	0.351067	0.371529	0.346682	0.482315	0.356621	0.491961	0.07454	0.089155	0.08097	0.081847	0.052324	0.06577	0.059047
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	0.322713	0.407483	0.292897	0.522947	0.304005	0.533177	0.061678	0.066355	0.067816	0.059924	0.047062	0.053201	0.053493
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	0.320959	0.406606	0.320959	0.527039	0.330897	0.536393	0.074247	0.110786	0.080678	0.103186	0.047939	0.075709	0.054662
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	0.336159	0.390529	0.325928	0.505115	0.336159	0.514762	0.078047	0.09354	0.084478	0.087109	0.054662	0.080386	0.061386
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	0.336159	0.399591	0.331774	0.5171	0.342005	0.526747	0.07717	0.086524	0.08594	0.079217	0.052909	0.07074	0.061386
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	9	0.333821	0.397545	0.329436	0.517685	0.339959	0.527039	0.076586	0.08974	0.084771	0.08214	0.053785	0.073955	0.061093
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	0.325051	0.407191	0.297866	0.519146	0.308974	0.529377	0.062847	0.064601	0.068693	0.057878	0.047062	0.053493	0.053493
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	0.311897	0.387314	0.317159	0.512131	0.327682	0.521777	0.066063	0.097632	0.072493	0.090032	0.047062	0.056709	0.05437
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	0.339959	0.387021	0.32622	0.503069	0.336744	0.512716	0.071616	0.087986	0.077755	0.08097	0.052324	0.075709	0.058462
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	0.332944	0.387898	0.329436	0.502777	0.340544	0.512131	0.074832	0.081263	0.083017	0.07454	0.057878	0.072493	0.065186
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	10	0.330605	0.384975	0.326805	0.5019	0.337036	0.511254	0.071032	0.091201	0.078924	0.084478	0.054078	0.067816	0.060509
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	0.326805	0.408945	0.297281	0.522362	0.308389	0.532593	0.059632	0.066063	0.066355	0.059339	0.045893	0.055247	0.052616
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	0.294943	0.427653	0.297574	0.540193	0.308974	0.550132	0.072786	0.102309	0.079509	0.095586	0.056416	0.072786	0.064601
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	0.326513	0.399883	0.320082	0.512131	0.330313	0.521777	0.077755	0.088571	0.084478	0.081555	0.061386	0.071616	0.068109
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist- vit-b16	11	0.32622	0.402806	0.316866	0.512716	0.32739	0.522362	0.087986	0.09734	0.095294	0.090909	0.063724	0.074832	0.071616

cell	dataset	model	q	C perturbed speckle-0.15	Cbar perturbed speckle-0.15	F perturbed adversarial-sara-2-255	Fbar perturbed adversarial-sara-2-255	C perturbed adversarial-sara-2-255	Cbar perturbed adversarial-sara-2-255	R F gaussian-0.15	R Fbar gaussian-0.15	R C gaussian-0.15	R Cbar gaussian-0.15	R F salt-pepper-0.05	R Fbar salt-pepper-0.05	R C salt-pepper-0.05
bloodmnist-bloodmnist-vit-b16	bloodmnist	bloodmnist-vit-b16	11	0.315405	0.40836	0.306635	0.526747	0.318036	0.536393	0.087109	0.095586	0.095294	0.088863	0.063432	0.072786	0.071324

Table 102: BloodMNIST–ViT-B/16 results.

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	-2	0.036831	0.033908	-0.049401	0.033031	-0.049693
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	-2	0.032739	0.040339	-0.045893	0.03917	-0.04677
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	-2	0.033324	0.038878	-0.047939	0.038293	-0.048816
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	-2	0.032739	0.040339	-0.045893	0.03917	-0.04677
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-2 vit-b16	-2	0.032739	0.040339	-0.045893	0.03917	-0.04677
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	-3	0.023677	0.058755	-0.093832	0.058755	-0.093832
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	-3	0.025139	0.049693	-0.065186	0.049401	-0.06577
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	-3	0.024554	0.051155	-0.062555	0.050862	-0.063139
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	-3	0.026308	0.038001	-0.058755	0.037124	-0.059632
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-3 vit-b16	-3	0.023093	0.053493	-0.059339	0.052909	-0.060509
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	-4	0.019877	0.03917	-0.125402	0.03917	-0.125694
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	-4	0.032154	0.051155	-0.084478	0.051447	-0.083309
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	-4	0.028647	0.044139	-0.07717	0.043847	-0.077755
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	-4	0.033616	0.049985	-0.084478	0.049985	-0.084771
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-4 vit-b16	-4	0.032739	0.043555	-0.079509	0.044139	-0.078924
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	-5	0.023677	0.0228	-0.12774	0.021923	-0.12774
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	-5	0.027477	0.042385	-0.086817	0.042385	-0.086524
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	-5	0.026893	0.037416	-0.084186	0.037416	-0.084478
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	-5	0.037708	0.038293	-0.084478	0.038585	-0.084478
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-5 vit-b16	-5	0.026016	0.042678	-0.089448	0.042385	-0.089448
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	-6	0.024847	0.021923	-0.104648	0.021923	-0.104648
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	-6	0.035077	0.052909	-0.083309	0.052909	-0.083601
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	-6	0.031862	0.045308	-0.074832	0.045308	-0.076586
bloodmni st–bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	-6	0.031277	0.041801	-0.073955	0.041801	-0.075709

cell	dataset	model	q	R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-6 vit-b16	6	0.028354	0.04297	-0.082432	0.04297	-0.083601
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	7	0.004677	0.021339	-0.105817	0.021339	-0.105232
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	7	0.025139	0.045308	-0.088863	0.046185	-0.089155
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	7	0.028647	0.028939	-0.088571	0.029524	-0.088863
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	7	0.033908	0.03917	-0.077755	0.040047	-0.078047
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-7 vit-b16	7	0.032739	0.033908	-0.08214	0.033908	-0.082724
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	8	0.011692	-0.000292	-0.105525	-0.000292	-0.10494
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	8	0.024262	0.043555	-0.084771	0.042678	-0.084478
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	8	0.026016	0.030693	-0.090324	0.030108	-0.090909
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	8	0.032739	0.035954	-0.093248	0.03537	-0.092955
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-8 vit-b16	8	0.030985	0.035662	-0.089155	0.034785	-0.089448
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	9	0.010231	-0.005554	-0.115171	-0.005846	-0.115463
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	9	0.034785	0.036831	-0.094709	0.035954	-0.095001
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	9	0.035077	0.0266	-0.089155	0.025723	-0.089155
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	9	0.029231	0.041216	-0.097048	0.041216	-0.097925
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-9 vit-b16	9	0.028647	0.041801	-0.099971	0.041801	-0.100848
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	10	0.009939	-0.002046	-0.111956	-0.002338	-0.112248
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	10	0.031862	0.034785	-0.102309	0.034493	-0.102602
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	10	0.033031	0.025431	-0.092371	0.024847	-0.092663
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	10	0.036247	0.038585	-0.087694	0.038585	-0.087986
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-10 vit-b16	10	0.033324	0.032739	-0.092663	0.032447	-0.092955
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	11	0.009062	-0.004385	-0.114294	-0.004385	-0.114586
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	11	0.026308	0.03917	-0.096171	0.040339	-0.096171
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	11	0.026308	0.029231	-0.095294	0.028939	-0.095586
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist-11 vit-b16	11	0.037124	0.038001	-0.08214	0.038293	-0.082432

cell	dataset	model		R Cbar speckle-0.15	R F adversarial-sara-2-255	R Fbar adversarial-sara-2-255	R C adversarial-sara-2-255	R Cbar adversarial-sara-2-255
bloodmni st-bloodmni st-vit-b16	bloodmnist	bloodmnist vit-b16	11	0.029816	0.034493	-0.097925	0.035954	-0.098217

Table 103: BloodMNIST–ViT-B/16 results.

dataset	model	method	result status	gate status	passed	deterministic repeat	finite fraction	target sensitive	selected batch size	attack batch size	attack seconds per sample	attack peak cuda bytes	error
BloodMNIST	ViT-B/16	Saliency	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	InputXGradient	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	IntegratedGradients	passed	passed	true	true	1	true	1	1	0.138445	6.6673e+09	
BloodMNIST	ViT-B/16	FeatureAbandon	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	Occlusion	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	GradientShap	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	CheferTransformerAttention	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	PartialLRP	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	FullLRP	passed	passed	true	true	1	true	1				
BloodMNIST	ViT-B/16	GradientAttentionRollout	passed	passed	true	true	1	true	1	1	0.063645	3.3842e+09	
BloodMNIST	ViT-B/16	AttentionGradCAM	passed	passed	true	true	1	true	1	1	0.052215	3.3105e+09	